FRS36.Benefit_Unit[]

Benefit Unit Schedule

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU
```

BUPerson

Person Id from Grid.

1..97

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
```

AdultNum

Number of adults in current B.U.

1..2

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU
```

BUPerson

Person Id from Grid.

1..97

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
RESERVECHECK
```

RESERVECHECK

RESERVECHECK

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
RESERVECHECK
```

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK
```

```
CHECK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
```

PersDisp

INTERVIEWER: FOR YOUR INFORMATION...

...the adult(s) now allocated to this Benefit Unit schedule are:

Person 1: ^Names[1] Person 2: ^Names[2]

PRESS '1' AND <Enter> TO CONTINUE WITH THE INTERVIEW.

(1) Continue

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU
```

BenSTime

Start time in Benefit Unit

TIME

FRS36.Benefit_Unit[].QHealth1.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: PersDisp = RESPONSE
    AND: In loop FOR PerNo := 1 TO AdultNum
PersId
```

^CC*** ^Names[PerNo] *** HEALTH

Person Id

0..14

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: PersDisp = RESPONSE
    AND: In loop FOR PerNo := 1 TO AdultNum
```

Health

```
^CC*** ^Names[PerNo] ***
                               HEALTH
```

^HIntroDo you have any long-standing illness, disability or infirmity?

By long-standing I mean anything that has troubled you over a period of time or that is likely to affect you over a period of time.

INTERVIEWER: THIS IS A QUESTION OF OPINION.

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: PersDisp = RESPONSE
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: Health = Yes
```

HProb

```
^CC*** ^Names[PerNo] ***
                               HEALTH
```

Does this illness or disability limit your activities in any way?

INTERVIEWER: THIS IS A QUESTION OF OPINION.

- (1) Yes
- No (2)

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: PersDisp = RESPONSE
AND: In loop FOR PerNo := 1 TO AdultNum
AND: HProb = Yes
```

LAReg

```
^CC*** ^Names[PerNo] *** HEALTH
```

Local authorities keep registers of disabled people so that they can provide services for disabled people in their area. Are you on the Local Authority register?

(NB. THIS IS NOT THE REGISTER OF DISABLED PEOPLE UNDER THE DISABLED PERSON EMPLOYMENT ACT).

- (1) Yes
- (2) No

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: PersDisp = RESPONSE
AND: In loop FOR PerNo := 1 TO AdultNum
AND: HProb = Yes
AND: LAReg = Yes
```

SpcReg

```
^CC*** ^Names[PerNo] *** HEALTH
```

Are you registered as ...READ OUT & PROMPT EACH ITEM INDIVIDUALLY... CODE ALL THAT APPLY.

SET [2] OF

- (1) ...blind,
- (2) ...partially sighted,
- (3) ...deaf?
- (4) None of these

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: PersDisp = RESPONSE
AND: In loop FOR PerNo := 1 TO AdultNum
NOT((IN(Blind,SpcReg)) AND (IN(Partsee,SpcReg)))
```

Blind and partially sighted are mutually exclusive responses.

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: PersDisp = RESPONSE
AND: In loop FOR PerNo := 1 TO AdultNum
SpcReg.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: PersDisp = RESPONSE

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: PersDisp = RESPONSE

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: PersDisp = RESPONSE

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: PersDisp = RESPONSE

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: PersDisp = RESPONSE

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QHealth2.Child[]

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum
```

PersId

CHILD HEALTH

Person Id.

0..14

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
```

CHealth

CHILD HEALTH

^CHIntroDoes ^ChName have any long-standing illness, disability or infirmity? By long-standing I mean anything that has troubled ^ChName over a period of time or that is likely to affect ^himher over a period of time?

INTERVIEWER: THIS IS A QUESTION OF OPINION.

(1) Yes (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHealth = Yes
```

CHprob

CHILD HEALTH

Does this illness or disability limit ^ChName's activities in any way?

INTERVIEWER: THIS IS A QUESTION OF OPINION.

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHprob = Yes
```

LAReg

CHILD HEALTH

Local authorities keep registers of disabled people so that they can provide services for disabled people in their area. Is ^ChName on the Local Authority register?

(NB. THIS IS NOT THE REGISTER OF DISABLED PEOPLE UNDER THE DISABLED PERSON EMPLOYMENT ACT).

- (1) Yes
- (2) No

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHprob = Yes
AND: LAReg = Yes
```

SpcReg

CHILD HEALTH

Is ^ChName registered as ...READ OUT & PROMPT EACH ITEM INDIVIDUALLY... CODE ALL THAT APPLY.

```
SET [2] OF
```

- (1) ...blind,
- (2) ...partially sighted,
- (3) ...deaf?
- (4) None of these

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
NOT((IN(Blind,SpcReg)) AND (IN(Partsee,SpcReg)))
```

Blind and partially sighted are mutually exclusive responses.

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
SpcReg.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QHealth3.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
```

PersId

```
^CC*** ^Names[PerNo] *** HEALTH
```

Person Id

0..14

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
```

Rstrct

```
^CC*** ^Names[PerNo] *** HEALTH
```

SHOW CARD L

Some people are restricted in the amount or type of work they can do, because they have an injury, illness or disability. Which of these statements comes closest to your own position at the moment? CODE FIRST THAT APPLIES. INTERVIEWER: THIS IS A QUESTION OF OPINION.

BECAUSE OF INJURY, ILLNESS, DISABILITY....

- (1) I am unable to work at the moment.
- (2) I am restricted in the amount or type of work I can (could) do.
- (3) I am not restricted in the amount or type of work I can (could) do.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
AND: Rstrct = NoWork
```

InjLong

```
^CC*** ^Names[PerNo] *** HEALTH
```

How long have you been unable to work because of this injury/illness/disability?

IF IN DOUBT, CONSULT CALENDAR.

- (1) 28 weeks or less
- (2) Over 28 weeks, up to 1 year
- (3) More than 1 year

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
AND: Rstrct = NoWork
AND: InjLong = Overlyr
```

IncDur

```
^CC*** ^Names[PerNo] *** HEALTH
```

Can I check, in which year did you stop working because of this injury/illness/disability?

INTERVIEWER: PROBE TO CLASSIFY.

HELP <F9>

- (1) 1995 or later
- (2) Stopped work in 1994
- (3) Stopped work in 1993
- (4) Stopped work in 1992
- (5) Before 1992
- (6) Has never worked

```
ASK IF: QCare.GiveHelp <> EMPTY
```

```
AND: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: BelowPe2[PerNo] = 1
AND: Rstrct = SomeWork

InjWk

```
^CC*** ^Names[PerNo] *** HEALTH
```

How many hours a week (could you/are you able to) work?

- (1) Less than 16 hours a week
- (2) 16 but less than 24 hours a week
- (3) 24 but less than 30 hours a week
- (4) 30 hours a week or more

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

IntroEd

THE QUESTIONS THAT FOLLOW ARE ABOUT EDUCATION.

(1) Press <Enter> to continue.

FRS36.Benefit_Unit[].QEduc1.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
PersId
     ^CC*** ^Names[PerNo] ***
                                EDUCATION
     Person Identifier.
     0..14
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: PAge >= 16
EdAttn1
     ^CC*** ^Names[PerNo] ***
                                 EDUCATION
     Do you have any educational qualifications for which you received a certificate?
     HELP <F9>
     (1)
          Yes
     (2)
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: PAge >= 16
EdAttn2
     ^CC*** ^Names[PerNo] ***
                                 EDUCATION
     Do you have any professional, vocational or other work-related qualifications for which you received a
     certificate?
     HELP <F9>
     (1)
          Yes
```

(2)

No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: PAge >= 16
AND: (EdAttn1 = Yes) OR (EdAttn2 = Yes)
```

EdAttn3

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Was your highest qualification....

HELP <F9>@

- (1) at degree level or above
- (2) or another kind of qualification

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (PFtEd = Yes) OR ((PAge >= 16) AND (PTEA = 96))
```

AnyEd

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: NOT ((PFtEd = Yes) OR ((PAge >= 16) AND (PTEA = 96))
```

AnyEd

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (AnyEd = Yes) AND (PAge >= 16)
```

EdHr

```
^CC*** ^Names[PerNo] *** EDUCATION
```

In your course of education, how many hours tuition do you normally receive each week? Only include time spent in lectures, seminars, and practicals where a tutor is present.

INTERVIEWER: IF NONE (EG. DISTANCE LEARNING), ENTER '0'.

0..97

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: Edit = No
EdHr < 65</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (AnyEd = Yes) AND (PAge >= 16)

AND: EdHr > 0
```

EdTime

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Is that...READ OUT (RUNNING PROMPT)...

- (1) ...just in the daytime,
- (2) ...just in the evenings,
- (3) ...or both?

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: PTypeEd = RESPONSE
```

AdEduc

```
^CC*** ^Names[PerNo] *** EDUCATION
```

What type of school or college do you attend?

- (1) Non-advanced further education/6th form/tertiary/further education college
- (2) Any PRIVATE school
- (3) University or any other higher education
- (4) Other (Describe in a Note)

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AnyEd = Yes
```

AdEduc

```
^CC*** ^Names[PerNo] *** EDUCATION
```

What type of school or college do you attend?

- (1) Non-advanced further education/6th form/tertiary/further education college
- (2) Any PRIVATE school
- (3) University or any other higher education
- (4) Other (Describe in a Note)

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QEduc2.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
```

PersId

^CC*** ^Names[PerNo] *** EDUCATION

Person identifier.

IN [FE .. HE])

0..14

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
```

Grant

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Are you receiving an education grant, maintenance grant or scholarship?

INTERVIEWER: INCLUDE HOLIDAY PERIODS.

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])

AND: Grant = Yes

GrtNum

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How many grants or scholarships are you getting?

IF MORE THAN ONE, THE NEXT QUESTIONS DEAL WITH A MAXIMUM OF TWO GRANTS. TAKE GRANTS IN ORDER OF ANNUAL VALUE (IF MORE THAN 2, GIVE DETAILS OF 3rd, ETC, IN A NOTE.

- (1) One
- (2) Two
- (3) Three or more

FRS36.Benefit_Unit[].QEduc2.Adult[].QGrant[]

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
GrtSce
    ^CC*** ^Names[PerNo] ***
```

```
EDUCATION
```

Is the source of the ^pFirst grant...READ OUT (RUNNING PROMPT)...

- (1) ...state
- (2) ...private
- (3) ...or overseas?

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtSce = State
```

GrtAmt

```
^CC*** ^Names[PerNo] ***
                            EDUCATION
```

What is the current annual value of the grant, excluding fees?

0..9997

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtSce = State
    AND: Edit = No
    ((pFirst = 'FIRST') AND (GrtAmt < 6170)) OR ((pFirst = 'SECOND') AND
    (GrtAmt < 3350))
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce IN [Private, Overseas]
```

GrtVal

```
^CC*** ^Names[PerNo] *** EDUCATION
```

What is the current annual value of the grant including fees?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
   IN [FE .. HE])
   AND: Grant = Yes
   AND: GrtNum IN [One .. Three]
   AND: GrtSce IN [Private, Overseas]
   AND: Edit = No
   ((pFirst = 'FIRST') AND (GrtVal < 22649)) OR ((pFirst = 'SECOND') AND
   (GrtVal < 6908))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce = RESPONSE
```

GrtDir

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much of this is paid direct to 'pyou by cash or cheque?

0..99997

```
Warn IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
   IN [FE .. HE])
   AND: Grant = Yes
   AND: GrtNum IN [One .. Three]
   AND: GrtSce = RESPONSE
   AND: Edit = No
   ((pFirst = 'FIRST') AND (GrtDir < 7242)) OR ((pFirst = 'SECOND') AND
   (GrtDir < 4618))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce = RESPONSE

GrtDir <= GrtVal
```

The amount paid cannot exceed the total value of the grant. Please amend your coding.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtSce = RESPONSE
    GrtDir <= GrtAmt</pre>
```

The amount paid cannot exceed the total value of the grant. Please amend your coding.

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
StartYr
    ^CC*** ^Names[PerNo] ***
                               EDUCATION
    In which year did this course start?
    ENTER YEAR.
     1989..2000
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: pFirst = FIRST
    AND: QDataBag.SampMnth IN [4 .. 12]
     StartYr <> 2000
    Wrong Year!
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: pFirst = FIRST
EndYr
     ^CC*** ^Names[PerNo] ***
                               EDUCATION
     And in which year will the course end?
     ENTER YEAR.
     1999..2007
```

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
IN(StartYr,[944473296590000000000])
```

That's rather a long time ago. Please check this date is correct.

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
(EndYr - StartYr) < 5</pre>
```

The course is longer than 4 years; please check if this is correct.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: pFirst = FIRST

EndYr >= StartYr
```

The end year of the course cannot be before the start year.

FRS36.Benefit_Unit[].QEduc2.Adult[].QGrant[]

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

GrtSce

^CC*** ^Names[PerNo] *** EDUCATION
```

Is the source of the ^pFirst grant...READ OUT (RUNNING PROMPT)...

- (1) ...state
- (2) ...private
- (3) ...or overseas?

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce = State
```

GrtAmt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

What is the current annual value of the grant, excluding fees?

0..9997

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = State
AND: Edit = No
((pFirst = 'FIRST') AND (GrtAmt < 6170)) OR ((pFirst = 'SECOND') AND
(GrtAmt < 3350))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce IN [Private, Overseas]
```

GrtVal

```
^CC*** ^Names[PerNo] *** EDUCATION
```

What is the current annual value of the grant including fees?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce IN [Private, Overseas]
AND: Edit = No
((pFirst = 'FIRST') AND (GrtVal < 22649)) OR ((pFirst = 'SECOND') AND
(GrtVal < 6908))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = RESPONSE
```

GrtDir

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much of this is paid direct to 'pyou by cash or cheque?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: GrtSce = RESPONSE
    AND: Edit = No
    ((pFirst = 'FIRST') AND (GrtDir < 7242)) OR ((pFirst = 'SECOND') AND
    (GrtDir < 4618))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = RESPONSE
GrtDir <= GrtVal</pre>
```

The amount paid cannot exceed the total value of the grant. Please amend your coding.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: GrtSce = RESPONSE
    GrtDir <= GrtAmt
    The amount paid cannot exceed the total value of the grant. Please amend your coding.
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
StartYr
    ^CC*** ^Names[PerNo] ***
                               EDUCATION
    In which year did this course start?
     ENTER YEAR.
     1989..2000
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
    AND: QDataBag.SampMnth IN [4 .. 12]
     StartYr <> 2000
     Wrong Year!
```

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
EndYr
    ^CC*** ^Names[PerNo] ***
                               EDUCATION
     And in which year will the course end?
    ENTER YEAR.
     1999..2007
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
     IN(StartYr,[944473296590000000000])
    That's rather a long time ago. Please check this date is correct.
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    IN [FE .. HE])
    AND: Grant = Yes
```

The course is longer than 4 years; please check if this is correct.

AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]

AND: pFirst = FIRST
(EndYr - StartYr) < 5</pre>

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

AND: pFirst = FIRST

EndYr >= StartYr
```

The end year of the course cannot be before the start year.

FRS36.Benefit_Unit[].QEduc2.Adult[] (continued)

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: AskParental = Yes
```

Parental

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Have you received any contribution from your parents in the last 12 months?

HELP <F9>

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: AskParental = Yes
AND: Parental = Yes
```

PareAmt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much did you receive last time?

INTERVIEWER: INCLUDE ALL CONTRIBUTIONS - IF NECESSARY ADD THEM TOGETHER AND CALCULATE AN AVERAGE WEEKLY, MONTHLY OR ANNUAL AMOUNT.

0..99997

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: AskParental = Yes

AND: PareAmt > 0
```

ParePd

^CC*** ^Names[PerNo] *** EDUCATION

How long did that cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])

ParePd <> Note

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QEduc3.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
```

PersId

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Identifying number of person receiving top up loan.

0..14

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
```

TopUpL

```
^CC*** ^Names[PerNo] *** EDUCATION
```

For your course, are you eligible to receive a student loan?

ONLY APPLICABLE TO THOSE AGED 50 OR LESS.

Press <F9> for help.

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: TopUpL = Yes
```

TUBorr

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much altogether will you borrow during this academic year, that is the year beginning in September ^YrFill1 and ending in Summer ^YrFill2?

0..999997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
   AND: TopUpL = Yes
   TUBorr <= 3145</pre>
```

You have entered that the person is borrowing more than &3145 per year (the current maximum from the Student Loan Company) through a top up loan. Please check your answer.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
```

Loan

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Do you have any other loan to enable you to attend a course of education?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
```

LoanNo

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How many loans do you have?

IF MORE THAN ONE, THE NEXT QUESTIONS DEAL WITH A MAXIMUM OF TWO LOANS. TAKE LOANS IN ORDER OF AMOUNT.

- (1) One
- (2) Two
- (3) Three or more

FRS36.Benefit_Unit[].QEduc3.Adult[].QEdLoan[]

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
```

EdBorr

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Thinking of the 'PFrom loan, from whom have you borrowed the money?

- (1) organisation
- (2) private individual

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
```

EdMonYr

```
^CC*** ^Names[PerNo] *** EDUCATION
```

When did you take out the loan?

ENTER DATE (IF DAY NOT KNOWN, ENTER 15TH OF MONTH).

DATE

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
   = HE)
   AND: Loan = Yes
   AND: LoanNo IN [One .. Three]
   AND: Edit = No
   EdMonYr >= (DateNow + (-6,0,0))
```

You have entered that the loan was taken out more than 6 years ago. Please check that it is correct.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
EdMonYr <= DateNow</pre>
```

You have entered a future date. Please include only loans already taken out.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
```

EdSum

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much did you originally borrow?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: Edit = No
EdSum < 7795</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
```

EdAmt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much was your last repayment?

INTERVIEWER: CODE 0 IF NO REPAYMENTS YET MADE.

0..9997

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    EdAmt <= EdSum</pre>
```

You have entered that the respondent made a repayment which was greater than the value of the loan. Please check that it is correct.

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
EdPd
     ^CC*** ^Names[PerNo] ***
                                 EDUCATION
     How long did that cover?
          One week
     (1)
     (2)
          Two weeks
     (3)
          Three weeks
     (4)
          Four weeks
          Calendar month
     (5)
     (7)
          Two Calendar months
     (8)
          Eight times a year
     (9)
          Nine times a year
     (10)
          Ten times a year
     (13)
          Three months/13 weeks
     (26)
          Six months/26 weeks
     (52)
          One Year/12 months/52 weeks
          Less than one week
     (90)
          One off/lump sum
     (95)
     (97) None of these (EXPLAIN IN A NOTE)
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
     AND: EdPd IN [OneWeek .. Year]
     AND: LWeekly > 0
EdWkly
     ^CC*** ^Names[PerNo] ***
                                 EDUCATION
     Standardised weekly amount.
     0.00..997.00
```

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0
AND: EdPd IN [OneWeek .. Year]
AND: LWeekly > 0
AND: Edit = No
(EdWkly < 102) AND INVOLVING(EdPd,EdAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    EdPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
```

EdInt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Does the loan...READ OUT (RUNNING PROMPT)...

- (1) ...carry interest,
- (2) ...or is it interest free?

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdInt = Interest
```

LnRpInt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Was your last payment...READ OUT (RUNNING PROMPT)...

- (1) ...just interest
- (2) ...or did it include some repayment of capital?

FRS36.Benefit_Unit[].QEduc3.Adult[].QEdLoan[]

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
```

EdBorr

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Thinking of the 'PFrom loan, from whom have you borrowed the money?

- (1) organisation
- (2) private individual

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
```

EdMonYr

```
^CC*** ^Names[PerNo] *** EDUCATION
```

When did you take out the loan?

ENTER DATE (IF DAY NOT KNOWN, ENTER 15TH OF MONTH).

DATE

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: Edit = No
EdMonYr >= (DateNow + (-6,0,0))
```

You have entered that the loan was taken out more than 6 years ago. Please check that it is correct.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
EdMonYr <= DateNow</pre>
```

You have entered a future date. Please include only loans already taken out.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
```

EdSum

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much did you originally borrow?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
   = HE)
   AND: Loan = Yes
   AND: LoanNo IN [One .. Three]
   AND: LoanNo IN [Two .. Three]
   AND: Edit = No
   EdSum < 7795</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

AND: LoanNo IN [Two .. Three]
```

EdAmt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much was your last repayment?

INTERVIEWER: CODE 0 IF NO REPAYMENTS YET MADE.

0..9997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
EdAmt <= EdSum</pre>
```

You have entered that the respondent made a repayment which was greater than the value of the loan. Please check that it is correct.

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
EdPd
     ^CC*** ^Names[PerNo] ***
                                EDUCATION
     How long did that cover?
     (1)
          One week
     (2)
          Two weeks
     (3)
          Three weeks
     (4)
          Four weeks
     (5)
          Calendar month
     (7)
          Two Calendar months
     (8)
          Eight times a year
     (9)
          Nine times a year
     (10)
          Ten times a year
          Three months/13 weeks
     (13)
     (26)
          Six months/26 weeks
     (52)
          One Year/12 months/52 weeks
     (90)
         Less than one week
     (95)
          One off/lump sum
     (97)
          None of these (EXPLAIN IN A NOTE)
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
     AND: EdPd IN [OneWeek .. Year]
     AND: LWeekly > 0
EdWkly
     ^CC*** ^Names[PerNo] ***
                                EDUCATION
     Standardised weekly amount.
     0.00..997.00
```

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
AND: EdAmt > 0
AND: EdPd IN [OneWeek .. Year]
AND: LWeekly > 0
AND: Edit = No
(EdWkly < 102) AND INVOLVING(EdPd,EdAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    EdPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

AND: LoanNo IN [Two .. Three]
```

EdInt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Does the loan...READ OUT (RUNNING PROMPT)...

- (1) ...carry interest,
- (2) ...or is it interest free?

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdInt = Interest
```

LnRpInt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Was your last payment...READ OUT (RUNNING PROMPT)...

- (1) ...just interest
- (2) ...or did it include some repayment of capital?

FRS36.Benefit_Unit[].QEduc3.Adult[] (continued)

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
```

Access

```
^CC*** ^Names[PerNo] *** EDUCATION
```

Some students get money from an access fund provided by their college or university to relieve hardship. Do you receive any REGULAR payment from such an access fund?

INTERVIEWER: DO NOT INCLUDE LUMP SUM PAYMENTS OR LOANS.

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Access = Yes
```

AccsAmt

```
^CC*** ^Names[PerNo] *** EDUCATION
```

How much did you receive last time?

1..997

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Access = Yes

AND: Access = Yes

AND: Access = RESPONSE
```

AccsPd

```
^CC*** ^Names[PerNo] *** EDUCATION
```

What period did that cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
   (AccsPd <> LumpSum) AND (AccsPd <> Year)
```

EDITOR: ACCESS FUND SHOULD BE REGULAR PAYMENT, NOT ONE-OFF. IF NO NOTES TO EXPLAIN, DELETE AMOUNT AT AccsAmt, AND CHANGE 'Access' TO NO.

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AccsPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QEduc4.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
PersId
     ^CC*** ^Names[PerNo] ***
                              EDUCATION
     Person identifier.
     0..14
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: PAnyEd = No
OldStud
     ^CC*** ^Names[PerNo] ***
                               EDUCATION
     Have you been a student at a college or university at any time since 1990?
          Yes
     (1)
     (2)
          No
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
SLRepay
```

^CC*** ^Names[PerNo] *** **EDUCATION**

In the last 12 months, have you made any repayments of a Student Loan?

- (1) Yes
- No (2)

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
SLRepAmt
     ^CC*** ^Names[PerNo] ***
                                  EDUCATION
     How much did you pay last time?
     1..9997
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
SLRepPd
     ^CC*** ^Names[PerNo] ***
                                  EDUCATION
     How long did that cover?
          One week
     (1)
     (2)
          Two weeks
          Three weeks
     (3)
     (4)
          Four weeks
     (5)
          Calendar month
     (7)
          Two Calendar months
     (8)
          Eight times a year
     (9)
          Nine times a year
     (10)
          Ten times a year
     (13)
          Three months/13 weeks
     (26)
          Six months/26 weeks
          One Year/12 months/52 weeks
     (52)
     (90)
          Less than one week
     (95)
          One off/lump sum
     (97)
          None of these (EXPLAIN IN A NOTE)
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     SLRepPd <> Note
     EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
```

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

$FRS36. Benefit_Unit[]. QChEduc. Child[]\\$

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
```

PersId

```
*** ^ChNames[PerNo] *** EDUCATION
```

Person identifier of person receiving grant or scholarship.

0..14

$FRS36. Benefit_Unit[]. QChEduc. Child[]. QAdEduc$

```
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
    (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
PersId
     *** ^ChNames[PerNo] ***
                            EDUCATION
    Person Identifier.
    0..14
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
    (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
    (ChTypeEd[PerNo] = Private))
    AND: PAge >= 16
```

EdAttn1

```
*** ^ChNames[PerNo] *** EDUCATION
```

Do you have any educational qualifications for which you received a certificate?

HELP <F9>

- (1) Yes
- (2) No

```
Ask IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: PAge >= 16
```

EdAttn2

```
*** ^ChNames[PerNo] *** EDUCATION
```

Do you have any professional, vocational or other work-related qualifications for which you received a certificate?

HELP <F9>

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: (EdAttn1 = Yes) OR (EdAttn2 = Yes)
```

EdAttn3

```
*** ^ChNames[PerNo] *** EDUCATION
```

Was your highest qualification....

HELP <F9>@

- (1) at degree level or above
- (2) or another kind of qualification

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (PFtEd = Yes) OR ((PAge >= 16) AND (PTEA = 96))
```

AnyEd

```
*** ^ChNames[PerNo] *** EDUCATION
```

Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: NOT ((PFtEd = Yes) OR ((PAge >= 16) AND (PTEA = 96))
```

AnyEd

```
*** ^ChNames[PerNo] *** EDUCATION
```

Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: (AnyEd = Yes) AND (PAge >= 16)
```

EdHr

```
*** ^ChNames[PerNo] *** EDUCATION
```

In your course of education, how many hours tuition do you normally receive each week? Only include time spent in lectures, seminars, and practicals where a tutor is present.

INTERVIEWER: IF NONE (EG. DISTANCE LEARNING), ENTER '0'.

0..97

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO ChildNum
   AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
   AND: (AnyEd = Yes) AND (PAge >= 16)
   AND: Edit = No
   EdHr < 65</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: EdHr > 0
```

EdTime

```
*** ^ChNames[PerNo] *** EDUCATION
```

Is that...READ OUT (RUNNING PROMPT)...

- (1) ...just in the daytime,
- (2) ...just in the evenings,
- (3) ...or both?

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PTypeEd = RESPONSE
```

AdEduc

```
*** ^ChNames[PerNo] *** EDUCATION
```

What type of school or college do you attend?

- (1) Non-advanced further education/6th form/tertiary/further education college
- (2) Any PRIVATE school
- (3) University or any other higher education
- (4) Other (Describe in a Note)

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: AnyEd = Yes
```

AdEduc

```
*** ^ChNames[PerNo] *** EDUCATION
```

What type of school or college do you attend?

- (1) Non-advanced further education/6th form/tertiary/further education college
- (2) Any PRIVATE school
- (3) University or any other higher education
- (4) Other (Describe in a Note)

FRS36.Benefit_Unit[].QChEduc.Child[] (continued)

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
```

Grant

```
*** ^ChNames[PerNo] *** EDUCATION
```

Is ^ChName receiving an education grant, maintenance grant or scholarship?

INTERVIEWER: INCLUDE HOLIDAY PERIODS.

- (1) Yes
- (2) No

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
```

GrtNum

```
*** ^ChNames[PerNo] *** EDUCATION
```

How many grants or scholarships is ^ChName getting?

IF MORE THAN ONE, THE NEXT QUESTIONS DEAL WITH A MAXIMUM OF TWO GRANTS. TAKE GRANTS IN ORDER OF ANNUAL VALUE (IF MORE THAN 2, GIVE DETAILS OF 3rd, ETC, IN A NOTE.

- (1) One
- (2) Two
- (3) Three or more

FRS36.Benefit_Unit[].QChEduc.Child[].QGrant[]

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
GrtSce
     *** ^ChNames[PerNo] ***
                              EDUCATION
     Is the source of the ^pFirst grant...READ OUT (RUNNING PROMPT)...
     (1)
         ...state
     (2)
         ...private
     (3)
         ...or overseas?
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
GrtAmt
     *** ^ChNames[PerNo] ***
                              EDUCATION
```

What is the current annual value of the grant, excluding fees?

0..9997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO ChildNum
   AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
   AND: Grant = Yes
   AND: GrtNum IN [One .. Three]
   AND: GrtSce = State
   AND: Edit = No
   ((pFirst = 'FIRST') AND (GrtAmt < 6170)) OR ((pFirst = 'SECOND') AND (GrtAmt < 3350))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce IN [Private, Overseas]
```

GrtVal

```
*** ^ChNames[PerNo] *** EDUCATION
```

What is the current annual value of the grant including fees?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtSce IN [Private, Overseas]
    AND: Edit = No ((pFirst = 'FIRST') AND (GrtVal < 22649)) OR ((pFirst = 'SECOND') AND (GrtVal < 6908))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce = RESPONSE
```

GrtDir

```
*** ^ChNames[PerNo] *** EDUCATION
```

How much of this is paid direct to 'pyou by cash or cheque?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = RESPONSE
AND: Edit = No
((pFirst = 'FIRST') AND (GrtDir < 7242)) OR ((pFirst = 'SECOND') AND (GrtDir < 4618))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtSce = RESPONSE
    GrtDir <= GrtVal</pre>
```

The amount paid cannot exceed the total value of the grant. Please amend your coding.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = RESPONSE
    GrtDir <= GrtAmt
    The amount paid cannot exceed the total value of the grant. Please amend your coding.
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: pFirst = FIRST
StartYr
     *** ^ChNames[PerNo] ***
                              EDUCATION
     In which year did this course start?
     ENTER YEAR.
     1989..2000
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: pFirst = FIRST
    AND: QDataBag.SampMnth IN [4 .. 12]
     StartYr <> 2000
     Wrong Year!
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
EndYr
     *** ^ChNames[PerNo] ***
                              EDUCATION
     And in which year will the course end?
    ENTER YEAR.
     1999..2007
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: pFirst = FIRST
     IN(StartYr,[944473296590000000000])
    That's rather a long time ago. Please check this date is correct.
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
```

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO ChildNum
   AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
   AND: Grant = Yes
   AND: GrtNum IN [One .. Three]
   AND: pFirst = FIRST
   (EndYr - StartYr) < 5</pre>
```

The course is longer than 4 years; please check if this is correct.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: pFirst = FIRST

EndYr >= StartYr
```

The end year of the course cannot be before the start year.

FRS36.Benefit_Unit[].QChEduc.Child[].QGrant[]

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
GrtSce
     *** ^ChNames[PerNo] ***
                              EDUCATION
     Is the source of the ^pFirst grant...READ OUT (RUNNING PROMPT)...
     (1)
          ...state
     (2)
         ...private
     (3)
         ...or overseas?
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
GrtAmt
     *** ^ChNames[PerNo] ***
                              EDUCATION
     What is the current annual value of the grant, excluding fees?
     0..9997
```

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = State
AND: GrtSce = State
AND: Edit = No
    ((pFirst = 'FIRST') AND (GrtAmt < 6170)) OR ((pFirst = 'SECOND') AND (GrtAmt < 3350))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce IN [Private, Overseas]
```

GrtVal

```
*** ^ChNames[PerNo] *** EDUCATION
```

What is the current annual value of the grant including fees?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtSce IN [Private, Overseas]
    AND: Edit = No ((pFirst = 'FIRST') AND (GrtVal < 22649)) OR ((pFirst = 'SECOND') AND (GrtVal < 6908))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = RESPONSE
```

GrtDir

```
*** ^ChNames[PerNo] *** EDUCATION
```

How much of this is paid direct to 'pyou by cash or cheque?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR
    (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
    (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = RESPONSE
AND: Edit = No
    ((pFirst = 'FIRST') AND (GrtDir < 7242)) OR ((pFirst = 'SECOND') AND
    (GrtDir < 4618))</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce = RESPONSE

GrtDir <= GrtVal
```

The amount paid cannot exceed the total value of the grant. Please amend your coding.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = RESPONSE
     GrtDir <= GrtAmt
    The amount paid cannot exceed the total value of the grant. Please amend your coding.
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
StartYr
     *** ^ChNames[PerNo] ***
                              EDUCATION
     In which year did this course start?
     ENTER YEAR.
     1989..2000
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
    AND: QDataBag.SampMnth IN [4 .. 12]
     StartYr <> 2000
     Wrong Year!
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
EndYr
     *** ^ChNames[PerNo] ***
                              EDUCATION
     And in which year will the course end?
     ENTER YEAR.
     1999..2007
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
     IN(StartYr,[944473296590000000000])
    That's rather a long time ago. Please check this date is correct.
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR
     (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
     (EndYr - StartYr) < 5
```

The course is longer than 4 years; please check if this is correct.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO ChildNum
    AND: (ChFtEd[PerNo] = Yes) AND (((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
    AND: pFirst = FIRST
    EndYr >= StartYr
```

The end year of the course cannot be before the start year.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

ASK IF: OCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

NHHChild

Have^either_of you any (other) children aged 16-24 OUTSIDE this household, who are currently receiving full- or part-time education?

INCLUDE MARRIED CHILDREN AGED 16-24.

- (1) Yes
- (2) No

FRS36.Benefit_Unit[].QNHHCh.Child[]

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
```

ExtSeq

CHILDREN OUTSIDE HOUSEHOLD

External child sequence number.

1..4

```
Ask IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
```

NHHName

CHILDREN OUTSIDE HOUSEHOLD

Could you tell me the child's first name?

STRING[15]

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
```

NHHPar

CHILDREN OUTSIDE HOUSEHOLD

INTERVIEWER: ENTER PERSON NUMBER(S) OF 'NHHName's PARENT(S) IN HOUSEHOLD

SET [2] OF

- (1) ^Names[1]
- (2) ^Name2

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))

AND: Per2 IN NHHPar

AdultNum = 2

Code 2 is not valid for this question.
```

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
```

NHHEd

CHILDREN OUTSIDE HOUSEHOLD

Is 'NHHName in...READ OUT (RUNNING PROMPT)...

- (1) ...full-time education,
- (2) ...or part-time education?

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
```

NHHFee

CHILDREN OUTSIDE HOUSEHOLD

Apart from leisure classes, in the last 12 months (that is, since ^DatYrAgo), have you paid any fees or maintenance for ^NHHName for any educational courses at any level?

INCLUDE PARENTAL CONTRIBUTION.

- (1) Yes
- (2) No

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
AND: NHHFee = Yes
```

NHHAmt

CHILDREN OUTSIDE HOUSEHOLD

How much did you pay for ^NHHName last time?

1..9997

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))

AND: NHHFee = Yes

AND: NHHAmt > 0
```

NHHPd

CHILDREN OUTSIDE HOUSEHOLD

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
AND: NHHFee = Yes
AND: NHHAmt > 0
AND: NHHPd IN [OneWeek .. Year]
AND: LWeekly > 0
```

NHHWkly

CHILDREN OUTSIDE HOUSEHOLD

Standardised weekly amount.

0.00..9997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
   AND: NHHChild = Yes
   AND: In loop FOR PerNo := 1 TO 4
   AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
   AND: NHHFee = Yes
   AND: NHHAmt > 0
   AND: NHHPd IN [OneWeek .. Year]
   AND: LWeekly > 0
   AND: Edit = No
   (NHHWkly < 159) AND INVOLVING(NHHPd,NHHAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
NHHPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))

AND: ExtSeq IN [1 .. 3]
```

NHHIntro

CHILDREN OUTSIDE HOUSEHOLD

INTERVIEWER PROMPT: Have (either of) you any other children aged 16-24 outside of the household who are currently receiving full- or part-time education?

- (1) Yes
- (2) No

FRS36.Benefit_Unit[].QNHHCh

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))

AND: In loop FOR Idx := 1 TO HHSize

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

Jump1

THE QUESTIONS THAT FOLLOW ARE ABOUT WORK.

(1) Press <Enter> to continue.

FRS36.Benefit_Unit[].QCurst1.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

PersId

^CC*** ^Names[PNo] *** CURRENT SITUATION

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

Working

^CC*** ^Names[PNo] *** CURRENT SITUATION

^AorC

Did you do any paid work in the 7 days ending ^PDatSun, either as an employee or as self-employed?

(Do NOT include ODD JOBS, BABYSITTING, or MAIL ORDER AGENTS as 'paid work').

(INTERVIEWER: IF BUSINESS START-UP, CODE AS WORKING).

- (1) Yes
- (2) No

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Working = No) AND (BelowPe3[PerNo] = 1)

Train

^CC*** ^Names[PNo] *** CURRENT SITUATION

SHOW CARD M

^AorCWere you on any of the government schemes for employment training shown on this card?

CODE ONE ONLY.

- (1) Youth Training (YT)
- (2) Training for Work (TfW)
- (3) Work Trial
- (4) Project Work
- (5) Career Development Loans/Youth Credits
- (6) New Deal for 18-24 year olds
- (7) Any other training scheme
- (8) None of these

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Working = No) AND (BelowPe3[PerNo] = 1)

AND: Train = NewDeal

NewDType

^CC*** ^Names[PNo] *** CURRENT SITUATION

INTERVIEWER: ASK OR CODE:

Which New Deal option are you on? (CODE MAIN OPTION)

- (1) The Gateway
- (2) Employment option
- (3) Full time education or training
- (4) Voluntary Sector
- (5) Environmental task force

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Working = No) AND (BelowPe3[PerNo] = 1)

AND: ((Train IN [YT, TfW, Loan, Other]) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))
```

PrgAmt

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

What was the amount of allowance, including any other payments from your employer, that you last received?

0.01..9997.00

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Working = No) AND (BelowPe3[PerNo] = 1)

AND: ((Train IN [YT, TfW, Loan, Other]) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))

AND: PrgAmt = RESPONSE
```

PrgPd

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

How long does this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
ASK IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PNo := 1 TO AdultNum
   AND: (Working = No) AND (((Train = None) OR (NewDType IN [Gate, FtEd]))
   OR Train = EMPTY)
```

JobAway

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Even though you were not doing paid work, did you have a job or business that you were away from, in the 7 days ending ^PDatSun?

INTERVIEWER: DO NOT COUNT Mail Order Agents OR Babysitters AS PAID WORK, BUT DO COUNT Childminders.

HELP <F9>

- (1) Yes
- (2) No
- (3) SPONTANEOUS MENTION: Waiting to take up a new job/business already obtained

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
```

AND: JobAway = No

Unpaid1

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Did you do any unpaid work in that week for any business that you own?

HELP <F9>

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: JobAway = No
     AND: Unpaid1 = No
Unpaid2
     ^CC*** ^Names[PNo] ***
                               CURRENT SITUATION
     ...or that a relative owns?
     HELP <F9>
          Yes
     (1)
     (2)
          No
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: JobAway = No
     AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No))
     OR Unpaid2 = NONRESPONSE)
Look
     ^CC*** ^Names[PNo] ***
                                CURRENT SITUATION
     Thinking of the 4 weeks ending ^PDatSun were you looking for any kind of paid work or government
     training scheme at any time in those
     4 weeks?
     HELP <F9>
     (1)
          Yes
     (2)
          No
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: JobAway = No
     AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No))
     OR Unpaid2 = NONRESPONSE)
     AND: Look = No
LikeWk
     ^CC*** ^Names[PNo] ***
                                CURRENT SITUATION
     Even though you were not looking for work in the 4 weeks ending ^PDatSun, would you like to have a
     regular paid job at the moment, either full- or part-time job?
```

(1)

(2)

Yes

No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: JobAway = No

AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No)))

OR Unpaid2 = NONRESPONSE)

AND: Look = No
```

NoLk

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Are you prevented from seeking work by any of the following ...READ OUT: PROMPT EACH ITEM INDIVIDUALLY...

SET [3] OF

- (1) ...disability or illness?
- (2) ...caring for a disabled or elderly person?
- (3) ...having to look after child(ren)?
- (4) (None of these)

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: JobAway = No
    AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No)))
    OR Unpaid2 = NONRESPONSE)
    AND: Look = No
    AND: None IN NoLk
    NoLk.CARDINAL = 1</pre>
```

'None of these' is an exclusive code for this question.

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: JobAway = No
AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No)))
OR Unpaid2 = NONRESPONSE)
AND: Look = No
AND: Caring IN NoLk
```

NlPer

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

You said you were caring for a disabled/elderly person, who is that? ENTER PERSON NUMBER - PLEASE ENTER 97 IF NOT HOUSEHOLD MEMBER

97: Not a household member.

1..97

^AllNameNo

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: JobAway = No
    AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No))
     OR Unpaid2 = NONRESPONSE)
     AND: Look = No
     AND: Caring IN NoLk
    NlPer <> Person[[PerNo]
     You've coded that the respondent is looking after him/herself. Please amend.
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: JobAway = No
    AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No))
    OR Unpaid2 = NONRESPONSE)
    AND: Look = No
    AND: Caring IN NoLk
     (NlPer <= HHSize) OR (NlPer = 97)
    ^NlPer is not a valid code for this question.
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
```

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: JobAway = No
    AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No)))
    OR Unpaid2 = NONRESPONSE)
    AND: Look = No
    AND: LikeWk = Yes</pre>
```

NoLook

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

^AorC

May I just check, what was the main reason you did not look for work (in the last 4 weeks)?

- (1) Waiting for the results of an application for a job
- (2) Student
- (3) Looking after the family/home
- (4) Caring for a disabled or elderly person
- (5) Temporarily sick or injured
- (6) Long-term sick or disabled
- (7) Believes no jobs available
- (8) Not yet started looking
- (9) Any other reason

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: JobAway = No
AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No)))
OR Unpaid2 = NONRESPONSE)
AND: Look = No
AND: NOT (LikeWk = Yes)
```

NoWant

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

^AorC

May I just check, what was the main reason that you did not want work (in the last 4 weeks)?

- (1) Waiting for the results of an application for a job
- (2) Student
- (3) Looking after the family/home
- (4) Caring for a disabled or elderly person
- (5) Temporarily sick or injured
- (6) Long-term sick or disabled
- (7) Doesn't need employment
- (8) Retired from paid work
- (9) Any other reason

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: JobAway = No
AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No))
OR Unpaid2 = NONRESPONSE)
AND: ((Look = Yes) OR (LikeWk = Yes)) AND (PBelowPe2 = 1)
```

Start

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

If a job or a place on a government scheme had been available in the week ending ^PDatSun, would you have been able to start within 2 weeks?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum
AND: (Look = Yes) OR (JobAway = Waiting)

LookWk

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

^Will_be ...READ OUT (RUNNING PROMPT)...

- (1) full-time,
- (2) or part-time ^work_training
- (3) (or have you no preference)?

```
Ask IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Look = Yes) OR (JobAway = Waiting)

AND: LookWk IN [Fulltime, Parttime]

AccFtPt

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

About how many hours a week do you mean by that?

- (1) Less than 16 hours a week
- (2) 16 but less than 24
- (3) 24 but less than 30
- (4) 30 hours a week or more

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Working = Yes) OR (JobAway = Yes)

NumJob

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

How many JOBS, for pay or profit, do you have?

INTERVIEWER: DO NOT COUNT Mail Order Agents OR Babysitters AS PAID WORK, BUT DO COUNT Childminders.

- (1) One job only
- (2) Two jobs
- (3) Three jobs
- (4) Four or more jobs

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Working = Yes) OR (JobAway = Yes)

EmpStat

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

^Are you working as...READ OUT (RUNNING PROMPT)... HELP <F9>

- (1) ...an employee
- (2) ...or self-employed (including Business Start-Up)?

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

PrgAmt<>NONRESPONSE AND PrgPd<>NONRESPONSE

MISSING AMOUNT AND/OR PERIOD FOR Training Allowance. ENTER STANDARD AMOUNT FOR APPROPRIATE TRAINING PROGRAMME.

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

PrgPd <> Note

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

FRS36.Benefit_Unit[].QCurst1

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: (Adult[PNo].Working = RESPONSE) AND (QHealth3.Adult[PNo].InjLong = RESPONSE)
    Adult[PNo].Working = No
```

Are you sure they did paid work last week? Earlier they said they are unable to work at the moment. Please check this

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Adult[PNo].Train = NewDeal
   (Adult[PNo].NewDType <> Employ) AND INVOLVING(Adult[PNo].Working)
```

The Employment option would normally count as

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Adult[PNo].Train IN [YT .. Other]
QEduc2.Adult[].Grant[PNo] <> Yes
```

Earlier they said they had an educational grant. This is not possible when on a government training scheme. Were they thinking of their training scheme grant? If so, change 'Grant' to 'No' and press <End> to return here.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Adult[PNo].NlPer = RESPONSE) AND (Adult[PNo].NlPer <> 97)

Adult[PNo].NlPer <= HHSize
```

This code is not valid for this question.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QCurst2.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

PersId

^CC*** ^Names[PNo] *** CURRENT SITUATION

Person identifier.

0..14

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: QCurst1.Adult[LPNo].EmpStat = Employee

TDayWrk

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Have you been, or will you be going, to work today?

IF NO, ASK: Can I just check, is today normally a working day for you?

- (1) Yes
- (2) No although this is a normal working day
- (3) No because NOT a normal working day

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: QCurst1.Adult[LPNo].EmpStat = Employee

AND: (TDayWrk = No) OR (TDayWrk = NotNorm)

AbsWk

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Have you been away from work for more than the last 3 WORKING days?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurst1.Adult[LPNo].EmpStat = Employee
     AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
     AND: AbsWk = Yes
AbsWhy
     ^CC*** ^Names[PNo] ***
                               CURRENT SITUATION
     What is the reason for your absence?
     (1)
          Pattern of shifts
     (2)
          Illness/accident
     (3)
          Holiday
     (4)
          Strike
     (5)
          Laid off
     (6)
          Maternity Leave
          Paternity leave
     (7)
          Compassionate Leave
     (8)
     (9)
          Other - CODE AND EXPLAIN IN A NOTE
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurst1.Adult[LPNo].EmpStat = Employee
     AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
     AND: AbsWk = Yes
     AND: AbsWhy IN [Illness .. Other]
AbsPay
     ^CC*** ^Names[PNo] ***
                               CURRENT SITUATION
     Are you receiving ...READ OUT (RUNNING PROMPT)...
          ...full pay from your employer
     (1)
     (2)
          ...part pay or made-up pay
     (3)
          ...or no pay?
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurst1.Adult[LPNo].EmpStat = Employee
     AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
     AND: AbsWk = Yes
     AND: AbsWhy IN [Illness .. Other]
```

Abs1No

^CC*** ^Names[PNo] *** CURRENT SITUATION

How many weeks in all have you been away during this spell of absence?

IF LESS THAN ONE WEEK, CODE 0. YOU WILL THEN CODE DAYS AT THE NEXT QUESTION.

0..97

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: QCurst1.Adult[LPNo].EmpStat = Employee

AND: (TDayWrk = No) OR (TDayWrk = NotNorm)

AND: AbsWk = Yes

AND: AbsWhy IN [Illness .. Other]

NOT(IN(Abs1No,[0]))
```

Respondent said earlier that they worked in the last week... but now say they have been off work for two weeks or more. If really been off work, change 'Working' to 'No'.

```
Ask If: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QCurst1.Adult[LPNo].EmpStat = Employee
AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
AND: AbsWk = Yes
AND: AbsWhy IN [Illness .. Other]
AND: Abs1No = 0
```

Abs2No

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

How many days in all have you been away during this spell of absence?

1..6

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: QCurst1.Adult[LPNo].EmpStat = Employee

AND: (TDayWrk = No) OR (TDayWrk = NotNorm)

AND: AbsWk = Yes

AND: AbsWhy IN [Illness .. Other]

AND: Abs1No = 0

Abs2No > 3
```

If respondent has been absent for 3 days or less, then answer to question AbsWk should have been 'No'.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[LPNo].NoWant = Retired) OR (((BelowPe2[LPNo] = 2)
AND (PWorking = No)) AND (PJobAway = No))
```

Retire

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Did you retire within the last 12 months?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (QCurst1.Adult[LPNo].NoWant = Retired) OR (((BelowPe2[LPNo] = 2)

AND (PWorking = No)) AND (PJobAway = No))

AND: Retire = Yes
```

Retire1

^CC*** ^Names[PNo] ***

CURRENT SITUATION

In which month did you retire?

- (1) January
- (2) February
- (3) March
- (4) April
- (5) May
- (6) June
- (7) July
- (8) August
- (9) September
- (10) October
- (11) November
- (12) December

```
ASK IF: QCare.GiveHelp <> EMPTY
```

```
AND: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Retire = Yes) AND (BelowPe2[LPNo] = 1)

RetReas

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

CARD N

Looking at this card, what was your main reason for retiring below the State Pension Age (currently 60 for women and 65 for men)?

- (1) Because of ill-health
- (2) Ill-health of a family member, other relative or friend
- (3) Compulsory redundancy/dismissed
- (4) I had reached my employer's fixed retirement age
- (5) I was offered reasonable financial terms to retire early or take voluntary redundancy
- (6) To spend more time with my family
- (7) I wanted to give up work/wanted a change
- (8) Other reason involving own choice
- (9) Other reason (none of the above)

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No, Waiting])
```

EverWrk

```
^CC*** ^Names[PNo] ***

CURRENT SITUATION
```

Have you ever had a paid job, apart from casual or holiday work?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No, Waiting])
AND: EverWrk = Yes
```

LstWrk2

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Which year did you leave your last PAID job, either as an employee or self-employed?

1900..2000

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No, Waiting])

AND: EverWrk = Yes

AND: (DateNow.YEAR - LstWrk2) <= 8
```

LstWrk1

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

Which month in that year did you leave?

- (1) January
- (2) February
- (3) March
- (4) April
- (5) May
- (6) June
- (7) July
- (8) August
- (9) September
- (10) October
- (11) November
- (12) December

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No, Waiting])

AND: EverWrk = Yes

AND: (DateNow.YEAR - LstWrk2) <= 8

AND: DateNow.YEAR = LstWrk2

(ORD(LstWrk1) <= DateNow.MONTH) AND INVOLVING(LstWrk2,LstWrk1)

You've entered a future date.
```

```
Ask If: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No, Waiting])

AND: EverWrk = Yes

AND: (DateNow.YEAR - LstWrk2) <= 8

AND: (DateNow+(-0, -12, -0)) < TODATE (LstWrk2, ORD (LstWrk1), 28)
```

LstYr

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

For how many weeks have you done regular paid work in the last 12 months?

0..52

FRS36.Benefit_Unit[].QCurst2

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: (Adult[PNo].Abs1No = RESPONSE) AND (QHealth3.Adult[PNo].InjLong = Upto6m)
    Adult[PNo].Abs1No < 28</pre>
```

Please check your answer: earlier they said they had been unable to work for LESS than 28 weeks. Please change one or other of the answers.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (Adult[PNo].Abs1No = RESPONSE) AND (QHealth3.Adult[PNo].InjLong = Over6m)
Adult[PNo].Abs1No > 28
```

Please check your answer: earlier they said they had been unable to work for MORE than 28 weeks. Please change one or other of the answers.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: Adult[PNo].AbsWhy = Matern

Sex[[PNo] = Female
```

The respondent is a man and cannot have maternity leave.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: Adult[PNo].AbsWhy = Patern

Sex[[PNo] = Male
```

The respondent is a woman and cannot have paternity leave.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (Adult[PNo].LstWrk2 = RESPONSE) AND (TEA[PNo] IN [1 .. 95])
((DateNow.YEAR - AgeOf[[PNo]) + TEA[[PNo]) < Adult[PNo].LstWrk2</pre>
```

Please check the entered year: this appears to be too long ago, given the respondent's age: ^AgeOf[PNo] (and age of leaving F/T education: ^TEA[PNo]). If correct, suppress this warning and make a Note.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QCurst3.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (QCurst2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
PersId
     ^CC*** ^Names[PNo] ***
                              CURRENT SITUATION
     Person identifier.
     0..14
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (QCurst2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
FtWk
     ^CC*** ^Names[PNo] ***
                              CURRENT SITUATION
     Looking back to the time when you finished continuous full-time education, how many years since then
     have you spent...
      a)...in paid FULL-TIME work?
       ENTER TO NEAREST WHOLE YEAR.
     0..97
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (QCurst2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
PtWk
     ^CC*** ^Names[PNo] ***
                              CURRENT SITUATION
```

Looking back to the time when you finished continuous full-time education, how many years since then have you spent...

```
b)...in paid PART-TIME work?
ENTER TO NEAREST WHOLE YEAR.
```

INTERVIEWER: THESE YEARS MAY OVERLAP WITH FULL-TIME WORK, IF KINDS OF JOB WERE HELD CONCURRENTLY.

0..97

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
AND: Edit = No
PtWk < 22</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

FRS36.Benefit_Unit[].QCurst3

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
(((AgeOf[[PNo] - Adult[PNo].FtWk) >= TEA[[PNo]) AND ((AgeOf[[PNo] - Adult[PNo].PtWk) >= TEA[[PNo])) AND
INVOLVING(HHG.P[].AgeOf[Person[[PNo]],HHG.P[].TEA[Person[[PNo]],Adult[PNo].PtWk,Adult[PNo].FtWk))
```

That seems rather high considering that the respondent is 'AgeOf[PNo] years old, and left full-time education at the age of 'TEA[PNo]. Please check your entry.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QClaim.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
```

AND: In loop FOR PNo := 1 TO AdultNum

AND: BelowPe2[PNo] = 1

PersId

^CC*** ^Names[PNo] *** CURRENT SITUATION

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: BelowPe2[PNo] = 1

Claimant

```
^CC*** ^Names[PNo] *** CURRENT SITUATION
```

${\bf ^{\wedge}PJobIntro}$

May I just check, were you signed on at an Employment Service local office or Jobcentre in the 7 days ending ^PDatSun ...READ OUT...

- (1) ...to claim Jobseeker's Allowance (formerly Unemployment Benefit)?
- (3) ...to get credits for National Insurance contributions?
- (4) NO, NOT SIGNED ON at Employment Service local office or Jobcentre.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QJobDes[]

Job description

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
```

PersId

```
^CC*** ^Names[Count1] *** JOB DESCRIPTION
```

0..14

Person identifier.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
```

I1

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

THE FOLLOWING QUESTIONS TO BE ASKED ABOUT THE MAIN JOB. (THIS SHOULD EXCLUDE MAIL ORDER AGENTS AND BABYSITTERS.)

(1) Press <Enter> to continue.

FRS36.Benefit_Unit[].QJobDes[].Subj1

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
PersId
     ^CC*** ^Names[Count1] ***
                              JOB DESCRIPTION
     MAIN JOB
     Person identifier.
     0..14
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
JobType
     ^CC*** ^Names[Count1] *** JOB DESCRIPTION
     MAIN JOB
     Job sequence number.
     1..3
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
FirmDo
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     MAIN JOB
     What 'doesdid the firm'organisation you 'work_ed for mainly make or do (at the place where you
     ^work_ed)?
     DESCRIBE FULLY - PROBE MANUFACTURING or PROCESSING or DISTRIBUTING ETC. AND
     MAIN GOODS PRODUCED, MATERIALS USED, WHOLESALE or RETAIL ETC.
     HELP <F9>
     STRING[100]
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: SCPR <> Yes
ShTitle
     ^CC*** ^Names[Count1] ***
                              JOB DESCRIPTION
     MAIN JOB
     ENTER A SHORT TITLE FOR THE INDUSTRY.
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
Title
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     MAIN JOB
     What was your (main) job^lastweek?
     ENTER JOB TITLE.
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
RespDo
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     MAIN JOB
     What ^dodid you mainly do in your job?
     ENTER DESCRIPTION.^QUALDESC
     STRING[100]
```

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1
```

Qualif

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

MAIN JOB

What training or qualifications ^arewere needed for that job?

STRING[40]

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
```

Nature

```
^CC*** ^Names[Count1] *** JOB DESCRIPTION
```

MAIN JOB

INTERVIEWER: CODE NATURE OF JOB:

- (1) Childminder
- (2) Doctor or Dentist, in a practice
- (3) All other jobs

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
AND: Nature = CMind
```

Where

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

MAIN JOB

^CDoDid you do childminding in your own home, or somewhere else?

IF 'BOTH', CODE AS 1 (OWN HOME).

- (1) Own home
- (2) Somewhere else

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1

EType

^CC*** ^Names[Count1] ***

JOB DESCRIPTION

MAIN JOB
SHOW CARD O
Please look at this card and tell me which of these best desc
```

Please look at this card and tell me which of these best describes your 'previous employment situation'in_this_work?

CODE ONE ONLY. HELP <F9>

- (1) Employee
- (2) Running a business or a professional practice
- (3) Partner in a business or a professional practice
- (4) Working for myself
- (5) A Sub-Contractor (includes SC60)
- (6) Doing freelance work
- (7) Self employed in some other way

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
AND: EType <> Employee
```

Dirctr

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

MAIN JOB

In this job/business, ^arewere you the director of a limited company?

HELP <F9>

- (1) Yes
- (2) No

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
AND: EType <> Employee
(Dirctr <> Yes) AND INVOLVING(EType, Dirctr)
```

Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a PAYSLIP? If Yes to either, return to previous question EType and code as 1, 'employee'. (If NO, suppress warning and continue.)

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: EType <> Employee

AND: Dirctr = Yes
```

DirNI

```
^CC*** ^Names[Count1] *** JOB DESCRIPTION
```

MAIN JOB

In this job/business, ^arewere your National Insurance contributions deducted at source?

- (1) Yes
- (2) No (including no contributions)

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
AND: EType <> Employee
AND: Dirctr = Yes
(DirNI <> Yes) AND INVOLVING(DirNI, EType)
```

A company director with NI deducted at source is legally an EMPLOYEE. Important: please return to previous question EType and code as 1, 'employee'. (If you suppress this check, you must explain special circumstances in a Note.)

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
```

Empee

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

MAIN JOB

Computed from Etype

- (1) ...an employee
- (2) ...or self-employed (including Business Start-Up)?

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
Nature <> DocDen
```

EDITOR: CODED AS DOCTOR/DENTIST IN PRACTICE: PLEASE CHECK

- (I) JOB DETAILS ON PREVIOUS SCREEN;
- (II) SHOULD BE CODED AS SELF-EMPLOYED.

FRS36.Benefit_Unit[].QJobDes[].QMainJob

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
PersId
     ^CC*** ^Names[Count1] ***
                              JOB DESCRIPTION
     MAIN JOB
     Person identifier.
     0..14
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
JobType
     ^CC*** ^Names[Count1] *** JOB DESCRIPTION
     MAIN JOB
     Job sequence number.
     1..3
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = Employee) OR (pDirctr = Yes)
Manage
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     MAIN JOB
     ^CDoDid you have any managerial duties, or ^arewere you supervising any other employees? ASK OR
     RECORD
     (1)
          Manager
     (2)
          Foreman/supervisor
     (3)
          Not manager/supervisor
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = Employee) OR (pDirctr = Yes)
NumEmp
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     MAIN JOB
     How many employees 'arewere there at the place where you 'work_ed?
     HELP <F9>
     (1)
          1-24
          25 or more
     (2)
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = SelfEmp) AND (pDirctr = No)
EmpOwn
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     MAIN JOB
     ^CAreWere you working on your own or ^dodid you have employees? ASK OR RECORD
     (1)
          on own/with partner(s), but no employees
     (2)
          with employees
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = SelfEmp) AND (pDirctr = No)
     AND: EmpOwn = Emps
EmpAny
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
```

MAIN JOB

How many people 'dodid you employ at the place where you 'work_ed?

- (1) 1-24
- (2) 25 or more

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
OEmpStat
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     MAIN JOB
     Original employment status
     1..8
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
WorkYr
     ^CC*** ^Names[Count1] ***
                               JOB DESCRIPTION
     MAIN JOB
     In which year did you start working continuously^for_as?
     1900..2000
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: QDataBag.SampMnth IN [4 .. 12]
     WorkYr <> 2000
```

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: Subj1.EType <> EMPTY

AND: LNumJob[PPerNo] > 0

AND: (WorkYr = RESPONSE) AND (WorkYr > (DateNow.YEAR - 8))
```

WorkMth

^CC*** ^Names[Count1] *** JOB DESCRIPTION

MAIN JOB

and which month was that?

- (1) January
- (2) February
- (3) March
- (4) April
- (5) May
- (6) June
- (7) July
- (8) August
- (9) September
- (10) October
- (11) November
- (12) December

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1
AND: Subj1.EType <> EMPTY

FtPt

^CC*** ^Names[Count1] *** JOB DESCRIPTION

MAIN JOB

In your^main job ^arewere you working...

- (1) ...full time,
- (2) or part time?

FRS36.Benefit_Unit[].QJobDes[] (continued)

Job description

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
AND: Subj1.EType <> EMPTY
AND: QMainJob.OEmpStat = RESPONSE
```

DispChk

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

PLEASE CHECK THE FOLLOWING DETAILS WITH 'Names[PerNo]:

EMPLOYMENT STATUS IS ^vempstat.

IF THIS IS CORRECT PRESS 1 TO CONTINUE. ELSE GO BACK AND MAKE CORRECTIONS.

(1) Continue

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: LNumJob[PerNo] = 0
```

Num.Job2

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

When you were last working, HOW MANY JOBS did you have, for pay or profit?

INTERVIEWER: EXCLUDE MAIL ORDER AGENTS, BABYSITTERS, but INCLUDE CHILDMINDERS.

- (1) One job only
- (2) Two jobs
- (3) Three jobs
- (4) Four or more jobs

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])

12
```

JOB DESCRIPTION

THE FOLLOWING QUESTIONS TO BE ASKED ABOUT THE SECOND JOB. (THIS SHOULD EXCLUDE MAIL ORDER AGENTS AND BABYSITTERS.)

(1) Press <Enter> to continue.

^CC*** ^Names[Count1] ***

FRS36.Benefit_Unit[].QJobDes[].Subj2

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
PersId
     ^CC*** ^Names[Count1] ***
                              JOB DESCRIPTION
     SECOND JOB
     Person identifier.
     0..14
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
JobType
     ^CC*** ^Names[Count1] *** JOB DESCRIPTION
     SECOND JOB
     Job sequence number.
     1..3
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
FirmDo
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     SECOND JOB
     What 'doesdid the firm'organisation you 'work_ed for mainly make or do (at the place where you
     ^work_ed)?
     DESCRIBE FULLY - PROBE MANUFACTURING or PROCESSING or DISTRIBUTING ETC. AND
     MAIN GOODS PRODUCED, MATERIALS USED, WHOLESALE or RETAIL ETC.
     HELP <F9>
     STRING[100]
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: SCPR <> Yes
ShTitle
     ^CC*** ^Names[Count1] ***

JOB DESCRIPTION
     SECOND JOB
     ENTER A SHORT TITLE FOR THE INDUSTRY.
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
Title
     ^CC*** ^Names[Count1] ***
                               JOB DESCRIPTION
     SECOND JOB
     What was your (main) job^lastweek?
     ENTER JOB TITLE.
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
RespDo
     ^CC*** ^Names[Count1] ***
                               JOB DESCRIPTION
     SECOND JOB
     What 'dodid you mainly do in your job?
     ENTER DESCRIPTION.^QUALDESC
     STRING[100]
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
Qualif
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     SECOND JOB
     What training or qualifications ^arewere needed for that job?
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
Nature
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     SECOND JOB
     INTERVIEWER: CODE NATURE OF JOB:
     (1)
          Childminder
          Doctor or Dentist, in a practice
     (2)
     (3)
          All other jobs
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: Nature = CMind
Where
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     SECOND JOB
     ^CDoDid you do childminding in your own home, or somewhere else?
     IF 'BOTH', CODE AS 1 (OWN HOME).
     (1)
          Own home
     (2)
          Somewhere else
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
EType
     ^CC*** ^Names[Count1] ***
                                  JOB DESCRIPTION
     SECOND JOB
     SHOW CARD O
     Please look at this card and tell me which of these best describes your 'previous employment
     situation^in this work?
     CODE ONE ONLY.
                                 HELP <F9>
     (1)
          Employee
          Running a business or a professional practice
     (2)
          Partner in a business or a professional practice
     (3)
     (4)
          Working for myself
          A Sub-Contractor (includes SC60)
     (5)
     (6)
          Doing freelance work
     (7)
          Self employed in some other way
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
Dirctr
     ^CC*** ^Names[Count1] ***
                                  JOB DESCRIPTION
     SECOND JOB
     In this job/business, ^arewere you the director of a limited company?
     HELP <F9>
     (1)
          Yes
     (2)
          No
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
     (Dirctr <> Yes) AND INVOLVING(EType, Dirctr)
```

Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a PAYSLIP? If Yes to either, return to previous question EType and code as 1, 'employee'. (If NO, suppress warning and continue.)

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
     AND: Dirctr = Yes
DirNI
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     SECOND JOB
     In this job/business, ^arewere your National Insurance contributions deducted at source?
     (1)
     (2)
          No (including no contributions)
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
     AND: Dirctr = Yes
     (DirNI <> Yes) AND INVOLVING(DirNI, EType)
     A company director with NI deducted at source is legally an EMPLOYEE. Important: please return to
     previous question EType and code as 1, 'employee'. (If you suppress this check, you must explain special
     circumstances in a Note.)
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
Empee
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     SECOND JOB
     Computed from Etype
     (1)
          ...an employee
          ...or self-employed (including Business Start-Up)?
     (2)
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     Nature <> DocDen
     EDITOR: CODED AS DOCTOR/DENTIST IN PRACTICE: PLEASE CHECK
```

(I) JOB DETAILS ON PREVIOUS SCREEN; (II) SHOULD BE CODED AS SELF-EMPLOYED.

$FRS36.Benefit_Unit[].QJobDes[]\ (continued)$

Job description

```
Ask If: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
```

I3

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

THE FOLLOWING QUESTIONS TO BE ASKED ABOUT THE THIRD JOB. (THIS SHOULD EXCLUDE MAIL ORDER AGENTS AND BABYSITTERS.)

(1) Press <Enter> to continue.

FRS36.Benefit_Unit[].QJobDes[].Subj3

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
PersId
     ^CC*** ^Names[Count1] ***
                              JOB DESCRIPTION
     THIRD JOB
     Person identifier.
     0..14
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
JobType
     ^CC*** ^Names[Count1] ***

JOB DESCRIPTION
     THIRD JOB
     Job sequence number.
     1..3
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
FirmDo
     ^CC*** ^Names[Count1] ***
                                JOB DESCRIPTION
     What 'doesdid the firm'organisation you 'work_ed for mainly make or do (at the place where you
     ^work_ed)?
     DESCRIBE FULLY - PROBE MANUFACTURING or PROCESSING or DISTRIBUTING ETC. AND
     MAIN GOODS PRODUCED, MATERIALS USED, WHOLESALE or RETAIL ETC.
     HELP <F9>
     STRING[100]
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: SCPR <> Yes
ShTitle
     ^CC*** ^Names[Count1] ***

JOB DESCRIPTION
     THIRD JOB
     ENTER A SHORT TITLE FOR THE INDUSTRY.
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
Title
     ^CC*** ^Names[Count1] ***
                               JOB DESCRIPTION
     THIRD JOB
     What was your (main) job^lastweek?
     ENTER JOB TITLE.
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
RespDo
     ^CC*** ^Names[Count1] ***
                               JOB DESCRIPTION
     THIRD JOB
     What 'dodid you mainly do in your job?
     ENTER DESCRIPTION.^QUALDESC
     STRING[100]
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
Qualif
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     THIRD JOB
     What training or qualifications ^arewere needed for that job?
     STRING[40]
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
Nature
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     THIRD JOB
     INTERVIEWER: CODE NATURE OF JOB:
     (1)
          Childminder
          Doctor or Dentist, in a practice
     (2)
     (3)
          All other jobs
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: Nature = CMind
Where
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     ^CDoDid you do childminding in your own home, or somewhere else?
     IF 'BOTH', CODE AS 1 (OWN HOME).
     (1)
          Own home
     (2)
          Somewhere else
```

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
EType
     ^CC*** ^Names[Count1] ***
                                  JOB DESCRIPTION
     THIRD JOB
     SHOW CARD O
     Please look at this card and tell me which of these best describes your 'previous employment
     situation^in this work?
     CODE ONE ONLY.
                                 HELP <F9>
     (1)
          Employee
          Running a business or a professional practice
     (2)
          Partner in a business or a professional practice
     (3)
     (4)
          Working for myself
          A Sub-Contractor (includes SC60)
     (5)
     (6)
          Doing freelance work
     (7)
          Self employed in some other way
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
Dirctr
     ^CC*** ^Names[Count1] ***
                                  JOB DESCRIPTION
     THIRD JOB
     In this job/business, ^arewere you the director of a limited company?
     HELP <F9>
     (1)
          Yes
     (2)
          No
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
     (Dirctr <> Yes) AND INVOLVING(EType, Dirctr)
```

Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a PAYSLIP? If Yes to either, return to previous question EType and code as 1, 'employee'. (If NO, suppress warning and continue.)

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
     AND: Dirctr = Yes
DirNI
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     THIRD JOB
     In this job/business, ^arewere your National Insurance contributions deducted at source?
     (1)
          Yes
     (2)
          No (including no contributions)
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
     AND: Dirctr = Yes
     (DirNI <> Yes) AND INVOLVING(DirNI, EType)
     A company director with NI deducted at source is legally an EMPLOYEE. Important: please return to
     previous question EType and code as 1, 'employee'. (If you suppress this check, you must explain special
     circumstances in a Note.)
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
Empee
     ^CC*** ^Names[Count1] ***
                                 JOB DESCRIPTION
     THIRD JOB
     Computed from Etype
     (1)
          ...an employee
          ...or self-employed (including Business Start-Up)?
     (2)
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     Nature <> DocDen
```

EDITOR: CODED AS DOCTOR/DENTIST IN PRACTICE: PLEASE CHECK

(I) JOB DETAILS ON PREVIOUS SCREEN; (II) SHOULD BE CODED AS SELF-EMPLOYED.

Page 354

$FRS36.Benefit_Unit[].QJobDes[]\ (continued)$

Job description

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: (LNumJob[PerNo] = 4) OR (NumJob2 = Four)
```

JobDisp

```
^CC*** ^Names[Count1] ***

JOB DESCRIPTION
```

INTERVIEWER: USE THE NOTE FACILITY TO DESCRIBE THE FOURTH AND HIGHER ORDER JOBS.

(1) Press <Enter> to continue.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Work12m[Count1] = 1
    AND: QJobDes[Count1].Subj1.EType = Employee
     ((QCurst1.Adult[Count1].EmpStat = Employee) OR
    QCurst1.Adult[Count1].EmpStat=EMPTY) AND
     INVOLVING(QJobDes[Count1].Subj1.EType)
     These two questions are now in conflict.
    Select the one you wish to change, or suppress this warning.
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Work12m[Count1] = 1
    AND: QJobDes[Count1].Subj1.EType IN [Runbus .. Other]
     ((QCurst1.Adult[Count1].EmpStat = SelfEmp) OR
    QCurst1.Adult[Count1].EmpStat=EMPTY) AND
     INVOLVING(QCurst1.Adult[Count1].EmpStat,QJobDes[Count1].Subj1.EType)
    These two questions are now in conflict.
    Select the one you wish to change, or suppress this warning.
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Work12m[Count1] = 1
     RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Work12m[Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Work12m[Count1] = 1
    RESERVECHECK
     RESERVECHECK
```

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QHours[].Job[]

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurst1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: (PNumJob > 0) OR (PTrain IN [YT .. Other])
EverOT
     ^DLT
     Do you ever do any work which you would regard as paid or unpaid overtime?
     HELP <F9>
     (1)
          Yes
     (2)
          No
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurst1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
TotUs1
     ^DLT
     How many hours per week do you usually work in this job/business - please exclude mealbreaks?
     97 OR MORE = 97.
     HELP <F9>
     0.00..97.00
```

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ..
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))
AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
TotUs1<>NONRESPONSE
```

This is a 'Key Question': it is VERY IMPORTANT to get an answer here if possible. If you cannot do so (either now, or later) please make a Note about the circumstances.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ..
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))
AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
(TotUs1 <> 0) OR TotUs1=NONRESPONSE
```

Zero hours - that can't be right! Ask for the hours USUALLY worked; if this varies, try to get an AVERAGE figure.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR (QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes))) OR (PPUnpaid2 = Yes)) OR (PPUnpaid2 = Yes))

AND: EverOT = Yes
```

UsuHr

^DLT

Thinking of this job/business, how many hours per week do you usually work - please exclude mealbreaks and overtime?

```
97 \text{ OR MORE} = 97.
```

HELP <F9>

0.00..97.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ..
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))
AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
AND: EverOT = Yes
USUHr<>NONRESPONSE
```

This is a 'Key Question': it is VERY IMPORTANT to get an answer here if possible. If you cannot do so (either now, or later) please make a Note about the circumstances.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ..
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))
AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
AND: EverOT = Yes
(UsuHr <> 0) OR UsuHr=NONRESPONSE
```

Zero hours - that can't be right! Ask for the hours USUALLY worked; if this varies, try to get an AVERAGE figure.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
(PPUnpaid2 = Yes)) OR (PPTrain IN [YT ... Other])))

AND: EverOT = Yes
```

POtHr

^DLT

How many hours PAID overtime do you usually work per week?

97 OR MORE = 97.

HELP <F9>

0.00..97.00

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
    AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
    Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurst1.Adult[Count1].Unpaid2 = Yes))
    AND: In loop FOR JobNo := 1 TO 3
    AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
    AND: EverOT = Yes
UOtHr
     ^DLT
    How many hours UNPAID overtime do you usually work per week?
    97 \text{ OR MORE} = 97.
    HELP <F9>
    0.00..97.00
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
    Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurst1.Adult[Count1].Unpaid2 = Yes))
    AND: In loop FOR JobNo := 1 TO 3
```

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR

AND: (((UsuHr = RESPONSE) AND (UsuHr <= 97)) AND (POtHr = RESPONSE))

Explain that program doesn't allow overtime hours to equal or exceed basic hours.

(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

If respondent insists they do, suppress message.

AND: EverOT = Yes

AND (POtHr <= 97)
UsuHr > POtHr

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO AdultNum
   AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
   Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
   (QCurst1.Adult[Count1].Unpaid2 = Yes))
   AND: In loop FOR JobNo := 1 TO 3
   AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
   (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
   AND: EverOT = Yes
   AND: (((UsuHr = RESPONSE) AND (UsuHr <= 97)) AND (UOtHr = RESPONSE))
   AND (UOtHr <= 97)
   UsuHr > UOtHr
```

Explain that program doesn't allow overtime hours to equal or exceed basic hours.

If respondent insists they do, suppress message.

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ..
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))
AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes))) OR (PPTrain IN [YT .. Other])))
AND: EverOT = Yes</pre>
```

DVTotHrU

^DLT

Total usual hours (if work overtime)

0.00..997.00

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR (QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes)))

AND: EverOT = Yes
```

AgreeHrs

^DLT

Your total usual hours come to ^DVTotHrU. Is that about right, or not?

```
IF TOTAL IS NOT ^DVTotHrU CHECK THAT

Usual hours (basic) = ^UsuHr

Usual paid o/t = ^PotHr

Usual unpaid o/t = ^UotHr
```

- (1) Yes, right
- (2) No

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...

Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR

(QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR

(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

AND: EverOT = Yes

(AgreeHrs = Yes) AND INVOLVING(UsuHr, POthr, Uothr)
```

The total must be agreed with the respondent.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR (QCurst1.Adult[Count1].Unpaid2 = Yes))
AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes))) OR (PPTrain IN [YT .. Other])))
AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
```

LikeHr

^DLT

Your usual hours at the moment are ^LJbHrsU1. Would you prefer to work more hours, or are you happy with the number of hours you work at the moment?

- (1) More hours
- (2) Happy with hours
- (3) Prefer fewer hours

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR (QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes))) OR ((PPTrain IN [YT .. Other])))

AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)

AND: LikeHr = More
```

NoMor

^DLT

Are you prevented from working more hours by any of the following....

READ OUT: PROMPT EACH ITEM INDIVIDUALLY.

```
SET [3] OF
```

- (1) ...disability or illness?
- (2) ...caring for a disabled or elderly person?
- (3) ...having to look after children?
- (4) None of these

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
    Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
    (QCurst1.Adult[Count1].Unpaid2 = Yes))
    AND: In loop FOR JobNo := 1 TO 3
    AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
    (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
    AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
    AND: LikeHr = More
    AND: None IN NoMor
    NoMor.CARDINAL = 1</pre>
```

'None of these' is an exclusive code for this question.

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
    AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
    Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurst1.Adult[Count1].Unpaid2 = Yes))
    AND: In loop FOR JobNo := 1 TO 3
    AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
    AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
    AND: LikeHr = More
    AND: Caring IN NoMor
NMPer
     ^DLT
     Who is the person you care for?
    ENTER PERSON NUMBER (97 IF NOT A HOUSEHOLD MEMBER)
    ^AllNameNo
    97: Not a household member.
     1..97
CHECK IF: QCare.GiveHelp <> EMPTY
```

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)

AND: LikeHr = More

AND: Caring IN NoMor

AND: NMPer = RESPONSE
(NMPer <= HHSize) OR (NMPer = 97)
```

This code is not valid for this question.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR (QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes))) OR (PPUnpaid2 = Yes)) OR (PPUnpaid3 = Yes)) OR (PPUnpaid4 = Yes) OR (Libehr = More AND: Children IN NoMor
```

NMChc

^DLT

If some suitable form of childcare were available, would this enable you to work more hours?

- (1) Yes
- (2) No

FRS36.Benefit_Unit[].QHours[]

Hours of Work

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...
Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR
(QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

AND: Job[JobNo].NMPer = RESPONSE
Job[JobNo].NMPer <> Person[[PNo]
```

You've coded that he respondent looks after him/herself. Please amend.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurst1.Adult[Count1].Train IN [YT ...

Other])) OR ((QCurst1.Adult[Count1].Unpaid1 = Yes) OR

(QCurst1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR

(PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

AND: Job[JobNo].NMPer = RESPONSE

(PRec[].Sex[Job[JobNo].NMPer] = RESPONSE) OR (Job[JobNo].NMPer = 97)
```

This code is not valid for this question.

FRS36.Benefit_Unit[].QEmpJob[]

Employee pay, etc.

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
PersId
     ^DL
     Person Identifier.
     0..14
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
JobType
     ^DL
     1st, 2nd, or 3rd job.
     1..3
ASK IF: QCare.GiveHelp <> EMPTY
```

```
Ask if: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
```

PayDat

^DL

On what date were you last paid a wage or salary?

IF CURRENTLY WORKING AND NOT YET PAID (IE. NEW JOB), GIVE DETAILS OF EXPECTED PAY AND ENTER EXPECTED PAY DATE. (IF DAY NOT KNOWN, ENTER 15TH OF MONTH.)

DATE

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
```

PayAmt

^DL

What was your last take-home pay, including overtime, bonus, commission or tips?

INTERVIEWER: SUGGEST RESPONDENT CONSULTS PAYSLIP.

0.00..99997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
(PayAmt > 0) AND INVOLVING(QCurst1.Adult[].Working[lPerNo],PayAmt)
```

No pay entered. If respondent has not yet been paid (eg. started a new job), enter expected pay. If job is normally UNPAID, select 'Working' below, change to 'No', and then press <End>.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
```

PayPd

^DL

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: Edit = No
PayPd <> Note
```

REMINDER: please make a Note to say what period of time was covered by the payment.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
PayPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: (PayAmt > 0) AND (PayPd IN [OneWeek .. Year])
AND: VWkly > 0
```

PayWkly

^DL

Standardised weekly amount.

0.00..99997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: (PayAmt > 0) AND (PayPd IN [OneWeek .. Year])
AND: VWkly > 0
AND: Edit = No
(PayWkly < 850) AND INVOLVING(PayPd,PayAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0
```

PAYE

^DL

How much was deducted from your wage/salary for income tax under PAYE?

0.00..9997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: (PAYE > 0) AND (PayPd IN [OneWeek .. Year])
AND: Edit = No
(VWkly < 274) AND INVOLVING(PAYE)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0
```

NatIns

^DL

How much was deducted from your last wage/salary as National Insurance Contribution?

0.00..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: (NatIns > 0) AND (PayPd IN [OneWeek .. Year])
VWkly <= 43.4</pre>
```

Are you sure? That's α VWkly a week. National Insurance contributions don't normally exceed α 43.40/week. Please check your figures, and amend if necessary. If correct, explain circumstances in a Note.

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[lPerNo] > 0
OthDed
     ^DL
     Were there any deductions from your wage/salary such as...
     READ OUT: PROMPT EACH ITEM INDIVIDUALLY...
     SET [9] OF
           ...Pension or superannuation?
     (1)
             HELP <F9>
     (2)
           ...AVC's (Additional Voluntary
             Contributions)?
     (3)
           ...Union fees?
     (4)
           ...Friendly societies?
           ...sports clubs or specialised
     (5)
             pastimes?
           ...repayment of a loan from
     (6)
            your employer?
     (7)
           ...Private medical insurance?
     (8)
           ...Charities
     (9)
           ...any other deductions we have
            not mentioned so far?
     (10)
          None of these
CHECK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[lPerNo] > 0
     OthDed.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

AND: loopvar IN OthDed
```

Deduc

^DL

How much was deducted for ^Deduction[loopvar]?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: In loop FOR loopvar := 1 TO 8
AND: loopvar IN OthDed
AND: (Deduc[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
(((((((((((loopvar = 1) AND (VWkly < 58)) OR ((loopvar = 2) AND (VWkly < 87))) OR ((loopvar = 3) AND (VWkly < 11))) OR ((loopvar = 4) AND (VWkly < 20))) OR ((loopvar = 5) AND (VWkly < 5))) OR ((loopvar = 6)
AND (VWkly < 93))) OR ((loopvar = 7) AND (VWkly <</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

AND: loopvar IN OthDed

AND: Deduc[loopvar] > 99

PMainJob = 1
```

Since this is a subsidiary job, please enter an amount below $\infty 100$.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: DedO IN OthDed
```

DedOth

^DL

OPEN A NOTE AND DESCRIBE THESE 'OTHER' DEDUCTIONS, WITH AMOUNTS.

THEN ADD THEM UP AND ENTER THE TOTAL AT THIS QUESTION.

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: JobStat[1,Count1] = 1
   AND: LNumJob[lPerNo] > 0
   AND: DedO IN OthDed
   AND: (DedOth > 0) AND (PayPd IN [OneWeek .. Year])
   (VWkly < 75) AND INVOLVING(DedOth)</pre>
```

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: DedO IN OthDed

PMainJob = 1
```

Since this is a subsidiary job, please enter an amount below $\infty 100$.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
```

PaySlip

^DL

INTERVIEWER: CODE WHETHER RESPONDENT IS USING PAYSLIP PAYSLIP MUST BE WITHIN PAST 3 MONTHS.

- (1) Latest payslip consulted
- (2) Old payslip consulted
- (3) Payslip not consulted
- (4) No payslip provided by employer

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PaySlip IN [Latest .. OldSlip]
```

GrWage

^DL

What was the GROSS wage/salary - ie. the TOTAL, BEFORE ANY DEDUCTIONS - as shown on payslip?

0.00..99997.00

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[lPerNo] > 0
     AND: PaySlip = Latest
GrSoFar
     ^DL
     And what was the figure for TAXABLE GROSS earnings so far this year, as shown on this payslip?
     INTERVIEWER: THIS IS NORMALLY SHOWN IN A COLUMN HEADED 'Totals to date'.
     IF NOT ON PAYSLIP, CODE 'DON'T KNOW'.
     0.00..999997.00
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[lPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
InclPay
     ^DL
     SHOW CARD P
     Did your last wage/salary include any of the items on this card?
     CODE ALL THAT APPLY
     HELP <F9>
     SET [5] OF
          Statutory Sick Pay
     (1)
          Statutory Maternity Pay
     (2)
     (3)
          Income Tax refund
     (4)
          Mileage allowance or fixed allowance for motoring
     (5)
          Motoring expenses refund
     (6)
          (None of these)
CHECK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[lPerNo] > 0
```

'None of these' is an exclusive code for this question.

AND: PMainJob = 1
AND: PayAmt > 0
AND: None IN InclPay
InclPay.CARDINAL = 1

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
NOT(IN(SSP,InclPay))
```

Are you sure? Please check that respondent was continuously off sick for at least four days in the pay period. If so, suppress this warning. If not, they can not have received Statutory Sick Pay.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
```

SSPAmt

^DL

How much was included for Statutory Sick Pay?

INTERVIEWER: THIS SHOULD BE SHOWN ON THE PAYSLIP. IF NOT, ENTER 'DON'T KNOW'.

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
RESERVECHECK
```

RESERVECHECK

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
```

MadEmp

^DL

When you were getting Statutory Sick Pay, were you also getting 'made up pay' from your employer?

- (1) Yes
- (2) No

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SMP IN InclPay

Sex[[lPerNo] = Female
```

The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SMP IN InclPay
```

SMPAmt

^DL

How much was included for Statutory Maternity Pay?

INTERVIEWER: THIS SHOULD BE SHOWN ON THE PAYSLIP. IF NOT, ENTER 'DON'T KNOW'.

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
AND: (SMPAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 238) AND INVOLVING(SMPAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SMP IN InclPay

AND: NOT (SMPAmt = RESPONSE)
```

SMPRate

^DL

How much was included for Statutory Maternity Pay - CHECK/ASK: Was it ...READ OUT (RUNNING PROMPT)...

- (1) ...the higher rate
- (2) ...or the lower rate?

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SMP IN InclPay
```

MatEmp

^DL

When you were getting Statutory Maternity Pay, were you also getting 'made up pay' from your employer?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
```

MatStp

^DL

How many weeks before your baby was expected did you stop work?

0..97

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: IncTax IN InclPay
```

TaxAmt

^DL

How much was included as Income Tax refund?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: IncTax IN InclPay
AND: (TaxAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 151) AND INVOLVING(TaxAmt)</pre>
```

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Mileage IN InclPay
```

MileAmt

^DL

How much was included for mileage allowance?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Mileage IN InclPay
AND: (MileAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 101) AND INVOLVING(MileAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Motoring IN InclPay
```

MotAmt

^DL

How much was included for motoring expenses?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Motoring IN InclPay
AND: (MotAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 99) AND INVOLVING(MotAmt)</pre>
```

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
```

HHInc

^DL

SHOW CARD Q

Were any refunds for any of the items of household expenditure shown on this card, included in the net pay of ^vpayamt that you received on ^vpaydat?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: HHInc = Yes

AND: In loop FOR loopvar := 1 TO 3

AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
```

HHO

^DL

What was covered by the 'order[loopvar] refund?

STRING[120]

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[1PerNo] > 0

AND: PMainJob = 1

AND: HHInc = Yes

AND: In loop FOR loopvar := 1 TO 3

AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
```

HHA

^DL

What was the amount of the refund for ^HHO[loopvar]?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: JobStat[1,Count1] = 1
   AND: LNumJob[lPerNo] > 0
   AND: PMainJob = 1
   AND: HHInc = Yes
   AND: In loop FOR loopvar := 1 TO 3
   AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
   AND: (HHA[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
   ((((loopvar = 1) AND (VWkly < 125)) OR ((loopvar = 2) AND (VWkly < 110))) OR ((loopvar])</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
```

PayUsl

^DL

Your wage/salary after all deductions was ^vpayamt. Is this the amount you usually receive?

- (1) Yes
- (2) No
- (3) No such thing as usual amount

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

UNett

^DL

What ^dodid you usually receive each time you ^arewere paid, AFTER all deductions?

0.00..9997.00

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

UGross

^DL

What 'dodid you usually receive each time you 'arewere paid, BEFORE all deductions?

0.00..9997.00

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))

(UNett <= UGross) OR UGross=NONRESPONSE
```

Usual pay BEFORE deductions shouldn't be lower than usual pay AFTER deductions; please amend your figures.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

UPd

^DL

How often 'arewere you usually paid?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
UPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[1PerNo] = 0) AND (Work12m[1PerNo] = 1))
AND: (UNett > 0) AND (UPd IN [OneWeek .. Year])
AND: VWkly > 0
(UNWkly < 850) AND INVOLVING(UPd,UNett)</pre>
```

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
AND: (UGross > 0) AND (UPd IN [OneWeek .. Year])
AND: VWkly > 0
(UGWkly < 1250) AND INVOLVING(UPd,UGross)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

InclPay1

^DL

SHOW CARD P

Does your usual wage/salary include any of the items on this card?

```
CODE ALL THAT APPLY HELP <F9>
```

SET [5] OF

- (1) Statutory Sick Pay
- (2) Statutory Maternity Pay
- (3) Income Tax refund
- (4) Mileage allowance or fixed allowance for motoring
- (5) Motoring expenses refund
- (6) (None of these)

```
CHECK IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: JobStat[1,Count1] = 1
   AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
   AND: None IN InclPay1
   InclPay1.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
    AND: SMP IN InclPay1
    Sex[[lPerNo] = Female
```

The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1
```

Bonus

^DL

In the last 12 months have you received any bonuses such as a Christmas or quarterly bonus, profit-related pay or profit-sharing bonus, or an OCCASIONAL commission?

INTERVIEWER: - EXCLUDE REGULAR BONUSES/COMMISSION (eg. weekly/monthly)
NORMALLY INCLUDED IN PAY.
- EXCLUDE SHARES, VOUCHER, INCOME IN KIND.

ENTER NUMBER OF BONUSES (MAX 6) AND GIVE DETAILS AT SUBSEQUENT QUESTIONS. IF NO BONUSES, ENTER 0.

0..6

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: In loop FOR loopvar := 1 TO Bonus
```

BonAmt

^DL

ENTER AMOUNT OF BONUS NUMBER ^loopvar.

0.01..9999997.00

```
Ask if: QCare.GiveHelp <> EMPTY
And: In loop FOR Loop1 := 1 TO NewBU
And: In loop FOR Count1 := 1 TO 3
And: JobStat[1,Count1] = 1
And: LNumJob[lPerNo] > 0
And: PMainJob = 1
And: In loop FOR loopvar := 1 TO Bonus
```

BonTax

^DL

Was this amount ...

- (1) Before tax
- (2) After tax

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: (Bonus > 0) AND (PayUs1 = No)
```

UBonInc

^DL

Did the usual net pay of ^vunett include any of this bonus or commission?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: (Bonus > 0) AND (PayUs1 = No)

AND: UBonInc = Yes
```

UBonAmt

^DL

How much was included?

0.00..9997.00

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1
```

InKind

^DL

SHOW CARD R

Which, if any, of the benefits shown on this card have you made use of, or received, from your present employer in the last 6 months?

CODE ALL THAT APPLY.

SET [10] OF

- (1) Luncheon Vouchers
- (2) Free meals (including free canteen at work)
- (3) Subsidised canteen
- (4) Free or subsidised goods (incl. store vouchers)
- (5) Childcare provisions and/or childcare vouchers
- (6) Free or subsidised medical insurance for self or family
- (7) Shares or share options
- (8) Payment of school fees for family members
- (9) Provision of a phone for personal use as well as work
- (10) Any other payments in kind
- (11) None of these

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
InKind.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: med IN InKind
```

InsType

^DL

Can I check, does your medical insurance include 'permanent health insurance' or 'critical illness cover'?

HELP <F9>

- (1) permanent health insurance
- (2) critical illness cover
- (3) both
- (4) neither
- (5) don't know

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: other IN InKind
```

OthPerk

^DL

INTERVIEWER: DESCRIBE OTHER BENEFIT(S)

STRING[50]

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
payinc <= PayAmt</pre>
```

The amount(s) for the item(s) included in pay (see below) come to œ^PayInc, which is more than the pay itself, of œ^PayAmt. Please check your figures.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: Edit = No
(ABS(GrWage - Total) < 5) AND INVOLVING(PAYE,NatIns,PayAmt,GrWage)</pre>
```

Net pay & all deductions add up to c^Total, but the gross pay is c^GrWage.

Please check your figures and probe for the missing amount.

If unable to resolve (eg. tax refund incl.), suppress check and make a Note.

```
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: NOT (Edit = No)
     (ABS(GrWage - Total) < 5) AND INVOLVING(PAYE, NatIns, PayAmt, GrWage)
     Net pay & all deductions add up to c^Total, but the gross pay is c^GrWage.
     EDITOR: is a tax refund included? (see InclPay). If so, follow your edit instructions, p.21.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     PAYE<>NONRESPONSE
     MISSING INFO FOR PAYE.
     IF THIS JOB IS A SUBSIDIARY JOB WITH SAME EMPLOYER AS MAIN JOB, DON'T IMPUTE
     MISSING AMOUNT: INSTEAD ENTER 0.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     Natins<>NONRESPONSE
     MISSING INFO FOR National Insurance AMOUNT.
     IF THIS JOB IS A SUBSIDIARY JOB WITH SAME EMPLOYER AS MAIN JOB, DON'T IMPUTE
     MISSING AMOUNT: INSTEAD ENTER 0.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     PayAmt<>NONRESPONSE
     MISSING AMOUNT FOR WAGE/SALARY.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     GrWage<>NONRESPONSE
     MISSING INFO FOR GROSS WAGE.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     UNett<>NONRESPONSE
```

MISSING INFO FOR NET PAY.

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

UGross<>NONRESPONSE

MISSING INFO FOR GROSS PAY.

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

Deduc[1]<>NONRESPONSE AND INVOLVING(Deduc[1],GrWage,PayAmt)

MISSING INFO FOR Pension Deduction. IMPUTE THIS AS A PERCENTAGE OF LAST PAY, FOLLOWING THE EDIT INSTRUCTIONS

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QEmpJob[]

Employee pay, etc.

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
PersId
     ^DL
     Person Identifier.
     0..14
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
JobType
     ^DL
     1st, 2nd, or 3rd job.
     1..3
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[lPerNo] > 0
PayDat
     ^DL
```

On what date were you last paid a wage or salary?

IF CURRENTLY WORKING AND NOT YET PAID (IE. NEW JOB), GIVE DETAILS OF EXPECTED PAY AND ENTER EXPECTED PAY DATE. (IF DAY NOT KNOWN, ENTER 15TH OF MONTH.)

DATE

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
```

PayAmt

^DL

What was your last take-home pay, including overtime, bonus, commission or tips?

INTERVIEWER: SUGGEST RESPONDENT CONSULTS PAYSLIP.

0.00..99997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
(PayAmt > 0) AND INVOLVING(QCurst1.Adult[].Working[lPerNo],PayAmt)
```

No pay entered. If respondent has not yet been paid (eg. started a new job), enter expected pay. If job is normally UNPAID, select 'Working' below, change to 'No', and then press <End>.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
```

PayPd

^DL

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: Edit = No
PayPd <> Note
```

REMINDER: please make a Note to say what period of time was covered by the payment.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
PayPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
RECORD IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: (PayAmt > 0) AND (PayPd IN [OneWeek .. Year])
AND: VWkly > 0
```

PayWkly

^DL

Standardised weekly amount.

0.00..99997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: (PayAmt > 0) AND (PayPd IN [OneWeek .. Year])
AND: VWkly > 0
AND: Edit = No
(PayWkly < 850) AND INVOLVING(PayPd,PayAmt)</pre>
```

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0
```

PAYE

^DL

How much was deducted from your wage/salary for income tax under PAYE?

0.00..9997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: (PAYE > 0) AND (PayPd IN [OneWeek .. Year])
AND: Edit = No
(VWkly < 274) AND INVOLVING(PAYE)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0
```

NatIns

^DL

How much was deducted from your last wage/salary as National Insurance Contribution?

0.00..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: (NatIns > 0) AND (PayPd IN [OneWeek .. Year])
VWkly <= 43.4</pre>
```

Are you sure? That's α ^VWkly a week. National Insurance contributions don't normally exceed α 43.40/week. Please check your figures, and amend if necessary. If correct, explain circumstances in a Note.

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[lPerNo] > 0
OthDed
     ^DL
     Were there any deductions from your wage/salary such as...
     READ OUT: PROMPT EACH ITEM INDIVIDUALLY...
     SET [9] OF
           ...Pension or superannuation?
     (1)
            HELP <F9>
     (2)
           ...AVC's (Additional Voluntary
            Contributions)?
     (3)
           ...Union fees?
     (4)
           ...Friendly societies?
     (5)
           ... sports clubs or specialised
            pastimes?
     (6)
           ...repayment of a loan from
            your employer?
     (7)
           ...Private medical insurance?
     (8)
           ...Charities
     (9)
           ...any other deductions we have
            not mentioned so far?
     (10)
          None of these
CHECK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[lPerNo] > 0
     OthDed.CARDINAL = 1
     'None of these' is an exclusive code for this question.
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[lPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
```

Deduc

^DL

How much was deducted for ^Deduction[loopvar]?

0.01..997.00

```
Warn If: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: In loop FOR loopvar := 1 TO 8
AND: loopvar IN OthDed
AND: (Deduc[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
(((((((((((loopvar = 1) AND (VWkly < 58)) OR ((loopvar = 2) AND (VWkly < 87))) OR ((loopvar = 3) AND (VWkly < 11))) OR ((loopvar = 4) AND (VWkly < 50))) OR ((loopvar = 6)
AND (VWkly < 93))) OR ((loopvar = 7) AND (VWkly <</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

AND: loopvar IN OthDed

AND: Deduc[loopvar] > 99

PMainJob = 1
```

Since this is a subsidiary job, please enter an amount below $\infty 100$.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: DedO IN OthDed
```

DedOth

^DL

OPEN A NOTE AND DESCRIBE THESE 'OTHER' DEDUCTIONS, WITH AMOUNTS.

THEN ADD THEM UP AND ENTER THE TOTAL AT THIS QUESTION.

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: DedO IN OthDed
AND: (DedOth > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 75) AND INVOLVING(DedOth)</pre>
```

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: DedO IN OthDed

PMainJob = 1
```

Since this is a subsidiary job, please enter an amount below œ100.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0
```

PaySlip

^DL

INTERVIEWER: CODE WHETHER RESPONDENT IS USING PAYSLIP PAYSLIP MUST BE WITHIN PAST 3 MONTHS.

- (1) Latest payslip consulted
- (2) Old payslip consulted
- (3) Payslip not consulted
- (4) No payslip provided by employer

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PaySlip IN [Latest .. OldSlip]
```

GrWage

^DL

What was the GROSS wage/salary - ie. the TOTAL, BEFORE ANY DEDUCTIONS - as shown on payslip?

0.00..99997.00

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[lPerNo] > 0
     AND: PaySlip = Latest
GrSoFar
     ^DL
     And what was the figure for TAXABLE GROSS earnings so far this year, as shown on this payslip?
     INTERVIEWER: THIS IS NORMALLY SHOWN IN A COLUMN HEADED 'Totals to date'.
     IF NOT ON PAYSLIP, CODE 'DON'T KNOW'.
     0.00..999997.00
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[lPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
InclPay
     ^DL
     SHOW CARD P
     Did your last wage/salary include any of the items on this card?
     CODE ALL THAT APPLY
     HELP <F9>
     SET [5] OF
          Statutory Sick Pay
     (1)
          Statutory Maternity Pay
     (2)
     (3)
          Income Tax refund
     (4)
          Mileage allowance or fixed allowance for motoring
     (5)
          Motoring expenses refund
     (6)
          (None of these)
CHECK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[lPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: None IN InclPay
```

'None of these' is an exclusive code for this question.

InclPay.CARDINAL = 1

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
NOT(IN(SSP,InclPay))
```

Are you sure? Please check that respondent was continuously off sick for at least four days in the pay period. If so, suppress this warning. If not, they can not have received Statutory Sick Pay.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SSP IN InclPay
```

SSPAmt

^DL

How much was included for Statutory Sick Pay?

INTERVIEWER: THIS SHOULD BE SHOWN ON THE PAYSLIP. IF NOT, ENTER 'DON'T KNOW'.

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 4 TO 6
   AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
   AND: LNumJob[lPerNo] > 0
   AND: PMainJob = 1
   AND: PayAmt > 0
   AND: SSP IN InclPay
   RESERVECHECK
```

RESERVECHECK

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
```

MadEmp

^DL

When you were getting Statutory Sick Pay, were you also getting 'made up pay' from your employer?

- (1) Yes
- (2) No

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SMP IN InclPay

Sex[[lPerNo] = Female
```

The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SMP IN InclPay
```

SMPAmt

^DL

How much was included for Statutory Maternity Pay?

INTERVIEWER: THIS SHOULD BE SHOWN ON THE PAYSLIP. IF NOT, ENTER 'DON'T KNOW'.

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
AND: (SMPAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 238) AND INVOLVING(SMPAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask if: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
AND: NOT (SMPAmt = RESPONSE)
```

SMPRate

^DL

How much was included for Statutory Maternity Pay - CHECK/ASK: Was it ...READ OUT (RUNNING PROMPT)...

- (1) ...the higher rate
- (2) ...or the lower rate?

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
```

MatEmp

^DL

When you were getting Statutory Maternity Pay, were you also getting 'made up pay' from your employer?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
```

MatStp

^DL

How many weeks before your baby was expected did you stop work?

0..97

```
Ask If: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: IncTax IN InclPay
```

TaxAmt

^DL

How much was included as Income Tax refund?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 4 TO 6
   AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
   AND: LNumJob[lPerNo] > 0
   AND: PMainJob = 1
   AND: PayAmt > 0
   AND: IncTax IN InclPay
   AND: (TaxAmt > 0) AND (PayPd IN [OneWeek .. Year])
   (VWkly < 151) AND INVOLVING(TaxAmt)</pre>
```

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Mileage IN InclPay
```

MileAmt

^DL

How much was included for mileage allowance?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Mileage IN InclPay
AND: (MileAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 101) AND INVOLVING(MileAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: Motoring IN InclPay
```

MotAmt

^DL

How much was included for motoring expenses?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Motoring IN InclPay
AND: (MotAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 99) AND INVOLVING(MotAmt)</pre>
```

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1
```

HHInc

^DL

SHOW CARD Q

Were any refunds for any of the items of household expenditure shown on this card, included in the net pay of ^vpayamt that you received on ^vpaydat?

- (1) Yes
- (2) No

```
Ask If: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: HHInc = Yes
AND: In loop FOR loopvar := 1 TO 3
AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
```

HHO

^DL

What was covered by the 'order[loopvar] refund?

STRING[120]

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: HHInc = Yes

AND: In loop FOR loopvar := 1 TO 3

AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
```

HHA

^DL

What was the amount of the refund for ^HHO[loopvar]?

0.01..997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: HHInc = Yes
AND: In loop FOR loopvar := 1 TO 3
AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
AND: (HHA[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
((((loopvar = 1) AND (VWkly < 125)) OR ((loopvar = 2) AND (VWkly < 110))) OR ((loopvar])</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0
```

PayUsl

^DL

Your wage/salary after all deductions was ^vpayamt. Is this the amount you usually receive?

- (1) Yes
- (2) No
- (3) No such thing as usual amount

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

UNett

^DL

What ^dodid you usually receive each time you ^arewere paid, AFTER all deductions?

0.00..9997.00

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

UGross

^DL

What 'dodid you usually receive each time you 'arewere paid, BEFORE all deductions?

0.00..9997.00

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))

(UNett <= UGross) OR UGross=NONRESPONSE
```

Usual pay BEFORE deductions shouldn't be lower than usual pay AFTER deductions; please amend your figures.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

UPd

^DL

How often 'arewere you usually paid?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
UPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[1PerNo] = 0) AND (Work12m[1PerNo] = 1))
AND: (UNett > 0) AND (UPd IN [OneWeek .. Year])
AND: VWkly > 0
(UNWkly < 850) AND INVOLVING(UPd,UNett)</pre>
```

```
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
     AND: (UGross > 0) AND (UPd IN [OneWeek .. Year])
     AND: VWkly > 0
     (UGWkly < 1250) AND INVOLVING(UPd, UGross)
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
```

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
```

InclPay1

^DL

SHOW CARD P

Does your usual wage/salary include any of the items on this card?

```
CODE ALL THAT APPLY
HELP <F9>
```

SET [5] OF

- Statutory Sick Pay
- (2) Statutory Maternity Pay
- (3) Income Tax refund
- (4) Mileage allowance or fixed allowance for motoring
- (5) Motoring expenses refund
- (None of these) (6)

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
    AND: None IN InclPay1
    InclPay1.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
CHECK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[lPerNo] = 0) AND (Work12m[lPerNo] = 1))
    AND: SMP IN InclPay1
    Sex[[lPerNo] = Female
```

The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1
```

Bonus

^DL

In the last 12 months have you received any bonuses such as a Christmas or quarterly bonus, profit-related pay or profit-sharing bonus, or an OCCASIONAL commission?

INTERVIEWER: - EXCLUDE REGULAR BONUSES/COMMISSION (eg. weekly/monthly)
NORMALLY INCLUDED IN PAY.
- EXCLUDE SHARES, VOUCHER, INCOME IN KIND.

ENTER NUMBER OF BONUSES (MAX 6) AND GIVE DETAILS AT SUBSEQUENT QUESTIONS. IF NO BONUSES, ENTER 0.

0..6

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: In loop FOR loopvar := 1 TO Bonus
```

BonAmt

^DL

ENTER AMOUNT OF BONUS NUMBER ^loopvar.

0.01..9999997.00

```
Ask If: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: In loop FOR loopvar := 1 TO Bonus
```

BonTax

^DL

Was this amount ...

- (1) Before tax
- (2) After tax

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: (Bonus > 0) AND (PayUs1 = No)
```

UBonInc

^DL

Did the usual net pay of ^vunett include any of this bonus or commission?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: (Bonus > 0) AND (PayUsl = No)

AND: UBonInc = Yes
```

UBonAmt

^DL

How much was included?

0.00..9997.00

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
```

InKind

^DL

SHOW CARD R

Which, if any, of the benefits shown on this card have you made use of, or received, from your present employer in the last 6 months?

CODE ALL THAT APPLY.

SET [10] OF

- (1) Luncheon Vouchers
- (2) Free meals (including free canteen at work)
- (3) Subsidised canteen
- (4) Free or subsidised goods (incl. store vouchers)
- (5) Childcare provisions and/or childcare vouchers
- (6) Free or subsidised medical insurance for self or family
- (7) Shares or share options
- (8) Payment of school fees for family members
- (9) Provision of a phone for personal use as well as work
- (10) Any other payments in kind
- (11) None of these

```
CHECK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
InKind.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[lPerNo] > 0

AND: PMainJob = 1

AND: med IN InKind
```

InsType

^DL

Can I check, does your medical insurance include 'permanent health insurance' or 'critical illness cover'?

HELP <F9>

- (1) permanent health insurance
- (2) critical illness cover
- (3) both
- (4) neither
- (5) don't know

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[lPerNo] > 0
AND: PMainJob = 1
AND: other IN InKind
```

OthPerk

^DL

INTERVIEWER: DESCRIBE OTHER BENEFIT(S)

STRING[50]

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
payinc <= PayAmt</pre>
```

The amount(s) for the item(s) included in pay (see below) come to œ^PayInc, which is more than the pay itself, of œ^PayAmt. Please check your figures.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: Edit = No
(ABS(GrWage - Total) < 5) AND INVOLVING(PAYE,NatIns,PayAmt,GrWage)</pre>
```

Net pay & all deductions add up to c^Total, but the gross pay is c^GrWage.

Please check your figures and probe for the missing amount.

If unable to resolve (eg. tax refund incl.), suppress check and make a Note.

```
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: NOT (Edit = No)
     (ABS(GrWage - Total) < 5) AND INVOLVING(PAYE, NatIns, PayAmt, GrWage)
     Net pay & all deductions add up to c^Total, but the gross pay is c^GrWage.
     EDITOR: is a tax refund included? (see InclPay). If so, follow your edit instructions, p.21.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     PAYE<>NONRESPONSE
     MISSING INFO FOR PAYE.
     IF THIS JOB IS A SUBSIDIARY JOB WITH SAME EMPLOYER AS MAIN JOB, DON'T IMPUTE
     MISSING AMOUNT: INSTEAD ENTER 0.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     Natins<>NONRESPONSE
     MISSING INFO FOR National Insurance AMOUNT.
     IF THIS JOB IS A SUBSIDIARY JOB WITH SAME EMPLOYER AS MAIN JOB, DON'T IMPUTE
     MISSING AMOUNT: INSTEAD ENTER 0.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     PayAmt<>NONRESPONSE
     MISSING AMOUNT FOR WAGE/SALARY.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     GrWage<>NONRESPONSE
     MISSING INFO FOR GROSS WAGE.
WARN IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     UNett<>NONRESPONSE
     MISSING INFO FOR NET PAY.
```

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

UGross<>NONRESPONSE

MISSING INFO FOR GROSS PAY.

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

Deduc[1]<>NONRESPONSE AND INVOLVING(Deduc[1],GrWage,PayAmt)

MISSING INFO FOR Pension Deduction. IMPUTE THIS AS A PERCENTAGE OF LAST PAY, FOLLOWING THE EDIT INSTRUCTIONS

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    RESERVECHECK
    RESERVECHECK
```

Page 415

FRS36.Benefit_Unit[].QSelfJob[].Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
PersId
     ^DLT
     Person identifier.
     0..14
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
JobType
     1st, 2nd, or 3rd job.
     1..3
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
JobBus
     ^DLT
     ^Intro10
     Can I check, 'dodid you think of yourself more as having a job, or a business?
     INTERVIEWER: USE ANSWER (OR 'Occupation', etc) LATER, AS APPROPRIATE AT 'job/business'
     (1)
          Job
          A business
     (2)
     (3)
          (Neither of these)
```

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))
```

BusAccts

^DLT

In this job/business ^arewere annual business accounts prepared for the Inland Revenue for tax purposes? INCLUDE IF PREPARED BY ACCOUNTANT.

- (1) Yes
- (2) No
- (3) Not yet but will be

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))
```

Sole

^DLT

^ICODE^CAreWere you working on your own account or ^arewere you in partnership with someone else?

- (1) Own account (sole owner)
- (2) In partnership

```
ASK IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
   (Work12m[PerNo] = 1))
  AND: Sole = Partner
```

PartDisp

^DLT

INTERVIEWER, READ OUT:

The questions that follow are about just YOUR OWN SHARE of the business - that is, NOT including your partner's share.

(1) Press <Enter> to continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
     AND: BusAccts = Yes
SE<sub>1</sub>
     ^DLT
     What is the most recent period for which accounts have been prepared for the Inland Revenue?
     ENTER BEGINNING OF PERIOD.
     IF DAY OF MONTH NOT KNOWN, ENTER 15th.
     DATE
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
     AND: BusAccts = Yes
SE<sub>2</sub>
     ^DLT
     INTERVIEWER: ENTER END OF PERIOD (for which accounts have been prepared).
     IF DAY OF MONTH NOT KNOWN, ENTER 15th.
     DATE
CHECK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
     AND: BusAccts = Yes
     AND: (SE1 = RESPONSE) AND (SE2 = RESPONSE)
     SE1 <= SE2
     The end date is earlier than the beginning date. Have you transposed them?
CHECK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
     AND: BusAccts = Yes
     AND: (SE1 = RESPONSE) AND (SE2 = RESPONSE)
     SE1 <= DateNow
```

This is a future date. Please amend your coding.

Page 418

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))

AND: BusAccts = Yes

AND: (SE1 = RESPONSE) AND (SE2 = RESPONSE)

SE2 <= DateNow
```

This is a future date. Please amend your coding.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: BusAccts = Yes
AND: (SE1 = RESPONSE) AND (SE2 = RESPONSE)
(SE2.JULIAN - SE1.JULIAN) <= 397</pre>
```

Are you sure? This is more than 12 months. Please amend your coding, or explain in a Note.

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: BusAccts = Yes
AND: (SE1 = RESPONSE) AND (SE2 = RESPONSE)
(SE2.JULIAN - SE1.JULIAN) >= 350
```

That seems a rather short period, please check your entry.

```
ASK IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
   (Work12m[PerNo] = 1))
  AND: BusAccts = Yes
```

ProfDocs

^DLT

What was 'share_of the profit or loss figure shown on these accounts for this period? It would be helpful if you could refer to a document, such as the annual accounts, or the Notice of Tax Assessment from the Inland Revenue.

INTERVIEWER: FIRST, CODE DOCUMENT CONSULTED (1st TO APPLY)

- (1) Notice of Tax Assessment
- (2) Annual accounts (incl. summary)
- (3) Tax Return (self-employment section)
- (4) Some other document (describe in a Note)
- (5) No document consulted

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: BusAccts = Yes
```

Profit1

^DLT

INTERVIEWER: NOW, ENTER THE @ PROFIT/LOSS AMOUNT^INSTRUC

0..9999997

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
    (Work12m[PerNo] = 1))
    AND: BusAccts = Yes
    AND: Profit1 > 0
```

Profit2

^DLT

DID THE ANSWER IN THE PREVIOUS QUESTION REFER TO PROFIT OR LOSS?

- (1) Profit/earnings
- (2) Loss

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
   (Work12m[PerNo] = 1))
  AND: BusAccts = Yes
  AND: Profit1 > 0
  AND: Edit = No
  Profit1 <= 69000</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))

AND: BusAccts = Yes

AND: Profit1 > 0

AND: Profit2 = Profit
```

ProfTax

^DLT

Can I just check, is that the figure before deduction of income tax?

- (1) Yes (before tax)
- (2) No (after tax)

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: BusAccts = Yes

AND: Profit1 > 0

AND: Profit2 = Profit

AND: ProfTax = Aftr
```

ProfNI

^DLT

And is the figure before or after you paid any lump sum (Class 4) National Insurance payments based on taxable profits?

IF NO LUMP SUM NI PAID, ENTER '3'.

HELP <F9>

- (1) Before
- (2) After
- (3) Not applicable (no lump sum NI)

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: BusAccts = Yes
AND: Profit1 > 0
AND: Profit2 = Profit
AND: ProfTax = Aftr
```

PrBefore

^DLT

What was 'share_of the profit BEFORE 'tax?

0..9999997

```
Ask IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: BusAccts = Yes

AND: Profit1 = DONTKNOW
```

WhyNoPro

^DLT

INTERVIEWER CODE:

Why was respondent unable to give a profit or loss figure?

- (1) Docs with accountant/Inland Revenue
- (2) Other reason

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: BusAccts IN [Yes, WillBe]
```

WorkAcc

^DLT

^Cdodid you have separate bank or building society accounts for your work and your private finances?

HELP <F9>

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
    (Work12m[PerNo] = 1))
    AND: BusAccts IN [Yes, WillBe]
    AND: WorkAcc = Yes
```

OwnSum

^DLT

SHOW CARD S

^Cdodid you draw money from your work account for any non-business purposes, such as any of the things shown on this card?

(CODE 'YES' IF ANY APPLY)

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))

AND: BusAccts IN [Yes, WillBe]

AND: WorkAcc = Yes

AND: OwnSum = Yes
```

OwnAmt

^DLT

Thinking of the last 12 months OfBus, on average how much ^take EACH MONTH for these non-business purposes?

1..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: BusAccts IN [Yes, WillBe]
AND: WorkAcc = Yes
AND: OwnSum = Yes
AND: Edit = No
OwnAmt < 670</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: BusAccts IN [Yes, WillBe]
AND: WorkAcc = Yes
AND: OwnSum = Yes
```

OwnOther

^DLT

Apart from drawings from the bank/building society, ^dodid you receive any other income from this job/business, for personal use?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: BusAccts IN [Yes, WillBe]

AND: WorkAcc = Yes

AND: OwnSum = Yes

AND: OwnOther = Yes
```

OwnOtAmt

^DLT

On average, how much 'iswas that each month?

0..9997

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: (((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))

OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE
```

SEIncAmt

^DLT

Now I'd like to ask some questions about your income from your job/business; that is, after paying for any materials, equipment or goods that you use(d) in your work.

On average, what was your WEEKLY or MONTHLY income from this job/business over the last 12 months^OfBus?

0..99997

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))
OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE
AND: SEIncAmt > 0
```

SEIncWM

^DLT

INTERVIEWER ASK OR CODE:

Was that weekly or monthly income?

- (1) Weekly income
- (2) Monthly income

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))

OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE

AND: SEIncAmt > 0
```

CheckTax

^DLT

May I just check, ^iswas either income tax, or your regular National Insurance contribution DEDUCTED AT SOURCE?

```
(INTERVIEWER: THIS IS 'CLASS 2' NI) HELP <F9>
```

- (1) Income tax deducted
- (2) Regular NI deducted
- (3) No, neither deducted

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))
OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE
AND: SEIncAmt > 0
AND: CheckTax = taxded
```

TaxDAmt

^DLT

How much income tax was deducted last time?

0.01..9997.00

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))

OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE

AND: SEIncAmt > 0

AND: CheckTax = taxded

AND: TaxDAmt > 0
```

TaxDPd

^DLT

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))
OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE
AND: SEIncAmt > 0
AND: CheckTax = taxded
AND: TaxDAmt > 0
TaxDPd <> Note
EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.
```

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: (((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))

OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE

AND: SEIncAmt > 0

AND: CheckTax = Nided
```

NIDAmt

^DLT

How much National Insurance was deducted last time?

0.01..9997.00

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: (((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))
OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE
AND: SEIncAmt > 0
AND: CheckTax = Nided
AND: NIDAmt > 0
```

NIDPd

^DLT

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
   (Work12m[PerNo] = 1))
   AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))
   OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE
   AND: SEIncAmt > 0
   AND: CheckTax = Nided
   AND: NIDAmt > 0
   NIDPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))

OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE

AND: SEIncAmt > 0

AND: CheckTax = NIded

AND: NIDAmt > 0

AND: NIDAmt > 0

AND: NIDPd IN [OneWeek .. Year]

AND: LWeekly >= 0.01
```

NIDWkly

^DLT

Standardised weekly amount.

0.01..9997.00

```
Ask IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: ((((BusAccts = No) OR BusAccts = NONRESPONSE) OR (WorkAcc = No))

OR WorkAcc = NONRESPONSE) OR (OwnSum = No)) OR OwnSum = NONRESPONSE

AND: SEIncAmt > 0

AND: CheckTax IN [taxded, NIded]
```

ChkIncom

^DLT

May I check, 'iswas your average 'wekly income of @'SeIncAmt before or after 'tax_NI was deducted?

- (1) Before
- (2) After

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))

AND: (LNumJob[PNo] > 0) AND (CheckTax <> NIded)
```

SeNIReg

^DLT

Do you pay a regular National Insurance contribution? (INTERVIEWER: KNOWN AS 'CLASS 2' NI)

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
     AND: (LNumJob[PNo] > 0) AND (CheckTax <> NIded)
     AND: SeNIReg = Yes
SeNIRAmt
     ^DLT
     How much was your last National Insurance payment?
     HELP <F9>
     0.01..997.00
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
     (Work12m[PerNo] = 1))
     AND: (LNumJob[PNo] > 0) AND (CheckTax <> NIded)
     AND: SeNIReg = Yes
     AND: SeNIRAmt > 0
SeNIRPd
     ^DLT
     How long did this cover?
     (1)
          One week
```

- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
   (Work12m[PerNo] = 1))
AND: (LNumJob[PNo] > 0) AND (CheckTax <> NIded)
AND: SeNIReg = Yes
AND: SeNIRAmt > 0
SeNIRPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))

AND: (LNumJob[PNo] > 0) AND (CheckTax <> NIded)

AND: SeNIReg = Yes

AND: SeNIRAmt > 0

AND: SeNIRPd IN [OneWeek .. Year]

AND: LWeekly >= 0.01
```

SeNIWkly

^DLT

Standardised weekly amount.

0.01..9997.00

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: (LNumJob[PNo] > 0) AND (CheckTax <> Nided)
AND: SeNIReg = Yes
AND: SeNIRAmt > 0
AND: SeNIRPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(SeNIWkly < 214) AND INVOLVING(SeNIRPd,SeNIRAmt)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))
```

SeTax

^DLT

^Have you made any^OTHER income tax payments relating to this job/business in the last 12 months?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: SeTax = Yes
```

SeTaxAmt

^DLT

How much did you pay altogether in the last 12 months?^TaxTxt

1..999997

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
   (Work12m[PerNo] = 1))
  AND: SeTax = Yes
  AND: Edit = No
  SeTaxAmt < 6969</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
    (Work12m[PerNo] = 1))
AND: SeTax = Yes
AND: SeTaxAmt > 0
```

SeNIinc

^DLT

Does that figure include a LUMP SUM (Class 4) National Insurance contribution based on taxable profits?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))

AND: SeTax = Yes

AND: SeTaxAmt > 0

AND: SeNIinc = Yes
```

SeNIiAmt

^DLT

How much was the National insurance lump sum payment?

1..99997

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))

AND: SeTax = Yes

AND: SeTaxAmt > 0

AND: NOT (SeNIinc = Yes)
```

SeNILump

^DLT

In the last 12 months have you paid any lump sum NI contributions based on taxable profits?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: SeTax = Yes
AND: SeTaxAmt > 0
AND: NOT (SeNIinc = Yes)
AND: SeNILump = Yes
```

SeNiLAmt

^DLT

What was your total lump sum payment in the last 12 months?

0..99997

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: SeTax = Yes
AND: SeTaxAmt > 0
AND: NOT (SeNIinc = Yes)
AND: SeNILump = Yes
AND: Edit = No
SeNiLAmt < 606</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
    (Work12m[PerNo] = 1))
    AND: Profit1 = DONTKNOW
```

SeLWks

^DLT

In the last 12 months for how many weeks have you been self-employed?

0..52

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR (Work12m[PerNo] = 1))

AND: Profit1 = DONTKNOW

AND: (LNumJob[PNo] = 0) AND (SeLWks < 52)
```

SeEnd

^DLT

On what date did you cease to be self-employed? (IF DAY NOT KNOWN, ENTER 15TH OF MONTH.)

DATE

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR

(Work12m[PerNo] = 1))

AND: Profit1 = DONTKNOW

AND: (LNumJob[PNo] = 0) AND (SeLWks < 52)

SeEnd <= DateNow
```

This is a future date. Please amend your coding.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: NIDWkly = RESPONSE
(IN(NIDWkly,[0])) AND INVOLVING(NIDPd,NIDAmt)
```

Amount for National Insurance contribution deviates from standard weekly amount (currently &6.55 for self-employed). Please check.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: SeNIWkly = RESPONSE
(IN(SeNIWkly,[0])) AND INVOLVING(SeNIRPd,SeNIRAmt)
```

Amount for National Insurance contribution deviates from standard weekly amount (currently α 6.55 for self-employed). Please check.

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR Count1 := 1 TO 3
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
   (Work12m[PerNo] = 1))
  AND: PrBefore = RESPONSE
   PrBefore >= Profit1
```

Profit BEFORE Tax/NI is less than net profit - that can't be right! Please check your figures.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
SeNiLAmt<>NONRESPONSE
```

MISSING INFORMATION FOR LUMP SUM PAYMENTS OF N.I. CONTRIBUTIONS. FOLLOW EDIT INSTRUCTIONS TO IMPUTE AMOUNT

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo, PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
SeNIRAmt<>NONRESPONSE
```

EDITOR: MISSING INFORMATION FOR REGULAR (self-employed) CLASS 2 NATIONAL INSURANCE. PLEASE INSERT STANDARD AMOUNT (see Instructions).

FRS36.Benefit_Unit[].QSelfJob[]

Self-Employed

WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (JobStat[PerNo,PPPMainJob] = 2) AND ((LNumJob[PerNo] > 0) OR
(Work12m[PerNo] = 1))
AND: ((Edit = Yes) AND (PPPMainJob = 1)) AND (((Adult[PerNo].Profit2 <> Profit) AND ((Adult[PerNo].OwnSum = No) OR Adult[PerNo].OwnSum = NONRESPONSE)) OR (Adult[PerNo].BusAccts = No))
(Adult[PerNo].SEIncAmt > 0) AND INVOLVING(Adult[PerNo].Profit1)

THIS IS A MAIN JOB, BUT THERE IS NO PROFIT GIVEN, OR DRAWINGS, OR REGULAR INCOME. ARE THERE ANY NOTES TO EXPLAIN THIS? IF NO EVIDENCE OF ANY PROFIT, SUPPRESS WARNING AND MOVE ON.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

```
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    RESERVECHECK
    RESERVECHECK
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: (((((JobStat[1,1] = 1) AND (JobStat[1,2] = 1)) AND (JobStat[1,3] =
    1)) OR (LNumJob[1] > 0)) OR ((AgeOf[1] <= 65) AND
     (QCurst2.Adult[1].EverWrk <> No))) OR (((((JobStat[2,1] = 1) AND)))
     (JobStat[2,2] = 1)) AND (JobStat[2,3] = 1)) OR (LNumJob[2] > 0)) OR
     ((AgeOf[2] \leftarrow 65) AND (QCurst2.Adult[2].EverWrk \leftrightarrow No)))
Jump20
```

THE QUESTIONS THAT FOLLOW ARE ABOUT PENSION PROVISIONS.

(1) Press <Enter> to continue.

FRS36.Benefit_Unit[].QPens1.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: ((((JobStat[PNo,1] = 1) AND (JobStat[PNo,2] = 1)) AND
    (JobStat[PNo,3] = 1)) OR (LNumJob[PNo] > 0)) OR ((AgeOf[PNo] <= 65)
    AND (QCurst2.Adult[PNo].EverWrk <> No))
PersId
    ^CC*** ^Names[PNo] ***
                             PENSIONS
    Person identifier.
    0..14
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: ((((JobStat[PNo,1] = 1) AND (JobStat[PNo,2] = 1)) AND
    (JobStat[PNo,3] = 1)) OR (LNumJob[PNo] > 0)) OR ((AgeOf[PNo] <= 65)
```

EmpPay

```
^CC*** ^Names[PNo] *** PENSIONS
```

SHOW CARD T

Now I have some questions about your pension arrangements.

AND (QCurst2.Adult[PNo].EverWrk <> No))

Are $^{\prime}$ you paying contributions to any of the pension arrangements shown on this card? HELP $^{\prime}$ F9>

INTERVIEWER: READ OUT AND PROMPT EACH ITEM; CODE 1 & 2 IF BOTH APPLY.

Do ^you_emp pay contributions to...

SET [2] OF

- (1) A personal or private pension fund, or retirement annuity
- (2) A company or occupational pension scheme run by employer
- (3) None of these

```
CHECK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((((JobStat[PNo,1] = 1) AND (JobStat[PNo,2] = 1)) AND (JobStat[PNo,3] = 1)) OR (LNumJob[PNo] > 0)) OR ((AgeOf[PNo] <= 65)

AND (QCurst2.Adult[PNo].EverWrk <> No))

AND: None IN EmpPay

EmpPay.CARDINAL = 1
```

None is an exclusive code!

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((((JobStat[PNo,1] = 1) AND (JobStat[PNo,2] = 1)) AND
(JobStat[PNo,3] = 1)) OR (LNumJob[PNo] > 0)) OR ((AgeOf[PNo] <= 65)
AND (QCurst2.Adult[PNo].EverWrk <> No))
AND: (((JobStat[PPNo,1] <> 1) AND (JobStat[PPNo,2] <> 1)) AND
(JobStat[PPNo,3] <> 1)) AND (SEDocDen[PPNo] <> 1)
NOT(IN(Company, EmpPay))
```

Respondent is not an employee or doctor/dentist, so cannot belong to a company or occupational scheme.

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

FRS36.Benefit_Unit[].QPens2.Adult[]

```
RECORD IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNO := 1 TO AdultNum
```

PersId

^CC*** ^Names[PNo] *** PENSIONS

Person identifier.

0..14

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: Company IN QPens1.Adult[PPNo].EmpPay[]

EPLong

```
^CC*** ^Names[PNo] *** PENSIONS
```

When did you join your present employer's pension scheme?

INTERVIEWER: ENTER THE YEAR.^LNHSEmp

1900..2000

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: Company IN QPens1.Adult[PPNo].EmpPay[]

EPType

```
^CC*** ^Names[PNo] *** PENSIONS
```

SHOW CARD U

Which of the statements on this card best describes this scheme?

INTERVIEWER: CODE ONE ANSWER ONLY.

- (1) Contributions are taken out of my pay each week or month
- (2) The scheme is non-contributory but I do pay something to make additional provision for myself or my dependants
- (3) The scheme is non-contributory. No-one takes money off my pay each week or month.

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Company IN QPens1.Adult[PPNo].EmpPay[]
     AND: (SCPR = Yes) AND (QDataBag.SampMnth = 4)
     AND: QSerial.Area IN [14024, 15010, 15014, 16018]
Calc
     ^CC*** ^Names[PNo] ***
                                  PENSIONS
     At retirement, will the amount of your pension be based on... READ OUT...
     HELP <F9>
           ...your salary - for example, one sixtieth or one eightieth or some other fraction of annual salary,
     (1)
           ...or will the pension be calculated in some other way?
     (2)
     (3)
           (Don't know)
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Company IN QPens1.Adult[PPNo].EmpPay[]
     AND: (SCPR = Yes) AND (QDataBag.SampMnth = 4)
     AND: QSerial.Area IN [14024, 15010, 15014, 16018]
     AND: Calc = RESPONSE
CalcDif
     ^CC*** ^Names[PNo] ***
                                  PENSIONS
     INTERVIEWER, PLEASE PROBE: How easy or difficult did you find this question?
     (1)
           Very difficult
     (2)
           Fairly difficult
           Fairly easy
     (3)
     (4)
           Very easy
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Company IN QPens1.Adult[PPNo].EmpPay[]
     AND: (SCPR = Yes) AND (QDataBag.SampMnth = 4)
     AND: QSerial.Area IN [14024, 15010, 15014, 16018]
     AND: Calc = RESPONSE
```

CalcSur

```
^CC*** ^Names[PNo] *** PENSIONS
```

...and how sure are you about your answer?

INTERVIEWER: PLEASE MAKE A NOTE TO SAY MORE ABOUT THIS (CTRL M).

- (1) Very sure
- (2) Fairly sure
- (3) Not very sure
- (4) Not at all sure

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
```

AND: In loop FOR PNo := 1 TO AdultNum
AND: Company IN QPens1.Adult[PPNo].EmpPay[]

EP1AVC

```
^CC*** ^Names[PNo] *** PENSIONS
```

Some people who are members of their employer's pensions schemes pay extra contributions, known as Additional Voluntary Contributions or AVCs, in order to increase their final pensions.

Do you pay any type of Additional Voluntary Contributions?^LNHSEmp

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: Company IN QPens1.Adult[PPNo].EmpPay[]

AND: EP1AVC = Yes

AVCtype

```
^CC*** ^Names[PNo] *** PENSIONS
```

Can I check, is your AVC arranged through your employer, or is it a 'free-standing' AVC that is separate from your employer's pension scheme?

IF RESPONDENT HAS BOTH, CODE 1 AND 2.

SET [2] OF

- (1) Employer's AVC
- (2) Free-Standing AVC
- (3) Not sure which type

```
CHECK IF: QCare.GiveHelp <> EMPTY
```

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: Company IN QPens1.Adult[PPNo].EmpPay[]

AND: EP1AVC = Yes

AVCtype.CARDINAL = 1

'Not sure which type' is an exclusive code.

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: Company IN QPens1.Adult[PPNo].EmpPay[]
```

KeepPen

```
^CC*** ^Names[PNo] *** PENSIONS
```

Now I have one final question about this pension scheme. If you were to leave your current job, could you still keep the pension and pay contributions into it, or would that not be possible?

- (1) Yes
- (2) No, not possible

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: (((JobStat[PPNo,1] = 1) OR (JobStat[PPNo,2] = 1)) OR

(JobStat[PPNo,3] = 1)) AND NOT (Company IN

QPens1.Adult[PPNo].EmpPay[])
```

EpCur

```
^CC*** ^Names[PNo] *** PENSIONS
```

Does your employer currently run a company or occupational pension scheme for any employees?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR PNo := 1 TO AdultNum
   AND: (((JobStat[PPNo,1] = 1) OR (JobStat[PPNo,2] = 1)) OR
   (JobStat[PPNo,3] = 1)) AND NOT (Company IN
   QPens1.Adult[PPNo].EmpPay[])
   AND: EpCur = Yes
```

ChkPen

```
^CC*** ^Names[PNo] *** PENSIONS
```

May I check, do you belong to that scheme?

- (1) Yes
- (2) No

```
CHECK IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR PNo := 1 TO AdultNum
   AND: (((JobStat[PPNo,1] = 1) OR (JobStat[PPNo,2] = 1)) OR
   (JobStat[PPNo,3] = 1)) AND NOT (Company IN
     QPens1.Adult[PPNo].EmpPay[])
   AND: EpCur = Yes
   NOT(ChkPen = Yes) AND INVOLVING(QPens1.Adult[].EmpPay[][PPNo],ChkPen)
```

INTERVIEWER: Earlier, at EmpPay, the respondent said that they did NOT pay into a company or occupational pension run by their employers.

Please check with respondent:

If they don't have a company/occupational pension, recode ChkPen to 'No' (code 2) by pressing <ENTER> first.

If they do have a company/occupational pension, recode EmpPay to include this, by pressing the <DOWN ARROW> key once and then <ENTER>.

```
ASK IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR PNo := 1 TO AdultNum
AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
```

PPNumc

```
^CC*** ^Names[PNo] *** PENSIONS
```

How many PERSONAL or PRIVATE pensions are 'you contributing to at present?

1..7

FRS36.Benefit_Unit[].QPens2.Adult[].QPPens[]

```
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
    AND: PPNumc IN [1 .. 7]
    AND: In loop FOR PenNo := 1 TO PAskNo
PPDat
    ^CC*** ^Names[PNo] ***
                              PENSIONS
    ^nPensWhen did you start ^this pension?
    INTERVIEWER: ENTER THE YEAR.
    1900..2000
ASK IF: QCare.GiveHelp <> EMPTY
    AND: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
    AND: PPNumc IN [1 .. 7]
    AND: In loop FOR PenNo := 1 TO PAskNo
    AND: ((JobStat[PPNo,1] = 1) OR (JobStat[PPNo,2] = 1)) OR
    (JobStat[PPNo,3] = 1)
PPCon
    ^CC*** ^Names[PNo] ***
                              PENSIONS
```

^nPensWho contributes to this personal pension - you, or your employer or both of you?

INTERVIEWER: CODE ONE ANSWER ONLY.

- (1) Respondent only
- (2) Employer only
- (3) Both contribute

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: Personal IN QPens1.Adult[PPNo].EmpPay[]

AND: PPNumc IN [1 .. 7]

AND: In loop FOR PenNo := 1 TO PAskNo

AND: ((JobStat[PPNo,1] = 1) OR (JobStat[PPNo,2] = 1)) OR
(JobStat[PPNo,3] = 1)
```

PPHelp

```
^CC*** ^Names[PNo] *** PENSIONS
```

^nPensDid your employer arrange or help to arrange your personal pension?

- (1) Yes
- (2) No

```
Ask IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR PNo := 1 TO AdultNum
AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
AND: PPNumc IN [1 .. 7]
AND: In loop FOR PenNo := 1 TO PAskNo
AND: (PPCon IN [Resp, Both]) OR (((JobStat[PPNo,1] <> 1) AND (JobStat[PPNo,2] <> 1)) AND (JobStat[PPNo,3] <> 1))
```

PPPay

```
^CC*** ^Names[PNo] *** PENSIONS
```

^nPensHow much was your last payment?

CODE POUNDS.PENCE

0.01..99999.00

```
ASK IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
     AND: PPNumc IN [1 .. 7]
     AND: In loop FOR PenNo := 1 TO PAskNo
     AND: (PPCon IN [Resp, Both]) OR (((JobStat[PPNo,1] <> 1) AND
     (JobStat[PPNo,2] <> 1)) AND (JobStat[PPNo,3] <> 1))
     AND: PPPay > 0
PPPd
     ^CC*** ^Names[PNo] ***
                                 PENSIONS
     ^nPensHow long did that cover?
     (1)
          One week
     (2)
          Two weeks
     (3)
          Three weeks
     (4)
          Four weeks
          Calendar month
     (5)
     (7)
          Two Calendar months
     (8)
          Eight times a year
     (9)
          Nine times a year
     (10)
          Ten times a year
     (13)
          Three months/13 weeks
     (26)
          Six months/26 weeks
     (52)
          One Year/12 months/52 weeks
         Less than one week
     (90)
          One off/lump sum
     (95)
     (97) None of these (EXPLAIN IN A NOTE)
RECORD IF: QCare.GiveHelp <> EMPTY
     AND: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
     AND: PPNumc IN [1 .. 7]
     AND: In loop FOR PenNo := 1 TO PAskNo
     AND: (PPCon IN [Resp, Both]) OR (((JobStat[PPNo,1] <> 1) AND
     (JobStat[PPNo,2] <> 1)) AND (JobStat[PPNo,3] <> 1))
     AND: PPPay > 0
     AND: PPPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
PPWkly
     ^CC*** ^Names[PNo] ***
                                 PENSIONS
     Standardised weekly amount.
     0.01..99999.00
```

```
WARN IF: QCare.GiveHelp <> EMPTY
   AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR PNo := 1 TO AdultNum
AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
AND: PPNumc IN [1 .. 7]
AND: In loop FOR PenNo := 1 TO PAskNo
AND: (PPCon IN [Resp, Both]) OR (((JobStat[PPNo,1] <> 1) AND
(JobStat[PPNo,2] <> 1)) AND (JobStat[PPNo,3] <> 1))
AND: PPPay > 0
AND: PPPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(PPWkly < 145) AND INVOLVING(PPPd,PPPay)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR PNo := 1 TO AdultNum
AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
AND: PPNumc IN [1 .. 7]
AND: In loop FOR PenNo := 1 TO PAskNo
AND: (PPCon IN [Resp, Both]) OR (((JobStat[PPNo,1] <> 1) AND
(JobStat[PPNo,2] <> 1)) AND (JobStat[PPNo,3] <> 1))
AND: PPPay > 0
PPPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.

```
Ask IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: Personal IN QPens1.Adult[PPNo].EmpPay[]

AND: PPNumc IN [1 .. 7]

AND: In loop FOR PenNo := 1 TO PAskNo

AND: (PPCon IN [Resp, Both]) OR (((JobStat[PPNo,1] <> 1) AND

(JobStat[PPNo,2] <> 1)) AND (JobStat[PPNo,3] <> 1))

AND: ((PPPay > 0) OR PPPay = NONRESPONSE) AND (DMAEndwPrin = Pension)
```

PPMort

```
^CC*** ^Names[PNo] *** PENSIONS
```

^nPensINTERVIEWER:

THIS HOUSEHOLD HAS A PENSION MORTGAGE:

HAS THE PAYMENT JUST MENTIONED ALREADY BEEN RECORDED EARLIER, IN THE MORTGAGE SECTION OF THE HOUSEHOLD SCHEDULE?

- (1) Yes
- (2) No

```
Ask If: QCare.GiveHelp <> EMPTY
   And: In loop FOR Loop1 := 1 TO NewBU
   AND: In loop FOR PNo := 1 TO AdultNum
   AND: Personal IN QPens1.Adult[PPNo].EmpPay[]
   AND: PPNumc IN [1 .. 7]
   AND: In loop FOR PenNo := 1 TO PAskNo
   AND: ((JobStat[PPNo,1] = 1) OR (JobStat[PPNo,2] = 1)) OR
   (JobStat[PPNo,3] = 1)
```

PPDSS

```
^CC*** ^Names[PNo] *** PENSIONS
```

^nPensIn the last twelve months, has any money been paid into this pension by the DSS, that is a rebate of part of your National Insurance contributions?

- (1) Yes
- (2) No

FRS36.Benefit_Unit[].QPens2.Adult[] (continued)

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: QPens1.Adult[PPNo].EmpPay[] <> EMPTY

AND: ((QPPens[1].PPDSS <> Yes) AND (QPPens[2].PPDSS <> Yes)) AND (QPPens[3].PPDSS <> Yes)
```

PPReb

```
^CC*** ^Names[PNo] *** PENSIONS
```

Some people have a personal pension that is opted out of SERPS. This type of pension receives a contribution paid in once a year, from the DSS. Have you ever had a pension of this type?

- (1) Yes
- (2) No

```
ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: QPens1.Adult[PPNo].EmpPay[] <> EMPTY

AND: ((QPPens[1].PPDSS <> Yes) AND (QPPens[2].PPDSS <> Yes)) AND (QPPens[3].PPDSS <> Yes)

AND: PPReb = Yes
```

PPRebDSS

```
^CC*** ^Names[PNo] *** PENSIONS
```

In the last 12 months has the DSS paid in a contribution to this pension?

- (1) Yes
- (2) No

```
Ask IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR PNo := 1 TO AdultNum

AND: QPens1.Adult[PPNo].EmpPay[] <> EMPTY

AND: ((QPPens[1].PPDSS <> Yes) AND (QPPens[2].PPDSS <> Yes)) AND (QPPens[3].PPDSS <> Yes)

AND: PPReb = Yes

AND: PPRebDSS = Yes
```

PPRebDat

```
^CC*** ^Names[PNo] *** PENSIONS
```

When did you start this pension?

INTERVIEWER: ENTER THE YEAR.

1930..2000

FRS36.Benefit_Unit[] (continued)

Benefit Unit Schedule

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

ASK IF: QCare.GiveHelp <> EMPTY

AND: In loop FOR Loop1 := 1 TO NewBU

AND: QCurst1.Adult[AdultNum].Working <> EMPTY

Jump21

THE QUESTIONS THAT FOLLOW ARE ABOUT STATE BENEFITS.

(1) Press <Enter> to continue.