

First Survey:

Code Book and Edit Instructions

Compiled by

National Centre for Social Research (NatCen) and Millennium Cohort Team at CLS

2003



Centre for Longitudinal Studies

Bedford Group for Lifecourse & Statistical Studies Institute of Education, University of London





PREFACE	4
INTRODUCTION AND BACKGROUND	5
INSTRUCTIONS	7
SECTION A: CODING	13
SECTION B: EDITING	132
SECTION C: DEALING WITH INTERVIEWER MEMOS	136
APPENDIX A: ETHNICITY CODING	139
APPENDIX B: CODING GLOSSARIES	141
APPENDIX C: KEY TO CODE FRAMES	185
APPENDIX D: NORTHERN IRELAND VARIATIONS	187
APPENDIX E: ICD-10 CODING	195

PREFACE: Explanation of post-fieldwork coding and editing

The data collection for Sweep 1 of the Millennium Cohort Study was carried out using a Blaise CAPI questionnaire. Additional coding and editing were done on the Blaise data post-fieldwork. These coding and editing instructions were developed by researchers at NatCen in consultation with researchers at CLS. The coding and editing was carried out by NatCen's freelance panel of trained coders. Supervision and quality control was done by the Green Team from NatCen's operations department along with researchers from NatCen were necessary. This document contains details the post-fieldwork coding and editing that was carried out. Further explanation of a general nature can be found in the 'Introduction' and 'Instructions' below.

Some of the coding that was required was of medical conditions and symptoms. For these questions, coding glossaries were provided by CLS which were complied from responses in waves 2-8. Queries were referred to medical experts at CLS. The glossaries are in Appendix B.

For single coded questions which were coded post-field, the code given to the 'other' answer overwrites the 'other' code chosen originally and the variable name in the data is the same as the CAPI program. For multi-coded variables which were coded post-field, the code or codes given to the 'other' answer were entered by the coders in separate Blaise variables. When the data was transferred into SPSS these codes were added to any originally chosen by the respondent and the final combined codes stored in differently named variables in the data. In order to allow the 'other' answer that respondent's gave more than one code, the maximum number of codes for multi-coded questions was extended for most questions at the edit stage. For this reason, at multi-coded questions the number of variables in the data is higher than the number of codes originally allowed in the CAPI are detailed in the Questionnaire Documentation. All of the questions that were coded are listed in Appendix C which also includes the name of the variable in the data.

NatCen also coded and edited the data collected by NISRA in Northern Ireland. Variations to the coding and editing for Northern Ireland are detailed in Appendix D.

Difficult and Best Coding

The coding of the open questions about the most difficult and best things about the first 9 months with the cohort baby (Code Frames 49 and 50) were coded as a separate exercise after the other coding and editing has been completed by NatCen freelance staff.

ICD-10 Coding of Longstanding Illness

The coding of longstanding illnesses to ICD-10 was carried out by trained coding staff at CLS. Details can be found in Appendix E.

INTRODUCTION AND BACKGROUND

These instructions describe the coding and editing requirements for the 'Millennium Cohort Study – Child of the new Century' (P2063). They contain the codeframes you should use for coding and explain the editing tasks you will need to carry out. In addition, they provide background information about the study and the questionnaire. This should put the interviews you work on in context, which will help you make editing and coding decisions.

Background to the Study

In June 2001 NatCen in conjunction with Centre for Longitudinal Studies (CLS) at the Institute of Education launched the Millennium Cohort Study (MCS), the first birth cohort study to be carried out since 1970. Fieldwork in England and Wales has now finished but will continue until early 2003 in Scotland and Northern Ireland.

Funded by the Economic and Social Research Council and government, the study collected information on a sample of about 18,500 babies born in the UK over a 12 month period starting in September 2000 (England and Wales) or December 2000 (Scotland and Northern Ireland). The sample for the Millennium Cohort Study was selected from a random sample of electoral wards via child benefit records. The first sweep of interviews were carried out with both mothers and (where resident) fathers or father figures. Each parent had a CAPI interview including a self-completion module. Interviewing has been continuous throughout a period of nearly18 months.

The purpose of the study is to improve our understanding of how experiences and conditions in early childhood might affect people's chances later in life. Babies born in Britain today are setting out from many different starting points – some are born into well-off families, others have parents who are struggling to make ends meet. Some will grow up in 'traditional' families with their natural mother and father, others will be brought up by just one parent, or experience changes in their family life such as the arrival of a step-parent - and, perhaps, stepbrothers and stepsisters. The variety of cultural and religious backgrounds which make up British society at the start of the 21st century will also represent different views about bringing up children and different ways of preparing them for the future. In addition, they will have contrasting experiences of being born and brought up in different parts of the UK – England, Scotland, Wales and Northern Ireland – or in cities, suburbs or rural areas. What will all these differences mean for their future? Who will succeed in school and who will encounter difficulties? Who will do well despite disadvantaged beginnings, or problems and setbacks in early life? Which children will need special help in order to ensure that they achieve their full potential in health, education and social development?

'Child of the New Century' will help answer these questions, as well as enabling us to compare the generation that grows up at the beginning of the 21st century with previous generations, in terms of their health, happiness, achievements and attitudes.

What is a cohort study?

Cohort studies are those which follow a group of people with a shared characteristic over a period of time. Though there are many examples of this type of study, relatively few of them track people from birth. There are just three major national birth cohort studies in Britain – but the scale and importance of these studies is sufficient to make us a world leader in this type of research. NatCen has been conducting fieldwork for all three surveys in the past two years. In 1999/2000, we carried out around 3000 nurse interviews with members of the MRC National Survey of Health and Development. Then we conducted interviews with nearly 23,000 cohort members of the National Child Development Study (born in 1958) and the 1970 Birth Cohort Study. All three surveys were challenging but incredibly successful.

Unlike conducting the 10th or 11th sweep of a long-established cohort study, we are in the unique position of conducting fieldwork for the first sweep of a brand new birth cohort survey. Decisions made now will run with the survey for its duration – possibly a hundred years.

What was in the questionnaire?

Questionnaires :	Household	Main	Partner
YY 1 11 1			
Household grid	~		
Languages spoken	~		
Non-resident parents		~	
Involvement with baby			~
Pregnancy, labour & delivery		~	
Baby's health & development		~	
Child care		~	
Grandparents & friends		~	~
Parent's health		~	~
Self-completion		~	~
Employment, income & education		~	~
Housing & local area		~	
Interests		~	~

The table below shows the areas covered by the questionnaires:

There was also a short proxy questionnaire.

INSTRUCTIONS

Section A: Coding

In the Millennium Cohort study, as in most CAPI surveys, the majority of answers given by respondents are coded during the interview by the interviewer into prespecified code frames. Many questions have fully closed code frames – that is the interviewer must code the respondent's answer to one of the existing categories. However, there are a number of questions where an option was included in the code frame to allow the interviewer to enter an answer that they were not confident of coding into the pre-specified options or to record an answer which was truly an 'other' answer. In these cases the interviewer simply transcribes the answer given by the respondent. Questions of this type are called 'other-specify' questions. In addition, there are some questions where a code frame was deliberately not included in the CAPI program and interviewers were asked to transcribe all the answers to these questions. This type of question is called an 'open' question.

Other-specify questions

Most of the questions in this edit program are other-specify questions. For these questions, it will be possible in many cases to simply back code these responses into the existing code frame. In this code book, the existing code frames are always indicated by being enclosed in a boxed frame. This type of 'back-coding' should always be the coder's first response.

However in some cases back-coding may not be possible as new, distinct groups(s) of responses may have been revealed. Researchers at the NatCen and CLS have looked at responses to 'other-specify' questions in order to determine where additional codes are needed and what they should be. In the coding document these additional codes are listed after the boxed existing code frame and are also distinguished by the use of the prefix 'Other/' and a numbering system that begins at 51. Coders should use these additional codes when it is not possible to backcode the responses. If the response does not fit into either these existing codes or the additional codes, the coder should assign one of the 'other' codes as appropriate.

'Other-specify' questions may be either **multi-coded** or **single-coded**. In this edit program, most of the questions are multi-coded; that is more than one answer is allowed to be coded. However a maximum limit is set for the number of possible answers that could be coded. Whether the question is multi- or single-coded is indicated in this document.

During coding, if the question to code is multicoded then the edit program will take the coder straight to the edit field that contains the new codeframe (ie the existing code frame with any additional codes and 'other'). At this point the coder should use the information on the factsheet to code appropriately. If the question to code is single coded then the edit program does not take the coder to the edit field as for the multicoded questions. Instead the program will take the coder to the 'tryback' field. At this point the coder will be instructed to go back to the original question and re-code the answer. The verbatim text will appear on screen, but again the coder should use the text on the factsheet and attempt to code to the new code frame.

For multi-coded questions, if the coder finds it too difficult to code or is unsure about how to code a '95' should be entered at the edit field. This will take the coder to the 'tryback' field at which point the coder should code '3- Refer to supervisor/Leave for later'. For single-coded questions, if the coder finds it too difficult to code or is unsure about how to code they should leave the original 'other' answer in the edit field and assign code '3- Refer to supervisor/Leave for later' in the 'tryback' field. This is the **ONLY** time that the coder should make use of this 'tryback' field.

Open questions

For these questions the researchers at NatCen/CLS have looked at the answers given and have derived entirely new code frames from these responses. Coders should choose the most appropriate code of these code frames. If the response does not fit any of these codes it should be assigned one of the 'other' codes as appropriate.

Open questions may also be **multi-coded** or **single-coded**. This is indicated in this document at each question.

For open questions there is no 'tryback' field; the edit program will take the coder straight to the edit field with the new codeframe and verbatim text answer.

'Other' codes

There are two types of 'other' codes allowed at all 'other-specify' and 'open' questions. These are Code 85: Other answer and Code 86: Irrelevant response. 'Other answer' will be used for most of the responses that cannot be coded to the existing/additional codes. 'Irrelevant response' should only be used for responses that are irrelevant, that is they do not answer the question.

Whenever it is necessary to assign an 'other' code, one of the new 'other' codes (85 or 86) should be used. **NOT** the original 'other' code, usually 95.

Coding DKs

If the 'other' answer is a 'don't know', or ctrl < k > the coder's first response is to use a 'don't know' or 'no specific reason' option if available in the code frame. If not a ctrl < k > should be entered and recorded on the factsheet.

SOC Coding

You will also need to carry out SOC coding as standard.

For all types of questions, any cases that the coder finds too difficult to code or is unsure about how to code should be referred to the Green Team/researchers, making a note on the factsheet. For other-specify questions, the coder will also be able to indicate that they are unable to code using the 'tryback' field in the edit program and assigning code 3 as described above.

Section B: Editing

Most of the editing for this survey was carried out by interviewers in the field. Interviewer checks in the Blaise program mean that interviewers can clarify and query data discrepancies directly with the respondent. The Blaise program ensures that the correct routing is followed through the interview questionnaire and applies range and consistency error checks. Consistency errors compromise soft and hard checks. Soft checks can be suppressed by interviewers but hard checks must be resolved.

However, some data checking is too complex to be carried out in the field. In addition it is not always possible to include all possible consistency checks in the program. As a result, a separate in-house editing process is required.

As part of the CAPI edit program, suspected errors in the data will be flagged for the editor to action as he/she moves through the questionnaire and there are some additional checks which relate to inconsistencies in the data. It is important that editors only make changes to the data according to the rules written in the editing instructions at the back of this booklet. Where a situation has not been covered editors should always consult their supervisor.

Section C: Dealing with interviewer memos

What are interviewer memos?

When interviewers encounter a situation that they feel can not be accommodated by the questionnaire, they are trained to record this in a memo. The presence of a memo in Blaise is indicated by a small paper clip symbol which appears beside the answer field where the memo was made. Interviewers are instructed to make a note at the precise question concerned, but sometimes they might be at an adjacent question instead.

How are interviewer memos accessed in the edit program?

All interviewer memos for each case get listed on the fact sheet, under the heading 'Remarks'. However, you may find that you want to read an interviewer memo in the edit programme. To do this, place the cursor at the appropriate answer field (i.e. in the field next to the paper clip symbol) and press 'Ctrl M'. This will open up the memo for you to read. To close an interviewer memo press 'Alt S'.

What should you do with interviewer memos?

Please be sure to read every interviewer memo.

Using these memos it may be possible to establish what the correct response to a particular question should have been and subsequently recode it. You should only do this if you feel confident that the memo shows that the wrong code was used by the interviewer. Please be sure to record any changes you make on the factsheet next to the relevant piece of text.

If you are not confident of interpreting the memo, but suspect that a change may need to be made please document this on the factsheet explaining the problem so that a researcher can have a look at the relevant memo.

If you do not need to do anything in response to an interviewer memo, please tick the memo on the fact sheet, so researchers can be sure you have read and considered its contents.

As mentioned above, some questions have an 'other – please specify' code, that allows a verbatim answer to be recorded. Occasionally, however, an interviewer mistakenly opens a memo, instead of using this code. If you find this has happened, please enter an 'other – please specify' code, enter the contents of the interviewer memo in the field that this opens up and then back-code this answer as appropiate. In addition, it is sometimes the case that the interviewer has had to open a memo in order to record the complete answer that is given by the respondent in response to an 'other-specify' or 'open' question. Interviewers are asked to do this when there is not enough space for the entire answer in the CAPI questionnaire. When coding, please be sure to check whether or not the interviewer has opened a memo which has additional information releivant to coding.

Researchers have looked through some of the memos and written instructions on how to deal with the most common memos which indicate recoding is needed. However, as stated above you should document any changes you make on the fact sheet, noting the question name, original response and recoded response. If the change that you make is not one that is included in these instructions, please make sure this fact sheet is sent to the researchers.

If you find that recoding has affected subsequent routing, you must select 'Undo all edits' from the File menu prior to exiting the case. Please then flag this discrepancy to researchers.

Section D: Factsheets

All information should be recorded on the factsheets by the coders.

The outcome code for each case is at the top of each factsheet. This indicates what combination of questionnaires (e.g. main/partner) coders can expect as there may be different combinations of questionnaires in different cases. The edit program will automatically take you through the relelvant questionnaires for each case. There will always be 'main' questionnaire and there may also be a 'partner' or 'proxy' questionnaire.

Outcome Code	Combination of questionnaires
111	Main only
112	Main and partner
120	Main and proxy
211	Main only
212	Main only
213	Partner only

Information about relationships between different people in the household is also written on the factsheets using shortcodes:

Husband/wife - HW Cohabiting - Co Natural child - NC Adopted child - AC Foster child - FC Step-child - SC Natural parent - NP Adoptive parent - AP Foster parent - FP Step-parent - SP Full sibling - FS Half sibling - HS Step-sibling - SS Adopted sibling - AS Foster sibling - FS Grandchild - GC Maternal grandparent - MG Paternal grandparent - PG Nanny/au pair - N Other relative - OR Other non-relative - ON

And Finally...

Please note that you should never delete a case unless you have been instructed to do so by a member of the Green Team or a researcher.

SECTION A: CODING

CODE FRAME NUMBER 1 (FREELANCER)

Block: Question type:	Household Module Other specify
Question: Question text:	OthLang Which other language(s) are spoken at home? CODE ALL THAT APPLY
Question: Question text:	OthLangX (backcoded to XOthLang) INTERVIEWER TYPE IN OTHER LANGUAGE(S) USUALLY SPOKEN AT HOME
Routing:	IF another language [OthLang=95]

MULTICODE - CODE ALL THAT APPLY

1	Welsh
2	Gaelic
3	Urdu
4	Punjabi
5	Gujarati
6	Hindi
7	Bengali
8	Sylheti
9	Cantonese
10	Somali
11	Tamil
12	Turkish
13	Kurdish
14	Arabic
95	Other

Additional codes:

51	Other/Other European language
52	Other/Other African Language (e.g. Ibo, Shona, Ewondo, Chichewa, Luganda, Akan, Congo Zaire, Kikumba, Afrikaans, Krio, Nigeria, Kswaili, Zulu, Setswana, Mandinga, Marathi, Kinyarwanda, Azulu, Xhosa, Amharic, Tigrigna, Hausa, Ghanian, Kikuyu, Gambian, Sierre Leonean, Swahili, Twi/Ga, Yoruba).
53	Other/Other Asian Language (e.g. Hinko, Memon, Telegu, Pushto, Mirpuri, Kashmiri, Vietnamese)
<u>Other</u>	
85	Other answer (not codeable 1-14, 51-53)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **XOthLang** (1-14). Otherwise assign the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 2 (FREELANCER)

Block: Question type:	A: Non-resident parents Other specify
Question: Question text:	EthnicE/ EthnicW/ EthnicS/ EthncNI CARD A2 Which of the groups on this card do you regard yourself as belonging to?
Question: Question text: Routing:	EthX INTERVIEWER: TYPE IN OTHER ANSWER IF belongs to another ethnic group [EthnicE=3, 7, 11, 95 OR EthnicW=4, 8, 12, 95 OR EthnicS=4, 5, 10, 95 OR EthncNI=10, 95]

CODE ONE ONLY

1	British, Mixed British
2	Irish
3	English
4	Scottish
5	Welsh
6	Cornish
7	Northern Irish
8	Cypriot (part not stated)
9	Greek
10	Greek Cypriot
11	Turkish
12	Turkish Cypriot
13	Italian
14	Irish Traveller
15	Traveller
16	Gypsy/Romany
17	Polish
18	Baltic States (Estonian, Latvian, Lithuanian)
19	Commonwealth of (Russian) Independent States
20	Kosovan
21	Albanian
22	Bosnian
23	Croatian
24	Serbian
25	Other republics which made up the former Yugoslavia
26	Mixed Irish/Other white
27	Other white European, European Mixed
28	Other mixed white
• •	

29 Other white, white unspecified

30 31 32 33 34 35 36 37 38	White and Black Caribbean White and Black African White and Asian Black and Asian Black and Chinese Black and White Chinese and White Asian and Chinese Other Mixed, Mixed unspecified
39	Indian or British Indian
40	Pakistani or British Pakistani
41	Bangladeshi or British Bangladeshi
42	Punjabi
43	Kashmiri
44	East African Asian
45	Sri Lankan
46	Tamil
47	Sinhalese
48	Caribbean Asian
49	British Asian
50	Mixed Asian
51	Other Asian, Asian unspecified
52	Caribbean
53	African
54	Somali
55	Nigerian
56	Black British
57	Mixed Black
58	Other Black, Black unspecified
59	Chinese
60	Vietnamese
61	Japanese
62	Filipino
63	Malaysian
64	Buddhist
65	Hindu
66	Jewish
67	Muslim
68	Sikh
69	Arab
70	North African
71	Middle Eastern (excluding Israeli, Iranian
72	Israeli
73	Iranian
74	Kurdish
75	Moroccan

and 'Arab')

- 77 South and Central American
- 78 Multi-ethnic islands: Mauritian, Seychelles, Maldivian, St Helena

<u>Other</u>

85	Other answer	(not codeable 1-78)
----	--------------	---------------------

86 Irrelevant response

Note to coders: See also alphabetical listing of codes in Appendix A

CODE FRAME NUMBER 3 (FREELANCER)

Block: Question type:	A: Non-resident parents Other specify
Question: Question text:	BbEthE/ BbEthW/ BbEthS/ BbEthNI CARD A2 And which of the groups on this card do you regard ^ <i>Jack</i> as belonging to?
Question: Question text: Routing:	BbEthX INTERVIEWER: TYPE IN OTHER ANSWER IF belongs to another ethnic group [BbEthE =3, 7, 11, 95 OR BbEthW =4, 8, 12, 95 OR BbEthS =4, 5, 10, 95 OR BbEthNI =10, 95]

CODE ONE ONLY

1	British, Mixed British
2	Irish
3	English
4	Scottish
5	Welsh
6	Cornish
7	Northern Irish
8	Cypriot (part not stated)
9	Greek
10	Greek Cypriot
11	Turkish
12	Turkish Cypriot
13	Italian
14	Irish Traveller
15	Traveller
16	Gypsy/Romany
17	Polish
18	Baltic States (Estonian, Latvian, Lithuanian)
19	Commonwealth of (Russian) Independent States
20	Kosovan
21	Albanian
22	Bosnian
23	Croatian
24	Serbian
25	Other republics which made up the former Yugoslavia
26	Mixed Irish/Other white
27	Other white European, European Mixed
28	Other mixed white
• •	

29 Other white, white unspecified

30 31 32 33 34 35 36 37 38	White and Black Caribbean White and Black African White and Asian Black and Asian Black and Chinese Black and White Chinese and White Asian and Chinese Other Mixed, Mixed unspecified
39	Indian or British Indian
40	Pakistani or British Pakistani
41	Bangladeshi or British Bangladeshi
42	Punjabi
43	Kashmiri
44	East African Asian
45	Sri Lankan
46	Tamil
47	Sinhalese
48	Caribbean Asian
49	British Asian
50	Mixed Asian
51	Other Asian, Asian unspecified
52	Caribbean
53	African
54	Somali
55	Nigerian
56	Black British
57	Mixed Black
58	Other Black, Black unspecified
59	Chinese
60	Vietnamese
61	Japanese
62	Filipino
63	Malaysian
64	Buddhist
65	Hindu
66	Jewish
67	Muslim
68	Sikh
69	Arab
70	North African
71	Middle Eastern (excluding Israeli, Iranian
72	Israeli
73	Iranian
74	Kurdish
75	Moroccan

and 'Arab')

76	Latin American
77	South and Central American
70	M 14 M 1 M 1 M M 14 M M 14 M M 14 M 14

78 Multi-ethnic islands: Mauritian, Seychelles, Maldivian, St Helena

<u>Other</u>

85	Other answer	(not codeable 1-78)

86 Irrelevant response

Note to coders: See also alphabetical listing of codes in Appendix A

CODE FRAME NUMBER 4 (FREELANCER)

Block: Question type:	A: Non-resident parents Other specify
Question: Question text:	ANREtE/ ANREtW/ ANREtS/ ANREtNI CARD A2 Which of the groups on this card do you regard <i>^Jack's father</i> as belonging to?
Question: Question text: Routing:	Anrex INTERVIEWER: TYPE IN OTHER ANSWER IF belongs to another ethnic group [ANREtE=3, 7, 11, 95 OR ANREtW =4, 8, 12, 95 OR ANREtS =4, 5, 10, 95 OR ANREtNI =10, 95]

CODE ONE ONLY

1	British, Mixed British
2	Irish
3	English
4	Scottish
5	Welsh
6	Cornish
7	Northern Irish
8	Cypriot (part not stated)
9	Greek
10	Greek Cypriot
11	Turkish
12	Turkish Cypriot
13	Italian
14	Irish Traveller
15	Traveller
16	Gypsy/Romany
17	Polish
18	Baltic States (Estonian, Latvian, Lithuanian)
19	Commonwealth of (Russian) Independent States
20	Kosovan
21	Albanian
22	Bosnian
23	Croatian
24	Serbian
25	Other republics which made up the former Yugoslavia
26	Mixed Irish/Other white
27	Other white European, European Mixed
28	Other mixed white
29	Other white, white unspecified

30 31 32 33 34 35 36 37 38	White and Black Caribbean White and Black African White and Asian Black and Asian Black and Chinese Black and White Chinese and White Asian and Chinese Other Mixed, Mixed unspecified
39	Indian or British Indian
40	Pakistani or British Pakistani
41	Bangladeshi or British Bangladeshi
42	Punjabi
43	Kashmiri
44	East African Asian
45	Sri Lankan
46	Tamil
47	Sinhalese
48	Caribbean Asian
49	British Asian
50	Mixed Asian
51	Other Asian, Asian unspecified
52	Caribbean
53	African
54	Somali
55	Nigerian
56	Black British
57	Mixed Black
58	Other Black, Black unspecified
59	Chinese
60	Vietnamese
61	Japanese
62	Filipino
63	Malaysian
64	Buddhist
65	Hindu
66	Jewish
67	Muslim
68	Sikh
69	Arab
70	North African
71	Middle Eastern (excluding Israeli, Iranian
72	Israeli
73	Iranian
74	Kurdish
75	Moroccan

and 'Arab')

76	Latin American
77	South and Central American
70	M 14 AL AL AL MARTIN CONTRACT MALL

78 Multi-ethnic islands: Mauritian, Seychelles, Maldivian, St Helena

<u>Other</u>

85	Other answer (not codeable 1	1-78)

86 Irrelevant response

Note to coders: See also alphabetical listing of codes in Appendix A

CODE FRAME NUMBER 5 (FREELANCER)

Block: Question type:	A: Non-resident parents Other specify
Question: Question text:	AWhyFst What was the reason for ^ <i>Jack</i> being fostered?
Question: Question text: Routing:	AWhyFso (backcoded to AWhyFst) WRITE IN OTHER REASON JACK FOSTERED IF cohort baby was fostered for another reason [AWhyFst=95]

CODE ONE ONLY

1	Parent(s) unable to cope/needed a break
2	Parent(s) mistreated Jack/babies or his/her/their siblings
3	Parent(s) ill in hospital
4	Parent(s) died
95	Other reason (PLEASE SPECIFY)

<u>Other</u>

- 85 Other answer (not codeable 1-4)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **AWhyFst** (1-4). Otherwise assign one of the 'other' codes as appropriate.

CODE FRAME NUMBER 6 (RESEARCHER)

Block: Question type:	C: Pregnancy, labour and delivery Other specify
Question: Question text:	CFerTrt CARD C1 What treatment did you receive? CODE ALL THAT APPLY
Question: Question text: Routing:	CFTrtO (backcoded to CXFerTrt) What other treatment did you receive? <i>IF had another kind of fertility treatment to those listed above</i> [CFerTrt =95]

MULTICODE -CODE ALL THAT APPLY

1	Clomiphene citrate
	Include ovulation tablets, hormone injection, clomid(e)
2	GIFT [Intrauterine insemination of your partner's sperm]
	e.g. IUI
3	IVF [In Vitro Fertilisation]
4	ICSI [IVF with intra cytoplasmic sperm injection]
5	Frozen embryo transfer
6	Surgery involving the womb, tubes or ovaries
	Include exploratory surgery
95	Other

Additional code:

51	Other/Donor insemination
	e.g. sperm donation by unknown donor
<u>Other</u>	
85	Other answer (not codeable 1-6, 51)

86 Irrelevant response

Where possible backcode 'other' answers (95) to **CXFerTrt** (1-6). Otherwise assign the additional code (51) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 7* (FREELANCER)

*PLEASE ALSO SEE CODING GLOSSARY – APPENDIX B

Block: Question type:	C: Pregnancy, labour and delivery Other specify
Question: Question text:	CProb CARD C2 What illnesses or problems did you have? CODE ALL THAT APPLY
Question: Question text: Routing:	CprbOth (backcoded to CXProb) What other illness or problem did you have? <i>IF had any suspected problems other to those listed above</i> [CProb =95]

MULTICODE -CODE ALL THAT APPLY

1	Bleeding or threatened miscarriage in early pregnancy
2	Bleeding in later pregnancy
3	Pregnancy diagnosed as twins, triplets or more
4	Persistent vomiting
5	Raised blood pressure, eclampsia /preeclampsia or toxaemia
6	Urinary infection
7	Diabetes
8	Too much fluid around the baby
9	Suspected slow growth of baby
95	Any other suspected problems (Please specify)

Additional codes:

51	Other/Anaemia
52	Other/Blood group incompatibilities
53	Other/Other blood disorders including thromboses
54	Other/Backache, sciatica, prolapsed disc

Millennium Cohort Study First Survey: Code Book and Edit Instructions

55	Other/Symphysis pubis dysfunction (SPD)
56	Other/Other pelvic joint problems
57	Other/Non-trivial infections
58	Other/Gestational diabetes, raised blood sugar, abnormal glucose tolerance
59	Other/Liver, gall bladder problems, cholestasis
60	Other/Asthma, hay fever, eczema or other allergies
61	Other/Depression or other mental illness
62	Other/Neurological problems: epilepsy, faint(s), blackout(s)
63	Other/Other neurological problems, including migraine attacks
64	Other/Uterine/labour pains, threatened, incipient or commenced labour
65	Other/Early rupture of membranes, leak of amniotic fluid
66	Other/Foetal heart slow, faint, inaudible, foetal distress
67	Other/Other foetal problem, suspected or diagnosed in pregnancy
68	Other/Bleeding due to low lying placenta (Placenta praevia)
69	Other/Too little fluid around the baby (Oligohydramnios)
70	Other/Accident or injury
<u>Other</u>	
85	Other answer (not codeable 1-9, 51-70)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **CXProb** (1-9). Otherwise assign the additional codes (51-70) or one of the 'other' codes (85-86) as appropriate.

Notes to coders: There was insufficient space allowed in the CAPI program for some of the 'other' answers at this question - please check interviewer memos carefully as in some cases these are continuations of the answers.

CODE FRAME NUMBER 8 (RESEARCHER)

Block:	C: Pregnancy, labour and delivery
Question type:	Other specify
Question:	CBornWh
Question text:	(Thinking again about ^ <i>Jack</i> ,) ^ <i>was </i> ^ <i>he</i> bornREAD OUT
Question: Question text: Routing:	CbornWho (backcoded to CBornWh) Where ^ <i>was</i> ^ <i>Jack</i> born? <i>IF baby was born somewhere other than hospital or at home</i> [<i>CBornWh</i> =95]

CODE ONE ONLY

1	in hospital,
2	at home,
95	or somewhere else?

Additional codes:

51 Other/On the way to hospital

Other

- 85 Other answer (not codeable 1-2, 51)
- 86 Irrelevant response

Where possible backcode 'other' answers (code 95) into **CBornWh** (codes 1-2). Otherwise assign the additional code (51) or one of the 'other' codes (85, 86) as appropriate.

CODE FRAME NUMBER 9 (FREELANCER)

Block:	C: Pregnancy, labour and delivery
Question type:	Other specify
Question: Question text:	CDelT What type of delivery did you have. Was itREAD OUT CODE ALL THAT APPLY
Question:	CdelOth (backcoded to CXDelT)
Question text:	What type of delivery was it?
Routing:	<i>IF another type of delivery</i> [<i>CDelT</i> =95]

MULTICODE -CODE ALL THAT APPLY

1	a normal delivery,
2	assisted with forceps,
3	assisted vacuum extraction, include Ventouse
4	assisted breach,
5	a planned Caesarian,
6	an emergency Caesarian,
95	or, another type of delivery?

Additional codes:

- 51 Other/Other assisted delivery
- 52 Other/Water birth

Other

- 85 Other answer (not codeable 1-6, 51-52)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **CXDeIT** (1-6). Otherwise assign the additional codes (51-52) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 10 (FREELANCER)

Block:	C: Pregnancy, labour and delivery
Question type:	Other specify
Question: Question text:	CPain CARD C3 Which, if any, of the following types of pain relief did you have at any time during labour? CODE ALL THAT APPLY
Question:	CPainO (backcoded to CXPain)
Question text:	What other types of pain relief did you have?
Routing:	<i>IF another type of pain relief to those listed above</i> [CPain =95]

MULTICODE –CODE ALL THAT APPLY

1	Gas and air
2	Pethidine or demerol injection
3	Epidural
4	General anaesthetic
5	TENS machine
95	Other
96	No pain relief [exclusive code]
97	Did not have labour

Additional codes:

51	Other/Spinal block, spinal anaesthetic
52	Other/Morphine
53	Other/Diamorphine
54	Other/Minor pain killers
55	Other/Other general including alternative therapy
56	Other/Local anaesthetic

- 57 Other/Water birth
- 58 Other/Spinal tap

<u>Other</u>

- 85 Other answer (not codeable 1-5, 51-58)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **CXPain** (1-5). Otherwise assign the additional codes (51-58) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 11* (FREELANCER)

*PLEASE ALSO SEE CODING GLOSSARY – APPENDIX B

Block:	C: Pregnancy, labour and delivery
Question type:	Other specify
Question: Question text:	CProbs CARD C4 Were there any complications during <i>^Jack</i> 's birth? CODE ALL THAT APPLY
Question:	CProbO (backcoded to CXProbs)
Question text:	What other complications were there?
Routing:	<i>IF another birth complication not listed above</i> [CProbs =95]

MULTICODE -CODE ALL THAT APPLY

1	No complications [code]
2	Breech birth - feet first
3	Other abnormal lie e.g. shoulder first
4	Very long labour
5	Very rapid labour
6	Foetal distress - Heart rate sign
7	Foetal distress - Meconium or other sign
95	Other complication

Additional codes

51	Other/Raised blood pressure
52	Other/Bleeding due to low lying placenta (Placenta praevia)
53	Other/Accidental haemorrhage, abruption
54	Other/Other haemorrhage, origin or timing unclear
55	Other/Cord around neck etc
56	Other/Head at the back (Occipitoposterior)

57	Other/Baby's head too big/mother's pelvis too small (Cephalopelvic disproportion)
58	Other/Unable to push baby out (Uterine inertia)
59	Other/Delay in labour, cervical
60	Other/Delay in labour, insufficient or partial information
61	Other/Severe maternal distress
62	Other/Baby ill, at or after birth, without mention of mother
63	Other/Maternal or placental problem post delivery
64	Other/Breech delivery other than footling
65	Other/Baby born early, premature, low birthweight
66	Other/Instrumentation, forceps, ventouse
67	Other/Infection in labour
68	Other/Failed induction
69	Other/Caesarian section
70	Other/Manual manipulation
71	Other/Early rupture of membranes
<u>Other</u>	
85	Other answer (not codeable 1-7, 51-71)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **CXProbs** (1-7). Otherwise assign the additional codes (51-71) or one of the 'other' codes (85-86) as appropriate.

Notes to coders: There was insufficient space allowed in the CAPI program for some of the 'other' answers at this question - please check interviewer memos carefully as in some cases these are continuations of the answers.

CODE FRAME NUMBER 12* (FREELANCER)

*PLEASE ALSO SEE CODING GLOSSARY – APPENDIX B

Block:	C: Pregnancy, labour and delivery
Question type:	Other specify
Question: Question text:	CWrong CARD C5 Was there anything wrong with <i>Jack</i> at the time of birth or at any time during the first week? CODE ALL THAT APPLY
Question:	CwrgOB (backcoded to CX1Wrong)
Question text:	What was the problem at birth?
Routing:	<i>IF other problem with ^Jack at birth</i> [CWrong =95]

MULTICODE -CODE ALL THAT APPLY

1	No problems [exclusive code]
2	Delay in breathing at birth
3	Breathing difficulty or distress in first week
4	Jaundice requiring hospital treatment
5	Infection or suspected infection
94	Other problems in first week
95	Other problems at birth

Additional codes

51	Other/Low body temperature
52	Other/Low blood sugar level
53	Other/Cord round neck
54	Other/Birth injury
55	Other/Meconium, mucus or fluid aspiration, heart rate or other foetal distress
56	Other/Failure to thrive, excess loss of weight
57	Other/Mention of intensive care, special care unit, incubator

Millennium Cohort Study First Survey: Code Book and Edit Instructions

58	Other/Tube fed, nasogastric feeds
59	Other/Other feeding problems, vomiting
60	Other/Other major procedures, transfusion, operation, ventilation, intravenous (IV) drip, oxygen
61	Other/Maternal problem without mention of baby
62	Other/Born early, premature, low birth weight
63	Other/Convulsions, fits, jittery
Congenital A	bnormalities
70	Other/Congenital heart disease, definite
71	Other/Congenital heart disease, not yet definite
72	Other/Congenital dislocation of hip, definite
73	Other/Congenital dislocation of hip, not yet definite
74	Other/Clubfoot (Talipes equinovarus), definite
75	Other/Talipes, not yet definite
76	Other/Specified skeletal abnormalities (bone, skull, spine, limb or other skeletal)
77	Other/Urogenital abnormalities
78	Other/Gastrointestinal abnormalities
79	Other/Harelip/cleft palate
80	Other/Skin abnormalities
81	Other/Chromosomal or genetic abnormalities
82	Other/Brain, central nervous, spinal cord or special sense abnormalities
83	Other/Other congenital abnormalities major
84	Other/Other congenital abnormalities minor

37
<u>Other</u>

- 85 Other answer (not codeable 1-5, 51-63, 70-84)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **CX1Wrong** (1-5). Otherwise assign the additional codes (51-63, 70-84) or one of the 'other' codes (85-86) as appropriate.

Note to coders: There was insufficient space allowed in the CAPI program for some the 'other' answers at this question - please check interviewer memos carefully as in some cases these are continuations of the answers.

CODE FRAME NUMBER 13* (FREELANCER)

*PLEASE ALSO SEE CODING GLOSSARY – APPENDIX B

Block:	C: Pregnancy, labour and delivery
Question type:	Other specify
Question: Question text:	CWrong CARD C5 Was there anything wrong with <i>^Jack</i> at the time of birth or at any time during the first week? CODE ALL THAT APPLY
Question:	CWrgWkO (backcoded to CX2Wrong)
Question text:	What was the problem in the first week?
Routing:	<i>IF other problem with ^Jack in first week</i> [CWrong =94]

MULTICODE -CODE ALL THAT APPLY

1	No problems [exclusive code]
2	Delay in breathing at birth
3	Breathing difficulty or distress in first week
4	Jaundice requiring hospital treatment
5	Infection or suspected infection
94	Other problems in first week
95	Other problems at birth

Additional codes

51	Other/Low body temperature
52	Other/Low blood sugar level
53	Other/Cord round neck
54	Other/Birth injury
55	Other/Meconium, mucus or fluid aspiration, heart rate or other foetal distress
56	Other/Failure to thrive, excess loss of weight
57	Other/Mention of intensive care, special care unit, incubator

58	Other/Tube fed, nasogastric feeds
59	Other/Other feeding problems, vomiting
60	Other/Other major procedures, transfusion, operation, ventilation, intravenous (IV) drip, oxygen
61	Other/Maternal problem without mention of baby
62	Other/Born early, premature, low birth weight
63	Other/Convulsions, fits, jittery
Congenital A	bnormalities
70	Other/Congenital heart disease, definite
71	Other/Congenital heart disease, not yet definite
72	Other/Congenital dislocation of hip, definite
73	Other/Congenital dislocation of hip, not yet definite
74	Other/Clubfoot (Talipes equinovarus), definite
75	Other/Talipes, not yet definite
76	Other/Specified skeletal abnormalities (bone, skull, spine, limb or other skeletal)
77	Other/Urogenital abnormalities
78	Other/Gastrointestinal abnormalities
79	Other/Harelip/cleft palate
80	Other/Skin abnormalities
81	Other/Chromosomal or genetic abnormalities
82	Other/Brain, central nervous, spinal cord or special sense abnormalities
83	Other/Other congenital abnormalities major
84	Other/Other congenital abnormalities minor

40

<u>Other</u>

85	Other answer (not codeable 1-5, 51-63, 70-84)

86 Irrelevant response

Where possible backcode 'other' answers (94) to **CX2Wrong** (1-5). Otherwise assign the additional codes (51-63, 70-84) or one of the 'other' codes (85-86) as appropriate.

Note to coders: There was insufficient space allowed in the CAPI program for some of the 'other' answers at this question - please check interviewer memos carefully as in some cases these are continuations of the answers.

CODE FRAME NUMBER 14 (FREELANCER)

Block:	D: Baby's Health and Development
Question type:	Open (derived code frame)
Question: Question text:	DImmAny CARD D1 Has ^ <i>Jack</i> received any of these immunisations?
Question:	DImmWyN
Question text:	Why is that?
Routing:	<i>IF has not had any immunisations</i> [DImmAny =2]

MULTICODE – CODE ALL THAT APPLY CODE IN ORDER OF MENTION

DImmWN1

Problems with services/service providers

1	Administrative error/difficulties e.g. no appointment received by
	respondent/can't make an appointment/records lost

- 2 Lack of supplies/ran out of immunisation
- 3 Staffing problems e.g. doctor unavailable
- 4 Other problems with services/service providers

Relating to Baby

- 5 Child was unwell/in hospital when appointment due
- 6 Other reason relating to baby

Other Family

7	N T 1° 1 11	1 4 1 4 /1	1	• • • •	1	C
	Medical problems	related to/bac	reactions to) 1mm11n1s2	itions in	tamily
,	prooreino	1010000 00000000				- with y

- 8 Mother/parent unable to keep appointment
- 9 Other reason relating to family include medical problems not clearly related to immunisations

Relating to immunisations

10 Next appointment in the near future/soon

- 11 Doesn't want to child to have all immunisations at once
- 12 Parent hasn't got around to it yet

Irrelevant response

Reasons specific to DIMMANY

86

13	Prefers to use homeopathic alternative/other method
14	Parent doesn't like needles/injections
15	Associated health risks/concerns
16	Benefits do not outweigh the risks
17	Believes child is too young, prefers to wait until older
18	Parental choice, no specific reason
<u>No reason</u>	
20	No reason given/don't know
<u>Other</u>	
85	Other answer (not codeable 1-18, 20)

Edit instructions: The answers at this question should only be from respondents whose baby has not had any of the listed immunisations. However some of the answers indicate that the baby has had some of the listed immunisations but not all. If this is the case, please go back and change DImmAny to code 1 and code 2 at DImmAll. You will then be able to code the reason why baby has not had all 3 doses of all immunisations (code frame 15).

CODE FRAME NUMBER 15 (FREELANCER)

Block:	D: Baby's Health and Development	
Question type:	Open (derived code frame)	
Question: Question text:	DImmAll CARD D1 Are they up to date. That is, has <i>^Jack</i> had 3 doses of all the immunisations on this card?	
Question:	DImmWyN	
Question text:	Why is that?	
Routing:	<i>IF has not had all three doses of all immunisations</i>	

MULTICODE – CODE ALL THAT APPLY CODE IN ORDER OF MENTION

[DImmAll=2]

DImmWN2

Problems with services/service providers

1	Administrative error/difficulties e.g. no appointment received by respondent/can't make an appointment/records lost
2	Lack of supplies/ran out of immunisation
3	Staffing problems e.g. doctor unavailable
4	Other problems with services/service providers

Relating to Baby

- 5 Child was unwell/in hospital when appointment due
- 6 Other reason relating to baby

Other Family

- 7 Medical problems related to/bad reactions to immunisations in family
- 8 Mother/parent unable to keep appointment
- 9 Other reason relating to family include medical problems not clearly related to immunisations

Relating to immunisations

10 Next appointment in the near future/soon

- 11 Doesn't want to child to have all immunisations at once
- 12 Parent hasn't got around to it yet

Reasons specific to DIMMALL

13	HIB immunisation not offered
14	Not had whooping cough
15	Child was unwell after last immunisation/allergic reaction
16	Parental choice
<u>No reason</u>	
20	No reason given/don't know
<u>Other</u>	
85	Other answer (not codeable 1-16, 20)

86 Irrelevant response

Edit instructions: The answers at this question should only be from respondents whose baby has had some but not all of the listed immunisations. However some of the answers indicate that the baby has not had any of the listed immunisations. If this is the case, please go back and change DImmAny to code 2. You will then be able to code the reason why baby has not had any of the immunisations (code frame 14).

This question will also require some additional editing because the Card used (D1) was changed after the first two waves of fieldwork. The original codes were:

- 1 Diptheria, tetanus and whooping cough combined
- 2 Polio
- 3 Haemophlis influenzae B
- 4 Meningitis C
- 5 BCG

These were changed to:

- 1 Diptheria, tetanus and whooping cough combined
- 2 Polio
- 3 Haemophlis influenzae B (HIB)

Therfore, if any of the reasons given for why baby has not had all of the immunisations refer only to Meningitis C or BCG then DImmAll should be changed to code 1. These should primarily occur in waves 1 and 2, although there may be some cases in later waves.

CODE FRAME NUMBER 16* (FREELANCER)

*PLEASE ALSO SEE CODING GLOSSARY – APPENDIX B

Block:	D: Baby's Health and Development
Question type:	Other specify
Question:	DWhPrb
Question text:	What <i>^was this problem?</i>
Question:	DWhPrbX (backcoded to DXWhPrb)
Question text:	ENTER OTHER SORT OF HEALTH PROBLEM(S)
Routing:	<i>IF another problem to those listed above</i> [DWhPrb =95]

MULTICODE – MAXIMUM 8 CODES

1	Chest infections
2	Ear infections
3	Feeding problems
4	Sleeping problems
5	Wheezing or asthma
6	Skin problems
7	Sight or eye problems
8	Failure to gain weight or to grow
9	Persistent or severe vomiting
10	Persistent or severe diarrhoea
11	Fits or convulsions
95	Other health problems

Additional codes

51	Other/High temperature/acute viral infection unspecified
52	Other/Chicken pox
53	Other/Measles or whooping cough
54	Other/Urinary tract infection

55	Other/Infection of nose or throat, croup, flu or severe cough
56	Other/Colds
57	Other/Thrush
58	Other/Other severe infection
59	Other/Other mild infection
60	Other/Breathing problem
61	Other/Eczema
62	Other/Other allergy, except wheezing, asthma or eczema
63	Other/Colic
64	Other/Constipation or bleeding from bowel
65	Other/Jaundice
66	Other/Hernia
67	Other/Reaction(s) to immunisation(s)
68	Other/Reflux or other vomiting
Congenital A	<u>bnormalities</u>
70	Other/Congenital heart disease, definite
71	Other/Congenital heart disease, not yet definite
72	Other/Congenital dislocation of hip, definite
73	Other/Congenital dislocation of hip, not yet definite
74	Other/Clubfoot (Talipes equinovarus), definite
75	Other/Talipes, not yet definite
76	Other/Specified skeletal abnormalities (bone, skull, spine, limb or other skeletal)
77	Other/Urogenital abnormalities
78	Other/Gastrointestinal abnormalities

79	Other/Harelip/cleft palate
80	Other/Skin abnormalities
81	Other/Chromosomal or genetic abnormalities
82	Other/Brain, central nervous, spinal cord or special sense abnormalities
83	Other/Other congenital abnormalities major
84	Other/Other congenital abnormalities minor
<u>Other</u>	
85	Other answer (not codeable 1-11, 51-68, 70-84)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **DXWhPrb** (1-11). Otherwise assign the additional codes (51-68, 70-84) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 17 (FREELANCER)

Block:	D: Baby's Health and Development
Question type:	Other specify
Question:	DAccA
Question text:	<i>^What</i> sort of accident or injury was it?
	NOTE:ONLY MULTI-CODE WHERE SEPARATE,
	SIMULATANEOUS INJURIES;
	OTHERWISE PRIORITY CODE
Question:	DAccAX (backcoded to DXAccA)
Question text:	ENTER OTHER SORT OF ACCIDENT OR INJURY
Routing:	<i>IF other sort of accident or injury</i> [DAccA =95]
reading.	

MULTICODE OR PRIORITY CODE- MAXIMUM 4 CODES

1	Loss of consciousness
2	Bang on the head
3	Broken bone
4	Swallowed object
5	Swallowed household cleaner/other poison/pills
6	Cut needing stitches
7	Cut or graze
8	Burn or scald
9	Something stuck in eye, throat, nose, ear or other part of body
10	Animal or insect bite or sting
95	other sort of accident or injury

Additional codes:

51	Other/Dislocation, avulsion avulsion = 'tearing away' of something
52	Other/Bruise, sprain, twist
53	Other/Choking fit
54	Other/Injury to mouth or face eg nosebleed

55	Other/Knock, fa	all or other non-	penetrating accident

Other:

- 85 Other answer (not codeable 1-10, 51-55)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **DXAccA** (1-10). Otherwise assign the additional codes (51-55) or one of the 'other' codes (85-86) as appropriate.

Note to coders: There was insufficient space allowed in the CAPI program for some of the 'other' answers at this question - please check interviewer memos carefully as in some cases these are continuations of the answers.

CODE FRAME NUMBER 18* (FREELANCER)

*PLEASE ALSO SEE CODING GLOSSARY – APPENDIX B

Block:	D: Baby's Health and Development
Question type:	Other specify
Question:	DHspA
Question text:	<i>^What</i> was the reason <i>^Jack</i> was admitted?
Question:	DHspAX (backcoded to DHspA)
Question text:	ENTER OTHER OPERATION/REASON
Routing:	<i>IF cohort baby was admitted for other reason or other operation [DHspA=9, 95]</i>

CODE ONE ONLY

1	Gastroenteritis
2	Chest infection or pneumonia
3	Wheezing or asthma
4	Convulsion, fit or loss of consciousness
5	Meningitis
6	Pyloric stenosis
7	Hernia
8	Circumcision
9	Other operation
95	Other reason

Additional codes

50	Other/High temperature/acute viral infection unspecified
51	Other/Chicken Pox
52	Other/Measles or whooping cough
53	Other/Urinary tract infection
54	Other/Infection of nose, ear or throat, croup, flu or severe cough

- 55 Other/Other severe infection 56 Other/Other mild infection 57 Other/Breathing problem 58 Other/Feeding problem 59 Other/ Skin problems including rashes 60 Other/Eczema 61 Other/Other allergy, except wheezing, asthma or eczema 62 Other/Colic 63 Other/Constipation or bleeding from the bowel 64 Other/Jaundice 65 Other/Failure to gain weight or grow 66 Other/Persistent or severe diarrhoea, except gastroenteritis 67 Other/Reaction(s) to immunisation(s) 68 Other/Severe or persistent vomiting 69 Other/Reflux or other vomiting **Congenital Abnormalities** 70 Other/Congenital heart disease, definite 71 Other/Congenital heart disease, not yet definite 72 Other/Congenital dislocation of hip, definite
- 73 Other/Congenital dislocation of hip, not yet definite
- 74 Other/Clubfoot (Talipes equinovarus), definite
- 75 Other/Talipes, not yet definite
- 76 Other/Specified skeletal abnormalities (bone, skull, spine, limb or other skeletal)
- 77 Other/Urogenital abnormalities
- 78 Other/Gastrointestinal abnormalities

79	Other/Harelip/cleft palate
80	Other/Skin abnormalities
81	Other/Chromosomal or genetic abnormalities
82	Other/Brain, central nervous, spinal cord or special sense abnormalities
83	Other/Other congenital abnormalities major
84	Other/Other congenital abnormalities minor
<u>Other</u>	
85	Other answer (not codeable 1-9, 50-84)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **DHspA** (1-9). Otherwise assign one of the additional codes (50-84) or one of the 'other' codes (85-86) as appropriate.

Note to coders: There was insufficient space allowed in the CAPI program for some of the 'other' answers at this question - please check interviewer memos carefully as in some cases these are continuations of the answers.

Note to coders: As this question is single-coded, if the other answer indicates more than one code, assign code in the following order of priority: 81,70,83,82,79,78,77,76,72,71,73,74,75,80,2,4,5,1,52,55,66,68,7,51,57,53,3,6,69,54,6 5,67,62,64,50,56,63,61,58,60,59,8,84

53

CODE FRAME NUMBER 19 (RESEARCHER)

Block: Question type:	D: Baby's Health and Development Other specify
Question: Question text:	DSlpRm Does <i>^Jack</i> usually sleepREAD OUT INTERVIEWER: IF MORE THAN ONE PLACE, CODE ALL THAT APPLY
Question: Question text: Routing:	DSlpRmO (backcoded to DXSlpRm) INTERVIEWER: WRITE IN IF cohort baby usually sleeps in some other place to those listed above [DSlpRm =95]

MULTICODE - CODE ALL THAT APPLY

1	in a room on <i>^his</i> own,
2	in a room with other children,
3	in your bedroom,
95	or, in some other place (SPECIFY)?

<u>Other</u>

85 Other answer (not codeable 1-3)

86 Irrelevant response

Where possible backcode 'other' answers (95) to **DXSlpRm** (1-3). Otherwise assign one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 20 (RESEARCHER)

Block: Question type:	D: Baby's Health and Development Other specify
Question: Question text:	DSlpBed Does <i>^Jack</i> sleep in <i>^his</i> own bed or cot most nights or does <i>^he</i> share a bed or cot? INTERVIEWER: IF MORE THAN ONE PLACE, CODE ALL THAT APPLY
Question: Question text: Routing:	DSlpBedO (backcoded to DXSlpBed) INTERVIEWER: WRITE IN IF cohort baby usually sleeps in a place other to those listed above [DSlpBed =95]

MULTICODE – CODE ALL THAT APPLY

1	In <i>his</i> own bed/cot
2	In bed/cot with other children
3	In your bed
95	Other place (SPECIFY)

Other

- 85 Other answer (not codeable 1-3)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **DXSlpBed** (1-3). Otherwise assign one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 21* (FREELANCER)

*PLEASE ALSO SEE CODING GLOSSARY – APPENDIX B

Block: Question type:	D: Baby's Health and Development Other specify
Question: Question text:	DHltWr Do you have any worries about <i>'Jack</i> 's health and development that we have not talked about?
Question: Question text: Routing:	DHItWrX (backcoded to DXHItWr) ENTER OTHER WORRIES IF have other worries about cohort baby's health and development [DHItWr =95]

MULTICODE - CODE ALL THAT APPLY

1	No, none [exclusive code]
2	Problems with hearing
3	Problems with seeing
4	Problems with movement
5	Slow development
6	Problems in making noises or learning to speak
95	Other worries

Additional codes

51	Other/Urinary tract, upper respiratory tract infections, colds, coughs, chest infections
52	Other/Lower respiratory problem (no mention of infection)
53	Other/Asthma or wheezing
54	Other/Eczema
55	Other/Other allergy, except asthma, wheezing or eczema
56	Other/ Other skin problem including rashes
57	Other/ Feeding problems

- 58 Other/ Sleeping problem
- 59 Other/ Behaviour problem
- 60 Other/Skeletal problem
- 61 Other/Squint
- 62 Other/Underweight, failure to gain weight
- 63 Other/Failure to grow, small, underheight
- 64 Other/Constipation or bleeding from bowels
- 65 Other/Late teething or no teeth

Congenital Abnormalities

70	Other/Congenital heart disease, definite
71	Other/Congenital heart disease, not yet definite
72	Other/Congenital dislocation of hip, definite
73	Other/Congenital dislocation of hip, not yet definite
74	Other/Clubfoot (Talipes equinovarus), definite
75	Other/Talipes, not yet definite
76	Other/Specified skeletal abnormalities (bone, skull, spine, limb or other skeletal)
77	Other/Urogenital abnormalities
78	Other/Gastrointestinal abnormalities
79	Other/Harelip/cleft palate
80	Other/Skin abnormalities
81	Other/Chromosomal or genetic abnormalities
82	Other/Brain, central nervous, spinal cord or special sense abnormalities
83	Other/Other congenital abnormalities major
84	Other/Other congenital abnormalities minor

<u>Other</u>

- 85 Other answer (not codeable 1-6, 51-65, 70-84)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **DXHltWr** (1-6). Otherwise assign the additional codes (51-65, 70-84) or one of the 'other' codes (85-86) as appropriate.

Note to coders: There was insufficient space allowed in the CAPI program for some of the 'other' answers at this question - please check interviewer memos carefully as in some cases these are continuations of the answers.

CODE FRAME NUMBER 22 (RESEARCHER)

Block:	E: Childcare
Question type:	Other specify
Question: Question text:	EAct CARD E1 I'd like to ask you some questions about how <i>^Jack ^is</i> looked after, but first, can you tell me which of the things on this card best describes what you are currently doing? CODE ONLY ONE MAIN ACTIVITY IF RESPONDENT IS ON ANNUAL/SICK LEAVE FROM THEIR EMPLOYER, CODE AS WORKING
Question:	EActO (backcoded to EAct)
Question Text:	INTERVIEWER: WRITE IN OTHER ANSWER
Routing:	IF respondent does something else [EAct =95]

CODE ONE ONLY – MAIN ACTIVITY

1	In a job and currently working for an employer
Answers that indicate the respondent is on annual/sick leave from their employer should be given this code, E.g. 'at home on sick leave with a bad back' Voluntary work should not be included in this code.	
2	On m/paternity/parental leave from an employer
3	self-employed
E.g. 'respondent is a director of a company' Include freelance work in this code.	
4	Full-time student
5	Looking after the home and family
Include answers that refer to either only looking after home or only looking after family e.g. 'looking after Callum'	
95	Doing something else

<u>Other</u>

- 85 Other answer (not codeable 1-5)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **EAct** (1-5). Otherwise assign one of the 'other' codes (85-86) as appropriate.

NB The answers should be coded according to the **main** activity however if there is more than one activity given and it is not clear which is the main activity, then **priority** code, following the order of the pre-codes above i.e., if 'work and family' are both given then code as working.

CODE FRAME NUMBER 23 (FREELANCER)

Block:	E: Childcare
Question type:	Other specify
Question: Question text:	ECare How <i>^is ^Jack</i> looked after while you are at <i>^work</i> ? PROBE: Does anyone else look after <i>^Jack</i> while you are at <i>^work</i> ? CODE ALL THAT APPLY.
Question:	ECareO (backcoded to EXCare)
Question text:	INTERVIEWER: WRITE IN OTHER CARER
Routing:	<i>IF cared for in another way</i> [ECare =95]

MULTICODE - CODE ALL THAT APPLY

1	Respondent his/herself
Respondent's who say 'work at home' (or study at home) should be given this code. Do not include cases where respondent is a childcare worker or cases where the answer given in 's/he comes to work with me	
2	Husband/Wife/Partner
3	Baby's non-resident father/mother
4	Your Mother
5	Your father
6	Your partner's mother
7	Your partner's father
8	Baby's non-resident father's/mother's mother
9	Baby's non-resident father's/mother's father
10	Other relatives
E.g. 'great grandmother' 'my partner's sister' Include in-laws but do not include god-parents	
11	Friends/neighbours
E.g. 'trained teacher friend'	

12	Live-in nanny/au pair
13	Other nanny/au pair
14	Registered childminder
15	Unregistered childminder
16	Workplace/college nursery/crèche
17	Local Authority day nursery/crèche
18	Private day nursery/crèche
95	Other (SPECIFY)

Additional codes:

51	Other/At place of work (respondent is a childcare worker)
52	Other/Baby comes with me to work
<u>Other</u>	
85	Other answer (not codeable 1-18, 51-52)
86	Irrelevant response
XX 71 .1 1	$(05) \leftarrow EVC$ $(1.10) O(1)$

Where possible backcode 'other' answers (95) to **EXCare** (1-18). Otherwise assign the additional codes (51-52) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 24 (RESEARCHER)

Block: Question type:	E: Childcare Other specify
Question: Question text:	EOthWho Who else looks after <i>^Jack?</i> CODE ALL THAT APPLY
Question: Question text: Routing:	EWhoOth (backcoded to EXOthWho) INTERVIEWER: WRITE IN OTHER CARER <i>IF someone else regularly looks after cohort baby</i> [EOthWho =95]

MULTICODE – CODE ALL THAT APPLY

1	Baby's non-resident father/mother	
2	Your Mother	
3	Your father	
4	Your partner's mother	
5	Your partner's father	
6	Baby's non-resident father's/mother's mother	
7	Baby's non-resident father's/mother's father	
8	Other relatives	
E.g. 'great grandmother' 'my partner's sister' Include in-laws but do not include god-parents		
9	Friends/neighbours	
E.g. 'trained teacher friend'		
10	Live-in nanny/au pair	
11	Other nanny/au pair	
12	Registered childminder	
13	Unregistered childminder	
14	Local Authority day nursery/crèche	

15	Private day nursery/crèche
16	babysitter
95	Other (SPECIFY)

Other

- 85 Other answer (not codeable 1-16)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **EXOthWho** (1-16). Otherwise assign one of the 'other' codes (85-86) as appropriate.

Edit instruction: If the answer refers to a full time resident partner or part-time resident parent and 95 is the only code given then need to change the answer to the previous question EOthCar to 'No'. However if there is more than one code at EOthWho then need to leave all codes but delete the 'other' (i.e. 95).

CODE FRAME NUMBER 25 (FREELANCER)

Block:	F: Grandparents and Friends
Question type:	Other specify
Question: Question text:	FWhrLiv CARD F1 Where did you mainly live (<i>^before the age of 17</i>)?
Question:	FWhrLiX (backcoded to FWhrLiv)
Question text:	INTERVIEWER: TYPE IN OTHER ANSWER
Routing:	<i>IF mainly lived in another place</i> [FWhrLiv =8]

CODE ONE ONLY

1	Local authority children's home	
2	Local authority foster parents	
3	Voluntary society children's home	
4	Voluntary society foster parents	
5	Boarding school	
6	Living with relatives	
E.g. 'looked after by my maternal aunt and uncle' 'with biological father' Don't include god-parents or partner's family		
7	Prison/Young Offenders Institute/Borstal	
8	Some other place	
9	(Children's home- not sure which type)	
10	(Foster parents – not sure which type)	

Additional codes

51	Other/Own flat/house/bedsit
52	Other/Live-in work (including the armed forces etc)
	e.g. 'joined RAF and lived in barracks' 'live in job at a hotel' Include other armed forces, live-in nannys, nurse accomodation etc

53	Other/Living with partner (including partner's family)
	e.g. 'at girlfriend's parents'
54	Other/Living with friends
	Include living with friends parents
55	Other/Living in a homeless residence
<u>Other</u>	
85	Other answer (not codeable 1-7, 9-10, 51-55)
86	Irrelevant response
Where possib	le backcode 'other' answers (8) to FWhrLiv (1-7, 9-1

Where possible backcode 'other' answers (8) to **FWhrLiv** (1-7, 9-10). Otherwise assign one of the additional codes (51-55) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 26 (FREELANCER)

Block:	F: Grandparents and Friends
Question type:	Other specify
Question: Question text:	FParHlp CARD F3 <i>^Do your parents</i> help you in any of these ways? IF YES: In what ways <i>^do they</i> help you? CODE ALL THAT APPLY
Question:	FParHlx (backcoded to FXParHlp)
Question text:	INTERVIEWER: TYPE IN OTHER ANSWER
Routing:	IF mother and/or father helps in another way [FParHlp =95]

MULTICODE - CODE ALL THAT APPLY

0	No, does not help in any of these ways [exclusive code]		
1	Buying essentials for the baby – food, clothes, nappies, etc		
Include baby	Include baby wipes, medicines and cot/pram etc		
2	Paying for other household costs - e.g. bills, shopping etc		
Include food shopping, durables (tv, microwave, washing machine etc), help with paying rent, general home decoration and vehicle running costs			
3	Buying gifts and extras for the baby		
Include all non-essential purchases for baby Do not include cash gifts for baby or setting up trust funds for baby			
4	Lending money		
5	Paying for childcare		
95	Other financial help		

Additional codes:

51	Other/Buying or Paying for large capital items
	Include eg cars, paying deposit on new house, new kitchen/extension
52	Other/Giving money or cash gifts
	Include money for parents or money for baby

53	Other/Trust fund or		at for boby
33	Other/Trust fund on	i savings accourt	It IOI Daby

Other

- 85 Other answer (not codeable 1-5, 51-53)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **FXParHlp** (1-5). Otherwise assign one of the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 27 (CLS)

Block: Question type:	G: Parent's Health Open (existing ICD-10 code frame)
Question: Question text:	GLongIl Do you have a longstanding illness, disability or infirmity. By longstanding I mean anything that has troubled you over a period of time or that is likely to affect you over a period of time?
Question: Question text: Routing:	GLongWht What is the matter with you? <i>IF has longstanding illness, disability or infirmity</i> [GLongII =1]

Responses to this question were coded to ICD-10 by trained coders at CLS. Details are in Appendix E.

CODE FRAME NUMBER 28 (RESEARCHER)

Block: Question type:	G: Parent's Health Other specify
Question: Question text:	GTypCan CARD G2 Looking at this card, can you tell me which of these types of cancer you have had? CODE ALL THAT APPLY
Question: Question text:	GtypCnX (backcode to GXTypCan) INTERVIEWER: PLEASE TYPE IN OTHER TYPE OF CANCER
Routing:	<i>IF have ever had other type of cancer</i> [<i>GTypCan</i> =95]

MULTICODE – CODE ALL THAT APPLY

1	Leukaemia
1	Leukaelilla
2	Hodgkin's disease
3	Lymphoma
4	Skin cancer
5	Bone cancer
5	Bone cancer
6	Breast cancer
7	Cancer of the testes
0	
8	Cancer of the colon
9	Lung cancer
-	
10	Cervical cancer
95	Other cancer

<u>Other</u>

- 85 Other answer (not codeable 1-10)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **GXTypCan** (1-10). Otherwise assign one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 29 (RESEARCHER)

Block: Question type:	H: Self-completion Other specify
Question: Question text:	HRefuse INTERVIEWER: CODE REASON(S) WHY RESPONDENT REFUSED CODE ALL THAT APPLY
Question: Question text: Routing:	HRefusx (backcoded to HXRefuse) INTERVIEWER: TYPE IN OTHER REASON RESPONDENT REFUSED SELF-COMPLETION IF refused self completion for other reason [HRefuse=95]

MULTICODE - CODE ALL THAT APPLY

1	Didn't like computer
2	Eyesight problems
3	Reading/literacy problems
4	Baby crying/needed feeding etc.
This code should include anything baby-related that interferes with the interview and also any distractions from other children. E.g. 'Baby being cuddled' 'Children running around, baby unsettled'	
5	Worried about confidentiality
6	Concerned because someone else was present
7	Language problems
8	Couldn't be bothered
95	Other

Additional code:

- 51 Other/Respondent has no time/too busy
- 52 Other/Proxy interview

Other

- 85 Other answer (not codeable 1-8, 51-52)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **HXRefuse** (1-8). Otherwise assign the additional codes (51-52) or one of the 'other' codes (85-86) as appropriate.

Edit instructions: A program error was identified whereby in some cases the 'normal' interview was carried out by proxy, hence the number of 'other' answers giving the reason 'proxy interview'. The editor should flag the cases with this answer in order that we can amend the data appropriately.

CODE FRAME NUMBER 30 (FREELANCER)

Block:	J: Employment and Education
Question type:	Other specify
Question: Question text:	JRtnWy Why did you decide to return to (or start) work (at that time)? PROBE Which other reasons?
Question:	JRtnWyX (backcoded to JXRtnWy)
Question text:	TYPE IN OTHER REASON(S)
Routing:	<i>IF have another reason for returning to/starting work (at that time)</i> [JRtnWy =95]

MULTICODE – MAXIMUM 6 CODES

1	I had used up all of my maternity leave
2 came to an en	My Statutory Maternity Pay/allowance/occupational maternity pay
3	My employer wanted me to return at that time
E.g. 'because I was needed at work'	
4	<i>We</i> /I needed the money
Include 'partner lost job'	
5	I enjoy working and wanted to return/start work
6	It would have hurt my career to stay away longer
E.g. 'Didn't want to lose her job'	
7	I wanted to get out of the house/missed the company at work
8	I had arranged childcare by then
E.g. 'mum said she'd mind baby'	
9	My job is seasonal
95	Some other reason(s)
Additional codes:

51	Other/Started or returned to work in own or partner's business
52	Other/Other social/psycho-social reasons
	e.g 'would be bored at home' Include independence/mental stimulation/self-confidence/life satisfaction/needed and interest etc
53	Other/Other career/work related reasons
	e.g. 'It's a career and I wanted to continue' 'they offered me part-time'
54	Other/To avoid paying back maternity pay
<u>Other</u>	
85	Other answer (not codeable 1-9, 51-54)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **JXRtnWy** (1-9). Otherwise assign the additional codes (51-54) or one of the 'other' codes (85-86) as appropriate.

Routing:

CODE FRAME NUMBER 31 (FREELANCER)

IF another reason for not looking for work [JNoLkWy=95]

Block:	J: Employment and Education
Question type:	Other specify
Question: Question text:	JNoLkWy Why is that? PROBE: What other reasons?
Question:	JNoLkWyX (backcoded to JXNoLkWy)
Question text:	TYPE IN OTHER REASON(S)

MULTICODE – MAXIMUM 8 CODES

1	I prefer to look after my child/ren myself	
Include answers such as: E.g. 'I want to spend my time with Natalie' 'bringing up family' 'we want to be together as a family as much as possible' Also include answers that refer to the child's age etc E.g. 'children too young'		
2	I cannot earn enough to pay for childcare	
3	I cannot find suitable childcare	
4	There are no jobs in the right place for me	
5	There are no jobs with the right hours for me	
6	There are no jobs available for me	
Include becau	se has no/poor qualifications	
7	I am in full-time education	
8	I am on a training course	
9	My family would lose benefits if I was earning	
10	I am caring for an elderly or ill relative or friend	
Include close	relatives and disabled relative/friend	
11	I cannot work because of poor health	

12 I prefer not to work

Include answers such as: E.g. 'I don't want a job' 'I do not need to work' 'doesn't need to financially'

13 My husband/partner disapproves

95 Some other reason(s)

Additional codes:

51	Other/I am pregnant
52	Other/Language problems
53	Other/Other study related reasons
	Include part-time student, waiting/hoping to take up a course
54	Other/Baby has health problems/disability – has to look after him/her
<u>Other</u>	
85	Other answer (not codeable 1-13, 51-54)
86	Irrelevant answer

Where possible back code 'other' answers (95) to **JXNoLkWy** (1-13). Otherwise assign the additional codes (51-54) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 32 (FREELANCER)

Block:	J: Employment and Education
Question type:	Other specify
Question: Question text:	JPStat CARD J1 Which of these best describes your current status?
Question:	JPStatX (backcoded to JPStat)
Question text:	TYPE IN OTHER STATUS
Routing:	<i>IF not in paid work for another reason</i> [JPStat =95]

CODE ONE ONLY

1	Out of work and looking for a job	
2	Out of work, for reasons of poor health	
Include disability		
3	Taking part in the New Deal (training, task force or voluntary work)	
4	On another Government scheme	
5	On a modern apprenticeship scheme	
6	Full-time student	
95	Not in paid work for some other reason	

Additional codes:

51 Other/Looking after home or family	/
---------------------------------------	---

e.g. 'house husband looking after my children'

<u>Other</u>

- 85 Other answer (not codeable 1-6, 51)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **JPStat** (1-6). Otherwise assign the additional code (51) or one of the 'other' codes as appropriate (85-86).

CODE FRAME NUMBER 33 (FREELANCER)

Block:J: Employment and EducationQuestion type:OpenQuestion:JJobTtlQuestion text:What ^is your (main) job?Question:JJobdoQuestion text:What ^do you mainly do in your job?INTERVIEWERCHECKSPECIALQUALIFICATIONSTRAINING NEEDED TO DO THE JOB

CODED TO SOC2000 AND NS-SEC

CODE FRAME NUMBER 34 (FREELANCER)

Block:	J: Employment and Education
Question type:	Other specify
Question:	JWkWhy
Question text:	What are the main reasons you are in paid work?
Question:	JWkWhyX (backcoded to JXWkWhy)
Question text:	TYPE IN OTHER REASON(S)
Routing:	<i>IF another reason for being in paid work</i> [JWkWhy =95]

MULTICODE - CODE ALL THAT APPLY

1	Financial, I am important as a breadwinner
	include answers which refer to paying for/providing 'essentials' e.g " I need the money for day to day things" "pay the mortgage"
2	Financial, for family extras
3	Career
4	Enjoyment
5	To give time for myself
6	To have adult company
95	Other reason(s)

Additional codes:

51	Other/Financial - to improve/maintain lifestyle/quality of life
52	Other/Other social or psycho-social reasons
	e.g. 'would be bored at home' Includes reasons such as independence/mental stimulation/self- confidence/life-satisfaction etc
53	Other/Other work related reasons <i>e.g. 'for the job satisfaction'</i>

<u>Other</u>

85 Other/O	Other answer (not cod	eable 1-6, 51-53)
------------	-----------------------	-------------------

86 Irrelevant response

Where possible backcode 'other' answers (95) to **JXWkWhy** (1-6). Otherwise assign the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 35 (FREELANCER)

Block:	J: Employment and Education
Question type:	Other specify
Question: Question text:	JJbChg CARD J6 How is your job different, if at all, from the job you were doing when <i>^you were pregnant?</i>
Question:	JJbChgX (backcoded to JXJbChg)
Question text:	TYPE IN OTHER DIFFERENCE(S)
Routing:	IF job differs for another reason [JJbChg=95]

MULTICODE – MAXIMUM 8 CODES

0	No different		
1	Higher pay		
2	Lower pay		
3	Shorter hours		
4	Longer hours		
5	Different timing of hours		
	g night hours' ing different days of the week		
6	Higher status		
This code car	This code can include answers that refer to responsibility		
7	Lower status		
This code can include answers that refer to responsibility			
8	Different job content		
This is a 'catch-all' code that should include those who have changed jobs completely as well as those who just have different tasks etc.			
95	Different in other ways		
96	Not gone back to work yet		

Additional code:

51	Other/Different employment status
----	-----------------------------------

i.e. changing from self employed to employed and vice versa

<u>Other</u>

- 85 Other answer (not codeable 1-8, 51)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **JXJbChg** (1-8). Otherwise assign the additional code (51) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 36 (FREELANCER)

Block:	J: Employment and Education
Question type:	Other specify
Question:	JTakeB
Question text:	How long a period did that pay cover?
Question:	JTakeBX (backcoded to JTakeB)
Question text:	TYPE IN OTHER TIME PERIOD
Routing:	<i>IF a different time period</i> [JTakeB =95]

CODE ONE ONLY

1	1 week
2	Fortnight
3	Four weeks
4	Calendar month
5	Year
95	Other

Additional codes:

51	Other/Three weeks
52	Other/Five weeks
53	Other/Six weeks
54	Other/Seven weeks
55	Other/Eight weeks
56	Other/Two calendar months
57	Other/Eight times a year
58	Other/Nine times a year
59	Other/Ten times a year
60	Other/Three months/13 weeks
61	Other/Six months/26 weeks

Millennium Cohort Study First Survey: Code Book and Edit Instructions

62	Other/Hourly
----	--------------

- 63 Other/Daily
- 64 Other/One off lump sum

Other

- 85 Other answer (not codeable 1-5, 51-64)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **JTakeB** (1-5). Otherwise assign one of the additional codes (51-64) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 37 (FREELANCER)

Block:	J: Employment and Education
Question type:	Other specify
Question:	JgrossBX
Question text:	How long a period did that pay cover?
Question:	JGrossBX (Backcoded to JgrossBX)
Question text:	TYPE IN OTHER TIME PERIOD
Routing:	<i>IF a different time period</i> [JGrossB =95]

CODE ONE ONLY

1	1 week
2	Fortnight
3	Four weeks
4	Calendar month
5	Year
95	Other

Additional codes:

51	Other/Three weeks
52	Other/Five weeks
53	Other/Six weeks
54	Other/Seven weeks
55	Other/Eight weeks
56	Other/Two calendar months
57	Other/Eight times a year
58	Other/Nine times a year
59	Other/Ten times a year
60	Other/Three months/13 weeks
61	Other/Six months/26 weeks

Millennium Cohort Study First Survey: Code Book and Edit Instructions

62	Other/Hourly
----	--------------

- 63 Other/Daily
- 64 Other/One off lump sum

Other

- 85 Other answer (not codeable 1-5, 51-64)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **JGrossB** (1-5). Otherwise assign one of the additional codes (51-64) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 38 (RESEARCHER)

Block:	J: Employment and Education
Question type:	Other specify
Question: Question text:	JBen CARD J7 Which of these are you <i>^or your husband</i> receiving? PROBE: Any others? UNTIL FINAL 'No'.
Question:	JBenX (backcoded to JXBen)
Question text	TYPE IN OTHER BENEFIT(S)
Routing:	<i>IF a different benefit</i> [JBen =95]

MULTICODE – MAXIMUM 8 CODES

1Child BenefitInclude family allowance2Children's Tax Credit3Working Families Tax Credit4Disabled Persons Tax Credit5Guardian's Allowance6Income Support7Jobseekers Allowance8Housing Benefit9Council Tax Benefit10Invalid Care AllowanceInclude 'carers allowance'11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit14Maternity Allowance		
2Children's Tax Credit3Working Families Tax Credit4Disabled Persons Tax Credit5Guardian's Allowance6Income Support7Jobseekers Allowance8Housing Benefit9Council Tax Benefit10Invalid Care Allowance <i>Include 'care's Ulowance'</i> 11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	1	Child Benefit
3Working Families Tax Credit4Disabled Persons Tax Credit5Guardian's Allowance6Income Support7Jobseekers Allowance7Jobseekers Allowance8Housing Benefit9Council Tax Benefit10Invalid Care Allowance <i>Include 'care'</i> 11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	Include family	y allowance
4Disabled Persons Tax Credit5Guardian's Allowance6Income Support7Jobseekers Allowance8Housing Benefit9Council Tax Benefit10Invalid Care AllowanceInvalid Care AllowanceInvalid Care Allowance11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	2	Children's Tax Credit
5Guardian's Allowance6Income Support7Jobseekers Allowance7Jobseekers Allowance8Housing Benefit9Council Tax Benefit10Invalid Care AllowanceInvalid Care AllowanceInvalid Care AllowanceInvalid Care Allowance11Widow's Pension or Widowed Mother's Allowance (National12Disability Living Allowance13Incapacity Benefit	3	Working Families Tax Credit
6Income Support7Jobseekers Allowance8Housing Benefit9Council Tax Benefit10Invalid Care AllowanceInclude 'care'Ilowance'11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	4	Disabled Persons Tax Credit
7Jobseekers Allowance8Housing Benefit9Council Tax Benefit10Invalid Care Allowance10Invalid Care Allowance11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	5	Guardian's Allowance
8Housing Benefit9Council Tax Benefit10Invalid Care AllowanceInclude 'care'Ilowance'11 Insurance)Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	6	Income Support
9Council Tax Benefit10Invalid Care AllowanceInclude 'carer allowance'11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	7	Jobseekers Allowance
10Invalid Care AllowanceInclude 'care'Allowance'11 Insurance)Widow's Pension or Widowed Mother's Allowance (National12Disability Living Allowance13Incapacity Benefit	8	Housing Benefit
Include 'carers allowance'11Widow's Pension or Widowed Mother's Allowance (National Insurance)12Disability Living Allowance13Incapacity Benefit	9	Council Tax Benefit
11 Insurance)Widow's Pension or Widowed Mother's Allowance (National12Disability Living Allowance13Incapacity Benefit	10	Invalid Care Allowance
Insurance)12Disability Living Allowance13Incapacity Benefit	Include 'care	rs allowance'
13 Incapacity Benefit		Widow's Pension or Widowed Mother's Allowance (National
1 5	12	Disability Living Allowance
14 Maternity Allowance	13	Incapacity Benefit
	14	Maternity Allowance

15	Statutory Maternity Pay from your employer or former employer
16	Grant from the Social Fund for Maternity Expenses
17	Other Care Grant from the Social Fund
95	Some other state benefit (Please say what)

Additional codes:

51	Other/Severe disablement allowance
52	Other/Industrial injuries benefit
53	Other/Statutory sick pay
<u>Other</u>	
85	Other answer (not codeable 1-17, 51-53)

86 Irrelevant response

Where possible backcode 'other' answers (95) to **JXBen** (1-17). Otherwise assign the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

Edit instructions: If at this question the answer refers to CSA then remove the 95 code here and code at JOth (code 4) – if not already coded.

CODE FRAME NUMBER 39 (FREELANCER)

Block:	J: Employment and Education
Question type:	Other specify
Question:	JWFTCDur
Question text:	What period does this cover?
Question:	JWFTCDuX (Backcoded to JWFTCDur)
Question text:	TYPE IN OTHER TIME PERIOD
Routing:	IF a different time period [JWFTCDur =95]

CODE ONE ONLY

1	1 week
2	Four weeks
3	Calendar month
95	Other

Additional codes:

50	Other/Year
51	Other/Three weeks
52	Other/Five weeks
53	Other/Six weeks
54	Other/Seven weeks
55	Other/Eight weeks
56	Other/Two calendar months
57	Other/Eight times a year
58	Other/Nine times a year
59	Other/Ten times a year
60	Other/Three months/13 weeks
61	Other/Six months/26 weeks
62	Other/Hourly

Millennium Cohort Study First Survey: Code Book and Edit Instructions

- 64 Other/One off lump sum
- 65 Other/Fortnight

Other

- 85 Other answer (not codeable 1-3, 50-65)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **JWFTCDur** (1-3). Otherwise assign one of the additional codes (50-65) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 40 (RESEARCHER)

Block:	J: Employment and Education
Question type:	Other specify
Question: Question text:	JOth CARD J8 Which of these are you <i>^or your husband</i> receiving? PROBE: Any others? UNTIL FINAL 'No'
Question:	JOthX (backcoded to JXOth)
Question text:	TYPE IN OTHER SOURCE(S) OF INCOME
Routing:	IF receiving payments from another source [JOth =95]

MULTICODE – MAXIMUM 8 CODES

1	Education grants/student shops or work
2	Training/government training scheme allowance
3	Employers maternity/paternity pay
4 husband or w CSA	Maintenance allowance or other regular payments direct from a former rife or partner / Maintenance allowance or other regular payments from
5	Regular cash help from parents
6	Regular cash help from other relatives or friends outside the household
7	Rent from boarders, lodgers or sub-tenants/rent from other property
Include rent from children or other household members	
8 household	Other income from organisations or other persons outside the
9	Pension from a former employer
10	Income from investments, including interest on savings
11	Allowance for a foster child
95	Any other source of regular family/household income

<u>Other</u>

- 85 Other answer (not codeable 1-15)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **JXOth** (1-11). Otherwise assign one of the 'other' codes as appropriate (85-86).

Edit instructions:

1. If the answer refers to a benefit then delete the answer and code appropriately in JBen – if not already coded.

2. If the answer clearly refers to the partner's earnings from work then delete this information.

CODE FRAME NUMBER 41 (FREELANCER)

Block: Question type:	J: Employment and Education Open
Question: Question text:	JFinChg Compared with a year ago would you say that you <i>^and your</i> <i>husband</i> are better off or worse off financially?
Ouestion:	JFinChY

Question:	JFinChY
Question text:	Why is that?
Routing:	<i>IF better or worse off than a year previous</i> [<i>JFinChg</i> =1,2]

MULTICODE - CODE ALL THAT APPLY CODE IN ORDER OF MENTION

BETTER OFF JXFinBet

Income-related

- 1 Respondent now working
- 2 Partner now working
- 3 Respondent now earning more

Include got a better job/promotion/working more hours

4 Partner now earning more

Include got a better job/promotion/working more hours

- 5 Increase in benefit income
- 6 Other increase in income

Include transfer income i.e. money given by others

Expenditure-related

- 7 Reduced housing costs
- 8 Reduced expenditure on other things

Include going out less often etc

<u>General</u>

9 Better at managing money

Millennium Cohort Study First Survey: Code Book and Edit Instructions

Other

- 85 Other answer (not codeable to 1-9)
- 86 Irrelevant response

CODE FRAME NUMBER 42 (FREELANCER)

MULTICODE - CODE ALL THAT APPLY CODE IN ORDER OF MENTION

WORSE OFF JXFinWor

Income-related

- 1 Respondent no longer working
- 2 Partner no longer working
- 3 Respondent earning less

Include drop in salary, different job and fewer hours

4 Partner earning less

Include drop in salary, different job and fewer hours

- 5 Less benefit income
- 6 Other reduction in income

Expenditure-related

- 7 General costs of having a baby e.g. nappies, food etc
- 8 Childcare costs
- 9 Increase in housing costs
- 10 Other increase in expenditure

General

11 Worse at managing money

<u>Other</u>

- 85 Other answer (not codeable 1-11)
- 86 Irrelevant response

CODE FRAME NUMBER 43 (RESEARCHER)

Block: Question type:	K: Housing and Local area Other specify
Question: Question text:	KtypeAc CODE OR ASK:
Question:	Is this accommodationREAD OUT KTypeAX (backcoded to KtypeAc)
Question text:	INTERVIEWER: TYPE IN OTHER TYPE OF ACCOMODATION
Routing:	<i>IF accommodation is another kind to those listed above</i> [<i>KTypeAc</i> =95]

CODE ONE ONLY

1	a house or bungalow,
Include villas/cottages/terrace houses in this code	
2	a flat or maisonette,
Include flats above shops in this code	
3	a studio flat,
4	or, room(s) or a bedsit?
95	Other answer

<u>Other</u>

- 85 Other answer (not codeable 1-4)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **KTypeAc** (1-4). Otherwise assign one of the 'other' codes as appropriate (85-86).

CODE FRAME NUMBER 44 (FREELANCER)

Block: Question type:	K: Housing and Local area Other specify
Question: Question text:	KWhyMove What were the main reasons you moved out of that address? CODE ALL THAT APPLY
Question: Question text:	KWhyMvX (backcoded to KXWhyMov) INTERVIEWER: TYPE IN OTHER REASON RESPONDENT MOVED
Routing:	IF other reason for moving [KWhyMove =95]

MULTICODE - CODE ALL THAT APPLY

1	Wanted to buy	
2	Wanted larger home	
3	Wanted better home	
\sim	Quite a broad code and should include positive things about moving to new home $E.g.$ 'wanted a garden for children'	
4	Job change/nearer work	
5	Spouse or partner job change	
6	To be nearer relative(s)	
7	Could no longer afford it	
8	Evicted/repossessed	
9	Relationship breakdown	
10	New relationship/move in with partner	
11	Wanted to move to better area	
12	For children's education	
13	Just wanted a change	
14	Wanted place of my own	
15	Problem with neighbours/neighbourhood	

95 Other reason

Additional codes:

51	Other/Fell out with parents
	Include partner's parents
52	Other/In temporary accommodation e.g. hostel
53	Other/Accommodation unsuitable for child/ren
	Include only reasons specifically relating to children e.g. 'too many stairs for pram'. Don't include general problems
54	Other/Problems with quality of the accommodation
	Include general problems with quality e.g. cold, damp etc
55	Other/Overcrowding or no space
56	Other/Owners of property wanted to move in/sell
57	Other/Problems with the landlord
<u>Other</u>	
85	Other answer (not codeable 1-15, 51-57)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **KXWhyMov** (1-15). Otherwise assign the additional codes (51-57) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 45 (RESEARCHER)

Block: Question type:	K: Housing and Local area Other specify
Question: Question text:	KYHomLs What was the main reason you moved out of the place you were living in before you became homeless?
Question: Question text: Routing:	KYHomeX (backcoded to KYHomLs) INTERVIEWER: TYPE IN OTHER REASON RESPONDENT MOVED OUT IF moved out for other reason [KYHomLs= 95]

MAXIMUM 1 CODE

1	Tenancy came to an end
2	Home repossessed
3	Evicted
4	Fell out with parents
5	Marriage/relationship broke down
95	Other reason

Additional codes:

51	Other/In temporary accommodation e.g. hostel
52	Other/Accommodation unsuitable for child/ren
53	Other/Problems with quality of the accommodation
54	Other/Overcrowding/no space
55	Other/Waiting to move to new property
56	Other/Problems with Landlord
<u>Other</u>	
85	Other answer (not codeable 1-5, 51-56)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **KYHomLs** (1-5). Otherwise assign one of the additional codes (51-56) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 46 (RESEARCHER)

Block: Question type:	K: Housing and Local area Other specify
Question: Question text:	KWherSty Where <i>^did you stay while you were looking</i> for somewhere to live? CODE ALL THAT APPLY
Question: Question text: Routing:	KWherSX (backcoded to KXWherSt) INTERVIEWER: TYPE IN OTHER PLACE RESPONDENT STAYED <i>IF other place [KWherSty=95]</i>

MULTICODE - CODE ALL THAT APPLY

1	Bed and breakfast	
2	Hotel	
3	Homeless hostel	
This can include any type of residence for the homeless e.g. homeless flat		
4	Friend/relative's house	
Include the partner and partner's parents in this code		
5	Women's refuge	
95	Other	

<u>Other</u>

- 85 Other answer (not codeable 1-5)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **KXWherSt** (1-5). Otherwise assign one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 47 (FREELANCER)

Block:	L: Interests, time with baby
Question type:	Other specify
Question: Question text:	LRelig Do you regard yourself as belonging to any particular religion? IF YES: Which?
Question:	LReligX (backcoded to LRelig)
Question text:	INTERVIEWER: TYPE IN OTHER RELIGION
Routing:	IF Other Christian or other non Christian [LRelig =10, 16]

CODE ONE ONLY

1	No religion
2	Christian, no denomination, born again Christian
3	Roman Catholic
4	Church of England/Ireland/Anglican/Episcopal
5	United Reformed Church (URC)/Congregational
6	Baptist
7	Methodist
8	Presbyterian/Church of Scotland
9	Free Presbyterian
10	Other Christian (This code now incorporated into 84)
11	Hindu
12	Jew
13	Muslim/Islam
14	Sikh
15	Buddhist
16	Other non Christian (This code now incorporated into code 85).

Additional codes:

- 51 Other Christian Churches- Independent (FIEC affiliated and associated Churches/Union of Evangelical Churches/Christian Brethren/Darby Brethren/Plymouth Brethren/Independent fellowship and House Churches/Independent Evangelical), Community Church
- 52 Other Christian Churches- African/West Indian (New Testament Church of God/Church of God Prophecy/Church of Cherubim and Seraphim/Seventh day Adventist Churches/Pilgrim Wesleyan Holiness Church/Other African and West Indian Churches, Church of God)
- 53 Pentecostal/Holiness (Assemblies of God/Elim Pentecostal Church/Apostolic Church/Church of the Nazerene/Emanuel Holiness Church)
- 54 Salvation Army
- 55 Other Protestant Churches (Lutheran Council of Britain/Evangelical Lutheran Churches/Churches of Christ/Countess of Huntingdon's Connexion/Churches of Overseas Nationals)
- 56 Orthodox (Greek Orthodox Archdiocese of Thyateira/and Great Britain/Russian Orthodox Church/ Russian Orthodox Church in Exile/Armenian Orthodox Church/Serbian Orthodox Church/Ukrainian Orthodox Church/Other Orthodox Churches)
- 57 Church of Wales
- 58 Mormon
- 59 Jehovah's Witness
- 60 Spiritualist

Other

- 84 Other Christian (not codeable 1-16, 51-60)
- 85 Other non-Christian (not codeable 1-16, 51-60)
- 86 Irrelevant response

Where possible backcode 'other' answers (10, 16) to **LRelig** (1-9, 11-15). Otherwise assign one of the additional codes (51-60) or one of the 'other' codes (84-86) as appropriate.

CODE FRAME NUMBER 48 (FREELANCER)

Block: Question type:	L: Interests, time with baby Other specify
Question: Question text:	LYNoTm Why do you feel you do not have enough time to spend with
	<i>^Jack</i> ? CODE ALL THAT APPLY
Question:	LYNoTX (backcoded to LXYNoTm)
Question text:	INTERVIEWER: TYPE IN OTHER REASON DOES NOT
	HAVE ENOUGH TIME TO SPEND WITH BABY
Routing:	IF there is a reason other to those listed above why the respondent does not spend enough time with cohort baby $[UVN_0Tm=05]$
	[LYNoTm =95]

MULTICODE - CODE ALL THAT APPLY

1	Works long hours	
2	Works away from home	
3	Other work reasons	
<i>E.g. 'long hours commuting'</i> 'difficult shift patterns' <i>This code can include answers that refer to the sleeping patterns of the baby in</i> <i>relation to that of the respondent's e.g. 'baby always asleep when gets home'</i>		
4	Demands of domestic work	
Quite a broad code that can include decorating/building work within the home but not building a new home.		
5	Demands of other children	
6	Respondent is in poor health	
95	Other	

Additional codes:

- 51 Other/I don't live in the same household as child.
- 52 Other/I am studying/in education

<u>Other</u>

86 Irrelevant response

Where possible backcode 'other' answers (95) to **LXYNoTm** (1-6). Otherwise assign the additional codes (51-52) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 49 (FREELANCER)

Block:	L: Interests, time with baby
Question type:	Open
Question:	LDiff
Question text:	Since <i>^Jack ^was</i> born, what has been the most difficult thing about your first ^BABYAGE months with <i>^him</i> ? DO NOT PROBE
Routing:	ALL

MULTICODE - CODE ALL THAT APPLY CODE IN ORDER OF MENTION

LXDiff

1	10 No difficulties
	including no difficulties because has other children so used to it and 'everything ok/can't think of anything'
2	Common/general difficulties of having a baby/babies
	The key to this code is 'common/general' i.e. things that may be difficult with ANY baby in ANY family/personal context and are not related to the particular circumstances of the family/parent/baby.
	21 First few weeks/months
	include any specific reference to first period with baby which comes under the top-level heading <i>i.einclude crying/adjusting/not sleeping etc. Don't include teething/weaning/feeding or health problems</i>
	22 Adjusting to/Coping with the demands of parenthood
	being a parent, responsibility, coping with baby, generally having a baby, general worry/concern/anxiety, having to give baby constant attention, having to but the baby first, responding to needs of baby
	23 Baby's crying
	24 Sleep-related
	includes impact of baby's sleeping/feeding/crying on amount and/or pattern of respondent's sleep, getting baby in a sleeping routine/to sleep during the day, unspecific sleep related (baby/respondents/other people's sleep), getting up in night/early in morning (including if this is due to baby crying), 'night-times'
	25 General tiredness
	generally being tired (not specifically due to lack of sleep)

	26 General practical difficulties/practical adjustment
	generally getting organised, into a routine, practically getting out with baby, making arrangements for baby care
	also specific practical tasks/diffculties e.g. nappy changing/keeping him away from telly, stopping him crawling away, getting her dressed
	27 Practical difficulty with general housekeeping
	include any specific mention, general housekeeping can be interpreted broadly to include a full range of household 'chores'
	28 Impact on freedom/lifestyle
	Can't do whatever I want when I want/Can't go out when want, lack of any/enough time for other things in general (including for self/social life), feels isolated from friends
	20 Common/general difficulties of having a baby/babies (not codeable 21-28)
3	Specific difficulties relating to the baby's / babies' health/development/ actions/personality
	31 Breast Feeding
	include trying to breastfeed but unable
	32 Transition from breast-feeding to bottle-feeding
	33 Starting baby on solid food
	34 Other feeding problems
	include general vomiting
	35 Teething
	36 Health problems
	include all specific health problems including colic, unspecified illness ('was unwell'), baby's hospital stays, milk intolerance, problems due to prematurity, in hospital for first few weeks/months, not putting on weight, toilet problem, when she is pain
	37 Behaviour/actions/personality
	includes tantrums, moaning, screaming, 'clingy'
	30 Specific difficulties relating to the baby's / babies' health/development/ actions/personality (not codeable 31-37)
4	Sibling related difficulties

	41 Generally managing with other children and baby
	including finding time for all children, balancing time between all children, having a baby close in age to another child and practical difficulties created by having other children as well as baby (e.g. 'getting them all out in the morning, 'leaving them in a room together', 'getting into a routine with all the children).
	42 Reaction of other siblings to baby and action/behaviour of other child (not necessarily a reaction to the baby)
	include general sibling jealousy and specific examples of behavioural reactions. Also problematic behaviour of other children e.g. 'potty-training, bed-wetting'
	43 Giving other children enough time/attention
	specific mention of lack of/difficulty finding time for other child/other child's activities/time alone with other child. Includes both practical difficulties and concern about respondent's relationship with other children.
	40 Sibling related difficulties (not codeable 41-43)
5	Partner or family related difficulties
	include behaviour of partner/family and impact on relationships with partner/family
	51 Partner related
	include lack of time with partner/unable to go out with partner (as much), partner not helping with baby. Refers to current partner.
	52 Family related <i>include problems with 'in-laws', lack of time for other family commitments, Behaviour of any</i> <i>other family member</i>
	50 Partner or family related difficulties (not codeable 51-52)
6	Difficulties related to personal circumstances 1: health and relationship status
	61 (Post-natal) depression of mother
	either main resp refering to her own depression or partner referring to mothers depression. Does not have state that it is post-natal
	62 Other problems with respondent's health/disability
	<i>i.e. the person who is answering</i>
	include hospital stays, general as well as specific illness
	63 Other problems with partner's health/disability
	<i>i.e. the partner of the person who is answering</i>
	include hospital stays, general as well as specific illness

	64 Relationship status
	either difficulties looking after baby attributed to status as a lone parent or becoming a lone parent due to death of/breakdown of relationship with other parent/previous partner or any other change in relationship status mentioned
	65 Death of a family member/friends
	include death of any family member other than respondent's partner and death of a friend
	60 Difficulties related to personal circumstances 1: health and relationship status (not codeable 61-65)
7	Difficulties related to personal circumstances 2: Work, housing. finance, other
	71 Related to respondent going back/being in work
	respondent=person answering question (main/partner)
	including leaving baby (in childcare) and generally coping with being in work as well as looking after baby,
	72 Partner being in work/going back to work
	partner=partner of person answering question
	73 Respondent living/working away from home/working long hours
	74 Partner living/working away from home/working long hours
	75 Lack of time with baby (unspecified reason)
	76 Housing circumstances
	include moving house/area, problems with accommodation (damp/small), moving/living away from family, lack of space/overcrowding
	77 Financial circumstances
	include paying for childcare, general money concerns, lack of money, cost of buying stuff for baby
	70 Difficulties related to personal circumstances 2: Work, housing. finance, other (not codeable 71-77)
	includes (non-financial) problems related to not being in work
8	80 Other answer
	includes everything
CODE FRAME NUMBER 50 (FREELANCER)

Block:	L: Interests, time with baby
Question type:	Open
Question:	LBest (derived code frame)
Question text:	And what has been the best thing?
	DO NOT PROBE
Routing:	ALL

MULTICODE - CODE ALL THAT APPLY CODE IN ORDER OF MENTION

LXBest

1	Common/general positive reactions to having a baby/babies	
	11 Everything	
	includes everything about baby and everything about first 9 months	
	12 Baby's existence	
	include 'just having him/her' 'him/her' 'just him/her' 'mention of baby's name' 'she's excellent/wonderful/amazing i.e. their existence is excellent/wonderful/amazing', 'them being born' i.e. coming into existence', generally having him/her around/'in the house', having brought someone into the world, the birth of my child (i.e. her being born – not the actual birth)	
	13 Having a boy/girl	
	Only include if it seems that they are expressing a genuine 'gender preference'. Don't include if this gender preference is related to having children of other sex.	
	14 Feelings/emotions/fulfilment	
	include mention of feelings and emotions such as joy, happiness etc, the happiness/joy she brings, feel fulfilment (e.g. always wanted to have baby), been a joy since he was born/good fun/makes us laugh/I'm always pleased when I see her, wouldn't be without him/her, feeling of love/affection towards baby. It's excellent/wonderful/amazing having a baby	
	15 Actually being with the baby	
	include spending time with/looking after/cuddling/playing with/interacting with/getting to know baby etc. Also include e.g. playing with baby at specific times (such as bathtime/when get home from work), just being around baby	
	16 Being a parent/Impact of being a parent on life	
	include 'changed my life', 'made me grow up' 'having someone else to think about', 'I've learned patience', 'motherhood'	
	10 Common/general positive reactions to having a baby/babies (not codeable elsewhere 11- 16)	

2	Responses relating to baby's/babies' health/development/actions/personality		
	21 Having a healthy baby		
	22 Baby recovered/recovering from health problems		
	23 General development/developmental milestones/transitions		
	include generally watching him grow/develop/change, seeing him do things e.g. first words/steps, started sleeping though the night, started on solid food, 'when he first said da-da'		
	24 Baby's actions/behaviour/characteristics/personality/temparament		
	'when she or her does' e.g. smiles, happy/beautiful/content baby, physical characterisics (e.g. blond hair), good sleeper. She is a good/wonderful/fantastic baby		
	Also baby's actions in response to parent ('smiles at me' 'cuddles me' 'calls me dad') and baby 'giving (unconditional) love'		
	20 Responses relating to baby's/babies' health/development/actions/personality (not codeable 21-24)		
3	Sibling related responses		
	NO SPECIFIC MENTION OF FAMILY/PARTNER		
	31 Reaction of other siblings to baby and Interaction between baby and other siblings		
	watching them play together, other siblings general positive reaction to baby ('my son loves the baby'), specific examples e.g. older children looking after baby		
	32 Having a sibling for other child(ren)		
	having a brother/sister for other children		
	33 Having an additional child		
	e.g. 'having both of them now'		
	34 Relating baby's sex to sex of other children		
	e.g. having one of each, having another son, 'having a daughter after 4 sons'		
	30 Sibling related responses (not codeable 31-34) <i>Generally having all of the children</i>		
4	Partner or family related responses		
	Includes behaviour of partner/family and impact on relationships with partner/family or within the family		
	41 Partner related responses		
	'brought us closer together' etc. Also behaviour of partner e.g 'partner is doing all the childcare'		

42 Impact of having a baby on family		
where having a baby/additional baby has 'completed family or brought family closer together, having a girl completed the family, part of family/made family bigger		
43 Mention of own parents/extended family		
include where having a baby has brought respondent closer to own parents, also behaviour of own parents e.g. fact that own mum helps with looking after baby		
40 Partner or family related responses (not codeable 41-43)		
Responses related to personal circumstances		
51 Respondent recovering from health problems/disability		
respondent=person answering questions		
52 Partner recovering from health problems/disability		
partner=partner of person answering questions		
53 Relationship status		
becoming a lone parent/no longer being in previous relationship, forming a new partnership/getting married		
54 Respondent going back/being in work		
55 Partner going back/being in work		
56 Respondent no longer living/working away/working long hours		
57 Partner no longer living/working away/working long hours		
58 Housing circumstances		
moved to a better home/area etc		
59 Financial circumstances		
include 'better off because of extra benefits' etc		
50 Responses related to personal circumstances (not codeable 51-59)		
includes not being in work		
60 Nothing		
Other answers		
81 The birth		
includes that the dad was at the birth		

80 Other answers (not codeable 81)	
------------------------------------	--

CODE FRAME NUMBER 51 (RESEARCHER)

Block: Question type:	Proxy Module Other specify
Question: Question text:	ProxRea INTERVIEWER ASK OR CODE: Why is a proxy interview rather than a personal interview being conducted? CODE ONE ONLY
Question: Question text:	NoName2 (Backcoded to ProxRea) INTERVIEWER: TYPE IN OTHER REASON AWAY/OTHER REASON FOR PROXY
Routing:	IF father/mother away for another reason [ProxRea =5, 95]

MAXIMUM 1 CODE

1	Father/mother away in forces
2	Father/mother working away
3	Father/mother away in hospital
4	Father/mother away in prison
5	Father/mother away for some other reason
6 Father/mother incapacitated (unable to understand and answer the questions for themselves)	
95	Other reason

<u>Other</u>

- 85 Other answer (not codeable 1-6)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **ProxRea** (1-6). Otherwise assign one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 52 (FREELANCER)

Block: Question type:	Proxy module Other specify
Question: Question text:	ProxEE/ ProxEW/ ProxES/ ProxNI CARD P2 Which of the groups on this card does <i>^David</i> regard <i>^himself</i> as belonging to?
Question:	ProxEx
Question:	INTERVIEWER: TYPE IN OTHER ANSWER
Routing:	<i>If belongs to another ethnic group</i> [ProxEE =3, 7, 11, 95 OR
-	ProxEW =4, 8, 12, 95 OR ProxES =4, 5, 10, 95 OR ProxENI
	=10, 95]
	$NB - program \ error \ meant \ wasn't \ asked \ if \ ProxEE = 14 \ OR$
	ProxEW = 15 OR ProxES = 13 OR ProxENI = 9

CODE ONE ONLY

1	British, Mixed British
2	Irish
3	English
4	Scottish
5	Welsh
6	Cornish
7	Northern Irish
8	Cypriot (part not stated)
9	Greek
10	Greek Cypriot
11	Turkish
12	Turkish Cypriot
13	Italian
14	Irish Traveller
15	Traveller
16	Gypsy/Romany
17	Polish
18	Baltic States (Estonian, Latvian, Lithuanian)
19	Commonwealth of (Russian) Independent States
20	Kosovan
21	Albanian
22	Bosnian
23	Croatian
24	Serbian
25	Other republics which made up the former Yugoslavia
26	Mixed Irish/Other white
27	Other white European, European Mixed
28	Other mixed white
29	Other white, white unspecified

30	White and Black Caribbean
31	White and Black African
32	White and Asian
33	Black and Asian
34	Black and Chinese
35	Black and White
36	Chinese and White
37	Asian and Chinese
38	Other Mixed, Mixed unspecified
50	ouler winded, winded unspecified
39	Indian or British Indian
40	Pakistani or British Pakistani
41	Bangladeshi or British Bangladeshi
42	Punjabi
43	Kashmiri
44	East African Asian
45	Sri Lankan
46	Tamil
47	Sinhalese
48	Caribbean Asian
49	British Asian
50	Mixed Asian
51	Other Asian, Asian unspecified
52	Caribbean
53	African
54	Somali
55	Nigerian
56	Black British
50 57	Mixed Black
58	Other Black, Black unspecified
50	Other Diack, Diack unspectified
59	Chinese
60	Vietnamese
61	Japanese
62	Filipino
63	Malaysian
64	Buddhist
65	Hindu
66	Jewish
67	Muslim
68	Sikh
69	Arab
70	North African
70	Middle Eastern (excluding Israeli, Iranian and 'Arab')
72	Israeli
73	Iranian
74	Kurdish
, .	

75 Moroccan	
76 Latin American	
77 South and Central American	
78 Multi-ethnic islands: Mauritian, S	eychelles, Maldivian, St Helena

<u>Other</u>

85	Other answer	(not codeable 1-78)
----	--------------	---------------------

86 Irrelevant response

Note for coders: Please also see alphabetical listing in Appendix A

CODE FRAME NUMBER 53 (FREELANCER)

Block: Question type:	Proxy Module Other specify
Question: Question text:	ProxHlp CARD P3 <i>^Do ^David`s parents help you in any of these ways?</i> IF YES: In what ways do <i>^they</i> help you? CODE ALL THAT APPLY
Question: Question text: Routing:	ProxHlpX (backcoded to XProxHlp) INTERVIEWER: TYPE IN OTHER ANSWER <i>IF parent(s) provide another form of financial help to those</i> <i>listed above</i> [ProxHlp =95]

MULTICODE - CODE ALL THAT APPLY

0	No, does not help in any of these ways [exclusive code]	
1 B	uying essentials for the baby - food, clothes, nappies, etc	
Include b	paby wipes, medicines and cot/pram etc	
2	Paying for other household costs - e.g. bills, shopping etc	
Include food shopping, durables (tv, microwave, washing machine etc), help with paying rent, general home decoration and vehicle running costs		
3	Buying gifts and extras for the baby	
Include all non-essential purchases for baby Do not include cash gifts for baby or setting up trust funds for baby		
4	Lending money	
5	Paying for childcare	
95	Other financial help	

Additional codes:

51 Other/Buying or Paying for large capital items

Include e.g. cars, paying deposit on new house, new kitchen/extension

52	Other/Giving money/cash gifts
	Include money for both parents and baby
53	Other/Trust fund or savings account for baby
<u>Other</u>	

- 85 Other answer (not codeable 1-5, 51-53)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **XProxHlp** (1-5). Otherwise assign the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 54 (FREELANCER)

Block: Question type:	Proxy Module Other specify
Question: Question text:	ProxAct CARD P4 I'd now like to ask some questions about work. Which of the things on this card best describes what <i>^David</i> is currently doing? CODE ONLY ONE MAIN ACTIVITY
Question: Question text: Routing:	ProxActX (backcoded to ProxAct) INTERVIEWER: TYPE IN OTHER REASON NOT IN WORK <i>IF there is another reason why proxy not in paid work</i> [ProxAct =95]

CODE ONE ONLY - MAIN ACTIVITY

1	Full-time paid employee (30 or more hours a week)
2	Part-time paid employee (under 30 hours a week)
3	On maternity/paternity/parental leave from an employer
4	Full-time self-employed
5	Part-time self-employed
6	Out of work & looking for a job
7	Out of work, for reasons of poor health
8	Taking part in the New Deal (training, task force or voluntary work)
9	On another Government scheme
10	On a modern apprenticeship scheme
11	Full-time student
12	Wholly retired
95	Not in paid work for some other reason

<u>Other</u>

85 Other answer (not codeable 1-12)
-------------------	--------------------

86 Irrelevant response

Where possible backcode 'other' answers (95) to **ProxAct** (1-12). Otherwise assign one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 55 (FREELANCER)

Block:	Proxy Module
Question type:	Open
Question:	ProxJobT
Question text:	What <i>^is ^David 's</i> (main) job?
Question:	ProxJbDo
Question text:	What <i>^does ^David</i> mainly do in <i>^his</i> job?
	INTERVIEWER CHECK SPECIAL QUALIFICATIONS
	TRAINING NEEDED TO DO THE JOB

CODED TO SOC2000 AND NS-SEC

CODE FRAME NUMBER 56 (FREELANCER)

Block:	Proxy Module
Question type:	Other specify
Question:	ProxPrN
Question text:	How long a period did that pay cover?
Question: Question text: Routing:	ProxPrNX (Backcoded to ProxPrN) INTERVIEWER: TYPE IN OTHER TIME PERIOD <i>IF another period of time given to those listed above</i> [<i>ProxPrN</i> =95]

CODE ONE ONLY

1	1 week
2	Fortnight
3	Four weeks
4	Calendar month
5	Year
95	Other

Additional codes:

51	Other/Three weeks
52	Other/Five weeks
53	Other/Six weeks
54	Other/Seven weeks
55	Other/Eight weeks
56	Other/Two calendar months
57	Other/Eight times a year
58	Other/Nine times a year
59	Other/Ten times a year
60	Other/Three months/13 weeks

- 61Other/Six months/26 weeks62Other/Hourly63Other/Daily64Other/One off lump sumOtherSolution off lump sum
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **ProxPrN** (1-5). Otherwise assign one of the additional codes (51-64) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 57 (FREELANCER)

Block:	Proxy Module
Question type:	Other specify
Question:	ProxPrG
Question text:	How long a period did that pay cover?
Question: Question text: Routing:	ProxPrGX (Backcoded to ProxPrG) INTERVIEWER: TYPE IN OTHER TIME PERIOD <i>IF another period of time given than those listed above</i> [ProxPrG =95]

CODE ONE ONLY

1	1 week
2	Fortnight
3	Four weeks
4	Calendar month
5	Year
95	Other

Additional codes:

51	Other/Three weeks
52	Other/Five weeks
53	Other/Six weeks
54	Other/Seven weeks
55	Other/Eight weeks
56	Other/Two calendar months
57	Other/Eight times a year
58	Other/Nine times a year
59	Other/Ten times a year
60	Other/Three months/13 weeks

61 Other/Six months/26 weeks
62 Other/Hourly
63 Other/Daily
64 Other/One off lump sum

<u>Other</u>

- 85 Other answer (not codeable 1-5, 51-64)
- 86 Irrelelvant response

Where possible backcode 'other' answers (95) to **ProxPrG** (1-5). Otherwise assign one of the additional codes (51-64) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 58 (FREELANCER)

Block: Question type:	Module Z Open
Question: Question text:	ZConsent INTERVIEWER: HAND THE RESPONDENT A COPY OF THE CONSENT FORM AND ASK THEM TO READ IT CAREFULLY. IF NECESSARY, READ THE FORM TO THEM. ASK RESPONDENT IF THEY ARE WILLING TO SIGN. CODE WHETHER SIGNED CONSENT WAS GIVEN.
Question: Question text:	ZNoCons INTERVIEWER: RECORD REASON WHY SIGNED CONSENT WAS NOT GIVEN
Routing:	IF consent not given [ZConsent =2]

CODE ONE ONLY

ZXNoCons

1	No specific reason/doesn't want to	
2	Doesn't want to give access to medical/health records	
	Include feels is too intrusive/wants to retain privacy	
3	Feels had already given enough information	
4	Wishes to discuss with partner first	
5	Husband/Partner doesn't want respondent to sign the form	
6	Doesn't understand form, including language problems	
7	Concern about confidentiality	
8	General unease about signing form	
<u>Other</u>		
85	Other answer (not codeable 1-8)	
86	Irrelevant response	

CODE FRAME NUMBER 59 (FREELANCER)

Block:	Admin
Question type:	Other specify
Question: Question text:	Mainlang What language was the interview conducted in?
Question text.	WRITE ON ARF
Question:	MainLan2 (backcoded to Mainlang)
Question text:	INTERVIEWER: TYPE IN OTHER LANGUAGE
	INTERVIEW WAS CONDUCTED IN
Routing:	If another language [MainLang=95]

CODE ONE ONLY

1	Welsh
2	Gaelic
3	Urdu
4	Punjabi
5	Gujarati
6	Hindi
7	Bengali
8	Sylheti
9	Cantonese
10	Somali
11	Tamil
12	Turkish
13	Kurdish
14	Arabic
95	Other

Additional codes:

51	Other/Other European language
52	Other/Other African Language (e.g. Ibo, Shona, Ewondo, Chichewa, Luganda, Akan, Congo Zaire, Kikumba, Afrikaans, Krio, Nigeria, Kswaili, Zulu, Setswana, Mandinga, Marathi, Kinyarwanda, Azulu, Xhosa, Amharic, Tigrigna, Hausa, Ghanian, Kikuyu, Gambian, Sierre Leonean, Swahili, Twi/Ga, Yoruba).
53	Other/Other Asian Language (e.g. Hinko, Memon, Telegu, Pushto, Mirpuri, Kashmiri, Vietnamese,)
<u>Other</u>	
85	Other answer (not codeable 1-14, 51-53)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **MainLang** (1-14). Otherwise assign one of the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 60 (FREELANCER)

Block:	Admin
Question type:	Other specify
Question:	PartLang
•	e
Question text:	What language was the interview conducted in?
	WRITE ON ARF
Question:	PartLan2 (backcoded to PartLang)
Question text:	INTERVIEWER: TYPE IN OTHER LANGUAGE
Question text.	
	INTERVIEW WAS CONDUCTED IN
Routing:	If another language [PartLang=95]

CODE ONE ONLY

1	Welsh
2	Gaelic
3	Urdu
4	Punjabi
5	Gujarati
6	Hindi
7	Bengali
8	Sylheti
9	Cantonese
10	Somali
11	Tamil
12	Turkish
13	Kurdish
14	Arabic
95	Other

Additional codes:

51	Other/Other European language
52	Other/Other African Language (e.g. Ibo, Shona, Ewondo, Chichewa, Luganda, Akan, Congo Zaire, Kikumba, Afrikaans, Krio, Nigeria, Kswaili, Zulu, Setswana, Mandinga, Marathi, Kinyarwanda, Azulu, Xhosa, Amharic, Tigrigna, Hausa, Ghanian, Kikuyu, Gambian, Sierre Leonean, Swahili, Twi/Ga, Yoruba).
53	Other/Other Asian Language (e.g. Hinko, Memon, Telegu, Pushto, Mirpuri, Kashmiri, Vietnamese,)
<u>Other</u>	
85	Other answer (not codeable 1-14, 51-53)
86	Irrelevant response

Where possible backcode 'other' answers (95) to **PartLang** (1-14). Otherwise assign one of the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

Module	Question	Edit check	Instruction to editor
	Name		
HH Grid	PDOB,	IF Date of Birth < 1900.	Delete if looks implausible and not able to correct.
	PTPDOB		
Module A	ANRAge	IF age is < 10	Delete if not able to correct.
Module A	ALivY	IF < 1970	Delete if looks implausible and not able to correct.
Module A	AMarY	IF < 1970	Delete if looks implausible and not able to correct.
Module A	ALivSY	IF < baby's year of birth.	Correct if possible, otherwise flag to researcher.
Module A	ALivSM	IF < baby's month of birth (but year is same)	Correct if possible, otherwise flag to researcher.
Module A	APTStpY	IF < baby's year of birth	Correct if possible, otherwise flag to researcher.
Module A	APTStpM	IF < baby's month of birth (but year is same)	Correct if possible, otherwise flag to researcher.
Module A	ALpSY	IF < baby's year of birth	Correct if possible, otherwise flag to researcher.
Module A	ALpSM	IF < baby's month of birth (but year is same)	Correct if possible, otherwise flag to researcher.
Module A	ALpEY	IF < baby's year of birth	Correct if possible, otherwise flag to researcher.
Module A	ALpEM	IF < baby's month of birth (but year is same)	Correct if possible, otherwise flag to researcher.
Module A	ALPNowY	IF < baby's year of birth	Correct if possible, otherwise flag to researcher.
Module A	ALpNowM	IF < baby's month of birth (but year is same)	Correct if possible, otherwise flag to researcher.
Module A	ALivAM	IF > age of baby in months at interview.	Correct if possible, otherwise flag to researcher.
Module A	ALivBM	IF > age of baby in months at interview	Correct if possible, otherwise flag to researcher.
Module B	BLivAM	IF > age of baby in months at interview	Correct if possible, otherwise flag to researcher.
Module B	BLpStY	IF < baby's year of birth	Correct if possible, otherwise flag to researcher.
Module B	BLpStM	IF < baby's month of birth (but year is same)	Correct if possible, otherwise flag to researcher.
Module B	BLpEnY	IF < baby's year of birth	Correct if possible, otherwise flag to researcher.
Module B	BLpEnM	IF < month of birth (but year is same).	Correct if possible, otherwise flag to researcher.
Module C	CDueDate	IF < 2000	Correct if possible, otherwise flag to researcher.

SECTION B: EDIT INSTRUCTIONS

Millennium Cohort Study First Survey: Code Book and Edit Instructions

Module	Question	Edit check	Instruction to editor
	Name		
Module C	CWgtKilo	IF > 7	Many of these are clear unit errors. In these cases please change the unit of measurement at CWgtMeas to code 2 'Pounds and ounces' then enter the amount in pounds and ounces at CWgtPnd/CWgtOun e.g. an answer of 7.80 kilos
			should be changed to 7 pounds 8 ounces.
			Others are clearly errors in where the decimal place has
			been put – please edit these amounts appropriately. e.g. an answer of 45.00 kilos should be changed to 4.5 kilos.
			If unable to reslove, flag to researcher.
Module C	CDisW	IF > age of baby in weeks at interview	Correct if possible, otherwise flag to reseacher.
Module C	CDisM	IF > age of baby in months interview	Correct if possible, otherwise flag to reseacher.
Module D	DSolid	IF answer given in days (DSolid=2) or answer given	Correct if possible, otherwise leave.
	DSolidD	in weeks and is less than 5 (DSolid=3 and	
	DSolidW	DSolidW<5).	
Module D	DWgLsD	IF <100	Correct by reference to memos if possible, otherwise leave.
Module E	ECare	IF = 3 and both natural parents are in HH.	Correct if possible, otherwise flag to reseacher.
Module E	EOthWho	IF = 1 and both natural parents are in HH.	Correct if possible, otherwise flag to reseacher.

Module	Question Name	Edit check	Instruction to editor
Module E	EHrPnd EWkPnd EWkPnd	IF EHrPnd>10 IF EWkPnd/EPayHrs>10 If EWkPnd>200	Look at notes to see if indicated that unit coded wrongly. If interviewer has indicated that amount is monthly, divide by 4.3 to get a weekly amount and enter this EWkPnd. If interviewer had indicated that amount is weekly but unit coded is hourly, enter this at EWkPnd.
			Otherwise, look at the childcare provider and number of hours paid for to see whether this looks plausible e.g. live-in nanny may cost this much. If looks like a monthly amount coded as a weekly amount or looks to be a weekly amount coded as hourly amount, flag to researcher.
			If unable to reslove, flag to researcher.
Module F	MainQ. FMumAliv	IF code 4 at ECare/code 2 at EOthWho or natural mother in HH grid AND code 2 at FMumAliv.	Flag to researcher
Module F	MainQ. FDadAliv	IF code 5 at ECare/code 3 at EOthWho or natural father in HH grid AND code 2 at FDadAliv	Flag to researcher
Module F	PartnerQ. FMumAliv	IF code 6 at ECare/code 4 at EOthWho or natural mother in HH grid AND code 2 at FMumAliv.	Flag to researcher
Module F	PartnerQ. FDadAliv	IF code 7 at ECare/code 5 at EOthWho or natural father in HH grid AND code 2 at FDadAliv	Flag to researcher
Module F	FSeeMum	IF mother (any kind) in HH and NOT code 9	Change FSeeMum to code 9 if appropriate ie if clear that respondent is referring to the same mother
Module F	FSeeDad	IF father (any kind) in HH and NOT code 9	Change FSeeDad to code 9 if appropriate ie if clear that respondent is referring to the same father

Module	Question	Edit check	Instruction to editor
	Name		
Module G	GTypCan	IF $(= 10 \text{ or } = 6)$ and sex=1 (male)	Unless there is a note confirming these are correct,
			flag to researcher.
Module G	GTypCan	IF = 7 and sex=2 (female)	Unless there is a note confirming this are correct,
			flag to researcher.
Module H	HPstRel	If>=20	Correct if possible, otherwise flag to researcher
Module H	Hyear	IF < respondent's year of birth+10	Correct if possible, otherwise flag to researcher
Module H	HLivYr	IF < Hyear	Correct if possible, otherwise flag to researcher
Module J	JPTotHr	IF > 90	Looks at job title, income etc, if looks implausible, flag to
			researcher
Module J	JCTC	IF> 70% of amount paid for childcare.	Correct if possible, otherwise flag to researcher
Module J	JWkRtnY	IF < baby's year of birth	Correct if possible, otherwise flag to researcher
Module J	JWkRTnM	IF < baby's month of birth (but same year)	Correct if possible, otherwise flag to researcher
Module	ProxMum	IF code 6 at ECare/code 4 at EOthWho or partner's	Flag to researcher
Proxy		mother in HH grid AND code 2 at ProxMum	
Module	ProxDad	IF code 7 at ECare/code 5 at EOthWho or partner's	Flag to researcher
Proxy		father in HH grid AND code 2 at ProxDad	

SECTION C: DEALING WITH INTERVIEWER MEMOS

Module	Question Name	Instruction to editor
All modules esp. Admin	All questions	If there are any remarks relating to the names and contact details (addresses, phone numbers etc) for cohort baby and respondent, flag to Green Team.
All modules	All questions	If the remark seems to indicate that the question did not make sense for the respondent, please flag to researcher as this may indicate a routing error or that there has been a mis-coding elsewhere.
HH Grid	IntDate	In the CAPI program there was a hard check which would not allow interviews to be conducted when the baby was over 11 months old. In some circumstances interviewers were given permission to conduct interviews after this date. In these cases they had to change either the date of interview or baby's date of birth in order for the CAPI to allow them to do this. Interviewers were instructed to put a note into the program with the correct details. It is extremely important that the correct details are now entered into the edit program. Wherever there is a note with a corrected date of interview – please be sure to edit IntDate.
HH Grid	BDOB	In the CAPI program there was a hard check which would not allow interviews to be conducted when the baby was over 11 months old. In some circumstances interviewers were given permission to conduct interviews after this date. In these cases they had to change either the date of interview (IntDate) or baby's date of birth (BDOB) in order for the CAPI to allow them to do this. Interviewers were instructed to put a note into the program with the correct details. It is extremely important that the correct details are now entered into the edit program. Wherever there is a note with a corrected date of birth – please be sure to edit BDoB.
HH Grid	AHHold	In some households there were more people in the household than was allowed in the HH GRID. Please flag these cases to researchers.
Module C	CTryUnit CTryDay CTryWk CTryMth CtryYr	There are some notes indicating that the respondent has had a miscarriage recently and the interviewer is unsure whether enter the duration since last miscarriage or total time trying for a baby since before miscarriage – the answer that we want is the time since last miscarriage, if this is in the note please enter this value.
Module C	CBTim	In some cases there is a corrected time of birth given in the interviewer note – please correct these cases.
Module C	CLabTim	If there is a note to say 'Did not have labour', please flag to researchers.

Module	Question Name	Instruction to editor
Module C	CStay1/ CStayWk/ CStayD/ CStayHr	In many cases interviewers put a note in the questionnaire with exact numbers of days/hours which they could not enter in the CAPI as they were outside the range allowed. In these cases, we need to round these answers to the nearest day/week and enter this in the appropriate variable (if the interviewer had not done so). e.g. if there is a note at CStayD indicating that the answer is 10 days, you should recode CStay1 to code 1 (weeks) and enter 1 week at CStayWk.
Module C	CStay1/ CStayWk/ CStayD/ CStayHr	In some cases interviewers have put a note in the questionnaire to indicate that they have entered the unit incorrectly. Please edit as appropriate.
	CStay1/ CStayWk/ CStayD/ CStayHr	Interviewers have sometimes put in a note to say that the respondent stayed in different hospitals after the birth –we want to know the total amount of time in any hospital. These answers should be edited appropriately.
Module C	CWgtKilo	Sometimes interviewers have put a note to say that they are unsure how to enter this amount. Please correct. e.g. if the note says 3370 grammes, the amount should be entered as 3.37 kilos. Other notes indicate that the unit had been entered incorrectly and the amount should be in pounds and ounces, please correct as appropriate.
Module C	CDisAge/ CDisD/ CDisW/ CDisM	In some cases interviewers have put a note in the questionnaire to indicate that they have entered the unit incorrectly. Please edit as appropriate.
Module D	DBrstLM DFrmM DCowM DOMlkM DSolidM	These questions ask interviewers to enter monthly amounts. In some cases the interviewer has put a note to indicate that the correct age was e.g. 3.5 months – if possible translate these into weeks (by multiplying by 4.3) and enter amount in weeks, otherwise round up to the nearest whole month.
Module D	DWhLsF	At this question (number of ounces) there is sometimes a note to indicate that the correct number is e.g. 5.5 ounces – please round up to the nearest oz.
Module F	FAgeSep	Sometimes a note gives respondent's age in months when parents separated – round up to nearest year. If separated before respondent was born, enter 0.
Module G	G1UntNw G2UntNw G1UntPr G2UntPR	Often there are notes at these questions indicating what was drunk where interviewers were unsure about how to translate this into units. Please use following guidance to translate the amount given into units and enter number of units: alcopop (e.g. bacardi breezer, moscow mule, vodka ice and other similar pre-mixed drinks) = 1.5 units Can of lager/beer = 2 units

Module	Question Name	Instruction to editor
Module H	HSelfC	We need to identify cases where a partner interview has been done by proxy in error – if there is a note on this question for a partner interview indicating that it was a proxy, please flag to Green team.
Module J	JEmpStY	The lower range at this question was too low in the CAPI program. This means that interviewers often have to enter the correct year in a note. In the edit program the lower range on this has been changed to allow these years to be entered – please be sure that any years recorded in notes are entered here.
Module J	JLngLvA JLngLvD JLngLvW JLngLvM	In some cases interviewers put a note in the questionnaire with exact numbers of days/weeks which they could not enter in the CAPI as they were outside the range allowed. In these cases, we need to round these answers to the nearest weeks/months and enter this in the appropriate variable (if the interviewer had not done so). e.g. if there is a note at JLngLvD indicating that the answer is 50 days, you should recode JLngLva to code 2 (weeks) and enter 7 weeks at JLngLvW.
Module J	JLngLvA JLngLvD JLngLvW JLngLvM	In some cases interviewers have put a note in the questionnaire to indicate that they have entered the unit incorrectly. Please edit as appropriate.

APPENDIX A: ETHICITY CODING

Ethnicity codes (alphabetically)

53	African
21	Albanian
69	Arab
37	Asian and Chinese
18	Baltic States (Estonian, Latvian, Lithuanian)
41	Bangladeshi or British Bangladeshi
33	Black and Asian
34	Black and Chinese
35	Black and White
56	Black British
22	Bosnian
49	British Asian
1	British, Mixed British
64	Buddhist
52	Caribbean
48	Caribbean Asian
59	Chinese
36	Chinese and White
19	Commonwealth of (Russian) Independent States
6	Cornish
23	Croatian
8	Cypriot (part not stated)
44	East African Asian
3	English
62	Filipino
9	Greek
10	Greek Cypriot
16	Gypsy/Romany
65	Hindu
39	Indian or British Indian
73	Iranian
2	Irish
14	Irish Traveller
72	Israeli
13	Italian
61	Japanese
66	Jewish
43	Kashmiri
20	Kosovan
74	Kurdish

- 63 Malaysian
- 71 Middle Eastern (excluding Israeli, Iranian and 'Arab')
- 50 Mixed Asian
- 57 Mixed Black
- 26 Mixed Irish/Other white
- 75 Moroccan
- 78 Multi-ethnic islands: Mauritian, Seychelles, Maldivian,
- St Helena
- 67 Muslim
- 55 Nigerian
- 70 North African
- 7 Northern Irish
- 51 Other Asian, Asian unspecified
- 58 Other Black, Black unspecified
- 28 Other mixed white
- 38 Other Mixed, Mixed unspecified
- 25 Other republics which made up the former Yugoslavia
- 27 Other white European, European Mixed
- 29 Other white, white unspecified
- 40 Pakistani or British Pakistani
- 17 Polish
- 42 Punjabi
- 4 Scottish
- 24 Serbian
- 68 Sikh
- 47 Sinhalese
- 54 Somali
- 77 South and Central American
- 45 Sri Lankan
- 46 Tamil
- 15 Traveller
- 11 Turkish
- 12 Turkish Cypriot
- 60 Vietnamese
- 5 Welsh
- 32 White and Asian
- 31 White and Black African
- 30 White and Black Caribbean

APPENDIX B: CODING GLOSSARIES

CODE FRAME NUMBER 7 - CPrbOth

ADDITIONAL INSTRUCTIONS FOR BACK-CODING

Bleeding in early pregnancy, threatened miscarriage

Examples I had problem to keep hold of baby Bled all through pregnancy

2 Bleeding in later pregnancy

Examples Bled all through pregnancy Abrupted placenta (sp erupted) Persistent/heavy bleeding or loss of blood or haemorrhage Placental abruption Placenta separated

3 Pregnancy diagnosed as twins, triplets or more

Examples Carrying twins and one miscarried Mono amniotic twins Suspected Cian was a twin Triple pregnancy – two had died Twin one lost in early pregnancy

4 Persistent vomiting

Examples Morning sickness Off work due to vomiting Recurrent or persistent vomiting Stomach sickness Throwing up Hyper-emisis

5 Raised Blood Pressure, eclampsia/preeclampsia or toxaemia

Exclude mild or suspected.

Examples High blood pressure High uric acid Hypertension Pre-eclampsia Protein in urine Protein urea Protein large amounts Toxaemia

Exclude mild or suspected.

Omit unless diabetes actually stated.

6 Urinary infection

Examples Cystitis Kidney infection Kidney inflammation Renal infection Urine infection

7 Diabetes

Examples Growing too quickly because of the diabetes Large baby due to diabetes

9 Suspected slow growth of the baby

Examples They thought he/she was too small Small head circumference and abdomen Problem with development

ADDITIONAL CODES

51 Other/Anaemia Omit if slight. Examples Anaemia (sp naemia, anmenia, aenemia, animia, anemia, anaemina, anemenie, enemia) Betathalassaemia Iron count low/iron deficiency/lack of iron/needed full course of iron tablets Thalessemia Pernicious anaemia Rare form of anaemia Sicklecell anaemia

52 Other/Blood group incompatibilities

Examples Antibodies that were destroying the baby's red blood cells Anti-Ds in bloodstream Atypical antibodies/anti k Rhesus disease Rhesus d injection Rhesus incompatibility

53 Other/Other blood disorders including thromboses		
	Exclude Rhesus disease or blood group incompatibility.	
Examples		
Anti-cardiolipine antibodies (= cardiolipi	d)	
Anticardeomylupen antibodies		
Antinuclear antibodies		
Anti phosphalate symptom (= phospholip	id)	
Anti-phospholipid antibody syndrome		
Anti-coagulant drugs		
Anti thrombo citotia		
Blood disorder/and lupus		
Blood thickening/too much iron in blood		
Low platelets		
Lupus		
Lydon factor		
Phlebitis/blood clots in legs (sp fleebitios)	
Primary immune deficiency		
Protein S deficiency		
Too much iron in blood		
Thrombocytopaenia		
Thrombophilia		
Thrombosis/deep vein thrombosis/DVT		
_		

54 Other – Backache, sciatica, prolapsed disc		
Examples		
Backache		
Back gave out		
Back pain		
Back problem		
Bad back		
Lower back pain		
Nerve pain – could hardly walk		

Millennium Cohort Study First Survey: Code Book and Edit Instructions

Prolapsed disc Sciatic nerve Sciatica Slipped disc Scoliosis (sp coliosis) Spondylitis Trapped/pinched nerve (but only if in back or leg)

55 Other – Symphysis pubis dysfunction (SPD)

Examples Dysfunctional synthesis pubis Pelvic split Pubic SIF dysfunction Pubis dysfunction (split pelvis) Pubis symphysis Pubis symphysis dysfunction Separated pelvis, affecting walking Separation of pubic bone SPD Split pelvis Split pubic bone "Symphosis" "Symphosispubis" "Sympsuspyubis deformars" Split symphysis (sp syntheus)

56 Other – Other pelvic joint problems

Examples Displaced Sac Roiliac (= sacroiliac) Pain on the pubic bone Pelvic bone pressure Pelvic bones had not stretched Pelvic disorder Pelvic joint pains Pelvic pain Pelvic problem making movement a problem Pubic bone kept moving

57 Other – Non trivial infections

Omit: colds unless prolonged or repeated, Mastitis, Virus infection unspecified, Paronychia, Whitlow, Impetigo

Examples Abscesses of all types including breast Appendicitis (sp pendasisates) Bronchitis Cervix infection Chest infection Chicken pox Chlamidia (sp clamida) Crohns disease Diarrhoea and vomiting (sp diaraha) Gastroenteritis (sp gastoenteritis)/salmonella Dysentery Gynaecological infections (sp gynalogical) Hepatitis B Herpes/HSV2 Influenza Labyrinthitis Lung infection Meningitis Mrsa skin condition Pancreatitis Pelvic infection Pelvic arthropathy Pleurisy (sp plusary) Pneumonia Septicaemia Shingles Sinusitis Streptococci infection/strep b/group b strep/ (sp streptocci, streptaoculus, heistrep b) Thrush Tonsillitis Toxoplasmosis Ulcerative colitis Womb infection

58 Other – Gestational Diabetes, raised blood sugar, abnormal glucose tolerance

Examples Blood sugar was high, Border diabetes G T T Test - related to diabetes Glucose intolerance High sugar levels High sugar levels - not diabetes High sugar levels - suspected diabetes Sugar in water all through pregnancy Sugar level borderline in pregnancy Too much glucose in my blood

59 Other – Liver, gall bladder problems, cholestasis

Examples Cholecystitis (sp colistritus)

Millennium Cohort Study First Survey: Code Book and Edit Instructions
Cholestasis (sp callistasis, chloristasis, coliastasis, cholestosis, cholostasu, cholastis)

Gall bladder disease Gall stones High liver count – suspected obstetic cholestasis Liver disease/disorder/problem/not functioning properly Obstetric cholestasis Salt in liver constant monitor take tablets

60 Other – Asthma, hay fever, eczema or other allergies

Examples Allergic reaction which caused skin rash Asthma Eczema Hay fever Mainly allergies, skin breaking out etc. Urticaria

61 Other – Depression or mental illness

Examples Because of the drugs i was on which was lithium (sp lithiam) Depression (sp depersion) Depression and panic attacks Insomnia and mild depersion Panic attacks and anxiety and agorophobia Post natal depression Received treatment for mental problems Schizophrenia

62 Other - Neurological problems: epilepsy, faint(s), blackout(s)

Examples Blackout(s) if repeated Convulsion(s) Epileptic fit(s) Epilepsy Faint/fainting attack if repeated Fit(s) Low sugar level and blacked out

63 Other – Other neurological problems, including migraine attacks

Examples

Bells palsy Enlarged pituitary gland/caused headaches Intracranial high pressure (sp intercranial)

Migraine

MS Myaesthenia Pituitary tumour Pituitary cushings disease (sp pitituory)) Severe or recurrent headaches Trigeminal neuralgia Vesticular neuronitos

64 Other – Uterine/labour pains, threatened, incipient or commenced labour

Examples Brackston hicks Early contractions Early labour started Early pains/not sure if contractions or not / False labour pains Kept going into labour/earlier thank expected Neck of womb opened Premature labour Suspected labour Threatened premature birth

65 Other – Early rupture of membranes, leak of amniotic fluid

Leaking amniotic fluid Leaking fluid Leaking waters Leaking water Membranes ruptured Waters broke early Polyp that burst my waters (sp pollip) Premature rupture of the membranes

66 Other – Foetal heart slow, faint, inaudible, foetal distress

Babies irregular heartbeat Couldn't feel the baby moving Couldn't find heart beat Heart rate became erratic Heart rate of baby escalating and then slowing down Low heart rate

67 Other – Other foetal problem, suspected or diagnosed in pregnancy

Amnio centesis-for downs syndrome

Baby diagnosed having Cystic Hygroma Baby had a dilated kidney Baby had enlarged ventricle

Bright bowel suspected in baby Child had heart problem in womb Child was suspected down's syndrome Dextro-cardia suspected First scan had shown thickening on the back of the neck Genetic disorder High risk downs so I had amnio Possible downs syndrome Problem with baby - choroid plexus cysts in his brain (sp chloride plexis) Scans on baby regarding size of head Scans showed problems with babys kidneys She had diabetes Suspected spina bifida - high risk so amniocentesis Baby had very high AFP level Twin to twin transfusion syndrome Two vessel cord

68 Other – Bleeding due to low lying placenta (Placenta Praevia)

Examples Detached placenta grade 4 Grade 3 placenta previa Grade 4 low line placenta Low lying placenta (sp lowline) Low placenta Placenta below baby Placenta in lower segment Placenta previa

69 Other - Too little fluid around the baby

Examples Lack of fluid Loss of fluid around the baby Oligohydramnios Not enough fluid Suspected lack of fluid

70 Other - Accident or injury

Examples Back injury Broken bone Car accident Cracked rib Damaged stomach muscle Fall

Fell on the stairs Fractured pelvis Fractured skull

Had a fall and hurt hip I tore my rectus sheath Pulled abdominal muscles Sprained ankle - had physio Torn muscle in my side

CODE FRAME NUMBER 11 - CProbO

ADDITIONAL INSTRUCTIONS FOR BACK-CODING

2 Breech birth – feet first

Examples (Breech) feet first (Breech) footling His foot was low down

3 Other Abnormal lie e.g. Shoulder first Include where baby's position, lie or presentation abnormal except where breech (qv) = 64occupation posterior (qv) = 56shoulder dystocia =60shoulders **stuck** =60 Examples Arm stuck (Baby) came out chin first (Baby) came out forehead first (Baby) was face down (Baby's) head turned sideways (Baby) got himself into a transverse position (Baby) half turned during the birth and got stuck (Baby) laying in a difficult position (Baby) would not move into birth position (Baby) would not turn head Born with his face up Brow presentation Face presentation Hand on head Hand was up by his head Head in wrong position Oblique position Shoulder presentation Wrong position for birth

4 Very long labour

Examples Very long labour Went into labour Sunday and delivered Thursday

5 Very rapid labour

Examples So quickly delivered had shock Very rapid delivery

6 Foetal distress – Heart rate sign

Examples Couldn't find baby's heart beat Heart beat slowing down Heart had stopped High heart beat for baby Irregular heartbeat Pulling on cord - rapid heart rate The heart stopped on each contraction Tachy-cardio

7 Foetal distress – meconium or other sign

Examples Any mention of meconium Baby didn't have enough oxygen Distress Emptied bowels into my water Low oxygen levels Poohed inside me Soiled inside me Stopped moving Swallowed his pooh/excretions

ADDITIONAL CODES

51 Other – Raised blood pressure

Examples An eclamptic fit High blood pressure Hypertension Illness called Hellp Syndrome B Pre-eclampsia Toxaemia

52 Other – Bleeding due to low lying placenta (Placenta praevia) See glossary for code frame 7

53 Other – Accidental haemorrhage

Examples Abrupted placenta Abruption Accidental haemorrhage Placenta ruptured Uterus erupted

54 Other – Other haemorrhage, origin or timing unclear

Examples

Artery was cut lost a lot of blood Bleeding (unspecified) Blood in water when it broke Blood in the womb so he was drowning Blood loss Blood wouldn't clot Haemorrhage (sp hemoarged) Haemorrhaging Loss of three pints of blood

55 Other – Cord around neck etc.

Include all cord problems.

Examples Baby was holding on to cord Born with cord round her neck Burst the umbilical cord Cord around the body and the legs Cord knotted Cord was coming first Cord plolapsed Cord short and could not get baby out – pushing His cord snapped His cord was short Cord in wrong place Prolapsed cord (sp prolabscord) Ruptured umbilical cord

56 Other – Head at the back (Occipitoposterior)

Examples Baby was in the spine to spine position Back to back Face to pubis Facing wrong way Head was turned the wrong way round Lying l.o.p. Occipito-posterior (OP) Spine against mine

57 Other – Baby's head too big/mother's pelvis too small (Cephalopelvic disproportion)

Examples Android pelvis Baby too big to be delivered normally

Baby's head too large Baby's size

Birth canal was not big enough to take baby Disproportion I was too small for a normal delivery pelvis too narrow/small

58 Other – Unable to push baby out (Uterine Inertia)

Examples Contractions stopped for brief period Couldn't push baby out Mother was unable to push due to membrane Non productive contractions Uterus did not contract

59 Other – Delay in labour, cervical	
	Include difficulty in dilatation or engagement
Examples	
Cervix around head	
Cervix not dilating	
Cervix not opening	
Cervix too narrow	
Cervix stuck	
Difficulty with head engaging with birth	
Failed to dilate sufficiently	
Head swelling/not dilating	
Head wouldn't engage	
Only dilated on one side	
Scar tissue on cervix	
Stopped dilating	
Told to push too soon	

60 Other – Delay in labour, insufficient or partial information

Include all other delays in labour or delivery

Examples Baby got stuck Baby's head was pushing against the side Could not get baby's head out – pushing Did not turn shoulder Failure to progress through birth canal Having contractions every night for 3 weeks He wouldn't come out, don't know why Head got stuck Head wouldn't come into birth canal Obstructed labour

Shoulder dystocia (sp dystochia, dyspoca, distortia, distocia, dystacia, distosia Shoulders were stuck

Shoulders too big too get him out Stuck in back passage Stuck in my pelvis Too slow a labour Trouble getting him out Tilted womb

61 Other – Severe maternal distress

Omit if definitely occurred after delivery

Examples Became very distressed Fainted during labour I had a cardiac arrest Heart rate dropped I stopped breathing Operation for blood clots on chest Problems caused by my illness/muscular Prolapsed bowel Rapid blood pressure drop Went into shock

62 Other – Baby ill, at or after birth, without mention of mother

Examples Apgar score 1/10 Baby had problems breathing Bile on chest (chlothorax) Blood sugar level low Blue baby Born purple, swallowed blood-clot Breathing difficulties Cold at birth/very cold Cord wrapped round neck dead when born Cyst on tongue Delay in breathing Difficulty in breathing Dilated kidney meant very cold Displaced hips Endoscopy Encephalocoele (sp encephoseale) Erbs palsy Fractured collarbone General anaesthetic affected him Given oxygen Grunting since delivery He was born with diabetes

He would not feed Incubator In special care unit

IPPV & cardiac massage Jaundice Mucus in mouth Lung problems Not breathing to start with Passed out and brought back by oxygen Put on a ventilator Resuscitation necessary She had a cleft lip Struggled to breathe Suffered from fluid in the lungs

63 Other – Maternal or placental problem post delivery	
	Must take place after birth of baby
Examples	-
Bleeding after the birth	
Blood transfusion for mother	
Episiotomy had been performed	
Failure to remove after birth	
Difficulty getting the placenta out	
Had to be cut	
Had to have placenta removed in theatre	
Had to have stitches afterwards	
Haemorrhage after birth	
Immediately after the birth blood clots	
Loss of three pints of blood	
Placenta didn't come away	
Post-partum haemorrhage	
Post placental clot	
Retained placenta	
Third degree tear	

64 Other – Breech delivery other than footling

Include all other breech deliveries

Examples Breech, bottom first Breech, legs apart Delivered by bum first Undiagnosed breech

65 Other – Baby born early, premature, low birth weight

Examples Born too early Extremely premature He was just very early and very small Low birth weight of baby Premature baby

66 Other – Instrumentation, forceps, ventouse

Examples Forceps Had to use ventouse to get him out Needed to use forceps to get baby out Needed vacuum extraction They used suction Ventouse (sp venveust, venteuse)

67 Other – Infection in labour

Omit suspected infection. Refers to maternal infection.

Examples A stomach infection Antibiotics for strep b High temperature I had flu symptoms and a high temp Infection as waters broke Intravenous antibiotics Maternal pyrexia, unknown cause Septicaemia e coli B Womb infection

69 Other – Caesarean section (CS)

Examples Caesarean/C-section/CS CS for an eclamptic fit CS for an encephalseal on her head Caesarean was for mothers benefit (sp cecerian) Emergency C.section

71 Other – Early rupture of membranes

Examples Lack of amniotic fluid Water broke early

CODE FRAMES 12 AND 13 - CWrgob and CWrgkwo

ADDITIONAL INSTRUCTIONS FOR BACK-CODING

2 Delay in breathing at birth

These codes can be used for CWrgWkO as well as CWrgOB

Examples Apnea Blue baby Born with a cold, went blue Concern with breathing initially Didnt cry at birth Drowsy at birth Had to suck her out at birth In shock Needed resuscitation at birth Problems breathing Respiratory distress in first minute

3 Breathing Difficulty or distress in first week

These codes can be used for CWrgOB as well as CWrgWkO

Examples Breathing too fast Breathing problems in first few weeks Bronchiolitis Bronchitis (sp broncoitus) Collapsed lung Grunting Kept going blue and stopped breathing Keep making grunting noises Problems with lungs Very distressed – monitored

4 Jaundice requiring hospital t	reatment
	Omit if slight or a little jaundice
	Omit unless jaundice treated in hospital
<i>Examples</i> Any mention	

5 Infection or suspected infection

Include every infection specified.

Examples Belly button wouldn't heal

Boil under her arm pit Cold and flu Conjunctivitis Cord was infected Cough and cold E.Coli in urine Eye infection Eyes kept weeping and gunging up Granuloma on umbilical cord Had a cold Impetigo (sp impetayo) Infection in breast Infection in his gut Infection of the umbilical cord Meconium infection Meningitis Renal infection Septic umbilicus Skin infection Sticky eye Strep B Suspected chicken pox Thrush

ADDITIONAL CODES

51 Other – Low body temperature		
	Omit if slightly cold or a little low (ered)	
Examples		
Cold at birth		
Difficulty keeping temperature up		
Hypothermia		
Loss of body temp		
Temp quite low/low/dropped to 35°		
Unable to hold body temperature		

52 Other – Low blood sugar level

Omit if slightly low (ered)

Examples Blood sugar dropped/low/very low Hypoglycaemic Low sugar rate Sugar level down

53 Other – cord round neck

Examples

Any mention of cord complication

54 Other – Birth Injury

Include all injuries at or just after birth Examples Arm hanging Bad bruising Badly bruised shoulder dislocated Badly bruised and reflexed ? neck Brain haemorrhage Broken clavicle Broken collar bone Bruised and squashed face Bruised arm Bruising of the head Cephalhaematoma Cerebral bleed (sp cerebal) Couldn't move one arm Cut on head from forceps Eye bruise Facial palsy Floppy hand/couldnt move it (sp floopy) Had a blood clot in his eye Legs didn't move for four days Nerve damage to her shoulder Palsy on left arm She had erbs palsy (sp erb'bulsey) Stitches in her head Suspected fractured skull They cut his head when they cut me

55 Other – Meconium, mucus or fluid aspiration, heart rate or other foetal distress

Examples Babys heart rate was dipping Bradycardias Fast heart beat Fluid on lungs Had to have his stomach vacuumed He needed suction, he was full of mucus (sp muccas) Heart beat too slow His head was swelling during labour Meconium Meconium in lungs Mucus in lungs Mucus on chest Mucus up nose Opened his bowels inside and swallowed Sticky lungs Swallowed a lot of mucus during birth Swallowed meconium so was being sick (sp myconium)

56 Other – Failure to thrive, excess loss of weight

Examples Excessive weight loss Lost a lot of weight Lost more than Aberdeen Maternity calculated Lost more than 10% bodyweight Lost weight Not eating Underweight Weight kept going down

57 Other – Mention of intensive care, special care unit, incubator

Examples Mention of baby unit Mention of intensive care Mention of incubator Mention of special care unit

58 Other – Tube fed, nasogastric feeds

Examples Fed by gastric or nasal tube He was tube fed Nasal drip feed

59 Other – Other feeding problems, vomiting

Examples Bringing up blood Could not suckle Could not take milk Difficulty in feeding Failure to feed Gastric reflux Kept being sick all the time No sucking reflex Needed to regulate her feeding Sick frequently Vomiting Would feed properly Wouldn't take breast

60 Other – Other major procedures, transfusion, operation, ventilation, intravenous (IV) drip, oxygen

Refers to baby and not mother.

Examples Blood transfusion Drip in finger Heart monitor On a ventilator Oxygen needed/given Put on a drip Respirator

61 Other – Maternal or labour problem without mention of baby

Examples Burst waters High thyroid – taking thyroxin Mother required a blood transfusion Placenta ruptured (Foetus) swinging in mothers womb Thyroid problem

62 Born early, premature, low birthweight

Examples Birthweight low/small/very small/very low Born early/very early Premature/very premature/severely premature Too tiny

63 Other – Convulsions, fits, jittery

Examples Convulsions Epilepsy Fit(s) at birth/fit(s) in first week Jittery Low sodium level – jittery and eyes rolled Nervous twitch Shook non-stop Taking seizures Twitched

CODE FRAME NUMBER 16 - DWhPrbX

ADDITIONAL INSTRUCTIONS FOR BACK-CODING

1 Chest Infections

Examples Abcess on her lung Bronchiolitis (sp bronchitilitious, bronchialetis, bronchylitis, bronchilens, bronchileols) Bronchitis (sp broncoites, bronchitis, broncheitis, bronchitis) Chest infection(s) Chronic lung disease (sp chrinical) Pneumonia Rsv (breathing problems)

2 Ear Infections

Omit suspected ear infection, deafness, failed hearing test

Examples Burst eardrum Congestion of ear drum Eardrum inflamed Ear infection Hearing infection Perforated eardrum Running ear

3 Feeding Problems

Examples

Bringing up milk after and in-between feeds Dehydrating - not feeding from breast Digestive problems Doesn't drink milk or other liquid Not eating Not taking bottle Possetting Problems with formula milk Sick when taking bottle Problems regarding breast feeding Slow digestive system Stomach problem Stomach upsets Very bad eating problem

4 Sleeping Problems

Examples Constant screaming Rigid movements in sleep Sleep apoea (sp apnia) Wouldn't wake up

5 Wheezing or asthma

Any mention

6 Skin Problems

Examples Blood blister/blisters on body Cradle cap Dry skin on her face Erythema – meltaforma Fever and skin rash Folliculytis Meningitis type rash Rash – bad/generalised/heat/nappy/teething/allergic Ringworm Scabies Sore bottom Spot on his bottom surgically removed Sunburn Virus – causing severe rash

7 Sight or Eye problems

Examples Blocked tear duct Eye problems Eye turning Lazy eye Lump in corner of eye Slightly turned in eye

8 Failure to gain weight or grow

Examples Failure to thrive Losing weight Low weight Not gaining weight Slow head growth Slow weight gain

9 Persistent or severe vomiting

Omit vomiting and diarrhoea =58

Omit diarrhoea and vomiting =58

Examples Dehydration from vomiting Intermittent vomiting Projectile vomiting

10 Persistent or severe diarrhoea

Examples Dehydration from diarrhoea Going to loo a lot Moderate diarrhoea

11 Fits or convulsions

Examples He had a few convulsions Possible fit Shaking

ADDITIONAL CODES

51 Other – High temperature/acute viral infection unspecified

Examples Fever – high temperature Fever from viral infection Flu type virus with very high temperature High fever High temperature High temperature diagnosed as a virus. Hot-viral infection Persistent high fever-pyrexia Viral infection unspecified Viral 24 hour fever Viral problem – rash Viral problem of stomach Virus with feverish symptoms

52 Other – Chicken pox

Examples Any mention

Omit suspected

53 Other – Measles or whooping cough

Omit suspected

Examples Any mention

54 Other - Urinary Tract Infection

Examples Cystitis Kidney inflammation Kidney infection Kidney problem-infection Pyelitis Urine infection Water infection

55 Other – Infection of nose or throat, croup, flu or severe cough

Examples Blocked nose and chest Blocked sinus Chesty cough Coughs Croup Flu Influenza Large ulcer at the back of throat Laryngitis Nasal blockage Nose and throat infection Severe cough Sore throat Strep throat Stuffy nose Throat infection Throat problems Tonsillitis (sp tonsolitis)

56 Other – Colds

Examples Blocked nose due to cold Breathing problems due to a cold Cold Cold/blocked nose. Colds and coughs Cold and fever Common colds Head colds

57 Other – Thrush

Examples Thrush Oral thrush Thrush on penis

58 Other – Other severe infection

Examples Abscess on spine Blood infection Breast abscess and cellulitis Cyclomegalo virus Encephalitis Gastro enteritis German measles Glandula fever Herpes virus Meningitis Meningoccal septicaemia Mumps Perianal abcess Pneumoccal septicaemia (sp pneumococcai) Scarlet fever Strep infection

59 Other – Other mild infection

Examples Abscesses on anus Boil on bottom Bowel infection Conjunctivitis Eve infection Fifth disease (sp fiths) Fistula Foot and mouth Foot infection Granuloma on umbilical cord Impetigo Infected belly button Infected finger nail Ingrown toenail Little white ulcers all around baby's mouth Mastitis Mild rubella Mouth Ulcer Paronychia Rotavirus Septic finger

Stomach infection Stomach virus Suspected german measles Suspected meningitis Umbilical cord infection Unbilical granuloma Weeping navel

60 Other – Breathing problems

Examples Apnoea (sp apnia) Choking Could not get her breath Forgot to breathe Respiratory problem Stopped breathing Turned blue

61 Other – Eczema

Examples Any mention

62 Other – Other allergy, except wheezing, asthma or eczema

Examples Allergy Allergic to sticking plaster Food allergies Hay fever Lactose intolerance Milk allergy Suspected food allergy Soap powder allergy

63 Other – Colic

Examples Any mention

64 Other – Constipation or bleeding from bowel

Examples Anal fissure (sp fissa) Bleeding in his stools Bleeding around her bottom known as fissure (sp fishers) Bowel problem

65 Other – Jaundice

Omit slight and mild

Examples Any mention

66 Other – Hernia

Examples Any mention Protruding belly button Mention of hernia Omit hiatus hernia

67 Other – Reaction to Immunisation

Examples Reaction to injection

68 Other – Reflux or other vomiting

Examples Gastric reflux Hiatus hernia Oesophageal reflux Reflux

CODE FRAME 18 - DhspAx

ADDITIONAL INSTRUCTIONS FOR BACK-CODING

1 Gastro-enteritis

Examples Gastroenteritis Green slime from nose and mouth/dehydration Sickness and diarrhoea Vomiting and diarrhoea

2 Chest infection or pneumonia

Examples Abscess on her lung Bronchiolitis (sp bronchilitis, brochilotioies) Bronchitis (sp bronchitos, broncoites) Chronic lung disease Pneumonia Suspected bronchiolitis

3 Wheezing or asthma

Examples Any mention

4 Convulsion, fit or loss of consciousness

Examples

Any mention

5 Meningitis

Omit suspected meningitis or just meningitis type rash

Examples Any mention

6 Pyloric Stenosis

Examples Pyloryotomy narrowing pyloris (opening to stomach)

7 Hernia

Omit hiatus hernia

Examples Any mention

8 Circumcision

Examples Any mention

ADDITIONAL CODES

50 Other – High temperature/acute viral infection unspecified

Fever - high temperature. Fever from viral infection Flu-type virus with very high temperature High temperature High temperature and vomiting Persistent high fever-pyrexia High temperature diagnosed as a virus Viral infection Virus with feverish symptoms

51 Other – Chicken pox

Examples Any mention

52 Other – measles or whooping cough

Examples Any mention

53 Other - Urinary Tract Infection

Examples Cystitis Kidney infection Kidney inflammation Protein in water Urine infection Water infection

54 Other – Infection of nose, ear or throat, croup, flu or severe cough

Examples Blocked nose and chest Blocked sinus Chesty cough Colds and flu Cough Croup Ear infection Fever and infection throat Flu Influenza Large ulcer at the back of throat Laryngitis Nasal blockage cured by drops Nose and throat infection Sore throat Strep throat Stuffy nose Throat infection Throat problems Tonsillitis

55 Other - severe infection

Examples Abscess on throat Encephalitis Herpes Orbital cellulitis Perianal abscess Septicaemia Septic arthritis Staphaureus blood infection Strep infection

56 Other – Other mild infection

Absess in the ear which burst Belly button infection Boil Breast abscess Campylobacter(sp chlampobacter) Conjunctivitis Fistula Foot infection Impetigo

Infection little toe	
Internal infection	
Paronychia	
Rotavirus	
RSV	
Spot on the bot(!)	
Stomach virus	
Suspected infection	
Suspected meningitis	

Omit if obvious infection or any mention of infection
Only in obvious infection of any mention of infection
amplea
camples
onoea
by went blue
eathing difficulties
noking episode
vanotic episode (sp syntotic)
rgot to breath, went blue
ad stopped breathing
egular breathing
spiratory problem
opped breathing

58 Other – Feeding problems

Omit if mention of vomiting or reflux

Examples Feeding difficulty Feeding problems/had lost sucking reflex Not drinking milk Not feeding Not taking fluids Problems with breastfeeding Wasn't eating

59 Other – Skin problems including rashes

Examples Meningitis type rash Rash Rash possibly measles Red bruise to the front of the forehead Skin problem/infection Spots - they never said what they were Viral rash

60 Other – eczema

Examples

Any mention

61 Other – other allergy, except wheezing, asthma or eczema

A milk allergy Allergic to sticking plaster/baked beans/penicillin/soap powder Food allergies Hay fever Lactose intolerance

62 Other – colic

Examples Any mention

63 Other – Constipation or bleeding from bowel

Examples Anal fissure (sp fissa) Bleeding in his stools Bleeding around her bottom known as fissure (sp fishers) Bowel problem Constipation Rectal bleeding

64 Other – jaundice

Examples Any mention 'billy ruben'

65 Other – Failure to gain weight or grow

Examples Failure to gain weight Failure to thrive Underweight Weight loss Weight problems

66 Other – Persistent or severe diarrhoea, except gastroenteritis

Examples Dehydration from diarrhoea Diarrhoea where not accompanied by vomiting Persistent diarrhoea

67 Other – Reactions(s) to immunisation(s)

Examples Lethargic following MMR Reaction to injection Stopped breathing after first shot Trauma post immunisation

68 Other – Severe or persistent vomiting

If accompanied by diarrhoea, code as gastroenteritis

Examples Dehydration due to persistent vomiting Persistent vomiting – projectile Projectile sick Projectile vomiting Severe vomiting

69 Other – Reflux or other vomiting	
	Omit if persistent, severe or projectile
Examples	
Bringing up blood	
Bringing up milk every time	
Reflux	
Reflux vomiting with cramps	
Sickness	
Stomach upset	
Unable to keep her milk down	
Vomiting	
Vomiting blood/dehydration	
Vomiting from breast feeding	

CODE FRAME 21 - DHItWrX

ADDITIONAL INSTRUCTIONS FOR BACK-CODING

2 **Problem with hearing**

Examples Any mention

3 Problem with seeing

Examples Cataract Worried about state of her eyes

4 **Problems with movement**

Examples Crawling slow Does not put anything in her mouth Doesn't put whole foot on floor He doesn't turn over from lying on back High risk of cerebral palsy Legs very floppy and quite weak Not sitting up yet Slow to pick things up Wonder if she should be using her legs

5 Slow development

Examples Behind with development Concerned with effect of past meningitis Rather slow Possible brain damage Slow development Slow due to Downs Worried how he can be independent Worried about development because was premature

6 Problem in making noises or learning to speak

Examples Dyslexia Severely dyslexic Lisp Worried about language development

ADDITIONAL CODES

51 Other – Urinary tract, upper respiratory tract infections, colds, coughs, chest infections

Include all infections here

Examples Bad Chest Chest infection Coughs and colds Persistent cough Sore throats and thrush Urinary tract infection

52 Other – Lower respiratory problem (no mention of infection)

Include also breathing difficulties

Examples Apnoea Breathing difficulties Chest problems Chestiness I can hear when she is breathing Future respiratory problems (sp respitory) Has a rattly chest His weak chest

53 Other – asthma or wheezing

Examples Any mention

54 Other – eczema

Examples Any mention

55 Other – Other allergy, except asthma, wheezing or eczema

Examples Allergies Allergy to peanuts Food intolerance Intolerant to dairy products Nut allergies Skin allergy due to milk intolerance

56 Other – Other skin problems including rashes

Examples Concerns about dry skin Flat patch on the crown of his head Just rash on face Skin problem Suffers from dry skin, like me

57 Other – Feeding problems

Examples Does not eat well Does not like lumps Doesn't like to eat Eating problem Feeding difficulties He has a reflux problem Lack of intake of milk Not eating properly She doesn't eat solids very well, She hates her bottle She is slow with feeding She is teething so having feed problems She takes the breast but vomits solids Slow to eat solid food

58 Other – Sleeping problems

Examples Crying at night -wakes up lots of times Doesn't sleep Problems with sleeping Sleeping Wakes up a lot at night

59 Other – Behavioural problems

Examples Clingy Crying all the time Hyperactive Sometimes cries a lot and we get scared

60 Other – Skeletal problems
Omit if mention of congenital malformation
Examples
Bandy legs
Bowed legs
Bump growing on head
Clicky shoulder
Doubts about head shape
Extra muscle in leg
Head shape irregular
His bones crack
Lump on the back of his neck
One leg fatter than other
Pigeon toes/feet slant in
Rib problem
Shape of head/born with flat head/waiting
Slight flatness at side of head
Soft spot on head closed too early
Very flat head and circumference

61 Other – Squint

Examples Cosmetic eye worries Cross eyes Mild squint slight eye defect Slightly lazy eye Slight turn in eye Turn in his right eye

62 Other – Underweight, failure to gain weight

Examples Concerned about putting on weight Has lost weight Light weight Losing weight Low weight Not gaining weight properly Not quite heavy enough Very thin/slim/skinny Underweight Weight gain problem Worries about her weight

63 Other – Failure to grow - underheight

Examples

Concerned about her growth Growth is slow/peaked off He wasn't growing properly in the womb Health visitor said not growing Height seems small She grows very slowly Slow physical growth Small for age Still tiny and petite

64 Other – constipation or bleeding from bowels

Examples Constipation Constipation with bleeding His toilet problem

65 Other – Late teething or no teeth

Examples Hasn't got any teeth yet Late teething No teeth Teething for ages but no teeth Tooth is not coming through straight

CONGENITAL ABNORMALITIES – ALL APPROPRIATE QUESTIONS

CODE FRAMES: 12 (CWrgOB), 13 (CWrgWko), 16 (DWhPrbX), 18 (DHSpAX), 21 (DHltWrX)

70 Other – Congenital heart disease, definite

Examples Aortic arch hypoplasia Cardio myopathy Congenital heart disease Co-artlation Hole in the heart PDA – a valve in heart which doesn't close Pulmonary artery stenosis Pulmonary hypertension Small hole in heart Tetralogy fallots (sp trachology) Valve not opened enough Ventricular septum defect Very small hole in heart

71 Other – Congenital heart disease, not yet definite

Examples cvt heart problem Extra blood vessel in the heart Heart murmur (sp murmer, murmor, mermour, mummar) Heart condition when born Heart problem (not further specified) Suspected heart murmur Suspected heart problems

72 Other – Congenital dislocation of hip, definite

Examples Congenital dislocation of hip/hips (CDH) Congenital hypoplasia Dislocated hip/hips

73 Other – Congenital dislocation of hip, not yet definite

Examples Abnormal hip scan Clicking hip CDH (Clicky hips) problem Dislocatable hip Hip displacement noted by health visitor Hip joint - the socket is too shallow Hip stiffness which is checked periodically Immature hip joint Sticky hips Stiff left hip

74 Other – Clubfoot (Talipes equinovarus), definite

Examples Bilateral or unilateral talipes (sp talopese, talibeize) Club foot Feet turned in Inturned foot (strapped) Talipes feet pointing inwards

75 Other – Clubfoot (Talipes equinovarus), not yet definite

Examples Bent foot in womb Foot bent quite far out Foot problem Foot twisted Foot turning outward Feet were turned out Leg was bent Positional talipes (sp telepeese) Posterior talipes (sp telepeese) Slightly clubfoot Slightly deformed foot when born Talipes calcaneovalgus

76 Other – Specified skeletal abnormalities (bone, skull, spine, limb or other skeletal)

Examples Abnomality in head shape Achondroplasia Aperts syndrome Bone in head fused early Born with extra finger(s)/extra toe(s)/extra digit(s) Born with no left arm below elbow, Brittle bones "Bylateral kefler hymatomer syndrome" Contracted middle two fingers Craniosynostosis – fused bones in the skull Deformity of side of head Double thumb
Hammer toe Lipoma on bottom of back, bladder affected Metopic suture closed (early) Nasal bridge not developed No arm below elbow Problems with cranial development, his head is too large Sagittal synostosis (sp sagital simostosis) Scoliosis of spine Severe damage due to ambiotic bands Small head/microcephaly "Syndrome klippeltrenauney" Plagiocephaly – misalignment of head and torso Poly-dactyl Two joined toes Very large head

77 Other – Urogenital abnormalities

Examples Blocked bladder Cystic kidney Duplex kidney Dysplastic kidney "Echobright kidney" Fuid around the testicle (= hydrocele) Hydrocele (sp hydrosill/hydroceal) Hypospadias (sp hypospadious, hyperspacers, hypospadius) Kidney problem/dilation Only one kidney Reflux kidney/ureter/bladder Swollen testicles (hydrocele) Ureterocoele Urethral opening blocked Vesicouretaric reflux

78 Other – Gastrointestinal abnormalities

Examples Abnormal hole near anus (sp annus) Anal transposition Bowel was outside Colon removal at birth Diaphragmatic hernia Diaphramatic eventration Exomphalos Gastroschisis Hirschrungs Malrotation Pyloric stenosis

Millennium Cohort Study First Survey: Code Book and Edit Instructions

Rectoperineal fistula with no anal opening Salivary cyst Tracheo-oesphageal (fistula) Twisted bowel

79 Other – Harelip/cleft palette

Examples cleft lip /cleft palate cleft lip and gum

80 Other – Skin Abnormalities

Omit Mongolian birthmark

Examples Abnormal blood vessel under skin Birth mark Birthmark on throat Haemangioma Naevus on forehead (sp naevas) Raised blood vessels Strawberry mark Very large mole/mole

81 Other – Chromosomal or genetic abnormalities

Examples Amhydrotic ectodermal dysplasia Cline felter syndrome Cromosome 49 xxxxy Cystic fibrosis (sp frobosis) Di/george syndrone 22Q11.2 Downs Syndrome Phenyl ketonuria Sickle cell trait Spherocytosis Turner syndrome

82 Other – Brain, central nervous, spinal cord or special sense abnormalities

Examples NB catarects has a separate code on code frame 21 Born deaf Cataract Cataracts on both eyes Dandy Walker variant of developmental brain malformation Decompression of spinal cord caused by a piece of bone Defect in right eye – coloboma Ear lobe not connected properly Ear not properly developed Left ear, weak hearing

Millennium Cohort Study First Survey: Code Book and Edit Instructions

Micophthalmia Mark on the iris of eye Neurofibromatosis Profound deafness

83 Other - Other congenital abnormalities, major

Examples Breathing problems due to having part of one lung missing Congenital hypothyroidism Gangliosidosis (type 1) Hemangiomas round liver Hypo-glycaemia Hypo-adrenalism "Inherited arginino succiniy acidia" Laryngotracheal malacia Maple syrup urine disease Thyroid problem Tumour on lung

84 Other – Other congenital abnormalities, minor

Examples Congenital stridor Finger tags Floppy epiglottis (sp epiglautis) Floppy larynx Hole at back of spine Left ear low Skin tag on his left ear Testicle undescended/not dropped/problem/only one/(sp underscended) Toes were split on two toes

APPENDIX C: KEY TO CODE FRAMES

Code Frame	Original Question	Variable name	Page Number
Number	Name	in data	
1	OthLang	MOthlang	12
2	EthnicE/ EthnicW/ EthnicS/ EthnicNI	XEthnic	14
3	BbEthE/ BbEthW/ BbEthS/ BbEthNI	XBbEth	17
4	AnretE/ AnretW/ AnretS/ AnretNI	AXRenX	20
5	AWhyFst	AWhyFst	23
6	CFerTrt	CMFerTrt	24
7	CProb	CMProb	26
8	CbornWh	CbornWh	28
9	CDelT	CMDelT	29
10	CPain	CMPain	30
11	CProbs	CMProbs	32
12	CWrong (1)	CMWrong	34
12	CWrong (2)	CMWrong	37
14	DImmAny	DXImmWy	40
15	DImmAll	DXImmWy	42
16	DWhPrb	DMWhPrb	44
17	DAccA	DMAccA	47
18	DHspA	DHspA	49
19	DSlpRm	DMSlpRm	52
20	DSlpBed	DMSlpBed	53
21	DHltWr	DMHltWr	54
22	EAct	EAct	57
23	ECare	EMCare	59
24	EOthWho	EMOthWho	61
25	FWhrLiv	FWhrLiv	63
26	FParHlp	FMParHlp	65
27	GLongWht	GLongWht	67
28	Gtypcan	GMTypCan	68
29	HRefuse	HMRefuse	69
30	JRtnWy	JMRtnWy	71
31	JNoLkWy	JMNoLkWy	73
32	JPStat	JPStat	75
33	JJobdo	JJobdo	76
34	JWkWhy	JMWkWhy	77
35	JJbChg	JMJbChg	79
36	JTakeB	JTakeB	81
37	JGrossB	JGrossB	83
38	JBen	JMBen	85
39	JWFTCDur	JWFTCDur	87
40	JOth	JMOth	89
40	JFinChg (1)		91
41	Jr meng (1)	JXFinBet	71

42	JFinChg (2)	JXFinWor	93
43	KTypeAc	KTypeAc	94
44	KWhyMove	KMWhyMov	95
45	KYHomLs	KYHomLs	97
46	KWherSty	KMWherSt	99
47	LRelig	LRelig	100
48	LYNoTm	LMYNoTm	102
49	LDiff	LXDiff	104
50	LBest	LXBest	106
51	ProxRea	ProxRea	108
52	ProxEE/ ProxEW/	XProxE	109
	ProxES/ ProxNI		
53	ProxHlp	MProxHlp	112
54	ProxAct	ProxAct	114
55	ProxJobT/	ProxJobT/	116
	ProxJbDo	ProxJbDo	
56	ProxPrN	ProxPrN	117
57	ProxPrG	ProxPrG	119
58	ZNoCons	ZXNoCons	121
59	MainLang	MainLang	122
60	PartLang	PartLang	124

APPENDIX D: NORTHERN IRELAND VARIATIONS

In The Northern Ireland (NI) CAPI program, 3 of the questions had a different set of response options to Great Britain.

These 3 questions are: Othlang (code frame 1) FWhrLiv (code frame 25) LRelig (code frame 47)

These 3 code frames are specified below, with the relevant original response options and the additional codes that are used in the edit program. You should refer to this appendix for these 3 questions. For all other code frames, the main MCS codebook can be used.

As a result of these differences between NI and GB, new instructions about how to carry out coding are needed.

Othlang - code frame 1

Although the original response categories are slightly different at this question, the additional categories are the same. You should backcode/code to the original/additional categories as normal. There is no longer a code for 'Gaelic' – this should now be coded to 51 'Other European'. As there are now codes for 'Irish' and 'Ulster Scots', any other answers giving these languages should be back-coded to these categories in the original code frame (not 51 'Other European').

FWhrLiv – code frame 25

The original categories for this question were different in Northern Ireland. We have added the same additional categories. You should backcode/code to the original/additional categories as normal.

However, for the first few waves of fieldwork, (w5-w7) Northern Ireland used the same response categories as GB. In order that the NI data is consisent across waves, we need to translate the responses given to the during the first few waves to the code frame that was used subsequently in NI. This will be done automatically before the data is given to you to edit. For most categories this was straightforward, however it was not possible to translate the category '(Children's home – not sure which type)' which was on the original code frame into one of the categories on the final NI code frame. As a result we have added this as an additional category (code 50) to the final NI code frame. This means that for w2_w7, it is possible that the 'original' answer may be code 50. This code can be used for coding answers for all waves.

Lrelig – code frame 47

The original categories for this question were different in Northern Ireland. These differences have meant that the additional categories had to be slightly different for NI. In Northern Ireland, 'Brethren' was offered in the original code frame. In GB, Brethren were coded to the additional category 51 'Other Christian Churches: Independent'. However, Brethren were not the only group coded to 51. For NI, Brethren should be back-coded to the original category i.e. code 16. Code 51 should be used for other independent Christian churches which are NOT Brethren. In addition, in NI 'Protestant – not specified' was offered as an original category. In GB, there was an additional category 55 'Other Protestant'.

Millennium Cohort Study First Survey: Code Book and Edit Instructions

As a result in the edit program, code 55 is not offered and all other protestant churches should be back-coded to code 17.

CODE FRAME NUMBER 1 (FREELANCER)

Block: Question type:	Household Module Other specify
Question: Question text:	OthLang Which other language(s) are spoken at home? CODE ALL THAT APPLY
Question: Question text:	OthLangX (backcoded to XOthLang) INTERVIEWER TYPE IN OTHER LANGUAGE(S) USUALLY SPOKEN AT HOME
Routing:	IF another language [OthLang= 95]

MULTICODE - CODE ALL THAT APPLY

1	Welsh
2	Irish
3	Ulster – Scots
4	Urdu
5	Punjabi
6	Gujarati
7	Hindi
8	Bengali
9	Sylheti
10	Cantonese
11	Somali
12	Tamil
13	Turkish
14	Kurdish
15	Arabic
95	Other

Additional codes:

51	Other/Other European language
52	Other/Other African Language (e.g. Ibo, Shona, Ewondo, Chichewa, Luganda, Akan, Congo Zaire, Kikumba, Afrikaans, Krio, Nigeria, Kswaili, Zulu, Setswana, Mandinga, Marathi, Kinyarwanda, Azulu, Xhosa, Amharic, Tigrigna, Hausa, Ghanian, Kikuyu, Gambian, Sierre Leonean, Swahili, Twi/Ga, Yoruba).
53	Other/Other Asian Language (e.g. Hinko, Memon, Telegu, Pushto, Mirpuri, Kashmiri, Vietnamese)
<u>Other</u>	

- 85 Other answer (not codeable 1-15, 51-53)
- 86 Irrelevant response

Where possible backcode 'other' answers (95) to **XOthLang** (1-15). Otherwise assign the additional codes (51-53) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 25 (FREELANCER)

Block:	F: Grandparents and Friends
Question type:	Other specify
Question: Question text:	FWhrLiv CARD F1 Where did you mainly live (<i>^before the age of 17</i>)?
Question:	FWhrLiX (backcoded to FWhrLiv)
Question text:	INTERVIEWER: TYPE IN OTHER ANSWER
Routing:	<i>IF mainly lived in another place</i> [<i>FWhrLiv</i> =7]

CODE ONE ONLY

1	Statutory children's home	
2	Foster parents	
3	Voluntary children's home	
4	Boarding school	
5	Living with relatives	
'with biolo	E.g. 'looked after by my maternal aunt and uncle' 'with biological father' Don't include god-parents or partner's family	
6	Prison or Offenders centre	
7	Some other place	

Additional codes

50	Other/Children's home – not sure which type
51	Other/Own flat/house/bedsit
52	Other/Live-in work (including the armed forces etc)
	e.g. 'joined RAF and lived in barracks' 'live in job at a hotel' Include other armed forces, live-in nannys, nurse accomodation etc
53	Other/Living with partner (including partner's family)
	e.g. 'at girlfriend's parents'

Millennium Cohort Study First Survey: Code Book and Edit Instructions

55	Other/Living with friends
	Include living with friends' parents
55	Other/Living in a homeless residence
<u>Other</u>	
0.5	

- 85 Other answer (not codeable 1-6, 50-55)
- 86 Irrelevant response

Where possible backcode 'other' answers (7) to **FWhrLiv** (1-6). Otherwise assign one of the additional codes (50-55) or one of the 'other' codes (85-86) as appropriate.

CODE FRAME NUMBER 47 (FREELANCER)

Block:	L: Interests, time with baby
Question type:	Other specify
Question: Question text:	LRelig Do you regard yourself as belonging to any particular religion? IF YES: Which?
Question:	LReligX (backcoded to LRelig)
Question text:	INTERVIEWER: TYPE IN OTHER RELIGION
Routing:	IF Other Christian or other non Christian [LRelig =10, 18]

CODE ONE ONLY

1	No religion
2	Christian, no denomination
3	Roman Catholic
4	Church of England/Ireland/Anglican/Episcopal
5	United Reformed Church (URC)/Congregational
6	Baptist
7	Methodist
8	Presbyterian/Church of Scotland
9	Free Presbyterian
10	Other Christian
11	Hindu
12	Jew
13	Muslim/Islam
14	Sikh
15	Buddhist
16	Brethren e.g. Christian Brethren, Darby Brethren, Plymouth Brethren

17	Protestant – not specified
	Include: Lutheran Council of Britain/Evangelical Lutheran
	Churches/Churches of Christ/Countess of Huntingdon's
	Connexion/Churches of Overseas Nationals)
18	Other non Christian

Additional codes:

- 51 Other Christian Churches- Independent (FIEC affiliated and associated Churches/Union of Evangelical Churches/ Independent fellowship and House Churches/Independent Evangelical)
- 52 Other Christian Churches- African/West Indian (New Testament Church of God/Church of God Prophecy/Church of Cherubim and Seraphim/Seventh day Adventist Churches/Pilgrim Wesleyan Holiness Church/Other African and West Indian Churches)
- 53 Pentecostal/Holiness (Assemblies of God/Elim Pentecostal Church/Apostolic Church/Church of the Nazerene/Emanuel Holiness Church)
- 54 Salvation Army
- 55 CODE NOT USED
- 56 Orthodox (Greek Orthodox Archdiocese of Thyateira/and Great Britain/Russian Orthodox Church/ Russian Orthodox Church in Exile/Armenian Orthodox Church/Serbian Orthodox Church/Ukrainian Orthodox Church/Other Orthodox Churches)
- 57 Church of Wales
- 58 Mormon
- 59 Jehovah's Witness
- 60 Spiritualist

<u>Other</u>

- 87 Other Christian (not codeable 1-18, 51-60)
- 85 Other non-Christian (not codeable 1-18, 51-60)
- 86 Irrelevant response

Where possible backcode 'other' answers (10, 18) to **LRelig** (1-9, 11-17). Otherwise assign one of the additional codes (51-59) or one of the 'other' codes (84-86) as appropriate.

Millennium Cohort Study First Survey: Code Book and Edit Instructions

APPENDIX E: ICD-10 CODING

One of the questions included in the the first sweep of the Millennium Cohort Study was the identification of specific health problems associated with longstanding illness. The information on long standing illness recorded by interviewers during the survey was coded by the Centre for Longitudinal Studies (CLS) using the tenth revision of the *International Classification of Diseases* – ICD10 (see: World Health Organization (1990) *International Classification of Diseases (10th Ed.)*. Geneva: WHO).

These data are provided for the main and any partner respondents to the survey in the following variables:

	Main	Partner
	respondent	respondent
ICD10 3-character code #1	GLSI1	GLSI7
ICD10 3-character code #2	GLSI2	GLSI8
ICD10 3-character code #3	GLSI3	GLSI9
ICD10 3-character code #4	GLSI4	GLSI10
ICD10 3-character code #5	GLSI5	GLSI11
ICD10 3-character code #6	GLSI6	N/A

Questions asked

The questions put to the main and partner respondents are shown below.

GLongll

Do you have a longstanding illness, disability or infirmity? By longstanding I mean anything that has troubled you over a period of time or that is likely to affect you over a period of time.

1 Yes

2 No

IF has longstanding illness, disability or infirmity [GLongII=1]

GLongWht*

What is the matter with you? Text: up to 120 characters

Source: MCS1 CAPI Documentation

Coding operation

Coding was undertaken by CLS staff who were experienced ICD10 coders. They allocated a 3-character ICD10 code to every health condition reported by the main and partner respondents in reaction to questions about longstanding illness. In order to facilitate this, coders were provided with:

- Coding program giving integral access to the responses keyed by the interviewer and the ICD10 3-character codes.
- Computerised, searchable access to the ICD10 Index
- Hard copy of the ICD10 manuals and index
- Guide to ICD health coding, including:

Millennium Cohort Study First Survey: Code Book and Edit Instructions

- Detailed coding instructions
- $\circ~$ An outline of the structure of the ICD10 3-character categories
- Alphabetical indices of the ICD10 3-character codes
- Expert medical advice on problem codings

The aim was to reflect in the codes allocated as much detail as possible about the health problems reported. A maximum of six codes could be allocated to any one answer to represent the information given.

Where there was any uncertainty about the codes(s) that should be allocated, a temporary could was used and the answer(s) subsequently reviewed by a doctor before a final code was agreed.

Codes used

A list of the 3 character codes used is given below. Please note, value labels have not been included on the dataset.

ICD10: List of three-character categories

CERTAIN INFECTIOUS AND PARASITIC DISEASES (A00-B99)

Intestinal infectious diseases (A00-A09)

- A00 Cholera
- A01 Typhoid and paratyphoid fevers
- A02 Other salmonella infections
- A03 Shigellosis
- A04 Other bacterial intestinal infections
- A05 Other bacterial foodborne intoxications
- A06 Amoebiasis
- A07 Other protozoal intestinal diseases
- A08 Viral and other specified intestinal infections
- A09 Diarrhoea and gastroenteritis of presumed infectious origin

Tuberculosis (A15-A19)

- A15 Respiratory tuberculosis, bacteriologically and histologically confirmed
- A16 Respiratory tuberculosis, not confirmed bacteriologically or histologically
- A17 Tuberculosis of nervous system
- A18 Tuberculosis of other organs
- A19 Miliary tuberculosis

Certain zoonotic bacterial diseases (A20-A28)

- A20 Plague
- A21 Tularaemia
- A22 Anthrax
- A23 Brucellosis
- A24 Glanders and melioidosis
- A25 Rat-bite fevers
- A26 Erysipeloid
- A27 Leptospirosis
- A28 Other zoonotic bacterial diseases, not elsewhere classified

Other bacterial diseases (A30-A49)

- A30 Leprosy [Hansen's disease]
- A31 Infection due to other mycobacteria
- A32 Listeriosis
- A33 Tetanus neonatorum
- A34 Obstetrical tetanus
- A35 Other tetanus
- A36 Diphtheria
- A37 Whooping cough
- A38 Scarlet fever
- A39 Meningococcal infection
- A40 Streptococcal septicaemia
- A41 Other septicaemia
- A42 Actinomycosis
- A43 Nocardiosis
- A44 Bartonellosis
- A46 Erysipelas
- A48 Other bacterial diseases, not elsewhere classified
- A49 Bacterial infection of unspecified site

Infections with a predominantly sexual mode of transmission (A50-A64)

- A50 Congenital syphilis
- A51 Early syphilis
- A52 Late syphilis
- A53 Other and unspecified syphilis
- A54 Gonococcal infection
- A55 Chlamydial lymphogranuloma (venereum)
- A56 Other sexually transmitted chlamydial diseases
- A57 Chancroid
- A58 Granuloma inguinale
- A59 Trichomoniasis
- A60 Anogenital herpesviral [herpes simplex] infections
- A63 Other predominantly sexually transmitted diseases, not elsewhere classified
- A64 Unspecified sexually transmitted disease

Other spirochaetal diseases (A65-A69)

- A65 Nonvenereal syphilis
- A66 Yaws
- A67 Pinta [carate]
- A68 Relapsing fevers
- A69 Other spirochaetal infections

Other diseases caused by chlamydiae (A70-A74)

- A70 Chlamydia psittaci infection
- A71 Trachoma
- A74 Other diseases caused by chlamydiae

Rickettsioses (A75-A79)

- A75 Typhus fever
- A77 Spotted fever [tick-borne rickettsioses]
- A78 Q fever
- A79 Other rickettsioses

Viral infections of the central nervous system (A80-A89)

- A80 Acute poliomyelitis
- A81 Slow virus infections of central nervous system
- A82 Rabies
- A83 Mosquito-borne viral encephalitis
- A84 Tick-borne viral encephalitis
- A85 Other viral encephalitis, not elsewhere classified
- A86 Unspecified viral encephalitis
- A87 Viral meningitis
- A88 Other viral infections of the central nervous system, not elsewhere classified
- A89 Unspecified viral infection of the central nervous system

Arthropod-borne viral fevers and viral haemorrhagic fevers (A90-A99)

- A90 Dengue fever [classical dengue]
- A91 Dengue haemorrhagic fever
- A92 Other mosquito-borne viral fevers
- A93 Other arthropod-borne viral fevers, not elsewhere classified
- A94 Unspecified arthropod-borne viral fever
- A95 Yellow fever
- A96 Arenaviral haemorrhagic fever
- A98 Other viral haemorrhagic fevers, not elsewhere classified
- A99 Unspecified viral haemorrhagic fever

Viral infections characterized by skin and mucous membrane lesions (B00-B09)

- B00 Herpesviral [herpes simplex] infections
- B01 Varicella [chickenpox]
- B02 Zoster [herpes zoster]
- B03 Smallpox
- B04 Monkeypox
- B05 Measles
- B06 Rubella [German measles]
- B07 Viral warts
- B08 Other viral infections characterized by skin and mucous membrane lesions, not elsewhere classified
- B09 Unspecified viral infection characterized by skin and mucous membrane lesions

Viral hepatitis (B15-B19)

- B15 Acute hepatitis A
- B16 Acute hepatitis B
- B17 Other acute viral hepatitis
- B18 Chronic viral hepatitis
- B19 Unspecified viral hepatitis

Human immunodeficiency virus [HIV] disease (B20-B24)

- B20 Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases
- B21 Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms
- B22 Human immunodeficiency virus [HIV] disease resulting in other specified diseases
- B23 Human immunodeficiency virus [HIV] disease resulting in other conditions
- B24 Unspecified human immunodeficiency virus [HIV] disease

Other viral diseases (B25-B34)

- B25 Cytomegaloviral disease
- B26 Mumps
- B27 Infectious mononucleosis
- B30 Viral conjunctivitis
- B33 Other viral diseases, not elsewhere classified
- B34 Viral infection of unspecified site

Mycoses (B35-B49)

- B35 Dermatophytosis
- B36 Other superficial mycoses
- B37 Candidiasis
- B38 Coccidioidomycosis
- B39 Histoplasmosis
- B40 Blastomycosis
- B41 Paracoccidioidomycosis
- B42 Sporotrichosis
- B43 Chromomycosis and phaeomycotic abscess
- B44 Aspergillosis
- B45 Cryptococcosis
- B46 Zygomycosis
- B47 Mycetoma
- B48 Other mycoses, not elsewhere classified
- B49 Unspecified mycosis

Protozoal diseases (B50-B64)

- B50 Plasmodium falciparum malaria
- B51 Plasmodium vivax malaria
- B52 Plasmodium malariae malaria
- B53 Other parasitologically confirmed malaria
- B54 Unspecified malaria
- B55 Leishmaniasis

- B56 African trypanosomiasis
- B57 Chagas' disease
- B58 Toxoplasmosis
- B59 Pneumocystosis
- B60 Other protozoal diseases, not elsewhere classified
- B64 Unspecified protozoal disease

Helminthiases (B65-B83)

- B65 Schistosomiasis [bilharziasis]
- B66 Other fluke infections
- B67 Echinococcosis
- B68 Taeniasis
- B69 Cysticercosis
- B70 Diphyllobothriasis and sparganosis
- B71 Other cestode infections
- B72 Dracunculiasis
- B73 Onchocerciasis
- B74 Filariasis
- B75 Trichinellosis
- B76 Hookworm diseases
- B77 Ascariasis
- B78 Strongyloidiasis
- B79 Trichuriasis
- B80 Enterobiasis
- B81 Other intestinal helminthiases, not elsewhere classified
- B82 Unspecified intestinal parasitism
- B83 Other helminthiases

Pediculosis, acariasis and other infestations (B85-B89)

- B85 Pediculosis and phthiriasis
- B86 Scabies
- B87 Myiasis
- B88 Other infestations
- B89 Unspecified parasitic disease

Sequelae of infectious and parasitic diseases (B90-B94)

- B90 Sequelae of tuberculosis
- B91 Sequelae of poliomyelitis
- B92 Sequelae of leprosy
- B94 Sequelae of other and unspecified infectious and parasitic diseases

Bacterial, viral and other infectious agents (B95-B97)

- B95 Streptococcus and staphylococcus as the cause of diseases classified to other chapters
- B96 Other bacterial agents as the cause of diseases classified to other chapters
- B97 Viral agents as the cause of diseases classified to other chapters

Other infectious diseases (B99)

B99 Other and unspecified infectious diseases

NEOPLASMS (C00-D48)

Malignant neoplasms (C00-C97)

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

- C00 Malignant neoplasm of lip
- C01 Malignant neoplasm of base of tongue
- C02 Malignant neoplasm of other and unspecified parts of tongue
- C03 Malignant neoplasm of gum
- C04 Malignant neoplasm of floor of mouth
- C05 Malignant neoplasm of palate
- C06 Malignant neoplasm of other and unspecified parts of mouth
- C07 Malignant neoplasm of parotid gland
- C08 Malignant neoplasm of other and unspecified major salivary glands
- C09 Malignant neoplasm of tonsil
- C10 Malignant neoplasm of oropharynx
- C11 Malignant neoplasm of nasopharynx
- C12 Malignant neoplasm of pyriform sinus
- C13 Malignant neoplasm of hypopharynx
- C14 Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx

Malignant neoplasms of digestive organs (C15-C26)

- C15 Malignant neoplasm of oesophagus
- C16 Malignant neoplasm of stomach
- C17 Malignant neoplasm of small intestine
- C18 Malignant neoplasm of colon
- C19 Malignant neoplasm of rectosigmoid junction
- C20 Malignant neoplasm of rectum
- C21 Malignant neoplasm of anus and anal canal
- C22 Malignant neoplasm of liver and intrahepatic bile ducts
- C23 Malignant neoplasm of gallbladder
- C24 Malignant neoplasm of other and unspecified parts of biliary tract
- C25 Malignant neoplasm of pancreas
- C26 Malignant neoplasm of other and ill-defined digestive organs

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

- C30 Malignant neoplasm of nasal cavity and middle ear
- C31 Malignant neoplasm of accessory sinuses
- C32 Malignant neoplasm of larynx
- C33 Malignant neoplasm of trachea
- C34 Malignant neoplasm of bronchus and lung
- C37 Malignant neoplasm of thymus
- C38 Malignant neoplasm of heart, mediastinum and pleura
- C39 Malignant neoplasm of other and ill-defined sites in the respiratory system and intrathoracic organs

Malignant neoplasms of bone and articular cartilage (C40-C41)

- C40 Malignant neoplasm of bone and articular cartilage of limbs
- C41 Malignant neoplasm of bone and articular cartilage of other and unspecified sites

Melanoma and other malignant neoplasms of skin (C43-C44)

- C43 Malignant melanoma of skin
- C44 Other malignant neoplasms of skin

Malignant neoplasms of mesothelial and soft tissue (C45-C49)

- C45 Mesothelioma
- C46 Kaposi's sarcoma
- C47 Malignant neoplasm of peripheral nerves and autonomic nervous system
- C48 Malignant neoplasm of retroperitoneum and peritoneum
- C49 Malignant neoplasm of other connective and soft tissue

Malignant neoplasm of breast (C50)

C50 Malignant neoplasm of breast

Malignant neoplasms of female genital organs (C51-C58)

- C51 Malignant neoplasm of vulva
- C52 Malignant neoplasm of vagina
- C53 Malignant neoplasm of cervix uteri
- C54 Malignant neoplasm of corpus uteri
- C55 Malignant neoplasm of uterus, part unspecified
- C56 Malignant neoplasm of ovary
- C57 Malignant neoplasm of other and unspecified female genital organs
- C58 Malignant neoplasm of placenta

Malignant neoplasms of male genital organs (C60-C63)

- C60 Malignant neoplasm of penis
- C61 Malignant neoplasm of prostate
- C62 Malignant neoplasm of testis
- C63 Malignant neoplasm of other and unspecified male genital organs

Malignant neoplasms of urinary tract (C64-C68)

- C64 Malignant neoplasm of kidney, except renal pelvis
- C65 Malignant neoplasm of renal pelvis
- C66 Malignant neoplasm of ureter
- C67 Malignant neoplasm of bladder
- C68 Malignant neoplasm of other and unspecified urinary organs

Malignant neoplasms of eye, brain and other parts of central nervous system

- (C69-C72)
- C69 Malignant neoplasm of eye and adnexa
- C70 Malignant neoplasm of meninges
- C71 Malignant neoplasm of brain
- C72 Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system

Malignant neoplasms of thyroid and other endocrine glands (C73-C75)

- C73 Malignant neoplasm of thyroid gland
- C74 Malignant neoplasm of adrenal gland
- C75 Malignant neoplasm of other endocrine glands and related structures

Malignant neoplasms of ill-defined, secondary and unspecified sites (C76-C80)

- C76 Malignant neoplasm of other and ill-defined sites
- C77 Secondary and unspecified malignant neoplasm of lymph nodes
- C78 Secondary malignant neoplasm of respiratory and digestive organs
- C79 Secondary malignant neoplasm of other sites
- C80 Malignant neoplasm without specification of site

Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)

- C81 Hodgkin's disease
- C82 Follicular [nodular] non-Hodgkin's lymphoma
- C83 Diffuse non-Hodgkin's lymphoma
- C84 Peripheral and cutaneous T-cell lymphomas
- C85 Other and unspecified types of non-Hodgkin's lymphoma
- C88 Malignant immunoproliferative diseases
- C90 Multiple myeloma and malignant plasma cell neoplasms
- C91 Lymphoid leukaemia
- C92 Myeloid leukaemia
- C93 Monocytic leukaemia
- C94 Other leukaemias of specified cell type
- C95 Leukaemia of unspecified cell type

- C96 Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue
 - Malignant neoplasms of independent (primary) multiple sites (C97)
- C97 Malignant neoplasms of independent (primary) multiple sites

In situ neoplasms (D00-D09)

- D00 Carcinoma in situ of oral cavity, oesophagus and stomach
- D01 Carcinoma in situ of other and unspecified digestive organs
- D02 Carcinoma in situ of middle ear and respiratory system
- D03 Melanoma in situ
- D04 Carcinoma in situ of skin
- D05 Carcinoma in situ of breast
- D06 Carcinoma in situ of cervix uteri
- D07 Carcinoma in situ of other and unspecified genital organs
- D09 Carcinoma in situ of other and unspecified sites

Benign neoplasms (D10-D36)

- D10 Benign neoplasm of mouth and pharynx
- D11 Benign neoplasm of major salivary glands
- D12 Benign neoplasm of colon, rectum, anus and anal canal
- D13 Benign neoplasm of other and ill-defined parts of digestive system
- D14 Benign neoplasm of middle ear and respiratory system
- D15 Benign neoplasm of other and unspecified intrathoracic organs
- D16 Benign neoplasm of bone and articular cartilage
- D17 Benign lipomatous neoplasm
- D18 Haemangioma and lymphangioma, any site
- D19 Benign neoplasm of mesothelial tissue
- D20 Benign neoplasm of soft tissue of retroperitoneum and peritoneum
- D21 Other benign neoplasms of connective and other soft tissue
- D22 Melanocytic naevi
- D23 Other benign neoplasms of skin
- D24 Benign neoplasm of breast
- D25 Leiomyoma of uterus
- D26 Other benign neoplasms of uterus
- D27 Benign neoplasm of ovary
- D28 Benign neoplasm of other and unspecified female genital organs
- D29 Benign neoplasm of male genital organs
- D30 Benign neoplasm of urinary organs
- D31 Benign neoplasm of eye and adnexa
- D32 Benign neoplasm of meninges
- D33 Benign neoplasm of brain and other parts of central nervous system
- D34 Benign neoplasm of thyroid gland
- D35 Benign neoplasm of other and unspecified endocrine glands
- D36 Benign neoplasm of other and unspecified sites

Neoplasms of uncertain or unknown behaviour (D37-D48)

- D37 Neoplasm of uncertain or unknown behaviour of oral cavity and digestive organs
- D38 Neoplasm of uncertain or unknown behaviour of middle ear and respiratory and intrathoracic organs
- D39 Neoplasm of uncertain or unknown behaviour of female genital organs
- D40 Neoplasm of uncertain or unknown behaviour of male genital organs
- D41 Neoplasm of uncertain or unknown behaviour of urinary organs
- D42 Neoplasm of uncertain or unknown behaviour of meninges
- D43 Neoplasm of uncertain or unknown behaviour of brain and central nervous system
- D44 Neoplasm of uncertain or unknown behaviour of endocrine glands
- D45 Polycythaemia vera
- D46 Myelodysplastic syndromes
- D47 Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue

D48 Neoplasm of uncertain or unknown behaviour of other and unspecified sites

DISEASES OF BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISMS (D50-D89)

Nutritional anaemias (D50-D53)

- D50 Iron deficiency anaemia
- D51 Vitamin B₁₂ deficiency anaemia
- D52 Folate deficiency anaemia
- D53 Other nutritional anaemias

Haemolytic anaemias (D55-D59)

- D55 Anaemia due to enzyme disorders
- D56 Thalassaemia
- D57 Sickle-cell disorders
- D58 Other hereditary haemolytic anaemias
- D59 Acquired haemolytic anaemia

Aplastic and other anaemias (D60-D64)

- D60 Acquired pure red cell aplasia [erythroblastopenia]
- D61 Other aplastic anaemias
- D62 Acute posthaemorrhagic anaemia
- D63* Anaemia in chronic diseases classified elsewhere
- D64 Other anaemias

Coagulation defects, purpura and other haemorrhagic conditions (D65-D69)

- D65 Disseminated intravascular coagulation [defibrination syndrome]
- D66 Hereditary factor VIII deficiency
- D67 Hereditary factor IX deficiency
- D68 Other coagulation defects
- D69 Purpura and other haemorrhagic conditions

Other diseases of blood and blood-forming organs (D70-D77)

- D70 Agranulocytosis
- D71 Functional disorders of polymorphonuclear neutrophils
- D72 Other disorders of white blood cells
- D73 Diseases of spleen
- D74 Methaemoglobinaemia
- D75 Other diseases of blood and blood-forming organs
- D76 Certain diseases involving lymphoreticular tissue and reticulohistiocytic system
- D77* Other disorders of blood and blood-forming organs in diseases classified elsewhere

Certain disorders involving the immune mechanism (D80-D89)

- D80 Immunodeficiency with predominantly antibody defects
- D81 Combined immunodeficiencies
- D82 Immunodeficiency associated with other major defects
- D83 Common variable immunodeficiency
- D84 Other immunodeficiencies
- D86 Sarcoidosis
- D89 Other disorders involving the immune mechanism, not elsewhere classified

ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E00-E90)

Disorders of thyroid gland (E00-E07)

- E00 Congenital iodine-deficiency syndrome
- E01 Iodine-deficiency-related thyroid disorders and allied conditions
- E02 Subclinical iodine-deficiency hypothyroidism
- E03 Other hypothyroidism

- E04 Other nontoxic goitre
- E05 Thyrotoxicosis [hyperthyroidism]
- E06 Thyroiditis
- E07 Other disorders of thyroid

Diabetes mellitus (E10-E14)

- E10 Insulin-dependent diabetes mellitus
- E11 Non-insulin-dependent diabetes mellitus
- E12 Malnutrition-related diabetes mellitus
- E13 Other specified diabetes mellitus
- E14 Unspecified diabetes mellitus

Other disorders of glucose regulation and pancreatic internal secretion (E15-E16)

- E15 Nondiabetic hypoglycaemic coma
- E16 Other disorders of pancreatic internal secretion

Disorders of other endocrine glands (E20-E35)

- E20 Hypoparathyroidism
- E21 Hyperparathyroidism and other disorders of parathyroid gland
- E22 Hyperfunction of pituitary gland
- E23 Hypofunction and other disorders of pituitary gland
- E24 Cushing's syndrome
- E25 Adrenogenital disorders
- E26 Hyperaldosteronism
- E27 Other disorders of adrenal gland
- E28 Ovarian dysfunction
- E29 Testicular dysfunction
- E30 Disorders of puberty, not elsewhere classified
- E31 Polyglandular dysfunction
- E32 Diseases of thymus
- E34 Other endocrine disorders
- E35* Disorders of endocrine glands in diseases classified elsewhere

Malnutrition (E40-E46)

- E40 Kwashiorkor
- E41 Nutritional marasmus
- E42 Marasmic kwashiorkor
- E43 Unspecified severe protein-energy malnutrition
- E44 Protein-energy malnutrition of moderate and mild degree
- E45 Retarded development following protein-energy malnutrition
- E46 Unspecified protein-energy malnutrition

Other nutritional deficiencies (E50-E64)

- E50 Vitamin A deficiency
- E51 Thiamine deficiency
- E52 Niacin deficiency [pellagra]
- E53 Deficiency of other B group vitamins
- E54 Ascorbic acid deficiency
- E55 Vitamin D deficiency
- E56 Other vitamin deficiencies
- E58 Dietary calcium deficiency
- E59 Dietary selenium deficiency
- E60 Dietary zinc deficiency
- E61 Deficiency of other nutrient elements
- E63 Other nutritional deficiencies
- E64 Sequelae of malnutrition and other nutritional deficiencies

Obesity and other hyperalimentation (E65-E68)

- E65 Localized adiposity
- E66 Obesity

- E67 Other hyperalimentation
- E68 Sequelae of hyperalimentation

Metabolic disorders (E70-E90)

- E70 Disorders of aromatic amino-acid metabolism
- E71 Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism
- E72 Other disorders of amino-acid metabolism
- E73 Lactose intolerance
- E74 Other disorders of carbohydrate metabolism
- E75 Disorders of sphingolipid metabolism and other lipid storage disorders
- E76 Disorders of glycosaminoglycan metabolism
- E77 Disorders of glycoprotein metabolism
- E78 Disorders of lipoprotein metabolism and other lipidaemias
- E79 Disorders of purine and pyrimidine metabolism
- E80 Disorders of porphyrin and bilirubin metabolism
- E83 Disorders of mineral metabolism
- E84 Cystic fibrosis
- E85 Amyloidosis
- E86 Volume depletion
- E87 Other disorders of fluid, electrolyte and acid-base balance
- E88 Other metabolic disorders
- E89 Postprocedural endocrine and metabolic disorders, not elsewhere classified
- E90* Nutritional and metabolic disorders in diseases classified elsewhere

MENTAL, BEHAVIOURAL DISORDERS (F00-F99)

Organic, including symptomatic, mental disorders (F00-F09)

- F00* Dementia in Alzheimer's disease
- F01 Vascular dementia
- F02* Dementia in other diseases classified elsewhere
- F03 Unspecified dementia
- F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances
- F05 Delirium, not induced by alcohol and other psychoactive substances
- F06 Other mental disorders due to brain damage and dysfunction and to physical disease
- F07 Personality and behavioural disorders due to brain disease, damage and dysfunction
- F09 Unspecified organic or symptomatic mental disorder

Mental and behavioural disorders due to psychoactive substance use (F10-F19)

- F10 Mental and behavioural disorders due to use of alcohol
- F11 Mental and behavioural disorders due to use of opioids
- F12 Mental and behavioural disorders due to use of cannabinoids
- F13 Mental and behavioural disorders due to use of sedatives or hypnotics
- F14 Mental and behavioural disorders due to use of cocaine
- F15 Mental and behavioural disorders due to use of other stimulants, including caffeine
- F16 Mental and behavioural disorders due to use of hallucinogens
- F17 Mental and behavioural disorders due to use of tobacco
- F18 Mental and behavioural disorders due to use of volatile solvents
- F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances

Schizophrenia, schizotypal and delusional disorders (F20-F29)

- F20 Schizophrenia
- F21 Schizotypal disorder
- F22 Persistent delusional disorders
- F23 Acute and transient psychotic disorders
- F24 Induced delusional disorder
- F25 Schizoaffective disorders
- F28 Other nonorganic psychotic disorders
- F29 Unspecified nonorganic psychosis

Mood [affective] disorders (F30-F39)

- F30 Manic episode
- F31 Bipolar affective disorder
- F32 Depressive episodes
- F33 Recurrent depressive disorder
- F34 Persistent mood [affective] disorders
- F38 Other mood [affective] disorders
- F39 Unspecified mood [affective] disorder

Neurotic, stress-related and somatoform disorders (F40-F48)

- F40 Phobic anxiety disorders
- F41 Other anxiety disorders
- F42 Obsessive-compulsive disorder
- F43 Reaction to severe stress, and adjustment disorders
- F44 Dissociative [conversion] disorders
- F45 Somatoform disorders
- F48 Other neurotic disorders

Behavioural syndromes associated with physiological disturbances and physical factors (F50-F59)

- F50 Eating disorders
- F51 Nonorganic sleep disorders
- F52 Sexual dysfunction, not caused by organic disorder or disease
- F53 Mental and behavioural disorders associated with the puerperium, not elsewhere classified
- F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere
- F55 Abuse of non-dependence-producing substances
- F59 Unspecified behavioural syndromes associated with physiological disturbances and physical factors

Disorders of adult personality and behaviour (F60-F69)

- F60 Specific personality disorders
- F61 Mixed and other personality disorders
- F62 Enduring personality changes, not attributable to brain damage and disease
- F63 Habit and impulse disorders
- F64 Gender identity disorders
- F65 Disorders of sexual preference
- F66 Psychological and behavioural disorders associated with sexual development and orientation
- F68 Other disorders of adult personality and behaviour
- F69 Unspecified disorder of adult personality and behaviour

Mental retardation (F70-F79)

- F70 Mild mental retardation
- F71 Moderate mental retardation
- F72 Severe mental retardation
- F73 Profound mental retardation
- F78 Other mental retardation
- F79 Unspecified mental retardation

Disorders of psychological development (F80-F89)

- F80 Specific developmental disorders of speech and language
- F81 Specific developmental disorders of scholastic skills
- F82 Specific developmental disorder of motor function
- F83 Mixed specific developmental disorders
- F84 Pervasive developmental disorders
- F88 Other disorders of psychological development
- F89 Unspecified disorder of psychological development

Behavioural and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)

- F90 Hyperkinetic disorders
- F91 Conduct disorders
- F92 Mixed disorders of conduct and emotions
- F93 Emotional disorders with onset specific to childhood
- F94 Disorders of social functioning with onset specific to childhood and adolescence
- F95 Tic disorders
- F98 Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence

Unspecified mental disorder (F99)

F99 Mental disorder, not otherwise specified

DISEASES OF THE NERVOUS SYSTEM (G00-G99)

Inflammatory diseases of the central nervous system (G00-G09)

- G00 Bacterial meningitis, not elsewhere classified
- G01* Meningitis in bacterial diseases classified elsewhere
- G02* Meningitis in other infectious and parasitic diseases classified elsewhere
- G03 Meningitis due to other and unspecified causes
- G04 Encephalitis, myelitis and encephalomyelitis
- G05* Encephalitis, myelitis and encephalomyelitis in diseases classified elsewhere
- G06 Intracranial and intraspinal abscess and granuloma
- G07* Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere
- G08 Intracranial and intraspinal phlebitis and thrombophlebitis
- G09 Sequelae of inflammatory diseases of central nervous system

Systemic atrophies primarily affecting the central nervous system (G10-G13)

- G10 Huntington's disease
- G11 Hereditary ataxia
- G12 Spinal muscular atrophy and related syndromes
- G13* Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere

Extrapyramidal and movement disorders (G20-G26)

- G20 Parkinson's disease
- G21 Secondary parkinsonism
- G22* Parkinsonism in diseases classified elsewhere
- G23 Other degenerative diseases of the basal ganglia
- G24 Dystonia
- G25 Other extrapyramidal and movement disorders
- G26* Extrapyramidal and movement disorders in diseases classified elsewhere

Other degenerative diseases of the nervous system (G30-G32)

- G30 Alzheimer's disease
- G31 Other degenerative diseases of nervous system, not elsewhere classified
- G32* Other degenerative disorders of nervous system in diseases classified elsewhere

Demyelinating diseases of the central nervous system (G35-G37)

- G35 Multiple sclerosis
- G36 Other acute disseminated demyelination
- G37 Other demyelinating diseases of central nervous system

Episodic and paroxysmal disorders (G40-G47)

- G40 Epilepsy
- G41 Status epilepticus
- G43 Migraine
- G44 Other headache syndromes
- G45 Transient cerebral ischaemic attacks and related syndromes
- G46* Vascular syndromes of brain in cerebrovascular diseases
- G47 Sleep disorders

Nerve, nerve root and plexus disorders (G50-G59)

- G50 Disorders of trigeminal nerve
- G51 Facial nerve disorders
- G52 Disorders of other cranial nerves
- G53* Cranial nerve disorders in diseases classified elsewhere
- G54 Nerve root and plexus disorders
- G55* Nerve root and plexus compressions in diseases classified elsewhere
- G56 Mononeuropathies of upper limb
- G57 Mononeuropathies of lower limb
- G58 Other mononeuropathies
- G59* Mononeuropathy in diseases classified elsewhere

Polyneuropathies and other disorders of the peripheral nervous system (G60-G64)

- G60 Hereditary and idiopathic neuropathy
- G61 Inflammatory polyneuropathy
- G62 Other polyneuropathies
- G63* Polyneuropathy in diseases classified elsewhere
- G64 Other disorders of peripheral nervous system

Diseases of myoneural junction and muscle (G70-G73)

- G70 Myasthenia gravis and other myoneural disorders
- G71 Primary disorders of muscles
- G72 Other myopathies
- G73* Disorders of myoneural junction and muscle in diseases classified elsewhere

Cerebral palsy and other paralytic syndromes (G80-G83)

- G80 Infantile cerebral palsy
- G81 Hemiplegia
- G82 Paraplegia and tetraplegia
- G83 Other paralytic syndromes

Other disorders of the nervous system (G90-G99)

- G90 Disorders of autonomic nervous system
- G91 Hydrocephalus
- G92 Toxic encephalopathy
- G93 Other disorders of brain
- G94* Other disorders of brain in diseases classified elsewhere
- G95 Other diseases of spinal cord
- G96 Other disorders of central nervous system
- G97 Postprocedural disorders of nervous system, not elsewhere classified
- G98 Other disorders of nervous system, not elsewhere classified
- G99* Other disorders of nervous system in diseases classified elsewhere

DISEASES OF THE EYE AND ADNEXA (H00-H59)

Disorders of eyelid, lacrimal system and orbit (H00-H06)

- H00 Hordeolum and chalazion
- H01 Other inflammation of eyelid
- H02 Other disorders of eyelid
- H03* Disorders of eyelid in diseases classified elsewhere
- H04 Disorders of lacrimal system
- H05 Disorders of orbit
- H06* Disorders of lacrimal system and orbit in diseases classified elsewhere

Disorders of conjunctiva (H10-H13)

- H10 Conjunctivitis
- H11 Other disorders of conjunctiva
- H13* Disorders of conjunctiva in diseases classified elsewhere

Disorders of sclera, cornea, iris and ciliary body (H15-H22)

- H15 Disorders of sclera
- H16 Keratitis
- H17 Corneal scars and opacities
- H18 Other disorders of cornea
- H19* Disorders of sclera and cornea in diseases classified elsewhere
- H20 Iridocyclitis
- H21 Other disorders of iris and ciliary body
- H22* Disorders of iris and ciliary body in diseases classified elsewhere

Disorders of lens (H25-H28)

- H25 Senile cataract
- H26 Other cataract
- H27 Other disorders of lens
- H28* Cataract and other disorders of lens in diseases classified elsewhere

Disorders of choroid and retina (H30-H36)

- H30 Chorioretinal inflammation
- H31 Other disorders of choroid
- H32* Chorioretinal disorders in diseases classified elsewhere
- H33 Retinal detachments and breaks
- H34 Retinal vascular occlusions
- H35 Other retinal disorders
- H36* Retinal disorders in diseases classified elsewhere

Glaucoma (H40-H42)

- H40 Glaucoma
- H42* Glaucoma in diseases classified elsewhere

Disorders of vitreous body and globe (H43-H45)

- H43 Disorders of vitreous body
- H44 Disorders of globe
- H45* Disorders of vitreous body and globe in diseases classified elsewhere

Disorders of optic nerve and visual pathways (H46-H48)

- H46 Optic neuritis
- H47 Other disorders of optic [2nd] nerve and visual pathways
- H48* Disorders of optic [2nd] nerve and visual pathways in diseases classified elsewhere

Disorders of ocular muscles, binocular movement, accommodation and refraction (H49-H52)

- H49 Paralytic strabismus
- H50 Other strabismus
- H51 Other disorders of binocular movement
- H52 Disorders of refraction and accommodation

Visual disturbances and blindness (H53-H54)

- H53 Visual disturbances
- H54 Blindness and low vision

Other disorders of eye and adnexa (H55-H59)

- H55 Nystagmus and other irregular eye movements
- H57 Other disorders of eye and adnexa
- H58* Other disorders of eye and adnexa in diseases classified elsewhere
- H59 Postprocedural disorders of eye and adnexa, not elsewhere classified

DISEASES OF THE EAR AND MASTOID PROCESS (H60-H95)

Diseases of external ear (H60-H62)

- H60 Otitis externa
- H61 Other disorders of external ear
- H62* Disorders of external ear in diseases classified elsewhere

Diseases of middle ear and mastoid (H65-H75)

- H65 Nonsuppurative otitis media
- H66 Suppurative and unspecified otitis media
- H67* Otitis media in diseases classified elsewhere
- H68 Eustachian salpingitis and obstruction
- H69 Other disorders of Eustachian tube
- H70 Mastoiditis and related conditions
- H71 Cholesteatoma of middle ear
- H72 Perforation of tympanic membrane
- H73 Other disorders of tympanic membrane
- H74 Other disorders of middle ear and mastoid
- H75* Other disorders of middle ear and mastoid in diseases classified elsewhere

Diseases of inner ear (H80-H83)

H80 Otosclerosis

- H81 Disorders of vestibular function
- H82* Vertiginous syndromes in diseases classified elsewhere
- H83 Other diseases of inner ear

Other disorders of ear (H90-H95)

- H90 Conductive and sensorineural hearing loss
- H91 Other hearing loss
- H92 Otalgia and effusion of ear
- H93 Other disorders of ear, not elsewhere classified
- H94* Other disorders of ear in diseases classified elsewhere
- H95 Postprocedural disorders of ear and mastoid process, not elsewhere classified

DISEASES OF THE CIRCULATORY SYSTEM (100-199)

Acute rheumatic fever (I00-I02)

- I00 Rheumatic fever without mention of heart involvement
- I01 Rheumatic fever with heart involvement
- I02 Rheumatic chorea

Chronic rheumatic heart diseases (105-109)

- 105 Rheumatic mitral valve diseases
- I06 Rheumatic aortic valve diseases
- I07 Rheumatic tricuspid valve diseases
- I08 Multiple valve diseases
- 109 Other rheumatic heart diseases

Hypertensive diseases (I10-I15)

- 110 Essential (primary) hypertension
- I11 Hypertensive heart disease
- I12 Hypertensive renal disease
- 113 Hypertensive heart and renal disease
- I15 Secondary hypertension

Ischaemic heart diseases (I20-I25)

- I20 Angina pectoris
- I21 Acute myocardial infarction
- I22 Subsequent myocardial infarction
- 123 Certain current complications following acute myocardial infarction
- 124 Other acute ischaemic heart diseases
- 125 Chronic ischaemic heart disease

Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)

- I26 Pulmonary embolism
- 127 Other pulmonary heart diseases
- 128 Other diseases of pulmonary vessels

Other forms of heart disease (I30-I52)

- I30 Acute pericarditis
- I31 Other diseases of pericardium
- 132* Pericarditis in diseases classified elsewhere
- I33 Acute and subacute endocarditis
- 134 Nonrheumatic mitral valve disorders
- 135 Nonrheumatic aortic valve disorders
- 136 Nonrheumatic tricuspid valve disorders
- I37 Pulmonary valve disorders
- I38 Endocarditis, valve unspecified
- 139* Endocarditis and heart valve disorders in diseases classified elsewhere
- I40 Acute myocarditis
- 141* Myocarditis in diseases classified elsewhere
- I42 Cardiomyopathy
- 143* Cardiomyopathy in diseases classified elsewhere
- Atrioventricular and left bundle-branch block
- I45 Other conduction disorders

- I46 Cardiac arrest
- I47 Paroxysmal tachycardia
- I48 Atrial fibrillation and flutter
- I49 Other cardiac arrhythmias
- I50 Heart failure
- I51 Complications and ill-defined descriptions of heart disease
- 152* Other heart disorders in diseases classified elsewhere

Cerebrovascular diseases (I60-I69)

- I60 Subarachnoid haemorrhage
- I61 Intracerebral haemorrhage
- 162 Other nontraumatic intracranial haemorrhage
- I63 Cerebral infarction
- 164 Stroke, not specified as haemorrhage or infarction
- 165 Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction
- 166 Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction
- 167 Other cerebrovascular diseases
- 168* Cerebrovascular disorders in diseases classified elsewhere
- I69 Sequelae of cerebrovascular disease

Diseases of arteries, arterioles and capillaries (I70-I79)

- I70 Atherosclerosis
- I71 Aortic aneurysm and dissection
- I72 Other aneurysm
- 173 Other peripheral vascular diseases
- 174 Arterial embolism and thrombosis
- 177 Other disorders of arteries and arterioles
- I78 Diseases of capillaries
- 179* Disorders of arteries, arterioles and capillaries in diseases classified elsewhere

Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified (180-189)

- 180 Phlebitis and thrombophlebitis
- 181 Portal vein thrombosis
- I82 Other venous embolism and thrombosis
- 183 Varicose veins of lower extremities
- 184 Haemorrhoids
- 185 Oesophageal varices
- 186 Varicose veins of other sites
- 187 Other disorders of veins
- 188 Nonspecific lymphadenitis
- 189 Other noninfective disorders of lymphatic vessels and lymph nodes

Other and unspecified disorders of the circulatory system (I95-I99)

- 195 Hypotension
- 197 Postprocedural disorders of circulatory system, not elsewhere classified
- 198* Other disorders of circulatory system in diseases classified elsewhere
- 199 Other and unspecified disorders of circulatory system

DISEASES OF THE RESPIRATORY SYSTEM (J00-J99)

Acute upper respiratory infections (J00-J06)

- J00 Acute nasopharyngitis [common cold]
- J01 Acute sinusitis
- J02 Acute pharyngitis
- J03 Acute tonsillitis
- J04 Acute laryngitis and tracheitis
- J05 Acute obstructive laryngitis [croup] and epiglottitis
- J06 Acute upper respiratory infections of multiple or unspecified sites

Influenza and pneumonia (J10-J18)

- J10 Influenza due to identified influenza virus
- J11 Influenza, virus not identified
- J12 Viral pneumonia, not elsewhere classified
- J13 Pneumonia due to Streptococcus pneumoniae
- J14 Pneumonia due to Haemophilus influenzae
- J15 Bacterial pneumonia, not elsewhere classified
- J16 Pneumonia due to other infectious organisms, not elsewhere classified
- J17* Pneumonia in diseases classified elsewhere
- J18 Pneumonia, organism unspecified

Other acute lower respiratory infections (J20-J22)

- J20 Acute bronchitis
- J21 Acute bronchiolitis
- J22 Unspecified acute lower respiratory infection

Other diseases of upper respiratory tract (J30-J39)

- J30 Vasomotor and allergic rhinitis
- J31 Chronic rhinitis, nasopharyngitis and pharyngitis
- J32 Chronic sinusitis
- J33 Nasal polyp
- J34 Other disorders of nose and nasal sinuses
- J35 Chronic diseases of tonsils and adenoids
- J36 Peritonsillar abscess
- J37 Chronic laryngitis and laryngotracheitis
- J38 Diseases of vocal cords and larynx, not elsewhere classified
- J39 Other diseases of upper respiratory tract

Chronic lower respiratory diseases (J40-J47)

- J40 Bronchitis, not specified as acute or chronic
- J41 Simple and mucopurulent chronic bronchitis
- J42 Unspecified chronic bronchitis
- J43 Emphysema
- J44 Other chronic obstructive pulmonary disease
- J45 Asthma
- J46 Status asthmaticus
- J47 Bronchiectasis

Lung diseases due to external agents (J60-J70)

- J60 Coalworker's pneumoconiosis
- J61 Pneumoconiosis due to asbestos and other mineral fibres
- J62 Pneumoconiosis due to dust containing silica
- J63 Pneumoconiosis due to other inorganic dusts
- J64 Unspecified pneumoconiosis
- J65 Pneumoconiosis associated with tuberculosis
- J66 Airway disease due to specific organic dust
- J67 Hypersensitivity pneumonitis due to organic dust
- J68 Respiratory conditions due to inhalation of chemicals, gases, fumes and vapours
- J69 Pneumonitis due to solids and liquids
- J70 Respiratory conditions due to other external agents

Other respiratory diseases principally affecting the interstitium (J80-J84)

- J80 Adult respiratory distress syndrome
- J81 Pulmonary oedema
- J82 Pulmonary eosinophilia, not elsewhere classified
- J84 Other interstitial pulmonary diseases

Suppurative and necrotic conditions of lower respiratory tract (J85-J86)

J85 Abscess of lung and mediastinum

J86 Pyothorax

Other diseases of pleura (J90-J94)

- J90 Pleural effusion, not elsewhere classified
- J91* Pleural effusion in conditions classified elsewhere
- J92 Pleural plaque
- J93 Pneumothorax
- J94 Other pleural conditions

Other diseases of the respiratory system (J95-J99)

- J95 Postprocedural respiratory disorders, not elsewhere classified
- J96 Respiratory failure, not elsewhere classified
- J98 Other respiratory disorders
- J99* Respiratory disorders in diseases classified elsewhere

DISEASES OF THE DIGESTIVE SYSTEM (K00-K93)

Diseases of oral cavity, salivary glands and jaws (K00-K14)

- K00 Disorders of tooth development and eruption
- K01 Embedded and impacted teeth
- K02 Dental caries
- K03 Other diseases of hard tissues of teeth
- K04 Diseases of pulp and periapical tissues
- K05 Gingivitis and periodontal diseases
- K06 Other disorders of gingiva and edentulous alveolar ridge
- K07 Dentofacial anomalies [including malocclusion]
- K08 Other disorders of teeth and supporting structures
- K09 Cysts of oral region, not elsewhere classified
- K10 Other diseases of jaws
- K11 Diseases of salivary glands
- K12 Stomatitis and related lesions
- K13 Other diseases of lip and oral mucosa
- K14 Diseases of tongue

Diseases of oesophagus, stomach and duodenum (K20-K31)

- K20 Oesophagitis
- K21 Gastro-oesophageal reflux disease
- K22 Other diseases of oesophagus
- K23* Disorders of oesophagus in diseases classified elsewhere
- K25 Gastric ulcer
- K26 Duodenal ulcer
- K27 Peptic ulcer, site unspecified
- K28 Gastrojejunal ulcer
- K29 Gastritis and duodenitis
- K30 Dyspepsia
- K31 Other diseases of stomach and duodenum

Diseases of appendix (K35-K38)

- K35 Acute appendicitis
- K36 Other appendicitis
- K37 Unspecified appendicitis
- K38 Other diseases of appendix

Hernia (K40-K46)

- K40 Inguinal hernia
- K41 Femoral hernia
- K42 Umbilical hernia
- K43 Ventral hernia
- K44 Diaphragmatic hernia

- K45 Other abdominal hernia
- K46 Unspecified hernia of abdominal cavity

Noninfective enteritis and colitis (K50-K52)

- K50 Crohn's disease [regional enteritis]
- K51 Ulcerative colitis
- K52 Other noninfective gastroenteritis and colitis

Other diseases of intestines (K55-K63)

- K55 Vascular disorders of intestine
- K56 Paralytic ileus and intestinal obstruction without hernia
- K57 Diverticular disease of intestine
- K58 Irritable bowel syndrome
- K59 Other functional intestinal disorders
- K60 Fissure and fistula of anal and rectal regions
- K61 Abscess of anal and rectal regions
- K62 Other diseases of anus and rectum
- K63 Other diseases of intestine

Diseases of peritoneum (K65-K67)

- K65 Peritonitis
- K66 Other disorders of peritoneum
- K67* Disorders of peritoneum in infectious diseases classified elsewhere

Diseases of liver (K70-K77)

- K70 Alcoholic liver disease
- K71 Toxic liver disease
- K72 Hepatic failure, not elsewhere classified
- K73 Chronic hepatitis, not elsewhere classified
- K74 Fibrosis and cirrhosis of liver
- K75 Other inflammatory liver diseases
- K76 Other diseases of liver
- K77* Liver disorders in diseases classified elsewhere

Disorders of gallbladder, biliary tract and pancreas (K80-K87)

- K80 Cholelithiasis
- K81 Cholecystitis
- K82 Other diseases of gallbladder
- K83 Other diseases of biliary tract
- K85 Acute pancreatitis
- K86 Other diseases of pancreas
- K87* Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere

Other diseases of the digestive system (K90-K93)

- K90 Intestinal malabsorption
- K91 Postprocedural disorders of digestive system, not elsewhere classified
- K92 Other diseases of digestive system
- K93* Disorders of other digestive organs in diseases classified elsewhere

DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (L00-L99)

Infections of the skin and subcutaneous tissue (L00-L08)

- L00 Staphylococcal scalded skin syndrome
- L01 Impetigo
- L02 Cutaneous abscess, furuncle and carbuncle
- L03 Cellulitis
- L04 Acute lymphadenitis
- L05 Pilonidal cyst
- L08 Other local infections of skin and subcutaneous tissue

Bullous disorders (L10-L14)

- L10 Pemphigus
- L11 Other acantholytic disorders
- L12 Pemphigoid
- L13 Other bullous disorders
- L14* Bullous disorders in diseases classified elsewhere

Dermatitis and eczema (L20-L30)

- L20 Atopic dermatitis
- L21 Seborrhoeic dermatitis
- L22 Diaper [napkin] dermatitis
- L23 Allergic contact dermatitis
- L24 Irritant contact dermatitis
- L25 Unspecified contact dermatitis
- L26 Exfoliative dermatitis
- L27 Dermatitis due to substances taken internally
- L28 Lichen simplex chronicus and prurigo
- L29 Pruritus
- L30 Other dermatitis

Papulosquamous disorders (L40-L45)

- L40 Psoriasis
- L41 Parapsoriasis
- L42 Pityriasis rosea
- L43 Lichen planus
- L44 Other papulosquamous disorders
- L45* Papulosquamous disorders in diseases classified elsewhere
Urticaria and erythema (L50-L54)

- L50 Urticaria
- L51 Erythema multiforme
- L52 Erythema nodosum
- L53 Other erythematous conditions
- L54* Erythema in diseases classified elsewhere

Radiation-related disorders of the skin and subcutaneous tissue (L55-L59)

- L55 Sunburn
- L56 Other acute skin changes due to ultraviolet radiation
- L57 Skin changes due to chronic exposure to nonionizing radiation
- L58 Radiodermatitis
- L59 Other disorders of skin and subcutaneous tissue related to radiation

Disorders of skin appendages (L60-L75)

- L60 Nail disorders
- L62* Nail disorders in diseases classified elsewhere
- L63 Alopecia areata
- L64 Androgenic alopecia
- L65 Other nonscarring hair loss
- L66 Cicatricial alopecia [scarring hair loss]
- L67 Hair colour and hair shaft abnormalities
- L68 Hypertrichosis
- L70 Acne
- L71 Rosacea
- L72 Follicular cysts of skin and subcutaneous tissue
- L73 Other follicular disorders
- L74 Eccrine sweat disorders
- L75 Apocrine sweat disorders

Other disorders of the skin and subcutaneous tissue (L80-L99)

- L80 Vitiligo
- L81 Other disorders of pigmentation
- L82 Seborrhoeic keratosis
- L83 Acanthosis nigricans
- L84 Corns and callosities
- L85 Other epidermal thickening
- L86* Keratoderma in diseases classified elsewhere
- L87 Transepidermal elimination disorders
- L88 Pyoderma gangrenosum
- L89 Decubitus ulcer
- L90 Atrophic disorders of skin
- L91 Hypertrophic disorders of skin
- L92 Granulomatous disorders of skin and subcutaneous tissue
- L93 Lupus erythematosus
- L94 Other localized connective tissue disorders
- L95 Vasculitis limited to skin, not elsewhere classified
- L97 Ulcer of lower limb, not elsewhere classified
- L98 Other disorders of skin and subcutaneous tissue, not elsewhere classified
- L99* Other disorders of skin and subcutaneous tissue in diseases classified elsewhere

DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (M00-M99)

Arthropathies (M00-M25)

Infectious arthropathies (M00-M03)

- M00 Pyogenic arthritis
- M01* Direct infections of joint in infectious and parasitic diseases classified elsewhere
- M02 Reactive arthropathies
- M03* Postinfective and reactive arthropathies in diseases classified elsewhere

Inflammatory polyarthropathies (M05-M14)

- M05 Seropositive rheumatoid arthritis
- M06 Other rheumatoid arthritis
- M07* Psoriatic and enteropathic arthropathies
- M08 Juvenile arthritis
- M09* Juvenile arthritis in diseases classified elsewhere
- M10 Gout
- M11 Other crystal arthropathies
- M12 Other specific arthropathies
- M13 Other arthritis
- M14* Arthropathies in other diseases classified elsewhere

Arthrosis (M15-M19)

- M15 Polyarthrosis
- M16 Coxarthrosis [arthrosis of hip]
- M17 Gonarthrosis [arthrosis of knee]
- M18 Arthrosis of first carpometacarpal joint
- M19 Other arthrosis

Other joint disorders (M20-M25)

- M20 Acquired deformities of fingers and toes
- M21 Other acquired deformities of limbs
- M22 Disorders of patella
- M23 Internal derangement of knee
- M24 Other specific joint derangements
- M25 Other joint disorders, not elsewhere classified

Systemic connective tissue disorders (M30-M36)

- M30 Polyarteritis nodosa and related conditions
- M31 Other necrotizing vasculopathies
- M32 Systemic lupus erythematosus
- M33 Dermatopolymyositis
- M34 Systemic sclerosis
- M35 Other systemic involvement of connective tissue
- M36* Systemic disorders of connective tissue in diseases classified elsewhere

Dorsopathies (M40-M54)

Deforming dorsopathies (M40-M43)

- M40 Kyphosis and lordosis
- M41 Scoliosis
- M42 Spinal osteochondrosis
- M43 Other deforming dorsopathies

Spondylopathies (M45-M49)

- M45 Ankylosing spondylitis
- M46 Other inflammatory spondylopathies
- M47 Spondylosis
- M48 Other spondylopathies
- M49* Spondylopathies in diseases classified elsewhere

Other dorsopathies (M50-M54)

- Cervical disc disorders
- M51 Other intervertebral disc disorders
- M53 Other dorsopathies, not elsewhere classified
- M54 Dorsalgia

M50

Soft tissue disorders (M60-M79)

Disorders of muscles (M60-M63)

- M60 Myositis
- M61 Calcification and ossification of muscle
- M62 Other disorders of muscle
- M63* Disorders of muscle in diseases classified elsewhere

Disorders of synovium and tendon (M65-M68)

- M65 Synovitis and tenosynovitis
- M66 Spontaneous rupture of synovium and tendon
- M67 Other disorders of synovium and tendon
- M68* Disorders of synovium and tendon in diseases classified elsewhere

Other soft tissue disorders (M70-M79)

- M70 Soft tissue disorders related to use, overuse and pressure
- M71 Other bursopathies
- M72 Fibroblastic disorders
- M73* Soft tissue disorders in diseases classifed elsewhere
- M75 Shoulder lesions
- M76 Enthesopathies of lower limb, excluding foot
- M77 Other enthesopathies
- M79 Other soft tissue disorders, not elsewhere classified

Osteopathies and chondropathies (M80-M94)

Disorders of bone density and structure (M80-M85)

- M80 Osteoporosis with pathological fracture
- M81 Osteoporosis without pathological fracture
- M82* Osteoporosis in diseases classified elsewhere
- M83 Adult osteomalacia
- M84 Disorders of continuity of bone
- M85 Other disorders of bone density and structure

Other osteopathies (M86-M90)

- M86 Osteomyelitis
- M87 Osteonecrosis
- M88 Paget's disease of bone [osteitis deformans]
- M89 Other disorders of bone
- M90* Osteopathies in diseases classified elsewhere

Chondropathies (M91-M94)

- M91 Juvenile osteochondrosis of hip and pelvis
- M92 Other juvenile osteochondrosis
- M93 Other osteochondropathies
- M94 Other disorders of cartilage

Other disorders of the musculoskeletal system and connective tissue (M95-M99)

- M95 Other acquired deformities of musculoskeletal system
- M96 Postprocedural muscoloskeletal disorders, not elsewhere classified
- M99 Biomechanical lesions, not elsewhere classified

DISEASES OF THE GENITOURINARY SYSTEM (N00-N99)

Glomerular diseases (N00-N08)

- N00 Acute nephritic syndrome
- N01 Rapidly progressive nephritic syndrome
- N02 Recurrent and persistent haematuria
- N03 Chronic nephritic syndrome
- N04 Nephrotic syndrome
- N05 Unspecified nephritic syndrome
- N06 Isolated proteinuria with specified morphological lesion
- N07 Hereditary nephropathy, not elsewhere classified
- N08* Glomerular disorders in diseases classified elsewhere

Renal tubulo-interstitial diseases (N10-N16)

- N10 Acute tubulo-interstitial nephritis
- N11 Chronic tubulo-interstitial nephritis
- N12 Tubulo-interstitial nephritis, not specified as acute or chronic
- N13 Obstructive and reflux uropathy
- N14 Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions
- N15 Other renal tubulo-interstitial diseases
- N16* Renal tubulo-interstitial disorders in diseases classified elsewhere

Renal failure (N17-N19)

- N17 Acute renal failure
- N18 Chronic renal failure
- N19 Unspecified renal failure

Urolithiasis (N20-N23)

- N20 Calculus of kidney and ureter
- N21 Calculus of lower urinary tract
- N22* Calculus of urinary tract in diseases classified elsewhere
- N23 Unspecified renal colic

Other disorders of kidney and ureter (N25-N29)

- N25 Disorders resulting from impaired renal tubular function
- N26 Unspecified contracted kidney
- N27 Small kidney of unknown cause
- N28 Other disorders of kidney and ureter, not elsewhere classified
- N29* Other disorders of kidney and ureter in diseases classified elsewhere

Other diseases of urinary system (N30-N39)

- N30 Cystitis
- N31 Neuromuscular dysfunction of bladder, not elsewhere classified
- N32 Other disorders of bladder
- N33* Bladder disorders in diseases classified elsewhere
- N34 Urethritis and urethral syndrome
- N35 Urethral stricture
- N36 Other disorders of urethra

- N37* Urethral disorders in diseases classified elsewhere
- N39 Other disorders of urinary system

Diseases of male genital organs (N40-N51)

- N40 Hyperplasia of prostate
- N41 Inflammatory diseases of prostate
- N42 Other disorders of prostate
- N43 Hydrocele and spermatocele
- N44 Torsion of testis
- N45 Orchitis and epididymitis
- N46 Male infertility
- N47 Redundant prepuce, phimosis and paraphimosis
- N48 Other disorders of penis
- N49 Inflammatory disorders of male genital organs, not elsewhere classified
- N50 Other disorders of male genital organs
- N51* Disorders of male genital organs in diseases classified elsewhere

Disorders of breast (N60-N64)

- N60 Benign mammary dysplasia
- N61 Inflammatory disorders of breast
- N62 Hypertrophy of breast
- N63 Unspecified lump in breast
- N64 Other disorders of breast

Inflammatory diseases of female pelvic organs (N70-N77)

- N70 Salpingitis and oophoritis
- N71 Inflammatory disease of uterus, except cervix
- N72 Inflammatory disease of cervix uteri
- N73 Other female pelvic inflammatory diseases
- N74* Female pelvic inflammatory disorders in diseases classified elsewhere
- N75 Diseases of Bartholin's gland
- N76 Other inflammation of vagina and vulva
- N77* Vulvovaginal ulceration and inflammation in diseases classified elsewhere

Noninflammatory disorders of female genital tract (N80-N98)

- N80 Endometriosis
- N81 Female genital prolapse
- N82 Fistulae involving female genital tract
- N83 Noninflammatory disorders of ovary, fallopian tube and broad ligament
- N84 Polyp of female genital tract
- N85 Other noninflammatory disorders of uterus, except cervix
- N86 Erosion and ectropion of cervix uteri
- N87 Dysplasia of cervix uteri
- N88 Other noninflammatory disorders of cervix uteri
- N89 Other noninflammatory disorders of vagina
- N90 Other noninflammatory disorders of vulva and perineum
- N91 Absent, scanty and rare menstruation
- N92 Excessive, frequent and irregular menstruation
- N93 Other abnormal uterine and vaginal bleeding
- N94 Pain and other conditions associated with female genital organs and menstrual cycle
- N95 Menopausal and other perimenopausal disorders
- N96 Habitual aborter
- N97 Female infertility
- N98 Complications associated with artificial fertilization

Other disorders of the genitourinary tract (N99)

N99 Postprocedural disorders of the genitourinary system, not elsewhere classified

PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (000-099)

Pregnancy with abortive outcome (O00-O08)

- O00 Ectopic pregnancy
- O01 Hydatidiform mole
- O02 Other abnormal products of conception
- O03 Spontaneous abortion
- O04 Medical abortion
- O05 Other abortion
- O06 Unspecified abortion
- O07 Failed attempted abortion
- O08 Complications following abortion and ectopic and molar pregnancy

Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16)

- O10 Pre-existing hypertension complicating pregnancy, childbirth and the puerperium
- O11 Pre-existing hypertensive disorder with superimposed proteinuria
- O12 Gestational [pregnancy-induced] oedema and proteinuria without hypertension
- O13 Gestational [pregnancy-induced] hypertension without significant proteinuria
- O14 Gestational [pregnancy-induced] hypertension with significant proteinuria
- O15 Eclampsia
- O16 Unspecified maternal hypertension

Other maternal disorders predominantly related to pregnancy (O20-O29)

- O20 Haemorrhage in early pregnancy
- O21 Excessive vomiting in pregnancy
- O22 Venous complications in pregnancy
- O23 Infections of genitourinary tract in pregnancy
- O24 Diabetes mellitus in pregnancy
- O25 Malnutrition in pregnancy
- O26 Maternal care for other conditions predominantly related to pregnancy
- O28 Abnormal findings on antenatal screening of mother
- O29 Complications of anaesthesia during pregnancy

Maternal care related to fetus and amniotic cavity and possible delivery problems (O30-O48)

- O30 Multiple gestation
- O31 Complications specific to multiple gestation
- O32 Maternal care for known or suspected malpresentation of fetus
- O33 Maternal care for known or suspected disproportion
- O34 Maternal care for known or suspected abnormality of pelvic organs
- O35 Maternal care for known or suspected fetal abnormality and damage
- O36 Maternal care for other known or suspected fetal problems
- O40 Polyhydramnios
- O41 Other disorders of amniotic fluid and membranes
- O42 Premature rupture of membranes
- O43 Placental disorders
- O44 Placenta praevia
- O45 Premature separation of placenta [abruptio placentae]
- O46 Antepartum haemorrhage, not elsewhere classified
- O47 False labour
- O48 Prolonged pregnancy

Complications of labour and delivery (O60-O75)

- O60 Preterm delivery
- O61 Failed induction of labour
- O62 Abnormalities of forces of labour
- O63 Long labour
- O64 Obstructed labour due to malposition and malpresentation of fetus
- O65 Obstructed labour due to maternal pelvic abnormality
- O66 Other obstructed labour

- O67 Labour and delivery complicated by intrapartum haemorrhage, not elsewhere classified
- O68 Labour and delivery complicated by fetal stress [distress]
- O69 Labour and delivery complicated by umbilical cord complications
- O70 Perineal laceration during delivery
- O71 Other obstetric trauma
- O72 Postpartum haemorrhage
- O73 Retained placenta and membranes, without haemorrhage
- O74 Complications of anaesthesia during labour and delivery
- O75 Other complications of labour and delivery, not elsewhere classified

Delivery (O80-O84)

- O80 Single spontaneous delivery
- O81 Single delivery by forceps and vacuum extractor
- O82 Single delivery by caesarean section
- O83 Other assisted single delivery
- O84 Multiple delivery

Complications predominantly related to the puerperium (O85-O92)

- O85 Puerperal sepsis
- O86 Other puerperal infections
- O87 Venous complications in the puerperium
- O88 Obstetric embolism
- O89 Complications of anaesthesia during the puerperium
- O90 Complications of the puerperium, not elsewhere classified
- O91 Infections of breast associated with childbirth
- O92 Other disorders of breast and lactation associated with childbirth

Other obstetric conditions, not elsewhere classified (O95-O99)

- O95 Obstetric death of unspecified cause
- O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery
- O97 Death from sequelae of direct obstetric causes
- O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium
- O99 Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium

CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)

Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery (P00-P04)

- P00 Fetus and newborn affected by maternal conditions that may be unrelated to present pregnancy
- P01 Fetus and newborn affected by maternal complications of pregnancy
- P02 Fetus and newborn affected by complications of placenta, cord and membranes
- P03 Fetus and newborn affected by other complications of labour and delivery
- P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk

Disorders related to length of gestation and fetal growth (P05-P08)

- P05 Slow fetal growth and fetal malnutrition
- P07 Disorders related to short gestation and low birth weight, not elsewhere classified
- P08 Disorders related to long gestation and high birth weight

Birth trauma (P10-P15)

- P10 Intracranial laceration and haemorrhage due to birth injury
- P11 Other birth injuries to central nervous system
- P12 Birth injury to scalp
- P13 Birth injury to skeleton

- P14 Birth injury to peripheral nervous system
- P15 Other birth injuries

Respiratory and cardiovascular disorders specific to the perinatal period (P20-P29)

- P20 Intrauterine hypoxia
- P21 Birth asphyxia
- P22 Respiratory distress of newborn
- P23 Congenital pneumonia
- P24 Neonatal aspiration syndromes
- P25 Interstitial emphysema and related conditions originating in the perinatal period
- P26 Pulmonary haemorrhage originating in the perinatal period
- P27 Chronic respiratory disease originating in the perinatal period
- P28 Other respiratory conditions originating in the perinatal period
- P29 Cardiovascular disorders originating in the perinatal period

Infections specific to the perinatal period (P35-P39)

- P35 Congenital viral diseases
- P36 Bacterial sepsis of newborn
- P37 Other congenital infectious and parasitic diseases
- P38 Omphalitis of newborn with or without mild haemorrhage
- P39 Other infections specific to the perinatal period

Haemorrhagic and haematological disorders of fetus and newborn (P50-P61)

- P50 Fetal blood loss
- P51 Umbilical haemorrhage of newborn
- P52 Intracranial nontraumatic haemorrhage of fetus and newborn
- P53 Haemorrhagic disease of fetus and newborn
- P54 Other neonatal haemorrhages
- P55 Haemolytic disease of fetus and newborn
- P56 Hydrops fetalis due to haemolytic disease
- P57 Kernicterus
- P58 Neonatal jaundice due to other excessive haemolysis
- P59 Neonatal jaundice from other and unspecified causes
- P60 Disseminated intravascular coagulation of fetus and newborn
- P61 Other perinatal haematological disorders

Transitory endocrine and metabolic disorders specific to fetus and newborn (P70-P74)

- P70 Transitory disorders of carbohydrate metabolism specific to fetus and newborn
- P71 Transitory neonatal disorders of calcium and magnesium metabolism
- P72 Other transitory neonatal endocrine disorders
- P74 Other transitory neonatal electrolyte and metabolic disturbances

Digestive system disorders of fetus and newborn (P75-P78)

- P75* Meconium ileus
- P76 Other intestinal obstruction of newborn
- P77 Necrotizing enterocolitis of fetus and newborn
- P78 Other perinatal digestive system disorders

Conditions involving the integument and temperature regulation of fetus and newborn (P80-P83)

- P80 Hypothermia of newborn
- P81 Other disturbances of temperature regulation of newborn
- P83 Other conditions of integument specific to fetus and newborn

Other disorders originating in the perinatal period (P90-P96)

- P90 Convulsions of newborn
- P91 Other disturbances of cerebral status of newborn
- P92 Feeding problems of newborn
- P93 Reactions and intoxications due to drugs administered to fetus and newborn
- P94 Disorders of muscle tone of newborn
- P95 Fetal death of unspecified cause
- P96 Other conditions originating in the perinatal period

CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (Q00-Q99)

Congenital malformations of the nervous system (Q00-Q07)

- Q00 Anencephaly and similar malformations
- Q01 Encephalocele
- Q02 Microcephaly
- Q03 Congenital hydrocephalus
- Q04 Other congenital malformations of brain
- Q05 Spina bifida
- Q06 Other congenital malformations of spinal cord
- Q07 Other congenital malformations of nervous system

Congenital malformations of eye, ear, face and neck (Q10-Q18)

- Q10 Congenital malformations of eyelid, lacrimal apparatus and orbit
- Q11 Anophthalmos, microphthalmos and macrophthalmos
- Q12 Congenital lens malformations
- Q13 Congenital malformations of anterior segment of eye
- Q14 Congenital malformations of posterior segment of eye
- Q15 Other congenital malformations of eye
- Q16 Congenital malformations of ear causing impairment of hearing
- Q17 Other congenital malformations of ear
- Q18 Other congenital malformations of face and neck

Congenital malformations of the circulatory system (Q20-Q28)

- Q20 Congenital malformations of cardiac chambers and connections
- Q21 Congenital malformations of cardiac septa
- Q22 Congenital malformations of pulmonary and tricuspid valves
- Q23 Congenital malformations of aortic and mitral valves
- Q24 Other congenital malformations of the heart
- Q25 Congenital malformations of great arteries
- Q26 Congenital malformations of great veins
- Q27 Other congenital malformations of peripheral vascular system
- Q28 Other congenital malformations of circulatory system

Congenital malformations of the respiratory system (Q30-Q34)

- Q30 Congenital malformations of nose
- Q31 Congenital malformations of larynx

- Q32 Congenital malformations of trachea and bronchus
- Q33 Congenital malformations of lung
- Q34 Other congenital malformations of respiratory system

Cleft lip and cleft palate (Q35-Q37)

- Q35 Cleft palate
- Q36 Cleft lip
- Q37 Cleft palate with cleft lip

Other congenital malformations of the digestive system (Q38-Q45)

- Q38 Other congenital malformations of tongue, mouth and pharynx
- Q39 Congenital malformations of oesophagus
- Q40 Other congenital malformations of upper alimentary tract
- Q41 Congenital absence, atresia and stenosis of small intestine
- Q42 Congenital absence, atresia and stenosis of large intestine
- Q43 Other congenital malformations of intestine
- Q44 Congenital malformations of gallbladder, bile ducts and liver
- Q45 Other congenital malformations of digestive system

Congenital malformations of genital organs (Q50-Q56)

- Q50 Congenital malformations of ovaries, fallopian tubes and broad ligaments
- Q51 Congenital malformations of uterus and cervix
- Q52 Other congenital malformations of female genitalia
- Q53 Undescended testicle
- Q54 Hypospadias
- Q55 Other congenital malformations of male genital organs
- Q56 Indeterminate sex and pseudohermaphroditism

Congenital malformations of the urinary system (Q60-Q64)

- Q60 Renal agenesis and other reduction defects of kidney
- Q61 Cystic kidney disease
- Q62 Congenital obstructive defects of renal pelvis and congenital malformations of ureter
- Q63 Other congenital malformations of kidney
- Q64 Other congenital malformations of urinary system

Congenital malformations and deformations of the musculoskeletal system (Q65-Q79)

- Q65 Congenital deformities of hip
- Q66 Congenital deformities of feet
- Q67 Congenital musculoskeletal deformities of head, face, spine and chest
- Q68 Other congenital musculoskeletal deformities
- Q69 Polydactyly
- Q70 Syndactyly
- Q71 Reduction defects of upper limb
- Q72 Reduction defects of lower limb
- Q73 Reduction defects of unspecified limb
- Q74 Other congenital malformations of limb(s)
- Q75 Other congenital malformations of skull and face bones
- Q76 Congenital malformations of spine and bony thorax
- Q77 Osteochondrodysplasia with defects of growth of tubular bones and spine
- Q78 Other osteochondrodysplasias
- Q79 Congenital malformations of the musculoskeletal system, not elsewhere classified

Other congenital malformations (Q80-Q89)

- Q80 Congenital ichthyosis
- Q81 Epidermolysis bullosa
- Q82 Other congenital malformations of skin
- Q83 Congenital malformations of breast
- Q84 Other congenital malformations of integument

- Q85 Phakomatoses, not elsewhere classified
- Q86 Congenital malformation syndromes due to known exogenous causes, not elsewhere classified
- Q87 Other specified congenital malformation syndromes affecting multiple systems
- Q89 Other congenital malformations, not elsewhere classified

Chromosomal abnormalities, not elsewhere classified (Q90-Q99)

- Q90 Down's syndrome
- Q91 Edwards' syndrome and Patau's syndrome
- Q92 Other trisomies and partial trisomies of the autosomes, not elsewhere classified
- Q93 Monosomies and deletions from the autosomes, not elsewhere classified
- Q95 Balanced rearrangements and structural markers, not elsewhere classified
- Q96 Turner's syndrome
- Q97 Other sex chromosome abnormalities, female phenotype, not elsewhere classified
- Q98 Other sex chromosome abnormalities, male phenotype, not elsewhere classified
- Q99 Other chromosome abnormalities, not elsewhere classified

SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED (R00-R99)

Symptoms and signs involving the circulatory and respiratory systems (R00-R09)

- R00 Abnormalities of heart beat
- R01 Cardiac murmurs and other cardiac sounds
- R02 Gangrene, not elsewhere classified
- R03 Abnormal blood-pressure reading, without diagnosis
- R04 Haemorrhage from respiratory passages
- R05 Cough
- R06 Abnormalities of breathing
- R07 Pain in throat and chest
- R09 Other symptoms and signs involving the circulatory and respiratory systems

Symptoms and signs involving the digestive system and abdomen (R10-R19)

- R10 Abdominal and pelvic pain
- R11 Nausea and vomiting
- R12 Heartburn
- R13 Dysphagia
- R14 Flatulence and related conditions
- R15 Faecal incontinence
- R16 Hepatomegaly and splenomegaly, not elsewhere classified
- R17 Unspecified jaundice
- R18 Ascites
- R19 Other symptoms and signs involving the digestive system and abdomen

Symptoms and signs involving the skin and subcutaneous tissue (R20-R23)

- R20 Disturbances of skin sensation
- R21 Rash and other nonspecific skin eruption
- R22 Localized swelling, mass and lump of skin and subcutaneous tissue
- R23 Other skin changes

Symptoms and signs involving the nervous and musculoskeletal systems

(R25-R29)

- R25 Abnormal involuntary movements
- R26 Abnormalities of gait and mobility
- R27 Other lack of coordination
- R29 Other symptoms and signs involving the nervous and musculoskeletal systems

Symptoms and signs involving the urinary system (R30-R39)

- R30 Pain associated with micturition
- R31 Unspecified haematuria

- R32 Unspecified urinary incontinence
- R33 Retention of urine
- R34 Anuria and oliguria
- R35 Polyuria
- R36 Urethral discharge
- R39 Other symptoms and signs involving the urinary system

Symptoms and signs involving cognition, perception, emotional state and behaviour (R40-R46)

- R40 Somnolence, stupor and coma
- R41 Other symptoms and signs involving cognitive functions and awareness
- R42 Dizziness and giddiness
- R43 Disturbances of smell and taste
- R44 Other symptoms and signs involving general sensations and perceptions
- R45 Symptoms and signs involving emotional state
- R46 Symptoms and signs involving appearance and behaviour

Symptoms and signs involving speech and voice (R47-R49)

- R47 Speech disturbances, not elsewhere classified
- R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified
- R49 Voice disturbances

General symptoms and signs (R50-R69)

- R50 Fever of unknown origin
- R51 Headache
- R52 Pain, not elsewhere classified
- R53 Malaise and fatigue
- R54 Senility
- R55 Syncope and collapse
- R56 Convulsions, not elsewhere classified
- R57 Shock, not elsewhere classified
- R58 Haemorrhage, not elsewhere classified
- R59 Enlarged lymph nodes
- R60 Oedema, not elsewhere classified
- R61 Hyperhidrosis
- R62 Lack of expected normal physiological development
- R63 Symptoms and signs concerning food and fluid intake
- R64 Cachexia
- R68 Other general symptoms and signs
- R69 Unknown and unspecified causes of morbidity

Abnormal findings on examination of blood, without diagnosis (R70-R79)

- R70 Elevated erythrocyte sedimentation rate and abnormality of plasma viscosity
- R71 Abnormality of red blood cells
- R72 Abnormality of white blood cells, not elsewhere classified
- R73 Elevated blood glucose level
- R74 Abnormal serum enzyme levels
- R75 Laboratory evidence of human immunodeficiency virus [HIV]
- R76 Other abnormal immunological findings in serum
- R77 Other abnormalities of plasma proteins
- R78 Findings of drugs and other substances, not normally found in blood
- R79 Other abnormal findings of blood chemistry

Abnormal findings on examination of urine, without diagnosis (R80-R82)

- R80 Isolated proteinuria
- R81 Glycosuria
- R82 Other abnormal findings in urine

Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis (R83-R89)

- R83 Abnormal findings in cerebrospinal fluid
- R84 Abnormal findings in specimens from respiratory organs and thorax
- R85 Abnormal findings in specimens from digestive organs and abdominal cavity
- R86 Abnormal findings in specimens from male genital organs
- R87 Abnormal findings in specimens from female genital organs
- R89 Abnormal findings in specimens from other organs, systems and tissues

Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94)

- R90 Abnormal findings on diagnostic imaging of central nervous system
- R91 Abnormal findings on diagnostic imaging of lung
- R92 Abnormal findings on diagnostic imaging of breast
- R93 Abnormal findings on diagnostic imaging of other body structures
- R94 Abnormal results of function studies

III-defined and unknown causes of mortality (R95-R99)

- R95 Sudden infant death syndrome
- R96 Other sudden death, cause unknown
- R98 Unattended death
- R99 Other ill-defined and unspecified causes of mortality

INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES (S00-T98)

Injuries to the head (S00-S09)

- S00 Superficial injury of head
- S01 Open wound of head
- S02 Fracture of skull and facial bones
- S03 Dislocation, sprain and strain of joints and ligaments of head
- S04 Injury of cranial nerves
- S05 Injury of eye and orbit
- S06 Intracranial injury
- S07 Crushing injury of head
- S08 Traumatic amputation of part of head
- S09 Other and unspecified injuries of head

Injuries to the neck (S10-S19)

- S10 Superficial injury of neck
- S11 Open wound of neck
- S12 Fracture of neck
- S13 Dislocation, sprain and strain of joints and ligaments at neck level
- S14 Injury of nerves and spinal cord at neck level
- S15 Injury of blood vessels at neck level
- S16 Injury of muscle and tendon at neck level
- S17 Crushing injury of neck
- S18 Traumatic amputation at neck level
- S19 Other and unspecified injuries of neck

Injuries to the thorax (S20-S29)

- S20 Superficial injury of thorax
- S21 Open wound of thorax
- S22 Fracture of rib(s), sternum and thoracic spine
- S23 Dislocation, sprain and strain of joints and ligaments of thorax
- S24 Injury of nerves and spinal cord at thorax level
- S25 Injury of blood vessels of thorax
- S26 Injury of heart
- S27 Injury of other and unspecified intrathoracic organs
- S28 Crushing injury of thorax and traumatic amputation of part of thorax
- S29 Other and unspecified injuries of thorax

Injuries to the abdomen, lower back, lumbar spine and pelvis (S30-S39)

- S30 Superficial injury of abdomen, lower back and pelvis
- S31 Open wound of abdomen, lower back and pelvis
- S32 Fracture of lumbar spine and pelvis
- S33 Dislocation, sprain and strain of joints and ligaments of lumbar spine and pelvis
- S34 Injury of nerves and lumbar spinal cord at abdomen, lower back and pelvis level
- S35 Injury of blood vessels at abdomen, lower back and pelvis level
- S36 Injury of intra-abdominal organs
- S37 Injury of pelvic organs
- S38 Crushing injury and traumatic amputation of part of abdomen, lower back and pelvis
- S39 Other and unspecified injuries of abdomen, lower back and pelvis

Injuries to the shoulder and upper arm (S40-S49)

- S40 Superficial injury of shoulder and upper arm
- S41 Open wound of shoulder and upper arm
- S42 Fracture of shoulder and upper arm
- S43 Dislocation, sprain and strain of joints and ligaments of shoulder girdle
- S44 Injury of nerves at shoulder and upper arm level
- S45 Injury of blood vessels at shoulder and upper arm level
- S46 Injury of muscle and tendon at shoulder and upper arm level
- S47 Crushing injury of shoulder and upper arm
- S48 Traumatic amputation of shoulder and upper arm
- S49 Other and unspecified injuries of shoulder and upper arm

Injuries to the elbow and forearm (S50-S59)

- S50 Superficial injury of forearm
- S51 Open wound of forearm
- S52 Fracture of forearm
- S53 Dislocation, sprain and strain of joints and ligaments of elbow
- S54 Injury of nerves at forearm level
- S55 Injury of blood vessels at forearm level
- S56 Injury of muscle and tendon at forearm level
- S57 Crushing injury of forearm
- S58 Traumatic amputation of forearm
- S59 Other and unspecified injuries of forearm

Injuries to the wrist and hand (S60-S69)

- S60 Superficial injury of wrist and hand
- S61 Open wound of wrist and hand
- S62 Fracture at wrist and hand level
- S63 Dislocation, sprain and strain of joints and ligaments at wrist and hand level
- S64 Injury of nerves at wrist and hand level
- S65 Injury of blood vessels at wrist and hand level
- S66 Injury of muscle and tendon at wrist and hand level
- S67 Crushing injury of wrist and hand
- S68 Traumatic amputation of wrist and hand
- S69 Other and unspecified injuries of wrist and hand

Injuries to the hip and thigh (S70-S79)

- S70 Superficial injury of hip and thigh
- S71 Open wound of hip and thigh
- S72 Fracture of femur
- S73 Dislocation, sprain and strain of joint and ligaments of hip
- S74 Injury of nerves at hip and thigh level
- S75 Injury of blood vessels at hip and thigh level
- S76 Injury of muscle and tendon at hip and thigh level
- S77 Crushing injury of hip and thigh
- S78 Traumatic amputation of hip and thigh
- S79 Other and unspecified injuries of hip and thigh

Injuries to the knee and lower leg (S80-S89)

- S80 Superficial injury of lower leg
- S81 Open wound of lower leg
- S82 Fracture of lower leg, including ankle
- S83 Dislocation, sprain and strain of joints and ligaments of knee
- S84 Injury of nerves at lower leg level
- S85 Injury of blood vessels at lower leg level
- S86 Injury of muscle and tendon at lower leg level
- S87 Crushing injury of lower leg
- S88 Traumatic amputation of lower leg
- S89 Other and unspecified injuries of lower leg

Injuries to the ankle and foot (S90-S99)

- S90 Superficial injury of ankle and foot
- S91 Open wound of ankle and foot
- S92 Fracture of foot, except ankle
- S93 Dislocation, sprain and strain of joints and ligaments at ankle and foot level
- S94 Injury of nerves at ankle and foot level
- S95 Injury of blood vessels at ankle and foot level
- S96 Injury of muscle and tendon at ankle and foot level
- S97 Crushing injuries of ankle and foot
- S98 Traumatic amputation of ankle and foot
- S99 Other and unspecified injuries of ankle and foot

Injuries involving multiple body regions (T00-T07)

- T00 Superficial injuries involving multiple body regions
- T01 Open wounds involving multiple body regions
- T02 Fractures involving multiple body regions
- T03 Dislocations, sprains and strains involving multiple body regions
- T04 Crushing injuries involving multiple body regions
- T05 Traumatic amputations involving multiple body regions
- T06 Other injuries involving multiple body regions, not elsewhere classified
- T07 Unspecified multiple injuries

Injuries to unspecified part of trunk, limb or body region (T08-T14)

- T08 Fracture of spine, level unspecified
- T09 Other injuries of spine and trunk, level unspecified
- T10 Fracture of upper limb, level unspecified
- T11 Other injuries of upper limb, level unspecified
- T12 Fracture of lower limb, level unspecified
- T13 Other injuries of lower limb, level unspecified
- T14 Injury of unspecified of body

Effects of foreign body entering through natural orifice (T15-T19)

- T15 Foreign body on external eye
- T16 Foreign body in ear
- T17 Foreign body in respiratory tract
- T18 Foreign body in alimentary tract
- T19 Foreign body in genitourinary tract

Burns and corrosions (T20-T32)

Burns and corrosions of external body surface, specified by site (T20-T25)

- T20 Burn and corrosion of head and neck
- T21 Burn and corrosion of trunk
- T22 Burn and corrosion of shoulder and upper limb, except wrist and hand
- T23 Burn and corrosion of wrist and hand
- T24 Burn and corrosion of hip and lower limb, except ankle and foot
- T25 Burn and corrosion of ankle and foot

Burns and corrosions confined to eye and internal organs (T26-T28)

- T26 Burn and corrosion confined to eye and adnexa
- T27 Burn and corrosion of respiratory tract
- T28 Burn and corrosion of other internal organs

Burns and corrosions of multiple and unspecified body regions (T29-T32)

- T29 Burns and corrosions of multiple body regions
- T30 Burn and corrosion, body region unspecified
- T31 Burns classified according to extent of body surface involved
- T32 Corrosions classified according to extent of body surface involved

Frostbite (T33-T35)

- T33 Superficial frostbite
- T34 Frostbite with tissue necrosis
- T35 Frostbite involving multiple body regions and unspecified frostbite

Poisoning by drugs, medicaments and biological substances (T36-T50)

- T36 Poisoning by systemic antibiotics
- T37 Poisoning by other systemic anti-infectives and antiparasitics
- T38 Poisoning by hormones and their synthetic substitutes and antagonists, not elsewhere classified
- T39 Poisoning by nonopioid analgesics, antipyretics and antirheumatics
- T40 Poisoning by narcotics and psychodysleptics [hallucinogens]
- T41 Poisoning by anaesthetics and therapeutic gases
- T42 Poisoning by antiepileptic, sedative-hypnotic and antiparkinsonism drugs
- T43 Poisoning by psychotropic drugs, not elsewhere classified
- T44 Poisoning by drugs primarily affecting the autonomic nervous system
- T45 Poisoning by primarily systemic and haematological agents, not elsewhere classified
- T46 Poisoning by agents primarily affecting the cardiovascular system
- T47 Poisoning by agents primarily affecting the gastrointestinal system
- T48 Poisoning by agents primarily acting on smooth and skeletal muscles and the respiratory system
- T49 Poisoning by topical agents primarily affecting skin and mucous membrane, and by ophthalmological, otorhinolaryngological and dental drugs

T50 Poisoning by diuretics and other and unspecified drugs, medicaments and biological substances

Toxic effects of substances chiefly nonmedicinal as to source (T51-T65)

- T51 Toxic effect of alcohol
- T52 Toxic effect of organic solvents
- T53 Toxic effect of halogen derivatives of aliphatic and aromatic hydrocarbons
- T54 Toxic effect of corrosive substances
- T55 Toxic effect of soaps and detergents
- T56 Toxic effect of metals
- T57 Toxic effect of other inorganic substances
- T58 Toxic effect of carbon monoxide
- T59 Toxic effect of other gases, fumes and vapours
- T60 Toxic effect of pesticides
- T61 Toxic effect of noxious substances eaten as seafood
- T62 Toxic effect of other noxious substances eaten as food
- T63 Toxic effect of contact with venomous animals
- T64 Toxic effect of aflatoxin and other mycotoxin food contaminants
- T65 Toxic effect of other and unspecified substances

Other and unspecified effects of external causes (T66-T78)

- T66 Unspecified effects of radiation
- T67 Effects of heat and light
- T68 Hypothermia
- T69 Other effects of reduced temperature
- T70 Effects of air pressure and water pressure
- T71 Asphyxiation
- T73 Effects of other deprivation
- T74 Maltreatment syndromes
- T75 Effects of other external causes
- T78 Adverse effects, not elsewhere classified

Certain early complications of trauma (T79)

T79 Certain early complications of trauma, not elsewhere classified

Complications of surgical and medical care, not elsewhere classified (T80-T88)

- T80 Complications following infusion, transfusion and therapeutic injection
- T81 Complications of procedures, not elsewhere classified
- T82 Complications of cardiac and vascular prosthetic devices, implants and grafts
- T83 Complications of genitourinary devices, implants and grafts
- T84 Complications of internal orthopaedic prosthetic devices, implants and grafts
- T85 Complications of other internal prosthetic devices, implants and grafts
- T86 Failure and rejection of transplanted organs and tissues
- T87 Complications peculiar to reattachment and amputation
- T88 Other complications of surgical and medical care, not elsewhere classified

Sequelae of injuries, of poisoning and of other consequences of external causes (T90-T98)

- T90 Sequelae of injuries of head
- T91 Sequelae of injuries of neck and trunk
- T92 Sequelae of injuries of upper limb
- T93 Sequelae of injuries of lower limb
- T94 Sequelae of injuries involving multiple and unspecified body regions
- T95 Sequelae of burns, corrosions and frostbite
- T96 Sequelae of poisoning by drugs, medicaments and biological substances
- T97 Sequelae of toxic effects of substances chiefly nonmedicinal as to source
- T98 Sequelae of other and unspecified effects of external causes

EXTERNAL CAUSES OF MORBIDITY AND MORTALITY (V01-Y98)

Transport accidents (VO1-V99)

Pedestrian injured in transport accident (VO1-VO9)

- V01 Pedestrian injured in collision with pedal cycle
- V02 Pedestrian injured in collision with two- or three-wheeled motor vehicle
- V03 Pedestrian injured in collision with car, pick-up truck or van
- V04 Pedestrian injured in collision with heavy transport vehicle or bus
- V05 Pedestrian injured in collision with railway train or railway vehicle
- V06 Pedestrian injured in collision with other nonmotor vehicle
- V09 Pedestrian injured in other and unspecified transport accidents

Pedal cyclist injured in transport accident (VIO-VI9)

- V10 Pedal cyclist injured in collision with pedestrian or animal
- V11 Pedal cyclist injured in collision with other pedal cycle
- V12 Pedal cyclist injured in collision with two- or three-wheeled motor vehicle
- V13 Pedal cyclist injured in collision with car, pick-up truck or van
- V14 Pedal cyclist injured in collision with heavy transport vehicle or bus
- V15 Pedal cyclist injured in collision with railway train or railway vehicle
- V16 Pedal cyclist injured in collision with other nonmotor vehicle
- V17 Pedal cyclist injured in collision with fixed or stationary object
- V18 Pedal cyclist injured in noncollision transport accident
- V19 Pedal cyclist injured in other and unspecified transport accidents

Motorcycle rider injured in transport accident (V20-V29)

- V20 Motorcyle rider injured in collision with pedestrian or animal
- V21 Motorcyle rider injured in collision with pedal cycle
- V22 Motorcyle rider injured in collision with two- or three-wheeled motor vehicle
- V23 Motorcyle rider injured in collision with car, pick-up truck or van
- V24 Motorcyle rider injured in collision with heavy transport vehicle or bus
- V25 Motorcyle rider injured in collision with railway train or railway vehicle
- V26 Motorcyle rider injured in collision with other nonmotor vehicle
- V27 Motorcyle rider injured in collision with fixed or stationary object
- V28 Motorcyle rider injured in noncollision transport accident
- V29 Motorcyle rider injured in other and unspecified transport accidents

Occupant of three-wheeled motor vehicle injured in transport accident (V30-V39)

- V30 Occupant of three-wheeled motor vehicle injured in collision with pedestrian or animal
- V31 Occupant of three-wheeled motor vehicle injured in collision with pedal cycle
- V32 Occupant of three-wheeled motor vehicle injured in collision with two- or three-wheeled motor vehicle
- V33 Occupant of three-wheeled motor vehicle injured in collision with car, pick-up truck or van
- V34 Occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus
- V35 Occupant of three-wheeled motor vehicle injured in collision with railway train or railway vehicle
- V36 Occupant of three-wheeled motor vehicle injured in collision with other nonmotor vehicle
- V37 Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object
- V38 Occupant of three-wheeled motor vehicle injured in noncollision transport accident
- V39 Occupant of three-wheeled motor vehicle injured in other and unspecified transport accidents

Car occupant injured in transport accident (V40-V49)

- V40 Car occupant injured in collision with pedestrian or animal
- V41 Car occupant injured in collision with pedal cycle
- V42 Car occupant injured in collision with two- or three-wheeled motor vehicle

- V43 Car occupant injured in collision with car, pick-up truck or van
- V44 Car occupant injured in collision with heavy transport vehicle or bus
- V45 Car occupant injured in collision with railway train or railway vehicle
- V46 Car occupant injured in collision with other nonmotor vehicle
- V47 Car occupant injured in collision with fixed or stationary object
- V48 Car occupant injured in noncollision transport accident
- V49 Car occupant injured in other and unspecified transport accidents

Occupant of pick-up truck or van injured in transport accident (V50-V59)

- V50 Occupant of pick-up truck or van injured in collision with pedestrian or animal
- V51 Occupant of pick-up truck or van injured in collision with pedal cycle
- V52 Occupant of pick-up truck or van injured in collision with two- or three-wheeled motor vehicle
- V53 Occupant of pick-up truck or van injured in collision with car, pick-up truck or van
- V54 Occupant of pick-up truck or van injured in collision with heavy transport vehicle or bus
- V55 Occupant of pick-up truck or van injured in collision with railway train or railway vehicle
- V56 Occupant of pick-up truck or van injured in collision with other nonmotor vehicle
- V57 Occupant of pick-up truck or van injured in collision with fixed or stationary object
- V58 Occupant of pick-up truck or van injured in noncollision transport accident
- V59 Occupant of pick-up truck or van injured in other and unspecified transport accidents

Occupant of heavy transport vehicle injured in transport accident (V60-V69)

- V60 Occupant of heavy transport vehicle injured in collision with pedestrian or animal
- V61 Occupant of heavy transport vehicle injured in collision with pedal cycle
- V62 Occupant of heavy transport vehicle injured in collision with two- or three-wheeled motor vehicle
- V63 Occupant of heavy transport vehicle injured in collision with car, pick-up truck or van
- V64 Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus
- V65 Occupant of heavy transport vehicle injured in collision with railway train or railway vehicle
- V66 Occupant of heavy transport vehicle injured in collision with other nonmotor vehicle
- V67 Occupant of heavy transport vehicle injured in collision with fixed or stationary object
- V68 Occupant of heavy transport vehicle injured in noncollision transport accident
- V69 Occupant of heavy transport vehicle injured in other and unspecified transport accidents

Bus occupant injured in transport accident (V70-V79)

- V70 Bus occupant injured in collision with pedestrian or animal
- V71 Bus occupant injured in collision with pedal cycle
- V72 Bus occupant injured in collision with two- or three-wheeled motor vehicle
- V73 Bus occupant injured in collision with car, pick-up truck or van
- V74 Bus occupant injured in collision with heavy transport vehicle or bus
- V75 Bus occupant injured in collision with railway train or railway vehicle
- V76 Bus occupant injured in collision with other nonmotor vehicle
- V77 Bus occupant injured in collision with fixed or stationary object
- V78 Bus occupant injured in noncollision transport accident
- V79 Bus occupant injured in other and unspecified transport accidents

Other land transport accidents (V80-V89)

- V80 Animal-rider or occupant of animal-drawn vehicle injured in transport accident
- V81 Occupant of railway train or railway vehicle injured in transport accident
- V82 Occupant of streetcar injured in transport accident
- V83 Occupant of special vehicle mainly used on industrial premises injured in transport accident
- V84 Occupant of special vehicle mainly used in agriculture injured in transport accident
- V85 Occupant of special construction vehicle injured in transport accident
- V86 Occupant of special all-terrain or other motor vehicles designed primarily for off-road use, injured in transport accident
- V87 Traffic accident of specified type but victim's mode of transport unknown

- V88 Nontraffic accident of specified type but victim's mode of transport unknown
- V89 Motor- or nonmotor-vehicle accident, type of vehicle unspecified

Water transport accidents (V90-V94)

- V90 Accident to watercraft causing drowning and submersion
- V91 Accident to watercraft causing other injury
- V92 Water-transport-related drowning and submersion without accident to watercraft
- V93 Accident on board watercraft without accident to watercraft, not causing drowning and submersion
- V94 Other and unspecified water transport accidents

Air and space transport accidents (V95-V97)

- V95 Accident to powered aircraft causing injury to occupant
- V96 Accident to nonpowered aircraft causing injury to occupant
- V97 Other specified air transport accidents

Other and unspecified transport accidents (V98-V99)

- V98 Other specified transport accidents
- V99 Unspecified transport accident

Other external causes of accidental injury (W00-X59)

Falls (W00-W19)

- W00 Fall on same level involving ice and snow
- W01 Fall on same level from slipping, tripping and stumbling
- W02 Fall involving ice-skates, skis, roller-skates or skateboards
- W03 Other fall on same level due to collision with, or pushing by, another person
- W04 Fall while being carried or supported by other persons
- W05 Fall involving wheelchair
- WO6 Fall involving bed
- WO7 Fall involving chair
- WO8 Fall involving other furniture
- W09 Fall involving playground equipment
- W10 Fall on and from stairs and steps
- W11 Fall on and from ladder
- W12 Fall on and from scaffolding
- W13 Fall from, out of or through building or structure
- W14 Fall from tree
- W15 Fall from cliff
- W16 Diving or jumping into water causing injury other than drowning or submersion
- W17 Other fall from one level to another
- W18 Other fall on same level
- W19 Unspecified fall

Exposure to inanimate mechanical forces (W20-W49)

- W20 Struck by thrown, projected or falling object
- W21 Striking against or struck by sports equipment
- W22 Striking against or struck by other objects
- W23 Caught, crushed, jammed or pinched in or between objects
- W24 Contact with lifting and transmission devices, not elsewhere classified
- W25 Contact with sharp glass
- W26 Contact with knife, sword or dagger
- W27 Contact with nonpowered hand tool
- W28 Contact with powered lawnmower
- W29 Contact with other powered hand tools and household machinery
- W30 Contact with agricultural machinery
- W31 Contact with other and unspecified machinery
- W32 Handgun discharge
- W33 Rifle, shotgun and larger firearm discharge
- W34 Discharge from other and unspecified firearms

- W35 Explosion and rupture of boiler
- W36 Explosion and rupture of gas cylinder
- W37 Explosion and rupture of pressurized tyre, pipe or hose
- W38 Explosion and rupture of other specified pressurized devices
- W39 Discharge of firework
- W40 Explosion of other materials
- W41 Exposure to high-pressure jet
- W42 Exposure to noise
- W43 Exposure to vibration
- W44 Foreign body entering into or through eye or natural orifice
- W45 Foreign body or object entering through skin
- W49 Exposure to other and unspecified inanimate mechanical forces

Exposure to animate mechanical forces (W50-W64)

- W50 Hit, struck, kicked, twisted, bitten or scratched by another person
- W51 Striking against or bumped into by another person
- W52 Crushed, pushed and stepped on by crowd or human stampede
- W53 Bitten by rat
- W54 Bitten or struck by dog
- W55 Bitten or struck by other mammals
- W56 Contact with marine animal
- W57 Bitten or stung by nonvenomous insects and other nonvenomous arthropods
- W58 Bitten or struck by crocodile or alligator
- W59 Bitten or crushed by other reptiles
- W60 Contact with plant thorns and spines and sharp leaves
- W64 Exposure to other and unspecified animate mechanical forces

Accidental drowning and submersion (W65-W74)

- W65 Drowning and submersion while in bath-tub
- W66 Drowning and submersion following fall into bath-tub
- W67 Drowning and submersion while in swimming-pool
- W68 Drowning and submersion following fall into swimming-pool
- W69 Drowning and submersion while in natural water
- W70 Drowning and submersion following fall into natural water
- W73 Other specified drowning and submersion
- W74 Unspecified drowning and submersion

Other accidental threats to breathing (W75-W84)

- W75 Accidental suffocation and strangulation in bed
- W76 Other accidental hanging and strangulation
- W77 Threat to breathing due to cave-in, falling earth and other substances
- W78 Inhalation of gastric contents
- W79 Inhalation and ingestion of food causing obstruction of respiratory tract
- W80 Inhalation and ingestion of other objects causing obstruction of respiratory tract
- W81 Confined to or trapped in a low oxygen-environment
- W83 Other specified threats to breathing
- W84 Unspecified threat to breathing

Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99)

- W85 Exposure to electric transmission lines
- W86 Exposure to other specified electric current
- W87 Exposure to unspecified electric current
- W88 Exposure to ionizing radiation
- W89 Exposure to man-made visible and ultraviolet light
- W90 Exposure to other nonionizing radiation
- W91 Exposure to unspecified type of radiation
- W92 Exposure to excessive heat of man-made origin
- W93 Exposure to excessive cold of man-made origin
- W94 Exposure to high and low air pressure and changes in air pressure

W99	Exposure to other and unspecified man-made environmental factors
	Exposure to smoke, fire and flames (X00-X09)
X00	Exposure to uncontrolled fire in building or structure
X01	Exposure to uncontrolled fire, not in building or structure
X02	Exposure to controlled fire in building or structure
X03	Exposure to controlled fire, not in building or structure
X04	Exposure to ignition of highly flammable material
X05	Exposure to ignition or melting of nightwear
X06	Exposure to ignition or melting of other clothing and apparel
X08	Exposure to other specified smoke, fire and flames
X09	Exposure to unspecified smoke, fire and flames
	Contact with heat and hot substances (X10-X19)
X10	Contact with hot drinks, food, fats and cooking oils
X11	Contact with hot tap-water
X12	Contact with other hot fluids
X13	Contact with steam and hot vapours
X14	Contact with hot air and gases

- Contact with hot household appliances X15
- Contact with hot heating appliances, radiators and pipes X16
- Contact with hot engines, machinery and tools X17
- Contact with other hot metals X18
- X19 Contact with other and unspecified heat and hot substances

Contact with venomous animals and plants (X20-X29)

- X20 Contact with venomous snakes and lizards
- Contact with venomous spiders X21
- X22 Contact with scorpions

W99

- Contact with hornets, wasps and bees X23
- X24 Contact with centipedes and venomous millipedes (tropical)
- Contact with other specified venomous arthropods X25
- Contact with venomous marine animals and plants X26
- X27 Contact with other specified venomous animals
- Contact with other specified venomous plants X28
- X29 Contact with unspecified venomous animal or plant

Exposure to forces of nature (X30-X39)

- X30 Exposure to excessive natural heat
- X31 Exposure to excessive natural cold
- X32 Exposure to sunlight
- X33 Victim of lightning
- Victim of earthquake X34
- X35 Victim of volcanic eruption
- X36 Victim of avalanche, landslide and other earth movements
- X37 Victim of cataclysmic storm
- X38 Victim of flood
- Exposure to other and unspecified forces of nature X39

Accidental poisoning by and exposure to noxious substances (X40-X49)

- X40 Accidental poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics
- X41 Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified
- X42 Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified
- X43 Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system
- X44 Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances
- X45 Accidental poisoning by and exposure to alcohol
- X46 Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours
- X47 Accidental poisoning by and exposure to other gases and vapours
- X48 Accidental poisoning by and exposure to pesticides
- X49 Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances

Overexertion, travel and privation (X50-X57)

- X50 Overexertion and strenuous or repetitive movements
- X51 Travel and motion
- X52 Prolonged stay in weightless environment
- X53 Lack of food
- X54 Lack of water
- X57 Unspecified privation

Accidental exposure to other and unspecified factors (X58-X59)

- X58 Exposure to other specified factors
- X59 Exposure to unspecified factor

Intentional self-harm (X60-X84)

- X60 Intentional self-poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics
- X61 Intentional self-poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified
- X62 Intentional self-poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified
- X63 Intentional self-poisoning by and exposure to other drugs acting on the autonomic nervous system
- X64 Intentional self-poisoning by and exposure to other and unspecified drugs, medicaments and biological substances
- X65 Intentional self-poisoning by and exposure to alcohol
- X66 Intentional self-poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours
- X67 Intentional self-poisoning by and exposure to other gases and vapours
- X68 Intentional self-poisoning by and exposure to pesticides
- X69 Intentional self-poisoning by and exposure to other and unspecified chemicals and noxious substances
- X70 Intentional self-harm by hanging, strangulation and suffocation
- X71 Intentional self-harm by drowning and submersion
- X72 Intentional self-harm by handgun discharge
- X73 Intentional self-harm by rifle, shotgun and larger firearm discharge
- X74 Intentional self-harm by other and unspecified firearm discharge
- X75 Intentional self-harm by explosive material
- X76 Intentional self-harm by smoke, fire and flames
- X77 Intentional self-harm by steam, hot vapours and hot objects
- X78 Intentional self-harm by sharp object
- X79 Intentional self-harm by blunt object
- X80 Intentional self-harm by jumping from a high place

- X81 Intentional self-harm by jumping or lying before moving object
- X82 Intentional self-harm by crashing of motor vehicle
- X83 Intentional self-harm by other specified means
- X84 Intentional self-harm by unspecified means

Assault (X85-Y09)

- X85 Assault by drugs, medicaments and biological substances
- X86 Assault by corrosive substance
- X87 Assault by pesticides
- X88 Assault by gases and vapours
- X89 Assault by other specified chemicals and noxious substances
- X90 Assault by unspecified chemical or noxious substance
- X91 Assault by hanging, strangulation and suffocation
- X92 Assault by drowning and submersion
- X93 Assault by handgun discharge
- X94 Assault by rifle, shotgun and larger firearm discharge
- X95 Assault by other and unspecified firearm discharge
- X96 Assault by explosive material
- X97 Assault by fire and flames
- X98 Assault by steam, hot vapours and hot objects
- X99 Assault by sharp object
- Y00 Assault by blunt object
- Y01 Assault by pushing from high place
- Y02 Assault by pushing or placing victim before moving object
- Y03 Assault by crashing of motor vehicle
- Y04 Assault by bodily force
- Y05 Sexual assault by bodily force
- Y06 Neglect and abandonment
- Y07 Other maltreatment syndromes
- Y08 Assault by other specified means
- Y09 Assault by unspecified means

Event of undetermined intent (Y10-Y34)

- Y10 Poisoning by and exposure to nonopioid analgesics, antipyretics and antirheumatics, undetermined intent
- Y11 Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism and psychotropic drugs, not elsewhere classified, undetermined intent
- Y12 Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent
- Y13 Poisoning by and exposure to other drugs acting on the autonomic nervous system, undetermined intent
- Y14 Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent
- Y15 Poisoning by and exposure to alcohol, undetermined intent
- Y16 Poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours, undetermined intent
- Y17 Poisoning by and exposure to other gases and vapours, undetermined intent
- Y18 Poisoning by and exposure to pesticides, undetermined intent
- Y19 Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent
- Y20 Hanging, strangulation and suffocation, undetermined intent
- Y21 Drowning and submersion, undetermined intent
- Y22 Handgun discharge, undetermined intent
- Y23 Rifle, shotgun and larger firearm discharge, undetermined intent
- Y24 Other and unspecified firearm discharge, undetermined intent
- Y25 Contact with explosive material, undetermined intent
- Y26 Exposure to smoke, fire and flames, undetermined intent
- Y27 Contact with steam, hot vapours and hot objects, undetermined intent
- Y28 Contact with sharp object, undetermined intent
- Y29 Contact with blunt object, undetermined intent

- Y30 Falling, jumping or pushed from a high place, undetermined intent
- Y31 Falling, lying or running before or into moving object, undetermined intent
- Y32 Crashing of motor vehicle, undetermined intent
- Y33 Other specified events, undetermined intent
- Y34 Unspecified event, undetermined intent

Legal intervention and operations of war (Y35-Y36)

- Y35 Legal intervention
- Y36 Operations of war

Complications of medical and surgical care (Y40-Y84)

Drugs, medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59)

- Y40 Systemic antibiotics
- Y41 Other systemic anti-infectives and antiparasitics
- Y42 Hormones, and their synthetic substitutes and antagonists, not elsewhere classified
- Y43 Primarily systemic agents
- Y44 Agents primarily affecting blood constituents
- Y45 Analgesics, antipyretics and anti-inflammatory drugs
- Y46 Antiepileptics and antiparkinsonism drugs
- Y47 Sedatives, hypnotics and antianxiety drugs
- Y48 Anaesthetics and therapeutic gases
- Y49 Psychotropic drugs, not elsewhere classified
- Y50 Central nervous system stimulants, not elsewhere classified
- Y51 Drugs primarily affecting the autonomic nervous system
- Y52 Agents primarily affecting the cardiovascular system
- Y53 Agents primarily affecting the gastrointestinal system
- Y54 Agents primarily affecting water-balance and mineral and uric acid metabolism
- Y55 Agents primarily acting on smooth and skeletal muscles and the respiratory system
- Y56 Topical agents primarily affecting skin and mucous membrane and ophthalmological, otorhinolaryngological and dental drugs
- Y57 Other and unspecified drugs and medicaments
- Y58 Bacterial vaccines
- Y59 Other and unspecified vaccines and biological substances

Misadventures to patients during surgical and medical care (Y60-Y69)

- Y60 Unintentional cut, puncture, perforation or haemorrhage during surgical and medical care
- Y61 Foreign object accidentally left in body during surgical and medical care
- Y62 Failure of sterile precautions during surgical and medical care
- Y63 Failure in dosage during surgical and medical care
- Y64 Contaminated medical or biological substances
- Y65 Other misadventures during surgical and medical care
- Y66 Nonadministration of surgical and medical care
- Y69 Unspecified misadventure during surgical and medical care

Medical devices associated with adverse incidents in diagnostic and therapeutic use (Y70-Y82)

- Y70 Anaesthesiology devices associated with adverse incidents
- Y71 Cardiovascular devices associated with adverse incidents
- Y72 Otorhinolaryngological devices associated with adverse incidents
- Y73 Gastroenterology and urology devices associated with adverse incidents
- Y74 General hospital and personal-use devices associated with adverse incidents
- Y75 Neurological devices associated with adverse incidents
- Y76 Obstetric and gynaecological devices associated with adverse incidents
- Y77 Ophthalmic devices associated with adverse incidents
- Y78 Radiological devices associated with adverse incidents
- Y79 Orthopaedic devices associated with adverse incidents
- Y80 Physical medicine devices associated with adverse incidents

- Y81 General- and plastic-surgery devices associated with adverse incidents
- Y82 Other and unspecified medical devices associated with adverse incidents

Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84)

- Y83 Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of procedure
- Y84 Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure

Sequelae of external causes of morbidity and mortality (Y85-Y89)

- Y85 Sequelae of transport accidents
- Y86 Sequelae of other accidents
- Y87 Sequelae of intentional self-harm, assault and events of undetermined intent
- Y88 Sequelae of surgical and medical care as external cause
- Y89 Sequelae of other external causes

Supplementary factors related to causes of morbidity and mortality classified elsewhere (Y90-Y98)

- Y90 Evidence of alcohol involvement determined by blood alcohol level
- Y91 Evidence of alcohol involvement determined by level of intoxication
- Y95 Nosocomial condition
- Y96 Work-related condition
- Y97 Environmental-pollution-related condition
- Y98 Lifestyle-related condition

FACTORS INFLUENCING HEALTH STATUS AND CONTACT WITH HEALTH SERVICES (Z00-Z99)

Persons encountering health services for examination and investigation (Z00-Z13)

- Z00 General examination and investigation of persons without complaint and reported diagnosis
- Z01 Other special examinations and investigations of persons without complaint and reported diagnosis
- Z02 Examination and encounter for administrative purposes
- Z03 Medical observation and evaluation for suspected diseases and conditions
- Z04 Examination and observation for other reasons
- Z08 Follow-up examination after treatment for malignant neoplasms
- Z09 Follow-up examination after treatment for conditions other than malignant neoplasms
- Z10 Routine general health check-up of defined subpopulation
- Z11 Special screening examination for infectious and parasitic diseases
- Z12 Special screening examination for neoplasms
- Z13 Special screening examination for other diseases and disorders

Persons with potential health hazards related to communicable diseases (Z20-Z29)

- Z20 Contact with and exposure to communicable diseases
- Z21 Asymptomatic human immunodeficiency virus [HIV] infection status
- Z22 Carrier of infectious disease
- Z23 Need for immunization against single bacterial diseases
- Z24 Need for immunization against certain single viral diseases
- Z25 Need for immunization against other single viral diseases
- Z26 Need for immunization against other single infectious diseases
- Z27 Need for immunization against combinations of infectious diseases
- Z28 Immunization not carried out
- Z29 Need for other prophylactic measures

Persons encountering health services in circumstances related to reproduction (Z30-Z39)

- Z30 Contraceptive management
- Z31 Procreative management
- Z32 Pregnancy examination and test
- Z33 Pregnant state, incidental
- Z34 Supervision of normal pregnancy
- Z35 Supervision of high-risk pregnancy
- Z36 Antenatal screening
- Z37 Outcome of delivery
- Z38 Liveborn infants according to place of birth
- Z39 Postpartum care and examination

Persons encountering health services for specific procedures and health care (Z40-Z54)

- Z40 Prophylactic surgery
- Z41 Procedures for purposes other than remedying health state
- Z42 Follow-up care involving plastic surgery
- Z43 Attention to artificial openings
- Z44 Fitting and adjustment of external prosthetic device
- Z45 Adjustment and management of implanted device
- Z46 Fitting and adjustment of other devices
- Z47 Other orthopaedic follow-up care
- Z48 Other surgical follow-up care
- Z49 Care involving dialysis
- Z50 Care involving use of rehabilitation procedures
- Z51 Other medical care
- Z52 Donors of organs and tissues
- Z53 Persons encountering health services for specific procedures, not carried out
- Z54 Convalescence

Persons with potential health hazards related to socioeconomic and psychosocial circumstances (Z55-Z65)

- Z55 Problems related to education and literacy
- Z56 Problems related to employment and unemployment
- Z57 Occupational exposure to risk-factors
- Z58 Problems related to physical environment
- Z59 Problems related to housing and economic circumstances
- Z60 Problems related to social environment
- Z61 Problems related to negative life events in childhood
- Z62 Other problems related to upbringing
- Z63 Other problems related to primary support group, including family circumstances
- Z64 Problems related to certain psychosocial circumstances
- Z65 Problems related to other psychosocial circumstances

Persons encountering health services in other circumstances (Z70-Z76)

- Z70 Counselling related to sexual attitude, behaviour and orientation
- Z71 Persons encountering health services for other counselling and medical advice, not elsewhere classified
- Z72 Problems related to lifestyle
- Z73 Problems related to life-management difficulty
- Z74 Problems related to care-provider dependency
- Z75 Problems related to medical facilities and other health care
- Z76 Persons encountering health services in other circumstances Persons with potential health hazards related to family and personal history and certain conditions influencing health status (Z80-Z99)
- Z80 Family history of malignant neoplasm
- Z81 Family history of mental and behavioural disorders
- Z82 Family history of certain disabilities and chronic diseases leading to disablement

- Z83 Family history of other specific disorders
- Z84 Family history of other conditions
- Z85 Personal history of malignant neoplasm
- Z86 Personal history of certain other diseases
- Z87 Personal history of other diseases and conditions
- Z88 Personal history of allergy to drugs, medicaments and biological substances
- Z89 Acquired absence of limb
- Z90 Acquired absence of organs, not elsewhere classified
- Z91 Personal history of risk-factors, not elsewhere classified
- Z92 Personal history of medical treatment
- Z93 Artificial opening status
- Z94 Transplanted organ and tissue status
- Z95 Presence of cardiac and vascular implants and grafts
- Z96 Presence of other functional implants
- Z97 Presence of other devices
- Z98 Other postsurgical states
- Z99 Dependence on enabling machines and devices, not elsewhere classified

NON-ICD CODES (899,XXX)

- 899 Inadequate/irrelevant/unspecific response
- XXX Cannot be coded