

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

```

Jump24

THE QUESTIONS THAT FOLLOW ARE ABOUT OTHER INCOMES.

(1) Press <Enter> to continue.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

```

CC := ''

FRS0304C.BU[.QOIncA5.Adult[]

RECORD IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *PNo* := 1 TO *AdultNum*

PersId

^CC*** ^Names[PNo] ***^S10
Person identifier.

0..14

ASK IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *PNo* := 1 TO *AdultNum*

AnyPen

^CC*** ^Names[PNo] ***^S10

CODE 1 OR 2:

An occupational pension from an OVERSEAS GOVERNMENT OR COMPANY should be accepted at this question, if paid in STERLING.

If paid in FOREIGN CURRENCY, the pension should be treated as unearned income and entered later at 'Royal'.

CODE 5:

Regular income from an insurance policy or from equity release (and not purchased from pension funds) should be included under 'ANNUITY'. Under equity plan release schemes (such as Home Income Plan, Reversion schemes, Retirement Home Plan), elderly property owners may take out a loan secured on their home and use it to buy an annuity, part of which provides them with an income. Such a loan/mortgage should be recorded as a second mortgage in the household questionnaire (provided income on the loan is being paid).

SET [7] OF

- (1) An employee pension from a previous employer
- (2) Widow's Employee Pension (PENSION FROM PREVIOUS EMPLOYER OF DECEASED SPOUSE OR RELATIVE)
- (3) A personal pension
- (4) A pension as a member of a Trade Union or friendly society
- (5) An annuity (includes home income plan or equity release)
- (6) A trust or covenant
- (7) A share of an employee or personal pension from an ex-spouse/partner
- (8) None of these

CHECK IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *PNo* := 1 TO *AdultNum*
AND: None IN *AnyPen*
AnyPen.CARDINAL = 1

'None of these' is an exclusive code for this question.

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Annuity IN AnyPen

PenLump

^CC*** ^Names[PNo] ***^S10

ASK OR CODE:

Can I just check, was that annuity bought with ...READ OUT (RUNNING PROMPT)...

- (1) ...a lump sum from an EMPLOYEE pension scheme,
- (2) ...or a lump sum from a PERSONAL pension scheme?

(3) Neither of these

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.QOIncA5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
Adult[PNo].PersId := Person[[PNo]
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
CC := ''
```

FRS0304C.BU[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0304C.BU[.QOIncA6[]

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PenName [1] := ' PENSION FROM A PREVIOUS EMPLOYER. '

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PenName [2] := ' WIDOW'S EMPLOYEE PENSION. '

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PenName [3] := ' PERSONAL PENSION. '

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PenName [4] := ' PENSION FROM A TRADE UNION OR A FRIENDLY SOCIETY. '

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PenName [5] := ' ANNUITY. '

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PenName [6] := ' TRUST OR COVENANT. '

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PenName[7] := '
SHARE OF PENSION FROM EX-SPOUSE/PARTNER
'

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 1

FRS0304C.BU[.].QOIncA6[.].EmpPrev[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

PersId

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

PenSeq

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

PenType

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension type.

1..7

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

PenPay

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the last payment?

0.01..99997.00

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE
```

PenPd

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

EDITOR: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of ' + P + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

PenTax

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
 ^PenName[PenType]
 Was tax deducted at source?

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncA6[.].EmpPrev[.].PdTxt1()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0304C.BU[.QOIncA6[.EmpPrev[(continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

in_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
```

PTAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

PenPd1

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the ^PTIncFill, before or after tax was deducted?

- (1) Before
 - (2) After
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

TRights

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?

- (1) Absolute right to INCOME ONLY
- (2) Absolute right to CAPITAL ONLY
- (3) Absolute right to BOTH
- (4) Only at DISCRETION OF TRUSTEES

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

PenOth

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Were there any other deductions?

INTERVIEWER: IF ANY DEDUCTIONS - Please explain the purpose of the deduction in a Note.

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncA6[.].EmpPrev[.].PdTxt2()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0304C.BU[.QOIncA6[.EmpPrev[(continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

over_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
```

POAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

PenPd2

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

POsour

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the deduction made at source?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PoInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the sum of ^P^PenPay mentioned earlier, before or after the deduction?

- (1) Before
- (2) After

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND
(PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

Another

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have any other pensions of this type?

```

- (1) Yes
- (2) No

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Afr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Afr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

The 'take-home' pension is only $\wedge P^{\wedge}$ PenNet, but the gross pension is $\wedge P^{\wedge}$ PenGross. Please check your figures as the deductions of $\wedge P^{\wedge}$ PenDed for tax/others seem rather large.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.].QOIncA6[] (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

EmpPrev[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

EmpPrev[Loopvar].PenSeq := Loopvar

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 2

FRS0304C.BU[.QOIncA6[.SpouPrev[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

PersId

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

PenSeq

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

PenType

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension type.

1..7

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

PenPay

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the last payment?

0.01..99997.00

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

PenPd

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
 ^PenName[PenType]
 How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of ' + P + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

```

PenTax

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was tax deducted at source?

```

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncA6[.SpouPrev[.PdTxt1()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0304C.BU[.QOIncA6[.SpouPrev[(continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

PenPd1

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPmiss := (HRPmiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the ^PTIncFill, before or after tax was deducted?

- (1) Before
 - (2) After
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

TRights

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?

- (1) Absolute right to INCOME ONLY
- (2) Absolute right to CAPITAL ONLY
- (3) Absolute right to BOTH
- (4) Only at DISCRETION OF TRUSTEES

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

PenOth

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Were there any other deductions?

INTERVIEWER: IF ANY DEDUCTIONS - Please explain the purpose of the deduction in a Note.

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncA6[.SpouPrev[.PdTxt2()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0304C.BU[.QOIncA6[.SpouPrev[(continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

over_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
```

POAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

PenPd2

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPmiss := (HRPmiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

POsour

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the deduction made at source?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PoInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the sum of ^P^PenPay mentioned earlier, before or after the deduction?

- (1) Before
- (2) After

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND
(PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

Another

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have any other pensions of this type?

```

- (1) Yes
- (2) No

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Afrtr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Afrtr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

The 'take-home' pension is only ^PPenNet, but the gross pension is ^PPenGross. Please check your figures as the deductions of ^PPenDed for tax/others seem rather large.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.].QOIncA6[] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
```

SpouPrev[Loopvar].PersId := Person[[PerNo]

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
```

SpouPrev[Loopvar].PenSeq := (Loopvar + 4)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
```

PenType := 3

FRS0304C.BU[.QOIncA6[.PersPen[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PersId

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PenSeq

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PenType

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension type.

1..7

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PenPay

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the last payment?

0.01..99997.00

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

PenPd

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1

^PenName[PenType]

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of ' + P + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

```

PenTax

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was tax deducted at source?

```

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncA6[.PersPen[.PdTxt1()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0304C.BU[.].QOIncA6[.].PersPen[.] (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
 AND: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 3
 AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes
 AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
 AND: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 3
 AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
```

PenPd1

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?
```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note
```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1
```

```
HRPMiss := (HRPMiss + 1)
```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the ^PTIncFill, before or after tax was deducted?

- (1) Before
 - (2) After
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

TRights

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?

- (1) Absolute right to INCOME ONLY
- (2) Absolute right to CAPITAL ONLY
- (3) Absolute right to BOTH
- (4) Only at DISCRETION OF TRUSTEES

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

PenOth

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Were there any other deductions?

INTERVIEWER: IF ANY DEDUCTIONS - Please explain the purpose of the deduction in a Note.

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncA6[.PersPen[.PdTxt2()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0304C.BU[.].QOIncA6[.].PersPen[.] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

over_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
```

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

PenPd2

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: P PenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPmiss := (HRPmiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PO Sour

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the deduction made at source?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PoInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the sum of ^P^PenPay mentioned earlier, before or after the deduction?

- (1) Before
- (2) After

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND
(PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

Another

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have any other pensions of this type?

```

- (1) Yes
- (2) No

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Afr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Afr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

The 'take-home' pension is only $^P^{\wedge}$ PenNet, but the gross pension is $^P^{\wedge}$ PenGross. Please check your figures as the deductions of $^P^{\wedge}$ PenDed for tax/others seem rather large.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.].QOIncA6[] (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PersPen[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PersPen[Loopvar].PenSeq := (Loopvar + 7)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 4

FRS0304C.BU[.QOIncA6[.TuPen[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

PersId

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

PenSeq

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

PenType

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension type.

1..7

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

PenPay

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the last payment?

0.01..99997.00

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE
```

PenPd

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of ' + P + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

```

PenTax

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was tax deducted at source?

```

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncA6[.].TuPen[.].PdTxt1()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0304C.BU[.].QOIncA6[.].TuPen[.] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

in_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
```

PTAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

PenPd1

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the ^PTIncFill, before or after tax was deducted?

- (1) Before
 - (2) After
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

TRights

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?

- (1) Absolute right to INCOME ONLY
- (2) Absolute right to CAPITAL ONLY
- (3) Absolute right to BOTH
- (4) Only at DISCRETION OF TRUSTEES

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

PenOth

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Were there any other deductions?

INTERVIEWER: IF ANY DEDUCTIONS - Please explain the purpose of the deduction in a Note.

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncA6[.].TuPen[.].PdTxt2()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0304C.BU[.].QOIncA6[.].TuPen[.] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

over_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
```

POAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

PenPd2

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PO Sour

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the deduction made at source?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PoInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the sum of ^P^PenPay mentioned earlier, before or after the deduction?

- (1) Before
- (2) After

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND
(PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

Another

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have any other pensions of this type?

```

- (1) Yes
- (2) No

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Afr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Afr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

The 'take-home' pension is only $^P^{\wedge}$ PenNet, but the gross pension is $^P^{\wedge}$ PenGross. Please check your figures as the deductions of $^P^{\wedge}$ PenDed for tax/others seem rather large.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.].QOIncA6[] (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

TuPen[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

TuPen[Loopvar].PenSeq := (Loopvar + 10)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 5

FRS0304C.BU[.QOIncA6[.AnnPen[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PersId

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PenSeq

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PenType

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension type.

1..7

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PenPay

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the last payment?

0.01..99997.00

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUID.BUNum = 1
    
```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
    
```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
    
```

PenPd

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1

^PenName[PenType]

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of ' + P + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

```

PenTax

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was tax deducted at source?

```

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncA6[.].AnnPen[.].PdTxt1()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0304C.BU[.].QOIncA6[.].AnnPen[.] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

in_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
```

PTAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

PenPd1

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the ^PTIncFill, before or after tax was deducted?

- (1) Before
 - (2) After
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

TRights

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?

- (1) Absolute right to INCOME ONLY
- (2) Absolute right to CAPITAL ONLY
- (3) Absolute right to BOTH
- (4) Only at DISCRETION OF TRUSTEES

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

PenOth

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1

^PenName[PenType]

Were there any other deductions?

INTERVIEWER: IF ANY DEDUCTIONS - Please explain the purpose of the deduction in a Note.

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncA6[.AnnPen[.PdTxt2()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0304C.BU[.].QOIncA6[.].AnnPen[.] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

over_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
```

POAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
    
```

PenPd2

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?
    
```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note
    
```

EDITOR: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUID.BUNum = 1
    
```

```

HRPmiss := (HRPmiss + 1)
    
```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

POsour

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the deduction made at source?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PoInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the sum of ^P^PenPay mentioned earlier, before or after the deduction?

- (1) Before
- (2) After

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND
(PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

Another

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have any other pensions of this type?

```

- (1) Yes
- (2) No

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Afr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Afr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

The 'take-home' pension is only $^P^{\wedge}$ PenNet, but the gross pension is $^P^{\wedge}$ PenGross. Please check your figures as the deductions of $^P^{\wedge}$ PenDed for tax/others seem rather large.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

  RESERVECHECK

```

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

  RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.].QOIncA6[] (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

AnnPen[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

AnnPen[Loopvar].PenSeq := (Loopvar + 12)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 6

FRS0304C.BU[.QOIncA6[.TrustQ[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PersId

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PenSeq

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PenType

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension type.

1..7

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
 ^PenName[PenType]
 How much tax was deducted at source ^in_that_period?

0.01..99997.00

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
 ^PenName[PenType]
 How much was the deduction ^over_that_period?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PenPay

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
 ^PenName[PenType]
 How much was the last payment?

0.01..99997.00

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

PenPd

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1

^PenName[PenType]

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of ' + P + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

```

PenTax

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was tax deducted at source?

```

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncA6[.TrustQ[.PdTxt1()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0304C.BU[.QOIncA6[.TrustQ[(continued)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

PTAmt

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

PenPd1

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the ^PTIncFill, before or after tax was deducted?

- (1) Before
 - (2) After
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

TRights

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?

- (1) Absolute right to INCOME ONLY
- (2) Absolute right to CAPITAL ONLY
- (3) Absolute right to BOTH
- (4) Only at DISCRETION OF TRUSTEES

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

PenOth

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Were there any other deductions?

INTERVIEWER: IF ANY DEDUCTIONS - Please explain the purpose of the deduction in a Note.

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncA6[.TrustQ[.PdTxt2()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0304C.BU[.QOIncA6[.TrustQ[(continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

over_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
```

POAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

PenPd2

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPmiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

POsour

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the deduction made at source?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PoInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the sum of ^P^PenPay mentioned earlier, before or after the deduction?

- (1) Before
- (2) After

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND
(PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

Another

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have any other pensions of this type?

```

- (1) Yes
- (2) No

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Afr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Afr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

The 'take-home' pension is only $^P^{\wedge}$ PenNet, but the gross pension is $^P^{\wedge}$ PenGross. Please check your figures as the deductions of $^P^{\wedge}$ PenDed for tax/others seem rather large.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.].QOIncA6[] (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

TrustQ[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

TrustQ[Loopvar].PenSeq := (Loopvar + 15)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 7

FRS0304C.BU[.QOIncA6[.ExShareQ[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

PersId

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

PenSeq

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

PenType

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Pension type.

1..7

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

PTAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

PenPay

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the last payment?

0.01..99997.00

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

PenPd

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1

^PenName[PenType]

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of ' + P + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

```

PenTax

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was tax deducted at source?

```

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncA6[.].ExShareQ[.].PdTxt1()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0304C.BU[.].QOIncA6[.].ExShareQ[.] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])
```

in_that_period := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
```

PTAmt

```
^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much tax was deducted at source ^in_that_period?

0.01..99997.00
```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

PenPd1

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

```

HRPmiss := (HRPmiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

PTInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the ^PTIncFill, before or after tax was deducted?

- (1) Before
 - (2) After
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

TRights

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?

- (1) Absolute right to INCOME ONLY
- (2) Absolute right to CAPITAL ONLY
- (3) Absolute right to BOTH
- (4) Only at DISCRETION OF TRUSTEES

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

PenOth

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Were there any other deductions?

INTERVIEWER: IF ANY DEDUCTIONS - Please explain the purpose of the deduction in a Note.

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncA6[.].ExShareQ[.].PdTxt2()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0304C.BU[.QOIncA6[.ExShareQ[(continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
 AND: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 2
 AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 2]
 AND: PenOth = Yes
 AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
 AND: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 2
 AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 2]
 AND: PenOth = Yes

POAmt

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
How much was the deduction ^over_that_period?

0.01..9997.00

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

PenPd2

```

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
ASK OR CODE: How long did this cover?

```

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

POsour

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the deduction made at source?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

PoInc

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Was the sum of ^P^PenPay mentioned earlier, before or after the deduction?

- (1) Before
- (2) After

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

Another

^CC*** ^Names[Count1] ***^S10 OTHER INCOME 1
^PenName[PenType]
Do you have any other pensions of this type?

- (1) Yes
- (2) No

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND (PTAmt = RESPONSE) AND PTInc <> EMPTY)
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND (PTAmt = RESPONSE) AND PTInc <> EMPTY)
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Afr

PenGross := (PenGross + PTAmt)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND (PTAmt = RESPONSE) AND PTInc <> EMPTY)
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Afr

PenGross := (PenGross + POAmt)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
```

PenDed := (PTAmt + POAmt)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
```

PenNet := (PenGross - PenDed)

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)
```

The 'take-home' pension is only $\wedge P^{\wedge}$ PenNet, but the gross pension is $\wedge P^{\wedge}$ PenGross. Please check your figures as the deductions of $\wedge P^{\wedge}$ PenDed for tax/others seem rather large.

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

RESERVECHECK
```

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

RESERVECHECK
```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.].QOIncA6[] (continued)

COMPUTE IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*
AND: *ExShare* IN *QOIncA5.Adult[PerNo].AnyPen[]*
AND: In loop FOR *Loopvar* := 1 TO 2
AND: (*Loopvar* = 1) OR (*ExShareQ[Loopvar - 1].Another* = *Yes*)

ExShareQ[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*
AND: *ExShare* IN *QOIncA5.Adult[PerNo].AnyPen[]*
AND: In loop FOR *Loopvar* := 1 TO 2
AND: (*Loopvar* = 1) OR (*ExShareQ[Loopvar - 1].Another* = *Yes*)

ExShareQ[Loopvar].PenSeq := (Loopvar + 17)

WARN IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*
AND: *Edit* = *Yes*
AND: In loop FOR *Loopvar* := 1 TO 4
AND: *EmpPrev[Loopvar].PTAmt* = *NONRESPONSE* AND (*EmpPrev[Loopvar].PenPay* = *RESPONSE*)
EmpPrev[Loopvar].PenTax = No

MISSING INFORMATION FOR TAX DEDUCTED FROM PENSION FROM A PREVIOUS EMPLOYER.

WARN IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*
AND: *Edit* = *Yes*
AND: In loop FOR *Loopvar* := 1 TO 3
AND: *SpouPrev[Loopvar].PTAmt* = *NONRESPONSE* AND (*SpouPrev[Loopvar].PenPay* = *RESPONSE*)
SpouPrev[Loopvar].PenTax = No

MISSING INFORMATION FOR TAX DEDUCTED FROM WIDOW'S EMPLOYEE PENSION.

WARN IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*
AND: *Edit* = *Yes*
AND: In loop FOR *Loopvar* := 1 TO 3
AND: *PersPen[Loopvar].PTAmt* = *NONRESPONSE* AND (*PersPen[Loopvar].PenPay* = *RESPONSE*)
PersPen[Loopvar].PenTax = No

MISSING INFORMATION FOR TAX DEDUCTED FROM PERSONAL PENSION.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
AND: AnnPen[Loopvar].PTAmt = NONRESPONSE AND (AnnPen[Loopvar].PenPay = RESPONSE)
AnnPen[Loopvar].PenTax = No

MISSING INFORMATION FOR TAX DEDUCTED FROM ANNUITY.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
AND: TrustQ[Loopvar].PTAmt = NONRESPONSE AND (TrustQ[Loopvar].PenPay = RESPONSE)
TrustQ[Loopvar].PenTax = No

MISSING INFORMATION FOR TAX DEDUCTED FROM TRUST OR COVENANT.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
AND: ExShareQ[Loopvar].PTAmt = NONRESPONSE AND (ExShareQ[Loopvar].PenPay = RESPONSE)
ExShareQ[Loopvar].PenTax = No

MISSING INFORMATION FOR TAX DEDUCTED FROM TRUST OR COVENANT.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0304C.BU[] (continued)

Benefit Unit Schedule

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum

```

```
CC := ''
```

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

```
RESERVECHECK
```

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

```
RESERVECHECK
```

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

```
RESERVECHECK
```

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

```
RESERVECHECK
```

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

```
RESERVECHECK
```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

```

```
CC := ''
```

FRS0304C.BU[.QOIncA7.Adult]

RECORD IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *PNo* := 1 TO *AdultNum*

PersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 1

Person identifier.

0..14

ASK IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *PNo* := 1 TO *AdultNum*

Royal

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 1

CODE 3:

'Sleeping partner in a business': this includes income from, for example, being a Lloyd's name.

SET [4] OF

- (1) Rent from any property
- (2) Royalties eg. from land, books or performances
- (3) Income as a sleeping partner in a business
- (4) An occupational pension from an overseas government or company, paid in FOREIGN CURRENCY
- (5) None of these

CHECK IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *PNo* := 1 TO *AdultNum*
AND: *None* IN *Royal*
Royal.CARDINAL = 1

'None of these' is an exclusive code for this question.

WARN IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *PNo* := 1 TO *AdultNum*
AND: *Rent* IN *Royal*
NOT(QProperty.SubRent > 0) AND
INVOLVING (Royal, QProperty.SubRent, QAccomdat.SubLet)

Is the respondent getting rent from another property AND getting income from sub-letting this accommodation? If they ARE getting an income from BOTH, suppress this check and continue.

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Roy IN Royal

Royalties := 'royalties'

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Roy IN Royal

RoyYr

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 1

Thinking of your ^royalties, how much have you received in the last 12 months?

ENTER AMOUNT IN ^P.

0.00..999997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Sleep IN Royal

Royalties := 'income as a sleeping partner'

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Sleep IN Royal

RoyYr

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 1

Thinking of your ^royalties, how much have you received in the last 12 months?

ENTER AMOUNT IN ^P.

0.00..999997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Pens IN Royal

Royalties := 'pension paid in foreign currency'

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Pens IN Royal

RoyYr

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 1

Thinking of your ^royalties, how much have you received in the last 12 months?

ENTER AMOUNT IN ^P.

0.00..999997.00

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal

PropRent

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 1

SHOW CARD TT

How much rent have you received before tax from other property in the last 12 months, AFTER paying for any of the things on this card?

0.00..99999.97

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal

RentProf

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 1

Is that a profit or a loss from the property?

- (1) Profit
- (2) Loss

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
(PropRent / 52) < 385

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0304C.BU[.QOIncA7

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
Adult[PNo].PersId := Person[[PNo]
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
CC := ''
```

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

Jump25

THE QUESTIONS THAT FOLLOW ARE ABOUT MAINTENANCE.

NB. INTERVIEWER:ALL QUESTIONS ABOUT MAINTENANCE ARE ASKED FOR ADULT 1,
 BEFORE SWITCHING TO ADULT 2 (where required).

(1) Press <Enter> to continue.

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0304C.BU[.].QOIncB3[]

RECORD IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*

PersId

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Person identifier.

0..14

COMPUTE IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*
AND: *QBenefit.QBenef2[Count1].ISLoan.Maint* = *Yes*

**are := (' apart from the maintenance included in your income' +
' support, are')**

COMPUTE IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*
AND: NOT (*QBenefit.QBenef2[Count1].ISLoan.Maint* = *Yes*)

**are := '
are'**

ASK IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit* = *Yes*)
AND: In loop FOR *Loop1* := 1 TO *NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: In loop FOR *Count1* := 1 TO *AdultNum*

MntRec

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Now, I'd like you to think about maintenance and separation allowances: ^are you RECEIVING any formal or informal money payments from a previous partner?

(- either on behalf of yourself, or any CHILDREN -).

It doesn't matter whether they're through a court or not.

- (1) Yes
- (2) No

(3) USE THIS CODE if it's clear that there are NO PREVIOUS PARTNER(S) & NO CHILDREN from ANY previous liaison/partnership.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: (QBenefit.QBenef2[Count1].ISLoan.Maint = Yes) AND (MntRec = No)

```

```

Do_you := ('Apart from the maintenance included in your ' +
'income support, do you')

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: (QBenefit.QBenef2[Count1].ISLoan.Maint = Yes) AND (MntRec = No)

```

```

any_other := ' ANY OTHER'

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: NOT ((QBenefit.QBenef2[Count1].ISLoan.Maint = Yes) AND (MntRec =
No))

```

```

Do_you := 'Do you'

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: NOT ((QBenefit.QBenef2[Count1].ISLoan.Maint = Yes) AND (MntRec =
No))

```

```

any_other := ''

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: (QBenefit.QBenef2[Count1].ISLoan.Maint <> Yes) OR ((MntRec = No)
AND (QBenefit.QBenef2[Count1].ISLoan.Maint = Yes))

MntCt

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^Do_you have any sort of court order or Child Support Assessment, requiring a previous partner to make^any_other money payments (whether you're actually receiving them or not)?

- (1) Yes
- (2) No

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntCt = Yes

expected := 'what the court ordered'

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: NOT (MntCt = Yes)

expected := 'you'd have expected'

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes

MntGOV

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Do you receive these payments yourself, or are they paid via the ^GOV1 or the Child Support Agency?

IF BOTH, i.e. 2+ PAYMENTS RECEIVED, CODE BOTH.

SET [2] OF

- (1) Paid to self
- (2) Paid via ^GOV1/CSA

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
```

Paid := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntGOV.CARDINAL > 1
```

Paid := '(PAID TO SELF):'

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntGOV.CARDINAL > 1
```

SIIntro

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

THE FOLLOWING QUESTIONS ARE ABOUT THE MAINTENANCE PAID TO THE
RESPONDENT
(PAID TO SELF).

- (1) Press <Enter> to continue.

FRS0304C.BU[.QOIncB3].MntSelf

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV

MntAmt

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^PAID

How much did you receive last time?

0.01..99999.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

MntPd

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^PAID

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = No
MntPd <> Note

REMINDER: please make a Note to say what period of time was covered by the payment.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = Yes
MntPd <> Note

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

FRS0304C.BU[.].QOIncB3[.].MntSelf.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.].QOIncB3[.].MntSelf (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MntWkly := LWeekly

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MntWkly < 200) AND INVOLVING(MntPd,MntAmt)

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]

MntUs

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^PAID

Is that the amount you usually receive?

- (1) Yes
- (2) No
- (3) No such thing as usual

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
```

MntUsAmt

```
^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS
```

```
^PAID
```

```
How much do you usually receive?
```

```
0.01..99999.00
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = NONRESPONSE
  AND: QBUID.BUNum = 1
```

```
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

MntUsPd

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^PAID

How long does this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.].QOIncB3[.].MntSelf.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

```
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

```
PWeekly := 0
```


FRS0304C.BU[.].QOIncB3[.].MntSelf (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: MntUsPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
```

MntUWkly := LWeekly

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: MntUsPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (MntUWkly < 200) AND INVOLVING(MntUsPd,MntUsAmt)
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: Self IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: Edit = Yes
  MntUsPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

ASK IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit = Yes*)
AND: *In loop FOR Loop1 := 1 TO NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: *In loop FOR Count1 := 1 TO AdultNum*
AND: *MntRec* <> *Skip*
AND: *MntRec = Yes*
AND: *Self IN MntGOV*

MntTotal

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^PAID

In general, would you say that the amount of maintenance you receive is ...READ OUT (RUNNING PROMPT)...

INTERVIEWER: THIS IS A QUESTION OF OPINION.

- (1) ...MORE than ^expected,
- (2) ...LESS than ^expected,
- (3) ...or about the same as ^expected?

ASK IF: *QCare.GiveHelp* <> *EMPTY* OR (*Edit = Yes*)
AND: *In loop FOR Loop1 := 1 TO NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q* <> *EMPTY*
AND: *In loop FOR Count1 := 1 TO AdultNum*
AND: *MntRec* <> *Skip*
AND: *MntRec = Yes*
AND: *Self IN MntGOV*

MntFor

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^PAID

Who are the payments for?

- (1) Self only
- (2) Child(ren) only
- (3) Self and child(ren)

FRS0304C.BU[.QOIncB3[] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
```

Paid := ''

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntGOV.CARDINAL > 1
```

Paid := ('(PAID VIA ' + GOV1 + '):')

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntGOV.CARDINAL > 1
```

DIntro

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

THE FOLLOWING QUESTIONS ARE ABOUT THE MAINTENANCE PAID VIA THE ^GOV1/CSA.

- (1) Press <Enter> to continue.

FRS0304C.BU[.].QOIncB3[.].MntCSA

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV

MntAmt

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^Paid
How much did you receive last time?

0.01..99999.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

MntPd

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^Paid

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = No
MntPd <> Note

REMINDER: please make a Note to say what period of time was covered by the payment.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = Yes
MntPd <> Note

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

FRS0304C.BU[.].QOIncB3[.].MntCSA.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.QOIncB3[.MntCSA (continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MntWkly := LWeekly

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MntWkly < 200) AND INVOLVING(MntPd,MntAmt)

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]

MntUs

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^Paid

Is that the amount you usually receive?

- (1) Yes
- (2) No
- (3) No such thing as usual

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No

```

MntUsAmt

```

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

```

```

^Paid

```

```

How much do you usually receive?

```

```

0.01..99999.00

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = NONRESPONSE
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

MntUsPd

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^Paid

How long does this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.].QOIncB3[.].MntCSA.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

```
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

```
PWeekly := 0
```

FRS0304C.BU[.QOIncB3[.MntCSA (continued)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: MntUsPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01

```

MntUWkly := LWeekly

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: MntUsPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (MntUWkly < 200) AND INVOLVING(MntUsPd,MntUsAmt)

```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntRec = Yes
  AND: GOV IN MntGOV
  AND: MntAmt = RESPONSE
  AND: MntPd IN [OneWeek .. Year]
  AND: MntUs = No
  AND: MntUsAmt = RESPONSE
  AND: Edit = Yes
  MntUsPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

ASK IF: *QCare.GiveHelp <> EMPTY OR (Edit = Yes)*
AND: *In loop FOR Loop1 := 1 TO NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY*
AND: *In loop FOR Count1 := 1 TO AdultNum*
AND: *MntRec <> Skip*
AND: *MntRec = Yes*
AND: *GOV IN MntGOV*

MntTotal

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^Paid

In general, would you say that the amount of maintenance you receive is ...READ OUT (RUNNING PROMPT)...

INTERVIEWER: THIS IS A QUESTION OF OPINION.

- (1) ...MORE than ^expected,
- (2) ...LESS than ^expected,
- (3) ...or about the same as ^expected?

ASK IF: *QCare.GiveHelp <> EMPTY OR (Edit = Yes)*
AND: *In loop FOR Loop1 := 1 TO NewBU*
AND: *QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY*
AND: *In loop FOR Count1 := 1 TO AdultNum*
AND: *MntRec <> Skip*
AND: *MntRec = Yes*
AND: *GOV IN MntGOV*

MntFor

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

^Paid

Who are the payments for?

- (1) Self only
- (2) Child(ren) only
- (3) Self and child(ren)

FRS0304C.BU[.].QOIncB3[] (continued)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip

MntPay

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Are you currently MAKING any formal or informal maintenance payments to a former partner, or any children from a former marriage or partnership, either directly, or through the ^GOV1/CSA?

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncB3[.].QMaint.Maint[

```
RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

PersId

```
^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS
```

Person identifier.

0..14

```
RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

MaintSeq

```
^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS
```

Maintenance sequence number.

1..4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

Order[1] := 'first'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

Order[2] := 'second'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

Order[3] := 'third'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

Order[4] := 'fourth'

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

MrR

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Now I'd like to ask you, in turn, about each set of maintenance payments that you make...
Thinking of the ^Order[LoopVar] payments, who are the payments for? ^S CODE ONE ONLY.
INTERVIEWER, CHECK AS APPROPRIATE: Can I just check, are all of these people covered by the same payment?
ENTER HERE ONLY THOSE PEOPLE COVERED BY THE SAME PAYMENT. START A FRESH LINE FOR EACH SEPARATE SET OF PAYMENTS.

- (1) Former partner only
- (2) Child(ren) only
- (3) Former partner + children

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrR IN [Child .. Both]
```

MrKid

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

How many children are covered by this payment?

1..9

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrR IN [Child .. Both]
  AND: MrKid > 1
```

youngest := ' youngest'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrR IN [Child .. Both]
  AND: NOT (MrKid > 1)
```

youngest := ''

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrR IN [Child .. Both]
```

MrAge

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

How old was the^youngest child, last birthday?

0..24

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
      AND: In loop FOR Loop1 := 1 TO NewBU
      AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
      AND: In loop FOR Count1 := 1 TO AdultNum
      AND: MntRec <> Skip
      AND: MntPay = Yes
      AND: In loop FOR LoopVar := 1 TO 4
      AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

MrAmt

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

How much was your last payment?

0.01..9997.00

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
      AND: In loop FOR Loop1 := 1 TO NewBU
      AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
      AND: In loop FOR Count1 := 1 TO AdultNum
      AND: MntRec <> Skip
      AND: MntPay = Yes
      AND: In loop FOR LoopVar := 1 TO 4
      AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
      AND: MrAmt = NONRESPONSE
      AND: QBUID.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
      AND: In loop FOR Loop1 := 1 TO NewBU
      AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
      AND: In loop FOR Count1 := 1 TO AdultNum
      AND: MntRec <> Skip
      AND: MntPay = Yes
      AND: In loop FOR LoopVar := 1 TO 4
      AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
      AND: MrAmt = NONRESPONSE
      AND: NOT (QBUID.BUNum = 1)
```

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

MrPd

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.QOIncB3[.QMaint.Maint[.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.].QOIncB3[.].QMaint.Maint[(continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
  AND: MrPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
```

MrWkly := LWeekly

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
  AND: MrPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (MrWkly < 200) AND INVOLVING(MrPd,MrAmt)
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: Edit = Yes
  MrPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrAmt = RESPONSE
```

MrUs

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Is that the amount you usually pay?

- (1) Yes
- (2) No
- (3) No such thing as usual

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
```

MrUAmt

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

How much do you usually pay?

0.01..9997.00

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = NONRESPONSE
  AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

MrUPd

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

How long does this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.QOIncB3[.QMaint.Maint[.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.].QOIncB3[.].QMaint.Maint[.] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
  AND: MrUPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
```

MrUWkly := LWeekly

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
  AND: MrUPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (MrUWkly < 200) AND INVOLVING(MrUPd,MrUAmt)
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
  AND: MrUs = No
  AND: MrUAmt = RESPONSE
  AND: MrUPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  AND: (MrWkly = RESPONSE) AND (MrUWkly = RESPONSE)
  (MrUWkly <= (MrWkly * 3)) AND INVOLVING(MrAmt,MrUAmt)
```

This is more than three times the amount paid last time.

This might be correct but please check that the respondent does normally pay this (higher) amount.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: Edit = Yes
MrUPd <> Note

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

MrCt

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Are these payments covered by a court order?

- (1) Yes
- (2) No

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

MrV

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Since you started making these maintenance payments, has the amount you usually pay varied much?
IF YES: Has it gone up, or down?

INTERVIEWER: THIS IS A QUESTION OF OPINION. IF IN DOUBT, PROBE FOR AMOUNTS,
AND COUNT A CHANGE GREATER THAN + or - 10% AS 'YES'.

- (1) Yes - went UP
- (2) Yes - went DOWN
- (3) No - didn't change (much)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrV IN [YesUp .. YesDown]

MrChWhy

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Why is that? What other reasons?
INTERVIEWER: THIS IS A QUESTION OF OPINION.
CODE ALL THAT APPLY, THEN DESCRIBE MORE FULLY IN A NOTE.

SET [5] OF

- (1) ORDER FROM COURT - amount of Order changed
- (2) CHILD SUPPORT AGENCY - amount changed
- (3) MY CIRCUMSTANCES - was able to pay MORE
- (4) - could only afford to pay LESS
- (5) RECEPIENT'S CIRCUMSTANCES - needed MORE/reduced income/greater liabilities
- (6) - needed LESS/fewer liabilities/increased income
- (7) OTHER - moved/lost contact
- (8) - broken off contact/refuse to continue payments
- (9) - all other answers

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec <> Skip
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: LoopVar < 4

M

^CC*** ^Names[Count1] ***^S10 MAINTENANCE PAYMENTS

Are you currently making any maintenance payments to anyone else?

- (1) Yes
- (2) No

FRS0304C.BU[.].QOIncB3[.].QMaint

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

Maint[LoopVar].PersId := PId

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: MntRec <> Skip
  AND: MntPay = Yes
  AND: In loop FOR LoopVar := 1 TO 4
  AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
```

Maint[LoopVar].MaintSeq := LoopVar

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

CC := ''

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

```
ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
      AND: In loop FOR Loop1 := 1 TO NewBU
      AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
      AND: (((MS[1] = Marr) AND (SpOut1[1] = MarrNHH)) OR (MS[1] = Sep)) OR
            ((MS[2] = Marr) AND (SpOut1[2] = MarrNHH)) OR (MS[2] = Sep))
```

AbsIntro

THE QUESTIONS THAT FOLLOW ARE ABOUT ALLOWANCES FROM AN ABSENT PARTNER.

- (1) Press <Enter> to continue.

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
      AND: In loop FOR Loop1 := 1 TO NewBU
      AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
```

CC := ''

FRS0304C.BU[.QOIncA8

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
```

```
CC := ''
```

FRS0304C.BU[.QOIncA8.Adult]

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

PersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

AbsPar

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Have you received any allowances from your husband/wife while he/she has been away?

- (1) Yes
- (2) No

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes

ApAmt

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How much in total have you received from your husband/wife while he/she has been away?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

ApPd

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.QOIncA8.Adult[.Weekly()

Procedure Call

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

```
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

```
PWeekly := 0
```

FRS0304C.BU[.QOIncA8.Adult] (continued)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: ApPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01

```

ApWkly := LWeekly

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: ApPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (ApWkly < 1350) AND INVOLVING(ApPd, ApAmt)

```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: Edit = Yes
  ApPd <> Note

```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ((QOwner1.QMortgage.M[1].OutsMort = Yes) OR
  (QOwner1.QMortgage.M[2].OutsMort = Yes) OR
  (QOwner1.QMortgage.M[3].OutsMort = Yes))

```

expenses := 'expenses, excluding mortgage payments mentioned earlier'

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: NOT (((QOwner1.QMortgage.M[1].OutsMort = Yes) OR
(QOwner1.QMortgage.M[2].OutsMort = Yes)) OR
(QOwner1.QMortgage.M[3].OutsMort = Yes))

expenses := 'expenses'

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

ApDir

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

(In addition to the allowance you mentioned) does your husband/wife pay direct for any household
^expenses?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes

ApHH

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Please describe these expenses.

STRING[40]

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes

ApdAmt

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How much did he/she pay?

0.01..9997.00

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = RESPONSE

```

ApdPd

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.QOIncA8.Adult[.Weekly()

Procedure Call

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApdAmt = RESPONSE

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.].QOIncA8.Adult[(continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = RESPONSE
  AND: ApdPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
```

ApdWkly := LWeekly

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = RESPONSE
  AND: ApdPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (ApdWkly < 355) AND INVOLVING(ApdPd,ApdAmt)
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ApDir = Yes
  AND: ApdAmt = RESPONSE
  AND: Edit = Yes
  ApdPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

FRS0304C.BU[.QOIncA8 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
```

```
Adult[PNo].PersId := Person[[PNo]
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
CC := ''
```

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: (((MS[1] = Marr) AND (SpOut1[1] = MarrNHH)) OR (MS[1] = Sep)) OR
      ((MS[2] = Marr) AND (SpOut1[2] = MarrNHH)) OR (MS[2] = Sep))

```

OtAbsInt

THE QUESTIONS THAT FOLLOW ARE ABOUT ALLOWANCES TO AN ABSENT PARTNER.

(1) Press <Enter> to continue.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

```

CC := ''

FRS0304C.BU[.QOIncA9

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
```

```
CC := ''
```

FRS0304C.BU[.QOIncA9.Adult]

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

PersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

OtAbsPar

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Have you paid any allowances to your husband/wife while he/she has been away?

- (1) Yes
- (2) No

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes

OtApAmt

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How much in total have you paid to your husband/wife while he/she has been away?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

OtApPd

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.QOIncA9.Adult[.Weekly()

Procedure Call

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: OtAbsPar = Yes
  AND: OtApAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: OtAbsPar = Yes
  AND: OtApAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.].QOIncA9.Adult[(continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: OtAbsPar = Yes
  AND: OtApAmt = RESPONSE
  AND: OtApPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
```

OtApWkly := LWeekly

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: OtAbsPar = Yes
  AND: OtApAmt = RESPONSE
  AND: OtApPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (OtApWkly < 355) AND INVOLVING(OtApPd,OtApAmt)
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: OtAbsPar = Yes
  AND: OtApAmt = RESPONSE
  AND: Edit = Yes
  OtApPd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

FRS0304C.BU[.QOIncA9 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
```

```
Adult[PNo].PersId := Person[[PNo]
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
CC := ''
```

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

```

```

CC := ''

```

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

```

Jump26

THE QUESTIONS THAT FOLLOW ARE ABOUT ALLOWANCES.

- (1) Press <Enter> to continue.

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
           AND: In loop FOR Loop1 := 1 TO NewBU
           AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''
```

FRS0304C.BU[.QOIncB1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
          AND: In loop FOR Loop1 := 1 TO NewBU
          AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
```

```
CC := ''
```


FRS0304C.BU[.QOIncB1.Adult[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

PersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2
Person identifier.

0..14

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QEduc2.Adult[PNo].PareAmt = RESPONSE

Are := ' (Apart from any income already mentioned) are'

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: NOT (QEduc2.Adult[PNo].PareAmt = RESPONSE)

Are := 'Are'

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

Allow

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2
SHOW CARD UU
^Are you currently getting any of the regular allowances shown on this card?

IF YES: What allowances have you received?
CODE ALL THAT APPLY.

INCLUDE - ALLOWANCE FROM A MEMBER OF THE ARMED FORCES OR MERCHANT NAVY.

EXCLUDE - ALLOWANCE FROM A SPOUSE WHO IS EITHER TEMPORARILY ABSENT OR A NON-HOUSEHOLD MEMBER. (ALREADY COVERED IF RELEVANT).

SET [4] OF

- (1) a regular allowance from a friend/relative OUTSIDE the household
- (2) a regular allowance from an ORGANISATION
- (3) an allowance from ^LAuth2 for a FOSTER child
- (4) an allowance from ^LAuth2 for an ADOPTED child
- (5) None of these

```
CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN Allow
Allow.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

FRS0304C.BU[.QOIncB1 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
Adult[PNo].PersId := Person[[PNo]
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
CC := ''
```

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

FRS0304C.BU[.QOIncB2

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[1] := 'ALLOWANCE FROM FRIEND/RELATIVE'

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[2] := 'ALLOWANCE FROM ORGANISATION'

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[3] := 'ALLOWANCE FOR FOSTER CHILD'

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[4] := 'ALLOWANCE FOR ADOPTED CHILD'

FRS0304C.BU[.].QOIncB2.QAllow1[]

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PersId

*** ^Names[1] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

AllPay

*** ^Names[1] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

How much was the last payment?

0.01..99997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = NONRESPONSE
AND: QBUIId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = NONRESPONSE
AND: NOT (QBUIId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = RESPONSE

AllPd

*** ^Names[1] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = RESPONSE
AND: AllPd IN [OneWeek .. Year]

AllWkly

*** ^Names[1] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

Standardised weekly amount.

0.01..9997.00

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: Edit = Yes
AllPd <> Note

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

FRS0304C.BU[.QOIncB2 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]

QAllow1[ACount].PersId := Person[1
```


FRS0304C.BU[.].QOIncB2.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.].QOIncB2 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
  AND: QAllow1[ACount].AllPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
```

QAllow1[ACount].AllWkly := LWeekly

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[1].Allow[]
  AND: QAllow1[ACount].AllPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  ((( (ACount = 1) AND (QAllow1[ACount].AllWkly < 230)) OR ((ACount = 2)
AND (QAllow1[ACount].AllWkly < 131))) OR ((ACount = 3) AND
(QAllow1[ACount].AllWkly < 295))) OR ((ACount = 4) AND
(QAllow1[ACount].AllWkly < 151))) AND INVOLVING(QAllow1[ACount].AllPd,
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

FRS0304C.BU[.].QOIncB2.QAllow2[]

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PersId

*** ^Names[2] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

AllPay

*** ^Names[2] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

How much was the last payment?

0.01..99997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = RESPONSE

AllPd

*** ^Names[2] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = RESPONSE
AND: AllPd IN [OneWeek .. Year]

AllWkly

*** ^Names[2] ***^S10 OTHER INCOME 2

^AllTxt[ACount]

Standardised weekly amount.

0.01..9997.00

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: Edit = Yes
AllPd <> Note

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

FRS0304C.BU[.QOIncB2 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

```
QAllow2[ACount].PersId := Person[2
```

FRS0304C.BU[.].QOIncB2.Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

```
PWeekly := 0
```

FRS0304C.BU[.].QOIncB2 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
  AND: QAllow2[ACount].AllPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
```

QAllow1[ACount].AllWkly := LWeekly

```
WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: AdultNum = 2
  AND: In loop FOR ACount := 1 TO 4
  AND: ACount IN QOIncB1.Adult[2].Allow[]
  AND: QAllow2[ACount].AllPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (((((ACount = 1) AND (QAllow2[ACount].AllWkly < 230)) OR ((ACount = 2)
  AND (QAllow2[ACount].AllWkly < 131))) OR ((ACount = 3) AND
  (QAllow2[ACount].AllWkly < 295))) OR ((ACount = 4) AND
  (QAllow2[ACount].AllWkly < 151))) AND INVOLVING(QAllow2[ACount].AllPd,
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

FRS0304C.BU[] (continued)

Benefit Unit Schedule

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

```

CC := ''

FRS0304C.BU[.QOIncB6

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
          AND: In loop FOR Loop1 := 1 TO NewBU
          AND: QOIncB1.Adult [AdultNum].Allow <> EMPTY

CC := ''
```

FRS0304C.BU[.].QOIncB6.Adult[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

PersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

OthTax

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

(Apart from any payments you may have mentioned earlier,) have you made any (other) INCOME TAX payments during the last 12 months?

EXCLUDE CAPITAL GAINS TAX.

- (1) Yes
- (2) No

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes

OTAmt

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How much did you pay?

INTERVIEWER: Describe the source of income in a Note.

0.01..999997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: OTAmt = RESPONSE

OTWkly := (OTAmt / 52)

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: Edit = No
(OTWkly < 715) AND INVOLVING(OTAmt)

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: OTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: OTAmt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

FRS0304C.BU[.QOIncB6 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
Adult[PNo].PersId := Person[[PNo]
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
CC := ''
```

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

FRS0304C.BU[.].QOIncB9

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
```

```
CC := ''
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
```

```
Have := 'Have'
```

FRS0304C.BU[.QOIncB9.Adult]

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))

PersId

^CC*** ^Names[PNo] ****^S10 OTHER INCOME 2

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))

NIReg

^CC*** ^Names[PNo] ****^S10 OTHER INCOME 2

Do you pay a regular National Insurance contribution?

ONLY INCLUDE IF ACTUALLY PAID BY RESPONDENT. DO NOT INCLUDE, EG. PAYMENTS MADE BY ^GOV1 ('CREDITS').

- (1) Yes
- (2) No

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: NIReg = Yes

NIAmt

^CC*** ^Names[PNo] ****^S10 OTHER INCOME 2

How much was the last contribution you made?

0.01..997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: NIREg = Yes
AND: NIAMt = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: NIREg = Yes
AND: NIAMt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: NIREg = Yes
AND: NIAMt = RESPONSE

NIPd

^CC*** ^Names[PNo] ****^S10 OTHER INCOME 2

How long did this cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

FRS0304C.BU[.].QOIncB9.Adult[.].Weekly()

Procedure Call

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[1] := 1

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAMt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAmt = RESPONSE
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (QCurst1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] =
  1) AND (QCurst1.Adult[PNo].JobAway = No))
  AND: NIREg = Yes
  AND: NIAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0304C.BU[.].QOIncB9.Adult[(continued)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE
AND: NIPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

NIWkly := LWeekly

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: Edit = Yes
NIAmt<>NONRESPONSE AND NIPd<>NONRESPONSE

MISSING AMOUNT AND/OR PERIOD FOR National Insurance CONTRIBUTION. INSERT CLASS 3 AMOUNT (CURRENTLY ^P6.85) AND ENSURE THAT PERIOD CODE = 1 WEEK.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: Edit = Yes
NIPd <> Note

EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.

FRS0304C.BU[.].QOIncB9 (continued)

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: Adult[PNo].NIWkly = RESPONSE
(ABS(Adult[PNo].NIWkly - 6.85) < 0.05) AND
INVOLVING(Adult[PNo].NIPd,Adult[PNo].NIAmt)

```

Amount for National Insurance contribution deviates from standard Class 3 weekly amount (currently ^P6.85). Please check.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurst1.Adult[PNo].JobAway = No))

```

Adult[PNo].PersId := Person[[PNo]

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurst1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurst1.Adult[PNo].JobAway = No))
AND: Adult[PNo].NIREg = Yes

```

Have := 'Apart from that, have'

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

```

CC := ''

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: Edit = Yes

```

Jump28

THE QUESTIONS THAT FOLLOW ARE ABOUT ODD JOBS.

(1) Press <Enter> to continue.

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

```

```

CC := ''

```

FRS0304C.BU[.QOIncB10

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
```

```
CC := ''
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: PNo = 1
```

```
OJIntro := 'QUESTIONS ABOUT OCCASIONAL WORK AND ODD JOBS
```

```
'
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: PNo = 1
```

```
OJText := ('During the last 4 weeks, have you received ' + 'any
money from the kinds of work shown on this card, ' + 'which we
have not yet covered?
')
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: NOT (PNo = 1)
```

```
OJText := ('And ' + Names[[PNo] + ', what about you?
```

```
')
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: NOT (PNo = 1)
```

```
OJIntro := ''
```

FRS0304C.BU[.].QOIncB10.Adult[

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

PersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

OddJob

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

SHOW CARD VV

^POJIntro^POJText
CODE ALL THAT APPLY.

SET [3] OF

- (1) Babysitter
- (2) Mail order agent
- (3) Odd job, occasional work or professional advice
- (4) No to all

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Neither IN OddJob
OddJob.CARDINAL = 1

'No to all' is an exclusive code for this question.

FRS0304C.BU[.QOIncB10 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
Adult[PNo].PersId := Person[[PNo]
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
CC := ''
```

FRS0304C.BU[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
 QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
 (Mail IN QOIncB10.Adult[2].OddJob)

CC := ''

FRS0304C.BU[.QOIncB11

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)
```

```
CC := ''
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
Adult[PNo].APersId := Person[[PNo]
```

FRS0304C.BU[.QOIncB11.Adult]

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

APersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Person identifier.

0..14

FRS0304C.BU[.].QOIncB11.Adult[.].QBabMail

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

PersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Person identifier.

0..14

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PNo].OddJob[]

BabPay

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How much income did you receive in the last 4 weeks for babysitting?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PNo].OddJob[]
AND: BabPay = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PNo].OddJob[]
AND: BabPay = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PPNo].OddJob[]

BabNow

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Have you done this work in the last seven days, since ^PDatWeek?

- (1) Yes
- (2) No

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]

MailPay

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How much income did you receive in the last 4 weeks as a mail order agent?

0.01..9997.00

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]
AND: MailPay = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]
AND: MailPay = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]

MailNow

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Have you done this work in the last seven days, since ^PDatWeek?

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncB11.Adult[] (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum

QBabMail.PersId := APersId
```

FRS0304C.BU[.QOIncB11 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum

CC := ''
```

FRS0304C.BU[] (continued)

Benefit Unit Schedule

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

CHECK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)

CC := ''

FRS0304C.BU[.QOIncB12

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
```

```
CC := ''
```

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
```

```
Adult[PNo].APersId := Person[[PNo]
```

FRS0304C.BU[.QOIncB12.Adult[]

RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]

APersId

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Person identifier.

0..14

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

QOddJob[LoopVar].PersId := APersId

FRS0304C.BU[.QOIncB12.Adult[.QOddJob[

```
RECORD IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
```

PersId

```
^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2
```

Person identifier.

0..14

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
```

OddSeq := PLoop

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: PLoop = 1
```

OddIntro := 'ODD JOBS / OCCASIONAL WORK :'

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: NOT (PLoop = 1)
```

OddIntro := ''

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

OJTyp

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

^OddIntro

What kind of work did you do / advice did you give?

INTERVIEWER: IF RESPONDENT HAS MORE THAN 1 'ODD JOB' ANSWER FOR ONE JOB AT A TIME HERE.

STRING[40]

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

OJNow

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Did you do this job in the last seven days, since ^PdatWeek?

- (1) Yes
 - (2) No
-

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJNow = Yes

OJReg

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Is the job done on a regular basis?

- (1) Yes
 - (2) No
-

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
  AND: In loop FOR LoopVar := 1 TO 3
  AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

```

OJAmt

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

How much did you receive for that job?

0.01..9997.00

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
  AND: In loop FOR LoopVar := 1 TO 3
  AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
  AND: OJAmt = NONRESPONSE
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
  AND: In loop FOR LoopVar := 1 TO 3
  AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
  AND: OJAmt = NONRESPONSE
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
  AND: In loop FOR LoopVar := 1 TO 3
  AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
  AND: LoopVar <> 3

```

OJOther

^CC*** ^Names[PNo] ***^S10 OTHER INCOME 2

Did you receive any money for any other odd jobs in the last four weeks?

- (1) Yes
- (2) No

FRS0304C.BU[.QOIncB12 (continued)

```
COMPUTE IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
  AND: In loop FOR Loop1 := 1 TO NewBU
  AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
  QOIncB10.Adult[2].OddJob)
  AND: In loop FOR PNo := 1 TO AdultNum

CC := ''
```

FRS0304C.BU[] (continued)**Benefit Unit Schedule**

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR Count1 := 1 TO AdultNum
AND: In loop FOR Count2 := 1 TO 3
NOT((QOIncB12.Adult[Count1].QOddJob[Count2].OJNow = Yes) **AND** (QOIncB12.Adult[Count1].QOddJob[Count2].OJReg = Yes)) **AND** INVOLVING(QCurst1.Adult[Count1].Working, QCurst1.Adult[Count1].NumJob, QOIncB12.Adult[Count1].QOddJob[Count2].OJNow, QOIncB12.Adult[Count1]

Is this in fact a regular job? If so: GO BACK to the 'work' section and enter it there as a 1st, 2nd or 3rd job at 'Working' or 'NumJob'; then press END and delete odd job details. But if odd job is genuine, suppress warning and write a Note.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR Count1 := 1 TO AdultNum
AND: In loop FOR Count2 := 1 TO 3
(QOIncB12.Adult[Count1].QOddJob[Count2].OJAmt <= 1000) AND INVOLVING(QCurst1.Adult[Count1].Working, QCurst1.Adult[Count1].NumJob, QOIncB12.Adult[Count1].QOddJob[Count2].OJAmt)

Exceeds ^P1000! Is this a regular job? If so: GO BACK to the 'work' section and enter it there as a 1st, 2nd or 3rd job at 'Working' or 'NumJob'; then press END and delete odd job details. But if odd job is genuine, suppress warning and write a Note.

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

WARN IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

ASK IF: QCare.GiveHelp <> EMPTY OR (Edit = Yes)
AND: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: Edit = Yes

Jump29

THE QUESTIONS THAT FOLLOW ARE ABOUT CHILD EARNINGS.

- (1) Press <Enter> to continue.