Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN

QOIncB10.Adult[2].OddJob)

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN

QOIncB10.Adult[2].OddJob)

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN

QOIncB10.Adult[2].OddJob)

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN

QOIncB10.Adult[2].OddJob)

RESERVECHECK

RESERVECHECK

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: Edit = Yes

Jump29

THE QUESTIONS THAT FOLLOW ARE ABOUT CHILD EARNINGS.

(1) Press <Enter> to continue.

FRS0405A.BU[].QChInc

Childrens Income

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: ChildNum = 2
Child_gets := ('Do either of your children, ' + ChNames[[1] + '
and ' + ChNames[[2] + ', receive')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: ChildNum > 2
Child gets := 'Are any of your children, '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: ChildNum > 2
Ch2 := (ChildNum - 2)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: ChildNum > 2
    AND: In loop FOR Index1 := 1 TO Ch2
Child gets := (Child gets + ChNames[[Index1] + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: ChildNum > 2
Child gets := (Child gets + ChNames[[ChildNum - 1] + ' and ' +
ChNames[[ChildNum] + ', receiving')
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: ChildNum > 1
KidInc
    QUESTIONS ABOUT CHILDREN'S EARNINGS
    ^Child_gets any income or earnings either from a spare time job, trust or other allowance?
    (1)
         Yes
    (2)
         No
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
ChName := ChNames[[CNo]
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: ChSex[CNo] = Male
heshe := 'he'
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: NOT (\tilde{ChSex}[CNo] = Male)
heshe := 'she'
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
```

Child[CNo].PersId := ChildId[[CNo]

FRS0405A.BU[].QChInc.Child[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
PersId
     ^S10^S10^S4 CHILD EARNINGS
     Person identifier.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: ChildNum = 1
Intro29 := 'QUESTIONS ABOUT CHILDREN'S EARNINGS
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: NOT (ChildNum = 1)
Intro29 := ''
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
ChEarns
     ^S10^S10^S4 CHILD EARNINGS
     ^Intro29INTERVIEWER: ASK OR CODE: Does ^ChName receive an income...
     (1)
          from a spare time job
     (2)
          from a Trust
     (3)
          or from both a spare time job and a Trust?
```

(4)

neither of these

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
ChYrErn
     ^S10^S10^S4 CHILD EARNINGS
     SPARE TIME JOB:
     Has ^HeShe had this income throughout the last 12 months?
     (1)
          Yes
     (2)
          No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChYrErn = No
ChWkErn
     ^S10^S10^S4 CHILD EARNINGS
     SPARE TIME JOB:
     For how many weeks has ^HeShe had it?
     0..52
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
ChAmtErn
     ^S10^S10^S4 CHILD EARNINGS
     SPARE TIME JOB:
     How much did ^HeShe get last time?
     0.01..99997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
ChPxErn
     ^S10^S10^S4 CHILD EARNINGS
     ^Pd97Txt
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
ChPdErn
     ^S10^S10^S4 CHILD EARNINGS
     SPARE TIME JOB:
     How long did that cover?
     (1)
           One week
           Two weeks
     (2)
     (3)
           Three weeks
     (4)
           Four weeks
     (5)
           Calendar month
     (7)
           Two Calendar months
     (8)
           Eight times a year
     (9)
           Nine times a year
     (10)
           Ten times a year
           Three months/13 weeks
     (13)
     (26)
           Six months/26 weeks
     (52)
           One Year/12 months/52 weeks
     (90)
           Less than one week
     (95)
           One off/lump sum
```

(97)

None of these (EXPLAIN IN A NOTE)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

And: ChildNum > 0

And: (ChildNum = 1) OR (KidInc = Yes)

And: In loop FOR CNo := 1 TO ChildNum

And: (ChEarns = Job) OR (ChEarns = Both)

And: ChAmtErn = RESPONSE

And: ChPdErn = Note
```

ChPxErn

^S10^S10^S4 CHILD EARNINGS

^Pd97Txt

OPEN

FRS0405A.BU[].QChInc.Child[].Weekly()

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Job) OR (ChEarns = Both)
    AND: ChAmtErn = RESPONSE
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Job) OR (ChEarns = Both)
    AND: ChAmtErn = RESPONSE
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Job) OR (ChEarns = Both)
    AND: ChAmtErn = RESPONSE
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Job) OR (ChEarns = Both)
    AND: ChAmtErn = RESPONSE
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Job) OR (ChEarns = Both)
    AND: ChAmtErn = RESPONSE
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Job) OR (ChEarns = Both)
    AND: ChAmtErn = RESPONSE
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Job) OR (ChEarns = Both)
    AND: ChAmtErn = RESPONSE
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChEarns = Job) OR (ChEarns = Both)

AND: ChAmtErn = RESPONSE

AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := 0
```

FRS0405A.BU[].QChInc.Child[] (continued)

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Job) OR (ChEarns = Both)
     AND: ChAmtErn = RESPONSE
     AND: ChPdErn IN [OneWeek .. Year]
     (LWeekly < 100) AND INVOLVING(ChPdErn, ChAmtErn)
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Trust) OR (ChEarns = Both)
ChYrTst
     ^S10^S10^S4 CHILD EARNINGS
     Has ^HeShe had this income throughout the last 12 months?
```

- 1145 1165
- (1) Yes (2) No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChEarns = Trust) OR (ChEarns = Both)

AND: ChYrTst = No
```

ChWkTst

^S10^S10^S4 CHILD EARNINGS

TRUST:

For how many weeks has ^HeShe had it?

0..52

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
```

ChAmtTst

^S10^S10^S4 CHILD EARNINGS

TRUST

How much did ^HeShe get last time?

0.01..99997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Trust) OR (ChEarns = Both)
     AND: ChAmtTst = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Trust) OR (ChEarns = Both)
     AND: ChAmtTst = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Trust) OR (ChEarns = Both)
     AND: ChAmtTst = RESPONSE
ChPxTst
     ^S10^S10^S4 CHILD EARNINGS
     ^Pd97Txt
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Trust) OR (ChEarns = Both)
     AND: ChAmtTst = RESPONSE
ChPdTst
     ^S10^S10^S4 CHILD EARNINGS
     TRUST:
     How long did that cover?
          One week
     (1)
     (2)
          Two weeks
          Three weeks
     (3)
     (4)
          Four weeks
     (5)
          Calendar month
     (7)
          Two Calendar months
     (8)
          Eight times a year
     (9)
          Nine times a year
     (10) Ten times a year
          Three months/13 weeks
     (13)
          Six months/26 weeks
     (26)
     (52)
          One Year/12 months/52 weeks
     (90) Less than one week
     (95) One off/lump sum
     (97)
          None of these (EXPLAIN IN A NOTE)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

And: ChildNum > 0

And: (ChildNum = 1) OR (KidInc = Yes)

And: In loop FOR CNo := 1 TO ChildNum

And: (ChEarns = Trust) OR (ChEarns = Both)

And: ChAmtTst = RESPONSE

And: ChPdTst = Note
```

ChPxTst

^S10^S10^S4 CHILD EARNINGS

^Pd97Txt

OPEN

FRS0405A.BU[].QChInc.Child[].Weekly()

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChEarns = Trust) OR (ChEarns = Both)
    AND: ChAmtTst = RESPONSE
    AND: ChPdTst IN [OneWeek .. Year]
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChEarns = Trust) OR (ChEarns = Both)
     AND: ChAmtTst = RESPONSE
     AND: ChPdTst IN [OneWeek .. Year]
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
     AND: ChAmtTst = RESPONSE
     AND: ChPdTst IN [OneWeek .. Year]
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0405A.BU[].QChInc.Child[] (continued)

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]
(LWeekly < 240) AND INVOLVING(ChPdTst,ChAmtTst)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
```

ChEMA

^S10^S10^S4 CHILD EARNINGS

Education Maintenance Allowance (EMA) (up to ^P30-40 per week) can either be paid directly to the student or to a parent - generally the mother.

- (1) Yes
- (2) No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)

AND: ChEMA = Yes
```

ChEMAAmt

^S10^S10^S4 CHILD EARNINGS

How much did ^HeShe get last time?

0.01..99997.00

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)

AND: ChEMA = Yes
```

ChEMAPx

^S10^S10^S4 CHILD EARNINGS

^Pd97Txt

OPEN

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)

AND: ChEMA = Yes
```

ChEMAPd

^S10^S10^S4 CHILD EARNINGS

How long did that cover?

- (1) One week
- (2) Two weeks
- (3) Three weeks
- (4) Four weeks
- (5) Calendar month
- (7) Two Calendar months
- (8) Eight times a year
- (9) Nine times a year
- (10) Ten times a year
- (13) Three months/13 weeks
- (26) Six months/26 weeks
- (52) One Year/12 months/52 weeks
- (90) Less than one week
- (95) One off/lump sum
- (97) None of these (EXPLAIN IN A NOTE)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)

AND: ChEMA = Yes

AND: ChEMAPd = Note
```

ChEMAPx

^S10^S10^S4 CHILD EARNINGS

^Pd97Txt

OPEN

FRS0405A.BU[].QChInc.Child[].Weekly()

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAqes[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    AND: (ChildNum = 1) OR (KidInc = Yes)
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
    AND: ChEMA = Yes
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: (ChildNum = 1) OR (KidInc = Yes)

AND: In loop FOR CNo := 1 TO ChildNum

AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)

AND: ChEMA = Yes

AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := 0
```

FRS0405A.BU[].QChInc.Child[] (continued)

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
     AND: ChEMA = Yes
     AND: ChEMAPd IN [OneWeek .. Year]
     (LWeekly < 40) AND INVOLVING(ChEMAPd, ChEMAAmt)
     Are you sure? That equals ^P^LWeekly a week.
     EMA is usually not more than ^P40 per week. Please check and amend or, if correct, suppress check and
     make a note.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
```

FRS0405A.BU[].QChInc (continued)

Childrens Income

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: Edit = Yes
     Child[CNo].ChPdErn <> Note
     EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: Edit = Yes
     Child[CNo].ChPdTst <> Note
     EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     AND: (ChildNum = 1) OR (KidInc = Yes)
     AND: In loop FOR CNo := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: ChildNum > 0
     RESERVECHECK
     RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

Warn IF: In loop FOR Loop1 := 1 TO NewBU **AND:** ChildNum > 0

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: ChildNum > 0

RESERVECHECK

RESERVECHECK

FRS0405A.BU[].QAfford

Deprivation (affordability)

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
```

RandOrg

Origonal randomly adult (1,2) in this BU

1..2

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
```

RandSel

Randomly selected adult in this BU

1..2

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
```

RandOth

Non-selected adult in this BU

1..2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: RandOrg = EMPTY AND (AdultNum > 0)
```

RandOrg := (RANDOM(2) + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: AdultNum = 1
```

RandSel := 1

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 2
```

RandSel := RandOrg

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: RandSel = 1
```

RandOth := 2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: RandSel = 2
```

RandOth := 1

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
SelNo := RandSel
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
SelName := Names[[SelNo]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: AdultNum = 2
     AND: SelNo = 1
OthNo := 2
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: AdultNum = 2
     AND: NOT (SelNo = 1)
OthNo := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
     AND: AdultNum = 2
OthName := Names[[OthNo]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: AdultNum = 2
TwoAds := ('
INTERVIEWER ENTER ' + SelName + ' below if they are ' +
'available to answer these questions now. Otherwise enter ' +
OthName + '.')
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
WhoDepQ
     Use this code ONLY in cases where the interview is conducted entirely by proxy.
     If (any of) the name(s) respondent(s) is / are available then these questions MUST be asked of that
     respondent.
     (1)
          ^Name1
     (2)
          ^Name2
     (3)
          None of the named members of this benefit unit are present. Interview is TOTALLY by proxy.
     <F9>
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: AdultNum = 1
     WhoDepQ <> Adult2
```

Option 2 is not available for selection.

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ = Proxy

ERROR

INTERVIEWER: YOU SHOULD ONLY USE THIS CODE IF NONE OF THE NAMED RESPONDENTS ARE PRESENT. THIS IS UNUSUAL SO PLEASE CHECK YOUR CODING.

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

SelNo := ORD(WhoDepQ)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

SelName := Names[[SelNo]

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

AND: Edit = No

AND: SelNo <> RandSel

ERROR

INTERVIEWER:

The questions should have been answered by 'Names[RandSel] but you have entered 'Names[RandOth]. If this is because 'Names[RandSel] is not present suppress the check and continue. Otherwise ask 'Names[RandSel] to answer these questions.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
PNo := SelNo
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: SelNo = 1
OthNo := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (SelNo = 1)
OthNo := 1
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
OthName := Names[[OthNo]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
```

FRS0405A.BU[].QAfford.Adult12

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
PersId
    *** ^SelName *** @|AFFORDABILITY QUESTIONS
    Person identifier.
    0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: ChildNum = 1
Does child := 'Does your child'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: ChildNum = 1
child has := 'child has'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: NOT (ChildNum = 1)
Does child := 'Do your children'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: NOT (ChildNum = 1)
child has := 'children have'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
families := 'families'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
we := 'We'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
SCard1 := 'ZZ'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
SCard2 := 'AAA'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
you := 'you and your family'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
children := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
num not primary := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
num schoolkids := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
boys10 := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
qirls10 := 0
```

FRS0405A.BU[].QAfford.Adult12.PCase()

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
StrLen := LENGTH(IStrng)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: StrLen <= 1
OStrng := UPCASE(IStrng)
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: StrLen > 1
OStrng := (UPCASE(SUBSTRING(IStrng,1,1)) +
LOWERCASE (SUBSTRING (IStrng, 2, StrLen - 1)))
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: NOT (StrLen > 1)
OStrng := IStrng
```

FRS0405A.BU[].QAfford.Adult12 (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
children := (children + LCName)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: ChildNum > 1
    AND: L1 = (ChildNum - 1)
children := (children + ' and ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: ChildNum > 1
    AND: L1 < (ChildNum - 1)
children := (children + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: (ChAges[L1] < 6) AND ((ChTypeEd[L1] <> Primry) AND (ChTypeEd[L1]
    <> Private))
num not primary := (num not primary + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: (ChAges[L1] < 6) AND ((ChTypeEd[L1] <> Primry) AND (ChTypeEd[L1]
    <> Private))
non primary names [num not primary] := ChNames [[L1]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: (ChAges[L1] >= 6) OR ((ChAges[L1] < 6) AND ((ChTypeEd[L1] = 6)
    Primry) OR (ChTypeEd[L1] = Private)))
num schoolkids := (num schoolkids + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum AND: (ChAges[L1] >= 6) OR ((ChAges[L1] < 6) AND ((ChTypeEd[L1] =
     Primry) OR (ChTypeEd[L1] = Private)))
schoolnames[num schoolkids] := ChNames[[L1]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: ChAges[L1] >= 10
    AND: ChSex[L1] = Male
boys10 := (boys10 + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: ChildNum > 0
    AND: In loop FOR L1 := 1 TO ChildNum
    AND: ChAges[L1] >= 10
    AND: ChSex[L1] = Female
girls10 := (girls10 + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: AdultNum = 2
families := 'people'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: AdultNum = 2
we := 'We'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: AdultNum = 2
SCard1 := 'ZZ'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: AdultNum = 2
SCard2 := 'AAA'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: AdultNum = 2
you := 'you and your partner'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (AdultNum = 2)
families := 'people'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (AdultNum = 2)
we := 'I'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (AdultNum = 2)
SCard1 := 'BBB'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (AdultNum = 2)
SCard2 := 'CCC'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (AdultNum = 2)
you := 'you'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
non primary kids := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
schoolkids := ''
```

FRS0405A.BU[].QAfford.Adult12.PCase()

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: num not primary > 0
     AND: In loop FOR L1 := 1 TO num not primary
StrLen := LENGTH(IStrng)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: num_not_primary > 0
    AND: In loop FOR L1 := 1 TO num_not_primary
AND: StrLen <= 1
OStrng := UPCASE(IStrng)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: num_not_primary > 0
     AND: In loop FOR L1 := 1 TO num not primary
     AND: StrLen > 1
OStrng := (UPCASE(SUBSTRING(IStrng, 1, 1)) +
LOWERCASE (SUBSTRING (IStrng, 2, StrLen - 1)))
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: num_not_primary > 0
AND: In loop FOR L1 := 1 TO num_not_primary
     AND: NOT (StrLen > 1)
OStrng := IStrng
```

FRS0405A.BU[].QAfford.Adult12 (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num not primary > 0
    AND: In Toop FOR L1 := 1 TO num not primary
non primary kids := (non primary kids + LCName)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num not primary > 0
    AND: In loop FOR L1 := 1 TO num_not_primary
AND: num_not_primary > 1
    AND: L1 = (num not primary - 1)
non primary kids := (non primary kids + ' and ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num_not_primary > 0
    AND: In loop FOR L1 := 1 TO num_not_primary
    AND: num not primary > 1
    AND: L1 < (num_not_primary - 1)
non primary kids := (non primary kids + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num_not_primary > 0
    AND: num not primary = 1
Do non primary kids := ('Does ' + non primary kids)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num_not_primary > 0
    AND: NOT (num not primary = 1)
Do non primary kids := ('Do ' + non primary kids)
```

FRS0405A.BU[].QAfford.Adult12.PCase()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: In \overline{1}oop FOR L1 := 1 TO num schoolkids
StrLen := LENGTH(IStrng)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: In loop FOR L1 := 1 TO num_schoolkids
    AND: StrLen <= 1
OStrng := UPCASE(IStrng)
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: In loop FOR L1 := 1 TO num schoolkids
    AND: StrLen > 1
OStrng := (UPCASE(SUBSTRING(IStrng,1,1)) +
LOWERCASE (SUBSTRING (IStrng, 2, StrLen - 1)))
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: In Toop FOR L1 := 1 TO num schoolkids
    AND: NOT (StrLen > 1)
OStrng := IStrng
```

FRS0405A.BU[].QAfford.Adult12 (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: In \overline{1}oop FOR L1 := 1 TO num schoolkids
schoolkids := (schoolkids + LCName)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: In loop FOR L1 := 1 TO num schoolkids
    AND: num schoolkids > 1
    AND: L1 = (num schoolkids - 1)
schoolkids := (schoolkids + ' and ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: In loop FOR L1 := 1 TO num_schoolkids
    AND: num schoolkids > 1
    AND: L1 < (num_schoolkids - 1)
schoolkids := (schoolkids + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num schoolkids > 0
    AND: num schoolkids = 1
Do schoolkids := ('Does ' + schoolkids)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: num_schoolkids > 0
AND: NOT (num_schoolkids = 1)
Do schoolkids := ('Do ' + schoolkids)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: AdultNum = 2
for adults := (' for yourself and ' + OthName)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: OOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (\overline{AdultNum} = 2)
for adults := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: PersId = QHholder.DVHRPNum
Can I check Do := 'Can I just check, do'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (PersId = QHholder.DVHRPNum)
Can I check Do := 'Do'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NatCen = NI
and gas := ' and gas'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NatCen = NI
water := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NatCen = NI
BehindCT := '<NOT USED>'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (NatCen = NI)
and gas := ', gas and water rates'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (NatCen = NI)
water := 'water'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: WhoDepQ IN [Adult1 .. Adult2]
    AND: NOT (NatCen = NI)
```

BehindCT := 'Behind with Council Tax'

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

AdDInt

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS
```

This next section is about the sorts of things that some ^families have, but which many people have difficulty finding the money for.

(1) Continue

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

AdDHol

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard1
```

* For each of the following things please tell me the number from the showcard which best explains whether ^you have it or not.

Do ^you have ...READ...

...a holiday away from home for at least one week a year, whilst not staying with relatives at their home? THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We have this
- (2) ^We would like to have this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

AdDMel

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard1
```

* (For each of the following things please tell me the number from the showcard which best explains whether ^you have it or not.)

Do 'you have ...READ...

...friends or family around for a drink or meal at least once a month?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We have this
- (2) ^We would like to have this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

AdDShoe

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard1
```

* (For each of the following things please tell me the number from the showcard which best explains whether 'you have it or not.)

Do you have ...READ...

...two pairs of all weather shoes^for_adults?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We have this
- (2) ^We would like to have this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

AdDDec

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard1
```

* (For each of the following things please tell me the number from the showcard which best explains whether you and your family have it or not).

Do ^you have ...READ...

...enough money to keep your home in a decent state of decoration?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We have this
- (2) ^We would like to have this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

AdDIns

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard1
```

* (For each of the following things please tell me the number from the showcard which best explains whether you and your family have it or not).

^Can_I_check_Do ^you have ...READ...

...household contents insurance?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We have this
- (2) ^We would like to have this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]
```

AdDMon

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard2
```

* Please look at showcard ^SCard2. Now I want to ask a few questions about things you and your family can afford to do. For each please choose the number from the showcard.

Do ^you ...READ...

...make regular savings of £10 a month or more for rainy days or retirement?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We do this
- (2) ^We would like to do this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

ADepFur

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard2
```

* (For each of the following things please tell me the number from the showcard which best explains whether you and your family have it or not).

Do ^you ...READ...

... replace any worn out furniture?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We do this
- (2) ^We would like to do this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
```

Af1

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD ^SCard2
```

* Now I want to ask a few questions about things you and your family can afford to do. For each please choose the number from the showcard.

Do ^you ...READ...

...replace or repair major electrical goods such as a refrigerator or a washing machine, when broken? THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) ^We do this
- (2) ^We would like to do this but cannot afford this at the moment
- (3) ^We do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
```

AND: WhoDepQ IN [Adult1 .. Adult2]

AfDep2

*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD BBB

* Now please look at Card BBB. (On a slightly different note) do you have a small amount of money to spend each week on yourself (not on your family)?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) I have this
- (2) I would like to have this but cannot afford this at the moment
- (3) I do not want / need this at the moment
- (4) [Does not apply]

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

AdDepLes

*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD BBB

* And do you have a hobby or leisure activity?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) I have this
- (2) I would like to have this but cannot afford this at the moment
- (3) I do not want / need this at the moment
- (4) [Does not apply]

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

HousHe1

*** ^SelName *** @|AFFORDABILITY QUESTIONS

* For the next question please answer just yes or no. In winter, are you able to keep this accommodation warm enough? CODE 'CAN'T AFFORD IT' AS 'NO'.

- (1) Yes
- (2) No
- (3) [Does not apply]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

AND: ChildNum > 0
```

CDepInt

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS
```

The next questions are asked about all the children you (and your partner) are responsible for in this household.

Please think about ^children when answering these questions?

(1) Continue

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

AND: ChildNum > 0
```

CDepHol

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD DDD
```

* For each of the following please tell me the number from the showcard that best explains whether your ^child_has it or not.

^Does_child have ...READ...

...a family holiday away from home for at least one week a year?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) Child(ren) has / have this
- (2) Child(ren) would like to have this but we cannot afford this at the moment
- (3) Child(ren) do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 . . Adult2]
AND: ChildNum > 0
AND: (boys10 > 0) AND (girls10 > 0)
```

CDepBed

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD DDD
```

And are there enough bedrooms for every child of 10 or over of a different sex to have their own bedroom?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) Child(ren) has / have this
- (2) Child(ren) would like to have this but we cannot afford this at the moment
- (3) Child(ren) do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ChildNum > 0
```

CDepEqp

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD DDD
```

* ^Does_child have ...READ...

...leisure equipment such as sports equipment or a bicycle?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) Child(ren) has / have this
- (2) Child(ren) would like to have this but we cannot afford this at the moment
- (3) Child(ren) do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

AND: ChildNum > 0
```

CDepCel

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD DDD
```

* (^Does_child have ...READ...)

...celebrations on special occasions such as birthdays, Christmas or other religious festivals? THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) Child(ren) has / have this
- (2) Child(ren) would like to have this but we cannot afford this at the moment
- (3) Child(ren) do not want / need this at the moment
- (4) [Does not apply]

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

AND: ChildNum > 0
```

CDepSum

```
*** ^SelName *** @|AFFORDABILITY QUESTIONS SHOWCARD EEE
```

* I now want to ask some questions about whether or not your children can afford to do a number of different activities. Please choose your answer from this card.

^Does_child ...READ...

...go swimming at least once a month?

THIS IS RESPONDENT'S OWN INTERPRETATION.

- (1) Child(ren) do this
- (2) Child(ren) would like to do this but we cannot afford this at the moment
- (3) Child(ren) do not want / need this at the moment
- (4) [Does not apply]

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: ChildNum > 0
CDepLes
      *** ^SelName *** @|AFFORDABILITY QUESTIONS
     SHOWCARD EEE
     * (^Does_child ...READ...)
     ...do a hobby or leisure activity?
     THIS IS RESPONDENT'S OWN INTERPRETATION.
     (1)
           Child(ren) do this
     (2)
           Child(ren) would like to do this but we cannot afford this at the moment
     (3)
           Child(ren) do not want / need this at the moment
           [Does not apply]
     (4)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: ChildNum > 0
CDepTea
      *** ^SelName *** @|AFFORDABILITY QUESTIONS
     SHOWCARD EEE
     * (^Does_child ...READ...)
     ...have friends round for tea or a snack once a fortnight?
     THIS IS RESPONDENT'S OWN INTERPRETATION.
     (1)
           Child(ren) do this
           Child(ren) would like to do this but we cannot afford this at the moment
     (2)
     (3)
           Child(ren) do not want / need this at the moment
     (4)
           [Does not apply]
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: ChildNum > 0
     AND: num not primary > 0
CPlay
      *** ^SelName *** @|AFFORDABILITY QUESTIONS
     SHOWCARD EEE
     * ^Do_non_primary_kids ...READ...
     ...go to a toddler group / nursery / playgroup at least once a week?
     THIS IS RESPONDENT'S OWN INTERPRETATION.
     (1)
           Child(ren) do this
     (2)
           Child(ren) would like to do this but we cannot afford this at the moment
     (3)
           Child(ren) do not want / need this at the moment
     (4)
           [Does not apply]
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: ChildNum > 0
     AND: num schoolkids > 0
CDepTrp
     *** ^SelName *** @|AFFORDABILITY QUESTIONS
     SHOWCARD EEE
     * ^Do_schoolkids ...READ...
     ...go on school trips? Again, please choose your answer from this card.
     THIS IS RESPONDENT'S OWN INTERPRETATION.
     (1)
           Child(ren) do this
           Child(ren) would like to do this but we cannot afford this at the moment
     (2)
     (3)
           Child(ren) do not want / need this at the moment
     (4)
           [Does not apply]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: ChildNum > 0
CDelPly
     *** ^SelName *** @|AFFORDABILITY QUESTIONS
     * For the next question please just answer yes or no.
     ^Does_child ...READ...
     ...have an outdoor space or facilities nearby where they can play safely?
     'NEARBY' AND 'SAFELY' ARE RESPONDENT'S OWN INTERPRETATION.
     (1)
           Yes
     (2)
           No
           <NOT USED>
     (3)
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

AND: ChildNum > 0

CDelPly <> DNApply
```

Code 3 is invalid.

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
Debt
      *** ^SelName *** @|AFFORDABILITY QUESTIONS
     I am now going to ask you about paying bills for things like electricity^and_gas.
     SHOWCARD FFF
     Sometimes people are not able to pay every bill when it falls due. May I ask, are you up-to-date with the
     bills on this card, or are you behind with any of them?
     INTERVIEWER: THERE ARE 10 CODES.
     INTERVIEWER: 'Which others' UNTIL 'No others'
     SET [9] OF
           Behind with the electricity bill
     (1)
     (2)
           Behind with the gas bill
     (3)
           Behind with other fuel bills like coal or oil
     (4)
           ^BehindCT
     (5)
           Behind with insurance policies
     (6)
           Behind with telephone bill
     (7)
           Behind with television/video rental or HP
           Behind with other HP payments
     (8)
     (9)
           Behind with ^water rates
     (10) Not behind with any of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: NoDebt IN Debt
     Debt.CARDINAL = 1
      'None of these' is an exclusive code.
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     AND: NatCen = NI
     NOT (IN (CounTax, Debt))
     Code 4 is invalid.
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: WhoDepQ IN [Adult1 .. Adult2]
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2]

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: WhoDepQ IN [Adult1 .. Adult2] RESERVECHECK

FRS0405A.BU[].QAfford (continued)

Deprivation (affordability)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

Check if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdAcc

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdAcc.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
```

PersId

^CC*** ^Names[PNo] ***^S10 SAVINGS Person identifier.

0..14

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
```

AnyAcc

```
^CC*** ^Names[PNo] ***^S10 SAVINGS
```

A 'current' account is for day-to-day transactions. There is immediate access to the money - usually by a card for cash machine withdrawal and/or a cheque book.

A 'savings' account is not normally used for day-to-day transactions. There is often a minimum deposit and a notice period for withdrawals.

ONLY INCLUDE ACCOUNTS WHERE MONEY CAN BE DEPOSITED AND WITHDRAWN BY THE HOLDER.

- (1) Yes any account
- (2) No
- (3) Don't know/Refuse

FRS0405A.BU[].QAdAcc (continued)

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Adult[PNo].AnyAcc = No
ACTBen[[PNo] = 0

INTERVIEWER: Respondent reported earlier that they received a benefit directly into their bank account, but now you have coded that they don't have any accounts. Please check and resolve, or explain in a note.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt1.Adult[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU 
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY 
AND: In loop FOR i := 1 TO AdultNum 
AND: QAdAcc.Adult[i].AnyAcc = Yes
```

Accounts

```
^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
```

A 'current' account is for day-to-day transactions. There is immediate access to the money - usually by a card for cash machine withdrawal and/or a cheque book.

A 'savings' account is not normally used for day-to-day transactions. There is often a minimum deposit and a notice period for withdrawals.

ONLY INCLUDE ACCOUNTS WHERE MONEY CAN BE DEPOSITED AND WITHDRAWN BY THE HOLDER.

SET [8] OF

- (1) Current account with a bank, building society, supermarket/store or other organisation
- (2) Basic Bank Accounts including introductory / starter and Post Office card accounts
- (3) National Savings Bank (Post Office) Ordinary Account
- (4) National Savings Bank (Post Office) Investment Account
- (5) TESSA (Tax-Exempt Special Savings Account)
- (6) ISA (Individual Savings Account)
- (7) Savings account, investment account/bond, any other account with bank, building society, supermarket/store or other organisation
- (8) Credit Union
- (9) None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: QAdAcc.Adult[i].AnyAcc = Yes

AND: None IN Accounts

Accounts.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
AND: QAdAcc.Adult[i].AnyAcc = Yes
AND: ISA IN Accounts
```

ISAType

```
^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
```

There are various ways to hold the 3 ISA elements. The 'Maxi' ISA is from a single provider and must include a Stocks and shares element, the other 2 parts being optional extras. Alternatively each part can be held with separate providers (called 'Mini' ISAs).

A Cash ISA is for cash deposits (this can also include capital transferred from a maturing TESSA). A Stocks and Shares ISA is similar to the old PEP and may include shares, unit trusts, corporate bonds and other stock market investments.

A Life Insurance ISA holds insurance premiums, either paid in as a lump sum, or as regular deposits. On the FRS, we do not want to record ISA savings held as life insurance.

```
SET [3] OF
```

- (1) ... Cash in an ISA?
- (2) ...Stocks and shares (in an ISA)?
- (3) ...Life Insurance (in an ISA)?

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: QAdAcc.Adult[i].AnyAcc = Yes

AND: ISA IN Accounts

AND: Cash IN ISAType
```

ISA1Type := Yes

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
AND: QAdAcc.Adult[i].AnyAcc = Yes
AND: ISA IN Accounts
AND: NOT (Cash IN ISAType)
```

ISA1Type := No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: QAdAcc.Adult[i].AnyAcc = Yes

AND: ISA IN Accounts

AND: Stocks IN ISAType
```

ISA2Type := Yes

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: QAdAcc.Adult[i].AnyAcc = Yes

AND: ISA IN Accounts

AND: NOT (Stocks IN ISAType)
```

ISA2Type := No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: QAdAcc.Adult[i].AnyAcc = Yes
    AND: ISA IN Accounts
    AND: LifeIns IN ISAType
    AND: ISAType.CARDINAL = 1
ISALife := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: QAdAcc.Adult[i].AnyAcc = Yes
    AND: ISA IN Accounts
    AND: LifeIns IN ISAType
    AND: NOT (ISAType.CARDINAL = 1)
ISALife := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: QAdAcc.Adult[i].AnyAcc = Yes
    AND: ISA IN Accounts
    AND: LifeIns IN ISAType
ISA3Type := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: QAdAcc.Adult[i].AnyAcc = Yes
    AND: ISA IN Accounts
    AND: NOT (LifeIns IN ISAType)
```

ISA3Type := No

FRS0405A.BU[].QAdInt1 (continued)

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
AND: QAdAcc.Adult[i].AnyAcc = Yes
    NOT(IN(None, Adult[i].Accounts)) AND
    INVOLVING(QAdAcc.Adult[].AnyAcc[i])
    This contradicts previous answer!
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: (CurrAcc IN Adult[i].Accounts) OR (Basic IN Adult[i].Accounts)
PA[].A[1].Asset[i] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT ((CurrAcc IN Adult[i].Accounts) OR (Basic IN
    Adult[i].Accounts)
PA[].A[1].Asset[i] := No
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NSBOrd IN Adult[i].Accounts
PA[].A[2].Asset[i] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT (NSBOrd IN Adult[i].Accounts)
PA[].A[2].Asset[i] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NSBInv IN Adult[i].Accounts
PA[].A[3].Asset[i] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT (NSBInv IN Adult[i].Accounts)
PA[].A[3].Asset[i] := No
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: TESSA IN Adult[i].Accounts
PA[].A[4].Asset[i] := Yes
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT (TESSA IN Adult[i].Accounts)
PA[].A[4].Asset[i] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: (ISA IN Adult[i].Accounts) AND (Adult[i].ISALife <> Yes)
PA[].A[25].Asset[i] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT ((ISA IN Adult[i].Accounts) AND (Adult[i].ISALife <> Yes)
PA[].A[25].Asset[i] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SavAcc IN Adult[i].Accounts
PA[].A[5].Asset[i] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT (SavAcc IN Adult[i].Accounts)
PA[].A[5].Asset[i] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: CreditU IN Adult[i]. Accounts
PA[].A[28].Asset[i] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT (CreditU IN Adult[i].Accounts)
PA[].A[28].Asset[i] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
```

CC := ''

Page 2380

Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

FRS0405A.BU[].QAdult[]

Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

PersId

Person identifier

0..14

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

Accounts

Anything in question Accounts?

- (1) Yes
- (2) No

Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

Invests

Anything in question Invests?

- (1) Yes
- (2) No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum
```

OtInvA

Anything in question OtInvA?

- (1) Yes
- (2) No

Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum
```

QAdult[Count1].PersId := Person[Count1]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: (QAdInt1.Adult[Count1].Accounts = RESPONSE) AND NOT (None IN QAdInt1.Adult[Count1].Accounts)
```

QAdult[Count1].Accounts := Yes

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: NOT ((QAdInt1.Adult[Count1].Accounts = RESPONSE) AND NOT (None IN QAdInt1.Adult[Count1].Accounts)
```

QAdult[Count1].Accounts := No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
```

AskTotInt[1] := No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
```

AskTotInt[2] := No

FRS0405A.BU[].QAdInt2

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt2.Adult[].QIntrest[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
PersId
    ^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
    Person identifier
    0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[1] := 'Current Accounts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[2] := 'Basic Bank Accounts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[3] := 'National Savings Bank Ordinary Accounts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[4] := 'National Savings Bank Investment Accounts'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[5] := 'Tax Exempt Special Savings Account (TESSA)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[6] := 'ISA'
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[7] := 'Savings/Other Accounts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
AccName[8] := 'Credit Union'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AccountN := PAccount
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
    AND: PAccount = 1
Account := PAccount
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount = 1
Curr Txt := ('
INTERVIEWER INSTRUCTION: Please exclude any interest from ' +
'any Basic Bank Accounts.')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount = 2
Account := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount = 2
Curr Txt := ('
INTERVIEWER INSTRUCTION: Please exclude any interest from ' +
'any Current Accounts.')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount IN [3 .. 5]
Account := (PAccount - 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount IN [3 .. 5]
Curr Txt := ('
INTERVIEWER INSTRUCTION: Please exclude any interest from ' +
'any Basic Bank Accounts.')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount = 6
Account := 25
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount = 7
Account := 5
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: PAccount = 8
Account := 28
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AdCh := Adult
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AND: AccountN IN [1, 3 .. 4, 7]
JOINT SHARE := ('
INTERVIEWER: For any JOINT account, ' + 'ONLY GIVE THIS
RESPONDENT'S SHARE OF THE INTEREST.
')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[] AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: NOT (AccountN IN [1, 3 .. 4, 7])
JOINT SHARE := '
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
    AND: AccountN = 1
Curr Acc := ('IF ACCOUNT HAS BEEN HELD FOR 12+ MONTHS, AND
INTEREST ' + 'IS MONTHLY, ACCEPT MOST RECENT MONTH'S INTEREST
AND ' + 'MULTIPLY BY 12 FOR 1 YEAR'S WORTH.')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
    AND: NOT (AccountN = 1)
Curr Acc := ''
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 8
    AND: j IN QAdInt1.Adult[PNum].Accounts[]
    AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
AccInt
    ^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
```

Record the total interest received (or credited) in the last 12 months for all accounts/investments of this

Interest which has been re-invested should also be included here.

For ISAs, record the COMBINED interest from the Cash account and the Securities account (stocks and shares etc.).

Note that interest will not be received from the ISA Life Insurance option.

0.00..99997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOINcB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: In loop FOR j := 1 TO 8

AND: j IN QAdInt1.Adult[PNum].Accounts[]

AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))

AND: Accint = NONRESPONSE

AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: AccInt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 8
     AND: j IN QAdInt1.Adult[PNum].Accounts[]
     AND: NOT ((j = 6) \text{ AND } (QAdInt1.Adult[PNum].ISALife = Yes))
     AND: AccInt > 0
     AND: (Account = 25) AND (Edit = No)
     AccInt <= 3500
     That figure is unusual. The maximum amount of interest available from an ISA is ^P3,500 a year or ^P70
     per week. Please check and amend amount or make a note if necessary.
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOINCB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: In loop FOR j := 1 TO 8

AND: j IN QAdInt1.Adult[PNum].Accounts[]

AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))

AND: AccInt > 0

TAX_INSTRUC := ('
INTERVIEWER: IF REGISTERED AS A ' + 'NON-TAXPAYER, USE CODE 3.')
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: In loop FOR j := 1 TO 8

AND: j IN QAdInt1.Adult[PNum].Accounts[]

AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))

AND: Accint > 0

AND: NOT (Account IN [4, 25])
```

AccTax

^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS

Use code 2 if gross interest is entered at the previous question but tax has been/will be paid on it (eg. tax deducted at source but net interest not shown separately on document).

Use code 3 if the respondent is registered as a non-taxpayer.

- (1) After tax
- (2) Before tax but tax payable
- (3) Before tax signed form to get interest without tax ^TAX_INSTRUC

FRS0405A.BU[].QAdInt2.Adult[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: In loop FOR j := 1 TO 8

AND: j IN QAdInt1.Adult[PNum].Accounts[]

AND: NOT ((j = 6) AND (QAdInt1.Adult[PNum].ISALife = Yes))

QIntrest[j].PersId := Person[[PNum]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: In loop FOR j := 1 TO 8

AND: QIntrest[j].AccInt = NONRESPONSE

AskTotInt[[PNum] := Yes
```

FRS0405A.BU[].QAdInt2 (continued)

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

RESERVECHECK

FRS0405A.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: Edit = Yes

Jump31

THE QUESTIONS THAT FOLLOW ARE ABOUT INVESTMENTS.

(1) Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt3.Adult[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: PPerNo = 1
Intro31 := 'NOW THERE ARE SOME QUESTIONS ABOUT INVESTMENTS
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: NOT (\overline{PPerNo} = 1)
Intro31 := ''
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
Invests
     ^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
     Include 'Investment company with Variable Capital' under Unit/Investment trusts (Code 2).
     With Profit Bonds and Distribution Bonds should be included under code 3 (stocks, shares, bonds,
     debentures, other securities).
     SET [7] OF
     (1)
           Government Gilt-edged stock (inc. war loans)
     (2)
           Unit Trusts/Investment Trusts
     (3)
           Stocks, shares, bonds, debentures, other securities
     (4)
           PEP (Personal Equity Plan)
     (5)
           Profit sharing
           Company share option plans
     (6)
           Member of share club
     (7)
     (8)
          None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: None IN Invests
     Invests.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

FRS0405A.BU[].QAdInt3 (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR acc := 1 TO 4
    AND: acc IN Adult[i]. Invests
PA[].A[].Asset[i,acc + 5] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR acc := 1 TO 4
    AND: NOT (acc IN Adult[i].Invests)
PA[].A[].Asset[i,acc + 5] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: (SharOpt IN Adult[i].Invests) OR (Profit IN Adult[i].Invests)
PA[].A[].Asset[i,26] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: NOT ((SharOpt IN Adult[i].Invests) OR (Profit IN Adult[i].Invests)
PA[].A[].Asset[i,26] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
CC := ''
```

FRS0405A.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: (QAdInt3.Adult[Count1].Invests = RESPONSE) AND NOT (None IN

QAdInt3.Adult[Count1].Invests)

QAdult[Count1].Invests := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: NOT ((QAdInt3.Adult[Count1].Invests = RESPONSE) AND NOT (None IN

QAdInt3.Adult[Count1].Invests)

QAdult[Count1].Invests := No

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt4

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt4.Adult[].QIntrest[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum AND: In loop FOR j := 1 TO 4
     AND: | IN QAdInt3.Adult[PNum].Invests[]
LAccType := AccType
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
PersId
     ^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
     Person identifier
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
Account := LAccType
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
AdCh := Adult
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
     AND: LAccType = 6
AccName := 'Gilt Edged Stock/War Loan'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
     AND: LAccType = 7
```

AccName := 'Unit Trusts/Investment Trusts'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 4
    AND: j IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 8
AccName := 'Other Stocks/Shares/Securities'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 4
    AND: j IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 9
AccName := 'PEP (Personal Equity Plan)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 4
    AND: j IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 27
AccName := 'Share Club'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 4
    AND: j IN QAdInt3.Adult[PNum].Invests[]
JOINT SHARE := ('
INTERVIEWER: For any JOINT investment, ' + 'ONLY GIVE THIS
RESPONDENT'S SHARE OF THE INTEREST.
')
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType IN [6 .. 9, 27]
AccInt
    ^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
```

Record the total interest received (or credited) in the last 12 months for all accounts/investments of this type.

Interest which has been re-invested should also be included here.

0.00..99997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
     AND: Accint = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: Accint = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: (AccInt > 0) AND (LAccType IN [6, 27])
```

InvTax

^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS

Can I just check, is that interest after tax - or do you have an arrangement to get the interest before tax?

GOVT. GILTS BOUGHT VIA NATIONAL STOCK REGISTER ARE BEFORE TAX; OTHERWISE, THE INTEREST COULD BE BEFORE OR AFTER TAX. WAR LOAN IS BEFORE TAX.

- (1) After tax
- (2) Before tax

FRS0405A.BU[].QAdInt4.Adult[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum AND: In loop FOR j := 1 TO 4
     AND: j IN QAdInt3.Adult[PNum].Invests[]
QIntrest[j].PersId := Person[[PNum]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: In loop FOR j := 1 TO 4
     AND: QIntrest[j].AccInt = NONRESPONSE
AskTotInt[[PNum] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
     AND: In loop FOR i := 1 TO AdultNum
     AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
j := 27
```

FRS0405A.BU[].QAdInt4.Adult[].QIntrest[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
LAccType := AccType
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
PersId
    ^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
    Person identifier
    0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
Account := LAccType
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
AdCh := Adult
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 6
AccName := 'Gilt Edged Stock/War Loan'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 7
AccName := 'Unit Trusts/Investment Trusts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 8
AccName := 'Other Stocks/Shares/Securities'
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncBio.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 9
AccName := 'PEP (Personal Equity Plan)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType = 27
AccName := 'Share Club'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
JOINT SHARE := ('
INTERVIEWER: For any JOINT investment, ' + 'ONLY GIVE THIS
RESPONDENT'S SHARE OF THE INTEREST.
1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: LAccType IN [6 .. 9, 27]
AccInt
    ^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
    Record the total interest received (or credited) in the last 12 months for all accounts/investments of this
    Interest which has been re-invested should also be included here.
    0.00..99997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: AccInt = NONRESPONSE
    AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
    AND: In loop FOR i := 1 TO AdultNum
    AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
    AND: AccInt = NONRESPONSE
    AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

AND: (AccInt > 0) AND (LAccType IN [6, 27])
```

InvTax

```
^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
```

Can I just check, is that interest after tax - or do you have an arrangement to get the interest before tax?

GOVT. GILTS BOUGHT VIA NATIONAL STOCK REGISTER ARE BEFORE TAX; OTHERWISE, THE INTEREST COULD BE BEFORE OR AFTER TAX. WAR LOAN IS BEFORE TAX.

- (1) After tax
- (2) Before tax

FRS0405A.BU[].QAdInt4.Adult[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

QIntrest[5].PersId := Person[[PNum]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

AND: QIntrest[5].AccInt = NONRESPONSE

AskTotInt[[PNum] := Yes

FRS0405A.BU[].QAdInt4 (continued)

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum

FRS0405A.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0405A.BU[].QAdInt5.Adult[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU 
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY 
AND: In loop FOR i := 1 TO AdultNum
```

OtInvA

```
^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
```

With Profit Bonds and Distribution Bonds should not be included at this question. They should be recorded at the previous question about investments as code 3 (stocks, shares, bonds, debentures, other securities).

SET [13] OF

- (1) Capital Bonds (National Savings and Investments)
- (2) Index-linked National Certificates (National Savings and Investments)
- (3) Fixed Interest National Certificates (National Savings and Investments)
- (4) Pensioner's Guaranteed Income Bonds
- (5) Save-as-You-Earn (National Savings & Investments/Bank/Building Society)
- (6) Premium Bonds
- (7) Income Bonds (National Savings and Investments)
- (8) Deposit Bonds (National Savings and Investments)
- (9) FIRST Option Bonds
- (10) Yearly Plan
- (11) Fixed Rate Savings Bonds
- (12) Guaranteed Equity Bonds
- (13) Endowment not linked to current property
- (14) None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: None IN OtInvA

OtInvA.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
RESERVECHECK
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU 

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY 

AND: In loop FOR i := 1 TO AdultNum
```

PnsGuaRs

```
^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS
```

Are you sure? These bonds are only available to people aged 60 and over, yet respondent is under 60. Please check, and if necessary explain in a Note.

- (1) Passed
- (2) Hard
- (3) Soft
- (4) Suppressed

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
```

PnsGuaEx

```
^CC*** ^Names[i] ***^S4^S4 INTEREST ON SAVINGS 
^SuppTxt
```

OPEN

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
AND: PensGuar IN OtInvA
(AgeOf[[i] >= 60) AND INVOLVING(OtInvA)
(AgeOf[i] >= 60) AND INVOLVING(OtInvA)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR i := 1 TO AdultNum

AND: PensGuar IN OtInvA

AND: (PnsGuaRs = Suppressed) OR PnsGuaEx <> EMPTY
```

PnsGuaEx

```
^CC*** ^Names[i] ****^S4^S4 INTEREST ON SAVINGS
^SuppTxt
OPEN
```

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
AND: BNum = 1
AND: ((QOwner1.QMortgage.M[1].MortType IN [Endow, EndRep]) OR
(QOwner1.QMortgage.M[2].MortType IN [Endow, EndRep])) OR
(QOwner1.QMortgage.M[3].MortType IN [Endow, EndRep])
NOT(IN(EndwNLPr,OtInvA)) AND
INVOLVING(QOwner1.QMortgage.M[1].MortType,QOwner1.QMortgage.M[2].MortType,QOwner1.QMortgage.M[3].MortType,OtInvA)
```

Earlier you mentioned that you have an endowment mortgage. Can I just check, you also have a different endowment NOT connected to your current property?

INTERVIEWER: If endowment is different suppress the check making a note to confirm you have probed. Otherwise return to OtInvA and remove the endowment code.

FRS0405A.BU[].QAdInt5 (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum
AND: In loop FOR acc := 1 TO 13
AND: acc IN Adult[i].OtInvA

PA[].A[].Asset[i,acc + 9] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR acc := 1 TO 13
AND: NOT (acc IN Adult[i].OtInvA)

PA[].A[].Asset[i,acc + 9] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR i := 1 TO AdultNum

CC := ''
```

FRS0405A.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: (QAdInt5.Adult[Count1].OtInvA = RESPONSE) AND NOT (None IN

QAdInt5.Adult[Count1].OtInvA)

QAdult[Count1].OtInvA := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: NOT ((QAdInt5.Adult[Count1].OtInvA = RESPONSE) AND NOT (None IN

QAdInt5.Adult[Count1].OtInvA)

QAdult[Count1].OtInvA := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0

Jump32

THE QUESTIONS THAT FOLLOW ARE ABOUT CHILDRENS' SAVINGS.

Press <Enter> to continue. (1)

FRS0405A.BU[].QChInt5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

Child[CNo].PersId := ChildId[[CNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

ChName := ChNames[[CNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

ChAge := ChAges[[CNo]

FRS0405A.BU[].QChInt5.Child[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum
```

ChSave

^ChNames[CNo]^S10^S4 CHILD INTEREST

Thinking of your child ^ChName, does he/she have any savings in a bank or building society account; or any National Savings & Investments, such as Children's Bonus Bonds; or any stocks and shares, or other Investments?

^IncROI1

- (1) Yes
- (2) No

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: ChSave = Yes
```

PersId

^ChNames[CNo]^S10^S4 CHILD INTEREST

Person number

0..14

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChSave = Yes
```

TotSave

^ChNames[CNo]^S10^S4 CHILD INTEREST

SHOW CARD JJJ

Thinking of 'ChName's savings, in total roughly what would you say is the current value held by 'ChName'?

^IncROI1

- (1) Less than ^P1,500
- (2) From ^P1,500 up to ^P3,000
- (3) From ^P3,000 up to ^P8,000
- (4) From ^P8,000 up to ^P20,000
- (5) Over ^P20,000
- (6) Does not wish to say

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNO := 1 TO ChildNum
RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

FRS0405A.BU[].QChInt5 (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

FRS0405A.BU[] (continued)

Benefit Unit Schedule

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: ChildNum > 0
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
NameDisp := ('*** ' + Names[1] + ' ***')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 2
and partner := (' and your partner (ie ' + Names[1] + ' and ' +
\overline{\text{Names}}[2] + ')')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 2
NameDisp := ('*** ' + Names[1] + ' and ' + Names[2] + ' ***')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
Holding[1] := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
Holding[2] := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
Holding[3] := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
IntHold1[1] := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
IntHold1[2] := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
IntHold2[1] := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
IntHold2[2] := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 IN [1 .. 4]
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
Holding[1] := (Holding[1] + UPCASE(AssName[Count1]) + ', ')
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 IN [1 .. 4]
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[1].Accounts
IntHold1[1] := (IntHold1[1] + UPCASE(AssName[Count1]) + ', ')
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: OAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 IN [1 .. 4]
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[2].Accounts
IntHold1[2] := (IntHold1[2] + UPCASE(AssName[Count1]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: OAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 5
    AND: ((Count1 IN QAdInt1.Adult[1].Accounts) AND
     (QAdInt1.Adult[1].ISALife <> Yes)) OR ((Count1 IN
    QAdInt1.Adult[2].Accounts) AND (QAdInt1.Adult[2].ISALife <> Yes))
Holding[1] := (Holding[1] + UPCASE(AssName[25]) + ', ')
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 5
    AND: ((Count1 IN QAdInt1.Adult[1].Accounts) AND
     (QAdInt1.Adult[1].ISALife <> Yes)) OR ((Count1 IN
    QAdInt1.Adult[2].Accounts) AND (QAdInt1.Adult[2].ISALife <> Yes))
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) AND
     (QAdInt1.Adult[1].ISALife <> Yes)
IntHold1[1] := (IntHold1[1] + UPCASE(AssName[25]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 5
    AND: ((Count1 IN QAdInt1.Adult[1].Accounts) AND
     (QAdInt1.Adult[1].ISALife <> Yes)) OR ((Count1 IN
    QAdInt1.Adult[2].Accounts) AND (QAdInt1.Adult[2].ISALife <> Yes))
    AND: (Count1 IN QAdInt1.Adult[2].Accounts) AND
     (QAdInt1.Adult[2].ISALife <> Yes)
IntHold1[2] := (IntHold1[2] + UPCASE(AssName[25]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 6
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
Holding[1] := (Holding[1] + 'BASIC ACCOUNTS, ')
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 6
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[1].Accounts
IntHold1[1] := (IntHold1[1] + 'BASIC ACCOUNTS, ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 6
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[2].Accounts
IntHold1[2] := (IntHold1[2] + 'BASIC ACCOUNTS, ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 7
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
Holding[1] := (Holding[1] + UPCASE(AssName[5]) + ', ')
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 7
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[1].Accounts
IntHold1[1] := (IntHold1[1] + UPCASE(AssName[5]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 7
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[2].Accounts
IntHold1[2] := (IntHold1[2] + UPCASE(AssName[5]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 8
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
Holding[1] := (Holding[1] + UPCASE(AssName[28]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 8
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[1].Accounts
IntHold1[1] := (IntHold1[1] + UPCASE(AssName[28]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 8
    AND: Count1 = 8
    AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
    QAdInt1.Adult[2].Accounts)
    AND: Count1 IN QAdInt1.Adult[2].Accounts
IntHold1[2] := (IntHold1[2] + UPCASE(AssName[28]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 4
    AND: (Count1 IN QAdInt3.Adult[1].Invests) OR (Count1 IN
    QAdInt3.Adult[2].Invests)
Holding[1] := (Holding[1] + UPCASE(AssName[Count1 + 5]) + ', ')
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 4
    AND: (Count1 IN QAdInt3.Adult[1].Invests) OR (Count1 IN
    QAdInt3.Adult[2].Invests)
    AND: Count1 IN QAdInt3.Adult[1].Invests
IntHold1[1] := (IntHold1[1] + UPCASE(AssName[Count1 + 5]) + ',
')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 4
    AND: (Count1 IN QAdInt3.Adult[1].Invests) OR (Count1 IN
    QAdInt3.Adult[2].Invests)
    AND: Count1 IN QAdInt3.Adult[2].Invests
IntHold1[2] := (IntHold1[2] + UPCASE(AssName[Count1 + 5]) + ',
')
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 4
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: OAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 4
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (((SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN
    QAdInt3.Adult[1].Invests)) OR (Profit IN QAdInt3.Adult[2].Invests)) OR
     (SharOpt IN QAdInt3.Adult[2].Invests)
Holding[1] := (Holding[1] + UPCASE(AssName[26]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (((SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN
    QAdInt3.Adult[1].Invests)) OR (Profit IN QAdInt3.Adult[2].Invests)) OR
     (SharOpt IN QAdInt3.Adult[2].Invests)
    AND: (SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN
    QAdInt3.Adult[1].Invests)
IntHold2[1] := (IntHold2[1] + UPCASE(AssName[26]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (((SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN
    QAdInt3.Adult[1].Invests)) OR (Profit IN QAdInt3.Adult[2].Invests)) OR
     (SharOpt IN QAdInt3.Adult[2].Invests)
    AND: (SharOpt IN QAdInt3.Adult[2].Invests) OR (Profit IN
    QAdInt3.Adult[2].Invests)
IntHold2[2] := (IntHold2[2] + UPCASE(AssName[26]) + ', ')
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (SharClub IN QAdInt3.Adult[1].Invests) OR (SharClub IN
    QAdInt3.Adult[2].Invests)
Holding[2] := (Holding[2] + UPCASE(AssName[27]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (SharClub IN QAdInt3.Adult[1].Invests) OR (SharClub IN
    QAdInt3.Adult[2].Invests)
    AND: SharClub IN QAdInt3.Adult[1].Invests
IntHold2[1] := (IntHold2[1] + UPCASE(AssName[27]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (SharClub IN QAdInt3.Adult[1].Invests) OR (SharClub IN
    QAdInt3.Adult[2].Invests)
    AND: SharClub IN QAdInt3.Adult[2].Invests
IntHold2[2] := (IntHold2[2] + UPCASE(AssName[27]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 13
    AND: (Count1 IN QAdInt5.Adult[1].OtInvA) OR (Count1 IN
    QAdInt5.Adult[2].OtInvA)
Holding[3] := (Holding[3] + UPCASE(AssName[Count1 + 9]) + ', ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 13
    AND: (Count1 IN QAdInt5.Adult[1].OtInvA) OR (Count1 IN
    OAdInt5.Adult[2].OtInvA)
    AND: Count1 IN QAdInt5.Adult[1].OtInvA
IntHold3[1] := (IntHold3[1] + UPCASE(AssName[Count1 + 9]) + ',
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: In loop FOR Count1 := 1 TO 13
    AND: (Count1 IN QAdInt5.Adult[1].OtInvA) OR (Count1 IN
    QAdInt5.Adult[2].OtInvA)
    AND: Count1 IN QAdInt5.Adult[2].OtInvA
IntHold3[2] := (IntHold3[2] + UPCASE(AssName[Count1 + 9]) + ',
')
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: In loop FOR Count1 := 1 TO 2
     AND: ((LEN (IntHold1[Count1]) > 2) OR (LEN (IntHold2[Count1]) > 2)) OR
     (LEN (IntHold3[Count1]) > 2)
TotInt
     ^Names[Count1]
     Over the last 12 months, what was the overall amount of interest and dividends you received AFTER
     TAX from investments and savings?
     ^IntHold1[Count1]^IntHold2[Count1]^IntHold3[Count1]
     0..99997
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: In loop FOR Count1 := 1 TO 2
     AND: ((LEN (IntHold1[Count1]) > 2) OR (LEN (IntHold2[Count1]) > 2)) OR
     (LEN (IntHold3[Count1]) > 2)
     AND: AskTotInt[Count1] = Yes
TotInt
     ^Names[Count1]
     Over the last 12 months, what was the overall amount of interest and dividends you received AFTER
     TAX from investments and savings?
     ^IntHold1[Count1]^IntHold2[Count1]^IntHold3[Count1]
     0..99997
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: In loop FOR Count1 := 1 TO 2
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: In loop FOR Count1 := 1 TO 2
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: In loop FOR Count1 := 1 TO 2
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: In loop FOR Count1 := 1 TO 2
     RESERVECHECK
     RESERVECHECK
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ((LEN (Holding[1]) > 2) OR (LEN (Holding[2]) > 2)) OR (LEN (Holding[3]) > 2)
```

TotSav

^NameDisp^S4 SAVINGS

SHOW CARD JJJ

Thinking of your 'Holding[1]'Holding[2]'Holding[3] roughly what would you say is the current value held by you'and_partner?

INTERVIEWER: EXPLAIN AS APPROPRIATE: For current account(s), TAKE BALANCE AS AT END OF PREVIOUS MONTH/PAYMENT PERIOD. (IGNORE OVERDRAFTS). ^IncROI3

- (1) Less than ^P1,500
- (2) From ^P1,500 up to ^P3,000
- (3) From ^P3,000 up to ^P8,000
- (4) From ^P8,000 up to ^P20,000
- (5) From ^P20,000 up to ^P25,000
- (6) From ^P25,000 up to ^P30,000
- (7) From ^P30,000 up to ^P35,000
- (8) From ^P35,000 up to ^P40,000
- (9) Over ^P40,000
- (10) Does not wish to say

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

RESERVECHECK

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

RESERVECHECK

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

would := 'would'

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
Thinking of := 'Thinking of '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 1
    AND: ChildNum = 0
would := 'Would'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 1
    AND: ChildNum = 0
Thinking of := ''
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 1
    AND: ChildNum = 1
Thinking of := (Thinking of + 'you and your child, ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 1
    AND: ChildNum > 1
Thinking of := (Thinking of + 'you and your children, ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 2
    AND: ChildNum = 0
Thinking of := (Thinking of + 'both of you, ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 2
    AND: ChildNum = 1
Thinking of := (Thinking of + 'both of you and your child, ')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: AdultNum = 2
    AND: ChildNum > 1
Thinking of := (Thinking of + 'both of you and your children,
1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
ChildNames := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: ChildNum > 0
ChildNames := ('(' + ChNames[1])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR Count1 := 2 TO ChildNum
ChildNames := (ChildNames + ' ' + ChNames[Count1])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: ChildNum > 0
ChildNames := (ChildNames + '), ')
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
IncChnge
     ^NameDisp^S4 SHOW CARD KKK
     * Now I'd like you to compare your present income with your income of twelve months ago. By income I
     mean money coming in regularly from any source, such as the ones on this card.
     ^Thinking_of^ChildNames^would you say your PRESENT income is higher, lower, or about the same as
     your income of 12 months ago?
     'Regular' income is from jobs, pensions, benefits, and savings & investments. Exclude maintenance and
     one-off sources of income such as grants, loans, redundancy payments, and living off capital.
     INTERVIEWER: THIS IS A QUESTION OF OPINION.
     (1)
          Present income higher
     (2)
          Present income lower
     (3)
          About the same
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
BUTime
     End time in Benefit Unit (displayed for testing only)
     TIME
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: BUTime = EMPTY AND IncChnge <> EMPTY
BUTime := SYSTIME
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: BUTime.ABSTIME >= BenSTime.ABSTIME
BUMins := ((BUTime.ABSTIME - BenSTime.ABSTIME) / 60000)
```

```
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: Test = Yes
BUTime
     End time in Benefit Unit (displayed for testing only)
     TIME
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: Test = Yes
BUMins
     Total minutes in benefit unit (displayed for testing only)
     0.00..9997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: IncChnge IN [High, Low]
     AND: IncChnge = High
higher lower := 'higher'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: IncChnge IN [High, Low]
     AND: NOT (IncChnge = High)
higher lower := 'lower'
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

IncHiLow

^NameDisp SHOW CARD LLL

I would like you to think about how much 'higher_lower your PRESENT income is, compared to 12 months ago. Which one of the categories on this card best describes your change in PRESENT income?

```
 @ |@|@|Annual@|@|@|Monthly@|@|Weekly \\ 1.@|Up to@|@|^P2,500@|@|@|@|^P200@|@|@|^P50 \\ 2.@|From @|@|^P2,501 - ^P5,500@|@|^P201 - ^P450@|@|^P51 - ^P100 \\ 3.@|@|@|^P5,501 - ^P8,000@|@|^P451 - ^P650@|@|^P101 - ^P150 \\ 4.@|@|@|^P8,001 - ^P10,000@|@|^P651 - ^P800@|@|^P151 - ^P200 \\ 5.@|@|@|^P10,001 or more@|@|^P801 or more@|@|^P201 or more.
```

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

- (1) Up to ^P2,500 ^higher_lower
- (2) From ^P2,501 ^P5,500 ^higher_lower
- (3) ^P5,501 ^P8,000 ^higher lower

AND: IncChnge IN [High, Low]

- (4) ^P8,001 ^P10,000 ^higher_lower
- (5) ^P10,001 or more ^higher_lower

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

AND: (((AdultNum = 1) AND (QNTaxCrd.Adult[1].TaxNotr = No)) OR

QNTaxCrd.Adult[1].NTCDat = NONRESPONSE) OR ((((AdultNum = 2) AND

((QNTaxCrd.Adult[1].TaxNotr = No) OR QNTaxCrd.Adult[1].NTCDat =

NONRESPONSE)) OR (QNTaxCrd.Adult[2].TaxNotr = No)) OR

QNTaxCrd.Adult[2].NTCDat = NONRESPONSE)
```

IncOld

^NameDisp

Card MMM. I would like you to think about your total household income from April 2003 and March 2004. Which one of the categories on this card best describes your annual income? @|Annual@|@|Monthly@|@|Weekly

```
1.@|^P0 - ^P5,000@|@|^P0 - ^P400@|@|^P0 - ^P100
```

- 2.@|^P5,001 ^P11,000@|@|^P401 ^P900@|@|^P101 ^P200
- 3.@|^P11,001 ^P13,000@|^P901 ^P1,100@|@|^P201 ^P250
- 4.@|^P13,001 ^P15,000@|^P1,101 ^P1,250@|@|^P251 ^P300
- 5.@|^P15,001 ^P19,000@|^P1,251 ^P1,600@|@|^P301 ^P350
- $6.@|^{P19,001} ^{P23,000}@|^{P1,601} ^{P1,900}@|@|^{P351} ^{P450}$
- 7.@|^P23,001 ^P50,000@|^P1,901 ^P4,150@|@|^P451 ^P950 8.@|^P50,001 - ^P58,000@|^P4,151 - ^P4,850@|@|^P951 - ^P1,100
- 9.@|^P58,001 ^P66,000@|^P4,851 ^P5,500@|@|^P1,101 ^P1,250
- 10.@|^P66,001 or above@|^P5,501 or above@|@|^P1,251 or above.
- (1) ^P0 ^P5,000
- (2) ^P5,001 ^P11,000
- (3) ^P11,001 ^P13,000
- (4) ^P13,001 ^P15,000
- (5) ^P15,001 ^P19,000
- (6) ^P19,001 ^P23,000
- (7) ^P23,001 ^P50,000
- (8) ^P50,001 ^P58,000
- (9) ^P58,001 ^P66,000
- (10) ^P66,001 or above

FRS0405A.BU[].QNS.Ad[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[10] := 'Capital Bonds'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[11] := 'Index-linked Certificates'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[12] := 'Fixed Interest Certificates'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[13] := 'Pensioner's Income Bonds'
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[14] := 'SAYE'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[15] := 'Premium Bonds'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[16] := 'Income Bonds'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[17] := 'Deposit Bonds'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[18] := 'First Option Bonds'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[19] := 'Yearly Plan'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[20] := 'Fixed Rate Savings Bonds'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[21] := 'Guaranteed Equity Bonds'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    And: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
assnam[22] := 'Endowment not linked to current property'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
    AND: In loop FOR nsnum := 10 TO 22
    AND: PA[PPerson].A[nsnum].Asset = Yes
    AND: nsnum = 22
EndwTxt := '.
Please tell me the current value of the endowment.'
```

FRS0405A.BU[].QNS.Ad[].QNSAmt[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE AND: In loop FOR k:=1 TO AdultNum
     AND: In loop FOR nsnum := 10 TO 22
     AND: PA[PPerson].A[nsnum].Asset = Yes
PersId
     *** ^Names[k] ***^S10 SAVINGS
     You said 'You had 'assnam[nsnum]:
     Person identifier.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
     AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
     AND: In loop FOR k := 1 TO AdultNum
     AND: In loop FOR nsnum := 10 TO 22
     AND: PA[PPerson].A[nsnum].Asset = Yes
AdCh
     *** ^Names[k] ***^S10 SAVINGS
     You said 'You had 'assnam[nsnum]:
     (1)
          Independent adult
     (2)
          Child or dependent adult
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE

AND: In loop FOR k := 1 TO AdultNum

AND: In loop FOR nsnum := 10 TO 22

AND: PA[PPerson].A[nsnum].Asset = Yes
```

NSAmt

```
*** ^Names[k] ***^S10 SAVINGS
```

You said 'You had 'assnam[nsnum]:

SHOW CARD NNN

In which group on this card does the value of the investment fall^EndwTxt?

- (1) ^P1 ^P50
- (2) ^P51 ^P100
- (3) ^P101 ^P250
- (4) ^P251 ^P500
- (5) ^P501 ^P1000
- (6) ^P1001 ^P2000
- (7) ^P2001 ^P3000
- (8) ^P3001 ^P5000
- (9) ^P5001 ^P10,000
- (10) ^P10,001 ^P20,000
- (11) ^P20,001 ^P30,000
- (12) ^P30,001 or over

FRS0405A.BU[].QNS.Ad[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE AND: In loop FOR k:=1 TO AdultNum
    AND: In loop FOR nsnum := 10 TO 22
    AND: PA[PPerson].A[nsnum].Asset = Yes
QNSAmt[nsnum].BenUnit := PBNum
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
    AND: In loop FOR nsnum := 10 TO 22
    AND: PA[PPerson].A[nsnum].Asset = Yes
QNSAmt[nsnum].PersId := PPerson
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
    AND: In loop FOR nsnum := 10 TO 22
    AND: PA[PPerson].A[nsnum].Asset = Yes
QNSAmt[nsnum].AdCh := PAdCh
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
    AND: (TotSav IN [Upto1500, To25000 .. Ov40000]) OR TotSav = NONRESPONSE
    AND: In loop FOR k := 1 TO AdultNum
    AND: In loop FOR nsnum := 10 TO 22
    AND: PA[PPerson].A[nsnum].Asset = Yes
```

QNSAmt[nsnum].AsseType := nsnum

FRS0405A.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]

NCDVAA := Yes

FRS0405A.BU[].Assets

Assets

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: Edit = No
```

Savings

THERE ARE NOW A FEW QUESTIONS ABOUT SAVINGS AND INVESTMENTS.

(1) Continue

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: Edit = No
AND: (NatCen = Yes) OR (NatCen = ONS)
AND: Savings = RESPONSE
ERROR
```

ASSET PILOT INTERVIEWERS: Start taping interview here and suppress check. Give respondent explanatory letter. Seek permission from respondent before taping.

ALL OTHER INTERVIEWERS: Suppress check and continue.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
```

AName := Names[[PersCont]

FRS0405A.BU[].Assets.QCurrAC[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

Account[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
```

Account[pcount].Person := PPersCont

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
```

Account[pcount].Seq := pcount

FRS0405A.BU[].Assets.QCurrAC[].Account[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR pcount := 1 TO 4
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
AsseType := 1
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR pcount := 1 TO 4
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR pcount := 1 TO 4
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
AdCh := Adult
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
LPNo := PPersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     AND: (CurrAcc IN QAdInt1.Adult[LPNo].Accounts[]) AND (Basic IN
     QAdInt1.Adult[LPNo].Accounts[])
bank := 'Basic Bank or Current'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: (CurrAcc IN OAdInt1.Adult[LPNo].Accounts[]) AND (Basic IN
     QAdInt1.Adult[LPNo].Accounts[])
account := 'accounts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     AND: CurrAcc IN QAdInt1.Adult[LPNo].Accounts[]
bank := 'Current'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     AND: CurrAcc IN QAdInt1.Adult[LPNo].Accounts[]
account := 'account(s)'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR pcount := 1 TO 4
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: Basic IN QAdInt1.Adult[LPNo].Accounts[]
bank := 'Basic Bank'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: Basic IN QAdInt1.Adult[LPNo].Accounts[]
account := 'account(s)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: NOT (Basic IN QAdInt1.Adult[LPNo].Accounts[])
bank := 'Basic Bank/Current'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: NOT (Basic IN QAdInt1.Adult[LPNo].Accounts[])
account := 'account(s)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     AND: ppcount = 1
Order := 'first'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: ppcount = 1
first := 'first'
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: ppcount = 1
```

AnyMon

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask you about your ^bank account(s):

At the end of last (month/pay period), did you have any money left in your ^account, after your household expenditure?

INTERVIEWER: THIS INCLUDES ANY JOINT ACCOUNTS. ^IncROI1

- (1) Yes money in (one or more) account(s)
- (2) No no money in any ^bank account
- (3) No longer have any ^bank account(s)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: NOT (ppcount = 1)
```

Order := 'next'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: NOT (ppcount = 1)
```

first := 'next'

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: (AnyMon = Yes) OR (ppcount > 1)

AND: (CurrAcc IN QAdInt1.Adult[LPNo].Accounts[]) AND (Basic IN QAdInt1.Adult[LPNo].Accounts[])
```

KindAC

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

ASK

Which accounts shall we deal with ^first ...READ...

- (1) ...Current Accounts
- (2) Basic Accounts

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: (AnyMon = Yes) OR (ppcount > 1)
```

AccName

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Is this account in your name only, or held jointly with someone else?

- (1) In respondent's name only
- (2) Joint account

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA [PersCont] .A[1] .Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1] .More = Yes))

AND: (AnyMon = Yes) OR (ppcount > 1)

AND: AccName <> Sole

JOINT_SHARE := ('
INTERVIEWER: FOR ANY JOINT ' + 'ACCOUNTS, ONLY GIVE THIS
PERSON'S ' + 'SHARE OF THE BALANCE.
')
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 4
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
```

MuchLeft

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Roughly how much was left in the 'Order account at the end of last (month/pay period)? 'IncROI2

^JOINT_SHARE ENTER WHOLE ^P's ONLY.

0.00..9999997.00

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 4
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
AND: Edit = No
MuchLeft < 4289</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: (AnyMon = Yes) OR (ppcount > 1)

AND: ppcount < 4
```

More

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Before entering 'No', ensure you have covered all accounts/investments of EACH type referred to in the question.

- (1) Yes
- (2) No, has no more ^bank accounts
- (3) No, has another ^bank account but it contains no money

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     AND: (AnyMon = Yes) OR (ppcount > 1)
     AND: ppcount < 4
     AND: ((ppcount = 1) AND (CurrAcc IN QAdInt1.Adult[LPNo].Accounts[]))
     AND (Basic IN QAdInt1.Adult[LPNo].Accounts[])
     (More <> No) AND INVOLVING(QAdInt1.Adult[].Accounts[][LPNo],More)
     You said you had both a Current Account and Basic Bank account, but you have only given details of one
     of these.
     If the respondent has both Basic Bank and Current accounts, but has no money in the account for which
     they have not yet given details, please use code 3 'No, has another account but it contains no money'.
     If the respondent does not have both of these accounts please amend the information that you have
     recorded at the Accounts question.
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[1].Asset = Yes
     AND: In loop FOR prount := 1 TO 4
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
```

FRS0405A.BU[].Assets.QCurrAC[] (continued)

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

RESERVECHECK
```

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[1].Asset = Yes

AND: In loop FOR pcount := 1 TO 4

RESERVECHECK
```

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
RESERVECHECK
```

RESERVECHECK

FRS0405A.BU[].Assets (continued)

Assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: In loop FOR j := 3 TO 5
SavAcc[j] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: In loop FOR j := 3 TO 5
     AND: PA[PersCont].A[j - 1].Asset = Yes
SavAcc[j] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[25].Asset = Yes
SavAcc[6] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: NOT (PA[PersCont].A[25].Asset = Yes)
SavAcc[6] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[5].Asset = Yes
SavAcc[7] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: NOT (PA[PersCont].A[5].Asset = Yes)
SavAcc[7] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[28].Asset = Yes
SavAcc[8] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: NOT (PA[PersCont].A[28].Asset = Yes)
SavAcc[8] := 0
```

FRS0405A.BU[].Assets.QASaveAC[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)

AND: In loop FOR pcount := 1 TO 9

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
```

Account[pcount].BenUnit := PBU

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)

AND: In loop FOR pcount := 1 TO 9

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
```

Account[pcount].Person := PPersCont

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)

AND: In loop FOR pcount := 1 TO 9

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
```

Account[pcount].Seq := pcount

FRS0405A.BU[].Assets.QASaveAC[].Account[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: ((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
SavName[3] := 'NSB Ordinary Account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
SavName[4] := 'NSB Investment Account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
SavName[5] := 'TESSA'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
SavName[6] := 'ISA'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
SavName[7] := 'Savings A/C'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
SavName[8] := 'Credit Union'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: In loop FOR sx := 3 TO 8
     AND: SavAcc[sx] = 1
SavAccs := (SavAccs + SavName[sx] + '(s), ')
Compute if: In loop FOR Loop1 := 1 TO NewBU AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: In loop FOR sx := 3 TO 8
     AND: SavAcc[sx] = 1
SavCodes := (SavCodes + STR(sx,1) + ': ' + SavName[sx] + '
')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: ((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: LEN (SavAccs) > 2
     AND: SUBSTRING (SavAccs, LEN (SavAccs) - 1, 2) = ,
SavAccs := SUBSTRING(SavAccs, 1, LENGTH(SavAccs) - 2)
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: ((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[6] = 1))
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
AsseType
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Type of asset
     0..28
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: ((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[6] = 1))
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
AdCh := Adult
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: ppcount = 1
Intro
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Now I'd like to ask you about your ^SavAccs that you mentioned earlier.
     Do you still have these accounts?
     (1)
          STILL has any such accounts
          ALL such accounts now disposed of
     (2)
          Does not wish to give details of such accounts
     (3)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: ((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ppcount = 1
```

first := 'first'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: NOT (ppcount = 1)
first := 'next'
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
KindOf
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     ASK OR CODE: Which accounts shall we deal with ^first?
     ^SavCodes
     3..8
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf = RESPONSE
     (SavAcc[[KindOf] = 1) AND
     INVOLVING(QAdInt1.Adult[].Accounts[][PersCont],KindOf)
     The code at 'KindOf' is not valid for this question. Check codes at Accounts
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf IN [3 .. 5]
AsseType := (KindOf - 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
      (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf = 6
AsseType := 25
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
      (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf = 7
AsseType := 5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000] AND: In loop FOR PersCont := 1 TO AdultNum AND: ((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf = 8
AsseType := 28
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
      (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf = RESPONSE
```

AccDisp := SavName[KindOf]

```
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)

AND: In loop FOR pcount := 1 TO 9

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)

AND: KindOf = RESPONSE
```

AccDisp

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Displays kind of account currently dealt with.

STRING[22]

```
Ask If: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)

AND: In loop FOR pcount := 1 TO 9

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)

AND: KindOf IN [3, 4, 7, 8]
```

AccName

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Is this account in your name only, or held jointly with someone else?

- (1) Sole account
- (2) Joint account

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)

AND: In loop FOR pcount := 1 TO 9

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)

AND: KindOf IN [3, 4, 7, 8]

AND: AccName <> Sole

JOINT_SHARE := ('
INTERVIEWER: FOR ANY JOINT ' + 'ACCOUNTS, ONLY GIVE THIS
PERSON'S SHARE ' + 'OF THE BALANCE.')
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[6] = 1) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)

AND: In loop FOR pcount := 1 TO 9

AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)
```

MuchAcc

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

For an ISA do not include any savings held in Life Insurance.

0.00..9999997.00

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
    AnD: TotSav IN [To3000, To8000, To20000]
    AnD: In loop FOR PersCont := 1 TO AdultNum
    AnD: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
    (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
    AnD: In loop FOR pcount := 1 TO 9
    AnD: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
    AnD: (Intro = Still) OR (ppcount > 1)
    AnD: Edit = No
    (AdCh = Adult) AND (MuchAcc < 12397)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
    Ann: TotSav IN [To3000, To8000, To20000]
Ann: In loop FOR PersCont := 1 TO AdultNum
Ann: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
    (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
Ann: In loop FOR pcount := 1 TO 9
Ann: (pcount = 1) OR ((pcount > 1) Ann (Account[pcount - 1].More = Yes))
Ann: (Intro = Still) OR (ppcount > 1)
Ann: ppcount < 9</pre>
```

More

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Before entering 'No', ensure you have covered all accounts/investments of EACH type referred to in the question.

- (1) Yes
- (2) No

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1]. More =
     Yes))
     RESERVECHECK
     RESERVECHECK
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum AND: ((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR)
      (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
```

FRS0405A.BU[].Assets.QASaveAC[] (continued)

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     AND: In loop FOR prount := 1 TO 9
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR
     (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((((SavAcc[3] = 1) OR (SavAcc[4] = 1)) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR (SavAcc[7] = 1)) OR (SavAcc[8] = 1)
     RESERVECHECK
     RESERVECHECK
```

FRS0405A.BU[].Assets (continued)

Assets

FRS0405A.BU[].Assets.QAEquity[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
TDo := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
Equity[pcount].BenUnit := PBU
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) \ OR \ (EType[7] = 1)) \ OR \ (EType[8] = 1)) \ OR
      (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
Equity[pcount].Person := PPersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
Equity[pcount].Seq := pcount
```

FRS0405A.BU[].Assets.QAEquity[].Equity[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
    AND: In loop FOR prount := 1 TO 10
    AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
EquiName[6] := 'Government Gilt-edged stock'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
    AND: In loop FOR prount := 1 TO 10
    AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
EquiName[7] := 'Unit Trusts/Investment Trusts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
    AND: In loop FOR prount := 1 TO 10
    AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
EquiName[8] := 'Stocks & Shares'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
    AND: In loop FOR prount := 1 TO 10
    AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
EquiName[9] := 'PEP'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
    AND: In loop FOR prount := 1 TO 10
    AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
    AND: In loop FOR ex := 6 TO 9
    AND: EType[ex] = 1
EquiCodes := (EquiCodes + STR(ex,1) + ': ' + EquiName[ex] + '
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: In loop FOR ex := 6 TO 9
     AND: EType[ex] = 1
EquitTxt := (EquitTxt + EquiName[ex] + ', ')
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
BDo
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     (1)
          Yes
     (2)
          No
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) \ OR \ (EType[7] = 1)) \ OR \ (EType[8] = 1)) \ OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AsseType
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Type of asset
     0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10

AND: (prount = 1) OR ((prount > 1) AND (Equity[prount - 1].More = Yes))
AdCh := Adult
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) \ OR \ (EType[7] = 1)) \ OR \ (EType[8] = 1)) \ OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: ppcount = 1
Intro
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Now I'd like to ask you about your ^EquitTxt that you mentioned earlier.
     Do you still have such assets?
     (1)
           STILL has any such assets
           ALL such assets now disposed of
     (2)
     (3)
           Does not wish to give details of such assets
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: ppcount = 1
order := 'first'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: NOT (ppcount = 1)
order := 'next'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
KindOf
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Now I'd like to deal with each investment in turn...
     ASK OR CODE: Which investment shall we deal with ^order?
     ^EquiCodes
     6..9
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     EType[[KindOf] = 1]
     The code at KindOf is not valid for this question.
```

The code at Time of 15 not valid for this question.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf IN [6 .. 9]
AsseType := KindOf
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf = 6
Prompt := 'Please describe it as fully as possible.'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf IN [7, 9]
Prompt := ('Please give the name of the company ' + 'and the
name of the fund, policy, ' + 'bond, etc.')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: KindOf = 8
Prompt := ('Please give the full name of the ' + 'company, and
```

describe the shares as ' + 'fully as possible.')

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR prount := 1 TO 10
AND: (prount = 1) OR ((prount > 1) AND (Equity[prount - 1].More = Yes))
AND: (Intro = Still) OR (prount > 1)
```

NameOf

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Give full details of the name of the company issuing or managing the shares/unit trusts/PEP, and the full name of the investment.

STRING[40]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR

(EType[9] = 1)

AND: In loop FOR pcount := 1 TO 10

AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)

AND: AsseType = 9
```

HowMany := 1

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR prount := 1 TO 10
AND: (prount = 1) OR ((prount > 1) AND (Equity[prount - 1].More = Yes))
AND: (Intro = Still) OR (prount > 1)
AND: NOT (AsseType = 9)
```

HowMany

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

How many shares/bonds/units do you hold?

FOR JOINT HOLDINGS, ONLY GIVE THIS PERSON'S SHARE.

1..999997

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pount := 1 TO 10
AND: (pount = 1) OR ((pount > 1) AND (Equity[pount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: NOT (AsseType = 9)
(HowMany <= 5000) OR HowMany=NONRESPONSE</pre>
```

Are you sure? Over 5000 sounds rather large for any individual holding. Please check your answer.

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR prount := 1 TO 10
AND: (prount = 1) OR ((prount > 1) AND (Equity[prount - 1].More = Yes))
AND: (Intro = Still) OR (prount > 1)
```

HowHold

```
*** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
```

Approximately how much is the value of that holding? ^IncROI3

ENTER WHOLE 'P'S ONLY. FOR JOINT HOLDINGS, ONLY GIVE THIS PERSON'S SHARE.

0.00..9999997.00

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
    And: TotSav IN [To3000, To8000, To20000]
    And: In loop FOR PersCont := 1 TO AdultNum
    And: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
    (EType[9] = 1)
    And: In loop FOR pcount := 1 TO 10
    And: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
    And: (Intro = Still) OR (ppcount > 1)
    And: Edit = No
    (AdCh = Adult) AND (HowHold < 16574)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: AsseType = 6
```

PlPeriod

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

What is the period of the plan?

WAR LOANS SHOULD BE CODED AS UNDATED (4)

- (1) Up to 5 years (shorts)
- (2) 5-15 years (mediums)
- (3) Over 15 years (longs)
- (4) Undated

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])
BDo := Yes
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotŜav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])
Spare
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     FOR EDIT USE, ENTER AMOUNT.
     TO LEAVE IT FOR NOW, PRESS < Enter> AND SUPPRESS WARNING.
     IF AMOUNT CANNOT BE ESTABLISHED, CODE DON'T KNOW <Ctrl+K>.
     0.00..9999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])
     AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)
BDo := No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) \ OR \ (EType[7] = 1)) \ OR \ (EType[8] = 1)) \ OR
     (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])
     (Spare = RESPONSE) OR (Spare = DONTKNOW)
```

A VALUE IS GIVEN FOR SHARES/BONDS/UNITS, THIS CAN BE CHECKED.

Page 2470

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR prount := 1 TO 10
AND: (prount = 1) OR ((prount > 1) AND (Equity[prount - 1].More = Yes))
AND: (Intro = Still) OR (pprount > 1)
AND: pprount < 10</pre>
```

More

```
*** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
```

Before entering 'No', ensure you have covered all accounts/investments of EACH type referred to in the question.

- (1) Yes
- (2) No

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
And: In loop FOR pcount := 1 TO 10
And: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
    And: TotSav IN [To3000, To8000, To20000]
    And: In loop FOR PersCont := 1 TO AdultNum
    And: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
    (EType[9] = 1)
    And: In loop FOR pcount := 1 TO 10
    And: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
    RESERVECHECK
```

RESERVECHECK

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
    And: TotSav IN [To3000, To8000, To20000]
    And: In loop FOR PersCont := 1 TO AdultNum
    And: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
    (EType[9] = 1)
    And: In loop FOR pcount := 1 TO 10
    And: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
    RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

FRS0405A.BU[].Assets.QAEquity[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
     AND: Equity[pcount].BDo = Yes
TDo := Yes
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
     AND: In loop FOR prount := 1 TO 10
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
      (EType[9] = 1)
     RESERVECHECK
     RESERVECHECK
```

FRS0405A.BU[].Assets (continued)

Assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR (EType[9] = 1)

AND: QAEquity[PersCont].TDo = Yes

IAssDo := Yes
```

FRS0405A.BU[].Assets.QACertif[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
TDo := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
Certif[pcount].BenUnit := PBU
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
Certif[pcount].Person := PPersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
Certif[pcount].Seq := pcount
```

FRS0405A.BU[].Assets.QACertif[].Certif[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AsseType
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Type of asset
     0..28
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AdCh := Adult
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
LPNo := PersCont
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: ppcount = 1
Intro
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask you about your Index-Linked and Fixed Interest Certificates, dealing with each issue in turn.

INTERVIEWER CODE:

- (1) TO CONTINUE
- (3) Does not wish to give details of such assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
    AND: ppcount = 1
order := 'first'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
    AND: NOT (ppcount = 1)
order := 'next'
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: Tot\bar{S}av IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
    AND: (Intro = Still) OR (ppcount > 1)
Issue
    *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
    What is the 'order issue that you hold?
```

INTERVIEWER: IF ISSUE NUMBER NOT KNOWN, ENTER DK, AND ESTABLISH WHETHER Index-linked or Fixed Interest AT THE NEXT QUESTION.

STRING[20]

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
```

IdxFix

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

INTERVIEWER CODE: Is this issue Index-linked or Fixed Interest?

- (1) Index-linked
- (2) Fixed Interest

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
IssDate
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     When did you acquire that issue?
     ENTER DATE (IF DAY NOT KNOWN, ENTER 15TH OF MONTH).
     DATE
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     (IssDate <= QSignIn.StartDat) OR IssDate=NONRESPONSE
     You have entered a future date, please amend.
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     (IssDate.YEAR > 1920) OR IssDate=NONRESPONSE
     Please check, this seem too long ago.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
     AND: IssDate = RESPONSE
     AND: IssDate.YEAR < (QSiqnIn.StartDat.YEAR - AqeOf[LPNo])
     ERROR AND INVOLVING(IssDate)
```

That was before the respondent was born. Check your answer please.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotŜav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
IssVal
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     What was the total value of the certificate when you acquired it?
```

0.00..9999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: Edit = No
     (AdCh = Adult) AND (IssVal < 9001)
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND IssVal <> EMPTY
BDo := Yes
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND IssVal <> EMPTY
Spare
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     FOR EDIT USE, ENTER AMOUNT.
     TO LEAVE IT FOR NOW, PRESS <Enter> AND SUPPRESS WARNING.
     IF AMOUNT CANNOT BE ESTABLISHED, CODE DON'T KNOW <Ctrl+K>.
     0.00..9999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND IssVal <> EMPTY
     AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)
BDo := No
```

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
    AnD: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND IssVal <> EMPTY
(Spare = RESPONSE) OR (Spare = DONTKNOW)
```

A VALUE IS GIVEN FOR National Savings and Investments Certificates, THIS CAN BE CHECKED.

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < 5</pre>
```

More

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Before entering 'No', ensure you have covered all accounts/investments of EACH type referred to in the question.

- (1) Yes
- (2) No

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
And: In loop FOR pcount := 1 TO 5
And: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
And: In loop FOR pcount := 1 TO 5
And: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 5
    AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
    RESERVECHECK
```

RESERVECHECK

FRS0405A.BU[].Assets.QACertif[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
     AND: Certif[pcount].BDo = Yes
TDo := Yes
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     AND: In loop FOR prount := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     AND: In loop FOR prount := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
     RESERVECHECK
     RESERVECHECK
```

FRS0405A.BU[].Assets (continued)

Assets

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
AND: QACertif[PersCont].Certif[idx].IdxFix = Index
PA[].A[].Asset[PersCont,11] = Yes
```

Previously, in the Benefit Unit questionnaire (OtInvA), you recorded some Fixed Interest Certificates, but no Index-linked Certificates. If the respondent has any Index-linked Certificates, please go back and change OtInvA, else change here (at IdxFix).

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)

AND: In loop FOR idx := 1 TO 5

AND: QACertif[PersCont].Certif[idx].IdxFix = Fixed

PA[].A[].Asset[PersCont, 12] = Yes
```

Previously, in the Benefit Unit questionnaire (OtInvA), you recorded some Index-linked Certificates, but no Fixed Interest Certificates. If the respondent has any Fixed Interest Certificates, please go back and change OtInvA, else change here (at IdxFix).

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)

AND: In loop FOR idx := 1 TO 5

AND: QACertif[PersCont].Certif[idx].IdxFix = Index
```

QACertif[PersCont].Certif[idx].AsseType := 11

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)

AND: In loop FOR idx := 1 TO 5

AND: QACertif[PersCont].Certif[idx].IdxFix = Fixed
```

QACertif[PersCont].Certif[idx].AsseType := 12

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)

AND: In loop FOR idx := 1 TO 5

AND: QACertif[PersCont].Certif[idx].IdxFix = NONRESPONSE

AND: PA[PersCont].A[11].Asset = Yes
```

QACertif[PersCont].Certif[idx].AsseType := 11

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
     Yes)
    AND: In loop FOR idx := 1 TO 5
    AND: QACertif[PersCont].Certif[idx].IdxFix = NONRESPONSE
    AND: PA[PersCont].A[12].Asset = Yes
QACertif[PersCont].Certif[idx].AsseType := 12
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR idx := 1 TO 5
    AND: QACertif[PersCont].Certif[idx].IdxFix = NONRESPONSE
    AND: NOT (PA[PersCont].A[12].Asset = Yes)
QACertif[PersCont].Certif[idx].AsseType := 11
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR idx := 1 TO 5
    RESERVECHECK
    RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: In loop FOR idx := 1 TO 5
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset =
    Yes)
    AND: QACertif[PersCont].TDo = Yes
IAssDo := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: PA[PersCont].A[13].Asset = Yes
QPGIB[PersCont].BenUnit := BNum
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: PA[PersCont].A[13].Asset = Yes
QPGIB[PersCont].Person := PersCont
```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[13].Asset = Yes

QPGIB[PersCont].AsseType := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

QPGIB[PersCont].Seq := 1

FRS0405A.BU[].Assets.QPGIB[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[13].Asset = Yes
BenUnit
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      BU number
      0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[13].Asset = Yes
Person
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Person Id.
      0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[13].Asset = Yes
AsseType
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Type of asset
      0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[13].Asset = Yes
Seq
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Asset sequence number.
      0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[13].Asset = Yes
AdCh := Adult
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
```

Intro

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask about your PENSIONER'S GUARANTEED INCOME BOND.

INTERVIEWER CODE:

- (1) TO CONTINUE
- (3) Does not wish to give details of such assets

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still
```

PGIBVal

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

What is the total value of the Pensioner's Guaranteed Income Bond that you hold? ENTER WHOLE 'P's ONLY.

INTERVIEWER: IF BOND HELD JOINTLY, ONLY GIVE THIS PERSON'S SHARE.

0.00..9999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still
AND: Edit = No
PGIBVal < 15615</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still
AND: Edit = No
(PGIBVal <= 100000) OR PGIBVal=NONRESPONSE</pre>
```

Are you sure?

The maximum value for Pensioner's Guaranteed Income Bonds is ^P100,000. Please amend the amount or explain circumstances in a Note.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still
AND: Edit = No
```

(PGIBVal >= 500) OR PGIBVal=NONRESPONSE

Are you sure?

The minimum value for Pensioner's Guaranteed Income Bonds is ^P500. Please amend the amount or explain circumstances in a Note.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: PA[PersCont].A[13].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: PA[PersCont].A[13].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK
```

RESERVECHECK

FRS0405A.BU[].Assets.QSAYE[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
TDo := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
SAYE[pcount].BenUnit := PBU
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
SAYE[pcount].Person := PPersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
SAYE[pcount].AsseType := 14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
SAYE[pcount].Seq := pcount
```

FRS0405A.BU[].Assets.QSAYE[].SAYE[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AsseType
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Type of asset
     0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
AdCh := Adult
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: ppcount = 1
Ι
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Now I'd like to ask you about your Save-As-You-Earn (SAYE) schemes dealing with each one in turn.
     INTERVIEWER CODE:
          TO CONTINUE
     (1)
     (3)
          Does not wish to give details of such assets
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: ppcount = 1
order := 'first'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: NOT (ppcount = 1)
order := 'next'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
LPNo := PersCont
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
T
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Thinking of the ^order scheme, is this a NATIONAL SAVINGS AND INVESTMENTS scheme, or is it
     with a bank or building society?
     (1)
          National Savings & Investments
          Bank/Building Society
     (2)
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: (T = NatSav) OR (T = DONTKNOW)
IssHold
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     Which issue do you hold?
     STRING[20]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
SAYEDat
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     When did you start the SAYE?
     ENTER DATE (IF DAY NOT KNOWN, ENTER 15TH OF MONTH).
     DATE
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     (SAYEDat <= QSignIn.StartDat) OR SAYEDat=NONRESPONSE
```

You have entered a future date, please amend.

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     (SAYEDat.YEAR > 1920) OR SAYEDat=NONRESPONSE
     Please check, this seem too long ago.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
     AND: SAYEDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
     ERROR AND INVOLVING(SAYEDat)
     That was before the respondent was born. Check your answer please.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
```

Page 2495

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
SAYEPd
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     Interviewers: under the current SAYE schemes, savers can choose a 3, 5 or 7 year period. So on recent
     SAYE schemes (since 1995) you would only expect answers of 3, 5 or 7.
     1..40
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
Amount
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     How much do you regularly pay?
     0.00..9999997.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (I = Still) OR (ppcount > 1)
     AND: (Amount = RESPONSE) AND (Amount > 0)
SAYEPx
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     ^Pd97Txt
     OPEN
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))

AND: (I = Still) OR (prount > 1)
     AND: (Amount = RESPONSE) AND (Amount > 0)
Pd
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     How long does this cover?
           One week
     (1)
     (2)
           Two weeks
     (3)
           Three weeks
     (4)
          Four weeks
     (5)
          Calendar month
     (7)
          Two Calendar months
     (8)
          Eight times a year
     (9)
          Nine times a year
     (10) Ten times a year
     (13) Three months/13 weeks
     (26) Six months/26 weeks
     (52) One Year/12 months/52 weeks
     (90) Less than one week
     (95) One off/lump sum
     (97) None of these (EXPLAIN IN A NOTE)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: (Amount = RESPONSE) AND (Amount > 0)
     AND: Pd = Note
SAYEPx
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     ^Pd97Txt
     OPEN
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[14].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

AND: (I = Still) OR (ppcount > 1)
```

AmtNow

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Approximately how much is there in the SAYE. now?

ENTER WHOLE 'P's ONLY.

0.00..9999997.00

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (I = Still) OR (ppcount > 1)
AND: Edit = Yes
Pd <> Note
```

EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (I = Still) OR (ppcount > 1)
AND: Edit = No
AND: T = NatSav
    ((SAYEDat.YEAR < 1994) OR ((SAYEDat.YEAR = 1994) AND (SAYEDat.MONTH < 12))) AND INVOLVING(SAYEDat)</pre>
```

Are you sure? Save As You Earn ended in Nov 1994 (although schemes starting before then are still valid). Please check with the respondent.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   And: TotSav IN [To3000, To8000, To20000]
   And: In loop FOR PersCont := 1 TO AdultNum
   And: PA[PersCont].A[14].Asset = Yes
   And: In loop FOR pcount := 1 TO 5
   And: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
   And: (I = Still) OR (ppcount > 1)
   And: Edit = No
   AmtNow < 5231</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (\bar{I} = Still) OR (ppcount > 1)
     AND: Edit = No
     AND: (AmtNow > 12000) AND AmtNow <> NONRESPONSE
     T = NatSav
     Are you sure? The value of National Savings and Investments SAYE schemes cannot normally exceed
     ^P12000. Please check your answer.
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
BDo := Yes
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
Spare
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     FOR EDIT USE, ENTER AMOUNT.
     TO LEAVE IT FOR NOW, PRESS < Enter> AND SUPPRESS WARNING.
     IF AMOUNT CANNOT BE ESTABLISHED, CODE DON'T KNOW <Ctrl+K>.
     0.00..9999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
     AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)
BDo := No
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (SAYE[prount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
     (Spare = RESPONSE) OR (Spare = DONTKNOW)
     A VALUE IS GIVEN FOR SAYE, THIS CAN BE CHECKED.
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: (I = Still) OR (ppcount > 1)
     AND: ppcount < 5
More
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Before entering 'No', ensure you have covered all accounts/investments of EACH type referred to in the
     question.
     (1)
          Yes
     (2)
          No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
RESERVECHECK
RESERVECHECK
```

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
RESERVECHECK
```

FRS0405A.BU[].Assets.QSAYE[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
     AND: SAYE[pcount].BDo = Yes
TDo := Yes
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     RESERVECHECK
     RESERVECHECK
```

Page 2502

FRS0405A.BU[].Assets (continued)

Assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[14].Asset = Yes
     AND: QSAYE[PersCont].TDo = Yes
IAssDo := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[15].Asset = Yes
QPremium[PersCont].BenUnit := BNum
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[15].Asset = Yes
QPremium[PersCont].Person := PersCont
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[15].Asset = Yes
QPremium[PersCont].AsseType := 15
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[15].Asset = Yes
```

QPremium[PersCont].Seq := 1

FRS0405A.BU[].Assets.QPremium[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[15].Asset = Yes
BenUnit
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      BU number
      0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[15].Asset = Yes
Person
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Person Id.
      0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[15].Asset = Yes
AsseType
      *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
      Type of asset
      0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[15].Asset = Yes
Seq
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Asset sequence number.
      0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[15].Asset = Yes
AdCh := Adult
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[15].Asset = Yes
```

CPBonds := UPCASE(PBonds)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
```

Prem

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask about your ^CPBonds.

What is the total value of your ^PBonds?

ENTER WHOLE 'P's ONLY.

0.00..9999997.00

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
AND: Edit = No
AND: AsseType = 15
(AdCh = Adult) AND (Prem < 10001)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. Premium bonds can have a maximum of ^P30,000 in them. If so, suppress warning and continue but make a note.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[15].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

RESERVECHECK

FRS0405A.BU[].Assets (continued)

Assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[16].Asset = Yes
QNSIB[PersCont].BenUnit := BNum
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[16].Asset = Yes
QNSIB[PersCont].Person := PersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[16].Asset = Yes
QNSIB[PersCont].Seq := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[16].Asset = Yes
```

FRS0405A.BU[].Assets.QNSIB[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[16].Asset = Yes
BenUnit
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      BU number
      0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[16].Asset = Yes
Person
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Person Id.
      0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[16].Asset = Yes
AsseType
      *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
      Type of asset
      0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[16].Asset = Yes
Seq
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Asset sequence number.
      0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[16].Asset = Yes
AdCh := Adult
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
```

Intro

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask about your NATIONAL SAVINGS & INVESTMENTS INCOME BONDS.

INTERVIEWER CODE:

- (1) TO CONTINUE
- (3) Does not wish to give details of such assets

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[16].Asset = Yes

AND: Intro = Still
```

NSIB

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

You said that you have some National Savings & Investments Income Bonds. How many Income Bonds do you have?

0..999997

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
AND: Intro = Still
```

NSIBVal

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

What is the total value of the National Savings & Investments Income Bonds that you hold?

ENTER WHOLE 'P's ONLY.

0.00..9999997.00

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
AND: Intro = Still
AND: Edit = No
(AdCh = Adult) AND (NSIBVal < 14798)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000] AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[16].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[16].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000] AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[16].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[16].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[16].Asset = Yes

RESERVECHECK

FRS0405A.BU[].Assets.QABonds[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
TDo := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
Bond[pcount].BenUnit := PBU
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
Bond[pcount].Person := PPersCont
Compute if: In loop FOR Loop1 := 1 TO NewBU AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
Bond[pcount].Seq := pcount
```

FRS0405A.BU[].Assets.QABonds[].Bond[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
BenUnit
    *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
    BU number
    0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
    Person Id.
    0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AsseType
    *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
    Type of asset
    0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
Seq
    *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
    Asset sequence number.
    0..10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AdCh := Adult
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: ppcount = 1
Intro
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Now I'd like to ask about your ^bondname Bonds, dealing with each issue in turn.
     INTERVIEWER CODE:
         TO CONTINUE
     (1)
     (3)
         Does not wish to give details of such assets
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: ppcount = 1
order := 'first'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: NOT (ppcount = 1)
order := 'next'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
LPNo := PersCont
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: BondType = 1
CapDep
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     INTERVIEWER CODE: Is this bond a Capital Bond or a Deposit Bond?
     (1)
          Capital Bond
     (2)
          Deposit Bond
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
BondDat
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Thinking of the ^order bond, when did you acquire it?
     ENTER DATE (IF DAY NOT KNOWN, ENTER 15TH OF MONTH).
     DATE
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     (BondDat <= QSignIn.StartDat) OR BondDat=NONRESPONSE
     You have entered a future date, please amend.
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
```

Please check, this seem too long ago.

(BondDat.YEAR > 1920) OR BondDat=NONRESPONSE

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AnD: TotSav IN [To3000, To8000, To20000]
AnD: In loop FOR PersCont := 1 TO AdultNum
AnD: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AnD: In loop FOR pcount := 1 TO 6
AnD: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AnD: (Intro = Still) OR (ppcount > 1)
AnD: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
AND: BondDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(BondDat)</pre>
```

That was before the respondent was born. Check your answer please.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (CapDep = Deposit) AND (BondDat.YEAR >= 1989)
ERROR
```

Deposit bonds were withdrawn from sale in 1988. Please check that the date has been entered correctly and that the correct type of bond has been entered.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: TotSav IN [To3000, To8000, To20000]
   AND: In loop FOR PersCont := 1 TO AdultNum
   AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
   AND: In loop FOR pcount := 1 TO 6
   AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
   AND: (Intro = Still) OR (ppcount > 1)
   AND: (CapDep = Deposit) AND (QSignIn.StartDat >= TODATE
   (2001.9999999999988, 7, 1))
   ERROR
```

Deposit bonds were all redeemed in June 2002. Please check that the correct type of bond has been entered.

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
   AND: TotSav IN [To3000, To8000, To20000]
   AND: In loop FOR PersCont := 1 TO AdultNum
   AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
   AND: In loop FOR pcount := 1 TO 6
   AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
   AND: (Intro = Still) OR (ppcount > 1)
   RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
    AND: (Intro = Still) OR (ppcount > 1)
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
    AND: (Intro = Still) OR (ppcount > 1)
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
    AND: (Intro = Still) OR (ppcount > 1)
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
    AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
    AND: (Intro = Still) OR (ppcount > 1)
    AND: CapDep = Capital
is_value := 'was the original value'
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
    AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
    Yes)
    AND: In loop FOR prount := 1 TO 6
    AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
    AND: (Intro = Still) OR (ppcount > 1)
    AND: NOT (CapDep = Capital)
is value := 'is the total value'
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
BondVal
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     What 'is_value of the bond?
     ENTER WHOLE 'P's ONLY.
     0.00..9999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (BondType = 1) AND BondVal <> NONRESPONSE
     AND: Edit = No
     (AdCh = Adult) AND (BondVal < 7001)
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (BondType = 1) AND BondVal <> NONRESPONSE
     AND: CapDep = Capital
BondSer
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     What is the series number of the bond?
     0..97
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND BondVal <> EMPTY
BDo := Yes
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND BondVal <> EMPTY
Spare
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     FOR EDIT USE, ENTER AMOUNT.
     TO LEAVE IT FOR NOW, PRESS < Enter> AND SUPPRESS WARNING.
     IF AMOUNT CANNOT BE ESTABLISHED, CODE DON'T KNOW <Ctrl+K>.
     0.00..9999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND BondVal <> EMPTY
     AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)
BDo := No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND BondVal <> EMPTY
     (Spare = RESPONSE) OR (Spare = DONTKNOW)
```

A VALUE IS GIVEN FOR ^bondname BONDS, THIS CAN BE CHECKED.

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: Tot Sav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ppcount < PMax
More
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     Before entering 'No', ensure you have covered all accounts/investments of EACH type referred to in the
     question.
     (1)
          Yes
     (2)
          No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     AND: In loop FOR prount := 1 TO 6
     AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
```

AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

RESERVECHECK

RESERVECHECK

AND: In loop FOR prount := 1 TO 6

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
RESERVECHECK
```

FRS0405A.BU[].Assets.QABonds[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)

AND: In loop FOR pcount := 1 TO 6

AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

AND: Bond[pcount].BDo = Yes

TDo := Yes
```

FRS0405A.BU[].Assets (continued)

Assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)

AND: QABonds[PersCont].TDo = Yes

IASSDO := Yes

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)

AND: In loop FOR idx := 1 TO 6

AND: QABonds[PersCont].Bond[idx].CapDep = Capital

PA[].A[].Asset[PersCont,10] = Yes
```

Previously, in the Benefit Unit questionnaire, you recorded some Deposit Bonds, but no Capital Bonds. If the respondent has any Capital Bonds, please go back and change in the BU qu'aire, else change here (at CapDep).

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
AND: QABonds[PersCont].Bond[idx].CapDep = Deposit
PA[].Asset[PersCont,17] = Yes
```

Previously, in the Benefit Unit questionnaire, you recorded some Capital Bonds, but no Deposit Bonds. If the respondent has any Deposit Bonds, please go back and change in the BU qu'aire, else change here (at CapDep).

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)

AND: In loop FOR idx := 1 TO 6

AND: QABonds[PersCont].Bond[idx].CapDep = Capital
```

QABonds[PersCont].Bond[idx].AsseType := 10

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)

AND: In loop FOR idx := 1 TO 6

AND: QABonds[PersCont].Bond[idx].CapDep = Deposit
```

QABonds[PersCont].Bond[idx].AsseType := 17

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR idx := 1 TO 6
     AND: QABonds [PersCont] .Bond [idx] .CapDep = NONRESPONSE
     AND: PA[PersCont].A[10].Asset = Yes
QABonds[PersCont].Bond[idx].AsseType := 10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR idx := 1 TO 6
     AND: QABonds[PersCont].Bond[idx].CapDep = NONRESPONSE
     AND: PA[PersCont].A[17].Asset = Yes
QABonds[PersCont].Bond[idx].AsseType := 17
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     Yes)
     AND: In loop FOR idx := 1 TO 6
     AND: QABonds[PersCont].Bond[idx].CapDep = NONRESPONSE
     AND: NOT (PA[PersCont].A[17].Asset = Yes)
QABonds[PersCont].Bond[idx].AsseType := 10
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     AND: In loop FOR idx := 1 TO 6
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset =
     AND: In loop FOR idx := 1 TO 6
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[18].Asset = Yes
QFirstOp[PersCont].BenUnit := BNum
```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

QFirstOp[PersCont].Person := PersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

QFirstOp[PersCont].AsseType := 18

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[18].Asset = Yes

QFirstOp[PersCont].Seq := 1

FRS0405A.BU[].Assets.QFirstOp[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[18].Asset = Yes
BenUnit
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      BU number
      0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[18].Asset = Yes
Person
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Person Id.
      0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[18].Asset = Yes
AsseType
      *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
      Type of asset
      0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[18].Asset = Yes
Seq
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Asset sequence number.
      0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[18].Asset = Yes
AdCh := Adult
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[18].Asset = Yes
```

CPBonds := UPCASE(PBonds)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
```

Prem

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask about your ^CPBonds.

What is the total value of your ^PBonds?

ENTER WHOLE 'P's ONLY.

0.00..9999997.00

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
AND: Edit = No
AND: AsseType = 15
(AdCh = Adult) AND (Prem < 10001)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. Premium bonds can have a maximum of ^P30,000 in them. If so, suppress warning and continue but make a note.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[18].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

RESERVECHECK

FRS0405A.BU[].Assets (continued)

Assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[19].Asset = Yes

QYPlan[PersCont].BenUnit := BNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[19].Asset = Yes
```

QYPlan[PersCont].Person := PersCont

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
```

QYPlan[PersCont].AsseType := 19

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
```

QYPlan[PersCont].Seq := 1

FRS0405A.BU[].Assets.QYPlan[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[19].Asset = Yes
BenUnit
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      BU number
      0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[19].Asset = Yes
Person
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Person Id.
      0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[19].Asset = Yes
AsseType
      *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
      Type of asset
      0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[19].Asset = Yes
Seq
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      Asset sequence number.
      0..10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[19].Asset = Yes
AdCh := Adult
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
```

CPBonds := UPCASE(PBonds)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
```

Prem

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask about your ^CPBonds.

What is the total value of your ^PBonds?

ENTER WHOLE 'P's ONLY.

0.00..9999997.00

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
AND: Edit = No
AND: AsseType = 15
(AdCh = Adult) AND (Prem < 10001)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. Premium bonds can have a maximum of ^P30,000 in them. If so, suppress warning and continue but make a note.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[19].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

RESERVECHECK

FRS0405A.BU[].Assets.QFixRate[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
TDo := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
FRBond[pcount].BenUnit := PBU
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
FRBond[pcount].Person := PPersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
```

FRBond[pcount].Seq := pcount

FRS0405A.BU[].Assets.QFixRate[].FRBond[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5

AND: (prount = 1) OR ((prount > 1) AND (FRBond[prount - 1].More = Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AsseType
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Type of asset
     0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AdCh := Adult
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: ppcount = 1
Intro
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Now I'd like to ask you about your Fixed Rate Savings Bonds, dealing with each issue in turn.
     INTERVIEWER CODE:
     (1)
          TO CONTINUE
          Does not wish to give details of such assets
     (3)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: ppcount = 1
order := 'first'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: NOT (ppcount = 1)
order := 'next'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
LPNo := PersCont
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[20].Asset = Yes
      AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
      AND: (Intro = Still) OR (ppcount > 1)
Issue
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      What is the 'order issue that you hold?
      1..20
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[20].Asset = Yes
      AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
      AND: (Intro = Still) OR (ppcount > 1)
BondDat
      *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
      In which month and year did you acquire that issue?
      ENTER DATE, USING '15TH' FOR DAY OF MONTH.
      DATE
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[20].Asset = Yes
      AND: In loop FOR prount := 1 TO 5
      AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
      AND: BondDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
      ERROR AND INVOLVING (BondDat)
      That was before the respondent was born. Check your answer please.
Ask IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
```

BondVal

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS What was the original value of the bond?
```

0.00..99999997.00

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[20].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)
```

BondPd

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

What is the period of your Fixed Rate Savings Bond?

- (1) One Year
- (2) Three Years
- (3) Five Years

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR prount := 1 TO 5
AND: (prount = 1) OR ((prount > 1) AND (FRBond[prount - 1].More = Yes))
AND: (Intro = Still) OR (prount > 1)
```

BondType

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Do you receive a monthly income from the bond or is the interest added to the bond?

- (1) Monthly income
- (2) Interest added to bond value

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[20].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)

AND: (Edit = Yes) AND BondVal <> EMPTY
```

BDo := Yes

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND BondVal <> EMPTY
Spare
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     FOR EDIT USE, ENTER AMOUNT.
     TO LEAVE IT FOR NOW, PRESS < Enter> AND SUPPRESS WARNING.
     IF AMOUNT CANNOT BE ESTABLISHED. CODE DON'T KNOW <Ctrl+K>.
     0.00..9999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND BondVal <> EMPTY
     AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)
BDo := No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND BondVal <> EMPTY
     (Spare = RESPONSE) OR (Spare = DONTKNOW)
     A VALUE IS GIVEN FOR FIXED RATE SAVINGS BONDS, THIS CAN BE CHECKED.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
```

Page 2537

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ppcount < 5
More
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     Do you have any more Fixed Rate Savings Bonds
     (1)
         Yes
     (2)
         No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     RESERVECHECK
```

FRS0405A.BU[].Assets.QFixRate[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
     AND: FRBond[pcount].BDo = Yes
TDo := Yes
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[20].Asset = Yes
     RESERVECHECK
     RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[20].Asset = Yes

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes

RESERVECHECK

FRS0405A.BU[].Assets (continued)

Assets

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[20].Asset = Yes

AND: QFixRate[PersCont].TDo = Yes

IAssDo := Yes

FRS0405A.BU[].Assets.QGEquity[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
TDo := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
GEquity[pcount].BenUnit := PBU
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
GEquity[pcount].Person := PPersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
GEquity[pcount].AsseType := 21
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
GEquity[pcount].Seq := pcount
```

FRS0405A.BU[].Assets.QGEquity[].GEquity[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     Yes))
AsseType
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Type of asset
     0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
```

AdCh := Adult

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AND: ppcount = 1
```

Intro

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask you about your Guaranteed Equity Bond schemes dealing with each one in turn.

INTERVIEWER CODE:

- (1) TO CONTINUE
- (3) Does not wish to give details of such assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AND: ppcount = 1
```

order := 'first'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AND: NOT (ppcount = 1)
```

order := 'next'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
```

LPNo := PersCont

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)
```

GEBType

*** ^AName ***^S^S^S^S^S^S^S^S ASSETS

Thinking of the ^order scheme is this a NATIONAL SAVINGS scheme or is it with a BANK or BUILDING SOCIETY?

- (1) National Savings
- (2) Bank / Building Society

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)
```

GEBDat

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

When did you start the Guaranteed Equity Bond?

ENTER DATE (IF DAY NOT KNOWN, ENTER 15TH OF MONTH).

DATE

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: PA[PersCont].A[21].Asset = Yes
And: In loop FOR pcount := 1 TO 5
And: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
And: (Intro = Still) OR (ppcount > 1)
(GEBDat <= QSignIn.StartDat) OR GEBDat=NONRESPONSE</pre>
```

You have entered a future date, please amend.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ((QSignIn.StartDat = RESPONSE) AND (GEBDat = RESPONSE)) AND (AgeOf[LPNo] > 0)
AND: GEBDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(GEBDat)</pre>
```

That was before the respondent was born. Check your answer please.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1]. More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)
```

GEBPd

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Is your scheme five, six or seven years?

INTERVIEWER: Under the current G.E.B. Scheme savers can choose a 5, 6 or 7 year period.

- (1) Five years
- (2) Six Years
- (3) Seven years
- (4) Other period (make a note of other period)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
```

AmtNow

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Approximately how much is there in the Guaranteed Equity Bonds now?

ENTER WHOLE 'P's ONLY.

0.00..9999997.00

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: TotSav IN [To3000, To8000, To20000]
   AND: In loop FOR PersCont := 1 TO AdultNum
   AND: PA[PersCont].A[21].Asset = Yes
   AND: In loop FOR pcount := 1 TO 5
   AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
   AND: (Intro = Still) OR (ppcount > 1)
   AND: Edit = No
   AmtNow < 15000</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
BDo := Yes
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
Spare
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     FOR EDIT USE, ENTER AMOUNT.
     TO LEAVE IT FOR NOW, PRESS < Enter> AND SUPPRESS WARNING.
     IF AMOUNT CANNOT BE ESTABLISHED, CODE DON'T KNOW <Ctrl+K>.
     0.00..9999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
     AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)
BDo := No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[21].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND AmtNow <> EMPTY
     (Spare = RESPONSE) OR (Spare = DONTKNOW)
```

A VALUE IS GIVEN FOR GEquity, THIS CAN BE CHECKED.

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA [PersCont] .A [21] .Asset = Yes

AND: In loop FOR poount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1] .More = Yes))

AND: (Intro = Still) OR (ppcount > 1)

AND: ppcount < 5

More

*** ^AName ***^S^S^S^S^S^S^S^S^S^S ASSETS

Before entering 'No', ensure you have covered all accounts/investments of EACH type referred to in the question.
```

- (1) Yes
- (2) No

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: PA[PersCont].A[21].Asset = Yes
And: In loop FOR pcount := 1 TO 5
And: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK
```

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
   AnD: TotSav IN [To3000, To8000, To20000]
   AnD: In loop FOR PersCont := 1 TO AdultNum
   AnD: PA[PersCont].A[21].Asset = Yes
   AnD: In loop FOR pcount := 1 TO 5
   AnD: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
   RESERVECHECK
```

FRS0405A.BU[].Assets.QGEquity[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AND: GEquity[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

RESERVECHECK

RESERVECHECK
```

Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

FRS0405A.BU[].Assets (continued)

Assets

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[21].Asset = Yes

AND: QGEquity[PersCont].TDo = Yes

IAssDo := Yes

FRS0405A.BU[].Assets.QEndNLPr[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
TDo := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1]. More =
     Yes))
EndNLPr[pcount].BenUnit := PBU
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
EndNLPr[pcount].Person := PPersCont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
EndNLPr[pcount].AsseType := 22
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
```

EndNLPr[pcount].Seq := pcount

FRS0405A.BU[].Assets.QEndNLPr[].EndNLPr[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
BenUnit
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     BU number
     0..7
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1]. More =
     Yes))
Person
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Person Id.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
AsseType
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Type of asset
     0..28
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
Seq
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     Asset sequence number.
     0..10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR poount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
```

AdCh := Adult

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

AND: ppcount = 1
```

Intro

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Now I'd like to ask you about your endowments not linked to current property that you mentioned earlier. Do you still have these?

- (1) STILL has any such accounts
- (2) ALL such accounts now disposed of
- (3) Does not wish to give details of such accounts

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

AND: ppcount = 1
```

order := 'first'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

AND: NOT (ppcount = 1)
```

order := 'next'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
```

LPNo := PersCont

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

AND: (Intro = Still) OR (ppcount > 1)
```

EndDat

```
*** ^AName ***^S^S^S^S^S^S^S^S ASSETS
```

Thinking of the ^order endowment when did you start it?

INTERVIEWER ENTER YEAR.

1900..9997

```
Warn If: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: EndDat = RESPONSE
EndDat <= QSignIn.StartDat.YEAR</pre>
```

You have entered a future date, please amend.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
And: TotSav IN [To3000, To8000, To20000]
And: In loop FOR PersCont := 1 TO AdultNum
And: PA[PersCont].A[22].Asset = Yes
And: In loop FOR pcount := 1 TO 5
And: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
And: (Intro = Still) OR (ppcount > 1)
And: EndDat = RESPONSE
And: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
And: EndDat < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(EndDat)</pre>
```

That was before the respondent was born. Check your answer please.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: TotSav IN [To3000, To8000, To20000]
   AND: In loop FOR PersCont := 1 TO AdultNum
   AND: PA[PersCont].A[22].Asset = Yes
   AND: In loop FOR pcount := 1 TO 5
   AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
   AND: (Intro = Still) OR (ppcount > 1)
   RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
EndPd
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     What period was your endowment over when you bought it?
     INTERVIEWER: ENTER YEARS.
     1..100
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: EndPd = RESPONSE
     EndPd <= 30
     That seems very high. Please check your answer.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: EndPd = RESPONSE
     EndPd >= 10
     That seems low. Please check your answer.
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
Amount
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     How much do you regularly pay?
     0.00..9999997.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
AND: (Amount = RESPONSE) AND (Amount > 0)
EndPx
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     ^Pd97Txt
     OPEN
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Amount = RESPONSE) AND (Amount > 0)
Pd
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     How long does this cover?
          One week
     (1)
     (2)
          Two weeks
     (3)
          Three weeks
     (4)
          Four weeks
     (5)
          Calendar month
     (7)
          Two Calendar months
     (8)
          Eight times a year
     (9)
          Nine times a year
     (10) Ten times a year
     (13) Three months/13 weeks
     (26) Six months/26 weeks
     (52) One Year/12 months/52 weeks
     (90) Less than one week
     (95) One off/lump sum
     (97) None of these (EXPLAIN IN A NOTE)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Amount = RESPONSE) AND (Amount > 0)
     AND: Pd = Note
EndPx
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     ^Pd97Txt
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: Edit = Yes
     Pd <> Note
     EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND Amount <> EMPTY
BDo := Yes
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND Amount <> EMPTY
Spare
     *** ^AName ***^S^S^S^S^S^S^S^S ASSETS
     FOR EDIT USE, ENTER AMOUNT.
     TO LEAVE IT FOR NOW, PRESS < Enter> AND SUPPRESS WARNING.
     IF AMOUNT CANNOT BE ESTABLISHED, CODE DON'T KNOW <Ctrl+K>.
     0.00..9999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND Amount <> EMPTY
     AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)
BDo := No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pount := 1 TO 5

AND: (pount = 1) OR ((pount > 1) AND (EndNLPr[pount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: (Edit = Yes) AND Amount <> EMPTY
     (Spare = RESPONSE) OR (Spare = DONTKNOW)
```

A VALUE IS GIVEN FOR EndNLPr, THIS CAN BE CHECKED.

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     AND: (Intro = Still) OR (ppcount > 1)
     AND: ppcount < 5
More
     *** ^AName ***^S^S^S^S^S^S^S^S^S ASSETS
     Do you have any more endowments not linked to your current property?
     (1)
           Yes
     (2)
           No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: In loop FOR prount := 1 TO 5
     AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
     Yes))
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR prount := 1 TO 5
AND: (prount = 1) OR ((prount > 1) AND (EndNLPr[prount - 1].More = Yes))
RESERVECHECK
```

FRS0405A.BU[].Assets.QEndNLPr[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

AND: EndNLPr[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

AND: In loop FOR PersCont := 1 TO AdultNum

AND: PA[PersCont].A[22].Asset = Yes

AND: In loop FOR pcount := 1 TO 5

RESERVECHECK

RESERVECHECK
```

Warn IF: In loop FOR Loop1 := 1 TO NewBU
 AND: TotSav IN [To3000, To8000, To20000]
 AND: In loop FOR PersCont := 1 TO AdultNum
 AND: PA[PersCont].A[22].Asset = Yes
 AND: In loop FOR pcount := 1 TO 5
 RESERVECHECK

FRS0405A.BU[].Assets (continued)

Assets

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     AND: PA[PersCont].A[22].Asset = Yes
     AND: QEndNLPr[PersCont].TDo = Yes
IAssDo := Yes
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: In loop FOR PersCont := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: IAssDo = Yes
AssDone
     EDITOR: The Assets Block still requires checking!
     Do you wish to do it now?
     Press <Crtl E> to find suppressed warnings.
     or 2 for 'No' to leave it until later.
     (1)
          Yes
     (2)
          No
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: IAssDo = Yes
AssDo := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: NOT (IAssDo = Yes)
AssDone := Yes
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: TotSav IN [To3000, To8000, To20000]
     AND: (Edit = Yes) AND (AssDone = Yes)
     IAssDo <> Yes
     EDITOR: The Assets section still requires checking!
```

Press <Enter> and <Ctrl E> to find suppressed warnings.

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: TotSav IN [To3000, To8000, To20000]

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

FRS0405A.BU[].QEnd

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
CC := ''
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Number := 1 TO AdultNum
CC := ''
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Number := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Number := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: AdultNum = 1
     AND: PProx[1] = Personal
     NOT(QAfford.WhoDepQ = Proxy) AND INVOLVING(QAfford.WhoDepQ,PProx[1])
     INTERVIEWER
     You have entered that this interview has been conducted in person but earlier you said that the interview
     was being conducted by proxy. If the interview is a personal interview you MUST now ask the
     affordability questions.
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: AdultNum = 2
     AND: (PProx[1] = Personal) OR (PProx[2] = Personal)
     NOT(QAfford.WhoDepQ = Proxy) AND
     INVOLVING(QAfford.WhoDepQ,PProx[1],PProx[2])
     INTERVIEWER
     You have entered that this interview has been conducted in person by 1 or more members of this benefit
     unit. Earlier you said that the interview was being conducted by proxy. If the interview is a personal
     interview for either respondent you MUST now ask the affordability questions.
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
```

CC := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Number := 1 TO AdultNum
    AND: NatCen = Yes
    AND: PProx[Number] = Personal
    AND: (Number = 1) OR (PProx[1] = Proxy)
Alright := ('Sometime in the future, there may be a ' +
'follow-up study to this one. Such a study ' + 'would have to
be agreed with the Department ' + 'for Work and Pensions. If
there was another ' + 'study, would it be all right for us to '
+ 'contact you again?')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Number := 1 TO AdultNum
    AND: NatCen = Yes
    AND: PProx[Number] = Personal
    AND: (Number = 1) OR (PProx[1] = Proxy)
Alright2 := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Number := 1 TO AdultNum
    AND: NatCen = Yes
    AND: PProx[Number] = Personal
    AND: NOT ((Number = 1) OR (PProx[1] = Proxy)
Alright := ('(Sometime in the future, there may be a ' +
'follow-up study to this one. Such a study ' + 'would have to
be agreed with the Department ' + 'for Work and Pensions. If
there was another ' + 'study, would it be all right for us to
contact ' + 'you again?)')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Number := 1 TO AdultNum
    AND: NatCen = Yes
    AND: PProx[Number] = Personal
    AND: NOT ((Number = 1) OR (PProx[1] = Proxy)
Alright2 := '
(And would that be all right for you?)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Number := 1 TO AdultNum
    AND: NatCen = Yes
    AND: PProx[Number] = Proxy
Future[Number] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Number := 1 TO AdultNum
CC := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
CC := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
    AND: In loop FOR Number := 1 TO AdultNum
    AND: (Future[Number] = Yes) OR (Future[Number] = Depends)
    AND: (((Number = 1) OR (PProx[1] = Proxy)) OR (Future[1] = No)) OR
    Future[1] = NONRESPONSE
Alright := ('Supposing that some other independent research ' +
'organisation, rather than ourselves, were ' + 'carrying out
that survey, would it be all right ' + 'for us to pass on your
details to them?')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
    AND: In loop FOR Number := 1 TO AdultNum
    AND: (Future[Number] = Yes) OR (Future[Number] = Depends)
    AND: (((Number = 1) OR (PProx[1] = Proxy)) OR (Future[1] = No)) OR
    Future[1] = NONRESPONSE
Alright2 := (' By that, I mean your name and address, ' +
'phone number and, if necessary, the answers you ' + 'have
given me today.
')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
    AND: In loop FOR Number := 1 TO AdultNum
    AND: (Future[Number] = Yes) OR (Future[Number] = Depends)
    AND: NOT ((((Number = 1) OR (PProx[1] = Proxy)) OR (Future[1] = No)) OR
    Future[1] = NONRESPONSE)
Alright := ('(Supposing that some other independent research '
+ 'organisation, rather than ourselves, were ' + 'carrying out
that survey, would it be all right ' + 'for us to pass on your
details to them?')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
    AND: In loop FOR Number := 1 TO AdultNum
    AND: (Future [Number] = Yes) OR (Future [Number] = Depends)
    AND: NOT ((((Number = 1) OR (PProx[1] = Proxy)) OR (Future[1] = No)) OR
    Future[1] = NONRESPONSE)
Alright2 := (' By that, I mean your name and address, ' +
'phone number and, if necessary, the answers you ' + 'have
given me today?) ' + '
(And would that be all right for you?)')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
    AND: In loop FOR Number := 1 TO AdultNum
CC := ''
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: OBLater <> 2
OBRemind
    REMINDER: In the Benefits section, don't forget that you're due to Consult an Order Book!
    (Now press <1> and <Enter> to continue.)
    (1)
         Continue
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Sex[1] = Male
THEIR := 'HIS'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (Sex[1] = Male)
THEIR := 'HER'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Person[2] <> 97.00000000000001
S := 'S'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Person[2] <> 97.00000000000001
THEIR := 'THEIR'
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
NCSRTxt := ('
INTERVIEWER: NOW COMPLETE THE RECALL ' + 'DETAILS SECTION OF
THE FRS ARF AT D2 AND D3.')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
FinTxt1 := ('
END OF QUESTIONNAIRE FOR THIS BENEFIT UNIT. ' + '
(1) If no more Benefit Units:
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
FinTxt2 := ('
(2) If more Benefit Units:
' + 'Press <Ctrl+Enter>, and select next B.U.')
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
FinTxt3 := ('
Do not press <Enter> !!
' + '
(1) If No more Benefit Units:
')
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
AdmRec := 'Admin (you must exit via Admin).'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NatCen = Yes
ONSRec := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (NatCen = Yes)
NCSRTxt := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
   AND: NOT (NatCen = Yes)
FinTxt1 := '
END OF QUESTIONNAIRE FOR THIS BENEFIT UNIT:
Now '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (NatCen = Yes)
FinTxt2 := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (NatCen = Yes)
FinTxt3 := FinTxt1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (NatCen = Yes)
AdmRec := ''Recall' to ask the 'Permission to Recall
Questions'.'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (NatCen = Yes)
ONSRec := ('
If there is no Recall block displayed in the parallel ' +
'blocks, go to the next benefit unit or the admin block.')
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

Thank

THANK RESPONDENT'S FOR 'THEIR HELP.'NCSRTxt

THEN:

Press <1> and <Enter>.

(1) Continue

Ask if: In loop FOR Loop1 := 1 TO NewBU

Finish1

^FinTxt1Press <Ctrl Enter>, select ^AdmRec^ONSRec ^FinTxt2

(0) Press < Ctrl Enter>

Ask if: In loop FOR Loop1 := 1 TO NewBU

Finish11

^FinTxt3Press <Ctrl Enter>, select ^AdmRec^ONSRec ^FinTxt2

(0) Press < Ctrl Enter>

Ask if: In loop FOR Loop1 := 1 TO NewBU

Finish12

^FinTxt3Press <Ctrl Enter>, select ^AdmRec^ONSRec ^FinTxt2

(0) Press <Ctrl Enter>

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: Edit = No
   ((Finish1 <> Cont) AND (Finish11 <> Cont)) AND (Finish12 <> Cont)
```

Press <Enter> and then <Ctrl Enter> to select B.U. or ^AdmREC^ONSRec.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU RESERVECHECK

RESERVECHECK

Block: FRS0405A.BU[]

FRS0405A.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

Block: FRS0405A

FRS0405A (continued)

FAMILY RESOURCES SURVEY 2004/2005

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMASOCDo [AdInBU[Loop2]] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMTitle[AdInBU[Loop2]] := BU[Loop1].QJobDes[Loop2].Subj1.Title
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMRespDo [AdInBU[Loop2]] :=
BU[Loop1].QJobDes[Loop2].Subj1.RespDo
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMQualif[AdInBU[Loop2]] :=
BU[Loop1].QJobDes[Loop2].Subj1.Qualif
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMFirmDo[AdInBU[Loop2]] :=
BU[Loop1].QJobDes[Loop2].Subj1.FirmDo
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMOEmpStat[AdInBU[Loop2]] :=
BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMOEmpNo [AdInBU[Loop2]] :=
ORD (BU[Loop1].QJobDes[Loop2].QMainJob.OEmpNo)
```

Block: FRS0405A

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMSVDesc[AdInBU[Loop2]] :=
BU[Loop1].QJobDes[Loop2].QMainJob.OSVDesc
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMSVise[AdInBU[Loop2]] :=
ORD (BU[Loop1].QJobDes[Loop2].QMainJob.OSVise)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QJobDes[Loop2].QMainJob.OEmpStat = RESPONSE
DMAdNo[AdInBU[Loop2]] := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
DMLkTime [AdInBU[Loop2]] :=
BU[Loop1].QCurSt1.Adult[Loop2].LkTime
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
DMDVILO3a[AdInBU[Loop2]] :=
BU[Loop1].QCurSt1.Adult[Loop2].DVILO3a
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
AND: AdInBU[Loop2] = RESPONSE
DMEverWrk[AdInBU[Loop2]] :=
BU [Loop1] .QCurSt2.Adult [Loop2] .EverWrk
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
DMDVJb12ML[AdInBU[Loop2]] :=
BU [Loop1].QCurSt2.Adult [Loop2].DVJb12ML
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1]. TotSav IN [To3000, To8000, To20000]
Admin.NCSRAdm.DMTotSav[Loop1] := Yes
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].TotSav <> EMPTY
Admin.NCSRAdm.DMTotSav[Loop1] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
AND: NOT (BU[Loop1].TotSav <> EMPTY)
Admin.NCSRAdm.DMTotSav[Loop1] := No
 \textit{Compute if:} \ \textit{In loop FOR Loop1 := 1 TO NewBU} 
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QEnd.Future[Loop2] = RESPONSE
Admin.NCSRAdm.DMFuture[AdInBU[Loop2]] :=
BU [Loop1].QEnd.Future [Loop2]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QEnd.Future[Loop2] = RESPONSE
Admin.NCSRAdm.DMFollow[AdInBU[Loop2]] :=
BU[Loop1].QEnd.Follow[Loop2]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QEnd.PProx[Loop2] = RESPONSE
Admin.NCSRAdm.DMProx[AdInBU[Loop2]] :=
BU[Loop1].QEnd.PProx[Loop2]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Loop2 := 1 TO 2
    AND: AdInBU[Loop2] = RESPONSE
    AND: BU[Loop1].QEnd.PProx[Loop2] = RESPONSE
DMProx[AdInBU[Loop2]] := BU[Loop1].QEnd.PProx[Loop2]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: (Edit = Yes) AND (Loop1 > 1)
Loop2 := (Loop1 + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: (Edit = Yes) AND (Loop1 > 1)
EdForce
    NOW PRESS <1> AND <Enter> TO EDIT Benefit_Unit[^Loop2].
```

1..1

Page 2578

Block: FRS0405A

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    RESERVECHECK
    RESERVECHECK
WARN IF: Edit = Yes
     (NBusRooms < 1) AND
    INVOLVING(BU[1].QSelfJob[1].Adult[1].BusRoom,BU[1].QSelfJob[1].Adult[2
    ].BusRoom,BU[2].QSelfJob[1].Adult[1].BusRoom,BU[2].QSelfJob[1].Adult[2
    ].BusRoom,BU[3].QSelfJob[1].Adult[1].BusRoom,BU[3].QSelfJob[1].Adult[2
    ].BusRoom,BU[4].QSelfJob[
    EDITOR: THERE ARE 'NBusRooms ROOMS USED EITHER WHOLLY OR PARTLY FOR
    BUSINESS (TOTAL ^QAccomDat.Rooms IN THE HOUSEHOLD).
    PLEASE FOLLOW THE EDIT INSTRUCTIONS.
COMPUTE ALWAYS:
```

AllProd := 0

COMPUTE ALWAYS:

PFull := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
AND: DMProx[Loop1] = RESPONSE
AND: DMProx[Loop1] = Personal

PFull := (PFull + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
AND: DMProx[Loop1] = RESPONSE

AllProd := (AllProd + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
AND: DMProx[Loop1] = RESPONSE

DMABUDone[DMBU[Loop1]] := Yes

Compute if: In loop FOR Loop1 := 1 TO HHSize AND: PRec[Loop1].Depend = Adult

DMABUDone[DMBU[Loop1]] := No

Block: FRS0405A.Recall

FRS0405A.Recall

RECORD IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)

AHHSize

0..14

COMPUTE IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)

AHHSize := PHHSize

FRS0405A.Recall.QNIRelig.NIRelig[]

```
RECORD IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)

AND: NatCen = NI

AND: In loop FOR idx := 1 TO HHSize

AND: DMAge[idx] >= 16
```

Name

STRING[12]

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: NatCen = NI
AND: In loop FOR idx := 1 TO HHSize
AND: DMAge[idx] >= 16
```

Religion

^DMName[idx]

If you don't mind, I am now going to ask you about your religion. Would you tell me what religion you are?

- (1) Yes
- (2) Unwilling to answer
- (3) No religion

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: NatCen = NI
AND: In loop FOR idx := 1 TO HHSize
AND: DMAge[idx] >= 16
AND: Religion = Yes
```

Denomin

What is the denomination?

- (1) Unwilling to answer
- (2) Catholic
- (3) Presbyterian
- (4) Church of Ireland
- (5) Methodist
- (6) Baptist
- (7) Free Presbyterian
- (8) Brethren
- (9) Protestant not specified
- (10) Other Protestant
- (11) Other Christian
- (12) Jewish
- (13) Other Non-Christian

FRS0405A.Recall.QNIRelig

COMPUTE IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)

AND: NatCen = NI

AND: In loop FOR idx := 1 TO HHSize AND: DMAge[idx] >= 16

NIRelig[idx].Name := DMName[[idx]

FRS0405A.Recall.QRecInt

COMPUTE IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)

AND: In loop FOR idx := 1 TO AHHSize

AND: (PRec[idx].Depend = Adult) AND (DMProx[idx] = Personal)

Person[idx].Name := DMName[[idx]

FRS0405A.Recall.QRecInt.Person[]

```
DISPLAY IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)

AND: In loop FOR idx := 1 TO AHHSize

AND: (PRec[idx].Depend = Adult) AND (DMProx[idx] = Personal)
```

Name

STRING[15]

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: (PRec[idx].Depend = Adult) AND (DMProx[idx] = Personal)
```

AskFut

INTERVIEWER: DO YOU WISH TO ASK THIS PERSON THE 'Permission to Recall' QUESTIONS NOW OR LATER?

(Willingness to do a follow-up study).

- (1) Now
- (2) Later

FRS0405A.Recall.QRecPers.Person[]

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
Future
     ASK OF ^DMName[idx]:
     IF THIS PERSON WAS INTERVIEWED BY PROXY, CODE 'NO' HERE.
     (1)
           Yes
     (2)
           No
           Depends/Maybe
     (3)
WARN IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     IN(Future, [???,???])
     Unusual answer, check.
Ask if: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
GiveTel
     ASK OF ^DMName[idx]:
     Please may I have a telephone number, so we can contact you?
     (1)
           Yes
     (2)
           No
           No phone
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
     AND: GiveTel = Yes
TelNo
     ASK OF ^DMName[idx]:
     INTERVIEWER:
     RECORD TELEPHONE NUMBER.
     (**** must be STD code and number ****)
```

STRING[15]

```
Ask If: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
   And: In loop FOR idx := 1 TO AHHSize
   And: QRecInt.Person[idx].AskFut = Now
   And: Future IN [Yes, Depends]
   And: NatCen <> NI
```

Follow

ASK OF ^DMName[idx]:

Supposing that some other independent research organisation, rather than ourselves, were carrying out that survey, would it be all right for us to pass on your details to them?^S^S By that, I mean your name and address, phone number and, if necessary, the answers you have given me today?

- (1) Yes
- (2) No

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
AND: Future IN [Yes, Depends]
AND: Future = Depends
```

OnlyIf

ASK OF ^DMName[idx]:

INTERVIEWER:

CODE MAIN CONDITION(S) TO THE FOLLOW-UP INTERVIEW.

SET [5] OF

- (1) Contact household beforehand
- (2) Only at a convenient time
- (3) Someone else (e.g. carer) needs to be there
- (4) Don't want to answer questions on financial matters
- (5) Don't want to answer other types of question

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
AND: Future IN [Yes, Depends]
AND: Future = Depends
AND: NotOther IN OnlyIf
```

OnlyIfO

ASK OF ^DMName[idx]:

INTERVIEWER:

SPECIFY THE OTHER TYPES OF QUESTION THE RESPONDENT DOESN'T WISH TO ANSWER.

STRING[40]

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
AND: Future IN [Yes, Depends]
```

Name

ASK OF ^DMName[idx]:

INTERVIEWER:

IT IS HELPFUL TO HAVE A NAME TO ASK FOR OR TO ADDRESS LETTERS TO: TITLE/INITIAL/SURNAME. RECORD AS MUCH OF THIS AS RESPONDENT WILL ALLOW. IF RESPONDENT REFUSES NAME, ENTER 0.

(1) PRESS ENTER TO CONTINUE

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
AND: Future IN [Yes, Depends]
```

Title

ASK OF ^DMName[idx]:

INTERVIEWER:

ENTER MR/MRS/MS/MISS etc.

IF RESPONDENT REFUSES NAME, ENTER 0.

STRING[4]

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
AND: Future IN [Yes, Depends]
```

Initial

ASK OF ^DMName[idx]:

INTERVIEWER:

ENTER one INITIAL.

IF RESPONDENT REFUSES NAME, ENTER 0.

STRING[1]

```
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
AND: Future IN [Yes, Depends]
```

Surname

ASK OF ^DMName[idx]:

INTERVIEWER:

ENTER SURNAME.

IF RESPONDENT REFUSES NAME, ENTER 0.

STRING[30]

```
Ask If: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)

AND: In loop FOR idx := 1 TO AHHSize

AND: QRecInt.Person[idx].AskFut = Now

AND: Future IN [Yes, Depends]
```

Moving

ASK OF ^DMName[idx]:

INTERVIEWER:

May I just check, are you likely to be moving from this address in the near future?

- (1) Yes
- (2) No

```
Ask if: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
AND: In loop FOR idx := 1 TO AHHSize
AND: QRecInt.Person[idx].AskFut = Now
AND: Future IN [Yes, Depends]
AND: NatCen <> NI
AND: Moving = No
```

SIUAdd

ASK OF ^DMName[idx]:

INTERVIEWER:

HAS THE S.I.U. INSTRUCTED YOU TO CHANGE ANY DETAILS OF THIS ADDRESS FROM HOW IT WAS ORIGINALLY SUPPLIED TO YOU?

Note from SIU: If the advance letter has reached the address and you had no problem finding it, then the address as stated is sufficient for postal purposes.

- (1) Yes
- (2) No

```
Ask if: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
AND: (Moving = Yes) OR (SIUAdd = Yes)
NewAdd
     ASK OF ^DMName[idx]:
     INTERVIEWER:
     COLLECT CHANGED, NEW OR CONTACT ADDRESS IN AS MUCH DETAIL AS POSSIBLE.
          PRESS ENTER TO CONTINUE
     (1)
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
AND: (Moving = Yes) OR (SIUAdd = Yes)
Add1
     ASK OF ^DMName[idx]:
     INTERVIEWER:
     ENTER FIRST LINE OF new ADDRESS.
     STRING[30]
Ask if: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
     AND: (Moving = Yes) OR (SIUAdd = Yes)
Add2
     ASK OF ^DMName[idx]:
     INTERVIEWER:
     ENTER SECOND LINE OF new ADDRESS.
     STRING[30]
Ask if: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
AND: (Moving = Yes) OR (SIUAdd = Yes)
Add3
     ASK OF ^DMName[idx]:
     INTERVIEWER:
     ENTER THIRD LINE OF new ADDRESS.
     STRING[30]
```

```
Ask if: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
AND: (Moving = Yes) OR (SIUAdd = Yes)
PostCode
     ASK OF ^DMName[idx]:
     INTERVIEWER:
     ENTER POSTCODE OF new ADDRESS.
     STRING[9]
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     AND: Future IN [Yes, Depends]
     AND: (Moving = Yes) OR (SIUAdd = Yes)
     AND: Moving = Yes
NewTel
     ASK OF ^DMName[idx]:
     INTERVIEWER:
     COLLECT NEW OR CONTACT TELEPHONE NUMBER IN AS MUCH DETAIL AS POSSIBLE.
     (**** must be STD code and number ****)
     - OR ENTER '0' FOR 'NONE'.
     STRING[15]
Ask IF: ((NatCen <> Yes) AND (HHSize > 0)) AND (PFull > 0)
     AND: In loop FOR idx := 1 TO AHHSize
     AND: QRecInt.Person[idx].AskFut = Now
     AND: NOT (Future IN [Yes, Depends])
RfReason
     ASK OF ^DMName[idx]:
```

INTERVIEWER:

CODE MAIN REASON(S) FOR REFUSAL TO THE FOLLOW-UP INTERVIEW.

SET [6] OF

- (1) Not interested
- (2) Taken too much time
- Have done it once/once is enough (3)
- (4) Ouestions are too repetitive
- Current survey is too intrusive, objected to subject matter (5)
- (6) Other

Block: FRS0405A

FRS0405A (continued)

FAMILY RESOURCES SURVEY 2004/2005

COMPUTE IF: HHSize > 0 Admin.AHHSize := HHSize COMPUTE IF: NOT (HHSize > 0) Admin.AHHSize := 0 COMPUTE IF: QCare. GiveHelp <> EMPTY Admin.HHEnd := Yes COMPUTE IF: NOT (QCare.GiveHelp <> EMPTY) Admin.HHEnd := No COMPUTE IF: BU[1].IncChnge <> EMPTY Admin.HRPEnd := Yes COMPUTE IF: NOT (BU[1].IncChnge <> EMPTY) Admin.HRPEnd := No COMPUTE ALWAYS: BUALLEnd := 0 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: BU[Loop1].IncChnge <> EMPTY Admin.BUEnd[Loop1] := Yes COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: BU[Loop1].IncChnge <> EMPTY BUALLEnd := (BUALLEnd + 1) COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: NOT (BU[Loop1].IncChnge <> EMPTY) Admin.BUEnd[Loop1] := No COMPUTE IF: (NotHH IN QHholder.HHldr) AND (QHholder.HHldr.CARDINAL = 1) Admin.HRPRef := HRPMiss COMPUTE IF: NOT ((NotHH IN QHholder.HHldr) AND (QHholder.HHldr.CARDINAL = 1) Admin.HRPRef := (HMissVar + HRPMiss)

COMPUTE ALWAYS:

Admin.OthRef := OthMiss

COMPUTE ALWAYS:

Admin.NCSRAdm.NewBU := NewBU

```
COMPUTE IF: Edit = No
AND: In loop FOR Loop1 := 1 TO HHSize
```

Admin.NCSRAdm.ABen[Loop1] := ABen[Loop1]

```
COMPUTE IF: Edit = No
AND: In loop FOR Loop1 := 1 TO HHSize
```

Admin.NCSRAdm.DMProx[Loop1] := DMProx[Loop1]

```
COMPUTE IF: Edit = No
AND: In loop FOR Loop4 := 1 TO NewBU
AND: In loop FOR Loop5 := 1 TO 2
AND: BU[Loop4].QEmpJob[SQR (Loop5)].Payslip = RESPONSE
```

Admin.NCSRAdm.DMPayslip[BU[Loop4].BUPerson[Loop5]] := BU[Loop4].QEmpJob[SQR(Loop5)].Payslip

```
COMPUTE IF: Edit = No
AND: In loop FOR Loop4 := 1 TO NewBU
AND: In loop FOR Loop5 := 1 TO 2
AND: BU[Loop4].QSelfJob[1].Adult[Loop5].ProfDocs = RESPONSE
```

Admin.NCSRAdm.ProfDocs[BU[Loop4].BUPerson[Loop5]] := ORD(BU[Loop4].QSelfJob[1].Adult[Loop5].ProfDocs)

```
COMPUTE IF: Edit = No
AND: QRenting.RentDoc = RESPONSE
```

Admin.NCSRAdm.RentDoc := ORD(QRenting.RentDoc)

```
COMPUTE IF: Edit = No
AND: QCounTax.CTConDoc = RESPONSE
```

Admin.NCSRAdm.CTConDoc := ORD(QCounTax.CTConDoc)

Block: FRS0405A.Admin

FRS0405A.Admin

RECORD ALWAYS:

AHHSize

Number of people in the household. Mirrors HHSize. Used to define a started questionnaire.

0..14

RECORD ALWAYS:

HHEnd

Household schedule has reached the end. Set by QCare.GiveHelp

- (1) Yes
- (2) No

RECORD ALWAYS:

HRPEnd

HRP Benefit unit reached the end. Set by BU[1].IncChnge

- (1) Yes
- (2) No

FRS0405A.Admin.NCSRAdm

ASK ALWAYS:

NewBU

Admin details for NatCen Booking-In system. Total number of Benefit Units.

0..7

ASK ALWAYS:

RentDoc

Admin details for NatCen Booking-In system.

Whether respondent has HB statement, or another rent document.

- (1) Housing Benefit Statement
- (2) Some other document
- (3) None

ASK ALWAYS:

CTConDoc

Admin details for NatCen Booking-In system. Whether respondent has Council Tax Book other CT document.

- (1) Yes consulted now
- (2) No no document (or will not consult)

Ask if: In loop FOR := 1 TO 14

ProfDocs

Admin details for NatCen Booking-In system. Whether self-employed consulted Tax document, etc.

- (1) Notice of Tax Assessment
- (2) Annual accounts (incl. summary)
- (3) Tax Return (self-employment section)
- (4) Some other document (describe in a Note)
- (5) No document consulted

ASK ALWAYS:

ASpare

Admin details for NatCen Booking-In system.

STRING[50]

Block: FRS0405A.Admin

FRS0405A.Admin (continued)

RECORD ALWAYS:

HRPRef

No of missing responses from HH grid plus HRP Benfit Unit.

0..997

RECORD ALWAYS:

OthRef

No of missing responses from the other Benefit Units.

0..997

FRS0405A.Admin.NCSRAdm

Ask if: Test = Yes

NewBU

Admin details for NatCen Booking-In system. Total number of Benefit Units.

0..7

Ask if: Test = Yes

RentDoc

Admin details for NatCen Booking-In system.

Whether respondent has HB statement, or another rent document.

- (1) Housing Benefit Statement
- (2) Some other document
- (3) None

Ask if: Test = Yes

CTConDoc

Admin details for NatCen Booking-In system.

Whether respondent has Council Tax Book other CT document.

- (1) Yes consulted now
- (2) No no document (or will not consult)

```
Ask if: Test = Yes
AND: In loop FOR := 1 TO 14
```

ProfDocs

Admin details for NatCen Booking-In system. Whether self-employed consulted Tax document, etc.

- (1) Notice of Tax Assessment
- (2) Annual accounts (incl. summary)
- (3) Tax Return (self-employment section)
- (4) Some other document (describe in a Note)
- (5) No document consulted

Ask if: Test = Yes

ASpare

Admin details for NatCen Booking-In system.

STRING[50]

Block: FRS0405A.Admin

FRS0405A.Admin (continued)

Ask if: Test = Yes

HRPRef

No of missing responses from HH grid plus HRP Benfit Unit.

0..997

Ask if: Test = Yes

OthRef

No of missing responses from the other Benefit Units.

0..997

COMPUTE ALWAYS:

```
NumRef := (HRPRef + OthRef)
```

```
Ask if: (DMProx[QHholder.DVHRPNum] = RESPONSE) AND ((HRPRef >= 12) OR (OthRef > (12 * (NewBU - 1))))
```

RefDK

```
**INTERVIEWER** - IMPORTANT!
```

There were too many 'Refusal' and/or DK answers at '^P amount' questions in this Questionnaire. Please ask repondent(s) to supply missing answers either now or later.

Press 1 and enter to continue.

(1) Continue

RECORD ALWAYS:

AdrChg

Address change on ARF?

- (1) Yes
- (2) No

COMPUTE IF: AdrCheck = Chang

AdrChg := Yes

RECORD ALWAYS:

TelNo2

Telephone number on ARF?

- (1) Number given (and recorded on ARF/Recall Card)
- (2) No access to telephone
- (3) Number refused

```
Ask IF: (TelNo2 = EMPTY AND DMProx[QHholder.DVHRPNum] <> EMPTY) AND (NatCen = Yes)
```

Telephon

Do you have a telephone on which you can receive calls?

- (1) Yes
- (2) No

```
Ask IF: (TelNo2 = EMPTY AND DMProx[QHholder.DVHRPNum] <> EMPTY) AND (NatCen = Yes)
AND: Telephon = Yes
```

TelNo1

A few interviews in any survey are checked by Head Office to make sure that people like yourself are satisfied with the way the interview was carried out. Just in case yours is one of the interviews that is checked, it would be helpful if we could have your telephone number.

IF GIVEN, WRITE TELEPHONE NUMBER ON A.R.F.

- (1) Number given (and recorded on ARF/Recall Card)
- (2) No access to telephone
- (3) Number refused

```
COMPUTE IF: (TelNo2 = EMPTY AND DMProx[QHholder.DVHRPNum] <> EMPTY) AND
  (NatCen = Yes)
AND: Telephon = Yes
```

TelNo2 := TelNo1

```
COMPUTE IF: (TelNo2 = EMPTY AND DMProx[QHholder.DVHRPNum] <> EMPTY) AND
  (NatCen = Yes)
AND: Telephon <> EMPTY
```

TelNo2 := NoAccs

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
```

NOFSOC := 0

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)

AND: In loop FOR idx := 1 TO AHHSize

AND: (DMASOCDo[idx] = Yes) OR (DMASOCDo[idx] = Done)
```

```
NOFSOC := (NOFSOC + 1)
```

```
Ask if: (NatCen = ONS) OR (Edit = Yes)
AND: NOFSOC > 0
```

SOCNow

Do you wish to do the S.O.C. coding now or later?

- (1) Now
- (2) Later

FRS0405A.Admin.QTOcc

Industry and Occupation coding

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LTitle := DMTitle[[LTLooper]
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LRespDo := DMRespDo[[LTLooper]
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LFirmDo := DMFirmDo[[LTLooper]
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LQualif := DMQualif[[LTLooper]
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LSVDesc := DMSVDesc[[LTLooper]
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LSVise := DMSVise[[LTLooper]
```

FRS0405A.Admin.QTOcc.QSOC[]

Coding for each person in HH

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LPId := PId
RECORD IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
Person
    Person identifier
    0..14
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
Person := LPId
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LOEmpStat := PEmpStat
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LOEmpNo := PEmpNo
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[1] := 'Self-employed : large establishment (25+
employees)'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[2] := 'Self-employed : small establishment (1-24
employees)'
```

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[3] := 'Self-employed : no employees'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[4] := 'Manager/Supervisor : large establishment (25+
employees)'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[5] := 'Manager/Supervisor : small establishment (1-24
employees)'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[6] := 'Manager or supervisor'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[7] := 'Employee (not elsewhere classified)'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vempstat := vemptxt[LOEmpStat]
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: LOEmpStat IN [1 .. 3]
AXStat := SelfEmp
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: LOEmpStat IN [4 .. 7]
AXStat := Emp
```

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
AND: NOT (LOEmpStat IN [4 . . 7])
AXStat := Missing
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LSVise = 1
AXSVise := Yes
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LSVise = 2
AXSVise := No
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: NOT (LSVise = 2)
AXSVise := Missing
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LOEmpNo > 0
AXEmpNo := LOEmpNo
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: NOT (LOEmpNo > 0)
AXEmpNo := Missing
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LOEmpStat IN [1 .. 2]
AXSolo := WithEmp
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LOEmpStat = 3
AXSolo := OnOwn
```

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: NOT (LOEmpStat = 3)
AXSolo := Missing
RECORD IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
ESSummary
    Summary of Employment status information for use at SOC2000
    STRING[120]
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXStat = Emp
ESSummary := 'Employee'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXStat = SelfEmp
ESSummary := 'Self-employed'
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXSVise = Yes
ESSummary := (ESSummary + ', supervises work of other people')
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXSVise = No
ESSummary := (ESSummary + ', does not supervise work of other
people')
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXSolo = OnOwn
ESSummary := (ESSummary + ', no employees')
```

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXSolo = WithEmp
ESSummary := (ESSummary + ', employs')
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXEmpNo = n1 24
ESSummary := (ESSummary + ', 1-24 employees in organisation')
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXEmpNo = n25 499
ESSummary := (ESSummary + ', 25-499 employees in organisation')
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXEmpNo = n500plus
ESSummary := (ESSummary + ', 500 or more employees (major
organisation)')
RECORD IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
IndexNo
    Index number of SOC2000 entry selected in coding index
    0..999999
```

```
RECORD IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
ES2000
     Employment status (NB: different from pre-2000)
     1 Self-employed : large establishment (25+ employees)
     2 Self-employed: small establishment (1-24 employees)
     3 Self-employed: no employees
     4 Manager : large establishment (25+ employees)
     5 Manager : small establishment (1-24 employees)
     6 Foreman or supervisor
     7 Employee (not elsewhere classified)
     8 No employment status info given - for use in this program only
     (1)
           Self-employed: large establishment (25+ employees)
           Self-employed: small establishment (1-24 employees)
     (2)
           Self-employed: no employees
     (3)
           Manager: large establishment (25+ employees)
     (4)
           Manager: small establishment (1-24 employees)
     (5)
     (6)
           Foreman or supervisor
     (7)
           Employee (not elsewhere classified)
     (8)
           No employment status info given - for use in this program only
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: no information at all on employment status
ES2000 := NoInfo
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: Self-employed
     AND: SE - no employees
ES2000 := senoemp
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: Self-employed
     AND: SE- employer
     AND: SE-Large establishment
ES2000 := se25plus
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
     AND: SOCNow = Now
     AND: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: Self-employed
     AND: SE- employer
     AND: SE-Small establishment
ES2000 := se1 24
```

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Self-employed
    AND: SE- employer
    AND: Default if missing info on SENo
ES2000 := se1 24
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNOW = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Self-employed
    AND: Default if missing info on Solo
ES2000 := senoemp
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Employee
    And: Major Group 1
    AND: Managers - large estab
ES2000 := man25plus
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Employee
    AND: Major Group 1
    AND: Managers - small estab.
ES2000 := man1 24
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Employee
    And: Major Group 1
    AND: DEFAULT if missing info on EmpNo
ES2000 := man1 24
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)
    AND: SOCNow = Now
    AND: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Employee
    AND: Not in MG 1
    AND: Supervisory role
ES2000 := supvise
```

COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)

AND: SOCNow = Now
AND: In loop FOR LTLooper := 1 TO HHSize AND: DMASOCDo[LTLooper] IN [Yes, Done]

AND: Employee

AND: Not in MG 1

AND: NOT (Supervisory role)

ES2000 := employee

DISPLAY IF: (NatCen = ONS) OR (Edit = Yes)

AND: SOCNow = Now

AND: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

NSSEC

Page 2610

```
======= -- Standard
SPSS code for these value labels is available ----
(1/2/3 Higher managerial & professional occupations - Class 1)
(1/2 Large employers and higher managerial occupations - Class 1.1)
1 Employers in large organisations
2 Higher managerial
(3 Higher professional occupations - Class 1.2)
3.1 Higher professional (traditional) - employees
3.2 Higher professional (new) - employees
3.3 Higher professional (traditional) - self-employed
3.4 Higher professional (new) - self-employed
(4/5/6 Lower managerial and professional occupations - Class 2)
4.1 Lower professional & higher technical (traditional) - employees
4.2 Lower professional & higher technical (new) - employees
4.3 Lower professional & higher technical (traditional) - self-employed
4.4 Lower professional & higher technical (new) - self-employed
5 Lower managerial
6 Higher supervisory
(7 Intermediate occupations - Class 3)
7.1 Intermediate clerical and administrative
7.2 Intermediate sales and service
7.3 Intermediate technical and auxiliary
7.4 Intermediate engineering
(8/9 Small employers and own account workers - Class 4)
8.1 Employers (small organisations, non-professional)
8.2 Employers (small - agriculture)
9.1 Own account workers (non-professional)
9.2 Own account workers (agriculture)
(10/11 Lower supervisory & technical occupations - Class 5)
10 Lower supervisory
11.1 Lower technical craft
11.2 Lower technical process operative
(12 Semi-routine Occupations - Class 6)
12.1 Semi-routine sales
12.2 Semi-routine service
12.3 Semi-routine technical
12.4 Semi-routine operative
12.5 Semi-routine agricultural
12.6 Semi-routine clerical
12.7 Semi-routine childcare
(13 Routine occupations - Class 7)
13.1 Routine sales and service
13.2 Routine production
13.3 Routine technical
13.4 Routine operative
13.5 Routine agricultural
Following not derived in this block - needs survey specific information
(14/15/16/17 Not classified - Class 8)
14.1 Never worked
14.2 Long-term unemployed
15 Full-time students
16 Occupations not stated or inadequately described
17 Not classifiable for other reasons
```

0.0..17.0

```
RECORD IF: (NatCen = ONS) OR (Edit = Yes)
```

AND: SOCNow = Now

AND: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

SECFlag

Indicator for status of SEC

0 - valid combination of SEC and ES2000 1 - invalid combination 2 - no employment status info - simplified SEC used

0..2

```
DISPLAY IF: (NatCen = ONS) OR (Edit = Yes)
      AND: SOCNow = Now
      AND: In loop FOR LTLooper := 1 TO HHSize
      AND: DMASOCDo[LTLooper] IN [Yes, Done]
NSSECB
      SPSS code for these value labels is available ----
       (1/2/3 Higher managerial & professional occupations - Class 1)
       (1/2 Large employers and higher managerial occupations - Class 1.1)
       1 Employers in large organisations
       2 Higher managerial
       (3 Higher professional occupations - Class 1.2)
       3.1 Higher professional (traditional) - employees
       3.2 Higher professional (new) - employees
       3.3 Higher professional (traditional) - self-employed
       3.4 Higher professional (new) - self-employed
       (4/5/6 Lower managerial and professional occupations - Class 2)
       4.1 Lower professional & higher technical (traditional) - employees
       4.2 Lower professional & higher technical (new) - employees
       4.3 Lower professional & higher technical (traditional) - self-employed
       4.4 Lower professional & higher technical (new) - self-employed
       5 Lower managerial
       6 Higher supervisory
       (7 Intermediate occupations - Class 3)
       7.1 Intermediate clerical and administrative
       7.2 Intermediate sales and service
       7.3 Intermediate technical and auxiliary
       7.4 Intermediate engineering
       (8/9 Small employers and own account workers - Class 4)
       8.1 Employers (small organisations, non-professional)
       8.2 Employers (small - agriculture)
       9.1 Own account workers (non-professional)
       9.2 Own account workers (agriculture)
       (10/11 Lower supervisory & technical occupations - Class 5)
       10 Lower supervisory
       11.1 Lower technical craft
       11.2 Lower technical process operative
       (12 Semi-routine Occupations - Class 6)
       12.1 Semi-routine sales
       12.2 Semi-routine service
       12.3 Semi-routine technical
       12.4 Semi-routine operative
       12.5 Semi-routine agricultural
       12.6 Semi-routine clerical
       12.7 Semi-routine childcare
       (13 Routine occupations - Class 7)
       13.1 Routine sales and service
       13.2 Routine production
       13.3 Routine technical
       13.4 Routine operative
       13.5 Routine agricultural
       (14/15/16/17 Not classified - Class 8)
       14.1 Never worked
       14.2 Long-term unemployed
       15 Full-time students
       16 Occupations not stated or inadequately described
       17 Not classifiable for other reasons
```

Page 2613

0.0..17.0

DISPLAY IF: (NatCen = ONS) OR (Edit = Yes) AND: SOCNow = Now AND: In loop FOR LTLooper := 1 TO HHSize AND: DMASOCDo[LTLooper] IN [Yes, Done] **NSSEC8** SPSS code for these value labels is available ----1.1 Large employers and higher managerial occupations 1.2 Higher professional occupations 2 Lower managerial and professional occupations 3 Intermediate occupations 4 Small employers and own account workers 5 Lower supervisory & technical occupations 6 Semi-routine Occupations 7 Routine occupations 8 Never worked and long term unemployed 97 Not classified 0.0..97.0 **DISPLAY IF:** (NatCen = ONS) OR (Edit = Yes) AND: SOCNow = Now AND: In loop FOR LTLooper := 1 TO HHSize AND: DMASOCDo[LTLooper] IN [Yes, Done] NSSEC5 ======= -- Standard SPSS code for these value labels is available ----1 Managerial and professional occupations 2 Intermediate occupations 3 Small employers and own account workers 4 Lower supervisory & technical occupations 5 Semi-routine Occupations 96 Never worked and long term unemployed 97 Not classified

0.0..97.0

```
DISPLAY IF: (NatCen = ONS) OR (Edit = Yes)
AND: SOCNow = Now
AND: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]
```

NSSEC3

SPSS code for these value labels is available ----

- 1 Managerial and professional occupations
- 2 Intermediate occupations
- 3 Routine and manual occupations
- 96 Never worked and long term unemployed
- 97 Not classified

0.0..97.0

```
WARN IF: (NatCen = ONS) OR (Edit = Yes)
AND: SOCNow = Now
AND: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]
ERROR AND INVOLVING(SOC2000)
```

The employment status for the code you selected ($^{\wedge} XSOC2000$) is unlikely to be: $^{\wedge} ES2000$

Please check above details and assign new SOC code if necessary

FRS0405A.Admin.QTOcc (continued)

Industry and Occupation coding

```
COMPUTE IF: (NatCen = ONS) OR (Edit = Yes)

AND: SOCNOW = NOW

AND: In loop FOR LTLooper := 1 TO HHSize

AND: DMASOCDo[LTLooper] IN [Yes, Done]

AND: QSOC[LTLooper] .SOC2000 <> EMPTY AND ((QSOC[LTLooper].SIC1 = RESPONSE))

DMASOCDo[[LTLooper] := Done
```

FRS0405A.Admin.QTOcc

Industry and Occupation coding

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

LTitle := DMTitle[[LTLooper]

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

LRespDo := DMRespDo[[LTLooper]

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

LFirmDo := DMFirmDo[[LTLooper]

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

LQualif := DMQualif[[LTLooper]

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

LSVDesc := DMSVDesc[[LTLooper]

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

LSVise := DMSVise[[LTLooper]

FRS0405A.Admin.QTOcc.QSOC[]

Coding for each person in HH

```
Compute if: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
LPId := PId
RECORD IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
Person
     Person identifier
     0..14
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
Person := LPId
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
LOEmpStat := PEmpStat
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]
LOEmpNo := PEmpNo
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[1] := 'Self-employed : large establishment (25+
employees)'
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[2] := 'Self-employed : small establishment (1-24
employees)'
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[3] := 'Self-employed : no employees'
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[4] := 'Manager/Supervisor : large establishment (25+
employees)'
```

```
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[5] := 'Manager/Supervisor : small establishment (1-24
employees)'
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[6] := 'Manager or supervisor'
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
vemptxt[7] := 'Employee (not elsewhere classified)'
Compute if: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
vempstat := vemptxt[LOEmpStat]
Compute if: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LOEmpStat IN [1 .. 3]
AXStat := SelfEmp
Compute if: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LOEmpStat IN [4 ... 7]
AXStat := Emp
Compute if: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDO[LTLooper] IN [Yes, Done]
AND: NOT (LOEmpStat IN [4 . . 7])
AXStat := Missing
Compute if: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LSVise = 1
AXSVise := Yes
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LSVise = 2
AXSVise := No
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: NOT (LSVise = 2)
AXSVise := Missing
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: LOEmpNo > 0
AXEmpNo := LOEmpNo
```

```
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: NOT (LOEmpNo > 0)
AXEmpNo := Missing
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: LOEmpStat IN [1 .. 2]
AXSolo := WithEmp
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: LOEmpStat = 3
AXSolo := OnOwn
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: NOT (LOEmpStat = 3)
AXSolo := Missing
RECORD IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
ESSummary
    Summary of Employment status information for use at SOC2000
    STRING[120]
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXStat = Emp
ESSummary := 'Employee'
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXStat = SelfEmp
ESSummary := 'Self-employed'
Compute if: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXSVise = Yes
ESSummary := (ESSummary + ', supervises work of other people')
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXSVise = No
ESSummary := (ESSummary + ', does not supervise work of other
people')
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: AXSolo = OnOwn
ESSummary := (ESSummary + ', no employees')
```

```
Compute if: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: AXSolo = WithEmp
ESSummary := (ESSummary + ', employs')
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: AXEmpNo = n1 \ 24
ESSummary := (ESSummary + ', 1-24 employees in organisation')
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: AXEmpNo = n25 499
ESSummary := (ESSummary + ', 25-499 employees in organisation')
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
     AND: AXEmpNo = n500plus
ESSummary := (ESSummary + ', 500 or more employees (major
organisation)')
RECORD IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
IndexNo
     Index number of SOC2000 entry selected in coding index
     0..999999
RECORD IF: In loop FOR LTLooper := 1 TO HHSize
     AND: DMASOCDo[LTLooper] IN [Yes, Done]
ES2000
     Employment status (NB: different from pre-2000)
     1 Self-employed : large establishment (25+ employees)
     2 Self-employed: small establishment (1-24 employees)
     3 Self-employed: no employees
     4 Manager : large establishment (25+ employees)
     5 Manager: small establishment (1-24 employees)
     6 Foreman or supervisor
     7 Employee (not elsewhere classified)
     _____
     8 No employment status info given - for use in this program only
          Self-employed: large establishment (25+ employees)
     (1)
          Self-employed: small establishment (1-24 employees)
     (2)
     (3)
          Self-employed: no employees
     (4)
          Manager: large establishment (25+ employees)
     (5)
          Manager: small establishment (1-24 employees)
          Foreman or supervisor
     (6)
     (7)
          Employee (not elsewhere classified)
     (8)
          No employment status info given - for use in this program only
```

```
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: no information at all on employment status
ES2000 := NoInfo
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Self-employed
    AND: SE - no employees
ES2000 := senoemp
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Self-employed
    AND: SE- employer
    AND: SE-Large establishment
ES2000 := se25plus
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Self-employed
    AND: SE- employer
    AND: SE-Small establishment
ES2000 := se1 24
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Self-employed
    AND: SE- employer
    AND: Default if missing info on SENo
ES2000 := se1 24
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Self-employed
    AND: Default if missing info on Solo
ES2000 := senoemp
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    AND: Employee
    AND: Major Group 1
    AND: Managers - large estab
ES2000 := man25plus
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
    And: Employee
    AND: Major Group 1
    AND: Managers - small estab.
ES2000 := man1 24
```

```
COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize
    AND: DMASOCDo[LTLooper] IN [Yes, Done]
```

AND: Employee AND: Major Group 1

AND: DEFAULT if missing info on EmpNo

ES2000 := man1_24

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize AND: DMASOCDo[LTLooper] IN [Yes, Done]

AND: Employee AND: Not in MG 1 AND: Supervisory role

ES2000 := supvise

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize

AND: DMASOCDo[LTLooper] IN [Yes, Done]

AND: Employee

AND: Not in MG 1
AND: NOT (Supervisory role)

ES2000 := employee

DISPLAY IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

NSSEC

```
======= -- Standard
SPSS code for these value labels is available ----
(1/2/3 Higher managerial & professional occupations - Class 1)
(1/2 Large employers and higher managerial occupations - Class 1.1)
1 Employers in large organisations
2 Higher managerial
(3 Higher professional occupations - Class 1.2)
3.1 Higher professional (traditional) - employees
3.2 Higher professional (new) - employees
3.3 Higher professional (traditional) - self-employed
3.4 Higher professional (new) - self-employed
(4/5/6 Lower managerial and professional occupations - Class 2)
4.1 Lower professional & higher technical (traditional) - employees
4.2 Lower professional & higher technical (new) - employees
4.3 Lower professional & higher technical (traditional) - self-employed
4.4 Lower professional & higher technical (new) - self-employed
5 Lower managerial
6 Higher supervisory
(7 Intermediate occupations - Class 3)
7.1 Intermediate clerical and administrative
7.2 Intermediate sales and service
7.3 Intermediate technical and auxiliary
7.4 Intermediate engineering
(8/9 Small employers and own account workers - Class 4)
8.1 Employers (small organisations, non-professional)
8.2 Employers (small - agriculture)
9.1 Own account workers (non-professional)
9.2 Own account workers (agriculture)
(10/11 Lower supervisory & technical occupations - Class 5)
10 Lower supervisory
11.1 Lower technical craft
11.2 Lower technical process operative
(12 Semi-routine Occupations - Class 6)
12.1 Semi-routine sales
12.2 Semi-routine service
12.3 Semi-routine technical
12.4 Semi-routine operative
12.5 Semi-routine agricultural
12.6 Semi-routine clerical
12.7 Semi-routine childcare
(13 Routine occupations - Class 7)
13.1 Routine sales and service
13.2 Routine production
13.3 Routine technical
13.4 Routine operative
13.5 Routine agricultural
Following not derived in this block - needs survey specific information
(14/15/16/17 Not classified - Class 8)
14.1 Never worked
14.2 Long-term unemployed
15 Full-time students
16 Occupations not stated or inadequately described
17 Not classifiable for other reasons
```

0.0..17.0

RECORD IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

SECFlag

Indicator for status of SEC

0 - valid combination of SEC and ES2000 1 - invalid combination 2 - no employment status info - simplified SEC used

0..2

DISPLAY IF: In loop FOR LTLooper := 1 TO HHSize
AND: DMASOCDo[LTLooper] IN [Yes, Done]

NSSECB

SPSS code for these value labels is available ----(1/2/3 Higher managerial & professional occupations - Class 1) (1/2 Large employers and higher managerial occupations - Class 1.1) 1 Employers in large organisations 2 Higher managerial (3 Higher professional occupations - Class 1.2) 3.1 Higher professional (traditional) - employees 3.2 Higher professional (new) - employees 3.3 Higher professional (traditional) - self-employed 3.4 Higher professional (new) - self-employed (4/5/6 Lower managerial and professional occupations - Class 2) 4.1 Lower professional & higher technical (traditional) - employees 4.2 Lower professional & higher technical (new) - employees 4.3 Lower professional & higher technical (traditional) - self-employed 4.4 Lower professional & higher technical (new) - self-employed 5 Lower managerial 6 Higher supervisory (7 Intermediate occupations - Class 3) 7.1 Intermediate clerical and administrative 7.2 Intermediate sales and service 7.3 Intermediate technical and auxiliary 7.4 Intermediate engineering (8/9 Small employers and own account workers - Class 4) 8.1 Employers (small organisations, non-professional) 8.2 Employers (small - agriculture) 9.1 Own account workers (non-professional) 9.2 Own account workers (agriculture) (10/11 Lower supervisory & technical occupations - Class 5) 10 Lower supervisory 11.1 Lower technical craft 11.2 Lower technical process operative (12 Semi-routine Occupations - Class 6) 12.1 Semi-routine sales 12.2 Semi-routine service 12.3 Semi-routine technical 12.4 Semi-routine operative 12.5 Semi-routine agricultural 12.6 Semi-routine clerical 12.7 Semi-routine childcare (13 Routine occupations - Class 7) 13.1 Routine sales and service 13.2 Routine production 13.3 Routine technical 13.4 Routine operative 13.5 Routine agricultural (14/15/16/17 Not classified - Class 8) 14.1 Never worked 14.2 Long-term unemployed 15 Full-time students 16 Occupations not stated or inadequately described 17 Not classifiable for other reasons

0.0..17.0

DISPLAY IF: In loop FOR LTLooper := 1 TO HHSize AND: DMASOCDo[LTLooper] IN [Yes, Done] NSSEC8 SPSS code for these value labels is available ----1.1 Large employers and higher managerial occupations 1.2 Higher professional occupations 2 Lower managerial and professional occupations 3 Intermediate occupations 4 Small employers and own account workers 5 Lower supervisory & technical occupations 6 Semi-routine Occupations 7 Routine occupations 8 Never worked and long term unemployed 97 Not classified 0.0..97.0 DISPLAY IF: In loop FOR LTLooper := 1 TO HHSize AND: DMASOCDo[LTLooper] IN [Yes, Done] NSSEC5 ======= -- Standard SPSS code for these value labels is available ----1 Managerial and professional occupations 2 Intermediate occupations 3 Small employers and own account workers 4 Lower supervisory & technical occupations 5 Semi-routine Occupations 96 Never worked and long term unemployed 97 Not classified 0.0..97.0 Display if: In loop FOR LTLooper := 1 TO HHSize AND: DMASOCDo[LTLooper] IN [Yes, Done] NSSEC3 SPSS code for these value labels is available ----1 Managerial and professional occupations 2 Intermediate occupations 3 Routine and manual occupations 96 Never worked and long term unemployed 97 Not classified 0.0..97.0

WARN IF: In loop FOR LTLooper := 1 TO HHSize
 AND: DMASOCDo[LTLooper] IN [Yes, Done]
 ERROR AND INVOLVING(SOC2000)

The employment status for the code you selected ($^{\wedge} XSOC2000$) is unlikely to be: $^{\wedge} ES2000$

Please check above details and assign new SOC code if necessary

FRS0405A.Admin.QTOcc (continued)

Industry and Occupation coding

COMPUTE IF: In loop FOR LTLooper := 1 TO HHSize

AND: DMASOCDo[LTLooper] IN [Yes, Done]
AND: QSOC[LTLooper] .SOC2000 <> EMPTY AND ((QSOC[LTLooper].SIC1 = RESPONSE) OR (QSOC[LTLooper].SIC = RESPONSE))

DMASOCDo[[LTLooper] := Done

FRS0405A.Admin (continued)

```
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: Full-time student
QTOcc.QSOC[j].NSSECB := 15
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: Ever worked
    AND: ((DMDVILO3a[j] = Unemp) AND (DMLkTime[j] = YearPlus)) AND
     (DMDVJb12ML[j] = NoJb12ML)
QTOcc.QSOC[j].NSSECB := 14.2
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[\bar{j}] >= 16
    AND: Ever worked
    AND: NOT (((DMDVILO3a[j] = Unemp) AND (DMLkTime[j] = YearPlus)) AND
     (DMDVJb12ML[j] = NoJb12ML)
QTOcc.QSOC[j].NSSECB := QTOcc.QSOC[j].NSSEC
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: DMEverWrk[j] = No
    AND: (DMDVILO3a[j] = Unemp) AND (DMLkTime[j] = YearPlus)
QTOcc.QSOC[j].NSSECB := 14.2
COMPUTE IF: In loop FOR j := 1 TO AHHSize

AND: DMAge[j] >= 16
    AND: DMEverWrk[j] = No
    AND: NOT ((DMDVILO3a[j] = Unemp)) AND (DMLkTime[j] = YearPlus)
QTOcc.QSOC[j].NSSECB := 14.1
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: NOT (DMEverWrk[j] = No)
QTOcc.QSOC[j].NSSECB := QTOcc.QSOC[j].NSSEC
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: QTOCC.QSOC[j].NSSECB = EMPTY
    AND: (QTOcc.QSOC[j].SOC2000 = DONTKNOW) OR (QTOcc.QSOC[j].SOC2000 =
    REFUSAL)
QTOcc.QSOC[j].NSSECB := 16
Compute if: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: QTOCC.QSOC[j].NSSECB = EMPTY
    AND: NOT ((QTOCC.QSOC[j].SOC2000 = DONTKNOW) OR (QTOCC.QSOC[j].SOC2000
    = REFUSAL)
QTOcc.QSOC[j].NSSECB := 17
```

```
COMPUTE IF: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[j] >= 16
                 AND: (QTOCC.QSOC[j].NSSECB = 1) OR (QTOCC.QSOC[j].NSSECB = 2)
QTOcc.QSOC[j].NSSEC8 := 1.1
COMPUTE IF: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[i] >= 16
                  \textbf{AND:} \quad (((QTOcc.QSOC[j].NSSECB = 3.1) \ OR \ (QTOcc.QSOC[j].NSSECB = 3.2)) \ OR 
                 (QTOcc.QSOC[j].NSSECB = 3.3)) OR (QTOcc.QSOC[j].NSSECB = 3.4)
QTOcc.QSOC[j].NSSEC8 := 1.2
COMPUTE IF: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[j] >= 16
                 \textbf{AND:} \hspace{0.1in} (((((QTOcc.QSOC[j].NSSECB = 4.1) \ OR \ (QTOcc.QSOC[j].NSSECB = 4.2))
                 OR (QTOCC.QSOC[j].NSSECB = 4.3)) OR (QTOCc.QSOC[j].NSSECB = 4.4)) OR
                 (QTOcc.QSOC[j].NSSECB = 5)) OR (QTOcc.QSOC[j].NSSECB = 6)
QTOcc.QSOC[j].NSSEC8 := 2
Compute if: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[j] >= 16
                 AND: (((QTOcc.QSOC[j].NSSECB = 7.1) OR (QTOcc.QSOC[j].NSSECB = 7.2)) OR
                 (QTOcc.QSOC[j].NSSECB = 7.3)) OR (QTOcc.QSOC[j].NSSECB = 7.4)
QTOcc.QSOC[j].NSSEC8 := 3
COMPUTE IF: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[j] >= 16
                 AND: (((QTOCC.QSOC[j].NSSECB = 8.1) OR (QTOCC.QSOC[j].NSSECB = 8.2)) OR
                 (QTOcc.QSOC[j].NSSECB = 9.1)) OR (QTOcc.QSOC[j].NSSECB = 9.2)
QTOcc.QSOC[j].NSSEC8 := 4
COMPUTE IF: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[j] >= 16
                 AND: ((QTOcc.QSOC[j].NSSECB = 10) OR (QTOcc.QSOC[j].NSSECB = 11.1)) OR
                 (QTOcc.QSOC[j].NSSECB = 11.2)
QTOcc.QSOC[j].NSSEC8 := 5
COMPUTE IF: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[\bar{j}] >= 16
                 AND: (((((QTOcc.QSOC[i].NSSECB = 12.1) OR (QTOcc.QSOC[i].NSSECB = 12.1)) OR (QTOcc.QSOC[i].NSSECB = 12.1) OR (QTOcc.QSOC[i].NSSECB + 12.1) OR (QTOcc.QSOC[i].NSSECB + 12.1) OR (QTOcc.QSOC[i].NSSECB + 12.1) OR (QTOcc.QSOC[i].NSSECB
                 (2.2) OR (QTOcc.QSOC[j].NSSECB = 12.3) OR (QTOcc.QSOC[j].NSSECB = 12.3)
                 12.4)) OR (QTOcc.QSOC[j].NSSECB = 12.5)) OR (QTOcc.QSOC[j].NSSECB = 12.5)
                 (2.6)) OR (QTOcc.QSOC[j].NSSECB = 12.7)
QTOcc.QSOC[j].NSSEC8 := 6
COMPUTE IF: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[j] >= 16
                 AND: ((((QTOcc.QSOC[j].NSSECB = 13.1) OR (QTOcc.QSOC[j].NSSECB = 13.2))
                  \textit{OR} \quad (\textit{QTOcc.QSOC[j]}.\textit{NSSECB} = 13.3)) \quad \textit{OR} \quad (\textit{QTOcc.QSOC[j]}.\textit{NSSECB} = 13.4)) \quad \textit{OR} \quad (\textit{QTOcc.QSOC[j]}.\textit{NSSECB} = 13.4) \quad \textit{OR} \quad (\textit{QTOcc.QSOC[j]}.\textit{NSSECB} = 13.4) \quad \textit{OR} \quad (\textit{QTOcc.QSOC[j]}.\textit{OR} \quad (\textit{QTOcc.QSOC
                  (QTOcc.QSOC[j].NSSECB = 13.5)
QTOcc.QSOC[i].NSSEC8 := 7
Compute if: In loop FOR j := 1 TO AHHSize
                 AND: DMAge[j] >= 16
                 AND: (QTOCC.QSOC[j].NSSECB = 14.1) OR (QTOCC.QSOC[j].NSSECB = 14.2)
QTOcc.QSOC[j].NSSEC8 := 8
```

```
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: ((QTOcc.QSOC[j].NSSECB = 15) OR (QTOcc.QSOC[j].NSSECB = 16)) OR
     (QTOcc.QSOC[i].NSSECB = 17)
QTOcc.QSOC[j].NSSEC8 := 97
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: ((QTOcc.QSOC[j].NSSEC8 = 1.1) OR (QTOcc.QSOC[j].NSSEC8 = 1.2)) OR
     (QTOcc.QSOC[j].NSSEC8 = 2)
OTOcc.OSOC[i].NSSEC5 := 1
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: QTOCC.QSOC[j].NSSEC8 = 3
QTOcc.QSOC[j].NSSEC5 := 2
COMPUTE IF: In loop FOR j := 1 TO AHHSize
AND: DMAge[j] >= 16
    AND: QTOcc.QSOC[j].NSSEC8 = 4
QTOcc.QSOC[j].NSSEC5 := 3
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[\overline{j}] >= 16
    AND: QTOcc.QSOC[j].NSSEC8 = 5
QTOcc.QSOC[j].NSSEC5 := 4
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[\bar{j}] >= 16
    AND: (QTOcc.QSOC[j].NSSEC8 = 6) OR (QTOcc.QSOC[j].NSSEC8 = 7)
QTOcc.QSOC[j].NSSEC5 := 5
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[\bar{j}] >= 16
    AND: QTOcc.QSOC[j].NSSEC8 = 8
QTOcc.QSOC[j].NSSEC5 := 96
Compute if: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: QTOcc.QSOC[j].NSSEC8 = 97.00000000000001
QTOcc.QSOC[j].NSSEC5 := 97
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: QTOcc.QSOC[j].NSSEC5 = 1
QTOcc.QSOC[j].NSSEC3 := 1
COMPUTE IF: In loop FOR j := 1 TO AHHSize
    AND: DMAge[j] >= 16
    AND: (QTOcc.QSOC[j].NSSEC5 = 2) OR (QTOcc.QSOC[j].NSSEC5 = 3)
QTOcc.QSOC[j].NSSEC3 := 2
```

```
Compute if: In loop FOR j := 1 TO AHHSize
     AND: DMAge[\bar{j}] >= 16
     AND: (QTOcc.QSOC[j].NSSEC5 = 4) OR (QTOcc.QSOC[j].NSSEC5 = 5)
QTOcc.QSOC[j].NSSEC3 := 3
Compute if: In loop FOR j := 1 TO AHHSize
     AND: DMAge[j] >= 16
     AND: QTOCC.QSOC[j].NSSEC5 = 96
QTOcc.QSOC[j].NSSEC3 := 96
COMPUTE IF: In loop FOR j := 1 TO AHHSize
     AND: DMAge[j] >= 16
     AND: QTOCC.QSOC[j].NSSEC5 = 97.0000000000001
QTOcc.QSOC[j].NSSEC3 := 97
CHECK IF: NatCen = ONS
     AND: AHHSize > 0
     (HStatus = Start) OR (HStatus = Admin)
     (HStatus = Start) OR (HStatus = Admin)
COMPUTE IF: NatCen IN [Yes, NI]
     AND: AHHSize > 0
HStatus := Start
ASK ALWAYS:
MenuNote
     Reminder/Note for opening menu.
     OPTIONAL: If nothing to say, just press <Enter>.
     Enter here any useful details you wish to appear on the opening menu.
     STRING[50]
RECORD ALWAYS:
TotTime
     Total hours spent interviewing.
     JUST PRESS <Enter>.
     TIME
RECORD ALWAYS:
TotMins
     Total time in minutes spent interviewing.
```

JUST PRESS <Enter>.

0.00..1440.00

Page 2634

DISPLAY ALWAYS:

TotTime

Total hours spent interviewing.

JUST PRESS <Enter>.

TIME

DISPLAY ALWAYS:

TotMins

Total time in minutes spent interviewing.

JUST PRESS <Enter>.

0.00..1440.00

Ask IF: Edit <> Yes

InSess

What have you been doing in the questionnaire this time?

- (1) Interviewing (all contacts with respondent)
- (2) Anything else (not interviewing)

```
CHECK IF: Edit <> Yes
   AND: InSess IN [Interv]
   AHHSize > 0
```

You can't have done interviewing as you went straight into the Admin details. Please amend your coding.

```
RECORD IF: Edit <> Yes
```

EndTime

SYSTIME at end of session.

TIME

```
COMPUTE IF: Edit <> Yes
AND: ((EndTime = EMPTY AND (InSess IN [Interv])) AND (First =
RESPONSE)) AND (Edit <> Yes)
```

EndTime := SYSTIME

```
COMPUTE IF: Edit <> Yes
AND: ((EndTime = EMPTY AND (InSess IN [Interv])) AND (First =
RESPONSE)) AND (Edit <> Yes)
```

StrtTime := STARTTIME

```
COMPUTE IF: Edit <> Yes
    AND: ((EndTime = EMPTY AND (InSess IN [Interv])) AND (First =
    RESPONSE)) AND (Edit <> Yes)
    AND: EndTime > StrtTime
ThisTime := (TIMEMINUS(EndTime, StrtTime))
COMPUTE IF: Edit <> Yes
    AND: ((EndTime = EMPTY AND (InSess IN [Interv])) AND (First =
    RESPONSE)) AND (Edit <> Yes)
    AND: EndTime > StrtTime
TotTime := (TIMEPLUS(TotTime, ThisTime))
COMPUTE IF: Edit <> Yes
    AND: ((EndTime = EMPTY AND (InSess IN [Interv])) AND (First =
    RESPONSE)) AND (Edit <> Yes)
    AND: EndTime > StrtTime
CurrMins := ((EndTime.ABSTIME - StrtTime.ABSTIME) / 60000)
COMPUTE IF: Edit <> Yes
    AND: ((EndTime = EMPTY AND (InSess IN [Interv])) AND (First =
    RESPONSE)) AND (Edit <> Yes)
    AND: EndTime > StrtTime
    AND: (TotMins + CurrMins) <= 1440
TotMins := (TotMins + CurrMins)
```

ASK ALWAYS:

Choice

INTERVIEWER: Do you now want to...

- (1) Leave this questionnaire without filling in the admin details?
- (5) Fill in the admin details and prepare this household for transmission to Head Office?

INTERVIEWER: Don't select code 5 until all other work on this household is completed, inc. all BU schedules.

RECORD ALWAYS:

vChoice

Protects Choice

- (1) Leave this questionnaire without filling in the admin details?
- (5) Fill in the admin details and prepare this household for transmission to Head Office?

INTERVIEWER: Don't select code 5 until all other work on this household is completed, inc. all BU schedules.

```
COMPUTE IF: (Choice = Admin) AND vChoice = EMPTY

vChoice := Choice

COMPUTE IF: Edit = Yes

Choice := Admin
```

CHECK IF: Choice = Exit
vChoice <> Admin

You cannot now select code 1, as this would delete the Admin details already entered. Please reinstate code 5 at 'Choice'.

RECORD IF: (Choice = Admin) OR (vChoice = Admin)

Outcome

Final Outcome Codes from ProdOutc or unproductive codes

11..97

FRS0405A.Admin.QNCSROutc

Outcome Code Screens

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
LHHStat := PHHStat
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: (LHHStat = 1) AND ((HHEnd = Yes) AND (HRPEnd = Yes))
Comp := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: (LHHStat = 2) AND (BUALLEnd > 0)
Comp := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: NOT ((LHHStat = 2) AND (BUALLEnd > 0)
Comp := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: Comp = Yes
     AND: HRPRef >= 12
ProdOutc := 1
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: Comp = Yes
     AND: HRPRef >= 12
EligB
     CODE OUTCOME: Unproductive-eligible.
     Enter the three digit code from the ARF (question E1 or A5b).
     300..900
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: Comp = Yes
     AND: HRPRef >= 12
     AND: EligB = EMPTY
EstElig := Yes
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HRPRef >= 12
    AND: EligB = EMPTY
EligB := 442
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
    (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >=
    NewRII))
Partial := ''
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
    (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >=
    AND: PFull >= AllProd
ProdOutc := FullPers
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
    AND: PFull >= AllProd
HOut := 110
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
    (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLENd >=
    AND: (PFull < AllProd) AND (PFull > 0)
ProdOutc := FullPPrx
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
     (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLENd >= 
    NewBU))
    AND: (PFull < AllProd) AND (PFull > 0)
HOut := 120
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
     (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >=
    NewBU))
    AND: NOT ((PFull < AllProd) AND (PFull > 0)
```

ProdOutc := FullProx

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
     (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >=
    NewRII))
    AND: NOT ((PFull < AllProd) AND (PFull > 0)
HOut := 130
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    And: Comp = Yes
    AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU -
    1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
Partial := ' Partial'
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
```

Part21

21 - Partial interview by desired respondents: Please code reason.

1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))

INTERVIEWER: If you have made contact with any of the missing BU's but failed to obtain an interview, code as Refusal (code 2).

AND: (LHHStat = 1) AND (NewBU > 1) OR (OthRef >= (12 * (NewBU - 1)))

(1) (Missing)

AND: PFull = AllProd

- (2) Partial interview by desired respondents complete HH Q're and HRP BU Q're but (other) BU missing due to non contact
- (3) Partial interview by desired respondents complete HH Q're and HRP BU Q're but (other) BU refused to take part or to complete interview
- (4) Partial interview by desired respondents missing information 12 or more DK/Ref

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEND > 0))

AND: PFull = AllProd

AND: Part21 = RESPONSE

NOT(Part21 = Missing)
```

INTERVIEWER: Do not use code 1.

```
Warn if: (Choice = Admin) OR (vChoice = Admin)
   And: NatCen = Yes
And: Comp = Yes
And: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
And: PFull = AllProd
And: OthRef < (12 * (NewBU - 1))
Part21 <> Part214
```

There were 'OthRef DK/Ref's at 'Amount' questions in Non-HRP BU's. Please use another code at Part21.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
             AND: NatCen = Yes
             AND: Comp = Yes
             AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))
             1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
             AND: PFull = AllProd
             AND: Part21 IN [Part212 .. Part214]
HOut := (210 + ORD(Part21))
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
             AND: NatCen = Yes
             And: Comp = Yes
             AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1) AND ((NewBU - 1) AND
             1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
             AND: PFull = AllProd
             AND: Part21 IN [Part212 .. Part214]
             AND: Part21 = Part212
ProdOutc := Code212
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
             AND: NatCen = Yes
             And: Comp = Yes
             AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU -
             1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
             AND: PFull = AllProd
             AND: Part21 IN [Part212 .. Part214]
             AND: Part21 = Part213
ProdOutc := Code213
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
             AND: NatCen = Yes
             AND: Comp = Yes
             AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))
             1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
             AND: PFull = AllProd
             AND: Part21 IN [Part212 .. Part214]
             AND: Part21 = Part214
```

ProdOutc := Code214

```
Ask if: (Choice = Admin) OR (vChoice = Admin)
And: NatCen = Yes
And: Comp = Yes
And: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
And: (PFull < AllProd) AND (PFull > 0)
```

Part22

22 - Partial interview, partly by desired respondents, partly by proxy: Please code reason.

INTERVIEWER: If you have made contact with any of the missing BU's but failed to obtain an interview, code as Refusal (code 2).

- (1) (Missing)
- (2) Partial interview, partly by desired respondents, partly by proxy complete HH Q're and HRP BU Q're but (other) BU missing due to non contact
- (3) Partial interview, partly by desired respondents, partly by proxy complete HH Q're and HRP BU Q're but (other) BU refused to take part or to complete interview
- (4) Partial interview, partly by desired respondents, partly by proxy missing information 12 or more DK/Ref

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: Comp = Yes
AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AND: (PFull < AllProd) AND (PFull > 0)
AND: Part22 = RESPONSE
NOT(Part22 = Missing)
```

INTERVIEWER: Do not use code 1.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   AnD: NatCen = Yes
AnD: Comp = Yes
AnD: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AnD: (PFull < AllProd) AND (PFull > 0)
AnD: OthRef < (12 * (NewBU - 1))
Part22 <> Part224
```

There were 'OthRef DK/Ref's at 'Amount' questions in Non-HRP BU's.

Please use another code at Part22.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))

AND: (PFull < AllProd) AND (PFull > 0)

AND: Part22 IN [Part222 .. Part224]

HOut := (220 + ORD(Part22))
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: Comp = Yes
AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AND: (PFull < AllProd) AND (PFull > 0)
AND: Part22 IN [Part222 .. Part224]
AND: Part22 = Part222
```

ProdOutc := Code222

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))

AND: (PFull < AllProd) AND (PFull > 0)

AND: Part22 IN [Part222 .. Part224]

AND: Part22 = Part223
```

ProdOutc := Code223

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))

AND: (PFull < AllProd) AND (PFull > 0)

AND: Part22 IN [Part222 .. Part224]

AND: Part22 = Part224
```

ProdOutc := Code224

```
Ask If: (Choice = Admin) OR (vChoice = Admin)
And: NatCen = Yes
And: Comp = Yes
And: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
And: NOT ((PFull < AllProd) AND (PFull > 0)
```

Part23

23 - Partial interview by proxy: Please code reason.

INTERVIEWER: If you have made contact with any of the missing BU's but failed to obtain an interview, code as Refusal (code 2).

- (1) (Missing)
- (2) Partial interview by proxy complete HH Q're and HRP BU Q're but (other) BU missing due to non contact
- (3) Partial interview by proxy complete HH Q're and HRP BU Q're but (other) BU refused to take part or to complete interview
- (4) Partial interview by proxy missing information 12 or more dk/Ref in other BU

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
                 AND: NatCen = Yes
                 AND: Comp = Yes
                 AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1) AND ((NewBU - 1) AND
                 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
                 AND: NOT ((PFull < AllProd) AND (PFull > 0)
                 AND: Part23 = RESPONSE
                 NOT(Part23 = Missing)
                 INTERVIEWER: Do not use code 1.
WARN IF: (Choice = Admin) OR (vChoice = Admin)
                 AND: NatCen = Yes
                 AND: Comp = Yes
                 AND: (LHHStat = 1) AND (NewBU > 1) OR (OthRef >= (12 * (NewBU - 1)))
                 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
                 AND: NOT ((PFull < AllProd) AND (PFull > 0)
                 AND: OthRef < (12 * (NewBU - 1))
                 Part23 <> Part234
                 There were 'OthRef DK/Ref's at 'Amount' questions in Non-HRP BU's.
                 Please use another code at Part23.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
                 AND: NatCen = Yes
                 AND: Comp = Yes
                 AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1) AND ((NewBU - 1) AND
                 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
                 AND: NOT ((PFull < AllProd) AND (PFull > 0)
                 AND: Part23 IN [Part232 .. Part234]
HOut := (230 + ORD(Part23))
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
                 AND: NatCen = Yes
                 AND: Comp = Yes
                 AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU -
                 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
                 AND: NOT ((PFull < AllProd) AND (PFull > 0)
                 AND: Part23 IN [Part232 .. Part234]
                 AND: Part23 = Part232
ProdOutc := Code232
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
                 AND: NatCen = Yes
                 AND: Comp = Yes
                 AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU -
                 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
                 AND: NOT ((PFull < AllProd) AND (PFull > 0)
                 AND: Part23 IN [Part232 .. Part234]
                 AND: Part23 = Part233
ProdOutc := Code233
```

```
Compute if: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))

AND: NOT ((PFull < AllProd) AND (PFull > 0)

AND: Part23 IN [Part232 .. Part234]

AND: Part23 = Part234

ProdOutc := Code234
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
```

AND: NatCen = Yes
AND: Comp = Yes
AND: ProdOutc = EMPTY

ProdOutc

Productive Interview Achieved:

(Circle code at ARF Question D1).

- (110) Complete interview by all desired respondent(s)
- (120) Complete interview: partly by desired respondents and partly by proxy
- (130) Complete interview by proxy
- (212) Desired respondent(s), Complete HH Q're and HRP BU Q're but BU missing due to Non Contact
- (213) Desired respondent(s), Complete HH Q're and HRP BU Q're but BU refused to take part or to complete interview
- (214) Desired respondent(s), Missing Information 12 or More DK/Ref
- (222) Partly by desired respondent(s), partly by proxy, Complete HH Q're and HRP BU Q're but BU missing due to Non Contact
- (223) Partly by desired respondent(s), partly by proxy, Complete HH Q're and HRP BU Q're but BU refused to take part or to complete interview
- (224) Partly by desired respondent(s), partly by proxy, Missing Information 12 or More DK/Ref
- (232) By proxy, Complete HH Q're and HRP BU Q're but BU missing due to Non Contact
- (233) By proxy, Complete HH Q're and HRP BU Q're but BU refused to take part or to complete interview
- (234) By proxy, Missing Information 12 or More DK/Ref

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: Comp = Yes
AND: HOut = RESPONSE
AND: HOut = 110
```

ProdTxt := '110 - Complete Interview by All Desired Respondent(s)'

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: Comp = Yes
AND: HOUT = RESPONSE
AND: HOUT = 120
```

ProdTxt := ('120 - Complete Interview: Partly by Desired ' + 'Respondent(s) and Partly by Proxy')

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: Comp = Yes
AND: HOut = RESPONSE
AND: HOut = 130
```

ProdTxt := '130 - Complete Interview by Proxy'

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 212
ProdTxt := ('212 - Desired respondent(s), Complete HH Q're ' +
'and HRP BU Q're but BU missing due to Non Contact')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 213
ProdTxt := ('213 - Desired respondent(s), Complete HH Q're ' +
'and HRP BU Q're but BU refused to take part or ' + 'to
complete interview')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 214
ProdTxt := ('214 - Desired respondent(s), Missing Information
- ' + '12 or More DK/Ref')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 222.0000000000003
ProdTxt := ('222 - Partly by desired respondent(s), partly by
' + 'proxy, Complete HH Q're and HRP BU Q're but ' + 'BU
missing due to Non Contact')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 223
ProdTxt := ('223 - Partly by desired respondent(s), partly by '
+ 'proxy, Complete HH Q're and HRP BU Q're but BU ' + 'refused
to take part or to complete interview')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 224.00000000000003
ProdTxt := ('224 - Partly by desired respondent(s), partly by '
+ 'proxy, Missing Information - 12 or More DK/Ref')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    And: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 232
ProdTxt := ('232 - By proxy, Complete HH Q're and HRP BU ' +
'Q're but BU missing due to Non Contact')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 233
ProdTxt := ('233 - By proxy, Complete HH Q're and HRP BU ' +
'Q're but BU refused to take part or to complete ' +
'interview')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: HOut = 234
ProdTxt := '234 - By proxy, Missing Information - 12 or More
DK/Ref'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOut = RESPONSE
    AND: NOT (HOut = 234)
ProdTxt := STR(HOut)
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Comp = Yes
    AND: HOUT = RESPONSE
AProdOutc
    Productive^Partial Interview Achieved:
    Outcome code: ^ProdTxt.
    (Circle code at ARF Question D1).
    Press <1> and <Enter> to continue.
    1..1
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: NOT (Comp = Yes)
    AND: HHSize > 0
ProdOutc := 1
```

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: NOT (Comp = Yes)
AND: HHSize > 0
```

EligB

CODE OUTCOME: Unproductive-eligible.

Enter the three digit code from the ARF (question E1 or A5b).

300..900

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: NOT (Comp = Yes)

AND: HHSize > 0

AND: EligB = EMPTY
```

EstElig := Yes

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: NOT (Comp = Yes)
AND: HHSize > 0
AND: EligB = EMPTY
```

EligB := 441

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: ProdOutc <> RESPONSE
```

EstElig

Was the address traceable, residential and occupied as a main residence?

- (1) Yes address eligible for interview
- (2) Unsure unsure whether address eligible for interview
- (3) No address was ineligible (Deadwood)
- (411) Office refusal to advanced letter
- (412) Office refusal to interviewer letter
- (900) Reallocated to another interviewer

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
Unknown
     CODE OUTCOME: Unknown Eligibility.
     Enter the three digit code from the ARF (question A2)
     600..690
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = RESPONSE
     IN(Unknown, [611,612,620,630,641,642,651,652,670])
     This outcome code is not valid for Unknown Eligibility. Please check and change code at EstElig or re-
     enter outcome code.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = RESPONSE
HOut := Unknown
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = RESPONSE
     AND: Unknown = 611
UnProdTxt := ('611 - Office use only - not issued to ' +
'interviewer')
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = RESPONSE
     AND: Unknown = 611
     ERROR
```

This code is for Office Use only.

Please check and re-enter code at Unknown.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 612
UnProdTxt := ('612 - Office approval only - issued but not ' +
'attempted')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 620
UnProdTxt := '620 - Inaccessible'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 630
UnProdTxt := '630 - Unable to locate address'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 641
UnProdTxt := ('641 - Unknown whether residential housing, ' +
'Information Refused')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 642
UnProdTxt := ('642 - Unknown whether residential housing, ' +
'Non Contact')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 651
UnProdTxt := ('651 - Residential address but unknown ' +
'eligibility, Information Refused')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 652
UnProdTxt := ('652 - Residential address but unknown ' +
'eligibility, Non Contact')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: Unknown = 670
UnProdTxt := ('670 - Office approval only - Other unknown ' +
'eliqibility')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: NOT (Unknown = 670)
UnProdTxt := STR(HOut)
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
UnkChk
    You have entered: ^UnProdTxt.
    Is this correct?
    (1)
         Yes
    (2)
         No
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Unsure
    AND: Unknown = RESPONSE
    AND: UnkChk = RESPONSE
     (UnkChk = Yes) AND INVOLVING(Unknown)
```

Please press <Enter> to amend the outcome code.

```
Ask if: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: ProdOutc <> RESPONSE
AND: EstElig = Unsure
AND: Unknown = RESPONSE
AND: UnkChk = RESPONSE
AND: UnkChk = Yes
```

UnelReas

Unknown Eligibility: Please explain your reasons for using this code.

STRING[200]

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: ProdOutc <> RESPONSE

AND: EstElig IN [OffRef, IntRef]

HOut := ORD(EstElig)

ASK IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: ProdOutc <> RESPONSE

AND: EstElig = Yes
```

EligB

CODE OUTCOME: Unproductive-eligible.

Enter the three digit code from the ARF (question E1 or A5b).

300..900

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    IN(EligB, [310,320,330,411,412,420,431,432,441,442,450,510,520,530,540,550,561,562,563])
```

This outcome code is not valid for Eligible Unproductive. Please check and change code at EstElig or reenter outcome code.

```
Compute if: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: ProdOutc <> RESPONSE

AND: EstElig = Yes

AND: EligB = RESPONSE

HOut := EligB

Compute if: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: ProdOutc <> RESPONSE

AND: EstElig = Yes

AND: EstElig = Yes

AND: EligB = RESPONSE

AND: EligB = RESPONSE

AND: EligB = 310
```

UnProdTxt := '310 - No contact with anyone at the address'

```
Compute if: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 320
UnProdTxt := ('320 - (Multi-household only) Contact made ' +
'at the address, but not with any member of the ' + 'sampled
household')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 330
UnProdTxt := ('330 - Contact made at the dwelling/household, '
+ 'but not with any responsible resident')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 411
UnProdTxt := '411 - Refusal to Advance Letter'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 412
UnProdTxt := '412 - Refusal to an Interviewer Letter'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 420
UnProdTxt := ('420 - (Multi-Household only)Information refused
' + '- number of households at address')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 430.9999999999994
UnProdTxt := ('431 - Refusal at introduction / before
interview: ' + 'adult HH member')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 432
UnProdTxt := ('432 - Refusal at introduction / before
interview: by ' + 'proxy')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 441
UnProdTxt := '441 - Refusal during the interview, HRP BU
incomplete'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 442
UnProdTxt := '442 - Refusal during the interview, 12+ DK/Ref'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 450
UnProdTxt := '450 - Broken appointment, no re-contact'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 509.9999999999994
UnProdTxt := '510 - HRP BU - Ill at home during survey period'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 520
UnProdTxt := '520 - HRP BU - Away/in hospital all field period'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 530
UnProdTxt := '530 - HRP BU - Physically or mentally
unable/incompetent'
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 540.00000000000006
UnProdTxt := '540 - HRP BU - Language difficulties'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 550
UnProdTxt := '550 - Office approval only - Lost productive'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 561
UnProdTxt := ('561 - Office use only - Other unproductive: full
' + 'interview, data deleted')
WARN IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 561
    ERROR
    This code is for Office Use only.
    Please check and re-enter code at EligB.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 562
UnProdTxt := ('562 - Office use only - Other unproductive: ' +
'partial interview, data deleted')
WARN IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Yes
    AND: EligB = RESPONSE
    AND: EligB = 562
    ERROR
    This code is for Office Use only.
    Please check and re-enter code at EligB.
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: EligB = RESPONSE
     AND: EligB = 563
UnProdTxt := '563 - Office approval only - Other unproductive'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: EligB = RESPONSE
     AND: NOT (EliqB = 563)
UnProdTxt := STR(HOut)
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: EligB = RESPONSE
EligChk
     You have entered: ^UnProdTxt.
     Is this correct?
     (1)
          Yes
     (2)
         No
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: EligB = RESPONSE
     AND: EligChk = RESPONSE
     (EligChk = Yes) AND INVOLVING(EligB)
     Please press <Enter> to amend the outcome code.
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: EligB = RESPONSE
```

The computer has coded this interview as 442 - Refusal During Interview, 12+ DK/Ref, but you have changed this to ^EligB.

AND: Edit = No

EligB = 442

AND: (Comp = Yes) AND (HRPRef >= 12)

If the HRP BU was unable to complete the interview due to language difficulties, because they are too old/infirm or incapable please suppress this check and record details in a note.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
And: NatCen = Yes
And: ProdOutc <> RESPONSE
And: EstElig = Yes
And: EligB = RESPONSE
And: Edit = No
And: (Comp <> Yes) AND (HHSize > 0)
EligB = 441
```

The computer has coded this interview as 441 - Refusal during interview HRP BU incomplete, but you have changed this to ^EligB.

If the HRP BU was unable to complete the interview due to language difficulties, because they are too old/infirm or incapable please suppress this check and record details in a note.

```
Warn if: (Choice = Admin) OR (vChoice = Admin)
And: NatCen = Yes
And: ProdOutc <> RESPONSE
And: EstElig = Yes
And: EligB = RESPONSE
And: Edit = No
And: NOT ((Comp = Yes) AND (HRPRef >= 12))
NOT(EligB = 442)
```

You have entered code ^UnprodTxt, but this has not been reported by the program. Please amend your coding.

```
Warn if: (Choice = Admin) OR (vChoice = Admin)
And: NatCen = Yes
And: ProdOutc <> RESPONSE
And: EstElig = Yes
And: EligB = RESPONSE
And: Edit = No
And: NOT ((Comp <> Yes) AND (HHSize > 0))
NOT(EligB = 441)
```

You have entered code ^UnprodTxt, but this has not been reported by the program. Please amend your coding.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: ProdOutc <> RESPONSE
AND: EstElig = No
```

IneligB

CODE OUTCOME: Deadwood (Ineligible).

Enter the three digit code from the ARF (question A3 or A5a).

700..790

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    IN(IneligB, [700,710,720,730,740,750,760,771,772,773,781,782,783,790])
    This outcome code is not valid for Deadwood (Ineligible). Please check and change code at EstElig or re-
    enter outcome code.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 700
UnProdTxt := '700 - Address does not exist'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 710
UnProdTxt := '710 - Not yet built/under construction'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 720
UnProdTxt := '720 - Demolished/derelict'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 730
UnProdTxt := '730 - Vacant/empty housing unit'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 740
UnProdTxt := '740 - Non-residential address'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 750
UnProdTxt := '750 - Address occupied, but no resident
household'
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 760
UnProdTxt := '760 - Communal establishment/institution'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 771
UnProdTxt := ('771 - Resident household(s), but no eligible ' +
'respondent at address, Dwelling of foreign ' + 'service
personnel/Diplomats')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 772
UnProdTxt := ('772 - Resident household(s), but no eligible ' +
'respondent at address, all under 16')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 773
UnProdTxt := ('773 - Resident household(s), but no eligible ' +
'respondent at address, other')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 781
UnProdTxt := ('781 - Address out of sample - directed not to '
+ 'sample')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
    AND: IneligB = 782
UnProdTxt := '782 - Address out of sample - Scottish pre-
select'
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: IneligB = RESPONSE
     AND: IneligB = 783
UnProdTxt := '783 - Address out of sample - quota reached'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: IneligB = RESPONSE
     AND: IneligB = 790
UnProdTxt := '790 - Office approval only - Other ineligible'
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: IneligB = RESPONSE
InelChk
     You have entered: ^UnProdTxt.
     Is this correct?
     (1)
          Yes
     (2)
          No
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: IneligB = RESPONSE
     AND: InelChk = RESPONSE
     (InelChk = Yes) AND INVOLVING(IneligB)
     Please press <Enter> to amend the outcome code.
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NatCen = Yes
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: IneligB = RESPONSE
     AND: IneligB = 790
Inel79
     790 - Other ineligible: Please explain your reasons for using this code.
```

STRING[200]

Page 2660

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = No
    AND: IneligB = RESPONSE
HOut := IneligB
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: ProdOutc <> RESPONSE
    AND: EstElig = Realloc
HOut := 900
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    RESERVECHECK
    RESERVECHECK
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROUTC.ProdOUTC = RESPONSE

TmpStr := STR(InVal)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROUTC.ProdOUTC = RESPONSE

TmpStr := SUBSTRING(TmpStr,1,2)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROUTC.ProdOUTC = RESPONSE

OutVal := VAL(TmpStr)
```

Block: FRS0405A.Admin

FRS0405A.Admin (continued)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes

AND: QNCSROutc.EstElig IN [OffRef, IntRef]

Outcome := 41

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = Yes

AND: QNCSROutc.EstElig = Realloc

Outcome := 90

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.EligB = RESPONSE

TmpStr := STR(InVal)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.EligB = RESPONSE

TmpStr := SUBSTRING(TmpStr,1,2)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.EligB = RESPONSE

OutVal := VAL(TmpStr)
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.Unknown = RESPONSE

TmpStr := STR(InVal)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.Unknown = RESPONSE

TmpStr := SUBSTRING(TmpStr,1,2)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.Unknown = RESPONSE

OutVal := VAL(TmpStr)
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.IneligB = RESPONSE

TmpStr := STR(InVal)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.IneligB = RESPONSE

TmpStr := SUBSTRING(TmpStr,1,2)

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
AND: QNCSROutc.IneligB = RESPONSE

OutVal := VAL(TmpStr)
```

FRS0405A.Admin (continued)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: In loop FOR idx := 1 TO 12
FeeType[idx] := 0
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
BUProd := 0
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: In loop FOR idx := 1 TO NewBU
    AND: DMABUDone[idx] = Yes
BUProd := (BUProd + 1)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: BUProd > 2
FeeType[6] := (BUProd - 2)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: NOT (BUProd > 2)
FeeType[6] := 0
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Outcome IN [11 .. 13, 21 .. 23, 31 .. 33, 42 .. 45,
    51.0000000000000 .. 54.000000000001, 61 .. 65, 67, 70 .. 79]
FeeType[1] := 1
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: HHEnd = Yes
FeeType[2] := 1
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Outcome IN [11 .. 13]
FeeType[3] := BUProd
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = Yes
    AND: Outcome IN [21 .. 23]
FeeType[4] := BUProd
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
```

AND: QDataBag.Attempt = 1

FeeType[7] := 1

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes

AND: NOT (QDataBag.Attempt = 1)

FeeType[7] := 0

FRS0405A.Admin.QONSOutc

Outcome Code Screens

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
LHHStat := PHHStat
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: (LHHStat = 1) AND ((HHEnd = Yes) AND (HRPEnd = Yes))
Comp := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
AND: (LHHStat = 2) AND (BUALLEnd > 0)
Comp := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
     AND: NOT ((LHHStat = 2) AND (BUALLEnd > 0)
Comp := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     And: Comp = Yes
    AND: HRPRef >= 12
ProdOutc := 1
```

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
      AND: NOT (NatCen = Yes)
      AND: Comp = Yes
      AND: HRPRef >= 12
Eligb
      CODE OUTCOME: UNPRODUCTIVE-ELIGIBLE
      (from ARF question E1)
            No contact with anyone at the address
      (32)
            (Multi-household only) Contact made
            at the address, but not with any member of the sampled dwelling/household
            Contact made at the dwelling/household, but not with any responsible resident
      (42) (Multi-Household only)Information refused - no. of dwellings/households at address
      (43) Refusal at introduction / before interview
      (44)
            Refusal during the interview
      (45)
            Broken appointment, no re-contact
      (51)
            HRP BU - Ill at home during survey period
            HRP BU - Away/in hospital all field period
      (52)
      (53) HRP BU - Physically or mentally unable/incompetent
      (54) HRP BU - Language difficulties
      (55)
            OFFICE APPROVAL ONLY - Lost productive
            OFFICE APPROVAL ONLY - Other unproductive
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
      AND: NOT (NatCen = Yes)
      AND: Comp = Yes
      AND: HRPRef >= 12
      AND: Eligb = EMPTY
EstElig := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
      AND: NOT (NatCen = Yes)
      AND: Comp = Yes
      AND: HRPRef >= 12
      AND: Eligb = EMPTY
Eligb := Ref4
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
      AND: NOT (NatCen = Yes)
      AND: Comp = Yes
      AND: HRPRef >= 12
      AND: Eligb = EMPTY
Ref44 := Ref442
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
      AND: NOT (NatCen = Yes)
      AND: Comp = Yes
      AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
      (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1)))))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1)))))))
      NewBU))
      AND: PFull >= AllProd
```

ProdOutc := FullPers

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
           AND: NOT (NatCen = Yes)
           AND: Comp = Yes
           AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
            (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLENd >= (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEND >= (NewBU - 1)))) OR ((LHHStat = 2)) AND (BUALLEND >= (NewBU - 1)))) OR ((LHHStat = 2)) AND (BUALLEND >= (NewBU - 1)))) OR ((LHHStat = 2)) AND (BUALLEND >= (NewBU - 1))))
           NewRII))
           AND: PFull >= AllProd
HOut := 110
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
           AND: NOT (NatCen = Yes)
           AND: Comp = Yes
           AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
            (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >=
           NewBU))
           AND: (PFull < AllProd) AND (PFull > 0)
ProdOutc := FullPPrx
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
           AND: NOT (NatCen = Yes)
           AND: Comp = Yes
           AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
            (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >=
           NewBU))
           AND: (PFull < AllProd) AND (PFull > 0)
HOut := 120
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
           AND: NOT (NatCen = Yes)
           AND: Comp = Yes
           AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
            (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1)))))) OR ((LHHStat = 2) AND (BUALLEnd >= (12 * (NewBU - 1)))))))
           NewBII))
           AND: NOT ((PFull < AllProd) AND (PFull > 0)
ProdOutc := FullProx
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
           AND: NOT (NatCen = Yes)
           AND: Comp = Yes
           AND: ((((LHHStat = 1) AND (BUALLEnd >= NewBU)) AND (HRPRef < 12)) AND
            (OthRef <= (12 * (NewBU - 1)))) OR ((LHHStat = 2) AND (BUALLEnd >=
           NewBII))
           AND: NOT ((PFull < AllProd) AND (PFull > 0)
HOut := 130
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
           AND: NOT (NatCen = Yes)
           AND: Comp = Yes
           AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1) AND ((NewBU - 1) AND
            1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))
           AND: PFull = AllProd
ProdOutc := PartPers
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))

AND: PFull = AllProd
```

Part21

21 - Partial interview by desired respondents: Please code reason.

IF YOU HAVE MADE CONTACT WITH ANY OF THE MISSING BU'S BUT FAILED TO OBTAIN AN INTERVIEW, CODE AS REFUSAL (CODE 2).

- (1) (Missing)
- (2) Partial interview by desired respondents COMPLETE HH Q'RE AND HRP BU Q'RE but (other) BU missing due to non contact
- (3) Partial interview by desired respondents COMPLETE HH Q'RE AND HRP BU Q'RE but (other) BU refused to take part or to complete interview
- (4) Partial interview by desired respondents MISSING INFORMATION 12 OR MORE DK/REF

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
   AND: NOT (NatCen = Yes)
AND: Comp = Yes
AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AND: PFull = AllProd
AND: Part21 = RESPONSE
NOT(Part21 = Missing)
```

INTERVIEWER: DO NOT USE CODE 1.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   AnD: NOT (NatCen = Yes)
AND: Comp = Yes
AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AND: PFull = AllProd
AND: OthRef < (12 * (NewBU - 1))
Part21 <> Part214
```

There were 'OthRef DK/Ref's at 'Amount' questions in Non-HRP BU's.

Please use another code at Part21.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))

AND: PFull = AllProd

AND: Part21 IN [Part212 .. Part214]
```

HOut := (210 + ORD(Part21))

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))

AND: (PFull < AllProd) AND (PFull > 0)
```

ProdOutc := PartPPrx

```
Ask if: (Choice = Admin) OR (vChoice = Admin)
   And: NOT (NatCen = Yes)
And: Comp = Yes
And: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
And: (PFull < AllProd) AND (PFull > 0)
```

Part22

22 - Partial interview, partly by desired respondents, partly by proxy: Please code reason.

IF YOU HAVE MADE CONTACT WITH ANY OF THE MISSING BU'S BUT FAILED TO OBTAIN AN INTERVIEW, CODE AS REFUSAL (CODE 2).

- (1) (Missing)
- (2) Partial interview, partly by desired respondents, partly by proxy COMPLETE HH Q'RE AND HRP BU Q'RE but (other) BU missing due to non contact
- (3) Partial interview, partly by desired respondents, partly by proxy COMPLETE HH Q'RE AND HRP BU Q'RE but (other) BU refused to take part or to complete interview
- (4) Partial interview, partly by desired respondents, partly by proxy MISSING INFORMATION 12 OR MORE DK/REF

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: Comp = Yes
AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AND: (PFull < AllProd) AND (PFull > 0)
AND: Part22 = RESPONSE
NOT(Part22 = Missing)
```

INTERVIEWER: DO NOT USE CODE 1.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   AnD: NOT (NatCen = Yes)
AND: Comp = Yes
AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AND: (PFull < AllProd) AND (PFull > 0)
AND: OthRef < (12 * (NewBU - 1))
Part22 <> Part224
```

There were 'OthRef DK/Ref's at 'Amount' questions in Non-HRP BU's.

Please use another code at Part22.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEND > 0))

AND: (PFull < AllProd) AND (PFull > 0)

AND: Part22 IN [Part222 .. Part224]
```

HOut := (220 + ORD(Part22))

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))

AND: NOT ((PFull < AllProd) AND (PFull > 0)
```

ProdOutc := PartProx

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))

AND: NOT ((PFull < AllProd) AND (PFull > 0)
```

Part23

23 - Partial interview by proxy: Please code reason.

IF YOU HAVE MADE CONTACT WITH ANY OF THE MISSING BU'S BUT FAILED TO OBTAIN AN INTERVIEW, CODE AS REFUSAL (CODE 2).

- (1) (Missing)
- (2) Partial interview by proxy COMPLETE HH Q'RE AND HRP BU Q'RE but (other) BU missing due to non contact
- (3) Partial interview by proxy COMPLETE HH Q'RE AND HRP BU Q'RE but (other) BU refused to take part or to complete interview
- (4) Partial interview by proxy MISSING INFORMATION 12 OR MORE DK/REF IN OTHER BU

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEND > 0))

AND: NOT ((PFull < AllProd) AND (PFull > 0)

AND: Part23 = RESPONSE

NOT (Part23 = Missing)
```

INTERVIEWER: DO NOT USE CODE 1.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: Comp = Yes
AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLEnd > 0))
AND: NOT ((PFull < AllProd) AND (PFull > 0)
AND: OthRef < (12 * (NewBU - 1))
Part23 <> Part234
```

There were 'OthRef DK/Ref's at 'Amount' questions in Non-HRP BU's.

Please use another code at Part23.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: Comp = Yes

AND: ((LHHStat = 1) AND ((NewBU > 1) OR (OthRef >= (12 * (NewBU - 1))))) OR ((LHHStat = 2) AND (BUALLENd > 0))

AND: NOT ((PFull < AllProd) AND (PFull > 0)

AND: Part23 IN [Part232 .. Part234]

HOut := (230 + ORD(Part23))
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc = EMPTY
ProdOutc
    Productive Interview Achieved:
    (Circle code at ARF Question D1).
    (11) COMPLETE INTERVIEW BY ALL DESIRED RESPONDENT(S)
    (12) COMPLETE INTERVIEW: PARTLY BY DESIRED RESPONDENTS AND PARTLY BY
    PROXY
    (13) COMPLETE INTERVIEW BY PROXY
    (21) PARTIAL INTERVIEW BY DESIRED RESPONDENTS(S)
    (22) PARTIAL INTERVIEW: PARTLY BY DESIRED RESPONDENT AND PARTLY BY PROXY
    (23) PARTIAL INTERVIEW BY PROXY
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc <> EMPTY
    AND: ProdOutc = FullPers
ProdTxt := '11 - Complete Interview by All Desired
Respondent(s)'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc <> EMPTY
    AND: ProdOutc = FullPPrx
ProdTxt := ('12 - Complete Interview: Partly by Desired ' +
'Respondent(s) and Partly by Proxy')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc <> EMPTY
    AND: ProdOutc = FullProx
ProdTxt := '13 - Complete Interview by Proxy'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    And: Comp = Yes
    AND: ProdOutc <> EMPTY
    AND: ProdOutc = PartPers
ProdTxt := '21 - Partial Interview by Desired Respondent(s)'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc <> EMPTY
    AND: ProdOutc = PartPPrx
ProdTxt := ('22 - Partial Interview: Partly by Desired
Respondent(s) ' + 'and Partly by Proxy')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc <> EMPTY
    AND: ProdOutc = PartProx
ProdTxt := '23 - Partial Interview by Proxy'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc <> EMPTY
    AND: NOT (ProdOutc = PartProx)
ProdTxt := STR(ORD(ProdOutc))
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: Comp = Yes
    AND: ProdOutc <> EMPTY
AProdOutc
    Productive Interview Achieved:
    Outcome code: ^ProdTxt.
    PRESS <1> AND <Enter> TO CONTINUE.
    1..1
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: NOT (Comp = Yes)
    AND: HHSize > 0
```

ProdOutc := 1

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: NOT (Comp = Yes)
     AND: HHSize > 0
Eligb
     CODE OUTCOME: UNPRODUCTIVE-ELIGIBLE
     (from ARF question E1)
           No contact with anyone at the address
           (Multi-household only) Contact made
           at the address, but not with any member of the sampled dwelling/household
           Contact made at the dwelling/household, but not with any responsible resident
     (42) (Multi-Household only)Information refused - no. of dwellings/households at address
     (43) Refusal at introduction / before interview
     (44)
           Refusal during the interview
     (45)
           Broken appointment, no re-contact
     (51)
           HRP BU - Ill at home during survey period
     (52)
           HRP BU - Away/in hospital all field period
     (53) HRP BU - Physically or mentally unable/incompetent
     (54) HRP BU - Language difficulties
           OFFICE APPROVAL ONLY - Lost productive
     (55)
           OFFICE APPROVAL ONLY - Other unproductive
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: NOT (Comp = Yes)
     AND: HHSize > 0
     AND: Eligb = EMPTY
EstElig := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: NOT (Comp = Yes)
     AND: HHSize > 0
     AND: Eligb = EMPTY
Eligb := Ref4
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: NOT (Comp = Yes)
     AND: HHSize > 0
     AND: Eligb = EMPTY
Ref44 := Ref441
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
```

EstElig

Was the address traceable, residential and occupied as a main residence?

- (1) Yes address eligible for interview
- (2) Unsure whether address eligible for interview
- (3) No address was ineligible (Deadwood)
- (41) Office refusal
- (90) <THIS CODE NOT USED>

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
EstElig <> Realloc
```

This code is invalid!

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstEliq = Unsure
```

Unknown

CODE OUTCOME : Unknown Eligibility (from ARF question A2)

- (61) USE WITH OFFICE APPROVAL ONLY
- (62) Inaccessible
- (63) Unable to locate address
- (64) Unknown whether address contains residential housing
- (65) Residential address unknown if eligible household(s)
- (67) OFFICE APPROVAL ONLY Other unknown eligibility

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstElig = Unsure
AND: Unknown = Unel61
```

Une61

- 61 Not attempted: Please code reason as instructed by the office.
- (1) Not issued to an interviewer
- (2) Issued but not attempted

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = Unel61
     AND: Une61 IN [Une611 .. Une612]
HOut := (610 + ORD(Une61))
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = Unel64
Une64
     64 - Unknown whether residential housing: Please code reason.
     (1)
          Information refused by all persons consulted
     (2)
          No contact with any knowledgeable person
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = Unel64
     AND: Une64 IN [Une641 .. Une642]
HOut := (640 + ORD(Une64))
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = Unel65
Une65
     65 - Unknown whether eligible adults: Please code reason.
     (1)
          Information refused by all persons consulted
     (2)
          No contact with any knowledgeable person
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown = Unel65
     AND: Une65 IN [Une651 .. Une652]
HOut := (650 + ORD(Une65))
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: NOT (Unknown = Unel65)
HOut := (ORD(Unknown) * 10)
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Unsure
     AND: Unknown IN [Unel62 .. Unel67]
UnelReas
     Unknown Eligibility: Please explain your reasons for using this code.
     STRING[200]
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Refuse
HOut := 410
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
Eligb
     CODE OUTCOME: UNPRODUCTIVE-ELIGIBLE
     (from ARF question E1)
     (31)
           No contact with anyone at the address
     (32)
           (Multi-household only) Contact made
           at the address, but not with any member of the sampled dwelling/household
     (33)
           Contact made at the dwelling/household, but not with any responsible resident
           (Multi-Household only)Information refused - no. of dwellings/households at address
     (42)
     (43)
           Refusal at introduction / before interview
     (44)
           Refusal during the interview
     (45)
           Broken appointment, no re-contact
     (51) HRP BU - Ill at home during survey period
     (52) HRP BU - Away/in hospital all field period
     (53) HRP BU - Physically or mentally unable/incompetent
     (54) HRP BU - Language difficulties
     (55) OFFICE APPROVAL ONLY - Lost productive
     (56) OFFICE APPROVAL ONLY - Other unproductive
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: FindHH = 1
     NOT((Eligb = NC2) OR (Eligb = Ref2)) AND INVOLVING(FindHH, Eligb)
```

This code should only be used at multi-household addresses.

Please amend the number of households if necessary.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstElig = Yes
AND: (Edit = No) AND (((Comp = Yes) AND (HRPRef >= 12)) OR ((Comp <> Yes) AND (HHSize > 0)))
```

OutCode := ORD(Eligb)

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   AND: NOT (NatCen = Yes)
   AND: ProdOutc <> RESPONSE
   AND: EstElig = Yes
   AND: (Edit = No) AND (((Comp = Yes) AND (HRPRef >= 12)) OR ((Comp <> Yes) AND (HHSize > 0)))
   Eligb = Ref4
```

The computer has coded this interview as 44 - Refusal during interview, but you have changed this to ^OutCode.

If the HRP BU was unable to complete the interview due to language difficulties, because they are too old/infirm or incapable please suppress this check and record details in a note.

If the HRP BU did not complete for other reasons please return the code to 44 and record reasons for refusal at RefReas.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: NOT (NatCen = Yes)
   And: ProdOutc <> RESPONSE
   And: EstElig = Yes
   And: NOT (((Comp = Yes) AND (HRPRef >= 12)) OR ((Comp <> Yes) AND (HHSize > 0)))
   Eligb <> Ref4
```

You have entered code 44 - Refusal During Interview, but this has not been reported by the program. Please amend your coding.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstElig = Yes
AND: Eligb = Ref3
```

Ref43

- 43 Refusal at Introduction : Please code nature of refusal.
- (1) Refusal by adult member of household
- (2) Refusal by proxy

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstElig = Yes
AND: Eligb = Ref3
AND: Ref43 IN [Ref431 .. Ref432]

HOut := (430 + ORD(Ref43))
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstElig = Yes
AND: Eligb = Ref4
```

Ref44

Refusal to complete interview: computer derived.

- (1) Member of HRP BU refused to complete the interview (HH Q're and HRP BU)
- (2) Missing information 12 or more DK/Ref in HHQ're and HRP BU

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: ProdOutc <> RESPONSE

AND: EstElig = Yes

AND: Eligb = Ref4

AND: Ref44 IN [Ref441 .. Ref442]

HOut := (440 + ORD(Ref44))

ASK IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

AND: ProdOutc <> RESPONSE

AND: EstElig = Yes

AND: Eligb IN [UnProd1 .. UnProd4]

EligB2
```

cligb2

INTERVIEWER: Was this...

- (1) Notified to you by Head Office
- (2) You found this out yourself (Notified by interviewer)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstElig = Yes
AND: Eligb IN [UnProd1 . . UnProd4]

HOut := ((ORD(Eligb) * 10) + ORD(EligB2))
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NatCen = Yes)
AND: ProdOutc <> RESPONSE
AND: EstElig = Yes
AND: Eligb = UnProd6
```

Elig56

56 - Other Unproductive: Please code reason.

- (1) Full interview achieved but respondent requested data be deleted
- (2) Partial interview achieved but respondent requested data be deleted
- (3) Other unproductive (give details)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: Eligb = UnProd6
     AND: Elig56 IN [Elig561 .. Elig563]
HOut := (560 + ORD(Elig56))
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Yes
     AND: NOT (Eligb = UnProd6)
HOut := (ORD(Eligb) * 10)
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
Ineligb
     CODE OUTCOME: Deadwood (Ineligible).
     (from ARF question A3)
     (71) Not yet built/ under construction
     (72) Demolished /derelict
     (73) Vacant /empty housing unit
     (74) Non-residential address
     (75) Address occupied, but no resident household
     (76) Communal establishment/institution
     (77) Resident household(s), but no eligible respondent at address
     (78) Address out of sample
     (79) OFFICE APPROVAL ONLY - Other ineligible
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: Inelig\bar{b} = Inelg77
Inel77
     77 - Resident household(s), but no eligible respondent at address: Please code reason.
     (1)
           Dwelling of foreign service personnel/Diplomats
     (2)
           All residents aged under 16
     (3)
           Other resident household(s) but no eligible respondents
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: Ineligb = Inelg77
     AND: Inel77 IN [Inel771 .. Inel773]
HOut := (770 + ORD(Inel77))
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: Ineligb = Inelg78
Inel78
     78 - Address out of sample: Please code reason.
     (1)
          Directed not to sample at address
          Scottish pre-selection sheet instructs not to interview
     (2)
     (3)
          Household limit on quota already reached
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: Inelig\bar{b} = Inelg78
     AND: Inel78 IN [Inel781 .. Inel783]
HOut := (780 + ORD(Inel78))
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: Ineligb = Inelg79
Inel79
     79 - Other ineligible: Please explain your reasons for using this code.
     STRING[200]
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: Ineligb = Inelg79
HOut := 790
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = No
     AND: NOT (Ineligb = Inelg79)
HOut := (ORD(Ineligb) * 10)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     AND: ProdOutc <> RESPONSE
     AND: EstElig = Realloc
HOut := 900
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: NOT (NatCen = Yes)
     RESERVECHECK
     RESERVECHECK
```

WARN IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)

AND: NOT (NatCen = Yes)

RESERVECHECK

RESERVECHECK

FRS0405A.Admin (continued)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: QONSOutc.ProdOutc = RESPONSE
Outcome := ORD(QONSOutc.ProdOutc)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: QONSOutc. EstElig = Refuse
Outcome := 41
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: QONSOutc.EstElig = Realloc
Outcome := 90
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: QONSOutc.Eligb = RESPONSE
Outcome := ORD(QONSOutc.Eligb)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: QONSOutc.Unknown = RESPONSE
Outcome := ORD(QONSOutc.Unknown)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NOT (NatCen = Yes)
    AND: QONSOutc. Ineligb = RESPONSE
Outcome := ORD(QONSOutc.Ineligb)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [31 .. 97.000000000001]
HStatus := Admin
WARN IF: (Choice = Admin) OR (vChoice = Admin)
    RESERVECHECK
    RESERVECHECK
WARN IF: (Choice = Admin) OR (vChoice = Admin)
    RESERVECHECK
    RESERVECHECK
WARN IF: (Choice = Admin) OR (vChoice = Admin)
    RESERVECHECK
    RESERVECHECK
```

```
WARN IF: (Choice = Admin) OR (vChoice = Admin)
RESERVECHECK

RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)
RESERVECHECK

RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)
RESERVECHECK

RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)
RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)
RESERVECHECK

RESERVECHECK

RESERVECHECK

WARN IF: (Choice = Admin) OR (vChoice = Admin)
RESERVECHECK

RESERVECHECK

RESERVECHECK
```

NCReas

Code main reason(s) for non-contact...

AND: Outcome IN [31 .. 33]

SET [3] OF

- (1) Away all survey period
- (2) Working shifts/odd hours
- (3) Rarely at address
- (4) Will not answer door
- (5) Think address is empty but could not confirm

Ask IF: (Choice = Admin) OR (vChoice = Admin)

- (6) No information gathered
- (7) Other

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: Outcome IN [31 .. 33]
And: NatCen = Yes
And: AwaySurv IN NCReas
   (QNCSROutc.EligB = 520) AND INVOLVING(QNCSROutc.EligB)
```

You should not have coded this address as a Non-Contact if you know the HRP BU is away all survey period. Please return to EligB and code as 520.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   AnD: Outcome IN [31 .. 33]
   AnD: NatCen = Yes
   AnD: PosEmpty IN NCReas
   ((QNCSROutc.EstElig = No) AND (QNCSROutc.IneligB = 730)) AND
   INVOLVING(QNCSROutc.IneligB,QNCSROutc.EstElig)
```

You should not have coded this address as a Non-Contact if you think it is empty.

If you have good reason to think it is empty, return to EstElig and code as Deadwood (code 3) and then use code 730.

If you are unsure whether household is empty, return to EstElig and code as Unsure (code 2), and then use code 641/642 as appropriate.

```
WARN IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33]
AND: NOT (NatCen = Yes)
AND: AwaySurv IN NCReas
(QONSOutc.Eligb = UnProd2) AND INVOLVING(QONSOutc.Eligb)
```

You should not have coded this address as a Non-Contact if you know the householders BU is away all survey period. Please return to Eligb and code as 52.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: Outcome IN [31 .. 33]
   And: NOT (NatCen = Yes)
   And: PosEmpty IN NCReas
   ((QONSOutc.EstElig = No) AND (QONSOutc.Ineligb = Inelg73)) AND
   INVOLVING(QONSOutc.Ineligb,QONSOutc.EstElig)
```

You should not have coded this address as a Non-Contact if you think it is empty.

If you have good reason to think it is empty, return to EstElig and code as Deadwood (code 3) and then use code 73.

If you are unsure whether household is empty, return to EstElig and code as Unsure (code 2), and then use code 64.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [42, 43, 44.00000000000000]
```

RefReas

Code main reason(s) for refusal/non-response...

SET [3] OF

- (1) Doesn't believe in surveys
- (2) Anti-government
- (3) Invasion of privacy
- (4) Concerns about confidentiality
- (5) Can't be bothered
- (6) Bad experience with previous surveys
- (7) Dislikes subject matter of survey
- (8) Genuinely too busy
- (9) Temporarily too busy
- (10) Personal problems
- (11) Refusal to HQ after interviewer's visit
- (12) Late contact insufficient field time
- (13) About to go away
- (14) Language difficulties
- (15) Too old/infirm
- (16) Not capable
- (17) Broken appointment(s)
- (18) Other

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: Outcome IN [42, 43, 44.0000000000000]
And: NatCen = Yes
And: BadTAway IN RefReas
   (QNCSROutc.EligB = 520) AND INVOLVING(QNCSROutc.EligB)
```

If unable to interview members of HRP BU because they are away all survey period please use code 520. Otherwise suppress.

```
WARN IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [42, 43, 44.0000000000000]
AND: NatCen = Yes
AND: LangProb IN RefReas
(QNCSROutc.EligB = 540) AND INVOLVING(QNCSROutc.EligB)
```

If unable to interview members of HRP BU because of language difficulties please use code 540.

```
Warn if: (Choice = Admin) OR (vChoice = Admin)
   And: Outcome IN [42, 43, 44.0000000000000]
And: NatCen = Yes
And: TooOld IN RefReas
(QNCSROutc.EligB = 530) AND INVOLVING(QNCSROutc.EligB)
```

If unable to interview because members of householder's BU are too old/infirm please use code 530.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: Outcome IN [42, 43, 44.0000000000000]
And: NatCen = Yes
And: SickHH IN RefReas
(QNCSROutc.EligB = 530) AND INVOLVING(QNCSROutc.EligB)
```

If unable to interview because members of householder's BU are incapable of being interviewed please use code 530.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: Outcome IN [42, 43, 44.000000000000]
   And: NatCen = Yes
   And: BrokAppt IN RefReas
   (QNCSROutc.EligB = 450) AND INVOLVING(QNCSROutc.EligB)
```

If unable to interview due to repeated broken appointments please use code 450.

```
WARN IF: (Choice = Admin) OR (vChoice = Admin)
   AND: Outcome IN [42, 43, 44.000000000000]
AND: NOT (NatCen = Yes)
AND: BadTAway IN RefReas
(QONSOutc.Eligb = UnProd2) AND INVOLVING(QONSOutc.Eligb)
```

If unable to interview members of householder's BU because they are away all survey period please use code 52. Otherwise suppress.

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: Outcome IN [42, 43, 44.000000000000]
And: NOT (NatCen = Yes)
And: LangProb IN RefReas
(QONSOutc.Eligb = UnProd4) AND INVOLVING(QONSOutc.Eligb)
```

If unable to interview members of householder's BU because of language difficulties please use code 54.

```
Warn if: (Choice = Admin) OR (vChoice = Admin)
And: Outcome IN [42, 43, 44.000000000000]
And: NOT (NatCen = Yes)
And: TooOld IN RefReas
(QONSOutc.Eligb = UnProd3) AND INVOLVING(QONSOutc.Eligb)
```

If unable to interview because members of householder's BU are too old/infirm please use code 53.

```
WARN IF: (Choice = Admin) OR (vChoice = Admin)
   AND: Outcome IN [42, 43, 44.000000000000]
   AND: NOT (NatCen = Yes)
   AND: SickHH IN RefReas
   (QONSOutc.Eligb = UnProd3) AND INVOLVING(QONSOutc.Eligb)
```

If unable to interview because members of householder's BU are incapable of being interviewed please use code 53.

```
WARN IF: (Choice = Admin) OR (vChoice = Admin)
   AND: Outcome IN [42, 43, 44.000000000000]
   AND: NOT (NatCen = Yes)
  AND: BrokAppt IN RefReas
   (QONSOutc.Eligb = Ref5) AND INVOLVING(QONSOutc.Eligb)
```

If unable to interview due to repeated broken appointments please use code 45

FRS0405A.Admin.QIndOutc

COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [21 .. 23] AND: In loop FOR i := 1 TO AHHSize AND: PRec[i].Depend = Adult

P[i].Name := DMName[[i]

FRS0405A.Admin.QIndOutc.P[]

```
DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [21 .. 23]

AND: In loop FOR i := 1 TO AHHSize

AND: PRec[i].Depend = Adult
```

Name

STRING[15]

```
Compute if: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [21 .. 23]
AND: In loop FOR i := 1 TO AHHSize
AND: PRec[i].Depend = Adult
AND: PFull = Personal

IOut := Full

DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [21 .. 23]
AND: In loop FOR i := 1 TO AHHSize
AND: PRec[i].Depend = Adult
AND: PFull = Personal
```

IOut

Please enter Individual Outcome Code.

- (1) Full Personal
- (2) Full complete proxy
- (3) Incomplete
- (4) Refusal

IOut := Proxy

(5) Non Contact

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [21 .. 23]

AND: In loop FOR i := 1 TO AHHSize

AND: PRec[i].Depend = Adult

AND: PFull = Proxy
```

```
DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [21 .. 23]
AND: In loop FOR i := 1 TO AHHSize
AND: PRec[i].Depend = Adult
AND: PFull = Proxy
```

IOut

Please enter Individual Outcome Code.

- (1) Full Personal
- (2) Full complete proxy
- (3) Incomplete
- (4) Refusal
- (5) Non Contact

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [21 .. 23]
AND: In loop FOR i := 1 TO AHHSize
AND: PRec[i].Depend = Adult
AND: NOT (PFull = Proxy)
```

IOut

Please enter Individual Outcome Code.

- (1) Full Personal
- (2) Full complete proxy
- (3) Incomplete
- (4) Refusal
- (5) Non Contact

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [21 .. 23]
AND: In loop FOR i := 1 TO AHHSize
AND: PRec[i].Depend = Adult
AND: NOT (PFull = Proxy)
NOT(IN(IOut,[???]))
```

^Name has not completed a Benefit Unit schedule. Please amend your outcome coding.

FRS0405A.Admin (continued)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
HHMultiW := 1
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: QSerial.Hhold = 1
    AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
    (QONSOutc.EstElig IN [Unsure .. Realloc])
    AND: NatCen = Yes
INSTRUC := ('
Take the answer as recorded at ' + 'QA5b on the A.R.F. for this
address.')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: QSerial.Hhold = 1
    AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
    (QONSOutc.EstElig IN [Unsure .. Realloc])
    AND: NatCen = Yes
    AND: Outcome > 30
INELIGIBLE := ('
If address is ineligible, or number of ' + 'households is not
established, enter '0'.')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: QSerial.Hhold = 1
    AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
    (QONSOutc.EstElig IN [Unsure .. Realloc])
    AND: NOT (NatCen = Yes)
INSTRUC := '
INTERVIEWER: INCLUDE EMPTY HOUSEHOLD SPACES.'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: QSerial.Hhold = 1
    AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
    (QONSOutc.EstElig IN [Unsure .. Realloc])
    AND: NOT (NatCen = Yes)
    AND: Outcome > 30
INELIGIBLE := '
IF ADDRESS IS INELIGIBLE, ENTER '0'.'
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: OSerial.Hhold = 1
    AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
    (QONSOutc.EstElig IN [Unsure .. Realloc])
FindHH
    The term
    0..30
```

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     RESERVECHECK
     RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     RESERVECHECK
     RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     RESERVECHECK
     RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     RESERVECHECK
     RESERVECHECK
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     AND: FindHH <= 1
     ((Outcome <> 32) AND (Outcome <> 42)) AND INVOLVING(FindHH)
     Outcome code ^Outcome should only be used at multi-household addresses.
     Please go back and amend the outcome code.
     Or, amend the number of households if necessary.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     AND: FindHH > 1
     AND: NatCen = Yes
HHTxt := (' AS LISTED AT B1, P3 ON THE ARF, OR (SCOTLAND)' + '
ON THE SELECTION SHEET.')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     AND: FindHH > 1
     AND: NOT (NatCen = Yes)
HHTxt := '.
INTERVIEWER: INCLUDE EMPTY HOUSEHOLD SPACES.'
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     AND: FindHH > 1
HHSel
     And how many households did you SELECT for interview? (May not be the same as the number actually
     interviewed)
     ENTER THE NUMBER SELECTED FOR INTERVIEW^HHTxt
     1..3
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     AND: FindHH > 1
     AND: HHSel > 0
HHMultiW := (FindHH / HHSel)
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     AND: FindHH > 1
     AND: FindHH > 0
     HHSel <= FindHH
     The number of households selected can't be greater than the number of households found.
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: QSerial.Hhold = 1
     AND: NOT (QNCSROutc.EstElig IN [Unsure .. Realloc]) AND NOT
     (QONSOutc.EstElig IN [Unsure .. Realloc])
     AND: FindHH > 1
     AND: FindHH > 1
     NOT(HHSel = 1)
```

INTERVIEWER: Why have you selected only one household when you found more?

Have you reached your additional household quota of 4 this month?

Please type a note to explain.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: QSerial.Hhold = 1

AND: (QNCSROutc.EstElig = RESPONSE) OR (QNCSROutc.EstElig = RESPONSE)
```

FindHH := 0

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Scotland = Yes
```

PreSel

Did you use a pre-selected multi-occupancy sheet to sub-sample households at this address?

- (1) Yes
- (2) No

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Scotland = Yes
AND: PreSel = Yes
```

MOCount

What was the PAF MO count at this address?

0..98

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Test = Yes
```

HHMultiW

Hidden multihhold weight question

0.000..9999.000

FRS0405A.Admin.QCalls.Call[]

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
DOWTxt[1] := 'Sun'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
DOWTxt[2] := 'Mon'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
DOWTxt[3] := 'Tue'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
DOWTxt[4] := 'Wed'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
DOWTxt[5] := 'Thu'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
DOWTxt[6] := 'Fri'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
DOWTxt[7] := 'Sat'
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
CalDat
    DATE OF THIS CALL.
    USE <Ctrl+K> FOR HQ REFUSAL.
    DATE
WARN IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
    AND: CalDat = RESPONSE
     (CalDat <= TODATE(2005,6,15)) AND (CalDat >= TODATE(2004,3,15))
    This date is unlikely. Please check and amend if necessary.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
    AND: CalDat = RESPONSE
CalDay := DOWTxt[CalDat.WEEKDAY]
DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
    AND: CalDat = RESPONSE
CalDay
    STRING[3]
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
    AND: CalDat = RESPONSE
CalTim
    TIME OF THIS CALL
    (USE 24 HOUR CLOCK).
    TIME
```

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: NatCen IN [Yes, NI]
```

CalRes

CODE THE RESULT OF THIS CALL.

- (1) Any interviewing done
- (2) No reply
- (3) Appointment made
- (4) Interviewer withdraws
- (96) Refusal to HQ
- (97) (Code not used)

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: NatCen IN [Yes, NI]
AND: CalRes IN [AnyDone, ApptMade .. Withdrw]
```

CalDur

TIME SPENT ON THIS CALL.

IN MINUTES.

0..300

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: NOT (NatCen IN [Yes, NI])
```

CalRes1

CODE THE TYPE OF CALL MADE

- (1) Any Interviewing done
- (2) No contact with household
- (3) Contact with household, no interview on this occasion

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])

AND: In loop FOR CallNo := 1 TO 20

AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)

AND: NOT (NatCen IN [Yes, NI])

AND: CalRes1 = Contact
```

CalRes2

WITH WHOM DID YOU SPEAK ON THIS OCCASION

CODE ACCORDING TO WHOM YOU SPOKE. INDIRECT CONTACT INCLUDES SPEAKING TO A PERSON VIA A LETTERBOX, TELEPHONE, INTERCOM OR ENTRYPHONE.

- (1) Female Face-to-face contact
- (2) Male Face-to-face contact
- (3) Female indirect contact
- (4) Male indirect contact

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])

AND: In loop FOR CallNo := 1 TO 20

AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)

AND: NOT (NatCen IN [Yes, NI])

AND: CalRes1 = Contact
```

CalRes3

WHAT HAPPENED AT THIS CALL

- (1) Appointment made
- (2) Bad timing ('Later', 'Not now')
- (3) Queries from person contacted
- (4) Negative attitude or statements from person contacted
- (5) None of the above

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: NOT (NatCen IN [Yes, NI])
AND: CalRes1 = Contact
```

CalRes

CODE THE RESULT OF THIS CALL.

- (1) Any interviewing done
- (2) No reply
- (3) Appointment made
- (4) Interviewer withdraws
- (96) Refusal to HQ
- (97) (Code not used)

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: NOT (NatCen IN [Yes, NI])
```

Document

WHICH OF THE FOLLOWING DOCUMENTS WERE LEFT AT THE ADDRESS?

SET [9] OF

- (1) Spare Advance Letter (printed by HQ)
- (2) Introductory Letter (printed by HQ)
- (3) First Call Card
- (4) Called Today Card
- (5) Appointment Card
- (6) Letter written by interviewer (Include Message Cards)
- (7) Letter written by Field Manager
- (8) Survey-specific leaflet, e.g. Purpose Leaflet
- (9) Non survey specific leaflet, e.g. Ask the People
- (10) Nothing left

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   And: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
And: In loop FOR CallNo := 1 TO 20
And: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
And: NOT (NatCen IN [Yes, NI])
And: None IN Document
Document.CARDINAL = 1
```

You cannot code 'None' alongside other codes.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: NOT (NatCen IN [Yes, NI])
```

CalDur

TIME SPENT ON THIS CALL.

IN MINUTES.

0..300

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: NOT (NatCen IN [Yes, NI])
AND: CalRes IN [AnyDone, NoReply, ApptMade, Withdrw]
```

TelUse

CODE IF:

- (1) This call was by telephone
- (5) Telephone not used for this call

```
Ask If: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
AND: In loop FOR CallNo := 1 TO 20
AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
AND: PCallNo < 20
```

CalMor

ANY MORE CALLS TO RECORD?

- (1) Yes
- (2) No

FRS0405A.Admin.QCalls

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
CallTot := (CallTot + Call[CallNo].CalDur)
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
    AND: (CallNo > 1) AND (Call[CallNo].CalDat = RESPONSE)
    Call[CallNo].CalDat >= Call[CallNo - 1].CalDat
    Calls should be recorded in date order.
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
    AND: (CallNo > 1) AND (Call[CallNo].CalDat = RESPONSE)
    AND: Call[CallNo].CalDat = Call[CallNo - 1].CalDat
    Call[CallNo].CalTim > Call[CallNo - 1].CalTim
    Calls should be recorded in time order.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
    AND: In loop FOR CallNo := 1 TO 20
    AND: (CallNo = 1) OR (Call[CallNo - 1].CalMor = Yes)
TNC := CallNo
```

Block: FRS0405A.Admin

FRS0405A.Admin (continued)

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
   AnD: (NatCen <> Yes) OR (Outcome IN [31 .. 33, 42, 43, 45, 64, 65])
   QCalls.Call[1].CalDat = RESPONSE
```

There should be at least one call date entered in the calls table.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: (NatCen = Yes) AND (Outcome IN [11 .. 13, 21 .. 23, 41.0000000000001, 44.000000000001, 51.0000000000001 .. 56.0000000000001, 61 .. 63, 66 .. 67, 70 .. 79])
```

TNC

Enter total number of calls made.

0..20

FRS0405A.Admin.QConfid

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
```

ConfDone

- (1) Yes
- (2) No

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
```

PhoneNum

Household telephone number.

STRING[14]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: ConfDone <> Yes
AND: TelNo2 = Given
```

APhoneNum

Please enter telephone number from A.R.F. page 1.

Enter the full number including the area code.

STRING[14]

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: ConfDone <> Yes
AND: TelNo2 = Given
AND: APhoneNum = RESPONSE
```

PhoneNum := APhoneNum

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: ConfDone <> Yes
AND: TelNo2 = Given
AND: APhoneNum = RESPONSE

TelTxt := ('
Telephone number: ' + APhoneNum)
```

FRS0405A.Admin.QConfid.QPersConf

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
AnyData
     (1)
          Yes
     (2)
          No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AnyData := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
PerTxt[[i] := ''
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AnyData := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
P[i].Person := i
Warn IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
     AND: P[i].CTitle = Mr
     PRec[].Sex[i] = Male
     This is a female respondent.
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
     AND: P[i].CTitle IN [Mrs .. Miss]
     PRec[].Sex[i] = Female
     This is a male respondent.
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
PName := DMName[[i]
```

FRS0405A.Admin.QConfid.QPersConf.P[]

```
DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
```

Person

Person identifier

0..14

```
Ask If: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
```

CTitle

Please enter the title of ^PName from ARF at D2.

- (1) Mr
- (2) Mrs
- (3) Ms
- (4) Miss
- (5) Other

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: (CTitle = Other) AND (PPConfDone <> Yes)
```

Title

Please enter the title of ^PName from ARF at D2.

STRING[20]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
```

Title

Please enter the title of ^PName from ARF at D2.

STRING[20]

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)

AND: CTitle = Mr

Title := 'Mr'
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
     AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
     AND: CTitle = Mrs
Title := 'Mrs'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
     AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
     AND: CTitle = Ms
Title := 'Ms'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
     AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
     AND: CTitle = Miss
Title := 'Miss'
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
     AND: PPConfDone <> Yes
Surname
     Please enter the surname of ^PName from ARF at D2.
     STRING[40]
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
     AND: PPConfDone <> Yes
Initial
     Please enter the initials of ^PName from ARF at D2.
```

STRING[5]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: PPConfDone <> Yes
```

Moving

Is ^PName expecting to move?

- (1) Yes
- (2) No

```
Ask if: (Choice = Admin) OR (vChoice = Admin)
   And: In loop FOR i := 1 TO AHHSize
   And: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
   And: PPConfDone <> Yes
   And: Moving = Yes
```

MoveDate

Enter expected date of move (FROM ARF D3). IF THE DATE IS UNKNOWN, ENTER 15TH OF MONTH.

DATE

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
   AND: In loop FOR i := 1 TO AHHSize
   AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
   AND: PPConfDone <> Yes
   AND: Moving = Yes
```

MovAdd1

Enter respondent's future or contact address (FROM ARF D3). Enter first line of the future/contact address

STRING[30]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
AND: Moving = Yes
```

MovAdd2

Enter second line of the future/contact address

STRING[30]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
AND: Moving = Yes
```

MovAdd3

Enter third line of the future/contact address

STRING[30]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MovAdd4

Enter fourth line of the future/contact address

STRING[30]

```
Ask If: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MovAddPC

Enter postcode of the future/contact address

STRING[8]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
AND: Moving = Yes
```

MovAddPh

Enter their future/contact telephone number.

Enter the full number including the area code.

STRING[14]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: NOT (PPConfDone <> Yes)
```

Surname

Please enter the surname of ^PName from ARF at D2.

STRING[40]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: NOT (PPConfDone <> Yes)
```

Initial

Please enter the initials of ^PName from ARF at D2.

STRING[5]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

Moving

Is ^PName expecting to move?

- (1) Yes
- (2) No

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MoveDate

Enter expected date of move (FROM ARF D3). IF THE DATE IS UNKNOWN, ENTER 15TH OF MONTH.

DATE

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd1

Enter respondent's future or contact address (FROM ARF D3). Enter first line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd2

Enter second line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd3

Enter third line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd4

Enter fourth line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: NOT (PPConfDone <> Yes)
```

MovAddPC

Enter postcode of the future/contact address

STRING[8]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: NOT (PPConfDone <> Yes)
```

MovAddPh

Enter their future/contact telephone number.

Enter the full number including the area code.

STRING[14]

FRS0405A.Admin.QConfid.QPersConf (continued)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i]. Moving = Yes
AdrChq := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
MovTxt[[i] := (S4 + 'Moving on ' + DATETOSTR(P[i].MoveDate) + '
to: ' + S4 + P[i].MovAdd1)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
    AND: P[i].MovAdd2 = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAdd2)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
    AND: P[i].MovAdd3 = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAdd3)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
    AND: P[i].MovAdd4 = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAdd4)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i]. Moving = Yes
    AND: P[i].MovAddPC = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAddPC + '. ')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i]. Moving = Yes
    AND: P[i].MovAddPh = RESPONSE
MovTxt[[i] := (MovTxt[[i] + '(Tel: ' + P[i].MovAddPh + ').')
```

```
Compute if: (Choice = Admin) OR (vChoice = Admin)
   And: In loop FOR i := 1 TO AHHSize
   And: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

PerTxt[[i] := ('
' + STR(i,2) + '. ' + P[i].Title + ' ' + P[i].Initial + ' ' + P[i].Surname + '.')
```

FRS0405A.Admin.QConfid (continued)

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: (ConfDone <> Yes) AND ((QPersConf.AnyData = Yes) OR PhoneNum <> EMPTY)
```

Confirm

```
You've just entered the following details:
```

^TelTxt

^PerTxt[1]^MovTxt[1]^PerTxt[2]^MovTxt[2]

 $\label{lem:continuous} $\operatorname{PerTxt}[3]^MovTxt[3]^PerTxt[4]^MovTxt[4]^PerTxt[5]^MovTxt[5] $$

^PerTxt[6]^MovTxt[6]^PerTxt[7]^MovTxt[7]^PerTxt[8]^MovTxt[8]

^PerTxt[9]^MovTxt[9]^PerTxt[10]^MovTxt[10]^PerTxt[11]^MovTxt[11]

^PerTxt[12]^MovTxt[12]^PerTxt[13]^MovTxt[13]^PerTxt[14]^MovTxt[14]

Are they correct?

- (1) Yes
- (2) No

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: (ConfDone <> Yes) AND ((QPersConf.AnyData = Yes) OR PhoneNum <>
EMPTY)
Confirm = Yes
```

Press <Enter> and <PgUp> to review the personal details.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: (ConfDone <> Yes) AND ((QPersConf.AnyData = Yes) OR PhoneNum <> EMPTY)

AND: Confirm = Yes
```

ConfDone := Yes

FRS0405A.Admin.QConfid

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 . . 13, 21 . . 23]

AND: (NatCen = Yes) AND (Edit <> Yes)
```

ConfDone

- (1) Yes
- (2) No

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 . . 13, 21 . . 23]

AND: (NatCen = Yes) AND (Edit <> Yes)
```

PhoneNum

Household telephone number.

STRING[14]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [11 .. 13, 21 .. 23]
AND: (NatCen = Yes) AND (Edit <> Yes)
AND: ConfDone <> Yes
AND: TelNo2 = Given
```

APhoneNum

Please enter telephone number from A.R.F. page 1.

Enter the full number including the area code.

STRING[14]

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: ConfDone <> Yes

AND: TelNo2 = Given

AND: APhoneNum = RESPONSE
```

PhoneNum := APhoneNum

```
Compute if: (Choice = Admin) OR (vChoice = Admin)
And: Outcome IN [11 . . 13, 21 . . 23]
And: (NatCen = Yes) AND (Edit <> Yes)
And: ConfDone <> Yes
And: TelNo2 = Given
And: APhoneNum = RESPONSE

TelTxt := ('
Telephone number: ' + APhoneNum)
```

FRS0405A.Admin.QConfid.QPersConf

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
AnyData
    (1)
         Yes
    (2)
         No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
AnyData := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
PerTxt[[i] := ''
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AnyData := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
P[i].Person := i
WARN IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].CTitle = Mr
    PRec[].Sex[i] = Male
```

This is a female respondent.

```
Warn If: (Choice = Admin) OR (vChoice = Admin)
AnD: Outcome IN [11 .. 13, 21 .. 23]
AnD: (NatCen = Yes) AND (Edit <> Yes)
AnD: In loop FOR i := 1 TO AHHSize
AnD: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AnD: P[i].CTitle IN [Mrs .. Miss]
PRec[].Sex[i] = Female
```

This is a male respondent.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
```

PName := DMName[[i]

FRS0405A.Admin.QConfid.QPersConf.P[]

```
DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes
```

Person

Person identifier

0..14

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [11 .. 13, 21 .. 23]
AND: (NatCen = Yes) AND (Edit <> Yes)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
```

CTitle

Please enter the title of ^PName from ARF at D2.

- (1) Mr
- (2) Mrs
- (3) Ms
- (4) Miss
- (5) Other

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: (CTitle = Other) AND (PPConfDone <> Yes)
```

Title

Please enter the title of ^PName from ARF at D2.

STRING[20]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
```

Title

Please enter the title of ^PName from ARF at D2.

STRING[20]

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
    AND: CTitle = Mr
Title := 'Mr'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
    AND: CTitle = Mrs
Title := 'Mrs'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
    AND: CTitle = Ms
Title := 'Ms'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: NOT ((CTitle = Other) AND (PPConfDone <> Yes)
    AND: CTitle = Miss
Title := 'Miss'
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: PPConfDone <> Yes
Surname
    Please enter the surname of ^PName from ARF at D2.
```

STRING[40]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [11 .. 13, 21 .. 23]
AND: (NatCen = Yes) AND (Edit <> Yes)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
```

Initial

Please enter the initials of ^PName from ARF at D2.

STRING[5]

```
Ask if: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes
```

Moving

Is ^PName expecting to move?

- (1) Yes
- (2) No

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MoveDate

Enter expected date of move (FROM ARF D3). IF THE DATE IS UNKNOWN, ENTER 15TH OF MONTH.

DATE

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [11 .. 13, 21 .. 23]
AND: (NatCen = Yes) AND (Edit <> Yes)
AND: In loop FOR i := 1 TO AHHSize
AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
AND: PPConfDone <> Yes
AND: Moving = Yes
```

MovAdd1

Enter respondent's future or contact address (FROM ARF D3). Enter first line of the future/contact address

STRING[30]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MovAdd2

Enter second line of the future/contact address

STRING[30]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MovAdd3

Enter third line of the future/contact address

STRING[30]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MovAdd4

Enter fourth line of the future/contact address

STRING[30]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MovAddPC

Enter postcode of the future/contact address

STRING[8]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: PPConfDone <> Yes

AND: Moving = Yes
```

MovAddPh

Enter their future/contact telephone number.

Enter the full number including the area code.

STRING[14]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

Surname

Please enter the surname of ^PName from ARF at D2.

STRING[40]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

Initial

Please enter the initials of ^PName from ARF at D2.

STRING[5]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

Moving

Is ^PName expecting to move?

- (1) Yes
- (2) No

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MoveDate

Enter expected date of move (FROM ARF D3). IF THE DATE IS UNKNOWN, ENTER 15TH OF MONTH.

DATE

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd1

Enter respondent's future or contact address (FROM ARF D3). Enter first line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd2

Enter second line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd3

Enter third line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAdd4

Enter fourth line of the future/contact address

STRING[30]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAddPC

Enter postcode of the future/contact address

STRING[8]

```
RECORD IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: In loop FOR i := 1 TO AHHSize

AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)

AND: NOT (PPConfDone <> Yes)
```

MovAddPh

Enter their future/contact telephone number.

Enter the full number including the area code.

STRING[14]

FRS0405A.Admin.QConfid.QPersConf (continued)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i]. Moving = Yes
AdrChg := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
MovTxt[[i] := (S4 + 'Moving on ' + DATETOSTR(P[i].MoveDate) + '
to: ' + S4 + P[i] . MovAdd1)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i]. Moving = Yes
    AND: P[i].MovAdd2 = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAdd2)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23] AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
    AND: P[i].MovAdd3 = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAdd3)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
    AND: P[i].MovAdd4 = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAdd4)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [11 .. 13, 21 .. 23]
    AND: (NatCen = Yes) AND (Edit <> Yes)
    AND: In loop FOR i := 1 TO AHHSize
    AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
    AND: P[i].Moving = Yes
    AND: P[i].MovAddPC = RESPONSE
MovTxt[[i] := (MovTxt[[i] + ', ' + P[i].MovAddPC + '. ')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: Outcome IN [11 .. 13, 21 .. 23]
     AND: (NatCen = Yes) AND (Edit <> Yes)
     AND: In loop FOR i := 1 TO AHHSize
     \textbf{AND:} \quad (\textit{NCSRAdm.DMFuture}[i] = \textit{Yes}) \quad \textit{OR} \quad (\textit{NCSRAdm.DMFuture}[i] = \textit{Depends})
     AND: P[i].Moving = Yes
     AND: P[i]. MovAddPh = RESPONSE
MovTxt[[i] := (MovTxt[[i] + '(Tel: ' + P[i].MovAddPh + ').')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: Outcome IN [11 .. 13, 21 .. 23]
     AND: (NatCen = Yes) AND (Edit <> Yes)
     AND: In loop FOR i := 1 TO AHHSize
     AND: (NCSRAdm.DMFuture[i] = Yes) OR (NCSRAdm.DMFuture[i] = Depends)
PerTxt[[i] := ('
' + STR(i,2) + '. ' + P[i].Title + ' ' + P[i].Initial + ' ' +
P[i].Surname + '.')
```

FRS0405A.Admin.QConfid (continued)

```
Ask if: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: (ConfDone <> Yes) AND ((QPersConf.AnyData = Yes) OR PhoneNum <> EMPTY)
```

Confirm

```
You've just entered the following details:
```

^TelTxt

^PerTxt[1]^MovTxt[1]^PerTxt[2]^MovTxt[2]

 $\label{lem:continuous} $\operatorname{PerTxt}[3]^MovTxt[3]^PerTxt[4]^MovTxt[4]^PerTxt[5]^MovTxt[5] $$

 $\label{lem:continuous} $\operatorname{PerTxt}[6]^MovTxt[6]^PerTxt[7]^MovTxt[7]^PerTxt[8]^MovTxt[8] $$$

^PerTxt[9]^MovTxt[9]^PerTxt[10]^MovTxt[10]^PerTxt[11]^MovTxt[11]

^PerTxt[12]^MovTxt[12]^PerTxt[13]^MovTxt[13]^PerTxt[14]^MovTxt[14]

Are they correct?

- (1) Yes
- (2) No

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
   AND: Outcome IN [11 .. 13, 21 .. 23]
   AND: (NatCen = Yes) AND (Edit <> Yes)
   AND: (ConfDone <> Yes) AND ((QPersConf.AnyData = Yes) OR PhoneNum <> EMPTY)
   Confirm = Yes
```

Press <Enter> and <PgUp> to review the personal details.

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [11 .. 13, 21 .. 23]

AND: (NatCen = Yes) AND (Edit <> Yes)

AND: (ConfDone <> Yes) AND ((QPersConf.AnyData = Yes) OR PhoneNum <> EMPTY)

AND: Confirm = Yes
```

ConfDone := Yes

FRS0405A.Admin.QObsSheet

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = Yes
```

NCSRFill := ' on your ARF'

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = ONS
```

RTypHH

ENTER DETAILS FROM NONRESPONSE FORM.

If possible please indicate the type of household this is.

- (1) Single-person household, not retired
- (2) Elderly/retired household
- (3) Lone parent
- (4) Couple 1 or both working age (with children)
- (5) Couple 1 or both working age (no children or not sure about dependants)
- (6) Multi-person household (students, sharers)
- (7) Other
- (8) Not known/Uncertain

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = ONS
AND: RTypHH = Other
```

RTypOth

ENTER DETAILS FROM NONRESPONSE FORM.

What type of household is this?

STRING[100]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
```

DwellTyp

ENTER DETAILS FROM NONRESPONSE FORM.

CODE TYPE OF ACCOMMODATION.

- (1) Detached house or bungalow
- (2) Semi-detached house or bungalow
- (3) Terrace/end terrace house or bungalow
- (4) Flat or maisonette purpose built
- (5) Flat or maisonette Part of a converted house/some other kind of building
- (6) Room or rooms
- (7) Caravan, mobile home or houseboat
- (8) Some other kind of accommodation

Ask IF: (Choice = Admin) OR (vChoice = Admin)

NRShelt

ENTER DETAILS FROM NONRESPONSE FORM.

Is this sheltered accommodation?

INTERVIEWER: Housing with a warden and/or alarms.

- (1) Yes
- (2) No

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: DwellTyp IN [Flat .. Rooms]
```

FloorN

ENTER DETAILS FROM NONRESPONSE FORM.

What is the floor level of this household's accommodation?

Don't know < CTRL+K>

- (1) Basement/semi-basement
- (2) Ground floor/street level
- (3) 1st floor (floor above street level)
- (4) 2nd floor
- (5) 3rd floor
- (6) 4th Floor
- (7) 5th to 9th floor
- (8) 10th floor or higher

Ask IF: (Choice = Admin) OR (vChoice = Admin)

EntryN

ENTER DETAILS FROM NONRESPONSE FORM.

Are there any physical barriers to entry to the house/flat/accommodation?

CODE ALL THAT APPLY.

SET [4] OF

- (1) Locked common entrance
- (2) Locked gates
- (3) Security staff or other gatekeeper
- (4) Entry phone access
- (5) None

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
   AND: None IN EntryN
   EntryN.CARDINAL = 1
```

'None' is an exclusive code.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
```

NREth

ENTER DETAILS FROM NONRESPONSE FORM.

ETHNIC GROUP.

Do you know or think the occupants are:

(CODE ALL THAT APPLY.)

IF DON'T KNOW USE <CTRL+K>

SET [4] OF

- (1) White
- (2) Mixed
- (3) Asian (Indian, Pakistani, Bangladeshi, other)
- (4) Black (Carribbean, African, other)
- (5) Chinese and other ethnic group

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NOT (NREth = DONTKNOW)
```

NRHSur4

ENTER DETAILS FROM NONRESPONSE FORM.

ETHNICITY: How sure are you that the answer is correct?

- (1) Sure
- (2) Not Sure

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    RESERVECHECK
```

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    RESERVECHECK
```

RESERVECHECK

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
RESERVECHECK
```

RESERVECHECK

RESERVECHECK

CHECK IF: (Choice = Admin) OR (vChoice = Admin)

RESERVECHECK

RESERVECHECK

CHECK IF: (Choice = Admin) OR (vChoice = Admin)

RESERVECHECK

RESERVECHECK

CHECK IF: (Choice = Admin) OR (vChoice = Admin)

RESERVECHECK

RESERVECHECK

FRS0405A.Admin.QObsSheet

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.00000000000001]

AND: NatCen = Yes
```

NCSRFill := ' on your ARF'

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]
AND: NatCen = ONS
```

RTypHH

ENTER DETAILS FROM NONRESPONSE FORM.

If possible please indicate the type of household this is.

- (1) Single-person household, not retired
- (2) Elderly/retired household
- (3) Lone parent
- (4) Couple 1 or both working age (with children)
- (5) Couple 1 or both working age (no children or not sure about dependants)
- (6) Multi-person household (students, sharers)
- (7) Other
- (8) Not known/Uncertain

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
AND: NatCen = ONS
AND: RTypHH = Other
```

RTypOth

ENTER DETAILS FROM NONRESPONSE FORM.

What type of household is this?

STRING[100]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
```

DwellTyp

ENTER DETAILS FROM NONRESPONSE FORM.

CODE TYPE OF ACCOMMODATION.

- (1) Detached house or bungalow
- (2) Semi-detached house or bungalow
- (3) Terrace/end terrace house or bungalow
- (4) Flat or maisonette purpose built
- (5) Flat or maisonette Part of a converted house/some other kind of building
- (6) Room or rooms
- (7) Caravan, mobile home or houseboat
- (8) Some other kind of accommodation

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
```

NRShelt

ENTER DETAILS FROM NONRESPONSE FORM.

Is this sheltered accommodation?

INTERVIEWER: Housing with a warden and/or alarms.

- (1) Yes
- (2) No

```
Ask If: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]
AND: DwellTyp IN [Flat .. Rooms]
```

FloorN

ENTER DETAILS FROM NONRESPONSE FORM.

What is the floor level of this household's accommodation?

Don't know < CTRL+K>

- (1) Basement/semi-basement
- (2) Ground floor/street level
- (3) 1st floor (floor above street level)
- (4) 2nd floor
- (5) 3rd floor
- (6) 4th Floor
- (7) 5th to 9th floor
- (8) 10th floor or higher

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
```

EntryN

ENTER DETAILS FROM NONRESPONSE FORM.

Are there any physical barriers to entry to the house/flat/accommodation?

CODE ALL THAT APPLY.

SET [4] OF

- (1) Locked common entrance
- (2) Locked gates
- (3) Security staff or other gatekeeper
- (4) Entry phone access
- (5) None

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
   AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
   AND: None IN EntryN
   EntryN.CARDINAL = 1
```

'None' is an exclusive code.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]

NREth
```

ENTER DETAILS FROM NONRESPONSE FORM.

ETHNIC GROUP.

Do you know or think the occupants are:

(CODE ALL THAT APPLY.)

IF DON'T KNOW USE <CTRL+K>

SET [4] OF

- (1) White
- (2) Mixed
- (3) Asian (Indian, Pakistani, Bangladeshi, other)
- (4) Black (Carribbean, African, other)
- (5) Chinese and other ethnic group

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]
AND: NOT (NREth = DONTKNOW)
```

NRHSur4

ENTER DETAILS FROM NONRESPONSE FORM.

ETHNICITY: How sure are you that the answer is correct?

- (1) Sure
- (2) Not Sure

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]
    RESERVECHECK
```

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
RESERVECHECK
```

RESERVECHECK

CHECK IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]

RESERVECHECK

RESERVECHECK

CHECK IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.0000000000001]

RESERVECHECK

RESERVECHECK

CHECK IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.0000000000001]

RESERVECHECK

RESERVECHECK

CHECK IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]

RESERVECHECK

RESERVECHECK

Block: FRS0405A.Admin

FRS0405A.Admin (continued)

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.000000000000]
AND: Outcome IN [42 .. 56.0000000000000]
```

NRForm

Were you able to fill in any of the Non-Response Form, that is either the refusal data or the observational part of the form?

- (1) Yes
- (2) No

FRS0405A.Admin.QNonResp

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.0000000000000]

AND: Outcome IN [42 .. 56.0000000000000]

AND: NRForm = Yes
```

Adults

ENTER DETAILS FROM NONRESPONSE FORM.

Enter number of adults (aged 16 and over) in the household.

```
(7=7 \text{ or } 7+).
```

Don't know <CTRL+K>, Refusal <CTRL+R>

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]

AND: Outcome IN [42 .. 56.000000000000]

AND: NRForm = Yes

AND: Adults IN [One .. Seven]
```

AdultNo := ORD(Adults)

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]

AND: Outcome IN [42 .. 56.0000000000000]

AND: NRForm = Yes
```

Children

ENTER DETAILS FROM NONRESPONSE FORM.

Enter number of children (under 16) in the household.

```
(7=7 \text{ or } 7+).
```

- (0) None
- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven

FRS0405A.Admin.QNonResp.QIndNonResp.Adult[]

SexN

ENTER DETAILS FROM NONRESPONSE FORM.

Adult no. 'i: Record the person's sex.

Don't know <CTRL+K>, Refusal <CTRL+R>

- (1) Male
- (2) Female

AgeOfN

ENTER DETAILS FROM NONRESPONSE FORM.

Adult no. ^i : Record the person's age band.

Don't know <CTRL+K>, Refusal <CTRL+R>

- (1) 16 -34
- (2) 35 59
- (3) 60 and over

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [31 .. 33, 42 .. 56.000000000000000]
    AND: Outcome IN [42 .. 56.00000000000000]
    AND: NRForm = Yes
    AND: In loop FOR i := 1 TO AdultNo
    RESERVECHECK
```

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [31 .. 33, 42 .. 56.0000000000001]
    AND: Outcome IN [42 .. 56.0000000000001]
    AND: NRForm = Yes
    AND: In loop FOR i := 1 TO AdultNo
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NRForm = Yes
    AND: In loop FOR i := 1 TO AdultNo RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
AND: Outcome IN [42 .. 56.000000000000]
    AND: NRForm = Yes
    AND: In loop FOR i := 1 TO AdultNo
    RESERVECHECK
```

FRS0405A.Admin.QNonResp (continued)

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
AND: Outcome IN [42 .. 56.0000000000000]
AND: NRForm = Yes
```

NRBUs

ENTER DETAILS FROM NONRESPONSE FORM.

Please record all of the Benefit Unit types in the household:

```
(CODE ALL THAT APPLY).
```

Don't know <CTRL+K>, Refusal <CTRL+R>

SET [4] OF

- (1) Single adult, no children...
- (2) Single adult with children...
- (3) Couple, no children...
- (4) Couple with children...

NRBUsN1

ENTER DETAILS FROM NONRESPONSE FORM.

IF KNOWN: How many single adults, no children in the household?

```
(7=7 \text{ or } 7+).
```

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven

NRBUsN2

ENTER DETAILS FROM NONRESPONSE FORM.

...and how many single adults with children in the household?

Don't know <CTRL+K>, Refusal <CTRL+R>

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.000000000000000]
AND: Outcome IN [42 .. 56.0000000000000]
AND: NRForm = Yes
AND: Ad2Ch0 IN NRBUS
```

NRBUsN3

ENTER DETAILS FROM NONRESPONSE FORM.

...and how many couples, no children in the household?

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven

NRBUsN4

ENTER DETAILS FROM NONRESPONSE FORM.

...and how many couples, with children in the household?

Don't know <CTRL+K>, Refusal <CTRL+R>

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven

NRBUSur

ENTER DETAILS FROM NONRESPONSE FORM.

How sure are you that your answers about type/number of BUs are correct?

- (1) Sure
- (2) Not sure

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]
AND: Outcome IN [42 .. 56.0000000000000]
AND: NRForm = Yes
```

NRWk

ENTER DETAILS FROM NONRESPONSE FORM.

Is any adult in paid work?

- (1) Yes
- (2) No

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: Outcome IN [31 .. 33, 42 .. 56.00000000000000]

AND: Outcome IN [42 .. 56.0000000000000]

AND: NRForm = Yes

AND: NRWk = Yes
```

NRWkN

ENTER DETAILS FROM NONRESPONSE FORM.

```
IF KNOWN: How many adults are in paid work?
```

```
(7=7 \text{ or } 7+).
```

Don't know <CTRL+K>, Refusal <CTRL+R>

- (1) One
- (2) Two
- (3) Three
- (4) Four
- (5) Five
- (6) Six
- (7) Seven

```
Warn IF: (Choice = Admin) OR (vChoice = Admin)
    Ann: Outcome IN [31 .. 33, 42 .. 56.000000000000000]
    Ann: Outcome IN [42 .. 56.0000000000000]
    Ann: NRForm = Yes
    Ann: NRWk = Yes
    Ann: (NRWkN IN [One .. Seven]) AND (AdultNo IN [1 .. 7])
    ORD(NRWkN) <= AdultNo</pre>
```

Are you sure? Earlier you said there were only ^AdultNo adult(s) in the household. Please amend or suppress this warning.

Block: FRS0405A.Admin

FRS0405A.Admin (continued)

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
  AND: NRForm = Yes
```

FeeType[5] := 1

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
      AND: Outcome IN [31 .. 33, 42 .. 56.000000000000001] AND: Outcome IN [42 .. 56.00000000000001]
      AND: NOT (NRForm = Yes)
```

FeeType[5] := 0

```
DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)
```

Outcome

Final Outcome Codes from ProdOutc or unproductive codes

11..97

```
DISPLAY IF: (Choice = Admin) OR (vChoice = Admin)
```

HOut

Derived 3 digit outcome code

0..997

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: NatCen = ONS
    AND: (((HOut >= 300) AND (HOut < 400)) OR ((HOut >= 412) AND (HOut <
    550))) OR ((HOut >= 600) AND (HOut < 680))
```

ReisHld

Do you think this household is worth reissuing?

- Yes, and expressed willingness (1)
- (2) Yes, likely to participate
- (3) Not sure
- (4)
- Definite no (do not reissue under any circumstances) (5)

Block: FRS0405A.Admin

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = ONS
AND: (((HOut >= 300) AND (HOut < 400)) OR ((HOut >= 412) AND (HOut < 550))) OR ((HOut >= 600) AND (HOut < 680))
AND: NOT (ReisHld = DefNo)</pre>
```

ReisInf

Please record any information about the household that would help when deciding to reissue the case and would be of use to another interviewer.

Do not include any personal/subjective statements about the household as this information may be reproduced on a recall sheet.

STRING[250]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)

AND: NatCen = ONS

AND: (((HOut >= 300) AND (HOut < 400)) OR ((HOut >= 412) AND (HOut < 550))) OR ((HOut >= 600) AND (HOut < 680))

AND: NOT (ReisHld = DefNo)
```

ReisNam

Please record name.

You may only record information here if it was given to you by a member of the household, otherwise please leave blank.

If you do not have the name please also leave the field blank: press enter to continue.

STRING[75]

```
Ask if: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen = ONS
AND: (((HOut >= 300) AND (HOut < 400)) OR ((HOut >= 412) AND (HOut < 550))) OR ((HOut >= 600) AND (HOut < 680))
AND: NOT (ReisHld = DefNo)
```

ReisTel

Please record telephone number(including area code)

You may only record information here if it was given to you by a member of the household, otherwise please leave blank.

If you do not have the number please also leave the field blank: press enter to continue.

STRING[75]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
```

MinsAdm

TOTAL TIME IN MINUTES SPENT AT HOME COLLECTING FURTHER INFORMATION FROM THIS HOUSEHOLD (FOR EXAMPLE THROUGH A FOLLOW-UP TELEPHONE CALL).

0..997

```
Ask If: (Choice = Admin) OR (vChoice = Admin)
AND: NatCen <> Yes
```

NoteToHQ

ENTER ANY ESSENTIAL NOTES TO HQ ABOUT THIS CASE.

(OPTIONAL, IF NOTHING TO SAY, JUST PRESS <ENTER>.)

STRING[80]

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
```

IntDone

Have you completed all post-interview coding, checking & notes?

Code '1' (Yes) signals that this household is ready for transmission to Head Office.

- (1) Yes, completed all coding, etc
- (2) Not yet

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
   AND: IntDone = YesCoded
   Outcome<>NONRESPONSE AND INVOLVING(IntDone)
```

You haven't completed the outcome coding...

Please do so, or amend IntDone to '2' for 'Not yet'.

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: IntDone = YesCoded
AND: In loop FOR idx := 1 TO AHHSize
AND: NatCen = ONS
(DMASOCDo[[idx] <> Yes) AND INVOLVING(SOCNow)
```

You haven't completed SOC coding...

Please do so by pressing <Enter>, or amend IntDone to '2' for 'Not yet'.

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: IntDone = YesCoded
AND: In loop FOR idx := 1 TO AHHSize
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
AND: IntDone = YesCoded
AND: In loop FOR idx := 1 TO AHHSize
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: In loop FOR idx := 1 TO AHHSize
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: In loop FOR idx := 1 TO AHHSize
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
BookLst1 := ''
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
BookLst2 := ''
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
ACDLAC := No
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
ACDLAM := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AChB := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AGrd := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AInv := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
APen := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AWPen := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AWMot := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AWDis := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AWWid := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
ANDeal := No
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
ASev := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
ADLAC := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
ADLAM := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AAtAl := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AJSA := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
APC := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AIS := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AIB := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AIDis := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AMAll := No
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
AMGrnt := No
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 8
    AND: BU[idx].QBenefit.CDLACHow[idy].BookCard = Later
ACDLAC := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 8
    AND: BU[idx].QBenefit.CDLAMHow[idy].BookCard = Later
ACDLAM := Yes
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 8
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 8
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].ChBHow.BookCard = Later
AChB := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].GrdHow.BookCard = Later
AGrd := Yes
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].InvHow.BookCard = Later
AInv := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx]. QBenefit. QBenef2[idy]. PenHow. BookCard = Later
APen := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].WPenHow.BookCard = Later
AWPen := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].WMotHow.BookCard = Later
AWMot := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
AND: BU[idx].QBenefit.QBenef2[idy].WDisHow.BookCard = Later
AWDis := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].WWidHow.BookCard = Later
AWWid := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].NDealHow.BookCard = Later
ANDeal := Yes
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].SevHow.BookCard = Later
ASev := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].DLACHow.BookCard = Later
ADLAC := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].DLAMHow.BookCard = Later
ADLAM := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].AtAlHow.BookCard = Later
AAtAl := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].JSAHow.BookCard = Later
AJSA := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].PCHow.BookCard = Later
APC := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].ISHow.BookCard = Later
AIS := Yes
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].IBHow.BookCard = Later
AIB := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].IDisHow.BookCard = Later
AIDis := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].MAllHow.BookCard = Later
AMAll := Yes
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    AND: BU[idx].QBenefit.QBenef2[idy].MGrntHow.BookCard = Later
AMGrnt := Yes
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
```

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
```

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
```

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: In loop FOR idx := 1 TO NewBU
    AND: In loop FOR idy := 1 TO 2
    RESERVECHECK
    RESERVECHECK
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: ACDLAC = Yes
BookLst1 := 'CHILD DISABILITY LIVING ALLOWANCE (CARE),'
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: ACDLAM = Yes
BookLst1 := (BookLst1 + 'CHILD DISABILITY LIVING ALLOWANCE
(MOBILITY),')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AChB = Yes
BookLst1 := (BookLst1 + 'CHILD BENEFIT,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AGrd = Yes
BookLst1 := (BookLst1 + 'GUARDIAN'S ALLOWANCE,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AInv = Yes
BookLst1 := (BookLst1 + 'INVALIDITY CARE ALLOWANCE,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: APen = Yes
BookLst1 := (BookLst1 + 'NI PENSION,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AWPen = Yes
BookLst1 := (BookLst1 + 'WIDOW'S PENSION,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AWMot = Yes
BookLst1 := (BookLst1 + 'WIDOWED MOTHER'S ALLOWANCE,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AWDis = Yes
BookLst1 := (BookLst1 + 'WAR DISABLEMENT PENSION,')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AWWid = Yes
BookLst1 := (BookLst1 + 'WAR WIDOW'S PENSION,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: ANDeal = Yes
BookLst1 := (BookLst1 + 'NEW DEAL FOR OVER 50'S,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: ASev = Yes
BookLst1 := (BookLst1 + 'SEVERE DISABLEMENT ALLOWANCE,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: ADLAC = Yes
BookLst1 := (BookLst1 + 'ADULT DISABILITY LIVING ALLOWANCE
(CARE),')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: ADLAM = Yes
BookLst1 := (BookLst1 + 'ADULT DISABILITY LIVING ALLOWANCE
(MOBILITY),')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AAtAl = Yes
BookLst1 := (BookLst1 + 'ATTENDANCE ALLOWANCE,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: AJSA = Yes
BookLst1 := (BookLst1 + 'JOBSEEKER'S ALLOWANCE,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: APC = Yes
BookLst1 := (BookLst1 + 'PENSION CREDIT,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: IntDone = YesCoded
    AND: (Edit <> Yes) AND (BookDo = Yes)
    AND: ATS = Yes
BookLst1 := (BookLst1 + 'INCOME SUPPORT,')
```

```
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: (Edit <> Yes) AND (BookDo = Yes)
     AND: AIB = Yes
BookLst1 := (BookLst1 + 'INCAPACITY BENEFIT,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: (Edit <> Yes) AND (BookDo = Yes)
     AND: AIDis = Yes
BookLst1 := (BookLst1 + 'INDUSTRIAL INJURIES BENEFIT,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: (Edit <> Yes) AND (BookDo = Yes)
     AND: AMAll = Yes
BookLst1 := (BookLst1 + 'MATERNITY ALLOWANCE,')
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: (Edit <> Yes) AND (BookDo = Yes)
     AND: AMGrnt = Yes
BookLst1 := (BookLst1 + 'MATERNITY GRANT')
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: (Edit <> Yes) AND (BookDo = Yes)
     ERROR AND INVOLVING(IntDone)
     INTERVIEWER: You have stated that there is still a benefit book to be consulted later. See list below.
     Please try and obtain accurate information from a book where possible. Otherwise amend the code
     appropriately: ^BookLst1^BookLst2
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: Edit <> Yes
     RESERVECHECK
     RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: Edit <> Yes
     RESERVECHECK
     RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: Edit <> Yes
     RESERVECHECK
     RESERVECHECK
```

```
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: Edit <> Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: (Choice = Admin) OR (vChoice = Admin)
     AND: IntDone = YesCoded
     AND: Edit <> Yes
     AND: (NatCen <> Yes) AND (Outcome IN [11 .. 23])
     AND: In loop FOR idx := 1 TO AHHSize
     AND: (PRec[idx].Depend = Adult) AND (DMProx[idx] = Personal)
     Recall.QRecPers.Person[].Future[idx]<>EMPTY
     The recall block has not been completed!
Ask IF: (Choice = Admin) OR (vChoice = Admin)
     AND: Edit = Yes
OEDone
     EDITOR: Have you completed all editing?
     (1)
          Yes, completed all editing
     (2)
          Not yet
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Edit = Yes
     AND: OEDone = Yes
     AND: In loop FOR idx := 1 TO AHHSize
     (DMASOCDo[[idx] <> Yes) AND INVOLVING(SOCNow)
     EDITOR: Please complete the SOC coding.
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: Edit = Yes
     AND: OEDone = Yes
     AND: In loop FOR idx := 1 TO AHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: Edit = Yes
     AND: OEDone = Yes
     AND: In loop FOR idx := 1 TO AHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: (Choice = Admin) OR (vChoice = Admin)
     AND: Edit = Yes
     AND: OEDone = Yes
     (AssDo = No) AND INVOLVING(OEDone)
```

EDITOR: There is still editing to be done in an assets section.

```
Ask IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Edit = Yes
    AND: NatCen = Yes
Info
    EDITOR: That completes the edit.
    Use the F7 function key to edit the next serial number.
    Use the Ctrl key and F7 function key together to bring up the browser menu.
    Use <Alt X> to finish editing.
         Exit
    (1)
COMPUTE IF: (Choice = Admin) OR (vChoice = Admin)
    AND: Edit = Yes
    AND: NatCen = Yes
    AND: Info <> EMPTY
Info := 1
CHECK ALWAYS:
    RESERVECHECK
    RESERVECHECK
CHECK ALWAYS:
    RESERVECHECK
    RESERVECHECK
CHECK ALWAYS:
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: NatCen <> Yes
LocCMSinfo := ('AREA=' + STR(QSerial.Area) + CHAR(13) +
CHAR (10))
COMPUTE IF: NatCen <> Yes
LocCMSinfo := (LocCMSinfo + 'ADDRESS=' + STR(QSerial.Address) +
CHAR(13) + CHAR(10)
COMPUTE IF: NatCen <> Yes
LocCMSinfo := (LocCMSinfo + 'HHOLD=' + STR(QSerial.Hhold) +
CHAR(13) + CHAR(10)
COMPUTE IF: NatCen <> Yes
    AND: Outcome <> EMPTY
LocCMSinfo := (LocCMSinfo + 'Outcome=' + STR(Outcome) +
CHAR(13) + CHAR(10)
```

```
COMPUTE IF: NatCen <> Yes
    AND: HStatus <> EMPTY
LocCMSinfo := (LocCMSinfo + 'HSTATUS=' + STR(ORD(HStatus)) +
CHAR(13) + CHAR(10))
COMPUTE IF: NatCen <> Yes
    AND: IntDone <> EMPTY
LocCMSinfo := (LocCMSinfo + 'INTDONE=' + STR(ORD(IntDone)) +
CHAR(13) + CHAR(10)
COMPUTE IF: NatCen <> Yes
    AND: AuthNo <> EMPTY
LocCMSinfo := (LocCMSinfo + 'INTNUM=' + STR(AuthNo) + CHAR(13)
+ CHAR(10))
COMPUTE IF: NatCen <> Yes
    AND: MenuNote <> EMPTY
LocCMSinfo := (LocCMSinfo + 'ADMNOTE=' + MenuNote + CHAR(13) +
CHAR (10))
```

FRS0405A.Admin.MF

Create case management file

COMPUTE IF: NatCen <> Yes

fname := 'C:.TXT'

Compute if: NatCen <> Yes

ftext := texline

RECORD IF: NatCen <> Yes

fname

filename for management information

STRING[28]

RECORD IF: NatCen <> Yes

ftext

text line(s) for file

STRING[255]

Ask if: NatCen <> Yes

Ok

Press '1' to exit...

STRING[1]

Block: FRS0405A

FRS0405A (continued)

FAMILY RESOURCES SURVEY 2004/2005

COMPUTE IF: Edit = Yes

AND: Admin.OEDone = RESPONSE

EdDone := Admin.OEDone

COMPUTE IF: Edit = Yes

AND: NOT (Admin.OEDone = RESPONSE)

EdDone := No

FRS0405A.QCMS

ASK ALWAYS:

IntStatus

Interview status

- (1) Interview not started
- (2) Started interview
- (3) Partial interview
- (4) Full interview
- (5) No interview required (Non-productive/deadwood)

ASK ALWAYS:

IntDone

Admin block completed?

- (1) Yes
- (2) No

ASK ALWAYS:

InterNote

Interviewer comment

STRING[100]

ASK ALWAYS:

Outcome

Final outcome code

0..997

ASK ALWAYS:

NOFHH

Number of households at address

0..97

Ask if: In loop FOR := 1 TO 20

PayItem

CAPI pay item

0..97

ASK ALWAYS:

SurvStatus

Survey specific status (spare)

- (1) (2) (3) (4)
- C1 C2 C3
- C4
- (5) C5
- (6) C6
- (7) C7
- (8) C8
- (9) C9
- (10) C10
- (10) C10 (11) C11 (12) C12 (13) C13 (14) C14

Block: FRS0405A

FRS0405A (continued)

FAMILY RESOURCES SURVEY 2004/2005

COMPUTE IF: Admin.Outcome IN [11 .. 13] QCMS.IntStatus := Full COMPUTE IF: Admin.Outcome IN [21 .. 23] QCMS.IntStatus := Partial COMPUTE IF: HHSize > 0 QCMS.IntStatus := Started COMPUTE IF: HHSize = 0 QCMS.IntStatus := NoStart COMPUTE ALWAYS: QCMS.IntDone := ORD(Admin.IntDone) COMPUTE ALWAYS: QCMS.InterNote := Admin.MenuNote COMPUTE ALWAYS: QCMS.Outcome := Admin.HOut COMPUTE ALWAYS: QCMS.NOFHH := Admin.FindHH COMPUTE IF: In loop FOR Loop1 := 1 TO 12 QCMS.PayItem[Loop1] := Admin.FeeType[Loop1] CHECK IF: In loop FOR Loop1 := 1 TO 12 RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO 12 RESERVECHECK RESERVECHECK CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

Block: FRS0405A

CHECK ALWAYS: RESERVECHECK RESERVECHECK CHECK ALWAYS: RESERVECHECK RESERVECHECK