

Millennium Cohort Study Second Survey:

Changes to Datasets 2007

November 2007



Centre for Longitudinal Studies

Institute of Education, University of London

CONTENTS

New research serial number	3
Cleaning of the Household Grid	3
Corrections to previously deposited data.....	3
Occupation Coding (SOC2000).....	3
Country of Birth.....	4
Age of onset of eye-sight problems	4
Age of onset of hearing problems	4
Household Income	4
Language of Interview if not English	4
Geo-coded Variables.....	5
Rural Urban Indicators.....	5
IMD (Deciles)	5
Stratum at Interview.....	5
Derived Variables	5
APPENDIX 1	7
Corrections to sex	7
Corrections to relationships	7
APPENDIX 2.....	18
SOC2000 Coding	18

New research serial number

The family serial number (famsrno) has been replaced by a new serial number mcsid. Datasets using famsrno will not be linkable to new releases of data. CLS have undertaken to convert datasets where they are not able to be re-derived. Please contact clsfeedback@ioe.ac.uk for more information.

Cleaning of the Household Grid

At MCS2 with information only available two sweeps it was not in many cases possible to determine where information was inconsistent, which was more likely to be correct. With MCS3 we were in a position to resolve these with more certainty. Our approach has been to only clean where it is clear that the corrections can be made with certainty.

Cleaning of sex helped by reference to the names collected. Cleaning of relationships was restricted to parent-child conflicts, e.g. grandparent / grandchild, father / son, other relationships which are possible even where unlikely have been retained.

All the cases where there were more than two natural parents in the household have been resolved.

Corrections to previously deposited data

Occupation Coding (SOC2000)

Occupation was sent to ONS for recoding. Full details of the coding are at Appendix 1. The following variables are affected.

bm fjsc00	S2 MAIN Fathers Social Class (SOC2000)
bm jbs00	S2 MAIN Main job (coded SOC2000)
bm jhs0a0	S2 MAIN Details of job date 1 (coded - SOC2000)
bm jhs0b0	S2 MAIN Details of job date 2 (coded - SOC2000)
bm jhs0c0	S2 MAIN Details of job date 3 (coded - SOC2000)
bm jhs0d0	S2 MAIN Details of job date 4 (coded - SOC2000)
bm jhs0e0	S2 MAIN Details of job date 5 (coded - SOC2000)
bm jhs0f0	S2 MAIN Details of job date 6 (coded - SOC2000)
bm jhs0g0	S2 MAIN Details of job date 7 (coded - SOC2000)
bm fss00	S2 MAIN First main job after left full-time education
bm cjs00	S2 MAIN Job doing immediately before first child
bp jbs00	S2 PART Main job (coded - SOC2000)
bx jbs00	S2 PROX Main job (coded - SOC2000)

As a consequence NS-SEC was recomputed for these variables. Please note that the variables relating to the Main and Partner respondents parents social class were NOT sent for recoding and thus remain the same.

bmmjsc00	S2 MAIN Main respondents mother's Social Class (SOC2000)
bm fjsc00	S2 MAIN Main respondents father's Social Class (SOC2000)
bpmjsc00	S2 PART Partner respondents mother's Social Class (SOC2000)

bpfjsc00 S2 PART Partner respondents father's Social Class (SOC2000)

Country of Birth

This is coded to ISO-3166 (numeric) and some corrections were made in the back-coding. The following variables have been corrected:

bmrewc00 S2 MAIN Mothers Country of origin if not UK
bmmuwc00 S2 MAIN Where main respondents mother was born
bmdawc00 S2 MAIN Where main respondents father was born
bpmuwc00 S2 PART Where partner respondents mother was born
bpdawc00 S2 PART Where partner respondents father was born

Age of onset of eye-sight problems

bmeymta0 S2 MAIN Age when problem first suspected (months) C1
bmeyeaa0 S2 MAIN Age when problem first suspected (text) C1
bmeymtb0 S2 MAIN Age when problem first suspected (months) C2
bmeyeab0 S2 MAIN Age when problem first suspected (text) C2
bmeymtc0 S2 MAIN Age when problem first suspected (months) C3
bmeyeac0 S2 MAIN Age when problem first suspected (text) C3

Age of onset of hearing problems

bmheraa0 S2 MAIN When problem first suspected C1
bmhrama0 S2 MAIN Age when problem first suspected (months) C1
bmherab0 S2 MAIN When problem first suspected C2
bmhramb0 S2 MAIN Age when problem first suspected (months) C2
bmherac0 S2 MAIN When problem first suspected C3
bmhramc0 S2 MAIN Age when problem first suspected (months) C3
bmhrccaa S2 MAIN Cohort child's hearing concern other C1 MC1
bmhrccab S2 MAIN Cohort child's hearing concern other C1 MC2
bmhrccac S2 MAIN Cohort child's hearing concern other C1 MC3
bmhrccba S2 MAIN Cohort child's hearing concern other C2 MC1
bmhrccbb S2 MAIN Cohort child's hearing concern other C2 MC2
bmhrccbc S2 MAIN Cohort child's hearing concern other C2 MC3
bmhrccca S2 MAIN Cohort child's hearing concern other C3 MC1
bmhrcccb S2 MAIN Cohort child's hearing concern other C3 MC2
bmhrcccc S2 MAIN Cohort child's hearing concern other C3 MC3

Household Income

bminco00 S2 MAIN Total Family Income (couple)
bmincm00 S2 MAIN Total Family Income (lone parent)

Language of Interview if not English

bmtran00 S2 MAIN Was Interview translated

bmptra00	S2 MAIN Who translated the interview
bmlanp00	S2 MAIN Which language was it translated in
bptran00	S2 PART Was Interview translated
bppttra00	S2 PART Who translated the interview
bplanp00	S2 PART Which language was it translated in
bxtran00	S2 PROX Was Interview translated
bxptra00	S2 PROX Who translated the interview
bxlanp00	S2 PROX Which language was it translated in

Geo-coded Variables

A developing set of data linked using geo-coded address at interview has been added as

Rural Urban Indicators

Address at interview has been geo-coded allowing us to produce a more consistent set of geographic indicators. As a consequence the Birkbeck Rural Urban Indicator for England (barururb) has been re-computed and 6 further rural urban indicators have been added to cover The ONS Rural 2005 Urban Indicator covering England and Wales (bmorpcde, bcontcde and bcombcde), the 2005 Scottish Executive Rural Urban Indicator (bsixfold and btwofold) and the 2005 Northern Ireland Urban Rural Status Indicator (bnirus).

IMD (Deciles)

IMD Index and the domains available have been banded at Lower Super Output Area level for each country and added to the data. Further details on geo-coding are available with the documentation for SN 5729 (Millennium Cohort Study, 2001-2005: Geographical Identifiers, Lower Super Output Area Level: Special Licence Access).

The IMD measures are based on:

England	Indices of Deprivation 2004
Wales	Index of Multiple Deprivation 2005
Scotland	Indices of Deprivation 2004
Northern Ireland	Multiple Deprivation Measure 2005

Stratum at Interview

Stratum as sampled is available at bpttype2. This may be compared to Stratum at Interview using bstratum.

Derived Variables

As a consequence of changes to the Household Grid all derived variables have been re-computed.

Age of mother at first birth available at MCS1 has been computed for new families i.e. those families that entered the study at MCS2.

Two standardised measures of household income have also been derived, the McClements Score¹ and the OECD Score², using the following factors.

Equivalence scales before housing cost	OECD	McClements
First Adult (Main respondent)	0.67	0.61
Spouse	0.33	0.39
Dependent child age between 14<18 years old*	0.33	0.23
Child aged under 14 years**	0.20	0.23

* 16<18 for McClements. (Children aged 16<18 who were recorded as working were treated as non-dependent)

** <16 for McClements

1 L.D. McClements (1978) The Economics of Social Security. Heinemann, London, Table 5.8

² <http://www.poverty.org.uk/summary/income%20intro.shtml#nlink1>

APPENDIX 1

Corrections to sex

```
if famsrno='A28319R' and chpnum00=10 bhpsex00=2.
if famsrno='B31418A' and chpnum00=10 bhpsex00=1.
if famsrno='C27401W' and chpnum00=4 bhpsex00=1.
if famsrno='C27506Q' and chpnum00=4 bhpsex00=1.
if famsrno='C27804E' and chpnum00=5 bhpsex00=2.
if famsrno='C28302V' and chpnum00=1 bhpsex00=2.
if famsrno='C28604N' and chpnum00=6 bhpsex00=1.
if famsrno='D20601F' and chpnum00=3 bhpsex00=1.
if famsrno='D26601Y' and chpnum00=4 bhpsex00=1.
if famsrno='D27801M' and chpnum00=4 bhpsex00=1.
if famsrno='D32405U' and chpnum00=1 bhpsex00=2.
if famsrno='D32405U' and chpnum00=2 bhpsex00=1.
if famsrno='D45101W' and chpnum00=5 bhpsex00=1.
if famsrno='E22904J' and chpnum00=3 bhpsex00=2.
if famsrno='E24502A' and chpnum00=3 bhpsex00=1.
if famsrno='E29403U' and chpnum00=4 bhpsex00=1.
if famsrno='E48804Q' and chpnum00=6 bhpsex00=1.
if famsrno='F25404L' and chpnum00=5 bhpsex00=1.
if famsrno='G10101H' and chpnum00=3 bhpsex00=1.
if famsrno='G12805F' and chpnum00=3 bhpsex00=2.
if famsrno='H29015M' and chpnum00=3 bhpsex00=1.
if famsrno='J24511F' and chpnum00=4 bhpsex00=1.
if famsrno='J26503U' and chpnum00=4 bhpsex00=2.
if famsrno='K26306G' and chpnum00=6 bhpsex00=2.
if famsrno='K26306G' and chpnum00=9 bhpsex00=1.
if famsrno='K26306G' and chpnum00=10 bhpsex00=2.
if famsrno='K26306G' and chpnum00=11 bhpsex00=2.
if famsrno='L25608A' and chpnum00=4 bhpsex00=1.
if famsrno='L29022E' and chpnum00=4 bhpsex00=1.
if famsrno='L46908E' and chpnum00=5 bhpsex00=1.
if famsrno='M13505H' and chpnum00=3 bhpsex00=2.
if famsrno='M17607U' and chpnum00=2 bhpsex00=1.
if famsrno='M47401B' and chpnum00=4 bhpsex00=1.
if famsrno='M47703U' and chpnum00=5 bhpsex00=2.
if famsrno='N24308V' and chpnum00=6 bhpsex00=2.
if famsrno='N28971F' and chpnum00=5 bhpsex00=1.
if famsrno='N32306J' and chpnum00=3 bhpsex00=1.
if famsrno='N32311P' and chpnum00=3 bhpsex00=1.
```

Corrections to relationships

```
***Fixing some relationships in family L31401H***.
if (famsrno="L31401H" and chpnum00=1) bhpsele0=20.
if (famsrno="L31401H" and chpnum00=1) bhpself0=20.
if (famsrno="L31401H" and chpnum00=1) bhpselfg0=20.
if (famsrno="L31401H" and chpnum00=1) bhpselfh0=20.
if (famsrno="L31401H" and chpnum00=1) bhpselfi0=20.
if (famsrno="L31401H" and chpnum00=2) bhpself0=11.
```

```
if (famsrno="L31401H" and chpnum00=5) bhprela0=20.
if (famsrno="L31401H" and chpnum00=6) bhprela0=20.
if (famsrno="L31401H" and chpnum00=6) bhprelb0=11.
if (famsrno="L31401H" and chpnum00=6) bhprelh0=11.
if (famsrno="L31401H" and chpnum00=7) bhprela0=20.
if (famsrno="L31401H" and chpnum00=8) bhprela0=20.
if (famsrno="L31401H" and chpnum00=8) bhprelf0=11.
if (famsrno="L31401H" and chpnum00=9) bhprela0=20.
if (famsrno="L31401H" and chpnum00=15) bhpreld0=16.
if (famsrno="L31401H" and chpnum00=15) bhprele0=16.
if (famsrno="L31401H" and chpnum00=15) bhprelf0=19.
if (famsrno="L31401H" and chpnum00=15) bhprelg0=19.
if (famsrno="L31401H" and chpnum00=15) bhprelh0=19.
if (famsrno="L31401H" and chpnum00=15) bhpreli0=19.
exec.
```

*****.

Fixing some relationships in family B29032N.

```
if (famsrno="B29032N" and chpnum00=1) bhprele0=20.
if (famsrno="B29032N" and chpnum00=1) bhprelf0=20.
if (famsrno="B29032N" and chpnum00=5) bhprela0=20.
if (famsrno="B29032N" and chpnum00=6) bhprela0=20.
if (famsrno="B29032N" and chpnum00=2) bhprelg0=7.
if (famsrno="B29032N" and chpnum00=3) bhprelg0=19.
if (famsrno="B29032N" and chpnum00=5) bhprelg0=17.
if (famsrno="B29032N" and chpnum00=6) bhprelg0=17.
if (famsrno="B29032N" and chpnum00=7) bhprelb0=3.
if (famsrno="B29032N" and chpnum00=7) bhprelc0=19.
if (famsrno="B29032N" and chpnum00=7) bhprele0=16.
if (famsrno="B29032N" and chpnum00=7) bhprelf0=16.
exec.
```

*****.

Fixing some relationships in family N15207D.

```
if (famsrno="N15207D" and chcnun00=1) bhpreld0=12.
if (famsrno="N15207D" and chpnum00=1) bhpreld0=7.
if (famsrno="N15207D" and chpnum00=2) bhpreld0=10.
if (famsrno="N15207D" and chpnum00=4) bhcrel00=12.
if (famsrno="N15207D" and chpnum00=4) bhprela0=3.
if (famsrno="N15207D" and chpnum00=4) bhprelb0=6.
exec.
```

*****.

Fixing some relationships in family C17606Q.

```
if (famsrno="C17606Q" and chcnun00=1) bhprelf0=20.
if (famsrno="C17606Q" and chcnun00=1) bhprelg0=19.
if (famsrno="C17606Q" and chcnun00=1) bhprelj0=19.
if (famsrno="C17606Q" and chcnun00=1) bhprelk0=19.
if (famsrno="C17606Q" and chpnum00=1) bhpreli0=20.
if (famsrno="C17606Q" and chpnum00=2) bhprelj0=19.
if (famsrno="C17606Q" and chpnum00=2) bhprelk0=19.
if (famsrno="C17606Q" and chpnum00=5) bhpreli0=19.
if (famsrno="C17606Q" and chpnum00=6) bhcrel00=20.
if (famsrno="C17606Q" and chpnum00=6) bhprelh0=20.
```



```
if (famsrno="C17606Q" and chpnum00=6) bhprell0=20.
if (famsrno="C17606Q" and chpnum00=7) bhcrel00=19.
if (famsrno="C17606Q" and chpnum00=7) bhprelk0=19.
if (famsrno="C17606Q" and chpnum00=7) bhprell0=19.
if (famsrno="C17606Q" and chpnum00=8) bhprelf0=20.
if (famsrno="C17606Q" and chpnum00=8) bhprelk0=19.
if (famsrno="C17606Q" and chpnum00=9) bhprela0=20.
if (famsrno="C17606Q" and chpnum00=9) bhprell0=19.
if (famsrno="C17606Q" and chpnum00=10) bhcrel00=19.
if (famsrno="C17606Q" and chpnum00=10) bhprelb0=19.
if (famsrno="C17606Q" and chpnum00=10) bhprell0=19.
if (famsrno="C17606Q" and chpnum00=11) bhcrel00=19.
if (famsrno="C17606Q" and chpnum00=11) bhprelb0=19.
if (famsrno="C17606Q" and chpnum00=11) bhprelg0=19.
if (famsrno="C17606Q" and chpnum00=11) bhprelh0=19.
if (famsrno="C17606Q" and chpnum00=11) bhprelb0=19.
if (famsrno="C17606Q" and chpnum00=12) bhprele0=19.
if (famsrno="C17606Q" and chpnum00=12) bhprelf0=20.
if (famsrno="C17606Q" and chpnum00=12) bhprelg0=19.
if (famsrno="C17606Q" and chpnum00=12) bhpreli0=19.
if (famsrno="C17606Q" and chpnum00=12) bhprelj0=19.
if (famsrno="C17606Q" and chpnum00=12) bhprelk0=19.
exec.
```

```
*****.
```

```
***Fixing some relationships in family C14202X***.
```

```
if (famsrno="C14202X" and chpnum00=2) bhprelc0=7.
if (famsrno="C14202X" and chpnum00=3) bhprelb0=3.
```

```
*****.
```

```
***Fixing some relationships in family G23802C***.
```

```
if (famsrno="G23802C" and chpnum00=2) bhpreld0=7.
if (famsrno="G23802C" and chpnum00=3) bhpreld0=18.
if (famsrno="G23802C" and chpnum00=4) bhprelb0=3.
if (famsrno="G23802C" and chpnum00=4) bhprelc0=20.
```

```
*****.
```

```
***Fixing some relationships in family J23604A***.
```

```
if (famsrno="J23604A" and chcnum00=1) bhprelb0=12.
if (famsrno="J23604A" and chpnum00=2) bhcrel00=12.
exec.
```

```
*****.
```

```
***Fixing some relationships in family G24308C***.
```

```
if (famsrno="G24308C" and chpnum00=2) bhprele0=20.
if (famsrno="G24308C" and chpnum00=3) bhprele0=20.
if (famsrno="G24308C" and chpnum00=4) bhprelf0=7.
if (famsrno="G24308C" and chpnum00=5) bhprelb0=18.
if (famsrno="G24308C" and chpnum00=5) bhprelc0=20.
if (famsrno="G24308C" and chpnum00=6) bhpreld0=3.
```

if (famsrno="G24308C" and chpnum00=6) bhprele0=20.

*****.

Fixing some relationships in family J51202L.

if (famsrno="J51202L" and chcnun00=1) bhprele0=19.

if (famsrno="J51202L" and chpnum00=3) bhprele0=19.

if (famsrno="J51202L" and chpnum00=4) bhprele0=19.

if (famsrno="J51202L" and chpnum00=5) bhcrel00=19.

if (famsrno="J51202L" and chpnum00=5) bhprelc0=19.

if (famsrno="J51202L" and chpnum00=5) bhpreld0=19.

*****.

Fixing some relationships in family A16502N.

if (famsrno="A16502N" and chcnun00=1) bhprelg0=20.

if (famsrno="A16502N" and chpnum00=1) bhpreld0=20.

if (famsrno="A16502N" and chpnum00=1) bhprele0=20.

if (famsrno="A16502N" and chpnum00=1) bhprelf0=20.

if (famsrno="A16502N" and chpnum00=1) bhprelg0=20.

if (famsrno="A16502N" and chpnum00=1) bhprelh0=20.

if (famsrno="A16502N" and chpnum00=2) bhprelg0=20.

if (famsrno="A16502N" and chpnum00=3) bhprelg0=20.

if (famsrno="A16502N" and chpnum00=4) bhprelg0=20.

if (famsrno="A16502N" and chpnum00=4) bhprela0=20.

if (famsrno="A16502N" and chpnum00=5) bhprelg0=20.

if (famsrno="A16502N" and chpnum00=5) bhprela0=20.

if (famsrno="A16502N" and chpnum00=6) bhprelg0=20.

if (famsrno="A16502N" and chpnum00=6) bhprela0=20.

if (famsrno="A16502N" and chpnum00=7) bhcrel00=20.

if (famsrno="A16502N" and chpnum00=7) bhprela0=20.

if (famsrno="A16502N" and chpnum00=7) bhprelb0=20.

if (famsrno="A16502N" and chpnum00=7) bhprelc0=20.

if (famsrno="A16502N" and chpnum00=7) bhpreld0=20.

if (famsrno="A16502N" and chpnum00=7) bhprele0=20.

if (famsrno="A16502N" and chpnum00=7) bhprelf0=20.

if (famsrno="A16502N" and chpnum00=8) bhprela0=20.

*****.

Fixing some relationships in family A17501Y.

if (famsrno="A17501Y" and chcnun00=1) bhprelc0=11.

if (famsrno="A17501Y" and chcnun00=1) bhpreld0=11.

if (famsrno="A17501Y" and chcnun00=1) bhprele0=12.

if (famsrno="A17501Y" and chpnum00=2) bhprele0=19.

if (famsrno="A17501Y" and chpnum00=2) bhprelf0=19.

if (famsrno="A17501Y" and chpnum00=3) bhcrel00=11.

if (famsrno="A17501Y" and chpnum00=3) bhpreld0=11.

if (famsrno="A17501Y" and chpnum00=4) bhcrel00=11.

if (famsrno="A17501Y" and chpnum00=4) bhprelc0=11.

if (famsrno="A17501Y" and chpnum00=5) bhcrel00=12.

if (famsrno="A17501Y" and chpnum00=5) bhprelb0=19.

if (famsrno="A17501Y" and chpnum00=6) bhprelb0=19.

*****.

Fixing some relationships in family A27702Q.

```
if (famsrno="A27702Q" and chpnum00=4) bhprelb0=7.
if (famsrno="A27702Q" and chpnum00=4) bhpreld0=96.
if (famsrno="A27702Q" and chpnum00=4) bhprelg0=17.
if (famsrno="A27702Q" and chpnum00=4) bhprelh0=17.
if (famsrno="A27702Q" and chpnum00=7) bhpreld0=16.
if (famsrno="A27702Q" and chpnum00=8) bhpreld0=16.
if (famsrno="A27702Q" and chcnnum00=1) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=1) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=2) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=3) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=4) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=5) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=6) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=7) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=8) bhpreli0=-1.
if (famsrno="A27702Q" and chpnum00=9) bhpreli0=-1.
```

*****.

Fixing some relationships in family A28306C.

```
if (famsrno="A28306C" and chpnum00=3) bhprele0=19.
if (famsrno="A28306C" and chpnum00=5) bhprelc0=19.
```

*****.

Fixing some relationships in family A28325Y.

```
if (famsrno="A28325Y" and chcnnum00=1) bhpreld0=11.
if (famsrno="A28325Y" and chpnum00=4) bhcrel00=11.
if (famsrno="A28325Y" and chpnum00=4) bhprele0=11.
if (famsrno="A28325Y" and chpnum00=4) bhprelf0=11.
if (famsrno="A28325Y" and chpnum00=5) bhpreld0=11.
if (famsrno="A28325Y" and chpnum00=6) bhpreld0=11.
```

*****.

```
if famsrno='A17102V' and bhpnum00=3 bhprela0=3.
if famsrno='A17401K' and bhpnum00=3 bhprela0=3.
if famsrno='A25710C' and bhpnum00=-1 bhprela0=4.
if famsrno='A26510L' and bhpnum00=4 bhprela0=4.
if famsrno='A26606V' and bhpnum00=5 bhprela0=3.
if famsrno='A26606V' and bhpnum00=6 bhprela0=3.
if famsrno='A27403B' and bhpnum00=2 bhprela0=3.
if famsrno='A28301W' and bhpnum00=4 bhprela0=11.
if famsrno='A28301W' and bhpnum00=5 bhprela0=11.
if famsrno='A28319R' and bhpnum00=10 bhprela0=3.
if famsrno='A28325Y' and bhpnum00=4 bhprela0=3.
if famsrno='A28331F' and bhpnum00=2 bhprela0=7.
if famsrno='A28341R' and bhpnum00=5 bhprela0=7.
```

```
if famsrno='A28341R' and bhpnum00=6 bhprela0=11.
if famsrno='A28401K' and bhpnum00=3 bhprela0=3.
if famsrno='A28817H' and bhpnum00=6 bhprela0=19.
if famsrno='A29003U' and bhpnum00=7 bhprela0=20.
if famsrno='A29003U' and bhpnum00=8 bhprela0=20.
if famsrno='A29003U' and bhpnum00=9 bhprela0=20.
if famsrno='A29003U' and bhpnum00=10 bhprela0=20.
if famsrno='A29019M' and bhpnum00=3 bhprela0=3.
if famsrno='A29019M' and bhpnum00=4 bhprela0=3.
if famsrno='A29602A' and bhpnum00=3 bhprela0=3.
if famsrno='A30301U' and bhpnum00=3 bhprela0=2.
if famsrno='A31408C' and bhpnum00=7 bhprela0=19.
if famsrno='A31409D' and bhpnum00=5 bhprela0=19.
if famsrno='A31702L' and bhpnum00=3 bhprela0=3.
if famsrno='A46404T' and bhpnum00=3 bhprela0=12.
if famsrno='A47206E' and bhpnum00=4 bhprela0=3.
if famsrno='A49007B' and bhpnum00=3 bhprela0=6.
if famsrno='A49115Y' and bhpnum00=4 bhprela0=10.
if famsrno='B10102C' and bhpnum00=3 bhprela0=11.
if famsrno='B16903F' and bhpnum00=3 bhprela0=6.
if famsrno='B17503M' and bhpnum00=3 bhprela0=6.
if famsrno='B23107F' and bhpnum00=2 bhprela0=19.
if famsrno='B26801D' and bhpnum00=3 bhprela0=19.
if famsrno='B26801D' and bhpnum00=4 bhprela0=19.
if famsrno='B26802E' and bhpnum00=3 bhprela0=3.
if famsrno='B26802E' and bhpnum00=4 bhprela0=3.
if famsrno='B26810N' and bhpnum00=2 bhprela0=3.
if famsrno='B27703D' and bhpnum00=4 bhprela0=10.
if famsrno='B32509P' and bhpnum00=2 bhprela0=1.
if famsrno='B42302T' and bhpnum00=4 bhprela0=3.
if famsrno='B47803U' and bhpnum00=2 bhprela0=20.
if famsrno='B49014V' and bhpnum00=4 bhprela0=1.
if famsrno='C17403K' and bhpnum00=3 bhprela0=7.
if famsrno='C17606Q' and bhpnum00=3 bhprela0=20.
if famsrno='C17606Q' and bhpnum00=4 bhprela0=20.
if famsrno='C17606Q' and bhpnum00=5 bhprela0=20.
if famsrno='C17606Q' and bhpnum00=6 bhprela0=20.
if famsrno='C17606Q' and bhpnum00=7 bhprela0=20.
if famsrno='C17606Q' and bhpnum00=8 bhprela0=20.
if famsrno='C17606Q' and bhpnum00=9 bhprela0=20.
if famsrno='C17606Q' and bhpnum00=10 bhprela0=20.
if famsrno='C21902X' and bhpnum00=3 bhprela0=6.
if famsrno='C23901U' and bhpnum00=3 bhprela0=3.
if famsrno='C24504E' and bhpnum00=3 bhprela0=12.
if famsrno='C24505F' and bhpnum00=3 bhprela0=20.
if famsrno='C24505F' and bhpnum00=4 bhprela0=20.
if famsrno='C24511M' and bhpnum00=3 bhprela0=20.
if famsrno='C24511M' and bhpnum00=4 bhprela0=20.
if famsrno='C24602Q' and bhpnum00=2 bhprela0=6.
if famsrno='C24606V' and bhpnum00=3 bhprela0=3.
if famsrno='C25304N' and bhpnum00=3 bhprela0=20.
if famsrno='C25407F' and bhpnum00=3 bhprela0=7.
if famsrno='C25407F' and bhpnum00=4 bhprela0=7.
if famsrno='C25407F' and bhpnum00=5 bhprela0=11.
if famsrno='C26110E' and bhpnum00=4 bhprela0=3.
if famsrno='C26204L' and bhpnum00=3 bhprela0=20.
if famsrno='C26806V' and bhpnum00=2 bhprela0=1.
```

```
if famsrno='C27608G' and bhpnum00=2 bhprela0=2.
if famsrno='C27804E' and bhpnum00=5 bhprela0=3.
if famsrno='C28322T' and bhpnum00=5 bhprela0=3.
if famsrno='C28405M' and bhpnum00=2 bhprela0=1.
if famsrno='C28410T' and bhpnum00=3 bhprela0=3.
if famsrno='C28412V' and bhpnum00=3 bhprela0=6.
if famsrno='C28809W' and bhpnum00=3 bhprela0=7.
if famsrno='C28903D' and bhpnum00=2 bhprela0=12.
if famsrno='C29804C' and bhpnum00=2 bhprela0=6.
if famsrno='C30401F' and bhpnum00=2 bhprela0=20.
if famsrno='C31907R' and bhpnum00=3 bhprela0=3.
if famsrno='C44609B' and bhpnum00=-1 bhprela0=3.
if famsrno='C46907M' and bhpnum00=3 bhprela0=11.
if famsrno='C46907M' and bhpnum00=4 bhprela0=11.
if famsrno='C47004X' and bhpnum00=3 bhprela0=2.
if famsrno='C47801D' and bhpnum00=2 bhprela0=1.
if famsrno='C49004V' and bhpnum00=4 bhprela0=3.
if famsrno='D16805R' and bhpnum00=2 bhprela0=2.
if famsrno='D16805R' and bhpnum00=3 bhprela0=3.
if famsrno='D17608E' and bhpnum00=6 bhprela0=11.
if famsrno='D25202J' and bhpnum00=3 bhprela0=20.
if famsrno='D25202J' and bhpnum00=4 bhprela0=20.
if famsrno='D25310G' and bhpnum00=4 bhprela0=20.
if famsrno='D26306N' and bhpnum00=6 bhprela0=11.
if famsrno='D26505P' and bhpnum00=4 bhprela0=10.
if famsrno='D27610V' and bhpnum00=2 bhprela0=2.
if famsrno='D28324G' and bhpnum00=6 bhprela0=19.
if famsrno='D28324G' and bhpnum00=7 bhprela0=19.
if famsrno='D28602X' and bhpnum00=3 bhprela0=3.
if famsrno='D28704N' and bhpnum00=3 bhprela0=20.
if famsrno='D28819U' and bhpnum00=3 bhprela0=19.
if famsrno='D29001B' and bhpnum00=3 bhprela0=7.
if famsrno='D29604L' and bhpnum00=3 bhprela0=3.
if famsrno='D31005D' and bhpnum00=3 bhprela0=19.
if famsrno='D31425F' and bhpnum00=5 bhprela0=6.
if famsrno='D48205Y' and bhpnum00=2 bhprela0=3.
if famsrno='D48205Y' and bhpnum00=3 bhprela0=3.
if famsrno='D49102T' and bhpnum00=4 bhprela0=7.
if famsrno='D54302C' and bhpnum00=3 bhprela0=2.
if famsrno='D54503F' and bhpnum00=3 bhprela0=6.
if famsrno='D54902J' and bhpnum00=4 bhprela0=3.
if famsrno='D55208G' and bhpnum00=3 bhprela0=3.
if famsrno='D56205P' and bhpnum00=5 bhprela0=11.
if famsrno='D85602V' and bhpnum00=3 bhprela0=3.
if famsrno='E11006N' and bhpnum00=2 bhprela0=11.
if famsrno='E11006N' and bhpnum00=4 bhprela0=2.
if famsrno='E11008Q' and bhpnum00=4 bhprela0=3.
if famsrno='E18804A' and bhpnum00=3 bhprela0=11.
if famsrno='E22804V' and bhpnum00=3 bhprela0=3.
if famsrno='E23801D' and bhpnum00=3 bhprela0=3.
if famsrno='E26011P' and bhpnum00=2 bhprela0=3.
if famsrno='E26109B' and bhpnum00=2 bhprela0=3.
if famsrno='E26215W' and bhpnum00=5 bhprela0=19.
if famsrno='E27408C' and bhpnum00=2 bhprela0=3.
if famsrno='E27603Y' and bhpnum00=3 bhprela0=3.
if famsrno='E28110A' and bhpnum00=3 bhprela0=20.
if famsrno='E28110A' and bhpnum00=4 bhprela0=20.
```

```
if famsrno='E28110A' and bhpnum00=5 bhprela0=20.
if famsrno='E28339K' and bhpnum00=3 bhprela0=3.
if famsrno='E28351Y' and bhpnum00=3 bhprela0=20.
if famsrno='E28802L' and bhpnum00=5 bhprela0=19.
if famsrno='E28816C' and bhpnum00=3 bhprela0=10.
if famsrno='E29701H' and bhpnum00=4 bhprela0=3.
if famsrno='E31409Y' and bhpnum00=5 bhprela0=3.
if famsrno='E32204C' and bhpnum00=2 bhprela0=20.
if famsrno='E32204C' and bhpnum00=3 bhprela0=3.
if famsrno='E40802X' and bhpnum00=3 bhprela0=20.
if famsrno='E44602Q' and bhpnum00=4 bhprela0=11.
if famsrno='E47101F' and bhpnum00=3 bhprela0=3.
if famsrno='E47302J' and bhpnum00=4 bhprela0=3.
if famsrno='E80601Y' and bhpnum00=4 bhprela0=3.
if famsrno='E81101R' and bhpnum00=-1 bhprela0=15.
if famsrno='E83701W' and bhpnum00=4 bhprela0=3.
if famsrno='F24309R' and bhpnum00=4 bhprela0=3.
if famsrno='F24513Y' and bhpnum00=3 bhprela0=20.
if famsrno='F24513Y' and bhpnum00=4 bhprela0=20.
if famsrno='F24519F' and bhpnum00=5 bhprela0=20.
if famsrno='F24521H' and bhpnum00=4 bhprela0=17.
if famsrno='F26305K' and bhpnum00=2 bhprela0=20.
if famsrno='F26503K' and bhpnum00=2 bhprela0=2.
if famsrno='F26704N' and bhpnum00=3 bhprela0=6.
if famsrno='F29805M' and bhpnum00=2 bhprela0=2.
if famsrno='F45605R' and bhpnum00=4 bhprela0=19.
if famsrno='F48503K' and bhpnum00=2 bhprela0=1.
if famsrno='F50501F' and bhpnum00=3 bhprela0=7.
if famsrno='F54601P' and bhpnum00=4 bhprela0=6.
if famsrno='G17604J' and bhpnum00=4 bhprela0=11.
if famsrno='G24207M' and bhpnum00=2 bhprela0=1.
if famsrno='G27615K' and bhpnum00=3 bhprela0=3.
if famsrno='G28808Q' and bhpnum00=4 bhprela0=11.
if famsrno='G30012J' and bhpnum00=2 bhprela0=3.
if famsrno='G32010E' and bhpnum00=3 bhprela0=11.
if famsrno='G32302L' and bhpnum00=3 bhprela0=6.
if famsrno='G32302L' and bhpnum00=4 bhprela0=6.
if famsrno='G48402G' and bhpnum00=4 bhprela0=10.
if famsrno='G53602Q' and bhpnum00=3 bhprela0=3.
if famsrno='G81703Y' and bhpnum00=3 bhprela0=11.
if famsrno='G85703U' and bhpnum00=3 bhprela0=3.
if famsrno='G85703U' and bhpnum00=4 bhprela0=3.
if famsrno='H24202T' and bhpnum00=4 bhprela0=19.
if famsrno='H24202T' and bhpnum00=5 bhprela0=19.
if famsrno='H24515Y' and bhpnum00=7 bhprela0=11.
if famsrno='H26208X' and bhpnum00=4 bhprela0=3.
if famsrno='H28337R' and bhpnum00=3 bhprela0=19.
if famsrno='H28337R' and bhpnum00=4 bhprela0=19.
if famsrno='H28339U' and bhpnum00=6 bhprela0=10.
if famsrno='H28339U' and bhpnum00=7 bhprela0=10.
if famsrno='H28344A' and bhpnum00=3 bhprela0=19.
if famsrno='H28344A' and bhpnum00=4 bhprela0=19.
if famsrno='H28401P' and bhpnum00=2 bhprela0=3.
if famsrno='H29702T' and bhpnum00=4 bhprela0=3.
if famsrno='H30601P' and bhpnum00=2 bhprela0=2.
if famsrno='H31808L' and bhpnum00=5 bhprela0=3.
if famsrno='H40403D' and bhpnum00=2 bhprela0=20.
```

```
if famsrno='H54603P' and bhpnum00=2 bhprela0=2.
if famsrno='H84302N' and bhpnum00=2 bhprela0=3.
if famsrno='J12701K' and bhpnum00=4 bhprela0=6.
if famsrno='J16212A' and bhpnum00=3 bhprela0=3.
if famsrno='J16212A' and bhpnum00=4 bhprela0=3.
if famsrno='J17605H' and bhpnum00=6 bhprela0=20.
if famsrno='J22801M' and bhpnum00=5 bhprela0=16.
if famsrno='J24001B' and bhpnum00=4 bhprela0=19.
if famsrno='J24001B' and bhpnum00=5 bhprela0=19.
if famsrno='J24001B' and bhpnum00=7 bhprela0=20.
if famsrno='J24514J' and bhpnum00=2 bhprela0=3.
if famsrno='J24514J' and bhpnum00=3 bhprela0=3.
if famsrno='J26210L' and bhpnum00=7 bhprela0=3.
if famsrno='J27705K' and bhpnum00=3 bhprela0=6.
if famsrno='J27705K' and bhpnum00=4 bhprela0=6.
if famsrno='J27705K' and bhpnum00=5 bhprela0=6.
if famsrno='J27705K' and bhpnum00=6 bhprela0=6.
if famsrno='J27705K' and bhpnum00=7 bhprela0=6.
if famsrno='J28301M' and bhpnum00=3 bhprela0=3.
if famsrno='J28330V' and bhpnum00=3 bhprela0=19.
if famsrno='J28330V' and bhpnum00=4 bhprela0=19.
if famsrno='J28334A' and bhpnum00=4 bhprela0=7.
if famsrno='J28334A' and bhpnum00=5 bhprela0=7.
if famsrno='J28334A' and bhpnum00=6 bhprela0=11.
if famsrno='J28334A' and bhpnum00=7 bhprela0=11.
if famsrno='J28334A' and bhpnum00=8 bhprela0=3.
if famsrno='J29024J' and bhpnum00=3 bhprela0=19.
if famsrno='J29024J' and bhpnum00=4 bhprela0=19.
if famsrno='J29027M' and bhpnum00=2 bhprela0=3.
if famsrno='J29303B' and bhpnum00=3 bhprela0=6.
if famsrno='J44901B' and bhpnum00=3 bhprela0=19.
if famsrno='J44901B' and bhpnum00=4 bhprela0=19.
if famsrno='J46501U' and bhpnum00=3 bhprela0=5.
if famsrno='K14501R' and bhpnum00=3 bhprela0=6.
if famsrno='K24208X' and bhpnum00=2 bhprela0=11.
if famsrno='K24904N' and bhpnum00=3 bhprela0=11.
if famsrno='K27703U' and bhpnum00=7 bhprela0=10.
if famsrno='K27808N' and bhpnum00=3 bhprela0=3.
if famsrno='K28336N' and bhpnum00=3 bhprela0=19.
if famsrno='K28822Q' and bhpnum00=3 bhprela0=10.
if famsrno='K29302L' and bhpnum00=3 bhprela0=6.
if famsrno='K45904C' and bhpnum00=2 bhprela0=1.
if famsrno='K54901B' and bhpnum00=3 bhprela0=4.
if famsrno='K54901B' and bhpnum00=5 bhprela0=4.
if famsrno='K55701K' and bhpnum00=3 bhprela0=11.
if famsrno='K85503B' and bhpnum00=3 bhprela0=3.
if famsrno='L13506X' and bhpnum00=4 bhprela0=3.
if famsrno='L16402N' and bhpnum00=4 bhprela0=10.
if famsrno='L16501B' and bhpnum00=4 bhprela0=6.
if famsrno='L16501B' and bhpnum00=5 bhprela0=6.
if famsrno='L16501B' and bhpnum00=7 bhprela0=6.
if famsrno='L25909R' and bhpnum00=3 bhprela0=11.
if famsrno='L28306Q' and bhpnum00=4 bhprela0=10.
if famsrno='L28306Q' and bhpnum00=5 bhprela0=7.
if famsrno='L28306Q' and bhpnum00=8 bhprela0=13.
if famsrno='L28306Q' and bhpnum00=9 bhprela0=13.
if famsrno='L28306Q' and bhpnum00=10 bhprela0=13.
```

if famsrno='L28342G'	and bhpnum00=3	bhprela0=3.
if famsrno='L29002G'	and bhpnum00=3	bhprela0=19.
if famsrno='L29014V'	and bhpnum00=2	bhprela0=19.
if famsrno='L29014V'	and bhpnum00=3	bhprela0=19.
if famsrno='L29014V'	and bhpnum00=5	bhprela0=19.
if famsrno='L29014V'	and bhpnum00=6	bhprela0=19.
if famsrno='L29205M'	and bhpnum00=2	bhprela0=2.
if famsrno='L29205M'	and bhpnum00=3	bhprela0=3.
if famsrno='L29214X'	and bhpnum00=2	bhprela0=2.
if famsrno='L30310T'	and bhpnum00=3	bhprela0=3.
if famsrno='L31401H'	and bhpnum00=4	bhprela0=20.
if famsrno='L31401H'	and bhpnum00=5	bhprela0=20.
if famsrno='L31401H'	and bhpnum00=6	bhprela0=20.
if famsrno='L31401H'	and bhpnum00=7	bhprela0=20.
if famsrno='L31401H'	and bhpnum00=8	bhprela0=20.
if famsrno='L31401H'	and bhpnum00=9	bhprela0=20.
if famsrno='L46905B'	and bhpnum00=4	bhprela0=11.
if famsrno='L47002L'	and bhpnum00=2	bhprela0=2.
if famsrno='L47002L'	and bhpnum00=3	bhprela0=6.
if famsrno='L47002L'	and bhpnum00=4	bhprela0=6.
if famsrno='L47002L'	and bhpnum00=5	bhprela0=6.
if famsrno='L51702C'	and bhpnum00=2	bhprela0=3.
if famsrno='L51702C'	and bhpnum00=3	bhprela0=3.
if famsrno='L54602X'	and bhpnum00=4	bhprela0=11.
if famsrno='M16703R'	and bhpnum00=6	bhprela0=3.
if famsrno='M19905F'	and bhpnum00=3	bhprela0=11.
if famsrno='M23803K'	and bhpnum00=3	bhprela0=6.
if famsrno='M23803K'	and bhpnum00=4	bhprela0=6.
if famsrno='M25810Q'	and bhpnum00=2	bhprela0=20.
if famsrno='M26106C'	and bhpnum00=5	bhprela0=6.
if famsrno='M26110G'	and bhpnum00=3	bhprela0=7.
if famsrno='M26110G'	and bhpnum00=4	bhprela0=7.
if famsrno='M28003H'	and bhpnum00=4	bhprela0=6.
if famsrno='M28304A'	and bhpnum00=4	bhprela0=3.
if famsrno='M28306C'	and bhpnum00=2	bhprela0=19.
if famsrno='M28306C'	and bhpnum00=3	bhprela0=19.
if famsrno='M28306C'	and bhpnum00=4	bhprela0=19.
if famsrno='M28306C'	and bhpnum00=5	bhprela0=16.
if famsrno='M28306C'	and bhpnum00=6	bhprela0=3.
if famsrno='M28306C'	and bhpnum00=8	bhprela0=16.
if famsrno='M28306C'	and bhpnum00=9	bhprela0=16.
if famsrno='M28306C'	and bhpnum00=10	bhprela0=16.
if famsrno='M30004G'	and bhpnum00=2	bhprela0=20.
if famsrno='M30102T'	and bhpnum00=4	bhprela0=6.
if famsrno='M30312G'	and bhpnum00=3	bhprela0=20.
if famsrno='M30314J'	and bhpnum00=3	bhprela0=3.
if famsrno='M30314J'	and bhpnum00=4	bhprela0=3.
if famsrno='M30314J'	and bhpnum00=5	bhprela0=3.
if famsrno='M42202T'	and bhpnum00=5	bhprela0=3.
if famsrno='M47703U'	and bhpnum00=2	bhprela0=6.
if famsrno='M85201F'	and bhpnum00=4	bhprela0=11.
if famsrno='N10203R'	and bhpnum00=2	bhprela0=19.
if famsrno='N13501P'	and bhpnum00=3	bhprela0=3.
if famsrno='N24501P'	and bhpnum00=3	bhprela0=19.
if famsrno='N25706J'	and bhpnum00=2	bhprela0=12.
if famsrno='N26310V'	and bhpnum00=2	bhprela0=19.
if famsrno='N27102V'	and bhpnum00=4	bhprela0=19.


```
if famsrno='N28338A' and bhpnum00=4 bhprela0=19.  
if famsrno='N28806G' and bhpnum00=3 bhprela0=10.  
if famsrno='N28806G' and bhpnum00=4 bhprela0=10.  
if famsrno='N28806G' and bhpnum00=5 bhprela0=13.  
if famsrno='N28806G' and bhpnum00=6 bhprela0=13.  
if famsrno='N29024E' and bhpnum00=3 bhprela0=19.  
if famsrno='N32306J' and bhpnum00=2 bhprela0=11.  
if famsrno='N46101K' and bhpnum00=3 bhprela0=6.  
if famsrno='N53406L' and bhpnum00=3 bhprela0=6.  
if famsrno='P52608Q' and bhpnum00=2 bhprela0=3.  
if famsrno='P54003B' and bhpnum00=2 bhprela0=2.  
if famsrno='P81705F' and bhpnum00=4 bhprela0=11.  
if famsrno='P83501W' and bhpnum00=3 bhprela0=1.  
if famsrno='R85609P' and bhpnum00=2 bhprela0=3.  
if famsrno='R87002X' and bhpnum00=3 bhprela0=4.
```

APPENDIX 2

SOC2000 Coding

ONS OCCUPATION SUPPORT SERVICE

The Standard Occupational Classification 2000 (SOC2000) pseudo code definitions are as follows:

Code 0010 Inadequately described occupations

This code is used when the job-related information has been recorded but it is insufficient for finding a code from the index entries.

Code 0020 Occupation not stated

Use this code when no information has been recorded.

Treatment of Non-workers

The following codes are for:

- persons who do not work, and
- persons who have never worked.

For unemployed persons and those looking for work, who have previously had jobs, the latest full-time gainful employment should have been recorded and should be coded.

Code 0030 Retired

Use this code when only 'Retired' has been recorded with no other information.

Code 0040 Students

Use this code when the person has been described in these or similar terms:

'Student'
'School boy'
'School girl'

Code 0050 Independent means

Use this code when the person has been described in these or similar terms:

'of Independent means'

'of Private means'

Code 0060 Permanently sick

Use this code when the person has been described in these or similar terms:

'Permanently sick'

'Mentally handicapped'

'Physically handicapped'

'Disabled'

'Long-term disabled'

APPENDIX 1

The Standard Occupational Classification 2000 (SOC2000) pseudo code definitions are as follows:

Code 0070 Full-time care of the home and/or dependent relatives, voluntary workers

Use this code when the person has been described in these terms;

- 'Full-time care of home'
- 'Full-time care of relatives'
- 'Full-time care of home and relatives'
- 'Housewife'
- 'Househusband'
- 'Home duties'
- 'Homemaker'
- 'Voluntary work'
- 'Voluntary worker'
- 'Wife'
- 'Widow'

It should be clear from the information provided that the person is not in paid employment.

Many organisations in the voluntary sector have both paid and unpaid (voluntary) workers. Do **not** use code 0070 for those in paid employment who manage a voluntary sector service or organise the activities of voluntary workers.

Pay particular attention where the word 'Carer' has been recorded. This is a recognised job title and different types of Carer are listed in the coding index.

Code 0080 No previous job

Use this code when the person has been described in these or similar terms:

- 'No previous job'
- 'School leaver seeking work'
- 'School leaver no previous job'

Code 0090 Unemployed person with no other information

Use this code when the person has been described in these terms and no job-related information has been recorded:

- 'Seeking work'

'Unemployed'