Block: FRS0504C.BU[]

FRS0504C.BU[]

Benefit Unit Schedule

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU OBLater := 2 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU BUPerson[1] := Ad1 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU Person[1] := Ad1 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU Name1 := DMName[[Person[1]] COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AdultNum := 1 RECORD IF: In loop FOR Loop1 := 1 TO NewBU (523) FRS0504C.BU[].BUPerson Person Id from Grid. 1..97 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU **AND:** Ad2 <> 0 BUPerson[2] := Ad2 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU **AND:** Ad2 <> 0 Person[2] := Ad2 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU **AND:** Ad2 <> 0 AdultNum := 2 COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU **AND:** Ad2 <> 0 Name2 := DMName[[Person[2]] COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU **AND:** NOT (Ad2 <> 0)

Person[2] := 97

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (A\tilde{d}2 \iff 0)
Names[2] := 'No-one else'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: NOT (Ad2 \ll 0)
BUPerson[2] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Sex[Count1] = EMPTY
Names [Count1] := DMName [[Person [Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Sex[Count1] = EMPTY
AgeOf[Count1] := DMAge[[Person[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Sex[Count1] = EMPTY
MS[Count1] := PRec[].MS[Person[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Sex[Count1] = EMPTY
SpOut1[Count1] := SpOut[[Person[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = EMPTY
W1[Count1] := PRec[].W1[Person[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = EMPTY
W2 [Count1] := PRec[].W2 [Person[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = EMPTY
TypeEd[Count1] := PRec[].TypeEd[Person[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = EMPTY
FtEd[Count1] := PRec[].FtEd[Person[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = EMPTY
TEA[Count1] := DMTEA[[Person[Count1]]
```

Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Sex[Count1] = EMPTY

Sex[Count1] := PRec[].Sex[Person[Count1]]

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

Check if: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: Ch1 > 0

ChildId[1] := Ch1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: Ch1 > 0

ChildId[2] := Ch2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
ChildId[3] := Ch3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
ChildId[4] := Ch4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
ChildId[5] := Ch5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
ChildId[6] := Ch6
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
ChildId[7] := Ch7
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
ChildId[8] := Ch8
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
ChildNum := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
    AND: In loop FOR Count1 := 1 TO 8
    AND: ChildId[Count1] <> 0
ChildNum := (ChildNum + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
Under16 := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
FreeSM := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
YoungCh := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
    AND: In loop FOR Count1 := 1 TO ChildNum
ChNames [Count1] := UPCASE(DMName[[ChildId[Count1]])
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
ChAges[Count1] := DMAge[[ChildId[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
ChDoBs[Count1] := DMDoB[[ChildId[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: Ch1 > 0
    AND: In loop FOR Count1 := 1 TO ChildNum
ChSex[Count1] := PRec[].Sex[ChildId[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
ChFtEd[Count1] := PRec[].FtEd[ChildId[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
ChTypeEd[Count1] := PRec[].TypeEd[ChildId[Count1]]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     AND: ChAges[Count1] > YoungCh
YoungCh := ChAges[Count1]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     AND: (DMAge[ChildId[Count1]] < 16) OR ((DMAge[ChildId[Count1]] < 17)
    AND (QHealth2.Child[Count1].CHealth = Yes))
Under16 := (Under16 + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
    AND: In loop FOR Count1 := 1 TO ChildNum
AND: (DMAge[ChildId[Count1]] IN [2 .. 18]) AND
     (PRec[ChildId[Count1]].TypeEd IN [Nursery .. Nonadv])
FreeSM := (FreeSM + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     AND: (DMParent1[ChildId[Count1]] = Person[1]) OR
     (DMParent2[ChildId[Count1]] = Person[1])
DepChild[1] := 1
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     AND: (DMParent1[ChildId[Count1]] = Person[2]) OR
     (DMParent2[ChildId[Count1]] = Person[2])
DepChild[2] := 1
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: Ch1 > 0
     AND: In loop FOR Count1 := 1 TO ChildNum
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
BelowPen[Count1] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
BelowPe2[Count1] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
BelowPe3[Count1] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = Male
     AND: AgeOf[Count1] <= 65
BelowPen[Count1] := 1
```

Page 538

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = Male
     AND: AgeOf[Count1] <= 64
BelowPe2[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Sex[Count1] = Male
AND: AgeOf[Count1] <= 64
BelowPe3[Count1] := 1
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: NOT (Sex[Count1] = Male)
     AND: AgeOf[Count1] <= 60
BelowPen[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: NOT (Sex[Count1] = Male)
     AND: AgeOf[Count1] <= 59
BelowPe2[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: NOT (Sex[Count1] = Male)
     AND: AgeOf[Count1] <= 62
BelowPe3[Count1] := 1
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Stateben[1] := 'No '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Stateben[2] := 'No '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
PensInc[1] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
PensInc[2] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[1] := 'Current Account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[2] := 'NSB Ordinary Account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[3] := 'NSB Investment Account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[5] := 'Savings/other account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[6] := 'Government Gilt-edged stock'
Compute if: In loop FOR Loop1 := 1 TO NewBU
AssName[7] := 'Unit Trusts/Investment Trusts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[8] := 'Stocks & Shares'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[9] := 'PEP'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[10] := 'Capital Bonds'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[11] := 'Index-linked Certificates'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[12] := 'Fixed Interest Certificates'
```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[13] := 'Pensioner's Income Bonds' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[14] := 'SAYE' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[15] := 'Premium Bonds' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[16] := 'Income Bonds' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[17] := 'Deposit Bonds' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[18] := 'First Option Bonds' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[19] := 'Yearly Plan' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[20] := 'Fixed Rate Savings Bonds' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[21] := 'Guaranteed Equity Bonds' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[22] := 'Endowment not linked to current property' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[25] := 'ISA' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[26] := 'Profit sharing/options' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[27] := 'Share Club' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AssName[28] := 'Credit Union' COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU QBUId.BUNum := BNum

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: NatCen = NI
DWPText := '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: NOT (NatCen = NI)
DWPText := (I + '
Interviewer read out: ' + I + N + 'The Department for Work ' +
'and Pensions, for whom we are carrying out this ' + 'survey,
was formerly called the Department for ' + 'Social Security or
DSS. I will refer to it as the ' + 'DWP during this interview.
' + N)
Ask if: In loop FOR Loop1 := 1 TO NewBU
( 524) FRS0504C.BU[].PersDisp
     ^I^IC For your information...
     ...the adult(s) now allocated to this ^B Benefit Unit ^B schedule are:
     Person 1:@|^Names[1]
     Person 2:@|^Names[2]
     ^I ^DWPText^I
     Press '1' and <Enter> To continue with the interview.^I
          Continue
                    Continue
     (1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
( 525 ) FRS0504C.BU[].BenSTime
     ^I Start time in Benefit Unit (displayed for testing only)^I
     TIME
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: BenSTime = EMPTY AND PersDisp <> EMPTY
BenSTime := SYSTIME
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: Test = Yes
( 526) FRS0504C.BU[].BenSTime
     ^I Start time in Benefit Unit (displayed for testing only)^I
     TIME
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
CC := ''
```

FRS0504C.BU[].QHealth1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

CC := ''

FRS0504C.BU[].QHealth1.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
( 527) FRS0504C.BU[].QHealth1.Adult[].PersId
     Person Id
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: PPerNo = 1
HIntro := 'NOW THERE ARE SOME QUESTIONS ABOUT HEALTH.
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
    AND: NOT (PPerNo = 1)
HIntro := ''
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = \overline{RESPONSE}) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
(528) FRS0504C.BU[].QHealth1.Adult[].Health
     ^N^B^HIntro^B^X
     Do you have any long-standing illness, disability or infirmity? By 'long-standing' I mean anything that
     has troubled you over a period of at least 12 months or that is likely to affect you over a period of at least
     12 months.^N
     ^I^IC This is a question of opinion.^I
     (1)
          Yes
                    Yes
```

No

(2)

No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum

AND: Health = Yes
```

(529) FRS0504C.BU[].QHealth1.Adult[].HProb

^N^X Does this physical or mental illness or disability (Do any of these physical or mental illnesses or disabilities) limit your activities in any way?^N

^I^IC This is a question of opinion.

(1) Yes Yes (2) No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum

AND: Health = Yes
```

(530) FRS0504C.BU[].QHealth1.Adult[].DisDif

```
^CC*** ^Names[PerNo] *** @|@|@|HEALTH
```

^IS^I W^I

 N Does this/Do these health problem(s) or disability(ies) mean that you have substantial difficulties with any of these areas of your life? Please read out the numbers from the card next to the ones which apply to you. N

^I^IC Probe: ^I^N Which others? ^N

```
SET [9] OF
```

(1)	Moving	Mobility (moving about)
(2)	Lifting	Lifting, carrying or moving objects
(3)	Hands	Manual dexterity (using your hands to carry out everyday tasks)
(4)	Bladder	Continence (bladder and bowel control)
(5)	Speech	Communication (speech, hearing or eyesight)
(6)	Learn	Memory or ability to concentrate, learn or understand
(7)	Danger	Recognising when you are in physical danger
(8)	Balance	Your physical co-ordination (eg: balance)
(9)	Other	Other health problem or disability
(10)	None	None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: Health = Yes
AND: None IN DisDif
DisDif.CARDINAL = 1
```

^{&#}x27;I 'None of these' is an exclusive code for this question.'I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum

AND: Health = Yes

AND: None IN DisDif
```

(531) FRS0504C.BU[].QHealth1.Adult[].DDATre

^N Can I just check, do you receive medication or treatment without which your health problems (when taken together), would substantially affect your life in the areas we have been discussing?^N

(1) Yes Yes(2) No No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (Health = No) OR ((None IN DisDif) AND (DDATre = No))
```

(532) FRS0504C.BU[].QHealth1.Adult[].DisDifP

```
^CC*** ^Names[PerNo] *** @|@|@|HEALTH
```

Have you ever had a long-term illness, disability or infirmity that affected your activities? (By long-term, I mean lasting for a year or more).

(1) Yes Yes (2) No No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (Health = No) OR ((None IN DisDif) AND (DDATre = No))

AND: DisDifP = Yes
```

(533) FRS0504C.BU[].QHealth1.Adult[].DDATreP

```
^CC*** ^Names[PerNo] *** @|@|@|HEALTH
```

Did this health problem or disability (Did these health problems or disabilities, when taken singly or together,) substantially limit your ability to carry out normal day-to-day activities? If you were receiving medication or treatment, please consider what the situation would have been without medication or treatment.

(1) Yes Yes (2) No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: HProb = Yes
(534) FRS0504C.BU[].QHealth1.Adult[].LAReg
     ^N^LAuths keep registers of disabled people so that they can provide services for disabled people in their
     area. Are you on the ^LAuth1 register?^N
     ^I^IC(Nb. This is not the register of disabled people under the disabled person employment act).^I
     (1)
          Yes
                     Yes
     (2)
          No
                     No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: HProb = Yes
     AND: LAReg = Yes
(535) FRS0504C.BU[].QHealth1.Adult[].SpcReg
     ^N Are you registered as...^N
     ^I ...Running prompt...
     Code all that apply.
     SET [2] OF
     (1)
          Blind
                     ^N...blind,^N
     (2)
          Partsee
                     ^N...partially sighted,^N
     (3)
          Deaf
                     ^N...deaf?^N
     (4)
          None
                     None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
     NOT((IN(Blind,SpcReg)) AND (IN(Partsee,SpcReg)))
     ^I Blind and partially sighted are mutually exclusive responses.^I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: (PersDisp = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: None IN SpcReg
     SpcReg.CARDINAL = 1
```

^I'None of these' is an exclusive code for this question.^I

FRS0504C.BU[].QHealth1 (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
```

Adult[PerNo].PersId := Person[[PerNo]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum
```

CC := ''

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

Check if: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QHealth2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
    AND: In loop FOR CNo := 1 TO ChildNum
ChName := ChNames[[CNo]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
    AND: ChSex[CNo] = Male
himher := 'him'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: ChSex[CNo] = Male
HisHer := 'his'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: NOT (ChSex[CNo] = Male)
himher := 'her'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
    AND: NOT (ChSex[CNo] = Male)
HisHer := 'her'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
Child[CNo].PersId := ChildId[[CNo]
```

FRS0504C.BU[].QHealth2.Child[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
  536) FRS0504C.BU[].QHealth2.Child[].PersId
     @|@|^I@|Child health
     ۸Ţ
     Person Id.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: PCNo = 1
CHIntro := (I + 'Questions about children's health
' + I)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: NOT (PCNo = 1)
CHIntro := ''
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
(537) FRS0504C.BU[].QHealth2.Child[].CHealth
     @|@|^I@|Child health
     ۸I
     ^N^B^CHIntro^B^X
     Does ^ChName have any long-standing illness, disability or infirmity? By 'long-standing' I mean
     anything that has troubled ^ChName over a period of at least 12 months or that is likely to affect him/her
     over a period of at least 12 months. N
     ^I^IC This is a question of opinion.
                     Yes
     (1)
          Yes
          No
                     No
     (2)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHealth = Yes
```

(538) FRS0504C.BU[].QHealth2.Child[].CHProb

@|@|^I@|Child health

۸Τ

^N^X Does this physical or mental illness or disability (Do any of these physical or mental illnesses or disabilities) limit ^ChName's activities in any way?^N

^I^IC This is a question of opinion.^I

- (1) Yes Yes (2) No No
- Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHealth = Yes

(539) FRS0504C.BU[].QHealth2.Child[].CDisDif

@|@|^I@|Child health

۸I

^IS^I W^I ^N

Does this/Do these health problem(s) or disability(ies) mean that ^ChName has substantial difficulties with any of these areas of his/her life. Please read out the numbers from the card next to the ones which apply.

Exclude difficulties which you would expect for a child of that age.^N ^I^IC Probe:^I^N Which others?^N

```
SET [9] OF
```

5L1 [7] OI			
(1)	Moving	Mobility (moving about)	
(2)	Lifting	Lifting, carrying or moving objects	
(3)	Hands	Manual dexterity (using your hands to carry out everyday tasks)	
(4)	Bladder	Continence (bladder and bowel control)	
(5)	Speech	Communication (speech, hearing or eyesight)	
(6)	Learn	Memory or ability to concentrate, learn or understand	
(7)	Danger	Recognising when you are in physical danger	
(8)	Balance	Your physical co-ordination (eg: balance)	
(9)	Other	Other health problem or disability	
(10)	None	None of these	

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHealth = Yes AND: None IN CDisDif CDisDif.CARDINAL = 1

^{&#}x27;I 'None of these' is an exclusive code for this question.'I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
    AND: In loop FOR CNo := 1 TO ChildNum
     AND: CHealth = Yes
     AND: None IN CDisDif
```

540) FRS0504C.BU[].QHealth2.Child[].CDATre

```
@|@|^I@|Child health
```

۸I

'N Can I just check, does 'ChName take medication without which his/her health problems (when taken together), would significantly affect his/her life in the areas we have been discussing?^N

(1) Yes Yes (2)No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: CHealth = Yes
     AND: CHProb = Yes
     AND: ChAges[PCNo] >= 16
```

541) FRS0504C.BU[].QHealth2.Child[].ChDLA

```
@|@|^I@|Child health
```

^I

^N Does ^ChName receive any of the following payments in ^hisher own right?^N

SET [2] OF

(1) **DLACare** ^B Care Component^B of Disability Living Allowance (DLA) (2)**DLAMob** ^B Mobility Component^B of Disability Living Allowance (DLA) (3)None None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHealth = Yes **AND:** CHProb = Yes

AND: ChAges[PCNo] >= 16

AND: None IN ChDLA

ChDLA.CARDINAL = 1

^{&#}x27;I 'None of these' is an exclusive code for this question.'I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: CHealth = Yes
     AND: CHProb = Yes
(542) FRS0504C.BU[].QHealth2.Child[].LAReg
      @|@|^I@|Child health
     ۸I
     ^N^LAuths keep registers of disabled people so that they can provide services for disabled people in their
     area. Is ^ChName on the ^LAuth1 register?^N
     ^I^IC (Nb. This is not the register of disabled people under the disabled person employment act).^I
           Yes
                      Yes
     (1)
     (2)
           No
                      No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: CHealth = Yes
     AND: CHProb = Yes
     AND: LAReg = Yes
(543) FRS0504C.BU[].QHealth2.Child[].SpcReg
      @|@|^I@|Child health
     ^N Is ^ChName registered as ... ^N ^I Running prompt...
     Code all that apply.^I
     SET [2] OF
     (1)
           Blind
                      ^N...blind.^N
     (2)
           Partsee
                      ^N...partially sighted,^N
     (3)
           Deaf
                      ^N...deaf?^N
                      None of these
     (4)
           None
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: CHealth = Yes
     AND: CHProb = Yes
     NOT((IN(Blind, SpcReg)) AND (IN(Partsee, SpcReg)))
     'I Blind and partially sighted are mutually exclusive responses.'I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: ChildNum > 0
     AND: In loop FOR CNo := 1 TO ChildNum
     AND: CHealth = Yes
     AND: CHProb = Yes
     AND: None IN SpcReq
     SpcReg.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: (CHealth = No) OR ((None IN CDisDif) AND (CDATre = No))
```

(544) FRS0504C.BU[].QHealth2.Child[].CDisDifP

@|@|^I@|Child health

^I

Has ^ChName ever had a long-term illness, disability or infirmity that affected his/her activities? (By long-term, I mean lasting for a year or more).

(1) Yes Yes (2) No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: (CHealth = No) OR ((None IN CDisDif) AND (CDATre = No))

AND: CDisDifP = Yes
```

(545) FRS0504C.BU[].QHealth2.Child[].CDDaTreP

 $@|@|^I@|Child health^I$

Did this health problem or disability (Did these health problems or disabilities, when taken singly or together,) substantially limit 'ChName's ability to carry out normal day-to-day activities? If they were receiving medication or treatment, please consider what the situation would have been without medication or treatment.

(1) Yes Yes(2) No No

FRS0504C.BU[].QHealth2 (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: ChildNum > 0
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: DLACare IN Child[CNo].ChDLA
ChDLAC[[CNo] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: ChildNum > 0
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: NOT (DLACare IN Child[CNo].ChDLA)
ChDLAC[[CNo] := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: ChildNum > 0
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: DLAMOD IN Child[CNo].ChDLA
ChDLAM[[CNo] := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: ChildNum > 0
    AND: In loop FOR CNo := 1 TO ChildNum
    AND: NOT (DLAMob IN Child[CNo].ChDLA)
ChDLAM[[CNo] := No
```

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QHealth3

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1

Adult[PerNo].PersId := Person[[PerNo]

FRS0504C.BU[].QHealth3.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO AdultNum
      AND: BelowPe2[PerNo] = 1
(546) FRS0504C.BU[].QHealth3.Adult[].PersId
      ^CC*** ^Names[PerNo] ***@|@|@|Health
      Person Id
      0..14
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
      AND: BelowPe2[PerNo] = 1
(547) FRS0504C.BU[].QHealth3.Adult[].Rstrct
      ^CC*** ^Names[PerNo] ***@|@|@|Health
      ^IS^I X^I
      ^X^N Some people are restricted in the amount or type of work they can do, because they have an injury,
      illness or disability. Which of these statements comes closest to your own position at the moment?^N
      ^I^IC Code first that applies. This is a question of opinion.
      Because of injury, illness, disability....
      ۸I
      (1)
            NoWork
                       ^N I am unable to work at the moment^N
      (2)
            SomeWork
                       ^N I am restricted in the amount or type of work I can (could) do^N
      (3)
            AnyWork
                       ^N I am not restricted in the amount or type of work I can (could) do^N
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO AdultNum
      AND: BelowPe2[PerNo] = 1
      AND: Rstrct = NoWork
(548) FRS0504C.BU[].QHealth3.Adult[].InjLong
      ^CC*** ^Names[PerNo] ***@|@|@|Health
      'N How long have you been unable to work because of this injury/ illness/ disability?'N
      ^I If in doubt, consult calendar.^I
```

(1)

(2)

(3)

Upto6m

Over6m

Over1yr

28 weeks or less

More than 1 year

Over 28 weeks, up to 1 year

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: BelowPe2[PerNo] = 1 AND: Rstrct = NoWork AND: InjLong = Overlyr

(549) FRS0504C.BU[].QHealth3.Adult[].IncDur

^CC*** ^Names[PerNo] ***@|@|@|Health

@>^I Help <F9>^I

@< ^N Can I check, in which year did you stop working because of this injury/illness/disability?^N

^I^IC Probe to classify.^I

- (1) From 95 1995 or later
- (2) Dur94 Stopped work in 1994
- (3) Dur93 Stopped work in 1993
- (4) Dur92 Stopped work in 1992
- (5) Bef92 Before 1992
- (6) NoWork Has never worked

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: BelowPe2[PerNo] = 1
AND: Rstrct = SomeWork

(550) FRS0504C.BU[].QHealth3.Adult[].InjWk

^CC*** ^Names[PerNo] ***@|@|@|Health

^N How many hours a week (could you/are you able to) work?^N

- (1) Less 1 Less than 16 hours a week
- (2) Less2 16 but less than 24 hours a week
- (3) Less3 24 but less than 30 hours a week
- (4) Less4 30 hours a week or more

FRS0504C.BU[].QHealth3 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

CC := ''

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
ChIntroEd := No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Loop2 := 1 TO ChildNum
     AND: (ChFtEd[Loop2] = Yes) AND ((((ChTypeEd[Loop2] = Special) OR
     (ChTypeEd[Loop2] = MidSec)) OR (ChTypeEd[Loop2] = Sec)) OR (ChTypeEd[Loop2] = Nonadv)) OR (ChTypeEd[Loop2] = Private))
ChIntroEd := Yes
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (((AdultNum = 1) AND (AgeOf[1] < 75)) OR ((AdultNum = 2) AND ((AgeOf[1] < 75)) OR (AgeOf[2] < 75)))) OR (ChIntroEd = Yes)
( 551) FRS0504C.BU[].IntroEd
     The questions that follow are about education.^I
```

Cont

(1)

Press <Enter> to continue.

FRS0504C.BU[].QEduc1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75

Adult[PerNo].PersId := Person[[PerNo]

FRS0504C.BU[].QEduc1.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
(552) FRS0504C.BU[].QEduc1.Adult[].PersId
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     Person Identifier.
     0..14
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PAge >= 16
(553) FRS0504C.BU[].QEduc1.Adult[].EdAttn1
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< N Do you have any educational qualifications for which you received a certificate? N
     (1)
           Yes
                      Yes
     (2)
           No
                      No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PAge >= 16
(554) FRS0504C.BU[].QEduc1.Adult[].EdAttn2
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< ^N Do you have any professional, vocational or other work-related qualifications for which you
     received a certificate?^N
```

(1)

(2)

Yes

No

Yes

No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PAge >= 16
     AND: (EdAttn1 = Yes) OR (EdAttn2 = Yes)
(555) FRS0504C.BU[].QEduc1.Adult[].EdAttn3
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< ^N Was your highest qualification....^N
     (1)
          DegLev
                     at degree level or above
          BelowDeg
                     or another kind of qualification?
     (2)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PAge >= 16
     AND: (PFtEd = Yes) OR (PTEA = 96)
AnyEd := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PAge >= 16
     AND: (PFtEd = Yes) OR (PTEA = 96)
And are := ('Earlier you said you are enrolled on a full time
' + 'course. Can I just check are')
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PAge >= 16
     AND:
          (PFtEd = Yes) OR (PTEA = 96)
     AND: Test = Yes
(556) FRS0504C.BU[].QEduc1.Adult[].AnyEd
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N Are you at present receiving any full- or part-time education - including leisure classes and holiday
     courses?^N
          Yes
                     Yes
     (1)
     (2)
          No
                     No
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
```

(557) FRS0504C.BU[].QEduc1.Adult[].AnyEd

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?^N

(1) Yes Yes(2) No No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: PAge >= 16

AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
```

And_are := 'Can I just check are'

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: (AnyEd = Yes) AND (PAge >= 16)
```

(558) FRS0504C.BU[].QEduc1.Adult[].EdAtt

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N^And_are you ...^N^I Running prompt...^I

- (1) StillAtt 'N still attending,

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (AnyEd = Yes) AND (PAge >= 16)
     AND: EdAtt IN [StillAtt, Waiting]
(559) FRS0504C.BU[].QEduc1.Adult[].EdTyp
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     'N What kind of course are you on. Is it full-time or part-time, a medical or nursing course or some other
     kind of course?^N
     (1)
           SchoolFT
                      school/full time
     (2)
           SchoolPT
                      school/part time
     (3)
           Sandwich
                      sandwich course
     (4)
           CollegFT
                      studying at university or college including 6th form college^B full time^B
           Medical
                      training for a qualification in nursing, physiotherapy or a similar medical subject
     (5)
           CollegPT
                      on a^B part time^B course at university or college,^B including^B day release and
     (6)
     block release
     (7)
           OpenColl
                      on an Open College course
     (8)
           OpenUni
                      on an Open University course
     (9)
           Corresp
                      any other correspondence course
                      any other course including other self / open learning courses
     (10)
          Self
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (AnyEd = Yes) AND (PAge >= 16)
     AND: EdAtt IN [StillAtt, Waiting]
     AND: PAge >= 20
     NOT (IN (EdTyp, [???,???]))
     ^I Respondent seems to be too old to be at school.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
RESERVECHECK</pre>
```

RESERVECHECK

```
Ask If: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: (AnyEd = Yes) AND (PAge >= 16)
```

(560) FRS0504C.BU[].QEduc1.Adult[].EdHr

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N In your course of education, how many hours tuition do you normally receive each week? Only include time spent in lectures, seminars, and practicals where a tutor is present.^N

^I^IC If none (eg.^B distance^B learning), enter '0'.^I

0..97

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: Edit = No
EdHr < 37</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: (AnyEd = Yes) AND (PAge >= 16)

AND: EdHr > 0
```

(561) FRS0504C.BU[].QEduc1.Adult[].EdTime

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N Is that...^N^I Running prompt...^I

```
(1) daytime 'N...just in the daytime,'N
(2) evening 'N...just in the evenings,'N
(3) both 'N...or both?'N
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PTypeEd = RESPONSE
(562) FRS0504C.BU[].QEduc1.Adult[].AdEduc
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N What type of school or college do you attend?^N
          FΕ
                    Non-advanced further education/6th form/tertiary/further education college
     (1)
          Priv
                    Any^B private^B school
     (2)
          HE
     (3)
                    University or any other higher education
                    Other (Describe in a Note)
     (4)
          Other
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PTypeEd = RESPONSE
     AND: PTypeEd IN [Special .. Sec]
AdEduc := Other
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf [PerNo] < 75
     AND: PTypeEd = RESPONSE
     AND: PTypeEd = Nonadv
AdEduc := FE
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PTypeEd = RESPONSE
     AND: PTypeEd = Private
AdEduc := Priv
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: PTypeEd = RESPONSE
     AND: PTypeEd = Univ
```

AdEduc := HE

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: AnyEd = Yes
(563) FRS0504C.BU[].QEduc1.Adult[].AdEduc
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N What type of school or college do you attend?^N
          FE
                     Non-advanced further education/6th form/tertiary/further education college
     (1)
          Priv
                     Any^B private^B school
     (2)
          HE
                     University or any other higher education
     (3)
     (4)
          Other
                     Other (Describe in a Note)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
(564) FRS0504C.BU[].QEduc1.Adult[].EMA
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     'N Do you receive an Educational Maintenance Allowance (EMA) as part of the new Government
     scheme?^N
     (1)
          Yes
                     Yes
     (2)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
     AND: EMA = Yes
(565) FRS0504C.BU[].QEduc1.Adult[].EMAAmt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much did you receive last time?^N
     0.00..99997.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (PAge\ IN\ [16\ ..\ 20])\ AND\ (AnyEd\ =\ Yes)
     AND: EMA = Yes
(566) FRS0504C.BU[].QEduc1.Adult[].EMAPx
```

^CC*** ^Names[PerNo] *** @|@|@|Education

^I^IC^Pd97Txt^I

OPEN

Page 570

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (PAge\ IN\ [16\ ..\ 20])\ AND\ (AnyEd\ =\ Yes)
     AND: EMA = Yes
(567) FRS0504C.BU[].QEduc1.Adult[].EMAPd
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How long did that cover?^N
     (1)
          OneWeek
                     One week
     (2)
          TwoWeek
                     Two weeks
     (3)
          ThrWeek
                     Three weeks
     (4)
          Fourweek
                     Four weeks
     (5)
          Month
                     Calendar month
          TwoMonth Two Calendar months
     (7)
                     Eight times a year
          EighYear
     (8)
     (9)
          NineYear
                     Nine times a year
                     Ten times a year
     (10)
          TenYear
     (13)
          ThrMonth
                     Three months/13 weeks
     (26)
          SixMonth
                     Six months/26 weeks
     (52)
          Year
                     One Year/12 months/52 weeks
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
     AND: EMA = Yes
     AND: EMAPd = Note
(568) FRS0504C.BU[].QEduc1.Adult[].EMAPx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 75
     AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
     AND: EMA = Yes
     AND: Edit = Yes
     EMAPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
```

Al Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it. Al

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QEduc1 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

CC := ''

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QEduc2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
CC := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: (AgeOf[PerNo] <= 25) AND (TypeEd[PerNo] = Univ)
AskParental := Yes
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: NOT ((AgeOf[PerNo] <= 25) AND (TypeEd[PerNo] = Univ)
AskParental := No
```

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

Adult[PerNo].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

IN [FE .. HE])

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

FRS0504C.BU[].QEduc2.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
(569) FRS0504C.BU[].QEduc2.Adult[].PersId
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     Person identifier.
     0..14
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
( 570) FRS0504C.BU[].QEduc2.Adult[].Grant
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< ^N Are you receiving a scholarship, bursary, grant or similar award?^N
     ^I^IC Exclude loans
     Include holiday periods / awards covering tuition fees only. I
     (1)
          Yes
                     Yes
     (2)
          No
                     No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
(571) FRS0504C.BU[].QEduc2.Adult[].GrtNum
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How many of these are you getting?^N
     'I If more than one, the next questions deal with a maximum of two awards. Take awards in order of
     annual value (if more than 2, give details of 3rd, etc, in a note.) \(^1\)
```

One

Two

Three

(1)

(2)

(3)

One

Two

Three or more

FRS0504C.BU[].QEduc2.Adult[].QGrant[]

```
Ask If: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult [AdultNum] .Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult [PerNo] .AnyEd = Yes) AND (QEduc1.Adult [PerNo] .AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

( 572 ) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtSce

^CC*** ^Names[PerNo] *** @|@|@|Education

^N Is the source of the ^pFirst award ...^N^I Running prompt...^I
```

```
(1) State ^N...state^N
(2) Private ^N...private^N
(3) Overseas ^N...or overseas?^N
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = State
```

(573) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtAmt

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N What is the current annual value of the award, excluding fees?^N

^I^IC Record amount as 0 if tuition fees only.^I

0.00..99997.00

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = State
AND: Edit = No
AND: GrtAmt = RESPONSE
((pFirst = 'first') AND (GrtAmt < 8000)) OR ((pFirst = 'second') AND
(GrtAmt < 5000))</pre>
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
(574) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtVal
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N What is the current annual value of the award, including fees?^N
     ^I^IC Include amounts covering tuition fees and other payments.^I
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: OHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: Edit = No
     AND: GrtVal = RESPONSE
     ((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
     (GrtVal < 9000))
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
    AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
(575) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtDir
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much of this is paid direct to ^pyou by cash or cheque?^N
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: Edit = No
     AND: GrtDir = RESPONSE
     ((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
     (GrtDir < 6000))
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = RESPONSE
     AND: GrtSce IN [Private, Overseas]
     GrtDir <= GrtVal
     'I The amount paid cannot exceed the total value of the grant. Please amend your coding, 'I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = RESPONSE
     AND: GrtSce = State
     GrtDir <= GrtAmt
     'I The amount paid cannot exceed the total value of the grant. Please amend your coding.'I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN \ [FE \ .. \ HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND:
          (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
(576) FRS0504C.BU[].QEduc2.Adult[].QGrant[].StartYr
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N In which year did this course start?^N^I
     Enter year.^I
     1994..2006
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
     AND: QDataBag.SampMnth IN [4 .. 12]
     StartYr <> 2006
     Wrong Year!
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
(577) FRS0504C.BU[].QEduc2.Adult[].QGrant[].EndYr
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N And in which year will the course end?^N^I
     Enter year.^I
     2005..2013
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
     AND: StartYr = RESPONSE
     IN(StartYr, [1999..2006])
     ^I That's rather a long time ago. Please check this date is correct.^I
```

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO AdultNum
   AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
   IN [FE .. HE])
   AND: Grant = Yes
   AND: GrtNum IN [One .. Three]
   AND: pFirst = FIRST
   AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
   (EndYr - StartYr) < 5</pre>
^I The course is longer than 4 years; please check if this is correct.^I
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: pFirst = FIRST

AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)

EndYr >= StartYr

[^]I The end year of the course cannot be before the start year.^I

FRS0504C.BU[].QEduc2.Adult[].QGrant[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
(578) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtSce
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N Is the source of the ^pFirst award ... ^N^I Running prompt... ^I
                    ^N...state^N
     (1)
          State
          Private
                    ^N...private^N
     (2)
     (3)
          Overseas
                    ^N...or overseas?^N
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
(579) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtAmt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     'N What is the current annual value of the award, excluding fees?'N
     ^I^IC Record amount as 0 if tuition fees only.^I
     0.00..99997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: Edit = No
     AND: GrtAmt = RESPONSE
     ((pFirst = 'first') AND (GrtAmt < 8000)) OR ((pFirst = 'second') AND
```

'I Warning: The answer is much higher than the figures usually given at this question. Please check that

(GrtAmt < 5000)

your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
(580) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtVal
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N What is the current annual value of the award, including fees?^N
     ^I^IC Include amounts covering tuition fees and other payments.^I
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: Edit = No
     AND: GrtVal = RESPONSE
     ((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
     (GrtVal < 9000))
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
(581) FRS0504C.BU[].QEduc2.Adult[].QGrant[].GrtDir
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much of this is paid direct to ^pyou by cash or cheque?^N
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: Edit = No
     AND: GrtDir = RESPONSE
     ((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
     (GrtDir < 6000))
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = RESPONSE
     AND: GrtSce IN [Private, Overseas]
     GrtDir <= GrtVal</pre>
     'I The amount paid cannot exceed the total value of the grant. Please amend your coding.'I
Check if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = RESPONSE
     AND: GrtSce = State
     GrtDir <= GrtAmt</pre>
     'I The amount paid cannot exceed the total value of the grant. Please amend your coding, 'I
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
(582) FRS0504C.BU[].QEduc2.Adult[].QGrant[].StartYr
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N In which year did this course start?^N^I
     Enter year.^I
     1994..2006
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
     AND: QDataBag.SampMnth IN [4 .. 12]
     StartYr <> 2006
     Wrong Year!
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
(583) FRS0504C.BU[].QEduc2.Adult[].QGrant[].EndYr
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N And in which year will the course end?^N^I
     Enter year.^I
     2005..2013
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
     AND: StartYr = RESPONSE
     IN(StartYr, [1999..2006])
     ^I That's rather a long time ago. Please check this date is correct.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
     AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
     (EndYr - StartYr) < 5
     ^I The course is longer than 4 years; please check if this is correct.^I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
    AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
     AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
     EndYr >= StartYr
```

FRS0504C.BU[].QEduc2.Adult[] (continued)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: AskParental = Yes
(584) FRS0504C.BU[].QEduc2.Adult[].Parental
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I Help <F9>^I
     @< ^N Have you received any contribution from your parents in the last 12 months?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: AskParental = Yes
     AND: Parental = Yes
(585) FRS0504C.BU[].QEduc2.Adult[].PareAmt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much did you receive last time?^N
     ^I^IC Include^B all^B contributions - if necessary add them together and calculate an average weekly,
     monthly or annual amount. I
     0.00..99997.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: AskParental = Yes
     AND: Parental = Yes
     AND: PareAmt > 0
(586) FRS0504C.BU[].QEduc2.Adult[].ParePx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
```

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: AskParental = Yes
     AND: Parental = Yes
     AND: PareAmt > 0
(587) FRS0504C.BU[].QEduc2.Adult[].ParePd
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How long did that cover?^N
     (1)
          OneWeek
                     One week
     (2)
          TwoWeek
                     Two weeks
     (3)
          ThrWeek
                     Three weeks
          Fourweek
     (4)
                     Four weeks
          Month
                     Calendar month
     (5)
          TwoMonth Two Calendar months
     (7)
          EighYear
     (8)
                     Eight times a year
          NineYear
     (9)
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
          ThrMonth
     (13)
                     Three months/13 weeks
     (26)
          SixMonth
                     Six months/26 weeks
     (52)
          Year
                     One Year/12 months/52 weeks
     (90)
          LessWeek
                    Less than one week
         LumpSum One off/lump sum
     (95)
     (97)
                     None of these ^I(Explain in a note)^I
          Note
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: AskParental = Yes
     AND: Parental = Yes
     AND: PareAmt > 0
     AND: ParePd = Note
(588) FRS0504C.BU[].QEduc2.Adult[].ParePx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Edit = Yes
     ParePd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
```

FRS0504C.BU[].QEduc2 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

CC := ''

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QEduc3

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

= HE)

Adult[PerNo].PersId := Person[[PerNo]

FRS0504C.BU[].QEduc3.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
(589) FRS0504C.BU[].QEduc3.Adult[].PersId
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     Identifying number of person receiving top up loan.
     0..14
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
(590) FRS0504C.BU[].QEduc3.Adult[].TopUpL
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< ^N For your course, are you eligible to receive a student loan?^N
     ^I Only applicable to those aged 50 or less.^I
          Yes
                    Yes
     (1)
     (2)
          No
                    No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: TopUpL = Yes
     AND: QDataBag.SampMnth IN [4, 5, 6]
YrFill1 := '2004'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: TopUpL = Yes
     AND: QDataBag.SampMnth IN [4, 5, 6]
YrFill2 := '2005'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: TopUpL = Yes
     AND: NOT (QDataBag.SampMnth IN [4, 5, 6])
YrFill1 := '2005'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: TopUpL = Yes
     AND: NOT (QDataBag.SampMnth IN [4, 5, 6])
YrFill2 := '2006'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: TopUpL = Yes
  591) FRS0504C.BU[].QEduc3.Adult[].TUBorr
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     'N How much altogether will you borrow during this academic year, that is the year beginning in
     September 'YrFill1 and ending in Summer 'YrFill2?'N
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: TopUpL = Yes
     TUBorr <= 5050
     'I You have entered that the person is borrowing more than £5,050 per year (from the Student Loan
     Company) through a top up loan. Please check your answer.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: TopUpL = Yes
     AND: TUBorr = NONRESPONSE
     AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: TopUpL = Yes

AND: TUBorr = NONRESPONSE

AND: NOT (QBUId.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
```

(592) FRS0504C.BU[].QEduc3.Adult[].Loan

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N Do you have any^B other^B loan to enable you to attend a course of education?^N

^I^IC Include loans covering tuition fees only.^I

(1) Yes Yes(2) No No

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Loan = Yes

(593) FRS0504C.BU[].QEduc3.Adult[].LoanNo

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N How many loans do you have?^N

^I If more than one, the next questions deal with a maximum of two loans. T#ake loans in order of amount.^I

- (1) One One (2) Two Two
- (3) Three or more

FRS0504C.BU[].QEduc3.Adult[].QEdLoan[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
(594) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdBorr
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N Thinking of the ^PFrom loan, from whom have you borrowed the money?^N
          organisa
                     organisation
     (1)
          individ
     (2)
                     private individual
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]
```

(595) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdMonYr

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N When did you take out the loan?^N

^I Enter date (If day not known, enter 15th of month).^I

DATE

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdMonYr = RESPONSE
AND: Edit = No
EdMonYr >= (DateNow + (-6,-0,-0))
```

^I You have entered that the loan was taken out more than 6 years ago. Please check that it is correct.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdMonYr = RESPONSE
     EdMonYr <= DateNow
     'I You have entered a future date. Please include only loans already taken out.'I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
(596) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdSum
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much did you originally borrow?^N
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: Edit = No
     AND: EdSum = RESPONSE
     EdSum < 8050
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdSum = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdSum = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
     AND: LoanNo IN [One .. Three]
(597) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdAmt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much was your last repayment?^N
     ^I^IC Code 0 if no repayments yet made.^I
     0.00..99997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: (EdSum = RESPONSE) AND (EdAmt = RESPONSE)
     EdAmt <= EdSum
     'I You have entered that the respondent made a repayment which was greater than the value of the loan.
     Please check that it is correct.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
          (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     AND:
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
(598) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdPx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
(599) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdPd
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How long did that cover?^N
          OneWeek
     (1)
                     One week
     (2)
          TwoWeek
                     Two weeks
     (3)
          ThrWeek
                     Three weeks
     (4)
          Fourweek
                     Four weeks
     (5)
          Month
                     Calendar month
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
     (13)
          ThrMonth
                     Three months/13 weeks
                     Six months/26 weeks
     (26)
          SixMonth
                     One Year/12 months/52 weeks
          Year
     (52)
     (90) LessWeek
                     Less than one week
     (95) LumpSum
                     One off/lump sum
     (97) Note
                     None of these ^I(Explain in a note)^I
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

= HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

AND: EdAmt > 0

AND: EdPd = Note

(600) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdPx

^CC*** ^Names[PerNo] *** @|@|@|Education

^I^IC^Pd97Txt^I

OPEN
```

FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].Weekly()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    And: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[5] := 4.333
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    And: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: EdAmt > 0
PdConW[26] := 26
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0504C.BU[].QEduc3.Adult[].QEdLoan[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND:
          (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
     AND: EdPd IN [OneWeek .. Year]
     AND: LWeekly > 0
EdWkly := LWeekly
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: EdAmt > 0
     AND: EdPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: Edit = No
     (EdWkly < 100) AND INVOLVING(EdPd, EdAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: Edit = Yes
     EdPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND:
          (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HF.)
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
(601) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdInt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N Does the loan...^N^I Running prompt...^I
```

(1)

(2)

Interest

IntFree

^N...carry interest,^N

^N...or is it interest free?^N

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

AND: EdInt = Interest

(602) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].LnRpInt

^CC*** ^Names[PerNo] *** @|@|@|Education

^N Was your last payment...^N^I Running prompt...^I

(1) Interest ^N...just interest^N

(2) Capital 'N...or did it include some repayment of capital?'N

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

= HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

= HE

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

RESERVECHECK

FRS0504C.BU[].QEduc3.Adult[].QEdLoan[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

AND: LoanNo IN [Two .. Three]
```

(603) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdBorr

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N Thinking of the ^PFrom loan, from whom have you borrowed the money?^N

```
(1) organisa organisation(2) individ private individual
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Loan = Yes

AND: LoanNo IN [One .. Three]

AND: LoanNo IN [Two .. Three]
```

$(604\,)\,FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdMonYr$

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N When did you take out the loan?^N

^I Enter date (If day not known, enter 15th of month).^I

DATE

^{&#}x27;I You have entered that the loan was taken out more than 6 years ago. Please check that it is correct.'I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdMonYr = RESPONSE
     EdMonYr <= DateNow
     ^I You have entered a future date. Please include only loans already taken out.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
(605) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdSum
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much did you originally borrow?^N
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: Edit = No
     AND: EdSum = RESPONSE
     EdSum < 8050
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdSum = NONRESPONSE
     AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdSum = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
(606) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdAmt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much was your last repayment?^N
     ^I^IC Code 0 if no repayments yet made.^I
     0.00..99997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: (EdSum = RESPONSE) AND (EdAmt = RESPONSE)
     EdAmt <= EdSum
     'I You have entered that the respondent made a repayment which was greater than the value of the loan.
     Please check that it is correct.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
(607) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdPx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
(608) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdPd
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How long did that cover?^N
          OneWeek
     (1)
                    One week
          TwoWeek
                    Two weeks
     (2)
          ThrWeek
     (3)
                    Three weeks
     (4)
          Fourweek
                    Four weeks
                    Calendar month
     (5)
          Month
     (7)
          TwoMonth
                    Two Calendar months
     (8)
          EighYear
                    Eight times a year
     (9)
          NineYear
                    Nine times a year
     (10)
          TenYear
                    Ten times a year
     (13)
          ThrMonth
                    Three months/13 weeks
     (26)
          SixMonth
                    Six months/26 weeks
                    One Year/12 months/52 weeks
     (52)
          Year
     (90)
          LessWeek
                    Less than one week
     (95)
          LumpSum
                    One off/lump sum
                    None of these ^I(Explain in a note)^I
     (97)
          Note
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
AND: EdPd = Note

( 609 ) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdPx

^CC*** ^Names[PerNo] *** @|@|@|Education

^I^IC^Pd97Txt^I

OPEN
```

FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].Weekly()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE
    And: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    And: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[5] := 4.333
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
    = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND:
         (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
PdConW[13] := 13
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0504C.BU[].QEduc3.Adult[].QEdLoan[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
     AND: EdPd IN [OneWeek .. Year]
     AND: LWeekly > 0
EdWkly := LWeekly
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
     AND: EdPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: Edit = No
     (EdWkly < 100) AND INVOLVING(EdPd, EdAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
```

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]

AND: LoanNo IN [Two .. Three]
AND: Edit = Yes
EdPd <> Note

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it. I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
(610) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].EdInt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N Does the loan...^N^I Running prompt...^I
     (1)
          Interest
                    ^N...carry interest,^N
          IntFree
                    ^N...or is it interest free?^N
     (2)
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     AND: EdInt = Interest
(611) FRS0504C.BU[].QEduc3.Adult[].QEdLoan[].LnRpInt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N Was your last payment...^N^I Running prompt...^I
     (1)
          Interest
                    ^N...just interest^N
                    ^N...or did it include some repayment of capital?^N
     (2)
          Capital
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND:
         (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     And: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
     RESERVECHECK
     RESERVECHECK
```

FRS0504C.BU[].QEduc3.Adult[] (continued)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
```

(612) FRS0504C.BU[].QEduc3.Adult[].Access

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N Some students get money from an access fund provided by their college or university to relieve hardship. Do you receive any^B regular^B payment from such an access fund?^N

^I^IC Do not include lump sum payments or loans.^I

- (1) Yes Yes(2) No No
- Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)

AND: Access = Yes

(613) FRS0504C.BU[].QEduc3.Adult[].AccsAmt

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^N How much did you receive last time?^N

1.00..9997.00

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE)
AND: Access = Yes
AND: Accessment = RESPONSE
```

(614) FRS0504C.BU[].QEduc3.Adult[].AccsPx

```
^CC*** ^Names[PerNo] *** @|@|@|Education
```

^I^IC^Pd97Txt^I

OPEN

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE
     AND: Access = Yes
     AND: AccsAmt = RESPONSE
(615) FRS0504C.BU[].QEduc3.Adult[].AccsPd
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N What period did that cover?^N
     (1)
          OneWeek
                    One week
          TwoWeek
     (2)
                    Two weeks
          ThrWeek
     (3)
                    Three weeks
     (4)
          Fourweek
                    Four weeks
     (5)
          Month
                    Calendar month
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                    Eight times a year
     (9)
          NineYear
                    Nine times a year
     (10)
          TenYear
                    Ten times a year
          ThrMonth Three months/13 weeks
     (13)
          SixMonth
                    Six months/26 weeks
     (26)
                    One Year/12 months/52 weeks
     (52)
          Year
                    Less than one week
     (90)
          LessWeek
     (95)
          LumpSum One off/lump sum
     (97)
          Note
                    None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND:
          (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Access = Yes
     AND: AccsAmt = RESPONSE
     AND: AccsPd = Note
(616) FRS0504C.BU[].QEduc3.Adult[].AccsPx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
          (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
     AND: Edit = Yes
     (AccsPd <> LumpSum) AND (AccsPd <> Year)
```

^I Editor: Access fund should be ^B regular ^B payment, not one-off. If no notes to explain, delete amount at AccsAmt, and change 'Access' to No.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

= HE)

AND: Edit = Yes AccsPd <> Note

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it. I

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

= HE)

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

= HE)

RESERVECHECK

FRS0504C.BU[].QEduc3 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

RESERVECHECK

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

FRS0504C.BU[].QEduc4

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60

Adult[PerNo].PersId := Person[[PerNo]

FRS0504C.BU[].QEduc4.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
(617) FRS0504C.BU[].QEduc4.Adult[].PersId
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     Person identifier.
     0..14
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: PAnyEd = No
(618) FRS0504C.BU[].QEduc4.Adult[].OldStud
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N Have you been a student at a college or university at any time since 1990?^N
     (1)
          Yes
                     Yes
     (2)
          No
                     No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
(619) FRS0504C.BU[].QEduc4.Adult[].SLRepay
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N In the last 12 months, have you made any repayments of a Student Loan?^N
     (1)
          Yes
                     Yes
     (2)
          No
                     No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
(620) FRS0504C.BU[].QEduc4.Adult[].SLRepAmt
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How much did you pay last time?^N
```

0.00..999997.00

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
(621) FRS0504C.BU[].QEduc4.Adult[].SLRepPx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
(622) FRS0504C.BU[].QEduc4.Adult[].SLRepPd
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^N How long did that cover?^N
     (1)
          OneWeek
                     One week
          TwoWeek
                    Two weeks
     (2)
          ThrWeek
                    Three weeks
     (3)
     (4)
          Fourweek
                    Four weeks
     (5)
          Month
                    Calendar month
          TwoMonth Two Calendar months
     (7)
     (8)
          EighYear
                    Eight times a year
     (9)
          NineYear
                    Nine times a year
     (10)
          TenYear
                    Ten times a year
          ThrMonth Three months/13 weeks
     (13)
     (26)
          SixMonth Six months/26 weeks
     (52)
                    One Year/12 months/52 weeks
          Year
     (90)
          LessWeek Less than one week
     (95)
          LumpSum One off/lump sum
                    None of these ^I(Explain in a note)^I
     (97)
          Note
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
     AND: SLRepPd = Note
(623) FRS0504C.BU[].QEduc4.Adult[].SLRepPx
     ^CC*** ^Names[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
```

OPEN

FRS0504C.BU[].QEduc4.Adult[].Weekly()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
    AND: AgeOf[PerNo] < 60
    AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
    AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
    AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
    AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
    AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
    AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
    AND: AgeOf[PerNo] < 60
    AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
    AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0504C.BU[].QEduc4.Adult[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
     AND: SLRepPd IN [OneWeek .. Year]
     AND: LWeekly > 0
SLWkly := LWeekly
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: (PAnyEd = Yes) OR (OldStud = Yes)
     AND: SLRepay = Yes
     AND: SLRepAmt = RESPONSE
     AND: SLRepPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: Edit = No
     (SLWkly <= 40) AND INVOLVING(SLRepPd, SLRepAmt)
     'I This seems a large amount to be repaying. Please check and amend if necessary. If correct, suppress
     warning and explain circumstances in a note. A
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     AND: Edit = Yes
     SLRepPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: AgeOf[PerNo] < 60
     RESERVECHECK
     RESERVECHECK
```

FRS0504C.BU[].QEduc4 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

RESERVECHECK

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

FRS0504C.BU[].QChEduc

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
            AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
```

ChName := ChNames[[PerNo]

FRS0504C.BU[].QChEduc.Child[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

PersId := PId

Compute IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

QAdEduc.PersId := PId
```

FRS0504C.BU[].QChEduc.Child[].QAdEduc

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
(624) FRS0504C.BU[].QChEduc.Child[].QAdEduc.PersId
     *** ^ChNames[PerNo] *** @|@|@|Education
     Person Identifier.
     0..14
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
(625) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EdAttn1
     *** ^ChNames[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< ^N Do you have any educational qualifications for which you received a certificate?^N
     (1)
          Yes
                     Yes
     (2)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
( 626) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EdAttn2
     *** ^ChNames[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< ^N Do you have any professional, vocational or other work-related qualifications for which you
     received a certificate?^N
     (1)
          Yes
                     Yes
     (2)
          No
                     No
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
     AND: (EdAttn1 = Yes) OR (EdAttn2 = Yes)
(627) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EdAttn3
     *** ^ChNames[PerNo] *** @|@|@|Education
     @>^I Help <F9>^I
     @< ^N Was your highest qualification....^N
                      at degree level or above
     (1)
           DegLev
                      or another kind of qualification?
           BelowDeg
     (2)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
     AND: (PFtEd = Yes) OR (PTEA = 96)
AnyEd := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
     AND: (PFtEd = Yes) OR (PTEA = 96)
And are := ('Earlier you said you are enrolled on a full time
  + 'course. Can I just check are')
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
     AND: (PFtEd = Yes) OR (PTEA = 96)
     AND: Test = Yes
(628) FRS0504C.BU[].QChEduc.Child[].QAdEduc.AnyEd
     *** ^ChNames[PerNo] *** @|@|@|Education
     N Are you at present receiving any full- or part-time education - including leisure classes and holiday
     courses?^N
     (1)
           Yes
                      Yes
```

(2)

No

No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
     AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
(629) FRS0504C.BU[].QChEduc.Child[].QAdEduc.AnyEd
     *** ^ChNames[PerNo] *** @|@|@|Education
     N Are you at present receiving any full- or part-time education - including leisure classes and holiday
     courses?^N
     (1)
           Yes
                      Yes
                      No
     (2)
           No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PAge >= 16
     AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
And are := 'Can I just check are'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (AnyEd = Yes) AND (PAge >= 16)
(630) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EdAtt
     *** ^ChNames[PerNo] *** @|@|@|Education
```

^N^And_are you ...^N^I Running prompt...^I

- (1) StillAtt 'N still attending,
- (2) Waiting 'N waiting for term to (re)start,
- (3) Stopped ^N or have you stopped going?

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      AND: (AnyEd = Yes) AND (PAge >= 16)
      AND: EdAtt IN [StillAtt, Waiting]
(631) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EdTyp
      *** ^ChNames[PerNo] *** @|@|@|Education
      'N What kind of course are you on. Is it full-time or part-time, a medical or nursing course or some other
      kind of course?^N
      (1)
           SchoolFT
                       school/full time
           SchoolPT
                       school/part time
      (2)
      (3)
           Sandwich
                       sandwich course
      (4)
           CollegFT
                       studying at university or college including 6th form college^B full time^B
                       training for a qualification in nursing, physiotherapy or a similar medical subject
      (5)
           Medical
                       on a^B part time^B course at university or college,^B including^B day release and
      (6)
           CollegPT
      block release
      (7)
           OpenColl
                       on an Open College course
      (8)
           OpenUni
                       on an Open University course
      (9)
           Corresp
                       any other correspondence course
      (10)
           Self
                       any other course including other self / open learning courses
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      AND: (AnyEd = Yes) AND (PAge >= 16)
AND: EdAtt IN [StillAtt, Waiting]
      AND: PAge >= 20
      NOT (IN (EdTyp, [???,???]))
      ^I Respondent seems to be too old to be at school.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      RESERVECHECK
      RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      RESERVECHECK
      RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: OHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      RESERVECHECK
      RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      AND: (AnyEd = Yes) AND (PAge >= 16)
```

(632) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EdHr

```
*** ^ChNames[PerNo] *** @|@|@|Education
```

^N In your course of education, how many hours tuition do you normally receive each week? Only include time spent in lectures, seminars, and practicals where a tutor is present.^N

^I^IC If none (eg.^B distance^B learning), enter '0'.^I

0..97

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: Edit = No
EdHr < 37</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (AnyEd = Yes) AND (PAge >= 16)
     AND: EdHr > 0
(633) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EdTime
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N Is that...^N^I Running prompt...^I
     (1)
           daytime
                      ^N...just in the daytime,^N
     (2)
           evening
                      ^N...just in the evenings,^N
                      ^N...or both?^N
     (3)
           both
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PTypeEd = RESPONSE
(634) FRS0504C.BU[].QChEduc.Child[].QAdEduc.AdEduc
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N What type of school or college do you attend?^N
     (1)
           FE
                      Non-advanced further education/ 6th form/tertiary/further education college
     (2)
           Priv
                      Any^B private^B school
     (3)
           HE
                      University or any other higher education
     (4)
           Other
                      Other (Describe in a Note)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PTypeEd = RESPONSE
     AND: PTypeEd IN [Special .. Sec]
AdEduc := Other
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PTypeEd = RESPONSE
     AND: PTypeEd = Nonadv
AdEduc := FE
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PTypeEd = RESPONSE
     AND: PTypeEd = Private
AdEduc := Priv
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: PTypeEd = RESPONSE
     AND: PTypeEd = Univ
AdEduc := HE
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: AnyEd = Yes
(635) FRS0504C.BU[].QChEduc.Child[].QAdEduc.AdEduc
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N What type of school or college do you attend?^N
          FE
                     Non-advanced further education/ 6th form/tertiary/further education college
     (1)
          Priv
                     Any^B private^B school
     (2)
     (3)
          HE
                     University or any other higher education
     (4)
          Other
                     Other (Describe in a Note)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
(636) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EMA
     *** ^ChNames[PerNo] *** @|@|@|Education
     'N Do you receive an Educational Maintenance Allowance (EMA) as part of the new Government
     scheme?^N
     (1)
          Yes
                     Yes
                     No
     (2)
          No
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (PAge\ IN\ [16\ ..\ 20])\ AND\ (AnyEd\ =\ Yes)
     AND: EMA = Yes
(637) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EMAAmt
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N How much did you receive last time?^N
     0.00..99997.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (PAge IN [16 .. 20]) AND (AnyE\bar{d} = Yes)
     AND: EMA = Yes
(638) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EMAPx
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (PAge\ IN\ [16\ ..\ 20])\ AND\ (AnyEd\ =\ Yes)
     AND: EMA = Yes
(639) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EMAPd
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N How long did that cover?^N
     (1)
           OneWeek
                      One week
           TwoWeek
                      Two weeks
     (2)
           ThrWeek
     (3)
                      Three weeks
     (4)
           Fourweek
                      Four weeks
           Month
                      Calendar month
     (5)
     (7)
           TwoMonth Two Calendar months
     (8)
           EighYear
                      Eight times a year
           NineYear
     (9)
                      Nine times a year
     (10)
           TenYear
                      Ten times a year
           ThrMonth
     (13)
                      Three months/13 weeks
     (26)
           SixMonth
                      Six months/26 weeks
     (52)
                      One Year/12 months/52 weeks
           Year
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum One off/lump sum
          Note
     (97)
                      None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (PAge IN [16 .. 20]) AND (AnyE\tilde{d} = Yes)
     AND: EMA = Yes
     AND: EMAPd = Note
( 640) FRS0504C.BU[].QChEduc.Child[].QAdEduc.EMAPx
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
     AND: EMA = Yes
     AND: Edit = Yes
     EMAPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
```

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChftEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QChEduc.Child[] (continued)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
```

(641) FRS0504C.BU[].QChEduc.Child[].Grant

```
*** ^ChNames[PerNo] *** @|@|@|Education
```

^N Is ^ChName receiving an education grant, maintenance grant or scholarship?^N

^I^IC Include holiday periods.^I

(1) Yes Yes(2) No No

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
```

(642) FRS0504C.BU[].QChEduc.Child[].GrtNum

```
*** ^ChNames[PerNo] *** @|@|@|Education
```

^N How many grants or scholarships is ^ChName getting?^N

^I If more than one, the next questions deal with a maximum of two grants. Take grants in order of annual value (If more than 2, give details of 3rd, etc, in a note.^I

- (1) One One (2) Two Two
- (3) Three or more

FRS0504C.BU[].QChEduc.Child[].QGrant[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
(643) FRS0504C.BU[].OChEduc.Child[].OGrant[].GrtSce
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N Is the source of the ^pFirst award ...^N^I Running prompt...^I
                    ^N...state^N
     (1)
          State
                    ^N...private^N
          Private
     (2)
                    ^N...or overseas?^N
     (3)
          Overseas
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
( 644) FRS0504C.BU[].QChEduc.Child[].QGrant[].GrtAmt
     *** ^ChNames[PerNo] *** @|@|@|Education
     'N What is the current annual value of the award, excluding fees?'N
     ^I^IC Record amount as 0 if tuition fees only.^I
     0.00..99997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: În loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
(645) FRS0504C.BU[].QChEduc.Child[].QGrant[].GrtVal
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N What is the current annual value of the award, including fees?^N
     ^I^IC Include amounts covering tuition fees and other payments.^I
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: Edit = No
     AND: GrtVal = RESPONSE
     ((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
     (GrtVal < 9000))
```

'I Warning: The answer is much higher than the figures usually given at this question. Please check that

your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
AND: GrtVal = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: În loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
(646) FRS0504C.BU[].QChEduc.Child[].QGrant[].GrtDir
     *** ^ChNames[PerNo] *** @|@|@|Education
     'N How much of this is paid direct to 'pyou by cash or cheque?'N
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: Edit = No
     AND: GrtDir = RESPONSE
      ((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
      (GrtDir < 6000))
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      AND: Grant = Yes
      AND: GrtNum IN [One .. Three]
      AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
AND: GrtDir = RESPONSE
      AND: GrtSce IN [Private, Overseas]
      GrtDir <= GrtVal</pre>
      'I The amount paid cannot exceed the total value of the grant. Please amend your coding. 'I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      AND: Grant = Yes
      AND: GrtNum IN [One .. Three]
      AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
      AND: GrtDir = RESPONSE
      AND: GrtSce = State
      GrtDir <= GrtAmt</pre>
      'I The amount paid cannot exceed the total value of the grant. Please amend your coding.'I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      AND: Grant = Yes
      AND: GrtNum IN [One .. Three]
      AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
      AND: GrtDir = NONRESPONSE
      AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PerNo := 1 TO ChildNum
      AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
      AND: Grant = Yes
      AND: GrtNum IN [One .. Three]
      AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
      AND: GrtDir = NONRESPONSE
      AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
( 647) FRS0504C.BU[].QChEduc.Child[].QGrant[].StartYr
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N In which year did this course start?^N^I
     Enter year.^I
     1994..2006
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
     AND: QDataBag.SampMnth IN [4 .. 12]
     StartYr <> 2006
     Wrong Year!
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
( 648) FRS0504C.BU[].QChEduc.Child[].QGrant[].EndYr
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N And in which year will the course end?^N^I
     Enter year.^I
     2005..2013
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
AND: StartYr = RESPONSE
     IN(StartYr, [1999..2006])
     ^I That's rather a long time ago. Please check this date is correct.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
     AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
     (EndYr - StartYr) < 5
     ^I The course is longer than 4 years; please check if this is correct.^I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special))) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: pFirst = FIRST
     AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
     EndYr >= StartYr
     ^I The end year of the course cannot be before the start year.^I
```

FRS0504C.BU[].QChEduc.Child[].QGrant[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One ..
     AND: GrtNum IN [Two .. Three]
(649) FRS0504C.BU[].QChEduc.Child[].QGrant[].GrtSce
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N Is the source of the ^pFirst award ... ^N^I Running prompt... ^I
     (1)
          State
                    ^N...state^N
          Private
                    ^N...private^N
     (2)
          Overseas
                    ^N...or overseas?^N
     (3)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
(650) FRS0504C.BU[].OChEduc.Child[].OGrant[].GrtAmt
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N What is the current annual value of the award, excluding fees?^N
     ^I^IC Record amount as 0 if tuition fees only.^I
     0.00..99997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: Edit = No
     AND: GrtAmt = RESPONSE
     ((pFirst = 'first') AND (GrtAmt < 8000)) OR ((pFirst = 'second') AND
     (GrtAmt < 5000))
```

Al Warning: The answer is much higher than the figures usually given at this question. Please check that

your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: OBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: OHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
(651) FRS0504C.BU[].QChEduc.Child[].QGrant[].GrtVal
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N What is the current annual value of the award, including fees?^N
     ^I^IC Include amounts covering tuition fees and other payments.^I
     0.00..999997.00
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: Edit = No
     AND: GrtVal = RESPONSE
     ((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
     (GrtVal < 9000))
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special))) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
```

(652) FRS0504C.BU[].QChEduc.Child[].QGrant[].GrtDir

```
*** ^ChNames[PerNo] *** @|@|@|Education
```

^N How much of this is paid direct to ^pyou by cash or cheque?^N

0.00..999997.00

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PerNo := 1 TO ChildNum
   AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
   (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
   (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
   AND: Grant = Yes
   AND: GrtNum IN [One .. Three]
   AND: GrtNum IN [Two .. Three]
   AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
   AND: GrtDir = RESPONSE
   ((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
   (GrtDir < 6000))</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)

AND: GrtSce IN [Private, Overseas]

GrtDir <= GrtVal
```

[^]I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = RESPONSE
     AND: GrtSce = State
     GrtDir <= GrtAmt</pre>
     'I The amount paid cannot exceed the total value of the grant. Please amend your coding.'I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     And: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special))) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     And: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two ...
                              Threel
     AND: ((GrtAmt > 0) AND (GrtAmt <> DONTKNOW)) AND (GrtSce = RESPONSE)
     AND: GrtDir = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
(653) FRS0504C.BU[].QChEduc.Child[].QGrant[].StartYr
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N In which year did this course start?^N^I
     Enter year.^I
     1994..2006
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
     AND: QDataBaq.SampMnth IN [4 .. 12]
     StartYr <> 2006
     Wrong Year!
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
(654) FRS0504C.BU[].QChEduc.Child[].QGrant[].EndYr
     *** ^ChNames[PerNo] *** @|@|@|Education
     ^N And in which year will the course end?^N^I
     Enter year.^I
     2005..2013
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
     AND: StartYr = RESPONSE
     IN(StartYr, [1999..2006])
     'I That's rather a long time ago. Please check this date is correct.'I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
      (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
      (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: pFirst = FIRST
     AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
      (EndYr - StartYr) < 5
     ^I The course is longer than 4 years; please check if this is correct.^I
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFted[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

AND: pFirst = FIRST

AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)

EndYr >= StartYr
```

[^]I The end year of the course cannot be before the start year.^I

FRS0504C.BU[].QChEduc (continued)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

RESERVECHECK

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: Person[2] <> 97

either_of := ' either of'

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

(655) FRS0504C.BU[].NHHChild

^N Have^either_of you any (other) children aged 16-24 OUTSIDE this household, who are currently receiving full- or part-time education?^N

^I Include married children aged 16-24.^I

- (1) Yes Yes
- (2) No No

FRS0504C.BU[].QNHHCh

```
Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))

Child[PerNo].ExtSeq := PerNo
```

FRS0504C.BU[].QNHHCh.Child[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
(656) FRS0504C.BU[].QNHHCh.Child[].ExtSeq
     ^I@|@|@|Children outside household
     External child sequence number.
     1..4
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
(657) FRS0504C.BU[].QNHHCh.Child[].NHHName
     ^I@|@|@|Children outside household
     ۸Ι
     ^N
     Could you tell me the child's first name?^N
     STRING[15]
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
NHHName := UPCASE(NHHName)
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
(658) FRS0504C.BU[].QNHHCh.Child[].NHHFee
     ^I@|@|@|Children outside household
     ۸I
     ^N
     Apart from leisure classes, in the last 12 months (that is, since ^DatYrAgo), have you paid any
     maintenance for ^NHHName for any educational courses at any level?^N
     ^I Include parental contribution.^I
          Yes
                    Yes
     (1)
                    No
          No
     (2)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
(659) FRS0504C.BU[].QNHHCh.Child[].NHHAmt
     ^I@|@|@|Children outside household
     ۸I
     ^N
     How much did you pay for ^NHHName last time?^N
     0.00..999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
          (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
(660) FRS0504C.BU[].QNHHCh.Child[].NHHPx
     ^I@|@|@|Children outside household
     ۸I
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
(661) FRS0504C.BU[].QNHHCh.Child[].NHHPd
     ^I@|@|@|Children outside household
     ۸I
     ^N
     How long did this cover?^N
          OneWeek
                     One week
     (1)
     (2)
          TwoWeek
                     Two weeks
          ThrWeek
                     Three weeks
     (3)
          Fourweek
                     Four weeks
     (4)
     (5)
          Month
                     Calendar month
     (7)
          TwoMonth
                     Two Calendar months
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
          ThrMonth
                     Three months/13 weeks
     (13)
          SixMonth
                     Six months/26 weeks
     (26)
     (52)
          Year
                     One Year/12 months/52 weeks
          LessWeek
                     Less than one week
     (90)
          LumpSum
                     One off/lump sum
     (95)
                     None of these ^I(Explain in a note)^I
     (97)
          Note
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))

AND: NHHFee = Yes

AND: NHHAmt > 0

AND: NHHPd = Note

(662) FRS0504C.BU[].QNHHCh.Child[].NHHPx

^I@|@|Children outside household
^I

^I^IC^Pd97Txt^I

OPEN
```

FRS0504C.BU[].QNHHCh.Child[].Weekly()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
PdConW[2] := 2
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
    AND: NHHFee = Yes
     AND: NHHAmt > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
PdConW[5] := 4.333
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
    AND: In loop FOR PerNo := 1 TO 4
    AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
    AND: NHHFee = Yes
    AND: NHHAmt > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
    AND: In loop FOR PerNo := 1 TO 4
    AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
    AND: NHHFee = Yes
    AND: NHHAmt > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
    AND: In loop FOR PerNo := 1 TO 4
    AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
    AND: NHHFee = Yes
    AND: NHHAmt > 0
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
    AND: In loop FOR PerNo := 1 TO 4
    AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
    AND: NHHFee = Yes
    AND: NHHAmt > 0
PdConW[10] := 5.2
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
    AND: In loop FOR PerNo := 1 TO 4
    AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
    AND: NHHFee = Yes
    AND: NHHAmt > 0
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
    AND: In loop FOR PerNo := 1 TO 4
    AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
    AND: NHHFee = Yes
    AND: NHHAmt > 0
PdConW[26] := 26
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
    AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
    AND: NHHAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0504C.BU[].QNHHCh.Child[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
     AND: NHHPd IN [OneWeek .. Year]
     AND: LWeekly > 0
NHHWkly := LWeekly
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: NHHFee = Yes
     AND: NHHAmt > 0
     AND: NHHPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: Edit = No
     (NHHWkly < 165) AND INVOLVING(NHHPd, NHHAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: Edit = Yes
     NHHPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: OHealth1.Adult[AdultNum].Health <> EMPTY
     AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
     AND: NHHChild = Yes
     AND: In loop FOR PerNo := 1 TO 4
     AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
     AND: ExtSeq IN [1 .. 3]
(663) FRS0504C.BU[].QNHHCh.Child[].NHHIntro
     ^I@|@|@|Children outside household
     'II'IC Prompt: 'II'N Have (either of) you any other children aged 16-24 outside of the household who are
```

currently receiving full- or part-time education?^N

Yes

No

(1)

(2)

Yes

No

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
   AND: NHHChild = Yes
   AND: In loop FOR PerNo := 1 TO 4
   AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
   RESERVECHECK

RESERVECHECK
```

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
RESERVECHECK
```

FRS0504C.BU[].QNHHCh (continued)

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)
AND: NHHChild = Yes
AND: In loop FOR PerNo := 1 TO 4
AND: (PerNo = 1) OR ((PerNo > 1) AND (Child[PerNo - 1].NHHIntro = Yes))
AND: In loop FOR Idx := 1 TO HHSize
RESERVECHECK
RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY **AND:** (AgeOf[1] >= 40) OR (AgeOf[2] >= 40)

AND: NHHChild = Yes

AND: In loop FOR PerNo := 1 TO 4

RESERVECHECK

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

(664) FRS0504C.BU[].Jump1

^I

The questions that follow are about work.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

FRS0504C.BU[].QCurSt1.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
(665) FRS0504C.BU[].QCurSt1.Adult[].PersId
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     Person identifier.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: PRstrct = NoWork
AorC := 'Ask or record: '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: NOT (PRstrct = NoWork)
AorC := N
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
(666) FRS0504C.BU[].QCurSt1.Adult[].Working
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^I^AorC^I
     Did you do any paid work in the 7 days ending ^B^PDatSun^B, either as an employee or as self-
     employed?^N ^I
     Prompt if necessary: 'I Were you working last week?
     (Do not include odd jobs, babysitting, or mail order agents as 'paid work').
     ^I^IC (If business start-up, code as working)^I
     (1)
          Yes
                     Yes
     (2)
          No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Working = Yes
```

NCDVAW := Yes

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NatCen = NI
(667) FRS0504C.BU[].QCurSt1.Adult[].NITrain
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I
     @< ^IS^I Y
     ^AorC^I Were you on any of the government schemes for employment training shown on this card?^N
     ^I Code one only.^I
           JobSki
                      Jobskills
     (1)
     (2)
           Bridge
                      Bridge to employment
     (3)
           EntUls
                      Enterprise Ulster
     (4)
           WrkTrk
                      Worktrack
           GradTP
                      Graduate Training Programme
     (5)
                      New Deal for Young People (18-24)
     (6)
           NDeal18
     (7)
           NDeal50
                      New Deal 50+
           NDealDis
                      New Deal for Disabled People
     (8)
     (9)
           Other
                      Any other training scheme
           None
                      None of these
     (10)
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NatCen = NI
     AND: NITrain = NDeal18
     IN(AgeOf[[PerNo],[18..24])
     ^I This training is normally only available to those aged 18 to 24.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NatCen = NI
     AND: NITrain = NDeal50
     AgeOf[[PerNo] > 49
     ^I This training is normally only available to those aged 50 or over.^I
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NOT (NatCen = NI)
  668) FRS0504C.BU[].QCurSt1.Adult[].Train
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I
     @< ^IS^I Y
     ^AorC^I Were you on any of the government schemes for employment training shown on this card?^N
     ^I Code one only.^I
     (1)
           YT
                      Work based learning for young people / Youth Training
     (2)
           TfW
                      Work based learning for adults (WBLA) / Training for Work (TfW)
     (3)
           Trial
     (4)
           PWork
                      New Deal 25+ / Employment Zones / Project Work
                      Career Development Loans / Youth Credits
     (5)
           Loan
     (6)
           NDeal18
                      New Deal for Young People (18-24)
     (7)
           NDeal50
                      New Deal 50+
           NDealDis
                      New Deal for Disabled People
     (8)
     (9)
           Other
                      Any other training scheme
                      None of these
     (10)
          None
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NOT (NatCen = NI)
     AND: Train = YT
     AgeOf[[PerNo] < 19
     ^I This training is normally only available to those aged 18 or under.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NOT (NatCen = NI)
     AND: Train = PWork
     AgeOf[[PerNo] > 24
     ^I This training is normally only available to those aged 25 or over.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NOT (NatCen = NI)
     AND: Train = NDeal18
     IN(AgeOf[[PerNo],[18..24])
     ^I This training is normally only available to those aged 18 to 24.^I
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: NOT (NatCen = NI)
     AND: Train = NDeal50
     AgeOf[[PerNo] > 49
     ^I This training is normally only available to those aged 50 or over.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: OHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: (Train = NDeal18) OR (NITrain = NDeal18)
  669) FRS0504C.BU[].QCurSt1.Adult[].NewDType
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^IS^I Z6I ^N
     Which New Deal option are you on?^N^I (Code main option)^I
                     The Gateway
     (1)
          Gate
                     Employment option
     (2)
          Employ
     (3)
          FtEd
                     Full time education or training
     (4)
          Vol
                     Voluntary Sector
     (5)
          Env
                    Environmental task force
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
          (((Train IN [YT, TfW, Loan, Other]) OR (NITrain IN [JobSki,
     EntUls, GradTP, Other])) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR
     ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))
(670) FRS0504C.BU[].QCurSt1.Adult[].PrgAmt
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     'N What was the amount of allowance, including any other payments from your employer, that you last
     received?^N
     0.01..99997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: (((Train IN [YT, TfW, Loan, Other]) OR (NITrain IN [JobSki,
     EntUls, GradTP, Other])) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR
     ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))
     AND: PrgAmt = NONRESPONSE
     AND: OBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
AND: (((Train IN [YT, TfW, Loan, Other]) OR (NITrain IN [JobSki,
     EntUls, GradTP, Other])) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR
     ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))
     AND: PrgAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: (((Train IN [YT, TfW, Loan, Other]) OR (NITrain IN [JobSki,
     EntUls, GradTP, Other])) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR
     ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))
     AND: PrgAmt = RESPONSE
(671) FRS0504C.BU[].QCurSt1.Adult[].PrgPx
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^I^IC^Pd97Txt^IC
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
     AND: (((Train IN [YT, TfW, Loan, Other]) OR (NITrain IN [JobSki,
     EntUls, GradTP, Other])) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR
     ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))
     AND: PrgAmt = RESPONSE
(672) FRS0504C.BU[].QCurSt1.Adult[].PrgPd
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N How long does this cover?^N
          OneWeek
                     One week
     (1)
          TwoWeek
                    Two weeks
     (2)
          ThrWeek
                    Three weeks
     (3)
          Fourweek
                    Four weeks
     (4)
     (5)
          Month
                    Calendar month
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                    Eight times a year
     (9)
          NineYear
                    Nine times a year
     (10)
          TenYear
                    Ten times a year
     (13)
          ThrMonth
                    Three months/13 weeks
     (26)
          SixMonth
                    Six months/26 weeks
```

(52)

Year

(90) LessWeek

(97) Note

(95) LumpSum One off/lump sum

One Year/12 months/52 weeks

None of these ^I(Explain in a note)^I

Less than one week

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = No) AND (BelowPe3[PerNo] = 1)
AND: (((Train IN [YT, TfW, Loan, Other]) OR (NITrain IN [JobSki,
     EntUls, GradTP, Other])) OR (NewDType IN [Employ, FtEd, Vol, Env])) OR
     ((NewDType = DONTKNOW) OR (NewDType = REFUSAL))
     AND: PrgAmt = RESPONSE
     AND: PrqPd = Note
(673) FRS0504C.BU[].QCurSt1.Adult[].PrgPx
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^I^IC^Pd97Txt^IC
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Working = No
     AND: ((NatCen = NI) AND (((NITrain = None) OR NITrain = EMPTY) OR
      (NewDType IN [Gate, FtEd]))) OR ((NatCen <> NI) AND (((Train = None)
     OR Train = EMPTY) OR (NewDType IN [Gate, FtEd])))
(674) FRS0504C.BU[].QCurSt1.Adult[].JobAway
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I
     @< ^N Even though you were not doing paid work, did you have a job or business that you were away
     from, in the 7 days ending ^B^PDatSun^B?^N
     ^I^IC Do not count Mail Order Agents or Babysitters as paid work, but do count Childminders.^I
     (1)
           Yes
                      Yes
     (2)
           No
                      'I spontaneous mention: 'I Waiting to take up a new job/business already obtained
     (3)
           Waiting
                      ^I spontaneous mention: ^I Retired from paid employment - only use if clear that
     (4)
           Retired
     respondent has no wish to be in paid work.
WARN IF: In loop FOR Loop1 := 1 TO NewBU
```

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
   AND: QHealth1.Adult[AdultNum].Health <> EMPTY
   AND: In loop FOR PNo := 1 TO AdultNum
   AND: Working = No
   AND: ((NatCen = NI) AND (((NITrain = None) OR NITrain = EMPTY) OR
   (NewDType IN [Gate, FtEd]))) OR ((NatCen <> NI) AND (((Train = None) OR Train = EMPTY) OR (NewDType IN [Gate, FtEd])))
   JobAway <> Retired
```

^N Can I just check, are you looking for work, waiting for a job you have already obtained, or would you like any form of paid employment?^N

^I^IC - if Yes, please recode JobAway as 2, if No suppress.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (JobAway = No) OR (JobAway = Retired)
(675) FRS0504C.BU[].QCurSt1.Adult[].Unpaid1
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I
     @<
     ^N Did you do any unpaid work in that week for any business that you own?^N
     (1)
          Yes
                     Yes
     (2)
          No
                     No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (JobAway = No) OR (JobAway = Retired)
     AND: Unpaid1 = No
( 676) FRS0504C.BU[].QCurSt1.Adult[].Unpaid2
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I
     ^N ...or that a relative owns?^N
          Yes
                     Yes
     (1)
     (2)
          No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (JobAway = No) OR (JobAway = Retired)
     AND: JobAway = No
     AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No))
     OR \ Unpaid2 = NONRESPONSE)
(677) FRS0504C.BU[].QCurSt1.Adult[].Look
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I
     @< ^N Thinking of the 4 weeks ending ^PDatSun were you looking for any kind of paid work or
     government training scheme at any time in those 4 weeks?^I
          Yes
                     Yes
     (1)
     (2)
          No
                     No
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (JobAway = No) OR (JobAway = Retired)
     AND: JobAway = No
     AND: (AgeOf[PerNo] < 70) AND ((Unpaid1 = NONRESPONSE OR (Unpaid2 = No))
     OR Unpaid2 = NONRESPONSE)
     AND: (Look = No) AND (PRstrct <> NoWork)
( 678) FRS0504C.BU[].QCurSt1.Adult[].Wait
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     'N Were you waiting to take up a job that you had already obtained?'N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: ((Look = Yes) OR (Wait = Yes)) OR (JobAway = Waiting)
     AND: Look = Yes
were_you := 'have you been'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: ((Look = Yes) OR (Wait = Yes)) OR (JobAway = Waiting)
     AND: NOT (Look = Yes)
were you := 'were you'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: ((Look = Yes) OR (Wait = Yes)) OR (JobAway = Waiting)
(679) FRS0504C.BU[].QCurSt1.Adult[].LkTime
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N How long ^were_you looking for paid work or a place on a government scheme?^N
     (1)
          NotYet
                    Not yet started
     (2)
          LessMnth
                    Less than 1 month
     (3)
          Less3Mth
                    1 month but less than 3 months
                    3 months but less than 6 months
     (4)
          Less6Mth
     (5)
          LessYear
                    6 months but less than 12 months
     (6)
          YearPlus
                    12 months or more
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     RESERVECHECK
```

RESERVECHECK

Page 678

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: Wait = No

(680) FRS0504C.BU[].QCurSt1.Adult[].LikeWk

^CC*** ^Names[PNo] *** @|@|@|Current situation

'N Even though you were not looking for work in the 4 weeks ending 'B'PDatSun'B, would you like to have a regular paid job at the moment, either full- or part-time job?'N

- (1) Yes Yes
- (2) No No

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: Wait = No

(681) FRS0504C.BU[].QCurSt1.Adult[].NoLk

^CC*** ^Names[PNo] *** @|@|@|Current situation

^N Are you prevented from seeking work by any of the following ...^N^I Running prompt...^I

SET [3] OF

(1) Illness 'N...disability or illness?'N

(2) Caring 'N...caring for a disabled or elderly person?'N

(3) Children 'N...having to look after child(ren)?'N

(4) None (None of these)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: Wait = No AND: None IN NoLk NoLk.CARDINAL = 1

[^]I 'None of these' is an exclusive code for this question.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Wait = No
     AND: Caring IN NoLk
(682) FRS0504C.BU[].QCurSt1.Adult[].NlPer
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N You said you were caring for a disabled/elderly person, who is that?^N
     ^I Enter Person Number - Please enter 97 if not household member.
     ^AllNameNo
     97. Not a household member. A
     1..97
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Wait = No
     AND: Caring IN NoLk
     NlPer <> Person[[PerNo]
     ^I You've coded that the respondent is looking after him/herself. Please amend.^I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Wait = No
     AND: Caring IN NoLk
     (NlPer <= HHSize) OR (NlPer = 97)
     ^I^NlPer is not a valid code for this question.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     And: Wait = No
     AND: ((Illness IN NoLk) OR (Caring IN NoLk)) OR (Children IN NoLk)
AorC := 'Ask or record (eg. 3-6)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     And: Wait = No
     AND: NOT (((Illness IN NoLk) OR (Caring IN NoLk)) OR (Children IN NoLk)
AorC := N
```

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: Wait = No
      AND: LikeWk = Yes
(683) FRS0504C.BU[].QCurSt1.Adult[].NoLook
      ^CC*** ^Names[PNo] *** @|@|@|Current situation
      ^I^AorC^I
      May I just check, what was the main reason you did not look for work (in the last 4 weeks)?^N
                        Waiting for the results of an application for a job
            WaitRes
      (1)
            Student
                        Student
      (2)
            FamHome
                        Looking after the family/home
      (3)
      (4)
            Care
                        Caring for a disabled or elderly person
      (5)
            TempSick
                       Temporarily sick or injured
      (6)
            LongSick
                        Long-term sick or disabled
      (7)
            Belief
                        Believes no jobs available
      (8)
            NotYet
                        Not yet started looking
      (9)
            Other
                        Any other reason
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: QHealth1.Adult[AdultNum].Health <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: Wait = No
      AND: NOT (LikeWk = Yes)
(684) FRS0504C.BU[].QCurSt1.Adult[].NoWant
      ^CC*** ^Names[PNo] *** @|@|@|Current situation
      ^I^AorC^I
      May I just check, what was the main reason that you did not want work (in the last 4 weeks)?^N
      (1)
            WaitRes
                        Waiting for the results of an application for a job
      (2)
            Student
                        Student
      (3)
            FamHome
                        Looking after the family/home
      (4)
            Care
                        Caring for a disabled or elderly person
      (5)
            TempSick
                       Temporarily sick or injured
            LongSick
                        Long-term sick or disabled
      (6)
            DontNeed
      (7)
                        Doesn't need employment
      (8)
            Retired
                        Retired from paid work
      (9)
            Other
                        Any other reason
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Look = Yes) OR (Wait = Yes)) OR (JobAway = Waiting)

(685) FRS0504C.BU[].QCurSt1.Adult[].Start

^CC*** ^Names[PNo] *** @|@|@|Current situation

'N If a job or a place on a government scheme had been available in the week ending 'PDatSun, would you have been able to start within two weeks?^N

(1) Yes Yes (2) No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: ((Look = Yes) OR (Wait = Yes)) OR (JobAway = Waiting)
     AND: Start = No
(686) FRS0504C.BU[].QCurSt1.Adult[].YStrtWk
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N What was the main reason you would not be able to start in the next 2 weeks?^N
          Student
                    Student
     (1)
          Home
                    looking after the family/home
     (2)
     (3)
                    temporarily sick or injured
     (4)
          Sick
                    long-term sick or disabled
     (5)
          Retired
                    retired from paid work
     (6)
          Other
                    other reasons
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (((((Working = Yes) OR (JobAway = Yes)) OR (Train IN [YT ...
     Other])) OR (NITrain IN [JobSki .. Other])) OR (Unpaid1 = Yes)) OR
     (Unpaid2 = Yes)
DVILO3a := InEmp
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (((((Working = Yes) OR (JobAway = Yes)) OR (Train IN [YT ...
     Other])) OR (NITrain IN [JobSki .. Other])) OR (Unpaid1 = Yes)) OR
     (Unpaid2 = Yes)
     AND: (Unpaid1 = Yes) OR (Unpaid2 = Yes)
DVILO4a := UFW
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (((((Working = Yes) OR (JobAway = Yes)) OR (Train IN [YT .
     Other])) OR (NITrain IN [JobSki .. Other])) OR (Unpaid1 = Yes)) OR
     (Unpaid2 = Yes)
     AND: NOT ((Unpaid1 = Yes) OR (Unpaid2 = Yes)
DVILO4a := InEmpXuf
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Start = Yes
DVILO3a := Unemp
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Start = Yes
DVILO4a := Unemp
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: NOT (Start = Yes)
DVILO3a := EcInAct
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: NOT (Start = Yes)
DVILO4a := EcInAct
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Look = Yes) OR (JobAway = Waiting)
     AND: JobAway = Waiting
Will be := 'Will you be working'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Look = Yes) OR (JobAway = Waiting)
     AND: JobAway = Waiting
work training := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Look = Yes) OR (JobAway = Waiting)
     AND: NOT (JobAway = Waiting)
Will be := 'Were you looking for'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Look = Yes) OR (JobAway = Waiting)
AND: NOT (JobAway = Waiting)
work_training := 'work/training'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Look = Yes) OR (JobAway = Waiting)
(687) FRS0504C.BU[].QCurSt1.Adult[].LookWk
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N^Will_be ...^N^I Running prompt...^I
                    ^N...full-time,^N
     (1)
          Fulltime
                    ^N...or part-time ^work training^N
          Parttime
     (2)
     (3)
          NoPref
                    ^N...(or have you no preference)?^N
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Look = Yes) OR (JobAway = Waiting)
     AND: LookWk IN [Fulltime, Parttime]
(688) FRS0504C.BU[].QCurSt1.Adult[].AccFtPt
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     'N About how many hours a week do you mean by that?'N
                     Less than 16 hours a week
     (1)
          Less1
                     16 but less than 24
          Less2
     (2)
                     24 but less than 30
          Less3
     (3)
                     30 hours a week or more
     (4)
          Less4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
LNumJob[[PerNo] := 0
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
AND: (Working = Yes) OR (JobAway = Yes)
  689 ) FRS0504C.BU[].QCurSt1.Adult[].NumJob
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     'N How many'B jobs'B, for pay or profit, do you have?'N
     ^I^IC Do not count Mail Order Agents or Babysitters as paid work, but do count Childminders.^I
     (1)
          One
                     One job only
     (2)
          Two
                     Two jobs
          Three
                     Three jobs
     (3)
                     Four or more jobs
     (4)
          Four
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = Yes) OR (JobAway = Yes)
LNumJob[[PerNo] := ORD(NumJob)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = Yes) OR (JobAway = Yes)
     AND: LNumJob[PerNo] IN [2 .. 4]
Are := 'Thinking of your main job, are'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = Yes) OR (JobAway = Yes)
     AND: NOT (LNumJob[PerNo] IN [2 .. 4])
```

Are := 'Are'

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Working = Yes) OR (JobAway = Yes)
(690) FRS0504C.BU[].QCurSt1.Adult[].EmpStat
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I ^N
     @<^Are you working as...^N^I Running prompt...^I
          Employee
                    ^N...an employee,^N
     (1)
     (2)
          SelfEmp
                     ^N...or self-employed (including Business Start-Up)?^N
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Edit = Yes
     PrgAmt<>NONRESPONSE AND PrgPd<>NONRESPONSE
     'I Missing amount and/or period for Training Allowance. Enter standard amount for appropriate training
     programme.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Edit = Yes
     PrgPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QCurSt1

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
Adult[PNo].PersId := Person[[PNo]
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Adult[PNo].Train = NDeal18
     (Adult[PNo].NewDType <> Employ) AND INVOLVING(Adult[PNo].Working)
     <sup>^</sup>I The Employment option would normally count as
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Adult[PNo].NlPer = RESPONSE) AND (Adult[PNo].NlPer <> 97)
     Adult[PNo].NlPer <= HHSize
     ^I This code is not valid for this question.^I
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
CC := ''
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: (QCurSt1.Adult[Count1].Working = RESPONSE) AND

(QHealth3.Adult[Count1].InjLong = RESPONSE)

QCurSt1.Adult[Count1].Working = No

'I Are you sure they did paid work last week? Earlier they said they are unable to work at the moment. Please check this^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: QCurSt1.Adult[Count1].Train IN [YT .. Other]

QEduc2.Adult[Count1].Grant <> Yes

'I Earlier they said they had an educational grant. This is not possible when on a government training scheme. Were they thinking of their training scheme grant? If so, change 'Grant' to 'No' and press <End> to return here.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

FRS0504C.BU[].QCurSt2.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
(691) FRS0504C.BU[].QCurSt2.Adult[].PersId
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     Person identifier.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
LPNo := PerNo
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurSt1.Adult[LPNo].EmpStat = Employee
(692) FRS0504C.BU[].QCurSt2.Adult[].TDayWrk
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N Have you been, or will you be going, to work today?^N
     'I If no, Ask: Can I just check, is today normally a working day for you?'I
          Yes
     (1)
          No
     (2)
                     No - although this is a normal working day
     (3)
          NotNorm
                     No - because not a normal working day
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurSt1.Adult[LPNo].EmpStat = Employee
     AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
(693) FRS0504C.BU[].QCurSt2.Adult[].AbsWk
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N Have you been away from work for more than the last 3 WORKING days?^N
                     Yes
     (1)
          Yes
     (2)
          No
                     No
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurSt1.Adult[LPNo].EmpStat = Employee
     AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
     AND: AbsWk = Yes
(694) FRS0504C.BU[].QCurSt2.Adult[].AbsWhy
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     @>^I Help <F9>^I
     @< ^N What is the reason for your absence?^N
     (1)
           Shifts
                      Pattern of shifts
     (2)
           Illness
                      Illness/accident
     (3)
           Holiday
                      Holiday
     (4)
           Strike
                      Strike
           Laidoff
                      Laid off
     (5)
           Matern
                      Maternity Leave
     (6)
           Patern
                      Paternity leave
     (7)
     (8)
           Compass
                      Compassionate Leave
     (9)
           Parent
                      Parental leave (see helpscreen)
     (10)
           Other
                      Other -^I Code and explain in a note^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurSt1.Adult[LPNo].EmpStat = Employee
     AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
     AND: AbsWk = Yes
     AND: AbsWhy IN [Illness .. Other]
(695) FRS0504C.BU[].QCurSt2.Adult[].AbsPay
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N Are you receiving ...^N^I Running prompt...^I
                      ^N...full pay from your employer,^N
     (1)
           Fullpay
           Partpay
                      ^N...part pay or made-up pay,^N
     (2)
           Nopay
                      ^N...or no pay?^N
     (3)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: QCurSt1.Adult[LPNo].EmpStat = Employee
     AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
     AND: AbsWk = Yes
     AND: AbsWhy IN [Illness .. Other]
( 696) FRS0504C.BU[].QCurSt2.Adult[].Abs1No
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     'N How many weeks in all have you been away during this spell of absence?'N
```

^I If less than one week, code 0. You will then code days at the next question.^I

0..97

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: QCurSt1.Adult[LPNo].EmpStat = Employee

AND: (TDayWrk = No) OR (TDayWrk = NotNorm)

AND: AbsWk = Yes

AND: AbsWhy IN [Illness .. Other]

AND: PWorking = Yes

NOT(IN(Abs1No,[2..97]))
```

^I Respondent said earlier that they worked in the last week... but now say they have been off work for two weeks or more. If really been off work, change 'Working' to 'No'.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: QCurSt1.Adult[LPNo].EmpStat = Employee

AND: (TDayWrk = No) OR (TDayWrk = NotNorm)

AND: AbsWk = Yes

AND: AbsWhy IN [Illness .. Other]

AND: Abs1No = 0
```

(697) FRS0504C.BU[].QCurSt2.Adult[].Abs2No

```
^CC*** ^Names[PNo] *** @|@|@|Current situation
```

^N How many days in all have you been away during this spell of absence?^N

1..6

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QCurSt1.Adult[LPNo].EmpStat = Employee
AND: (TDayWrk = No) OR (TDayWrk = NotNorm)
AND: AbsWk = Yes
AND: AbsWhy IN [Illness .. Other]
AND: Abs1No = 0
AND: AbsWk = Yes
Abs2No > 3
```

^I If respondent has been absent for 3 days or less, then answer to question AbsWk should have been 'No'.^I

```
Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((QCurSt1.Adult[LPNo].NoWant = Retired) OR (((BelowPe2[LPNo] = 2)

AND (PWorking = No)) AND (PJobAway = No))) OR (PJobAway = Retired)
```

NCDVRT := Yes

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((QCurSt1.Adult[LPNo].NoWant = Retired) OR (((BelowPe2[LPNo] = 2)

AND (PWorking = No)) AND (PJobAway = No))) OR (PJobAway = Retired)

(698) FRS0504C.BU[].QCurSt2.Adult[].Retire

^CC*** ^Names[PNo] *** @|@|@|Current situation

^N Did you retire within the last 12 months?^N

- (1) Yes Yes (2) No No
- Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((QCurSt1.Adult[LPNo].NoWant = Retired) OR (((BelowPe2[LPNo] = 2) AND (PWorking = No)) AND (PJobAway = No))) OR (PJobAway = Retired)

AND: Retire = Yes

(699) FRS0504C.BU[].QCurSt2.Adult[].Retire1

^CC*** ^Names[PNo] *** @|@|@|Current situation

^N In which month did you retire?^N

- (1) January January
- (2) February February
- (3) March March
- (4) April April
- (5) May May
- (6) June June
- (7) July July(8) August August
- (9) September September
- (10) October October
- (11) November November
- (12) December December

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: (Retire = Yes) AND (BelowPe2[LPNo] = 1)

(700) FRS0504C.BU[].QCurSt2.Adult[].RetReas

^CC*** ^Names[PNo] *** @|@|@|Current situation

^IS^I AA^I

 N Looking at this card, what was your main reason for retiring below the State Pension Age (currently 60 for women and 65 for men)? N

(1)	Ill	Because of own ill-health
(2)	IllRel	Ill-health of a family member, other relative or friend
(3)	Redund	Compulsory redundancy/dismissed

(4) Fixed I had reached my employer's fixed retirement age

(5) Money I was offered reasonable financial terms to retire early or take voluntary redundancy

(6) Family To spend more time with my family

(7) Change I wanted to give up work/wanted a change

(8) OthCho Other reason - involving own choice

(9) Other Other reason (none of the above)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No, Waiting])
```

(701) FRS0504C.BU[].QCurSt2.Adult[].EverWrk

```
^CC*** ^Names[PNo] *** @|@|@|Current situation
```

^N Have you ever had a paid job, apart from casual or holiday work?^N

- (1) Yes Yes (2) No No
- Ask if: In loop FOR Loop1 := 1 TO NewBU

 AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No,

Waiting])

AND: EverWrk = Yes

(702) FRS0504C.BU[].QCurSt2.Adult[].LstWrk2

```
^CC*** ^Names[PNo] *** @|@|@|Current situation
```

^N Which year did you leave your last PAID job, either as an employee or self-employed?^N

1901..2006

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No, Waiting])

AND: EverWrk = Yes

AND: (DateNow.YEAR - LstWrk2) <= 8
```

(703) FRS0504C.BU[].QCurSt2.Adult[].LstWrk1

^CC*** ^Names[PNo] *** @|@|@|Current situation

December

^N Which month in that year did you leave?^N

(1) January January (2) February February (3) March March (4) April April (5) May May (6)June June (7) July July (8)August August (9) Septembe September (10)October October (11)November November

December

(12)

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No,
     Waiting])
     AND: EverWrk = Yes
     AND: (DateNow.YEAR - LstWrk2) <= 8
     AND: DateNow.YEAR = LstWrk2
     (ORD(LstWrk1) <= DateNow.MONTH) AND INVOLVING(LstWrk2,LstWrk1)
     ^I You've entered a future date. Please check^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: ((Retire <> Yes) AND (PWorking = No)) AND (PJobAway IN [No,
     Waiting])
     AND: EverWrk = Yes
     AND: (DateNow.YEAR - LstWrk2) <= 8
     AND: (DateNow+(-0, -12, -0)) < TODATE (LstWrk2, ORD (LstWrk1), 28)
```

(704) FRS0504C.BU[].QCurSt2.Adult[].LstYr

^CC*** ^Names[PNo] *** @|@|@|Current situation

For how many weeks have you done regular paid work in the last 12 months?

0..52

```
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Test = Yes
```

(705) FRS0504C.BU[].QCurSt2.Adult[].DVJb12ML

^CC*** ^Names[PNo] *** @|@|@|Current situation

DV for unemployed/inactive but has worked in last 12 months.

Jb12ML Worked in last 12 months
 NoJb12ML NOT worked in last 12 months

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: NOT (Test = Yes)
```

(706) FRS0504C.BU[].QCurSt2.Adult[].DVJb12ML

^CC*** ^Names[PNo] *** @|@|@|Current situation

DV for unemployed/inactive but has worked in last 12 months.

- (1) Jb12ML Worked in last 12 months
- (2) NoJb12ML NOT worked in last 12 months

FRS0504C.BU[].QCurSt2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
Adult[PNo].PersId := Person[[PNo]
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Adult [PNo]. AbsWhy = Matern
     Sex[[PNo] = Female
     'I The respondent is a man and cannot have maternity leave.' I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: Adult [PNo]. AbsWhy = Patern
     Sex[[PNo] = Male
     'I The respondent is a woman and cannot have paternity leave.' I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (Adult[PNo].LstWrk2 = RESPONSE) AND (TEA[PNo] IN [1 .. 95])
     ((DateNow.YEAR - AgeOf[[PNo]) + TEA[[PNo]) < Adult[PNo].LstWrk2
     'I Please check the entered year: this appears to be too long ago, given the respondent's age:
     ^AgeOf[PNo] (and age of leaving F/T education: ^TEA[PNo]). If correct, suppress this warning and
     make a Note.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
CC := ''
```

Block: FRS0504C.BU[]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: (QCurSt2.Adult[Count1].Abs1No = RESPONSE) AND

(QHealth3.Adult[Count1].InjLong = Upto6m)

QCurSt2.Adult[Count1].Abs1No < 28

'I Please check your answer: earlier they said they had been unable to work for 'B less' B than 28 weeks. Please change one or other of the answers.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

AND: (QCurSt2.Adult[Count1].Abs1No = RESPONSE) AND

(QHealth3.Adult[Count1].InjLong = Over6m)

QCurSt2.Adult[Count1].Abs1No > 28

^I Please check your answer: earlier they said they had been unable to work for ^B more ^B than 28 weeks. Please change one or other of the answers.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: QCurSt2.Adult[Count1].LstWrk2 < ((QSignIn.StartDat.YEAR -

AgeOf[Count1]) + 15)

ERROR AND INVOLVING(QCurSt2.Adult[Count1].LstWrk2)

'I Interviewer: You have entered that the respondent last worked before they were 16. Please check your coding.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
PresMon := (((DateNow.YEAR - 1900) * 12) + DateNow.MONTH)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: LNumJob [Count1] > 0
WorkMon := PresMon
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: QCurSt2.Adult[Count1].LstWrk1 = RESPONSE
WorkMon := (((QCurSt2.Adult[Count1].LstWrk2 - 1900) * 12) +
ORD (QCurSt2.Adult[Count1].LstWrk1))
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
     AND: NOT (QCurSt2.Adult[Count1].LstWrk1 = RESPONSE)
WorkMon := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: LNumJob[Count1] > 0
Work12m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: LNumJob[Count1] > 0
Work6m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
     AND: LNumJob[Count1] > 0
Work3m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: (PresMon - 3) <= WorkMon
Work12m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: (PresMon - 3) <= WorkMon
Work6m[Count1] := 1
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: (PresMon - 3) <= WorkMon
Work3m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: (PresMon - 6) <= WorkMon
Work12m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: (PresMon - 6) <= WorkMon
Work6m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: (QCurSt2.Adult[Count1].Retire = Yes) OR ((PresMon - 12) <=
     WorkMon)
Work12m[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: QCurSt2.Adult[Count1].EverWrk <> No
Work12m[Count1] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: QCurSt2.Adult[Count1].EverWrk <> No
Work6m[Count1] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: QCurSt2.Adult[Count1].EverWrk <> No
Work3m[Count1] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: NOT (QCurSt2.Adult[Count1].EverWrk <> No)
Work12m[Count1] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: NOT (QCurSt2.Adult[Count1].EverWrk <> No)
Work6m[Count1] := 0
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: NOT (QCurSt2.Adult[Count1].EverWrk <> No)

Work3m[Count1] := 0
```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

QCurSt2.Adult[Count1].DVJb12ML := Jb12ML

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: NOT (Work12m[Count1] = 1)

QCurSt2.Adult[Count1].DVJb12ML := NoJb12ML

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR Count1 := 1 TO AdultNum

AND: QCurSt2.Adult[Count1].LstYr > 0

AskRedAny[Count1] := 1

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

FRS0504C.BU[].QCurSt3.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (QCurSt2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
(707) FRS0504C.BU[].QCurSt3.Adult[].PersId
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     Person identifier.
     0..14
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (QCurSt2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
( 708) FRS0504C.BU[].QCurSt3.Adult[].FtWk
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N Looking back to the time when you finished continuous full-time education, how many years since
     then have you spent...
     @|a)@|in paid full-time work?^N
     @|^I Enter to nearest whole year.^I
     0..97
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PNo := 1 TO AdultNum
     AND: (QCurSt2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
(709) FRS0504C.BU[].QCurSt3.Adult[].PtWk
     ^CC*** ^Names[PNo] *** @|@|@|Current situation
     ^N Looking back to the time when you finished continuous full-time education, how many years since
     then have you spent...
     @|b)@|in paid part-time work?^N
     @|^I Enter to nearest whole year.
     @|^IC These years may overlap with full-time work, if kinds of job
     @|were held concurrently.^I
     0..97
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])
AND: Edit = No
PtWk < 22</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

FRS0504C.BU[].QCurSt3

Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt2.Adult[PNo].EverWrk <> No) AND (TEA[PNo] IN [1 .. 95])

Adult[PNo].PersId := Person[[PNo]

 $\textit{Compute if:} \ \textit{In loop FOR Loop1 := 1 TO NewBU}$

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

FRS0504C.BU[] (continued)

Benefit Unit Schedule

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     ((((AgeOf[Count1] - QCurSt3.Adult[Count1].FtWk) >= TEA[Count1]) AND
     ((AgeOf[Count1] - QCurSt3.Adult[Count1].PtWk) >= TEA[Count1])) OR
     (TEA[Count1] >= 96)) AND
     INVOLVING(HHG.P[].AgeOf[Person[Count1]],HHG.P[].TEA[Person[Count1]],QC
     urSt3.Adult[Count1].PtWk,Q
     'I That seems rather high considering that the respondent is 'AgeOf[Count1] years old, and left full-time
     education at the age of ^TEA[Count1].
     Please check your entry.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR Count1 := 1 TO AdultNum
    RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
```

CC := ''

Page 705

FRS0504C.BU[].QClaim

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNO := 1 TO AdultNum
AND: BelowPe2[PNO] = 1
AND: LNumJob[PNO] > 0

JobIntro := ('Some people who have jobs are also ' + 'entitled to claim Jobseeker's Allowance ' + 'or National Insurance Credits.')

Compute IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNO := 1 TO AdultNum
AND: BelowPe2[PNO] = 1
AND: NOT (LNumJob[PNO] > 0)

JobIntro := ''
```

FRS0504C.BU[].QClaim.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PNo := 1 TO AdultNum

AND: BelowPe2[PNo] = 1

(710) FRS0504C.BU[].QClaim.Adult[].PersId

^CC*** ^Names[PNo] *** @|@|@|Current situation

Person identifier.

0..14

Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

AND: BelowPe2[PNo] = 1

(711) FRS0504C.BU[].QClaim.Adult[].Claimant

^CC*** ^Names[PNo] *** @|@|@|Current situation

^N^PJobIntro

May I just check, were you signed on at 'JobCen in the 7 days ending 'PDatSun ...'N'I Running prompt...^I

- (1) **JSA** ^N...to claim Jobseeker's Allowance (formerly Unemployment Benefit)?^N
- (3) **NICred** ^N...to get credits for National Insurance contributions?^N
- (4) NoSign ^N No, not signed on at ^JobCen.^N

FRS0504C.BU[].QClaim (continued)

Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: BelowPe2[PNo] = 1

Adult[PNo].PersId := Person[[PNo]

Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1

QJobDes[Count1].PersId := Person[Count1]

FRS0504C.BU[].QJobDes[]

Job description

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(712) FRS0504C.BU[].QJobDes[].PersId
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     Person identifier.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
dodid := 'do'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
doesdid := 'does'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
CDoesDid := 'Does'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
CAreWere := 'Are'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
arewere := 'are'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
havehad := 'have'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
ISWAS := 'is'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
work ed := 'work'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
CDoDid := 'Do'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] > 0
job := ('job in the week ending ' + DatSun)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
dodid := 'did'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
doesdid := 'did'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
CDoesDid := 'Did'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
CAreWere := 'Were'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
arewere := 'were'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
havehad := 'had'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
ISWAS := 'was'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
work ed := 'worked'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
CDoDid := 'Did'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PerNo] > 0)
job := 'job'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
( 713) FRS0504C.BU[].QJobDes[].I1
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     <sup>^</sup>I The following questions to be asked about the main job.
     (This should exclude mail order agents and babysitters.)^I
     (1)
          Cont
                    Press <Enter> to continue.
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
Subj1.PersId := PersId
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
Subj1.JobType := 1
```

FRS0504C.BU[].QJobDes[].Subj1

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(714) FRS0504C.BU[].QJobDes[].Subj1.PersId
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     Person identifier.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(715) FRS0504C.BU[].QJobDes[].Subj1.JobType
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     Job sequence number.
     1...3
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(716) FRS0504C.BU[].QJobDes[].Subj1.FirmDo
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     @>^I Help <F9>^I
     @< ^N What ^doesdid the firm/organisation you ^work_ed for mainly make or do (at the place where
     you \work_ed)?\N
     A Describe fully - probe manufacturing or processing or distributing etc. and main goods produced,
     materials used, wholesale or retail ETC.^I
```

STRING[100]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(717) FRS0504C.BU[].QJobDes[].Subj1.Title
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     @>^I Help <F9>^I
     @< ^N What was your (main) ^job?^N
     ^I Enter job title.^I
     STRING[40]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
( 718) FRS0504C.BU[].QJobDes[].Subj1.RespDo
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N What ^dodid you mainly do in your job?^N
     ^I Enter description.^QUALDESC^I
     STRING[150]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(719) FRS0504C.BU[].QJobDes[].Subj1.Qualif
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N What training or qualifications ^arewere needed for that job?^N
     STRING[80]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(720) FRS0504C.BU[].QJobDes[].Subj1.Nature
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^I^IC Code nature of job:^I
                     Childminder
     (1)
           CMind
     (2)
           DocDen
                      Doctor or Dentist, in a practice
           Other
                      All other jobs
     (3)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Nature = CMind
(721) FRS0504C.BU[].QJobDes[].Subj1.Where
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N^CDoDid you do childminding in your own home, or somewhere else?^N
     ^I If 'Both', code as 1 (Own home).^I
          Own
                    Own home
     (1)
          SElse
                    Somewhere else
     (2)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
previous := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PPerNo] = 0) AND (Work12m[PPerNo] = 1)
previous := 'previous'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
AND: LNumJob[PPerNo] IN [2 .. 4]
in this work := ' in this work'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (LNumJob[PPerNo] IN [2 .. 4])
in this work := ''
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(722) FRS0504C.BU[].QJobDes[].Subj1.EType
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     @>^I Help <F9>^I
```

@<^IS^I BB^I

'N Please look at this card and tell me which of these best describes your 'previous employment situation^in_this_work?^N

^I Code one only.^I

(1)**Employee** Employee (2)Runbus Running a business or a professional practice

(3)Partner Partner in a business or a professional practice

(4)Myself Working for myself

A Sub-Contractor (includes CIS5/6) (5)SubCon

(6)FreeInce Doing freelance work

(7)Other Self employed in some other way

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
```

AND: Work12m[Count1] = 1

AND: EType <> Employee

(723) FRS0504C.BU[].QJobDes[].Subj1.Dirctr

^CC*** ^Names[Count1] *** @|@|@|Occupation description

^I^B Main^B job^I @>^I Help <F9>^I

@< ^N In this job/business, ^arewere you the director of a limited company?^N

(1) Yes Yes (2)No No

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: EType <> Employee

(Dirctr <> Yes) AND INVOLVING(EType, Dirctr)

A Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a PAYSLIP? If Yes to either, return to previous question EType and code as 1, 'employee'. (If NO, suppress warning and continue.)^I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: EType <> Employee
     AND: Dirctr = Yes
(724) FRS0504C.BU[].QJobDes[].Subj1.DirNI
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N In this job/business, ^arewere your National Insurance contributions deducted at source?^N
     (1)
           Yes
                      Yes
           No
                      No (including no contributions)
     (2)
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: EType <> Employee
     AND: Dirctr = Yes
     (DirNI <> Yes) AND INVOLVING(DirNI, EType)
     'I A company director with NI deducted at source is legally an EMPLOYEE. Important: please return to
     previous question EType and code as 1, 'employee'. (If you suppress this check, you must explain special
     circumstances in a Note.)^I
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
(725) FRS0504C.BU[].QJobDes[].Subj1.Empee
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N Computed from Etype^N
     (1)
           Employee
                      ^N...an employee,^N
     (2)
           SelfEmp
                      ^N...or self-employed (including Business Start-Up)?^N
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: EType = Employee
Empee := Employee
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: EType IN [Runbus .. Other]
Empee := SelfEmp
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: NOT (EType IN [Runbus .. Other])
Empee := 1
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1

AND: Edit = YesNature <> DocDen

^I Editor: Coded as doctor/dentist in practice: Please check

- (I) Job details on previous screen;
- (II) Should be coded as Self-employed.^I

FRS0504C.BU[].QJobDes[].QMainJob

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
(726) FRS0504C.BU[].QJobDes[].QMainJob.PersId
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     Person identifier.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
(727) FRS0504C.BU[].QJobDes[].QMainJob.JobType
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     Job sequence number.
     1..3
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = Employee) OR (pDirctr = Yes)
(728) FRS0504C.BU[].QJobDes[].QMainJob.RspOth
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     'N In your job 'dodid you have formal responsibility for supervising the work of other employees?'N
     ^I Do not include people who only supervise:
     - children, e.g. teachers, nannies, childminders
     - animals
     - security or buildings, e.g. caretakers, security guards^I
     (1)
           Yes
                      Yes
     (2)
           No
                      No
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = Employee) OR (pDirctr = Yes)
AND: RspOth = Yes
(729) FRS0504C.BU[].QJobDes[].QMainJob.SVDesc
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N Please describe the type of responsibility you ^havehad for supervising the work of other
     employees.^N
     ^I^IC Probe for who and what ^ISWAS being supervised.^I
     STRING[100]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = Employee) OR (pDirctr = Yes)
(730) FRS0504C.BU[].QJobDes[].QMainJob.NumEmp
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     @>^I Help <F9>^I
     @< N How many people Nwork_ed for your employer at the place where you Nwork_ed?
     ^CAreWere there...^N
     (1)
           UpTo24
     (2)
           UpTo499
                      25-499
           Over500
                      or 500 or more?
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = SelfEmp) AND (pDirctr = No)
(731) FRS0504C.BU[].QJobDes[].QMainJob.EmpOwn
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^I Ask or record.^I
     ^CAreWere you working on your own or ^dodid you have employees?
                      on own/with partner(s), but no employees
     (1)
           Alone
           Emps
                      with employees
     (2)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: (pEmpee = SelfEmp) AND (pDirctr = No)
AND: EmpOwn = Emps
(732) FRS0504C.BU[].QJobDes[].QMainJob.EmpAny
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     @>^I Help <F9>^I
     @<^N How many people ^dodid you employ at the place where you ^work_ed?
     ^CAreWere there...^N
          UpTo24
                     1-24,
     (1)
          UpTo499
                     25-499
     (2)
          Over500
                    or 500 or more?
     (3)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
(733) FRS0504C.BU[].QJobDes[].QMainJob.OEmpStat
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     Original employment status
     1...7
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: pEmpee = Employee
for as := ' for your current employer'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: pEmpee = SelfEmp
for as := ' as a self-employed person'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
(734) FRS0504C.BU[].QJobDes[].QMainJob.WorkYr
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N In which year did you start working continuously^for_as?^N
```

1901..2006

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     WorkYr <= DateNow.YEAR
     ^I You have entered a future year. Please check.^I
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
(735) FRS0504C.BU[].QJobDes[].QMainJob.WorkY1Rs
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^I^IC You have entered that the respondent started work before they were born. Please amend your
     coding.^I
     (1)
          Passed
                     Passed
     (2)
          Hard
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
(736) FRS0504C.BU[].QJobDes[].QMainJob.WorkY1Ex
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^I^IC^SuppTxt^I
     OPEN
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
(737) FRS0504C.BU[].QJobDes[].QMainJob.WorkY2Rs
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     'II'IC You have entered that the respondent started work when they were very young. Please check your
     coding.^I
     (1)
          Passed
                     Passed
     (2)
          Hard
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
(738) FRS0504C.BU[].QJobDes[].QMainJob.WorkY2Ex
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^I^IC^SuppTxt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
     AND: WorkYr < ((QSignIn.StartDat.YEAR - AgeOf[PPerNo]) + 15)
AND: WorkYr < (QSignIn.StartDat.YEAR - AgeOf[PPerNo])
     (WorkYr >= (QSignIn.StartDat.YEAR - AgeOf[[PPerNo])) AND
     INVOLVING (WorkYr)
     (WorkYr >= (QSignIn.StartDat.YEAR - AgeOf[PPerNo])) AND INVOLVING (WorkYr)
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
     AND: WorkYr < ((QSignIn.StartDat.YEAR - AgeOf[PPerNo]) + 15)
     AND: WorkYr < (QSignIn.StartDat.YEAR - AgeOf[PPerNo])
     AND: (WorkY1Rs = Suppressed) OR WorkY1Ex <> EMPTY
(739) FRS0504C.BU[].QJobDes[].QMainJob.WorkY1Ex
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^I^IC^SuppTxt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
    AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
     AND: WorkYr < ((QSignIn.StartDat.YEAR - AgeOf[PPerNo]) + 15)
     AND: NOT (WorkYr < (QSignIn.StartDat.YEAR - AgeOf[PPerNo])
     (WorkYr >= ((QSignIn.StartDat.YEAR - AgeOf[[PPerNo]) + 15)) AND
     INVOLVING (WorkYr)
     (WorkYr >= ((QSignIn.StartDat.YEAR - AgeOf[PPerNo]) + 15)) AND INVOLVING (WorkYr)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: WorkYr = RESPONSE
     AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[PPerNo] > 0)
     AND: WorkYr < ((QSignIn.StartDat.YEAR - AgeOf[PPerNo]) + 15)
     AND: NOT (WorkYr < (QSignIn.StartDat.YEAR - AgeOf[PPerNo])
     AND: (WorkY2Rs = Suppressed) OR WorkY2Ex <> EMPTY
(740) FRS0504C.BU[].QJobDes[].QMainJob.WorkY2Ex
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^I^IC^SuppTxt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: (WorkYr = RESPONSE) AND (WorkYr > (DateNow.YEAR - 8))
(741) FRS0504C.BU[].QJobDes[].QMainJob.WorkMth
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N and which month was that?^N
     (1)
          January
                     January
     (2)
          February
                     February
     (3)
          March
                     March
          April
     (4)
                     April
     (5)
          May
                     May
     (6)
          June
                     June
     (7)
          July
                     July
     (8)
          August
                     August
     (9)
          Septembe
                     September
     (10)
          October
                     October
     (11)
          November
                     November
          December
                     December
     (12)
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: (WorkYr = RESPONSE) AND (WorkYr > (DateNow.YEAR - 8))
     AND: WorkYr = DateNow.YEAR
     WorkMth <= DateNow.MONTH
```

^I You have entered a future month. Please check.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] > 0
     AND: (WorkYr = RESPONSE) AND (WorkYr > (DateNow.YEAR - 8))
     AND: TODATE (WorkYr, ORD (WorkMth), DateNow.DAY) > (DateNow+(0, -12,
     0))
AskRedAny[[PPerNo] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: LNumJob[PPerNo] IN [2 .. 4]
main := ' main'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: NOT (LNumJob[PPerNo] IN [2 .. 4])
main := ''
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
(742) FRS0504C.BU[].QJobDes[].QMainJob.FtPt
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Main^B job^I
     ^N In your^main job ^arewere you working...^N
     (1)
          FT
                    ...full time,
          PT
     (2)
                    or part time?
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
OSVDesc := SVDesc
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
OSVise := RspOth
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: EmpOwn = Alone
nEmps := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (NumEmp = UpTo24) OR (EmpAny = UpTo24)
nEmps := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (NumEmp = UpTo24) OR (EmpAny = UpTo24)
OEmpNo := UpTo24
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (NumEmp = UpTo499) OR (EmpAny = UpTo499)
nEmps := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (NumEmp = UpTo499) OR (EmpAny = UpTo499)
OEmpNo := UpTo499
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (NumEmp = Over500) OR (EmpAny = Over500)
nEmps := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (NumEmp = Over500) OR (EmpAny = Over500)
OEmpNo := Over500
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
OEmpStat := 7
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: ((pEmpee = Employee) AND (RspOth = Yes)) AND (nEmps = 1)
OEmpStat := 5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: ((pEmpee = Employee) AND (RspOth = Yes)) AND (nEmps = 2)
OEmpStat := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (pEmpee = Employee) AND (RspOth = Yes)
OEmpStat := 6
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: pEmpee = Employee
OEmpStat := 7
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (pEmpee = SelfEmp) AND (EmpOwn = Alone)
OEmpStat := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: ((pEmpee = SelfEmp) AND (EmpOwn = Emps)) AND (nEmps = 1)
OEmpStat := 2
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: ((pEmpee = SelfEmp) AND (EmpOwn = Emps)) AND (nEmps = 2)
OEmpStat := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: ((OEmpStat = 7) AND (pEmpee = SelfEmp)) AND (EmpOwn = Emps)
OEmpStat := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (OEmpStat = 7) AND (pEmpee = SelfEmp)
OEmpStat := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: ((OEmpStat = 7) AND (pEmpee = Employee)) AND (RspOth = Yes)
OEmpStat := 6
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: (OEmpStat = 7) AND (pEmpee = Employee)
OEmpStat := 7
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: FtPt <> EMPTY
     AND: NOT ((OEmpStat = 7) AND (pEmpee = Employee)
OEmpStat := 7
```

FRS0504C.BU[].QJobDes[] (continued)

Job description

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: Subj1.EType <> EMPTY
```

QMainJob.PersId := PersId

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: Subj1.EType <> EMPTY
```

QMainJob.JobType := 1

(743) FRS0504C.BU[].QJobDes[].WatPrev

```
^CC*** ^Names[Count1] *** @|@|@|Occupation description
```

^N Were you in paid employment or self-employed immediately before you started this current job?^N

^I^IC Include holiday from previous employment if less than 3 months.^I

- (1) Emp In paid employment/self employed
- (2) NoEmp Not in paid employment

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: TODATE (QMainJob.WorkYr, ORD (QMainJob.WorkMth), DateNow.DAY) >
      (DateNow+(0, -6, 0))
     AND: WatPrev = NoEmp
(744) FRS0504C.BU[].QJobDes[].WatDid
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^IS^I CC^I ^N
     What was the main reason why you were not in paid employment at that time?^N
     ^I^IC If the respondent is not working because they are doing voluntary work, travelling, having a year
     out or career break then this should be coded as didn't need employment.^I
     (1)
           UnEmp
                      Unemployed/looking for work
     (2)
           Stud
                      Student /training
     (3)
           Family
                      Looking after the family / home / children
     (4)
           Caring
                     Caring for a disabled or elderly person
     (5)
           TempSick
                     Temporarily sick or injured
           LongSick
                     Long-term sick or disabled
     (6)
           NoNeed
                      Didn't need employment
     (7)
           Retired
                      Retired
     (8)
           Redund
                     Made redundant
     (9)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
vemptxt[1] := 'Self employed - 25 or more employees'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
vemptxt[2] := 'Self employed - 1 to 24 employees'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
vemptxt[3] := 'Self employed - no employees'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
```

vemptxt[4] := 'Manager/Supervisor - 25 or more employees in

estab.'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
vemptxt[5] := 'Manager/Supervisor - 1 to 24 employees in
estab.'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
vemptxt[6] := 'Manager or supervisor'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
vemptxt[7] := 'Employee (not manager or supervisor)'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: QMainJob.OEmpStat = RESPONSE
vempstat := vemptxt[QMainJob.OEmpStat]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: Subj1.EType <> EMPTY
     AND: QMainJob.OEmpStat = RESPONSE
(745) FRS0504C.BU[].QJobDes[].DispChk
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I Please check the following DETAILS with ^Names[PerNo]:
     Employment status ^ISWAS ^B^vempstat^B.
     If this is correct press 1 to continue, else go back and make corrections.^I
          Continue
                    Continue
     (1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: LNumJob[PerNo] = 0
( 746) FRS0504C.BU[].QJobDes[].NumJob2
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^N When you were last working, HOW MANY JOBS did you have, for pay or profit?^N
     ^I^IC Exclude mail order agents, babysitters, but include childminders.^I
     (1)
          One
                     One job only
     (2)
          Two
                     Two jobs
     (3)
          Three
                     Three jobs
     (4)
          Four
                     Four or more jobs
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
( 747 ) FRS0504C.BU[].QJobDes[].I2
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I The following questions to be asked about the second job.
     (This should exclude mail order agents and babysitters.)^I
     (1)
                     Press <Enter> to continue.
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
Subj2.PersId := PersId
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
Subj2.JobType := 2
```

FRS0504C.BU[].QJobDes[].Subj2

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(748) FRS0504C.BU[].QJobDes[].Subj2.PersId
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     Person identifier.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(749) FRS0504C.BU[].QJobDes[].Subj2.JobType
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     Job sequence number.
     1..3
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(750) FRS0504C.BU[].QJobDes[].Subj2.FirmDo
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     @>^I Help <F9>^I
     @< ^N What ^doesdid the firm/organisation you ^work_ed for mainly make or do (at the place where
     you 'work ed)?'N
     A Describe fully - probe manufacturing or processing or distributing etc. and main goods produced,
     materials used, wholesale or retail ETC.^I
     STRING[100]
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(751) FRS0504C.BU[].QJobDes[].Subj2.Title
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     @>^I Help <F9>^I
     @< ^N What was your (main) ^job?^N
     ^I Enter job title.^I
     STRING[40]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(752) FRS0504C.BU[].QJobDes[].Subj2.RespDo
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     ^N What ^dodid you mainly do in your job?^N
     ^I Enter description.^QUALDESC^I
     STRING[150]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(753) FRS0504C.BU[].QJobDes[].Subj2.Qualif
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     ^N What training or qualifications ^arewere needed for that job?^N
     STRING[80]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(754) FRS0504C.BU[].QJobDes[].Subj2.Nature
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     ^I^IC Code nature of job:^I
     (1)
          CMind
                     Childminder
     (2)
          DocDen
                     Doctor or Dentist, in a practice
     (3)
          Other
                     All other jobs
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: Nature = CMind
(755) FRS0504C.BU[].QJobDes[].Subj2.Where
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     ^N^CDoDid you do childminding in your own home, or somewhere else?^N
     ^I If 'Both', code as 1 (Own home).^I
     (1)
          Own
                     Own home
                     Somewhere else
     (2)
          SElse
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
previous := ''
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: (LNumJob[PPerNo] = 0) AND (Work12m[PPerNo] = 1)
previous := 'previous'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 \ldots 4]) OR (NumJob2 IN [Two .. Four]) AND: LNumJob[PPerNo] IN [2 \ldots 4]
in this work := ' in this work'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: NOT (LNumJob[PPerNo] IN [2 .. 4])
in this work := ''
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
(756) FRS0504C.BU[].QJobDes[].Subj2.EType
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     @>^I Help <F9>^I
     @<^IS^I BB^I
     'N Please look at this card and tell me which of these best describes your 'previous employment
     situation^in this work?^N
     ^I Code one only.^I
     (1)
           Employee
                      Employee
     (2)
           Runbus
                      Running a business or a professional practice
     (3)
           Partner
                      Partner in a business or a professional practice
           Myself
     (4)
                      Working for myself
           SubCon
                      A Sub-Contractor (includes CIS5/6)
     (5)
     (6)
           Freelnce
                      Doing freelance work
     (7)
           Other
                      Self employed in some other way
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
(757) FRS0504C.BU[].QJobDes[].Subj2.Dirctr
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     @>^I Help <F9>^I
     @< ^N In this job/business, ^arewere you the director of a limited company?^N
                      Yes
     (1)
           Yes
     (2)
           No
                      No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
     (Dirctr <> Yes) AND INVOLVING(EType, Dirctr)
     ^I Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a
```

^I Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a PAYSLIP? If Yes to either, return to previous question EType and code as 1, 'employee'. (If NO, suppress warning and continue.)^I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
AND: Dirctr = Yes
(758) FRS0504C.BU[].QJobDes[].Subj2.DirNI
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     ^N In this job/business, ^arewere your National Insurance contributions deducted at source?^N
     (1)
          Yes
                     Yes
                     No (including no contributions)
     (2)
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType <> Employee
     AND: Dirctr = Yes
     (DirNI <> Yes) AND INVOLVING(DirNI, EType)
     'I A company director with NI deducted at source is legally an EMPLOYEE. Important: please return to
     previous question EType and code as 1, 'employee'. (If you suppress this check, you must explain special
     circumstances in a Note.)^I
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
  759 ) FRS0504C.BU[].QJobDes[].Subj2.Empee
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Second^B job^I
     ^N Computed from Etype^N
     (1)
          Employee
                     ^N...an employee,^N
     (2)
          SelfEmp
                     ^N...or self-employed (including Business Start-Up)?^N
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType = Employee
Empee := Employee
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])
     AND: EType IN [Runbus .. Other]
Empee := SelfEmp
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])

AND: NOT (EType IN [Runbus .. Other])

Empee := 1

Warn IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: (LNumJob[PerNo] IN [2 .. 4]) OR (NumJob2 IN [Two .. Four])

AND: Edit = Yes

Nature <> DocDen

^I Editor: Coded as doctor/dentist in practice: Please check

(I) Job details on previous screen;

(II) Should be coded as Self-employed.^I
```

FRS0504C.BU[].QJobDes[] (continued)

Job description

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
( 760) FRS0504C.BU[].QJobDes[].I3
      ^CC*** ^Names[Count1] *** @|@|@|Occupation description
      <sup>^</sup>I The following questions to be asked about the third job.
      (This should exclude mail order agents and babysitters.)^I
                      Press <Enter> to continue.
      (1)
           Cont
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
      AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
Subj3.PersId := PersId
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
      AND: Work12m[Count1] = 1
      AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
Subj3.JobType := 3
```

FRS0504C.BU[].QJobDes[].Subj3

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(761) FRS0504C.BU[].QJobDes[].Subj3.PersId
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     Person identifier.
     0..14
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(762) FRS0504C.BU[].QJobDes[].Subj3.JobType
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     Job sequence number.
     1..3
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(763) FRS0504C.BU[].QJobDes[].Subj3.FirmDo
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     @>^I Help <F9>^I
     @< ^N What ^doesdid the firm/organisation you ^work_ed for mainly make or do (at the place where
     you 'work ed)?'N
     A Describe fully - probe manufacturing or processing or distributing etc. and main goods produced,
     materials used, wholesale or retail ETC.^I
     STRING[100]
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(764) FRS0504C.BU[].QJobDes[].Subj3.Title
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     @>^I Help <F9>^I
     @< ^N What was your (main) ^job?^N
     ^I Enter job title.^I
     STRING[40]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
( 765 ) FRS0504C.BU[].QJobDes[].Subj3.RespDo
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     ^N What ^dodid you mainly do in your job?^N
     ^I Enter description.^QUALDESC^I
     STRING[150]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(766) FRS0504C.BU[].QJobDes[].Subj3.Qualif
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     ^N What training or qualifications ^arewere needed for that job?^N
     STRING[80]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(767) FRS0504C.BU[].QJobDes[].Subj3.Nature
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     ^I^IC Code nature of job:^I
     (1)
          CMind
                     Childminder
     (2)
          DocDen
                     Doctor or Dentist, in a practice
     (3)
          Other
                     All other jobs
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: Nature = CMind
(768) FRS0504C.BU[].QJobDes[].Subj3.Where
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     ^N^CDoDid you do childminding in your own home, or somewhere else?^N
     ^I If 'Both', code as 1 (Own home).^I
     (1)
          Own
                     Own home
                     Somewhere else
     (2)
          SElse
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
previous := ''
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: (LNumJob[PPerNo] = 0) AND (Work12m[PPerNo] = 1)
previous := 'previous'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
AND: LNumJob[PPerNo] IN [2 .. 4]
in this work := ' in this work'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: NOT (LNumJob[PPerNo] IN [2 .. 4])
in this work := ''
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(769) FRS0504C.BU[].QJobDes[].Subj3.EType
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     @>^I Help <F9>^I
     @<^IS^I BB^I
     'N Please look at this card and tell me which of these best describes your 'previous employment
     situation^in this work?^N
     ^I Code one only.^I
     (1)
           Employee
                      Employee
     (2)
           Runbus
                      Running a business or a professional practice
     (3)
           Partner
                      Partner in a business or a professional practice
           Myself
     (4)
                      Working for myself
           SubCon
                      A Sub-Contractor (includes CIS5/6)
     (5)
     (6)
           Freelnce
                      Doing freelance work
     (7)
           Other
                      Self employed in some other way
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
(770) FRS0504C.BU[].QJobDes[].Subj3.Dirctr
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     @>^I Help <F9>^I
     @< ^N In this job/business, ^arewere you the director of a limited company?^N
                      Yes
     (1)
           Yes
     (2)
           No
                      No
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
     (Dirctr <> Yes) AND INVOLVING(EType, Dirctr)
     ^I Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a
```

^I Directors are usually EMPLOYEES. Please check: Are they on PAYE? Do they/would they get a PAYSLIP? If Yes to either, return to previous question EType and code as 1, 'employee'. (If NO, suppress warning and continue.)^I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
AND: Dirctr = Yes
(771) FRS0504C.BU[].QJobDes[].Subj3.DirNI
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     ^N In this job/business, ^arewere your National Insurance contributions deducted at source?^N
     (1)
          Yes
                     Yes
                     No (including no contributions)
     (2)
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType <> Employee
     AND: Dirctr = Yes
     (DirNI <> Yes) AND INVOLVING(DirNI, EType)
     'I A company director with NI deducted at source is legally an EMPLOYEE. Important: please return to
     previous question EType and code as 1, 'employee'. (If you suppress this check, you must explain special
     circumstances in a Note.)^I
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
(772) FRS0504C.BU[].QJobDes[].Subj3.Empee
     ^CC*** ^Names[Count1] *** @|@|@|Occupation description
     ^I^B Third^B job^I
     ^N Computed from Etype^N
     (1)
          Employee
                     ^N...an employee,^N
     (2)
          SelfEmp
                     ^N...or self-employed (including Business Start-Up)?^N
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType = Employee
Empee := Employee
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])
     AND: EType IN [Runbus .. Other]
Empee := SelfEmp
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])

AND: NOT (EType IN [Runbus .. Other])

Empee := 1

Warn if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

AND: (LNumJob[PerNo] IN [3 .. 4]) OR (NumJob2 IN [Three .. Four])

AND: Edit = Yes

Nature <> DocDen

^I Editor: Coded as doctor/dentist in practice: Please check

(I) Job details on previous screen;

(II) Should be coded as Self-employed.^I
```

FRS0504C.BU[].QJobDes[] (continued)

Job description

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1
AND: (LNumJob[PerNo] = 4) OR (NumJob2 = Four)

(773) FRS0504C.BU[].QJobDes[].JobDisp

^CC*** ^Names[Count1] *** @|@|@|Occupation description

^I^IC Use the note facility to describe the fourth and higher order jobs.^I

Press <Enter> to continue. (1) Cont

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: Work12m[Count1] = 1

RESERVECHECK

RESERVECHECK

FRS0504C.BU[] (continued)

Benefit Unit Schedule

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes [Count1].Subj1.Empee = Employee
JobStat[Count1,1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes [Count1].Subj1.Empee = Employee
PEmp[Count1] := Employee
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj1.Empee = SelfEmp
JobStat[Count1,1] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
AND: QJobDes[Count1].Subj1.Empee = SelfEmp
PEmp[Count1] := SelfEmp
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj1.Empee = SelfEmp
     AND: QJobDes[Count1].Subj1.Nature = DocDen
SEDocDen[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj2.Empee = Employee
JobStat[Count1,2] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
AND: QJobDes[Count1].Subj2.Empee = Employee
PEmp[Count1] := Employee
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj2.Empee = SelfEmp
JobStat[Count1,2] := 2
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj2.Empee = SelfEmp
PEmp[Count1] := SelfEmp
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
AND: QJobDes[Count1].Subj2.Empee = SelfEmp
     AND: QJobDes[Count1].Subj2.Nature = DocDen
SEDocDen[Count1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj3.Empee = Employee
JobStat[Count1,3] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj3.Empee = Employee
PEmp[Count1] := Employee
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
    AND: QJobDes[Count1].Subj3.Empee = SelfEmp
JobStat[Count1,3] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj3.Empee = SelfEmp
PEmp[Count1] := SelfEmp
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj3.Empee = SelfEmp
     AND: QJobDes[Count1].Subj3.Nature = DocDen
SEDocDen[Count1] := 1
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj1.EType = Employee
     ((QCurSt1.Adult[Count1].EmpStat = Employee) OR
     QCurSt1.Adult[Count1].EmpStat=EMPTY) AND
     INVOLVING(QJobDes[Count1].Subj1.EType)
     ^I These two questions are now in conflict.
     Select the one you wish to change, or suppress this warning.^I
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     AND: QJobDes[Count1].Subj1.EType IN [Runbus .. Other]
     ((QCurSt1.Adult[Count1].EmpStat = SelfEmp) OR
     QCurSt1.Adult[Count1].EmpStat=EMPTY) AND
     INVOLVING(QCurSt1.Adult[Count1].EmpStat,QJobDes[Count1].Subj1.EType)
     ^I These two questions are now in conflict.
     Select the one you wish to change, or suppress this warning. I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     RESERVECHECK
     RESERVECHECK
Warn if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: Work12m[Count1] = 1
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
CC := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Order[1] := 'main'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Order[2] := 'second'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Order[3] := 'third'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
CC := ''
```

FRS0504C.BU[].QHours[]

Hours of Work

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
    Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (OCurSt1.Adult[Count1].Unpaid2 = Yes))
PNo := PPerNo
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (OCurSt1.Adult[Count1].Unpaid2 = Yes))
LHrsWrk[[PNo] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: PNo = 2
CC := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
    AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
    AND: \overline{N}OT (PNO = 2)
CC := ''
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
    AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
    AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((PPNumJob > 0) OR (PPUnpaid1 = Yes)) OR (PPUnpaid2 = Yes)
DLT := ('*** ' + Names[[PNo] + ' *** @ |@ |@ | ' + 'Hours of work
for ' + Order[[JobNo] + ' job')
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR (QCurSt1.Adult[Count1].Unpaid2 = Yes))

AND: In loop FOR JobNo := 1 TO 3

AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

AND: PPTrain IN [YT .. Other]

DLT := ('*** ' + Names[[PNo] + ' *** @ @ @ ' + 'Hours of work for training')
```

FRS0504C.BU[].QHours[].Job[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: In loop FOR Count1 := 1 TO AdultNum
      AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
      (QCurSt1.Adult[Count1].Unpaid2 = Yes))
      AND: In loop FOR JobNo := 1 TO 3
      AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other]))

AND: (PNumJob > 0) OR (PTrain IN [YT .. Other])
(774) FRS0504C.BU[].QHours[].Job[].EverOT
      ^CC^DLT
      @>^I Help <F9>^I
      @< ^N Do you ever do any work which you would regard as paid or unpaid overtime?^N
      (1)
             Yes
                          Yes
      (2)
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
      Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
      (QCurSt1.Adult[Count1].Unpaid2 = Yes))
      AND: In loop FOR JobNo := 1 TO 3
      AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
      AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
( 775 ) FRS0504C.BU[].QHours[].Job[].TotUs1
      ^CC^DLT
      @>^I Help <F9>^I
      @< ^N How many hours per week do you usually work in this job/business - please exclude
      mealbreaks?^N
       ^{\Lambda}I^{\Pi}C 97 or more = 97.^{\Pi}
      0.00..97.00
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
(776) FRS0504C.BU[].QHours[].Job[].TotUsEx
     ^CC^DLT
     ^I^IC ^HourTxt
     ^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
     AND: (Edit = No) AND TotUs1 <> EMPTY
     AND: TotUs1 = NONRESPONSE
HourTxt := KeyTxt
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
     AND: (Edit = No) AND TotUs1 <> EMPTY
     AND: TotUs1 = NONRESPONSE
     ERROR
     ^HourTxt
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
     AND: (Edit = No) AND TotUs1 <> EMPTY
     AND: TotUs1 = NONRESPONSE
(777) FRS0504C.BU[].QHours[].Job[].TotUsEx
     ^CC^DLT
    ^I^IC ^HourTxt
     ^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
     AND: (Edit = No) AND TotUs1 <> EMPTY
     AND: (TotUs1 = RESPONSE) AND (TotUs1 = 0)
HourTxt := ('Zero hours - that can't be right! Ask for the ' +
'hours USUALLY worked; if this varies, try to get ' + 'an
AVERAGE figure. If correct, suppress warning ' + 'and explain
circumstances in a NOTE.')
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
    AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
     AND: (Edit = No) AND TotUs1 <> EMPTY
     AND: (TotUs1 = RESPONSE) AND (TotUs1 = 0)
     ERROR
     ^HourTxt
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
     AND: (Edit = No) AND TotUs1 <> EMPTY
     AND: (TotUs1 = RESPONSE) AND (TotUs1 = 0)
( 778 ) FRS0504C.BU[].QHours[].Job[].TotUsEx
     ^CC^DLT
     ^I^IC ^HourTxt
     ^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
DVUsHr := TotUs1
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((EverOT = No) OR (PUnpaid1 = Yes)) OR (PUnpaid2 = Yes)
     AND: TotUs1 = RESPONSE
     TotUs1 <= 80
     'I This seems a very high number of hours worked in a week. Please ask the hours usually worked.
     Amend if necessary or suppress the check.^I
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
( 779 ) FRS0504C.BU[].QHours[].Job[].UsuHr
     ^CC^DLT
     @>^I Help <F9>^I
     @< ^N Thinking of this job/business, how many hours per week do you usually work - please exclude
     mealbreaks and overtime?^N
     ^{\Lambda}I^{\Omega}IC 97 or more = 97.^{\Lambda}I
     0.00..97.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
( 780 ) FRS0504C.BU[].QHours[].Job[].UsuHrEx
     ^CC^DLT
     ^I^IC^HourTxt
     ^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: \bar{E}verOT = Yes
     AND: (Edit = No) AND UsuHr <> EMPTY
     AND: UsuHr = NONRESPONSE
HourTxt := KeyTxt
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: (Edit = No) AND UsuHr <> EMPTY
     AND: UsuHr = NONRESPONSE
     ERROR
     ^HourTxt
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: (Edit = No) AND UsuHr <> EMPTY
     AND: UsuHr = NONRESPONSE
(781) FRS0504C.BU[].QHours[].Job[].UsuHrEx
     ^CC^DLT
     ^I^IC^HourTxt
     ^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: \bar{E}verOT = Yes
     AND: (Edit = No) AND UsuHr <> EMPTY
     AND: (UsuHr = RESPONSE) AND (UsuHr = 0)
HourTxt := ('Zero hours - that can't be right! Ask for the ' +
'hours USUALLY worked; if this varies, try to get ' + 'an
AVERAGE figure. If correct, suppress warning ' + 'and explain
circumstances in a NOTE.')
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: (Edit = No) AND UsuHr <> EMPTY
     AND: (UsuHr = RESPONSE) AND (UsuHr = 0)
     ERROR
     ^HourTxt
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: (Edit = No) AND UsuHr <> EMPTY
     AND: (UsuHr = RESPONSE) AND (UsuHr = 0)
(782) FRS0504C.BU[].QHours[].Job[].UsuHrEx
     ^CC^DLT
     ^I^IC^HourTxt
     ^SuppTxt^I
     OPEN
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: \bar{E}verOT = Yes
     AND: UsuHr = RESPONSE
     UsuHr <= 80
     'I This seems a very high number of hours worked in a week. Please ask the hours usually worked.
     Amend if necessary or suppress the check.^I
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
( 783 ) FRS0504C.BU[].QHours[].Job[].POtHr
     ^CC^DLT
     @>^I Help <F9>^I
     @< ^N How many hours paid overtime do you usually work per week?^N
     ^{\text{I}} Or more = 97.^{\text{I}}
     0.00..97.00
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
  784) FRS0504C.BU[].QHours[].Job[].UOtHr
     ^CC^DLT
     @>^I Help <F9>^I
     @< ^N How many hours unpaid overtime do you usually work per week?^N
     ^{\Lambda}I^{\Omega}IC 97 or more = 97.^{\Lambda}I
     0.00..97.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: (((UsuHr = RESPONSE) AND (UsuHr <= 97)) AND (POtHr = RESPONSE))
     AND (POtHr \leq 97)
     UsuHr > POtHr
     ۸Į
     Explain that program doesn't allow overtime hours to equal or exceed basic hours.
```

If respondent insists they do, suppress message.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: (((UsuHr = RESPONSE) AND (UsuHr <= 97)) AND (UOtHr = RESPONSE))
     AND (UOtHr <= 97)
     UsuHr > UOtHr
     ۸Ţ
     Explain that program doesn't allow overtime hours to equal or exceed basic hours.
     If respondent insists they do, suppress message.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: ((UsuHr <= 97) AND (POtHr <= 97)) AND (UOtHr <= 97)
LJbHrsU1 := ((UsuHr + POtHr) + UOtHr)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: NOT (((UsuHr <= 97) AND (POtHr <= 97)) AND (UotHr <= 97)
LJbHrsU1 := 999
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
(785) FRS0504C.BU[].QHours[].Job[].DVTotHrU
     ^CC^DLT
     ^N Total usual hours (if work overtime)^N
     0.00..997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: \bar{E}verOT = Yes
    AND: LJbHrsU1 <= 97
DVTotHrU := LJbHrsU1
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
    AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: (LJbHrsU1 > 97) AND (LJbHrsU1 < 292)
DVTotHrU := 97
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     AND: NOT ((LJbHrsU1 > 97) AND (LJbHrsU1 < 292)
DVTotHrU := 99
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
    AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
DVUsHr := DVTotHrU
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
(786) FRS0504C.BU[].QHours[].Job[].AgreeHrs
     ^CC^DLT
     ^N Your total usual hours come to ^DVTotHrU. Is that about right, or not?
     ^I^IC If the total is not ^B^DVTotHrU hours^B check that:
     Usual hours (basic)@|=@|^UsuHr
     Usual paid o/t@|=@|^PotHr
     Usual unpaid o/t@|=@|^UotHr^I
          Yes
                    Yes, right
     (1)
     (2)
          No
                    No
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: EverOT = Yes
     (AgreeHrs = Yes) AND INVOLVING(UsuHr, POtHr, UOtHr)
     'I The total must be agreed with the respondent.'I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
LJbHrsU1 := (UsuHr + TotUs1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
( 787 ) FRS0504C.BU[].QHours[].Job[].LikeHr
     ^CC^DLT
     'N Your usual hours at the moment are 'LJbHrsU1. Would you prefer to work more hours, fewer hours,
     or are you happy with the number of hours you work at the moment?^N
     (1)
          More
                     More hours
     (2)
          Fewer
                     Fewer hours
     (3)
          Happy
                     Happy with hours
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
     AND: LikeHr = More
( 788 ) FRS0504C.BU[].QHours[].Job[].NoMor
     ^CC^DLT
     Are you prevented from working more hours by any of the following....^N
     ^I Running prompt...^I
     SET [3] OF
          Illness
                     ^N...disability or illness?^N
     (1)
                     ^N...caring for a disabled or elderly person?^N
          Caring
     (2)
          Children
                     ^N...having to look after children?^N
     (3)
     (4)
          None
                     None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))

AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
     AND: LikeHr = More
     AND: None IN NoMor
```

^I 'None of these' is an exclusive code for this question.^I

NoMor.CARDINAL = 1

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
     AND: LikeHr = More
     AND: Caring IN NoMor
( 789 ) FRS0504C.BU[].QHours[].Job[].NMPer
     ^CC^DLT
     ^N
     Who is the person you care for?^N
     ^I^IC Enter Person Number (97 if not a household member)
     ^AllNameNo
     97: Not a household member. I
     1..97
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
     AND: LikeHr = More
     AND: Caring IN NoMor
     AND: NMPer = RESPONSE
     (NMPer <= HHSize) OR (NMPer = 97)
     ^I This code is not valid for this question.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: ((PNumJob > 0) AND (PMainjob = 1)) AND (LJbHrsU1 < 30)
     AND: LikeHr = More
     AND: Children IN NoMor
( 790 ) FRS0504C.BU[].QHours[].Job[].NMChc
     ^CC^DLT
     ^N If some suitable form of childcare were available, would this enable you to work more hours?^N
          Yes
                    Yes
     (1)
          No
                    No
     (2)
```

FRS0504C.BU[].QHours[] (continued)

Hours of Work

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
Job[JobNo].PersId := Person[[PNo]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum

AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
Job[JobNo].JobSeq := JobNo
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: Job [JobNo] . UsuHr = RESPONSE
LHrsWrk[[PNo] := (LHrsWrk[[PNo] + Job[JobNo].UsuHr)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: \overline{Job[JobNo]}. POtHr = RESPONSE
LHrsWrk[[PNo] := (LHrsWrk[[PNo] + Job[JobNo].POtHr)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: Job[JobNo]. UOtHr = RESPONSE
LHrsWrk[[PNo] := (LHrsWrk[[PNo] + Job[JobNo].UOtHr)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ...
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: Job[JobNo]. TotUs1 = RESPONSE
LHrsWrk[[PNo] := (LHrsWrk[[PNo] + Job[JobNo].TotUs1)
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: Job[JobNo].NMPer = RESPONSE
     Job[JobNo].NMPer <> Person[[PNo]
     ^I You've coded that he respondent looks after him/herself. Please amend.^I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT ..
     Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
     AND: In loop FOR JobNo := 1 TO 3
     AND: (JobNo <= PPNumJob) OR ((JobNo = 1) AND (((PPUnpaid1 = Yes) OR
     (PPUnpaid2 = Yes)) OR (PPTrain IN [YT .. Other])))
     AND: Job[JobNo].NMPer = RESPONSE
     (PRec[].Sex[Job[JobNo].NMPer] = RESPONSE) OR (Job[JobNo].NMPer = 97)
     ^I This code is not valid for this question.^I
```

FRS0504C.BU[] (continued)

Benefit Unit Schedule

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     AND: ((LNumJob[Count1] > 0) OR (QCurSt1.Adult[Count1].Train IN [YT .. Other])) OR ((QCurSt1.Adult[Count1].Unpaid1 = Yes) OR
     (QCurSt1.Adult[Count1].Unpaid2 = Yes))
CC := ''
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO AdultNum
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
DL := ('*** ' + Names[1] + ' *** @ |@ |@ | ' + Order[Count1] + '
job')
```

FRS0504C.BU[].QEmpJob[]

Employee pay, etc.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
LPerNo := PerNo
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
(791) FRS0504C.BU[].QEmpJob[].PersId
     ^DL
     Person Identifier.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
JobType := PMainJob
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
DedCk[1] := 150
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
Deduction[1] := 'Pension or Superannuation'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
DedCk[2] := 100
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
Deduction[2] := 'AVC's'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
DedCk[3] := 10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
Deduction[3] := 'Union Fees'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
DedCk[4] := 30
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
Deduction[4] := 'Friendly Societies'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
DedCk[5] := 10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
Deduction[5] := 'Sports Clubs and specialised pastimes'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
DedCk[6] := 80
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
Deduction[6] := 'repaying the loan'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
DedCk[7] := 20
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
Deduction[7] := 'private medical insurance'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
DedCk[8] := 10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
```

Deduction[8] := 'charities'

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
```

(792) FRS0504C.BU[].QEmpJob[].PayDat

^DL

^N On what date were you last paid a wage or salary?^N

'I If currently working and not yet paid (i.e. new job), give details of expected pay and enter expected pay date. (If day not known, enter 15th of month.)'

DATE

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PayDat = RESPONSE
PayDat.YEAR >= 1998
```

Only dates since 1998 should be entered

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PayDat = RESPONSE
PayDat <= DateNow</pre>
```

'I You have entered a future date, please amend. If they have not yet been paid, and gave the expected date of pay, suppress this check.'I

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PayDat = RESPONSE
AND: PayDat < TODATE (QJobDes[LPerNo].QMainJob.WorkYr, ORD (QJobDes[LPerNo].QMainJob.WorkMth), 1)
ERROR AND INVOLVING(PayDat)</pre>
```

^I Payslip date is earlier than the date given for starting work with the current employer. Please check and explain in a note if necessary.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1, Count1] = 1

AND: LNumJob[LPerNo] > 0
```

vpaydat := DATETOSTR(PayDat)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In Toop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
(793) FRS0504C.BU[].QEmpJob[].PayAmt
     ^DL
     'N What was your'B last take-home pay'B, including overtime, bonus, commission, tips or other
     payments such as tax credits?^N
      ^I^IC Suggest respondent consults payslip.
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     (PayAmt > 0) AND INVOLVING(QCurSt1.Adult[].Working[LPerNo],PayAmt)
     'I No pay entered. If respondent has not yet been paid (eg. started a new job), enter expected pay.
      If job is normally UNPAID, select 'Working' below, change to 'No', and then press <End>.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: PayAmt = REFUSAL
vpayamt := '!!!!!!'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: PayAmt = DONTKNOW
vpayamt := 'don't know'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayAmt = NONRESPONSE)
vpayamt := ('f' + STR(PayAmt, 5, 2))
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayAmt = NONRESPONSE)
Total := PayAmt
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
(794) FRS0504C.BU[].QEmpJob[].PayPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
(795) FRS0504C.BU[].QEmpJob[].PayPd
     ^DL
     ^N How long did this cover?^N
     (1)
          OneWeek
                     One week
          TwoWeek
                     Two weeks
     (2)
          ThrWeek
     (3)
                     Three weeks
     (4)
          Fourweek
                     Four weeks
     (5)
          Month
                     Calendar month
     (7)
          TwoMonth
                    Two Calendar months
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
     (13)
          ThrMonth
                     Three months/13 weeks
          SixMonth
     (26)
                     Six months/26 weeks
          Year
                     One Year/12 months/52 weeks
     (52)
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum
                     One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1, Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PayPd = Note

( 796 ) FRS0504C.BU[].QEmpJob[].PayPx

^DL

^I^IC^Pd97Txt^I

OPEN

WARN if: In loop FOR Loop1 := 1 TO NewBU
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: Edit = Yes
PayPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[13] := 13
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0504C.BU[].QEmpJob[] (continued)

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
     AND: (PayAmt > 0) AND (PayPd IN [OneWeek .. Year])
     AND: VWkly > 0
     AND: Edit = No
      (VWkly < 850) AND INVOLVING(PayPd, PayAmt)
     <sup>^</sup>I Warning: The answer is much higher than the figures usually given at this question.
      Please check that your figure is correct. If so, suppress warning and continue.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
(797) FRS0504C.BU[].QEmpJob[].PAYE
     ^N How much was deducted from your wage/salary for income tax under PAYE?^N
     0.00..99997.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
( 798 ) FRS0504C.BU[].QEmpJob[].PayPx1
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In Toop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
  799) FRS0504C.BU[].QEmpJob[].PayPd1
     ^DL
     ^N How long did this cover?^N
     (1)
           OneWeek
                      One week
           TwoWeek
                      Two weeks
     (2)
           ThrWeek
                      Three weeks
     (3)
           Fourweek
                      Four weeks
     (4)
           Month
                      Calendar month
     (5)
     (7)
           TwoMonth Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
     (10)
          TenYear
                      Ten times a year
                      Three months/13 weeks
     (13)
           ThrMonth
     (26)
           SixMonth
                      Six months/26 weeks
     (52)
           Year
                      One Year/12 months/52 weeks
           LessWeek
                      Less than one week
     (90)
     (95)
          LumpSum
                      One off/lump sum
     (97)
          Note
                      None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
AND: PayPd1 = Note
( 800) FRS0504C.BU[].QEmpJob[].PayPx1
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
     AND: Edit = Yes
     PayPd1 <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.^I
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: NOT (PayPd1 = RESPONSE)
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0504C.BU[].QEmpJob[] (continued)

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE > 0) AND ((PayPd IN [OneWeek .. Year]) OR (PayPd1 IN
     [OneWeek .. Year]))
     AND: Edit = No
     (VWkly < 1000) AND INVOLVING(PAYE)
     <sup>^</sup>I Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PAYE = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PAYE = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PAYE = NONRESPONSE)
Total := (Total + PAYE)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
(801) FRS0504C.BU[].QEmpJob[].NatIns
     ^DL
     ^N How much was deducted from your last wage/salary as National Insurance Contribution?^N
```

0.00..9997.00

Page 783

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[13] := 13
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (NatIns > 0) AND (PayPd IN [OneWeek .. Year])
     VWkly <= 100
     'I Are you sure? That's £\text{VWkly a week. National Insurance is not normally more than £100.00 per
     week. However those earning more than £595 per week may pay more than this.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NatIns = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NatIns = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (NatIns = NONRESPONSE)
Total := (Total + NatIns)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
      AND: JobStat[1,Count1] = 1
      AND: LNumJob[LPerNo] > 0
(802) FRS0504C.BU[].QEmpJob[].OthDed
      ^DL
      ^I@>Help< F9>^I^N
      @< Were there any deductions from your wage/salary such as...^N
      ^I Running prompt^I
      SET [9] OF
      (1)
           PenDed
                       ^N...Contribution by you to a pension or superannuation scheme?^N^I Help <F9>^I
      (2)
           AVCDed
                       ^N...AVC's (Additional Voluntary Contributions)?^N
      (3)
           UnDed
                       ^N...Union fees?^N
      (4)
           FrdDed
                       ^N...Friendly societies?^N
      (5)
           SptDed
                       ^N...sports clubs or specialised pastimes?^N
                       ^N...repayment of a loan from your employer?^N
      (6)
           LonDed
                       ^N...Private medical insurance?^N
      (7)
           MedDed
                       ^N...Charities?^N
      (8)
           Charity
      (9)
           DedO
                       ^N...any other deductions we have not mentioned so far?^N
      (10)
           None
                       None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: In loop FOR Count1 := 1 TO 3
      AND: JobStat[1,Count1] = 1
      AND: LNumJob[LPerNo] > 0
      AND: None IN OthDed
      OthDed.CARDINAL = 1
```

^I 'None of these' is an exclusive code for this question.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

AND: loopvar IN OthDed
```

(803) FRS0504C.BU[].QEmpJob[].Deduc

^DL

^N How much was deducted for ^Deduction[loopvar]?^N

0.01..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
AND: loopvar IN OthDed
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[8] := 6.5
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
AND: loopvar IN OthDed
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

AND: loopvar IN OthDed

AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: (Deduc[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly < DedCk[loopvar]) AND INVOLVING(Deduc[loopvar])
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: Deduc[loopvar] > DedCk[loopvar]
     PMainJob = 1
     ^I Since this is a subsidiary job, please enter an amount below £^DedCk[loopvar].^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: Deduc[loopvar] = RESPONSE
Total := (Total + Deduc[loopvar])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: Deduc[loopvar] = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: Deduc[loopvar] = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8
```

RESERVECHECK

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

RESERVECHECK
```

RESERVECHECK

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: DedO IN OthDed
```

(804) FRS0504C.BU[].QEmpJob[].DedOth

^DL

^I Open a note and describe these 'other' deductions, with amounts.

Then add them up and enter the total at this question.^I

0.01..997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: DedO IN OthDed
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: DedO IN OthDed
AND: (DedOth > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 75) AND INVOLVING(DedOth)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: DedO IN OthDed

AND: DedOth > 99

PMainJob = 1
```

^I Since this is a subsidiary job, please enter an amount below £100.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: DedO IN OthDed
```

Total := (Total + DedOth)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[13] := 13
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: VWkly > 0
```

TotWkly := VWkly

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
```

(805) FRS0504C.BU[].QEmpJob[].Payslip

^DL

^I^IC Code whether respondent is using payslip. Payslip must be within past 3 months.^I

```
    (1) Latest Latest payslip consulted
    (2) OldSlip Old payslip consulted
    (3) NotC Payslip not consulted
```

(4) NoSlip No payslip provided by employer

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0
```

(806) FRS0504C.BU[].QEmpJob[].GrWage

^DL

^N What was the gross wage/salary - i.e. the total, before any deductions but excluding any tax credit payments?^N $\,$

^I^IC Any tax credits received should not be included in the figure given here.

If a payslip is not being consulted then gross wage can be collected for a different time period from last net pay.^I

0.00..999997.00

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: Payslip IN [NotC, NoSlip]
```

(807) FRS0504C.BU[].QEmpJob[].GrWagPx

^DL

^I^IC^Pd97Txt^I

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
(808) FRS0504C.BU[].QEmpJob[].GrWagPd
     ^DL
     ^N How long did this cover?^N
     (1)
          OneWeek
                     One week
          TwoWeek
                     Two weeks
     (2)
          ThrWeek
                     Three weeks
     (3)
          Fourweek
                     Four weeks
     (4)
          Month
                     Calendar month
     (5)
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
                     Three months/13 weeks
     (13)
          ThrMonth
     (26)
          SixMonth
                     Six months/26 weeks
     (52)
          Year
                     One Year/12 months/52 weeks
          LessWeek
                     Less than one week
     (90)
     (95)
          LumpSum
                     One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     AND: GrWaqPd = Note
(809) FRS0504C.BU[].QEmpJob[].GrWagPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     And: Edit = Yes
     GrWagPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it. I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
AND: Payslip IN [NotC, NoSlip]
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: VWkly > 0
GrWkly := VWkly
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: VWkly > 0
GrMnthly := (GrWkly * 4.333)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
     AND: GrWage = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: GrWage = NONRESPONSE
    AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
(810) FRS0504C.BU[].QEmpJob[].GRWageRs
```

^DL

'I Net pay & all deductions add up to £'TotWkly 'per week which is not the same as gross pay of £^GrWkly ^per week. This can be due to the payment of Tax Credits. Please check your figures and probe if there is a missing amount. If unable to resolve, suppress check and enter details in a Note. A

(1)	Passed	Passed
(2)	Hard	Hard
(3)	Soft	Soft
(4)	Suppress	Suppressed

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
(811) FRS0504C.BU[].QEmpJob[].GRWageEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip])
     AND (GrwagPd IN [OneWeek .. Year])) AND (GrwagPd = PayPd))
per week := ''
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip])
AND (GrWagPd IN [OneWeek .. Year])) AND (GrWagPd = PayPd))
(ABS(GrWage - Total) < 5) AND
     INVOLVING(Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage)
     (ABS (GrWage - Total) < 5) AND INVOLVING (Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip]) AND (GrWagPd IN [OneWeek .. Year])) AND (GrWagPd = PayPd))
     AND: (GRWageRs = Suppressed) OR GRWageEx <> EMPTY
(812) FRS0504C.BU[].QEmpJob[].GRWageEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (GrWkly > 0) AND (TotWkly > 0)
per week := 'per week'
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (GrWkly > 0) AND (TotWkly > 0)
     (ABS(GrWkly - TotWkly) < 5) AND
     INVOLVING (Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage, GrWagPd)
     (ABS (GrWkly - TotWkly) < 5) AND INVOLVING (Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage,
     GrWagPd)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: (GrWkly > 0) AND (TotWkly > 0)
     AND: (GRWageRs = Suppressed) OR GRWageEx <> EMPTY
  813 ) FRS0504C.BU[].QEmpJob[].GRWageEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip = Latest
(814) FRS0504C.BU[].QEmpJob[].GrSoFar
     ^DL
     'N And what was the figure for TAXABLE GROSS earnings so far this year, as shown on this
     payslip?^N
     ^I^IC This is normally shown in a column headed 'Totals to date'.
     If not on payslip, code 'Don't know'^I.
     0.00..999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip = Latest
     AND: GrSoFar = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 :=
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: Payslip = Latest
     AND: GrsoFar = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
(815) FRS0504C.BU[].QEmpJob[].InclPay
     ^DL
     @>^I Help <F9>^I
     @<^IS^IDD^I
      Did your last wage/salary include any of the items on this card?^N
     ^I Code all that apply^I
     SET [8] OF
                      Statutory Sick Pay
     (1)
           SSP
           SMP
                      Statutory Maternity Pay
     (2)
           SPP
     (3)
                      Statutory Paternity Pay
     (4)
           SAP
                      Statutory Adoption Pay
     (5)
           IncTax
                      Income Tax refund
     (6)
           Mileage
                      Mileage allowance or fixed allowance for motoring
     (7)
           Motoring
                      Motoring expenses refund
     (8)
           WTC
                      Working Tax Credit
     (9)
           None
                      (None of these)
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: None IN InclPay
     InclPay.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     NOT (IN (SSP, InclPay))
```

^I Are you sure? Please check that respondent was continuously off sick for at least four days in the pay period. If so, suppress this warning. If not, they can not have received Statutory Sick Pay.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
(816) FRS0504C.BU[].QEmpJob[].SSPAmt
     ^DL
     ^N How much was included for Statutory Sick Pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: SSPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: SSPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: SSPAmt = NONRESPONSE
NoSSP[[LPerNo] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: NOT (SSPAmt = NONRESPONSE)
NoSSP[[LPerNo] := 0
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
```

(817) FRS0504C.BU[].QEmpJob[].MadEmp

^DL

^N When you were getting Statutory Sick Pay, were you also getting 'made up pay' from your employer?^N

(1) Yes Yes (2) No No

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
Sex[[LPerNo] = Female
```

'I The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding, 'I

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
```

(818) FRS0504C.BU[].QEmpJob[].SMPAmt

٦DL

^N How much was included for Statutory Maternity Pay?^N

^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I

0.01..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[10] := 5.2
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: (SMPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly < 151) AND INVOLVING(SMPAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: SMPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: SMPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: SMPAmt = NONRESPONSE
(819) FRS0504C.BU[].QEmpJob[].SMPRate
     ^DL
     @>^I Help <F9>^I ^N
     @<How much was included for Statutory Maternity Pay -^N Check/ask:^I ^N
     Was it ...^N^I Running prompt...^I.
```

(1)

(2)

Higher

Lower

^N...the higher rate,^N

^N...or the lower rate?^N

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
```

(820) FRS0504C.BU[].QEmpJob[].MatEmp

^DL

^N When you were getting Statutory Maternity Pay, were you also getting 'made up pay' from your employer?^N

- (1) Yes Yes(2) No No
- Ask If: In loop FOR Loop1 := 1 TO NewBU
 AND: In loop FOR Count1 := 1 TO 3
 AND: JobStat[1,Count1] = 1
 AND: LNumJob[LPerNo] > 0
 AND: PMainJob = 1
 AND: PayAmt > 0
 AND: SMP IN InclPay

(821) FRS0504C.BU[].QEmpJob[].MatStp

^DL

^N How many weeks before your baby was expected did you stop work?^N

0..97

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SPP IN InclPay
Sex[[LPerNo] <> Female
```

^I Interviewer: Females cannot receive paternity Pay. Please check your answers.^I

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SPP IN InclPay
```

(822) FRS0504C.BU[].QEmpJob[].SPPAm1Rs

^DL

^I This is very important information. Please obtain it wherever possible. If you are unable to please make a note to show that you probed.^I

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SPP IN InclPay

( 823 ) FRS0504C.BU[].QEmpJob[].SPPAm1Ex

^DL
```

^I^IC^SuppTxt^I

OPEN

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SPP IN InclPay
```

(824) FRS0504C.BU[].QEmpJob[].SPPAm2Rs

^DL

^I It is unusual for someone to receive more than £100 a week for Statutory Paternity Pay. Please check the circumstances and explain the circumstances in a note.^I

```
(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SPP IN InclPay
```

(825) FRS0504C.BU[].QEmpJob[].SPPAm2Ex

^DL

^I^IC^SuppTxt^I

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
(826) FRS0504C.BU[].QEmpJob[].SPPAmt
     ^DL
     ^N How much was included for Statutory Paternity Pay?^N
      ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
AND: SPP IN InclPay
     SPPAmt<>NONRESPONSE
     SPPAmt <> NONRESPONSE
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (SPPAm1Rs = Suppressed) OR SPPAm1Ex <> EMPTY
(827) FRS0504C.BU[].QEmpJob[].SPPAm1Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[10] := 5.2
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (SPPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(SPPAmt)
     (VWkly <= 100) AND INVOLVING (SPPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (SPPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     AND: (SPPAm2Rs = Suppressed) OR SPPAm2Ex <> EMPTY
(828) FRS0504C.BU[].QEmpJob[].SPPAm2Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: SPPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: SPPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     And: PMainJob =
     AND: PayAmt > 0
     AND: SPP IN InclPay
(829) FRS0504C.BU[].QEmpJob[].PPPerRs
     ^DL
     'II'IC Statutory Paternity Pay can only be received for up to 2 weeks. Check the circumstances and
     explain in a note if you suppress this check. I
          Passed
                     Passed
     (1)
          Hard
     (2)
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
(830) FRS0504C.BU[].QEmpJob[].PPPerEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
(831) FRS0504C.BU[].QEmpJob[].PPPeriod
     ^DL
     ^N How many weeks is / was your employer paying Statutory Paternity Pay?^N
     ^I^IC This can be for up to 2 weeks^I
     0..997
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     PPPeriod < 3
```

PPPeriod < 3

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (PPPerRs = Suppressed) OR PPPerEx <> EMPTY
(\ 832\ )\ FRS0504C.BU[].QEmpJob[].PPPerEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(833) FRS0504C.BU[].QEmpJob[].SAPAm1Rs
     ^DL
     'I This is very important information. Please obtain it wherever possible. If you are unable to please make
     a note to show that you probed. I
     (1)
          Passed
                     Passed
          Hard
                     Hard
     (2)
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
  834 ) FRS0504C.BU[].QEmpJob[].SAPAm1Ex
     ^DL
     ^I^IC^SuppTxt^I
```

OPEN

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     And: PMainJob =
     AND: PayAmt > 0
     AND: SAP IN InclPay
(835) FRS0504C.BU[].QEmpJob[].SAPAm2Rs
     ^DL
     ^I It is unusual for someone to receive more than £100 a week for Statutory Adoption Pay. Please check
     the circumstances and explain the circumstances in a note. I
          Passed
     (1)
                     Passed
          Hard
     (2)
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(836) FRS0504C.BU[].QEmpJob[].SAPAm2Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(837) FRS0504C.BU[].QEmpJob[].SAPAmt
     ^DL
     ^N How much was included for Statutory Adoption Pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     SAPAmt<>NONRESPONSE
```

SAPAmt <> NONRESPONSE

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SAP IN InclPay
AND: (SAPAm1Rs = Suppressed) OR SAPAm1Ex <> EMPTY

( 838 ) FRS0504C.BU[].QEmpJob[].SAPAm1Ex

^DL

^I^IC^SuppTxt^I

OPEN
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[10] := 5.2
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: (SAPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(SAPAmt)
     (VWkly \le 100) AND INVOLVING (SAPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: (SAPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     AND: (SAPAm2Rs = Suppressed) OR SAPAm2Ex <> EMPTY
(839) FRS0504C.BU[].QEmpJob[].SAPAm2Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: SAPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: SAPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     And: PMainJob =
     AND: PayAmt > 0
     AND: SAP IN InclPay
( 840) FRS0504C.BU[].QEmpJob[].PAPerRs
     ^DL
     ^I^IC Statutory Adoption Pay can only be received for up to 26 weeks. Check the circumstances and
     explain in a note if you suppress this check. I
          Passed
                     Passed
     (1)
          Hard
     (2)
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(841) FRS0504C.BU[].QEmpJob[].PAPerEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
( 842) FRS0504C.BU[].QEmpJob[].PAPeriod
     ^DL
     ^N How many weeks is / was your employer paying Statutory Adoption Pay?^N
     ^I^IC This can be for up to 26 weeks^I
     0..997
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
```

AND: PayAmt > 0
AND: SAP IN InclPay

PAPeriod < 27

PAPeriod < 27

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: (PAPerRs = Suppressed) OR PAPerEx <> EMPTY
(843) FRS0504C.BU[].QEmpJob[].PAPerEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
( 844) FRS0504C.BU[].QEmpJob[].TaxAmt
     ^DL
     ^N How much was included as Income Tax refund?^N
     0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[10] := 5.2
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: IncTax IN InclPay
AND: (TaxAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 101) AND INVOLVING(TaxAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Mileage IN InclPay
```

(845) FRS0504C.BU[].QEmpJob[].MilAmt

^DL

^N How much was included for mileage allowance?^N

0.01..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
    AND: Mileage IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
    AND: Mileage IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[10] := 5.2
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: Mileage IN InclPay

AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

Compute IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: Mileage IN InclPay

AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
     AND: (MilAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly < 150) AND INVOLVING (MilAmt)
     <sup>A</sup>I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
AND: Mileage IN InclPay
     AND: MilAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
     AND: MilAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
(846) FRS0504C.BU[].QEmpJob[].MotAmt
     ^DL
     ^N How much was included for motoring expenses?^N
```

0.01..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
    AND: Motoring IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
    AND: Motoring IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Motoring IN InclPay
AND: (MotAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 99) AND INVOLVING(MotAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1, Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: Motoring IN InclPay

AND: MotAmt = NONRESPONSE

AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: Motoring IN InclPay

AND: MotAmt = NONRESPONSE

AND: NOT (QBUID.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO 3 AND: JobStat[1,Count1] = 1 AND: LNumJob[LPerNo] > 0 AND: PMainJob = 1
```

(847) FRS0504C.BU[].QEmpJob[].HHInc

^DL

^IS^I EE^]

^N Were any refunds for any of the items of household expenditure shown on this card, included in the net pay of ^vpayamt that you received on ^vpaydat?^N

```
(1) Yes Yes
(2) No No
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
order[1] := 'first'
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
order[2] := 'second'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
order[3] := 'third'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
( 848 ) FRS0504C.BU[].QEmpJob[].HHO
     ^DL
     ^N What was covered by the ^order[loopvar] refund?^N
     STRING[120]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
( 849 ) FRS0504C.BU[].QEmpJob[].HHA
     ^DL
     ^N What was the amount of the refund for ^HHO[loopvar]?^N
     0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[5] := 4.333
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
    AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[26] := 26
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: HHInc = Yes
AND: In loop FOR loopvar := 1 TO 3
AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
AND: (HHA[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
((((loopvar = 1) AND (VWkly < 125)) OR ((loopvar = 2) AND (VWkly < 50))) OR ((loopvar])</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: HHInc = Yes

AND: In loop FOR loopvar := 1 TO 3

AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)

AND: HHA[loopvar] = NONRESPONSE

AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: HHInc = Yes

AND: In loop FOR loopvar := 1 TO 3

AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)

AND: HHA[loopvar] = NONRESPONSE

AND: NOT (QBUId.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: HHInc = Yes
AND: In loop FOR loopvar := 1 TO 3
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
payinc := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: SSPAmt > 0
payinc := (payinc + SSPAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: SMPAmt > 0
payinc := (payinc + SMPAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: SPPAmt > 0
payinc := (payinc + SPPAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: SAPAmt > 0
payinc := (payinc + SAPAmt)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: TaxAmt > 0
payinc := (payinc + TaxAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: MilAmt > 0
payinc := (payinc + MilAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: MotAmt > 0
payinc := (payinc + MotAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: HHA[1] > 0
payinc := (payinc + HHA[1])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: HHA[2] > 0
payinc := (payinc + HHA[2])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: HHA[3] > 0
payinc := (payinc + HHA[3])
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
( 850) FRS0504C.BU[].QEmpJob[].InclPRs
     ^DL
     'N The amount(s) for the item(s) included in pay (see below) come to £'PayInc, which is more than the
     pay itself, of £^PayAmt. Please check your figures.^N
     (1)
          Passed
                     Passed
     (2)
          Hard
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                    Suppressed
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
( 851) FRS0504C.BU[].QEmpJob[].InclPEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: ((HHInc = No) OR ((((HHInc = Yes) AND ((HHA[1] > 0) AND (HHC[1] =
     No))) OR ((HHA[2] > 0) AND (HHC[2] = No))) OR ((HHA[3] > 0) AND
     (HHC[2] = Yes)))) AND ((PayAmt > 0) AND (payinc > 0))
     (payinc <= PayAmt) AND
     INVOLVING (SSPAmt, SMPAmt, SPPAmt, SAPAmt, TaxAmt, Milamt, MotAmt, HHA [1], HHA [
     2], HHA[3], PayAmt)
     (payinc <= PayAmt) AND INVOLVING (SSPAmt, SMPAmt, SPPAmt, SAPAmt, TaxAmt, MilAmt,
     MotAmt, HHA[1], HHA[2], HHA[3], PayAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: ((HHInc = No) OR ((((HHInc = Yes) AND ((HHA[1] > 0) AND (HHC[1] = Yes))))
     No))) OR ((HHA[2] > 0) AND (HHC[2] = No))) OR ((HHA[3] > 0) AND (HHC[2] = Yes)))) AND ((PayAmt > 0) AND (payinc > 0))
     AND: (InclPRs = Suppressed) OR InclPEx <> EMPTY
(852) FRS0504C.BU[].QEmpJob[].InclPEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
(853) FRS0504C.BU[].QEmpJob[].PayUsl
     ^DL
     'N Your wage/salary after all deductions was 'vpayamt. Is this the amount you usually receive?'N
                     Yes
     (1)
          Yes
     (2)
          No
                     No
     (3)
          NoSuch
                     No such thing as usual amount
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In Toop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayUsl = No
(854) FRS0504C.BU[].QEmpJob[].WhyNoUsl
     ^DL
     ^N Why was your last pay not usual?^N
     ^I Probe: Which others?
     Code all that apply.^I
     SET [11] OF
                     Included a Tax rebate
     (1)
           TaxReb
     (2)
           EmergTax
                     I am currently being emergency taxed
     (3)
           OneOff
                     Inclusion of one-off bonus/profit/performance-related payment
     (4)
           BackPay
                     Inclusion of back pay
     (5)
           Unusual
                     Unusual payment of deductions/expenses
     (6)
           NewTaxYr
                     New tax year
     (7)
           TxSSPSMP Just started or finished receiving tax credits/SSP/SMP/SPP/SAP or change in
     amount
           Wages
                      Wage/salary change
     (8)
     (9)
                     Change of job
           NewJob
     (10)
          Overtime
                     Received overtime
     (11)
          Other
                     Other (please code)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PayUsl = No
     AND: Other IN WhyNoUsl
(855) FRS0504C.BU[].QEmpJob[].NoUsuOth
     ^DL
     ^N Please explain why last pay not usual.^N
     STRING[200]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
           (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: PayUs1 = No
DoesDid := 'Does'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: PayUsl = No
dodid := 'do'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: PayUsl = No
arewere := 'are'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Work12m[LPerNo] = 1
DoesDid := 'Did'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Work12m[LPerNo] = 1
dodid := 'did'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Work12m[LPerNo] = 1
arewere := 'were'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
(856) FRS0504C.BU[].QEmpJob[].UNett
     ^DL
     ^N What ^dodid you usually receive AFTER all deductions but including other payments such as Tax
     Credits?^N
     0.00..99997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = REFUSAL
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = REFUSAL
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = REFUSAL
vunett := '!!!!!!!'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = DONTKNOW
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = DONTKNOW
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = DONTKNOW
vunett := 'don't know'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: NOT (UNett = DONTKNOW)
vunett := ('f' + STR(UNett,5,2))
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
(857) FRS0504C.BU[].QEmpJob[].UGross
     ^DL
     ^N What ^dodid you usually receive BEFORE all deductions but excluding any tax credit payments?^N
     0.00..99997.00
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     (UNett <= UGross) OR UGross=NONRESPONSE
     AI Usual pay BEFORE deductions shouldn't be lower than usual pay AFTER deductions; please amend
     your figures.^I
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
( 858) FRS0504C.BU[].QEmpJob[].UPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
( 859) FRS0504C.BU[].QEmpJob[].UPd
     ^DL
     ^N How often ^arewere you usually paid?^N
          OneWeek
                     One week
     (1)
          TwoWeek
                     Two weeks
     (2)
          ThrWeek
                     Three weeks
     (3)
                     Four weeks
     (4)
          Fourweek
     (5)
          Month
                     Calendar month
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
          ThrMonth
                     Three months/13 weeks
     (13)
                     Six months/26 weeks
     (26)
          SixMonth
     (52)
          Year
                     One Year/12 months/52 weeks
          LessWeek
     (90)
                     Less than one week
     (95)
          LumpSum
                     One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UPd = Note
( 860) FRS0504C.BU[].QEmpJob[].UPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Edit = Yes
     UPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: (UNett > 0) AND (UPd IN [OneWeek . . Year])
AND: VWkly > 0
(VWkly < 1000) AND INVOLVING(UPd,UNett)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (UGross > 0) AND (UPd IN [OneWeek .. Year])
     AND: VWkly > 0
     (VWkly < 1500) AND INVOLVING(UPd, UGross)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
          (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND:
(861) FRS0504C.BU[].QEmpJob[].InclPay1
     ^DL
     @>^I Help <F9>^I
     @< ^IS^I DD^I
     ^N ^DoesDid your usual wage/salary include any of the items on this card?^N
     ^I Code all that apply^I
     SET [8] OF
     (1)
           SSP
                      Statutory Sick Pay
     (2)
           SMP
                      Statutory Maternity Pay
     (3)
           SPP
                      Statutory Paternity Pay
           SAP
                      Statutory Adoption Pay
     (4)
     (5)
           IncTax
                      Income Tax refund
                      Mileage allowance or fixed allowance for motoring
     (6)
           Mileage
           Motoring
                      Motoring expenses refund
     (7)
           WTC
                      Working Tax Credit
     (8)
     (9)
           None
                      (None of these)
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: None IN InclPay1
     InclPay1.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 :=
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SMP IN InclPay1
     Sex[[LPerNo] = Female
```

'I The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding.'I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In Toop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
(862) FRS0504C.BU[].QEmpJob[].OthDed1
     ^DL
     @>^I Help <F9>^I ^N
     @<Which of these are deductions from your usual wage/salary?^N
      ^I Running prompt...^I
     SET [9] OF
     (1)
           PenDed
                      ^N...contribution by you to a pension or superannuation scheme?^N^I Help <F9>^I
                      ^N...AVC's (Additional Voluntary Contributions)?^N
     (2)
           AVCDed
     (3)
           UnDed
                      ^N...Union fees?^N
     (4)
           FrdDed
                      ^N...Friendly societies?^N
     (5)
           SptDed
                      ^N...sports clubs or specialised pastimes?^N
                      ^N...repayment of a loan from your employer?^N
     (6)
           LonDed
                      ^N...Private medical insurance?^N
     (7)
           MedDed
                      ^N...Charities?^N
     (8)
           Charity
     (9)
           DedO
                      ^N...any other deductions we have not mentioned so far?^N
     (10)
           None
                      None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: None IN OthDed1
     OthDed1.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (TxSSPSMP IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: SSP IN InclPay1
(863) FRS0504C.BU[].QEmpJob[].USSPAmt
     ^DL
     ^N How much was included for Statutory Sick Pay in usual pay?^N
      ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (TxSSPSMP IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: SMP IN InclPay1
(864) FRS0504C.BU[].QEmpJob[].USMPAmt
     ^DL
     ^N How much was included for Statutory Maternity Pay in usual pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (TxSSPSMP IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: SMP IN InclPay1
     AND: USMPAmt = DONTKNOW
(865) FRS0504C.BU[].QEmpJob[].USMPRate
     ^DL
     @>^I Help <F9>^I ^N
     @<How much was included for Statutory Maternity Pay^N^I - Check/ask:^I^N Was it ...Running
     prompt...^I
     (1)
          Higher
                     ^N...the higher rate,^N
     (2)
          Lower
                     ^N...or the lower rate?^N
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     Sex[[LPerNo] <> Female
     ^I Interviewer: Females cannot receive paternity Pay. Please check your answers.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
(866) FRS0504C.BU[].QEmpJob[].USPPAmt
     ^DL
     ^N How much was included for Statutory Paternity Pay in usual pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[5] := 4.333
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: (USPPAmt > 0) AND (UPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(USPPAmt)
     (VWkly <= 100) AND INVOLVING (USPPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: (USPPAmt > 0) AND (UPd IN [OneWeek .. Year])
     AND: (USPPAMRs = Suppressed) OR USPPAMEX <> EMPTY
(867) FRS0504C.BU[].QEmpJob[].USPPAmEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: USPPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: SPP IN InclPay1
     AND: USPPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: SAP IN InclPay1

( 868 ) FRS0504C.BU[].QEmpJob[].USAPAmt
^DL
^N How much was included for Statutory Adoption Pay in usual pay?^N
^I^IC This should be shown on the payslip. If not, enter 'Don't know'^I.

0.01.9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[5] := 4.333
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
     AND: (USAPAmt > 0) AND (UPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(USAPAmt)
     (VWkly <= 100) AND INVOLVING (USAPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
     AND: (USAPAmt > 0) AND (UPd IN [OneWeek .. Year])
     AND: (USAPAmRs = Suppressed) OR USAPAmEx <> EMPTY
(869) FRS0504C.BU[].QEmpJob[].USAPAmEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
     AND: USAPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
      \textbf{AND:} \quad (\texttt{PayUsl} = \texttt{No}) \quad \texttt{OR} \quad (\texttt{(LNumJob[LPerNo]} = \texttt{0}) \quad \texttt{AND} \quad (\texttt{Work12m[LPerNo]} = \texttt{1})) 
     AND: SAP IN InclPay1
     AND: USAPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: IncTax IN InclPay1
(870) FRS0504C.BU[].QEmpJob[].UTaxAmt
     ^N How much was included as Income Tax refund in usual pay?^N
     0.01..9997.00
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In Toop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Mileage IN InclPay1
(871) FRS0504C.BU[].QEmpJob[].UMilAmt
     ^DL
     ^N How much was included for mileage allowance in usual pay?^N
     0.01..9997.00
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Motoring IN InclPay1
(872) FRS0504C.BU[].QEmpJob[].UMotAmt
     ^DL
     ^N How much was included for motoring expenses in usual pay?^N
     0.01..9997.00
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (Unusual IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed1
(873) FRS0504C.BU[].QEmpJob[].UDeduc
     ^DL
     'N How much was usually deducted for 'Deduction[loopvar]?'N
     0.01..9997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (Unusual IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: In loop FOR loopvar := 1 TO 8
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (Unusual IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: In loop FOR loopvar := 1 TO 8
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: (Unusual IN WhyNoUs1) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
AND: In loop FOR loopvar := 1 TO 8
RESERVECHECK
```

RESERVECHECK

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1,Count1] = 1

AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))

AND: (Unusual IN WhyNoUs1) OR (QCurSt2.Adult[LPerNo].Retire = Yes)

AND: DedO IN OthDed1
```

(874) FRS0504C.BU[].QEmpJob[].UDedOth

^DL

^I Open a note and describe these 'other' deductions, with amounts.

Then add them up and enter the total at this question.^I

0.01..9997.00

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
```

(875) FRS0504C.BU[].QEmpJob[].Bonus

^DL

^N In the last 12 months have you received any bonuses such as a Christmas or quarterly bonus, profit-related pay or profit-sharing bonus, or an occasional commission?^N

^I^IC - Exclude regular bonuses/commission (eg. weekly/monthly) normally included in pay. - Exclude shares, voucher, income in kind.

Enter number of bonuses (max 6) and give details at subsequent questions. If no bonuses, enter 0.^I

0..6

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: In loop FOR loopvar := 1 TO Bonus
```

(876) FRS0504C.BU[].QEmpJob[].BonAmt

^DL

^I Enter amount of bonus number ^loopvar.^I

0.01..99999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     AND: (GrMnthly > 0) AND (BonAmt = RESPONSE)
     BonAmt[loopvar] < (GrMnthly / 2)</pre>
     'I Is that a year's bonus? It seems very high. Please check and amend it if necessary.'I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     AND: BonAmt[loopvar] = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     AND: BonAmt[loopvar] = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
(877) FRS0504C.BU[].QEmpJob[].BonTax
     ^DL
     ^N Was this amount ...^N
          befor
                    Before tax
     (1)
                    After tax
     (2)
          aftr
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In Toop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
(878) FRS0504C.BU[].QEmpJob[].UBonInc
     ^DL
     ^N Did the usual net pay of ^vunett include any of this bonus or commission?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
     AND: UBonInc = Yes
(879) FRS0504C.BU[].QEmpJob[].UBonAmt
     ^DL
     ^N How much was included?^N
     0.00..99997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
     AND: UBonInc = Yes
     AND: UBonAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
     AND: UBonInc = Yes
     AND: UBonAmt = NONRESPONSE
     AND: NOT (OBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
(880) FRS0504C.BU[].QEmpJob[].InKind
     ^DL
     ^IS^I FF^I
     'N Which, if any, of the benefits shown on this card have you made use of, or received, from your present
     employer in the last 6 months?
     ^I^IC Code all that apply. Company vehicles do not include motorbikes/scooters.^I
     SET [13] OF
           Luncheon
                      Luncheon Vouchers
     (1)
                      Free meals (including free canteen at work)
     (2)
           Meal
     (3)
           Canteen
                      Subsidised canteen
     (4)
           Goods
                      Free or subsidised goods (incl. store vouchers)
     (5)
           Nursey
                      Workplace nursery
           Child
                      Childcare vouchers / employer contracted childcare
     (6)
           Medical
     (7)
                      Free or subsidised medical insurance for self or family
     (8)
           Shares
                      Shares or share options
     (9)
           School
                      Payment of school fees for family members
     (10)
           Phone
                      Provision of a phone for personal use as well as work
     (11)
           Car
                      Company vehicle
     (12)
           Computer
                      Home computer
     (13)
           Other
                      Any other payments in kind
     (14)
           None
                      None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: None IN InKind
     InKind.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: InKind <> EMPTY AND NOT (None IN InKind)
     AND: InKind.CARDINAL = 1
Are these := 'Is this benefit in kind'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: InKind <> EMPTY AND NOT (None IN InKind)
     AND: NOT (InKind.CARDINAL = 1)
Are these := 'Are any of these benefits in kind'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: InKind <> EMPTY AND NOT (None IN InKind)
(881) FRS0504C.BU[].QEmpJob[].SalSac
     ^DL
     ^Are_these received instead of some of your salary or wage?
     (1)
          Yes
                     Yes
     (2)
          No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: Medical IN InKind
(882) FRS0504C.BU[].QEmpJob[].InsType
     ^DL
     @>^I Help <F9>^I
     @< ^N Can I check, does your medical insurance include 'permanent health insurance' or 'critical illness
     cover'?^N
     (1)
                    permanent health insurance
          perm
     (2)
                    critical illness cover
          crit
     (3)
          both
                    hoth
     (4)
                    neither
          no
     (5)
          dnk
                    don't know
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: Other IN InKind
(883) FRS0504C.BU[].QEmpJob[].OthPerk
     ^DL
     ^I^IC Describe other benefit(s)^I
     STRING[50]
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: Edit = Yes
AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip])
AND (GrWagPd IN [OneWeek . Year])) AND (GrWagPd = PayPd))
(ABS(GrWage - Total) < 5) AND
INVOLVING(PAYE,NatIns,PayAmt,GrWage,GrWagPd)</pre>
```

^I Net pay & all deductions add up to £^Total, but the gross pay is £^GrWage.

Editor: is a tax refund or tax credit included? (see InclPay). If so, follow your edit instructions, p.24. If using the net to gross pay calculator, remember to remove the tax credit from the figure for net pay before using the calculator to work out gross pay.^I

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
And: In loop FOR Count1 := 1 TO 3
And: JobStat[1,Count1] = 1
And: Edit = Yes
And: (GrWkly = RESPONSE) AND (TotWkly = RESPONSE)
(ABS(GrWkly - TotWkly) < 5) AND
INVOLVING(PAYE, NatIns, PayAmt, GrWage, GrWagPd)</pre>
```

'I Net pay & all deductions add up to £\TotWkly per week, but the gross pay is £\GrWkly per week.

Editor: is a tax refund or tax credit included? (see InclPay). If so, follow your edit instructions, p.24. If using the net to gross pay calculator, remember to remove the tax credit from the figure for net pay before using the calculator to work out gross pay.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: Edit = Yes
PAYE<>NONRESPONSE
```

^I Missing info for PAYE.

If this job is a^B subsidiary^B job with^B same^B employer as main job, don't impute missing amount: Instead enter 0.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: Edit = Yes
NatIns<>NONRESPONSE
```

^I Missing info for National Insurance amount.

If this job is a^B subsidiary^B job with^B same^B employer as main job, don't impute missing amount: Instead enter 0.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
AND: Edit = Yes
PayAmt<>NONRESPONSE
```

^I Missing amount for Wage/salary.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     AND: Edit = Yes
     GrWage<>NONRESPONSE
     ^I Missing info for Gross Wage.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: Edit = Yes
     UNett<>NONRESPONSE
     'I Missing info for Net Pay.'I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: Edit = Yes
     UGross<>NONRESPONSE
     ^I Missing info for Gross Pay.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     AND: Edit = Yes
     Deduc[1] <>NONRESPONSE AND INVOLVING(Deduc[1], GrWage, PayAmt)
     'I Missing info for Pension Deduction. Impute this as a percentage of last pay, following the edit
     instructions^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1, Count1] = 1
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO 3
    AND: JobStat[1,Count1] = 1
    RESERVECHECK
    RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3

AND: JobStat[1, Count1] = 1

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1

RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1

RESERVECHECK

RESERVECHECK

FRS0504C.BU[] (continued)

Benefit Unit Schedule

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
QEmpJob[Count1].PersId := Person[1]
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
AND: JobStat[1,Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1,Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 1 TO 3
     AND: JobStat[1, Count1] = 1
     RESERVECHECK
     RESERVECHECK
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
DL := ('*** ' + Names[2] + ' *** @ | @ | @ | ' + Order[Count1 - 3] +
' job')
```

FRS0504C.BU[].QEmpJob[]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
LPerNo := PerNo
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
( 884) FRS0504C.BU[].QEmpJob[].PersId
     ^DL
     Person Identifier.
     0..14
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
JobType := PMainJob
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
DedCk[1] := 150
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
Deduction[1] := 'Pension or Superannuation'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
DedCk[2] := 100
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
Deduction[2] := 'AVC's'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
DedCk[3] := 10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
Deduction[3] := 'Union Fees'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
DedCk[4] := 30
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
Deduction[4] := 'Friendly Societies'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
DedCk[5] := 10
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
Deduction[5] := 'Sports Clubs and specialised pastimes'
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
DedCk[6] := 80
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
Deduction[6] := 'repaying the loan'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
DedCk[7] := 20
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
Deduction[7] := 'private medical insurance'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
DedCk[8] := 10
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)

Deduction[8] := 'charities'
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0
```

(885) FRS0504C.BU[].QEmpJob[].PayDat

^DL

^N On what date were you last paid a wage or salary?^N

'I If currently working and not yet paid (i.e. new job), give details of expected pay and enter expected pay date. (If day not known, enter 15th of month.)'

DATE

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PayDat = RESPONSE
PayDat.YEAR >= 1998
```

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)

And: LNumJob[LPerNo] > 0
And: PayDat = RESPONSE
PayDat <= DateNow</pre>

Only dates since 1998 should be entered

'I You have entered a future date, please amend. If they have not yet been paid, and gave the expected date of pay, suppress this check.'I

```
Warn If: In loop FOR Loop1 := 1 TO NewBU
And: In loop FOR Count1 := 4 TO 6
And: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
And: LNumJob[LPerNo] > 0
And: PayDat = RESPONSE
And: PayDat < TODATE (QJobDes[LPerNo].QMainJob.WorkYr, ORD (QJobDes[LPerNo].QMainJob.WorkMth), 1)
ERROR AND INVOLVING(PayDat)</pre>
```

^I Payslip date is earlier than the date given for starting work with the current employer. Please check and explain in a note if necessary.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0
```

vpaydat := DATETOSTR(PayDat)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
(886) FRS0504C.BU[].QEmpJob[].PayAmt
     ^DL
     'N What was your'B last take-home pay'B, including overtime, bonus, commission, tips or other
     payments such as tax credits?^N
     ^I^IC Suggest respondent consults payslip.
     0.00..999997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     (PayAmt > 0) AND INVOLVING(QCurSt1.Adult[].Working[LPerNo],PayAmt)
     'I No pay entered. If respondent has not yet been paid (eg. started a new job), enter expected pay.
     If job is normally UNPAID, select 'Working' below, change to 'No', and then press <End>.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: PayAmt = REFUSAL
vpayamt := '!!!!!!!'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayAmt = NONRESPONSE
     AND: PayAmt = DONTKNOW
vpayamt := 'don't know'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayAmt = NONRESPONSE)
vpayamt := ('f' + STR(PayAmt,5,2))
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayAmt = NONRESPONSE)
Total := PayAmt
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
(887) FRS0504C.BU[].QEmpJob[].PayPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
( 888) FRS0504C.BU[].QEmpJob[].PayPd
     ^DL
     ^N How long did this cover?^N
          OneWeek
                     One week
     (1)
          TwoWeek
                    Two weeks
     (2)
          ThrWeek
     (3)
                    Three weeks
     (4)
          Fourweek
                    Four weeks
     (5)
          Month
                    Calendar month
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                    Eight times a year
     (9)
          NineYear
                    Nine times a year
     (10)
          TenYear
                    Ten times a year
     (13)
          ThrMonth
                    Three months/13 weeks
     (26)
          SixMonth
                    Six months/26 weeks
                    One Year/12 months/52 weeks
     (52)
          Year
     (90)
          LessWeek
                    Less than one week
     (95)
          LumpSum
                    One off/lump sum
     (97)
          Note
                    None of these ^I(Explain in a note)^I
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PayPd = Note

( 889 ) FRS0504C.BU[].QEmpJob[].PayPx

^DL

^I^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: Edit = Yes

PayPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it. I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: (PayAmt > 0) AND (PayPd IN [OneWeek .. Year])
     AND: VWkly > 0
     AND: Edit = No
      (VWkly < 850) AND INVOLVING(PayPd, PayAmt)
     <sup>^</sup>I Warning: The answer is much higher than the figures usually given at this question.
      Please check that your figure is correct. If so, suppress warning and continue.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
(890) FRS0504C.BU[].QEmpJob[].PAYE
     ^N How much was deducted from your wage/salary for income tax under PAYE?^N
     0.00..99997.00
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
( 891 ) FRS0504C.BU[].QEmpJob[].PayPx1
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
( 892 ) FRS0504C.BU[].QEmpJob[].PayPd1
     ^DL
     ^N How long did this cover?^N
     (1)
           OneWeek
                     One week
           TwoWeek
                     Two weeks
     (2)
           ThrWeek
                     Three weeks
     (3)
           Fourweek
                     Four weeks
     (4)
           Month
                     Calendar month
     (5)
     (7)
           TwoMonth Two Calendar months
     (8)
           EighYear
                     Eight times a year
     (9)
           NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
     (13)
          ThrMonth
                     Three months/13 weeks
     (26)
          SixMonth
                     Six months/26 weeks
     (52)
          Year
                     One Year/12 months/52 weeks
          LessWeek
     (90)
                     Less than one week
     (95)
          LumpSum
                     One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
     AND: PayPd1 = Note
( 893 ) FRS0504C.BU[].QEmpJob[].PayPx1
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (PAYE = RESPONSE) AND PayAmt = NONRESPONSE
     AND: Edit = Yes
     PayPd1 <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.^I
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PayPd1 = RESPONSE
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1) AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: NOT (PayPd1 = RESPONSE)
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: (PAYE > 0) AND ((PayPd IN [OneWeek .. Year]) OR (PayPd1 IN
     [OneWeek .. Year]))
     AND: Edit = No
     (VWkly < 1000) AND INVOLVING(PAYE)
     <sup>^</sup>I Warning: The answer is much higher than the figures usually given at this question.
      Please check that your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PAYE = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PAYE = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (PAYE = NONRESPONSE)
Total := (Total + PAYE)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
(894) FRS0504C.BU[].QEmpJob[].NatIns
     ^DL
     ^N How much was deducted from your last wage/salary as National Insurance Contribution?^N
```

0.00..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: (NatIns > 0) AND (PayPd IN [OneWeek .. Year])
     VWkly <= 100
     'I Are you sure? That's £\text{VWkly a week. National Insurance is not normally more than £100.00 per
     week. However those earning more than £595 per week may pay more than this.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NatIns = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NatIns = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (NatIns = NONRESPONSE)
Total := (Total + NatIns)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
(895) FRS0504C.BU[].QEmpJob[].OthDed
     ^DL
     ^I@>Help< F9>^I^N
     @< Were there any deductions from your wage/salary such as...^N
     ^I Running prompt^I
     SET [9] OF
     (1)
           PenDed
                      ^N...Contribution by you to a pension or superannuation scheme?^N^I Help <F9>^I
                      ^N...AVC's (Additional Voluntary Contributions)?^N
     (2)
           AVCDed
     (3)
           UnDed
                      ^N...Union fees?^N
     (4)
           FrdDed
                      ^N...Friendly societies?^N
     (5)
           SptDed
                      ^N...sports clubs or specialised pastimes?^N
     (6)
           LonDed
                      ^N...repayment of a loan from your employer?^N
                      ^N...Private medical insurance?^N
     (7)
           MedDed
                      ^N...Charities?^N
     (8)
           Charity
     (9)
           DedO
                      ^N...any other deductions we have not mentioned so far?^N
     (10)
           None
                      None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: None IN OthDed
     OthDed.CARDINAL = 1
     ^I 'None of these' is an exclusive code for this question.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
(896) FRS0504C.BU[].QEmpJob[].Deduc
     ^DL
     ^N How much was deducted for ^Deduction[loopvar]?^N
     0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[1] := 1
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
AND: loopvar IN OthDed
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[8] := 6.5
Compute if: In loop FOR Loop1 := 1 TO NewBU
And: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
          (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
AND: loopvar IN OthDed
PdConW[26] := 26
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: In loop FOR loopvar := 1 TO 8

AND: loopvar IN OthDed

AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: (Deduc[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly < DedCk[loopvar]) AND INVOLVING(Deduc[loopvar])
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: Deduc[loopvar] > DedCk[loopvar]
     PMainJob = 1
     ^I Since this is a subsidiary job, please enter an amount below £^DedCk[loopvar].^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed
     AND: Deduc[loopvar] = RESPONSE
Total := (Total + Deduc[loopvar])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: Deduc[loopvar] = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     AND: Deduc[loopvar] = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     RESERVECHECK
     RESERVECHECK
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: In loop FOR loopvar := 1 TO 8
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
(897) FRS0504C.BU[].QEmpJob[].DedOth
     ^DL
```

^I Open a note and describe these 'other' deductions, with amounts.

Then add them up and enter the total at this question.^I

0.01..997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: DedO IN OthDed
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: DedO IN OthDed
AND: (DedOth > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 75) AND INVOLVING(DedOth)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: DedO IN OthDed

AND: DedOth > 99

PMainJob = 1
```

^I Since this is a subsidiary job, please enter an amount below £100.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: DedO IN OthDed

Total := (Total + DedOth)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Compute if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: VWkly > 0

TotWkly := VWkly

ASK if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
```

```
( 898 ) FRS0504C.BU[].QEmpJob[].Payslip
```

AND: LNumJob[LPerNo] > 0

^DL

^I^IC Code whether respondent is using payslip. Payslip must be within past 3 months.^I

Latest Latest payslip consulted
 OldSlip Old payslip consulted
 NotC Payslip not consulted

(4) NoSlip No payslip provided by employer

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
```

(899) FRS0504C.BU[].QEmpJob[].GrWage

^DL

^N What was the gross wage/salary - i.e. the total, before any deductions but excluding any tax credit payments?^N $\,$

^I^IC Any tax credits received should not be included in the figure given here.

If a payslip is not being consulted then gross wage can be collected for a different time period from last net pay.^I

0.00..999997.00

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: Payslip IN [NotC, NoSlip]
```

(900) FRS0504C.BU[].QEmpJob[].GrWagPx

^DL

^I^IC^Pd97Txt^I

OPEN

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
(901) FRS0504C.BU[].QEmpJob[].GrWagPd
     ^DL
     ^N How long did this cover?^N
     (1)
           OneWeek
                      One week
           TwoWeek
                      Two weeks
     (2)
           ThrWeek
                      Three weeks
     (3)
           Fourweek
                      Four weeks
     (4)
           Month
                      Calendar month
     (5)
     (7)
           TwoMonth Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
     (10)
           TenYear
                      Ten times a year
     (13)
           ThrMonth
                      Three months/13 weeks
     (26)
           SixMonth
                      Six months/26 weeks
     (52)
           Year
                      One Year/12 months/52 weeks
           LessWeek
     (90)
                      Less than one week
     (95)
           LumpSum
                      One off/lump sum
     (97)
           Note
                      None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     AND: GrWaqPd = Note
( 902) FRS0504C.BU[].QEmpJob[].GrWagPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     And: Edit = Yes
     GrWagPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. I
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: Payslip IN [NotC, NoSlip]
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
AND: NOT (Payslip IN [NotC, NoSlip])
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: NOT (Payslip IN [NotC, NoSlip])
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: NOT (Payslip IN [NotC, NoSlip])
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: VWkly > 0
GrWkly := VWkly
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: VWkly > 0
GrMnthly := (GrWkly * 4.333)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: GrWage = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: GrWage = NONRESPONSE
    AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
( 903) FRS0504C.BU[].QEmpJob[].GRWageRs
```

^DL

^I Net pay & all deductions add up to £^TotWkly ^per_week which is not the same as gross pay of £^GrWkly ^per_week. This can be due to the payment of Tax Credits. Please check your figures and probe if there is a missing amount. If unable to resolve, suppress check and enter details in a Note.^I

(1)	Passed	Passed
(2)	Hard	Hard
(3)	Soft	Soft
(4)	Suppress	Suppressed

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
( 904) FRS0504C.BU[].QEmpJob[].GRWageEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip])
     AND (GrwagPd IN [OneWeek .. Year])) AND (GrwagPd = PayPd))
per week := ''
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip])
AND (GrWagPd IN [OneWeek .. Year])) AND (GrWagPd = PayPd))
(ABS(GrWage - Total) < 5) AND
     INVOLVING(Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage)
     (ABS (GrWage - Total) < 5) AND INVOLVING (Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip]) AND (GrWagPd IN [OneWeek .. Year])) AND (GrWagPd = PayPd))
     AND: (GRWageRs = Suppressed) OR GRWageEx <> EMPTY
(905) FRS0504C.BU[].QEmpJob[].GRWageEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (GrWkly > 0) AND (TotWkly > 0)
per week := 'per week'
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
          (GrWkly > 0) AND (TotWkly > 0)
     (ABS(GrWkly - TotWkly) < 5) AND
     INVOLVING (Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage, GrWagPd)
     (ABS (GrWkly - TotWkly) < 5) AND INVOLVING (Payslip, PayPd, PAYE, NatIns, PayAmt, GrWage,
     GrWagPd)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: (GrWkly > 0) AND (TotWkly > 0)
     AND: (GRWageRs = Suppressed) OR GRWageEx <> EMPTY
  906) FRS0504C.BU[].QEmpJob[].GRWageEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip = Latest
( 907) FRS0504C.BU[].QEmpJob[].GrSoFar
     ^DL
     'N And what was the figure for TAXABLE GROSS earnings so far this year, as shown on this
     payslip?^N
     ^I^IC This is normally shown in a column headed 'Totals to date'.
     If not on payslip, code 'Don't know'^I.
     0.00..999997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip = Latest
     AND: Grsofar = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: Payslip = Latest
     AND: GrsoFar = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
( 908) FRS0504C.BU[].QEmpJob[].InclPay
     ^DL
     @>^I Help <F9>^I
     @<^IS^IDD^I
      Did your last wage/salary include any of the items on this card?^N
     ^I Code all that apply^I
     SET [8] OF
                      Statutory Sick Pay
           SSP
     (1)
                      Statutory Maternity Pay
     (2)
           SMP
           SPP
     (3)
                      Statutory Paternity Pay
     (4)
           SAP
                      Statutory Adoption Pay
     (5)
           IncTax
                      Income Tax refund
     (6)
           Mileage
                      Mileage allowance or fixed allowance for motoring
     (7)
           Motoring
                      Motoring expenses refund
     (8)
           WTC
                      Working Tax Credit
     (9)
           None
                      (None of these)
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: None IN InclPay
     InclPay.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     NOT (IN (SSP, InclPay))
```

^I Are you sure? Please check that respondent was continuously off sick for at least four days in the pay period. If so, suppress this warning. If not, they can not have received Statutory Sick Pay.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
( 909) FRS0504C.BU[].QEmpJob[].SSPAmt
     ^DL
     ^N How much was included for Statutory Sick Pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: SSPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: SSPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: SSPAmt = NONRESPONSE
NoSSP[[LPerNo] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SSP IN InclPay
     AND: NOT (SSPAmt = NONRESPONSE)
NoSSP[[LPerNo] := 0
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SSP IN InclPay
```

(910) FRS0504C.BU[].QEmpJob[].MadEmp

^DL

^N When you were getting Statutory Sick Pay, were you also getting 'made up pay' from your employer?^N

(1) Yes Yes (2) No No

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
Sex[[LPerNo] = Female
```

'I The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding, 'I

```
Ask If: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
```

(911) FRS0504C.BU[].QEmpJob[].SMPAmt

۱D۲

^N How much was included for Statutory Maternity Pay?^N

^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I

0.01..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
    AND: SMP IN InclPay
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: SMP IN InclPay
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: (SMPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly < 151) AND INVOLVING(SMPAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: SMPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: SMPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SMP IN InclPay
     AND: SMPAmt = NONRESPONSE
(912) FRS0504C.BU[].QEmpJob[].SMPRate
     ^DL
     @>^I Help <F9>^I ^N
     @<How much was included for Statutory Maternity Pay -^N Check/ask:^I ^N
     Was it ...^N^I Running prompt...^I.
```

(1)

(2)

Higher

Lower

^N...the higher rate,^N

^N...or the lower rate?^N

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SMP IN InclPay
```

(913) FRS0504C.BU[].QEmpJob[].MatEmp

^DL

^N When you were getting Statutory Maternity Pay, were you also getting 'made up pay' from your employer?^N

- (1) Yes Yes(2) No No
- Ask IF: In loop FOR Loop1 := 1 TO NewBU

 AND: In loop FOR Count1 := 4 TO 6

 AND: (AdultNum = 2) AND (JobStat[2,Count1 3] = 1)

 AND: LNumJob[LPerNo] > 0

 AND: PMainJob = 1

 AND: PayAmt > 0

 AND: SMP IN InclPay

(914) FRS0504C.BU[].QEmpJob[].MatStp

^DL

^N How many weeks before your baby was expected did you stop work?^N

0..97

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: SPP IN InclPay
Sex[[LPerNo] <> Female
```

^I Interviewer: Females cannot receive paternity Pay. Please check your answers.^I

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SPP IN InclPay
```

(915) FRS0504C.BU[].QEmpJob[].SPPAm1Rs

^DL

^I This is very important information. Please obtain it wherever possible. If you are unable to please make a note to show that you probed.^I

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
(916) FRS0504C.BU[].QEmpJob[].SPPAm1Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
(917) FRS0504C.BU[].QEmpJob[].SPPAm2Rs
     ^DL
     ^I It is unusual for someone to receive more than £100 a week for Statutory Paternity Pay. Please check
     the circumstances and explain the circumstances in a note. I
     (1)
          Passed
                    Passed
          Hard
                    Hard
     (2)
     (3)
          Soft
                    Soft
     (4)
          Suppress
                    Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
(918) FRS0504C.BU[].QEmpJob[].SPPAm2Ex
     ^DL
```

^I^IC^SuppTxt^I

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
(919) FRS0504C.BU[].QEmpJob[].SPPAmt
     ^DL
     ^N How much was included for Statutory Paternity Pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     SPPAmt<>NONRESPONSE
     SPPAmt <> NONRESPONSE
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (SPPAm1Rs = Suppressed) OR SPPAm1Ex <> EMPTY
(920) FRS0504C.BU[].QEmpJob[].SPPAm1Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
```

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
```

PdConW[7] := 8.67

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
    AND: SPP IN InclPay
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: SPP IN InclPay
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (SPPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(SPPAmt)
     (VWkly <= 100) AND INVOLVING (SPPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (SPPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     AND: (SPPAm2Rs = Suppressed) OR SPPAm2Ex <> EMPTY
(921) FRS0504C.BU[].QEmpJob[].SPPAm2Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: SPPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: SPPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     And: PMainJob =
     AND: PayAmt > 0
     AND: SPP IN InclPay
( 922) FRS0504C.BU[].QEmpJob[].PPPerRs
     ^DL
     'II'IC Statutory Paternity Pay can only be received for up to 2 weeks. Check the circumstances and
     explain in a note if you suppress this check. I
          Passed
                     Passed
     (1)
          Hard
     (2)
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
( 923) FRS0504C.BU[].QEmpJob[].PPPerEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
( 924) FRS0504C.BU[].QEmpJob[].PPPeriod
     ^DL
     ^N How many weeks is / was your employer paying Statutory Paternity Pay?^N
     ^I^IC This can be for up to 2 weeks^I
     0..997
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     PPPeriod < 3
     PPPeriod < 3
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SPP IN InclPay
     AND: (PPPerRs = Suppressed) OR PPPerEx <> EMPTY
({\tt 925})~FRS0504C.BU[].QEmpJob[].PPPerEx\\
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(926) FRS0504C.BU[].QEmpJob[].SAPAm1Rs
     ^DL
     'I This is very important information. Please obtain it wherever possible. If you are unable to please make
     a note to show that you probed. I
     (1)
          Passed
                    Passed
          Hard
                    Hard
     (2)
     (3)
          Soft
                    Soft
     (4)
          Suppress
                    Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
  927 ) FRS0504C.BU[].QEmpJob[].SAPAm1Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
( 928) FRS0504C.BU[].QEmpJob[].SAPAm2Rs
     ^DL
     ^I It is unusual for someone to receive more than £100 a week for Statutory Adoption Pay. Please check
     the circumstances and explain the circumstances in a note. I
          Passed
     (1)
                     Passed
          Hard
     (2)
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(929) FRS0504C.BU[].QEmpJob[].SAPAm2Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(930) FRS0504C.BU[].QEmpJob[].SAPAmt
     ^DL
     ^N How much was included for Statutory Adoption Pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     SAPAmt<>NONRESPONSE
```

SAPAmt <> NONRESPONSE

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: SAP IN InclPay

AND: (SAPAm1Rs = Suppressed) OR SAPAM1Ex <> EMPTY

( 931 ) FRS0504C.BU[].QEmpJob[].SAPAm1Ex

^DL

^I^IC^SuppTxt^I

OPEN
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
    AND: SAP IN InclPay
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: SAP IN InclPay
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: (SAPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(SAPAmt)
     (VWkly <= 100) AND INVOLVING (SAPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: (SAPAmt > 0) AND (PayPd IN [OneWeek .. Year])
     AND: (SAPAm2Rs = Suppressed) OR SAPAm2Ex <> EMPTY
(932) FRS0504C.BU[].QEmpJob[].SAPAm2Ex
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: SAPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: SAPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     And: PMainJob =
     AND: PayAmt > 0
     AND: SAP IN InclPay
( 933) FRS0504C.BU[].QEmpJob[].PAPerRs
     ^DL
     ^I^IC Statutory Adoption Pay can only be received for up to 26 weeks. Check the circumstances and
     explain in a note if you suppress this check. I
          Passed
                     Passed
     (1)
          Hard
     (2)
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
( 934) FRS0504C.BU[].QEmpJob[].PAPerEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
(935) FRS0504C.BU[].QEmpJob[].PAPeriod
     ^DL
     ^N How many weeks is / was your employer paying Statutory Adoption Pay?^N
     ^I^IC This can be for up to 26 weeks^I
     0..997
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     PAPeriod < 27
     PAPeriod < 27
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: SAP IN InclPay
     AND: (PAPerRs = Suppressed) OR PAPerEx <> EMPTY
( 936) FRS0504C.BU[].QEmpJob[].PAPerEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
( 937) FRS0504C.BU[].QEmpJob[].TaxAmt
     ^DL
     ^N How much was included as Income Tax refund?^N
     0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: IncTax IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
    AND: IncTax IN InclPay
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: IncTax IN InclPay
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: IncTax IN InclPay
AND: (TaxAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 101) AND INVOLVING(TaxAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: Mileage IN InclPay
```

(938) FRS0504C.BU[].QEmpJob[].MilAmt

^DL

^N How much was included for mileage allowance?^N

0.01..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
    AND: Mileage IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
    AND: Mileage IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
    AND: Mileage IN InclPay
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Mileage IN InclPay
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
     AND: (MilAmt > 0) AND (PayPd IN [OneWeek .. Year])
     (VWkly < 150) AND INVOLVING(MilAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
AND: Mileage IN InclPay
     AND: MilAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Mileage IN InclPay
     AND: MilAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
```

(939) FRS0504C.BU[].QEmpJob[].MotAmt

^DL

^N How much was included for motoring expenses?^N

0.01..9997.00

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
    AND: Motoring IN InclPay
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
    AND: Motoring IN InclPay
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[7] := 8.67
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: PayAmt > 0
     AND: Motoring IN InclPay
PdConW[52] := 52
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: PayAmt > 0
    AND: Motoring IN InclPay
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: PayAmt > 0
     AND: Motoring IN InclPay
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Motoring IN InclPay
AND: (MotAmt > 0) AND (PayPd IN [OneWeek .. Year])
(VWkly < 99) AND INVOLVING(MotAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: PayAmt > 0

AND: Motoring IN InclPay

AND: MotAmt = NONRESPONSE

AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: PayAmt > 0
AND: Motoring IN InclPay
AND: MotAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1
```

(940) FRS0504C.BU[].QEmpJob[].HHInc

^DL

^IS^I EE^I

^N Were any refunds for any of the items of household expenditure shown on this card, included in the net pay of ^vpayamt that you received on ^vpaydat?^N

```
(1) Yes Yes
(2) No No
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: HHInc = Yes
order[1] := 'first'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
order[2] := 'second'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
order[3] := 'third'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
( 941 ) FRS0504C.BU[].QEmpJob[].HHO
     ^DL
     ^N What was covered by the ^order[loopvar] refund?^N
     STRING[120]
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
( 942 ) FRS0504C.BU[].QEmpJob[].HHA
     ^DL
     ^N What was the amount of the refund for ^HHO[loopvar]?^N
     0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[5] := 4.333
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[9] := 5.78
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) \overline{OR} (HHC[loopvar - 1] = Yes)
PdConW[26] := 26
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
     AND: (HHA[loopvar] > 0) AND (PayPd IN [OneWeek .. Year])
     ((((loopvar = 1) AND (VWkly < 125)) OR ((loopvar = 2) AND (VWkly <
     50))) OR ((loopvar = 3) AND (VWkly < 50))) AND INVOLVING(HHA[loopvar])
     Al Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)
     AND: HHA [loopvar] = NONRESPONSE
     AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: HHInc = Yes

AND: In loop FOR loopvar := 1 TO 3

AND: (loopvar = 1) OR (HHC[loopvar - 1] = Yes)

AND: HHA[loopvar] = NONRESPONSE

AND: NOT (QBUId.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
AND: PMainJob = 1
AND: HHInc = Yes
AND: In loop FOR loopvar := 1 TO 3
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
    AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: PMainJob = 1
    AND: HHInc = Yes
     AND: In loop FOR loopvar := 1 TO 3
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: LNumJob[LPerNo] > 0
payinc := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: SSPAmt > 0
payinc := (payinc + SSPAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: SMPAmt > 0
payinc := (payinc + SMPAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
    AND: SPPAmt > 0
payinc := (payinc + SPPAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: SAPAmt > 0
payinc := (payinc + SAPAmt)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: TaxAmt > 0
payinc := (payinc + TaxAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: MilAmt > 0
payinc := (payinc + MilAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: MotAmt > 0
payinc := (payinc + MotAmt)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: HHA[1] > 0
payinc := (payinc + HHA[1])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: HHA[2] > 0
payinc := (payinc + HHA[2])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: HHA[3] > 0
payinc := (payinc + HHA[3])
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
( 943) FRS0504C.BU[].QEmpJob[].InclPRs
     ^DL
     ^N The amount(s) for the item(s) included in pay (see below) come to £^PayInc, which is more than the
     pay itself, of £^PayAmt. Please check your figures.^N
     (1)
          Passed
                     Passed
     (2)
          Hard
                     Hard
     (3)
          Soft
                     Soft
     (4)
          Suppress
                     Suppressed
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
( 944) FRS0504C.BU[].QEmpJob[].InclPEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: ((HHInc = No) OR ((((HHInc = Yes) AND ((HHA[1] > 0) AND (HHC[1] =
     No))) OR ((HHA[2] > 0) AND (HHC[2] = No))) OR ((HHA[3] > 0) AND
     (HHC[2] = Yes)))) AND ((PayAmt > 0) AND (payinc > 0))
     (payinc <= PayAmt) AND
     INVOLVING(SSPAmt,SMPAmt,SPPAmt,SAPAmt,TaxAmt,Milamt,MotAmt,HHA[1],HHA[
     2], HHA[3], PayAmt)
     (payinc <= PayAmt) AND INVOLVING (SSPAmt, SMPAmt, SPPAmt, SAPAmt, TaxAmt, MilAmt,
     MotAmt, HHA[1], HHA[2], HHA[3], PayAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: ((HHInc = No) OR ((((HHInc = Yes) AND ((HHA[1] > 0) AND (HHC[1] = Yes))))
     No))) OR ((HHA[2] > 0) AND (HHC[2] = No))) OR ((HHA[3] > 0) AND (HHC[2] = Yes)))) AND ((PayAmt > 0) AND (payinc > 0))
     AND: (InclPRs = Suppressed) OR InclPEx <> EMPTY
( 945) FRS0504C.BU[].QEmpJob[].InclPEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
( 946) FRS0504C.BU[].QEmpJob[].PayUsl
     'N Your wage/salary after all deductions was 'vpayamt. Is this the amount you usually receive?'N
                     Yes
     (1)
          Yes
     (2)
          No
                     No
     (3)
          NoSuch
                    No such thing as usual amount
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayUsl = No
  947) FRS0504C.BU[].QEmpJob[].WhyNoUsl
     ^DL
     ^N Why was your last pay not usual?^N
     ^I Probe: Which others?
     Code all that apply.^I
     SET [11] OF
                     Included a Tax rebate
     (1)
          TaxReb
     (2)
          EmergTax
                     I am currently being emergency taxed
     (3)
          OneOff
                     Inclusion of one-off bonus/profit/performance-related payment
     (4)
          BackPay
                     Inclusion of back pay
     (5)
          Unusual
                     Unusual payment of deductions/expenses
     (6)
          NewTaxYr
                     New tax year
     (7)
          TxSSPSMP Just started or finished receiving tax credits/SSP/SMP/SPP/SAP or change in
     amount
          Wages
                     Wage/salary change
     (8)
     (9)
                     Change of job
          NewJob
     (10)
          Overtime
                     Received overtime
     (11)
          Other
                     Other (please code)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PayUsl = No
     AND: Other IN WhyNoUsl
 948 ) FRS0504C.BU[].QEmpJob[].NoUsuOth
     ^DL
     ^N Please explain why last pay not usual.^N
     STRING[200]
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
           (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: PayUs1 = No
DoesDid := 'Does'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: PayUsl = No
dodid := 'do'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: PayUsl = No
arewere := 'are'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Work12m[LPerNo] = 1
DoesDid := 'Did'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Work12m[LPerNo] = 1
dodid := 'did'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Work12m[LPerNo] = 1
arewere := 'were'
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
( 949 ) FRS0504C.BU[].QEmpJob[].UNett
     'N What 'dodid you usually receive AFTER all deductions but including other payments such as Tax
     Credits?^N
     0.00..99997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = REFUSAL
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = REFUSAL
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = REFUSAL
vunett := '!!!!!!!'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = DONTKNOW
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
          (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = DONTKNOW
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UNett = DONTKNOW
vunett := 'don't know'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: NOT (UNett = DONTKNOW)
vunett := ('f' + STR(UNett,5,2))
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
(950) FRS0504C.BU[].QEmpJob[].UGross
     ^DL
     ^N What ^dodid you usually receive BEFORE all deductions but excluding any tax credit payments?^N
     0.00..99997.00
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
          (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     (UNett <= UGross) OR UGross=NONRESPONSE
     'I Usual pay BEFORE deductions shouldn't be lower than usual pay AFTER deductions; please amend
     your figures.^I
```

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
( 951) FRS0504C.BU[].QEmpJob[].UPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
( 952 ) FRS0504C.BU[].QEmpJob[].UPd
     ^DL
     ^N How often ^arewere you usually paid?^N
          OneWeek
                     One week
     (1)
          TwoWeek
                     Two weeks
     (2)
          ThrWeek
                     Three weeks
     (3)
                     Four weeks
     (4)
          Fourweek
     (5)
          Month
                     Calendar month
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
          ThrMonth
                     Three months/13 weeks
     (13)
          SixMonth
                     Six months/26 weeks
     (26)
     (52)
          Year
                     One Year/12 months/52 weeks
          LessWeek
     (90)
                     Less than one week
     (95)
          LumpSum
                     One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: UPd = Note
( 953 ) FRS0504C.BU[].QEmpJob[].UPx
     ^DL
     ^I^IC^Pd97Txt^I
     OPEN
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Edit = Yes
     UPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[13] := 13
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
Warn IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: (UNett > 0) AND (UPd IN [OneWeek . Year])
AND: VWkly > 0
(VWkly < 1000) AND INVOLVING(UPd,UNett)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[7] := 8.67
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[8] := 6.5
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[9] := 5.78
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[13] := 13
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
      AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (UGross > 0) AND (UPd IN [OneWeek .. Year])
      AND: VWkly > 0
      (VWkly < 1500) AND INVOLVING(UPd, UGross)
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
      AND: In loop FOR Count1 := 4 TO 6
      AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND:
( 954) FRS0504C.BU[].QEmpJob[].InclPay1
      ^DL
      @>^I Help <F9>^I
      @< ^IS^I DD^I
      ^N ^DoesDid your usual wage/salary include any of the items on this card?^N
      ^I Code all that apply^I
      SET [8] OF
      (1)
           SSP
                       Statutory Sick Pay
      (2)
           SMP
                       Statutory Maternity Pay
      (3)
           SPP
                       Statutory Paternity Pay
           SAP
                       Statutory Adoption Pay
      (4)
      (5)
           IncTax
                       Income Tax refund
                       Mileage allowance or fixed allowance for motoring
      (6)
           Mileage
           Motoring
                       Motoring expenses refund
      (7)
           WTC
                       Working Tax Credit
      (8)
      (9)
           None
                       (None of these)
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: In loop FOR Count1 := 4 TO 6
      AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
      AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
      AND: None IN InclPay1
      InclPay1.CARDINAL = 1
      'I 'None of these' is an exclusive code for this question.'I
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
      AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
      AND: SMP IN InclPay1
      Sex[[LPerNo] = Female
      'I The respondent is a man and cannot have Statutory Maternity Pay. Please amend your coding.'I
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
( 955) FRS0504C.BU[].QEmpJob[].OthDed1
     ^DL
     @>^I Help <F9>^I ^N
     @<Which of these are deductions from your usual wage/salary?^N
      ^I Running prompt...^I
     SET [9] OF
                      ^N...contribution by you to a pension or superannuation scheme?^N^I Help <F9>^I
     (1)
           PenDed
                      ^N...AVC's (Additional Voluntary Contributions)?^N
     (2)
           AVCDed
     (3)
           UnDed
                      ^N...Union fees?^N
     (4)
           FrdDed
                      ^N...Friendly societies?^N
     (5)
           SptDed
                      ^N...sports clubs or specialised pastimes?^N
                      ^N...repayment of a loan from your employer?^N
     (6)
           LonDed
                      ^N...Private medical insurance?^N
     (7)
           MedDed
                      ^N...Charities?^N
     (8)
           Charity
     (9)
           DedO
                      ^N...any other deductions we have not mentioned so far?^N
     (10)
           None
                      None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: None IN OthDed1
     OthDed1.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (TxSSPSMP IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: SSP IN InclPay1
( 956) FRS0504C.BU[].QEmpJob[].USSPAmt
     ^DL
     ^N How much was included for Statutory Sick Pay in usual pay?^N
      ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (TxSSPSMP IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: SMP IN InclPay1
(957) FRS0504C.BU[].QEmpJob[].USMPAmt
     ^DL
     ^N How much was included for Statutory Maternity Pay in usual pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (TxSSPSMP IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: SMP IN InclPay1
     AND: USMPAmt = DONTKNOW
(958) FRS0504C.BU[].QEmpJob[].USMPRate
     ^DL
     @>^I Help <F9>^I ^N
     @<How much was included for Statutory Maternity Pay^N^I - Check/ask:^I^N Was it ...Running
     prompt...^I
     (1)
          Higher
                     ^N...the higher rate,^N
     (2)
          Lower
                     ^N...or the lower rate?^N
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     Sex[[LPerNo] <> Female
     ^I Interviewer: Females cannot receive paternity Pay. Please check your answers.^I
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
(959) FRS0504C.BU[].QEmpJob[].USPPAmt
     ^DL
     ^N How much was included for Statutory Paternity Pay in usual pay?^N
     ^I^IC This should be shown on the payslip. If not, enter 'Don't know'.^I
     0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[7] := 8.67
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SPP IN InclPay1
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
PdConW[9] := 5.78
 \textit{Compute if:} \ \textit{In loop FOR Loop1 := 1 TO NewBU} 
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
PdConW[52] := 52
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: (USPPAmt > 0) AND (UPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(USPPAmt)
     (VWkly <= 100) AND INVOLVING (USPPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: (USPPAmt > 0) AND (UPd IN [OneWeek .. Year])
     AND: (USPPAMRs = Suppressed) OR USPPAMEX <> EMPTY
(960) FRS0504C.BU[].QEmpJob[].USPPAmEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SPP IN InclPay1
     AND: USPPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: SPP IN InclPay1
     AND: USPPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: SAP IN InclPay1

( 961 ) FRS0504C.BU[].QEmpJob[].USAPAmt
^DL
^N How much was included for Statutory Adoption Pay in usual pay?^N
^I^IC This should be shown on the payslip. If not, enter 'Don't know'^I.

0.01..9997.00
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[1] := 1
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[2] := 2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[3] := 3
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[4] := 4
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[5] := 4.333
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[7] := 8.67
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
PdConW[8] := 6.5
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
PdConW[9] := 5.78
 \textit{Compute if:} \ \textit{In loop FOR Loop1 := 1 TO NewBU} 
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
PdConW[10] := 5.2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
PdConW[13] := 13
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
PdConW[26] := 26
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
PdConW[52] := 52
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Employee pay, etc.

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
     AND: (USAPAmt > 0) AND (UPd IN [OneWeek .. Year])
     (VWkly <= 100) AND INVOLVING(USAPAmt)
     (VWkly <= 100) AND INVOLVING (USAPAmt)
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
     AND: (USAPAmt > 0) AND (UPd IN [OneWeek .. Year])
     AND: (USAPAMRs = Suppressed) OR USAPAMEX <> EMPTY
(962) FRS0504C.BU[].QEmpJob[].USAPAmEx
     ^DL
     ^I^IC^SuppTxt^I
     OPEN
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: SAP IN InclPay1
     AND: USAPAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
    AND: SAP IN InclPay1
     AND: USAPAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: IncTax IN InclPay1
(963) FRS0504C.BU[].QEmpJob[].UTaxAmt
     'N How much was included as Income Tax refund in usual pay?'N
     0.01..9997.00
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Mileage IN InclPay1
( 964) FRS0504C.BU[].QEmpJob[].UMilAmt
     ^DL
     ^N How much was included for mileage allowance in usual pay?^N
     0.01..9997.00
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
          (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: Motoring IN InclPay1
(965) FRS0504C.BU[].QEmpJob[].UMotAmt
     ^DL
     ^N How much was included for motoring expenses in usual pay?^N
     0.01..9997.00
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (Unusual IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: In loop FOR loopvar := 1 TO 8
     AND: loopvar IN OthDed1
(966) FRS0504C.BU[].QEmpJob[].UDeduc
     ^DL
     'N How much was usually deducted for 'Deduction[loopvar]?'N
     0.01..9997.00
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (Unusual IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: In loop FOR loopvar := 1 TO 8
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: (PayUsl = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
     AND: (Unusual IN WhyNoUsl) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
     AND: In loop FOR loopvar := 1 TO 8
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: (Unusual IN WhyNoUs1) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
AND: In loop FOR loopvar := 1 TO 8
RESERVECHECK
RESERVECHECK
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: (PayUs1 = No) OR ((LNumJob[LPerNo] = 0) AND (Work12m[LPerNo] = 1))
AND: (Unusual IN WhyNoUs1) OR (QCurSt2.Adult[LPerNo].Retire = Yes)
AND: DedO IN OthDed1
```

(967) FRS0504C.BU[].QEmpJob[].UDedOth

^DL

^I Open a note and describe these 'other' deductions, with amounts.

Then add them up and enter the total at this question.^I

0.01..9997.00

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1
```

(968) FRS0504C.BU[].QEmpJob[].Bonus

^DL

^N In the last 12 months have you received any bonuses such as a Christmas or quarterly bonus, profit-related pay or profit-sharing bonus, or an occasional commission?^N

^I^IC - Exclude regular bonuses/commission (eg. weekly/monthly) normally included in pay. - Exclude shares, voucher, income in kind.

Enter number of bonuses (max 6) and give details at subsequent questions. If no bonuses, enter 0.^I

0..6

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: In loop FOR Count1 := 4 TO 6

AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)

AND: LNumJob[LPerNo] > 0

AND: PMainJob = 1

AND: In loop FOR loopvar := 1 TO Bonus
```

(969) FRS0504C.BU[].QEmpJob[].BonAmt

^DL

^I Enter amount of bonus number ^loopvar.^I

0.01..99999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     AND: (GrMnthly > 0) AND (BonAmt = RESPONSE)
     BonAmt[loopvar] < (GrMnthly / 2)</pre>
     ^I Is that a year's bonus? It seems very high. Please check and amend it if necessary.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     AND: BonAmt[loopvar] = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     AND: BonAmt[loopvar] = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
( 970 ) FRS0504C.BU[].QEmpJob[].BonTax
     ^DL
     ^N Was this amount ...^N
          befor
                    Before tax
     (1)
     (2)
          aftr
                    After tax
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: In loop FOR loopvar := 1 TO Bonus
     RESERVECHECK
     RESERVECHECK
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
( 971) FRS0504C.BU[].QEmpJob[].UBonInc
     ^DL
     ^N Did the usual net pay of ^vunett include any of this bonus or commission?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
     AND: UBonInc = Yes
( 972) FRS0504C.BU[].QEmpJob[].UBonAmt
     ^DL
     ^N How much was included?^N
     0.00..99997.00
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
     AND: UBonInc = Yes
     AND: UBonAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: (Bonus > 0) AND (PayUsl = No)
     AND: UBonInc = Yes
     AND: UBonAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
(973) FRS0504C.BU[].QEmpJob[].InKind
     ^DL
     ^IS^I FF^I
     'N Which, if any, of the benefits shown on this card have you made use of, or received, from your present
     employer in the last 6 months?
     ^I^IC Code all that apply. Company vehicles do not include motorbikes/scooters.^I
     SET [13] OF
           Luncheon
                      Luncheon Vouchers
     (1)
                      Free meals (including free canteen at work)
     (2)
           Meal
     (3)
           Canteen
                      Subsidised canteen
                      Free or subsidised goods (incl. store vouchers)
     (4)
           Goods
     (5)
           Nursey
                      Workplace nursery
                      Childcare vouchers / employer contracted childcare
     (6)
           Child
     (7)
           Medical
                      Free or subsidised medical insurance for self or family
     (8)
           Shares
                      Shares or share options
     (9)
           School
                      Payment of school fees for family members
     (10)
          Phone
                      Provision of a phone for personal use as well as work
     (11)
           Car
                      Company vehicle
     (12)
           Computer
                      Home computer
     (13)
           Other
                      Any other payments in kind
     (14)
           None
                      None of these
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: None IN InKind
     InKind.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: InKind <> EMPTY AND NOT (None IN InKind)
     AND: InKind.CARDINAL = 1
Are these := 'Is this benefit in kind'
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: InKind <> EMPTY AND NOT (None IN InKind)
     AND: NOT (InKind.CARDINAL = 1)
Are these := 'Are any of these benefits in kind'
Ask IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: InKind <> EMPTY AND NOT (None IN InKind)
( 974) FRS0504C.BU[].QEmpJob[].SalSac
     ^DL
     ^Are_these received instead of some of your salary or wage?
     (1)
          Yes
                     Yes
     (2)
          No
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: Medical IN InKind
(975) FRS0504C.BU[].QEmpJob[].InsType
     ^DL
     @>^I Help <F9>^I
     @< ^N Can I check, does your medical insurance include 'permanent health insurance' or 'critical illness
     cover'?^N
     (1)
                     permanent health insurance
          perm
     (2)
                    critical illness cover
          crit
     (3)
          both
                     both
     (4)
                     neither
          no
     (5)
                    don't know
          dnk
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: LNumJob[LPerNo] > 0
     AND: PMainJob = 1
     AND: Other IN InKind
(976) FRS0504C.BU[].QEmpJob[].OthPerk
     ^DL
     ^I^IC Describe other benefit(s)^I
     STRING[50]
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: Edit = Yes
AND: (Payslip IN [Latest, OldSlip]) OR (((Payslip IN [NotC, NoSlip])
AND (GrWagPd IN [OneWeek . Year])) AND (GrWagPd = PayPd))
(ABS(GrWage - Total) < 5) AND
INVOLVING(PAYE,NatIns,PayAmt,GrWage,GrWagPd)</pre>
```

^I Net pay & all deductions add up to £^Total, but the gross pay is £^GrWage.

Editor: is a tax refund or tax credit included? (see InclPay). If so, follow your edit instructions, p.24. If using the net to gross pay calculator, remember to remove the tax credit from the figure for net pay before using the calculator to work out gross pay.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: Edit = Yes
AND: (GrWkly = RESPONSE) AND (TotWkly = RESPONSE)
(ABS(GrWkly - TotWkly) < 5) AND
INVOLVING(PAYE, NatIns, PayAmt, GrWage, GrWagPd)</pre>
```

'I Net pay & all deductions add up to £\TotWkly per week, but the gross pay is £\GrWkly per week.

Editor: is a tax refund or tax credit included? (see InclPay). If so, follow your edit instructions, p.24. If using the net to gross pay calculator, remember to remove the tax credit from the figure for net pay before using the calculator to work out gross pay.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: Edit = Yes
PAYE<>NONRESPONSE
```

^I Missing info for PAYE.

If this job is a^B subsidiary^B job with^B same^B employer as main job, don't impute missing amount: Instead enter 0.^I

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: Edit = Yes
NatIns<>NONRESPONSE
```

^I Missing info for National Insurance amount.

If this job is a^B subsidiary^B job with^B same^B employer as main job, don't impute missing amount: Instead enter 0.^I

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
AND: Edit = Yes
PayAmt<>NONRESPONSE
```

^I Missing amount for Wage/salary.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: Edit = Yes
     GrWage<>NONRESPONSE
     ^I Missing info for Gross Wage.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     AND: Edit = Yes
     UNett<>NONRESPONSE
     'I Missing info for Net Pay.'I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: Edit = Yes
     UGross<>NONRESPONSE
     ^I Missing info for Gross Pay.^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     AND: Edit = Yes
     Deduc[1]<>NONRESPONSE AND INVOLVING(Deduc[1], GrWage, PayAmt)
     'I Missing info for Pension Deduction. Impute this as a percentage of last pay, following the edit
     instructions^I
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
          (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
    RESERVECHECK
    RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
    AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
    RESERVECHECK
     RESERVECHECK
```

```
Warn if: In loop FOR Loop1 := 1 TO NewBU
AnD: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
RESERVECHECK

RESERVECHECK

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
RESERVECHECK

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
RESERVECHECK

RESERVECHECK

RESERVECHECK
```

FRS0504C.BU[] (continued)

Benefit Unit Schedule

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
QEmpJob[Count1].PersId := Person[2]
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2, Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
     AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Count1 := 4 TO 6
AND: (AdultNum = 2) AND (JobStat[2,Count1 - 3] = 1)
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
CC := ''
```