

Block: FRS0504C.BU[.QBenefit.QBenef2[.ISAmt

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW

```

(1570) FRS0504C.BU[.QBenefit.QBenef2[.ISAmt.BenAmtDK

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the^B combined benefit figure^B IN A NOTE, with explanations as needed.^I
 (2) No No
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd[[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: BenAmt > 0

```

(1571) FRS0504C.BU[.QBenefit.QBenef2[.ISAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: BenAmt > 0

```

(1572) FRS0504C.BU[.QBenefit.QBenef2[.ISAmt.BenPd

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: BenAmt > 0
AND: BenPd = Note

```

(1573) FRS0504C.BU[.QBenefit.QBenef2[.ISAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.ISUsual

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PersId := PId

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
```

Benefit := PBenTyp

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
```

(1574) FRS0504C.BU[.QBenefit.QBenef2[.ISUsual.Usual

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
Is that the amount you usually get?^N

(1)	Yes	Yes
(2)	No	No
(3)	NoSuch	No such thing as usual amount
-

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Usual = No
```

(1575) FRS0504C.BU[.QBenefit.QBenef2[.ISUsual.BUsAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
How much do you usually get?^N

^I^IC (If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for both/all such benefits^B)^I

0.01..9997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Usual = No
  AND: BUsAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Usual = No
  AND: BUsAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Usual = No
  AND: BUsAmt = DONTKNOW

```

(1576) FRS0504C.BU[].QBenefit.QBenef2[].ISUsual.BUSAmtDK

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't Know' and enter the ^B combined benefit figure ^B in a note, with explanations as needed. ^I
- (2) No No
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Usual = No
  AND: BUsAmt = DONTKNOW
  AND: BUSAmtDK = Yes

```

CombEd[[PNo]] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Usual = No
  AND: BUsAmt = DONTKNOW
  AND: BUSAmtDK = No
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Usual = No
AND: BUSAmt = DONTKNOW
AND: BUSAmtDK = No
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Usual = No
AND: BUSAmt = RESPONSE

(1577) FRS0504C.BU[.QBenefit.QBenef2[.ISUsual.BUsPx

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I
 ^I^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Usual = No
AND: BUSAmt = RESPONSE

(1578) FRS0504C.BU[.QBenefit.QBenef2[.ISUsual.BUsPd

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I
 ^N
 How long does this cover?^N

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: Usual = No
 AND: BUSAmt = RESPONSE
 AND: BUSPd = Note

(1579) FRS0504C.BU[.QBenefit.QBenef2[.ISUsual.BUSPx

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: Edit = Yes
 BUSAmtDK <> Yes

^I Editor: Interviewer was unable to give separate amounts for combined benefits; check their notes, and follow the edit instructions where applicable.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: Edit = Yes
 BUSPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ISAmt.BenAmt = RESPONSE

```

```

LSomeAmt := ('f' + STR(ISAmt.BenAmt,4,2))

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (ISAmt.BenAmt = RESPONSE)

```

```

LSomeAmt := 'some'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ISAmt.BenAmt <> 0

```

```

AAsk := Yes

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]

```

```

UName := UPCASE(BName[ BTyp ])

```

FRS0504C.BU[.QBenefit.QBenef2[.ISLoan

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PersId := PId

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
```

APNo := PPerNo

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
```

Benefit := PBenTyp

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
```

BenLettr := PBenLet

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (Benefit IN [6, 53]) AND ((DepChild[1] = 1) OR (DepChild[2] = 1))
```

(1580) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Maint

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N

Can I just check, does your ^PBName include any payment from the Child Support Agency, for your child(ren)?^N

^I^IC This may be through a court order, C.S.A. assessment, or written maintenance agreement.^I

(1)	Yes	Yes
(2)	No	No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes

```

(1581) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.PComp

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^I^IC Ask respondent to consult award notice to see if guarantee Credit and Savings Credit being
received
...Code all that apply...^I

```

```

SET [3] OF

```

(1)	L	GUARANTEED ELEMENT RECEIVED (See Section titled 'His / Her Guarantee credit')
(2)	Y	SAVINGS ELEMENT RECEIVED (See Section titled 'His / Her Saving credit')
(3)	DontUse	<DO NOT USE THIS CODE>
-

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: DontUse IN PComp
ERROR

```

```

^I Do not use code 3. Please remove it now.^I

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
RESERVECHECK

```

```

RESERVECHECK

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
RESERVECHECK

```

```

RESERVECHECK

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)

```

(1582) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.PCmpAmtG

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N

And what is the amount received for the Guaranteed element?^N

^I^IC Enter amount from award notice received from His / Her Guarantee Credit section.^I

0.00..9997.00

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)
AND: PCmpAmtG = DONTKNOW
ERROR

```

Respondent is consulting award notice but cannot give the breakdown of components. Please check all pages of the award notice and look for the section titled 'How pension credit has been worked out' to find the breakdown. If respondent has only kept the first page, which doesn't give the breakdown, please make a note.

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)

```

(1583) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.PCmpAmtS

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N

And what is the amount received for the Savings element?^N

^I^IC Enter amount from award notice received from His / Her Guarantee Credit section.^I

0.00..9997.00

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)
AND: PCmpAmtS = DONTKNOW
ERROR

```

Respondent is consulting award notice but cannot give the breakdown of components. Please check all pages of the award notice and look for the section titled 'How pension credit has been worked out' to find the breakdown. If respondent has only kept the first page, which doesn't give the breakdown, please make a note.

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)
RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Benefit = 53
AND: BenLettr = Yes
AND: (L IN PComp) AND (Y IN PComp)
AND: Edit = No
AND: ((PCmpAmtG = RESPONSE) AND (PCmpAmtS = RESPONSE)) AND
 (QBenef2[PNo].PCamt.BenAmt = RESPONSE)
 (ABS((PCmpAmtG + PCmpAmtS) - QBenef2[.PCamt.BenAmt[PNo])) < 5) AND
 INVOLVING(QBenef2[.PCamt.BenAmt[PNo], PCmpAmtG, PCmpAmtS)

^I This amount for the savings and guarantee elements should equal the total received for Pension Credit.
 Please amend the total or these components as appropriate.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: NatCen = NI

(1584) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.NIGovPay

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^IS^I SS^I

^N Are the ^GOV1 paying directly for any of the things shown on this card?
 IF YES: Which?^N

^I^IC Code all that apply.
 (These are paid for by deductions from ^PBName.)^I

SET [9] OF

(1)	Housing	Mortgage interest
(2)	RentArr	Rent arrears
(3)	Nursing	Fees for nursing home or residential care
(4)	GasElec	Gas or electricity bills
(5)	ServHeat	Service charges for heating or fuel
(6)	RateArr	Rates arrears
(7)	Fines	Fines
(8)	Maint	Maintenance payments
(9)	YesDK	Yes - but don't know which
(10)	None	No - none of these

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: NOT (NatCen = NI)

(1585) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovPay

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^IS^I SS^I

^N Are the ^Gov1 paying directly for any of the things shown on this card?
 IF YES: Which?^N

^I^IC Code all that apply.
 (These are paid for by deductions from ^PBName.)^I

SET [10] OF

(1)	Housing	Mortgage interest
(2)	Arrear	Rent arrears
(3)	Nursing	Fees for nursing home or residential care
(4)	GasElec	Gas or electricity bills
(5)	ServHeat	Service charges for heating or fuel
(6)	Water	Water charges
(7)	CTax	Council Tax arrears
(8)	Fines	Fines
(9)	Maint	Maintenance payments
(10)	YesDK	Yes - but don't know which
(11)	None	No - none of these

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]

(1586) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovHsRs

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^N You said earlier that ^GOV1 are paying £^LHWeekly a week for mortgage, but respondent(s) ^JSAIS doesn't contain mortgage. Please amend answer for Person 1 or 2 as necessary, or explain discrepancy in a Note.^N

(1)	Passed	Passed
(2)	Hard	Hard
(3)	Soft	Soft
(4)	Suppress	Suppressed

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1587) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovHsEx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

```

OPEN

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (BNum = 1) AND (Benefit IN [6, 33])
  AND: Benefit = 33

```

JSAIS := 'JSA'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (BNum = 1) AND (Benefit IN [6, 33])
  AND: Benefit = 6

```

JSAIS := 'IS'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (BNum = 1) AND (Benefit IN [6, 33])
  AND: GOV IN QOwner1.QMortgage.M[1].QOutsPay[]

```

LHWeekly := QOwner1.QMortgage.M[1].QOutside[1].OutWkly

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (BNum = 1) AND (Benefit IN [6, 33])
  AND: GOV IN QOwner1.QMortgage.M[1].QOutsPay[]
  AND: (AdultNum = 1) AND (GovPay <> EMPTY OR NIGovPay <> EMPTY)
  AND: ((IN(Housing,GovPay)) OR (IN(Housing,NIGovPay))) AND
  INVOLVING (NIGovPay,GovPay)

((Housing IN GovPay) OR (Housing IN NIGovPay)) AND INVOLVING (NIGovPay, GovPay)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (BNum = 1) AND (Benefit IN [6, 33])
  AND: GOV IN QOwner1.QMortgage.M[1].QOutsPay[]
  AND: (AdultNum = 1) AND (GovPay <> EMPTY OR NIGovPay <> EMPTY)
  AND: (GovHsRs = Suppressed) OR GovHsEx <> EMPTY

```

(1588) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovHsEx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (BNum = 1) AND (Benefit IN [6, 33])
  AND: GOV IN QOwner1.QMortgage.M[1].QOutsPay[]
  AND: ((AdultNum = 2) AND (APNo = 2)) AND (((GovPay <> EMPTY OR
  QBenef2[1].JSALoan.GovPay[] <> EMPTY) OR NIGovPay <> EMPTY) OR
  QBenef2[1].JSALoan.NIGovPay[] <> EMPTY)
  (((IN(Housing,GovPay)) OR (IN(Housing,QBenef2[1].JSALoan.GovPay[])))
  OR (IN(Housing,NIGovPay))) OR
  (IN(Housing,QBenef2[1].JSALoan.NIGovPay[]))) AND
  INVOLVING (NIGovPay,GovPay)

  (((Housing IN GovPay) OR (Housing IN QBenef2[1].JSALoan.GovPay[])) OR (Housing IN
  NIGovPay)) OR (Housing IN QBenef2[1].JSALoan.NIGovPay[])) AND INVOLVING (NIGovPay,
  GovPay)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (BNum = 1) AND (Benefit IN [6, 33])
  AND: GOV IN QOwner1.QMortgage.M[1].QOutsPay[]
  AND: ((AdultNum = 2) AND (APNo = 2)) AND (((GovPay <> EMPTY OR
  QBenef2[1].JSALoan.GovPay[] <> EMPTY) OR NIGovPay <> EMPTY) OR
  QBenef2[1].JSALoan.NIGovPay[] <> EMPTY)
  AND: (GovHsRs = Suppressed) OR GovHsEx <> EMPTY

```

(1589) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovHsEx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))

```

(1590) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
How much (in total) is the ^GOV1 paying for this/these things?^N

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: GovAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: GovAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: GovAmt > 0

```

(1591) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
      ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0

```

(1592) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovPd

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N

How long does this cover?^N

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
      ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
AND: GovPd = Note

```

(1593) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovPx

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^I^IC^Pd97Txt^I

OPEN

FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
 AND: GovAmt > 0

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
 AND: GovAmt > 0

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
 AND: GovAmt > 0

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
 AND: GovAmt > 0

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
 AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
 AND: GovAmt > 0

PdConW[5] := 4.333

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
```

PdConW[7] := 8.67

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
```

PdConW[8] := 6.5

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
```

PdConW[9] := 5.78

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
```

PdConW[10] := 5.2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
```

PdConW[13] := 13

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
```

PdConW[26] := 26

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: GovAmt > 0
```

PdConW[52] := 52

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: GovAmt > 0
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: GovAmt > 0
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[.ISLoan (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
AND: GovAmt > 0
AND: GovPd IN [OneWeek .. Year]
AND: LWeekly > 0

GovWkly := LWeekly

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))

(1594) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnRs

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N This is not the same as the amount of £^MWeekly a week for the mortgage, which they said earlier that ^GOV1 are paying. Please amend answer as necessary, or explain discrepancy in a Note.^N

(1)	Passed	Passed
(2)	Hard	Hard
(3)	Soft	Soft
(4)	Suppress	Suppressed
-

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))

(1595) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnEx

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^I^IC^SuppTxt^I

OPEN

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
 ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))

MWeekly := QOwner1.QMortgage.M[1].QOutside[1].OutWkly

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND (QBenef2[1].JSALoan.GovWkly > 0)
  ((GovWkly = MWeekly) OR (QBenefit.QBenef2[1].JSALoan.GovWkly =
  MWeekly)) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd, QBen
  ef2[1].JSALoan.GovAmt, QBenef2[1].JSALoan.GovPd)

  ((GovWkly = MWeekly) OR (QBenefit.QBenef2[1].JSALoan.GovWkly = MWeekly)) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd,
  QBenef2[1].JSALoan.GovAmt, QBenef2[1].JSALoan.GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND (QBenef2[1].JSALoan.GovWkly > 0)
  AND: (Gov1LnRs = Suppressed) OR Gov1LnEx <> EMPTY

```

(1596) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnEx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND NOT (JSA IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  (GovWkly = MWeekly) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly = MWeekly) AND INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND NOT (JSA IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  AND: (Gov1LnRs = Suppressed) OR Gov1LnEx <> EMPTY

```

(1597) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 1) AND NOT (JSA IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  (GovWkly = MWeekly) AND
INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly = MWeekly) AND INVOLVING (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 1) AND NOT (JSA IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  AND: (Gov1LnRs = Suppressed) OR Gov1LnEx <> EMPTY

```

(1598) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND (QBenef2[1].JSALoan.GovWkly > 0)
  ((GovWkly >= MWeekly) OR (QBenefit.QBenef2[1].JSALoan.GovWkly >=
  MWeekly)) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, QBenef2[1].JSALoa
  n.GovAmt, GovAmt, GovPd, QBenef2[1].JSALoan.GovAmt, QBenef2[2].JSALoan.Gov
  Pd)

  ((GovWkly >= MWeekly) OR (QBenefit.QBenef2[1].JSALoan.GovWkly >= MWeekly)) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, QBenef2[1].JSALoan.GovAmt,
  GovAmt, GovPd, QBenef2[1].JSALoan.GovAmt, QBenef2[2].JSALoan.GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND (QBenef2[1].JSALoan.GovWkly > 0)
  AND: (Gov2LnRs = Suppressed) OR Gov2LnEx <> EMPTY

```

(1599) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov2LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND NOT (JSA IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  (GovWkly >= MWeekly) AND
INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly >= MWeekly) AND INVOLVING (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND NOT (JSA IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  AND: (Gov2LnRs = Suppressed) OR Gov2LnEx <> EMPTY

```

(1600) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov2LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 1) AND NOT (JSA IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  (GovWkly >= MWeekly) AND
INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly >= MWeekly) AND INVOLVING (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 33)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].JSALoan.GovPay[].CARDINAL +
  QBenef2[2].JSALoan.GovPay[].CARDINAL) +
  QBenef2[1].JSALoan.NIGovPay[].CARDINAL) +
  QBenef2[2].JSALoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 1) AND NOT (JSA IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  AND: (Gov2LnRs = Suppressed) OR Gov2LnEx <> EMPTY

```

(1601) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov2LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND (QBenef2[1].ISLoan.GovWkly > 0)
  ((GovWkly = MWeekly) OR (QBenefit.QBenef2[1].ISLoan.GovWkly =
  MWeekly)) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd, QBen
  ef2[1].ISLoan.GovAmt, QBenef2[1].ISLoan.GovPd)

  ((GovWkly = MWeekly) OR (QBenefit.QBenef2[1].ISLoan.GovWkly = MWeekly)) AND INVOLVING
  (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd, QBenef2[1].ISLoan.GovAmt,
  QBenef2[1].ISLoan.GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND (QBenef2[1].ISLoan.GovWkly > 0)
  AND: (Gov1LnRs = Suppressed) OR Gov1LnEx <> EMPTY

```

(1602) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  (GovWkly = MWeekly) AND
INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly = MWeekly) AND INVOLVING (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 2) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  AND: (Gov1LnRs = Suppressed) OR Gov1LnEx <> EMPTY

```

(1603) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 1) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  (GovWkly = MWeekly) AND
INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly = MWeekly) AND INVOLVING (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) = 1
  AND: (APNo = 1) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  AND: (Gov1LnRs = Suppressed) OR Gov1LnEx <> EMPTY

```

(1604) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov1LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND (QBenef2[1].ISLoan.GovWkly > 0)
  ((GovWkly >= MWeekly) OR (QBenefit.QBenef2[1].ISLoan.GovWkly >=
  MWeekly)) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, QBenef2[1].ISLoan
  .GovAmt, GovAmt, GovPd, QBenef2[1].ISLoan.GovAmt, QBenef2[2].ISLoan.GovPd)

  ((GovWkly >= MWeekly) OR (QBenefit.QBenef2[1].ISLoan.GovWkly >= MWeekly)) AND
  INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, QBenef2[1].ISLoan.GovAmt,
  GovAmt, GovPd, QBenef2[1].ISLoan.GovAmt, QBenef2[2].ISLoan.GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND (QBenef2[1].ISLoan.GovWkly > 0)
  AND: (Gov2LnRs = Suppressed) OR Gov2LnEx <> EMPTY

```

(1605) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov2LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  (GovWkly >= MWeekly) AND
INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly >= MWeekly) AND INVOLVING (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 2) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[])
  AND: (Gov2LnRs = Suppressed) OR Gov2LnEx <> EMPTY

```

(1606) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov2LnEx

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[].CARDINAL +
  QBenef2[2].ISLoan.GovPay[].CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[].CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[].CARDINAL) > 1
  AND: (APNo = 1) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  (GovWkly >= MWeekly) AND
INVOLVING(QOwner1.QMortgage.M[1].QOutside[1].OutsAmt, GovAmt, GovPd)

  (GovWkly >= MWeekly) AND INVOLVING (QOwner1.QMortgage.M[1].QOutside[1].OutsAmt,
  GovAmt, GovPd)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: (GOV IN QOwner1.QMortgage.M[1].QOutsPay[]) AND (Benefit = 6)
  AND: ((BNum = 1) AND (MWeekly > 0)) AND (GovWkly > 0)
  AND: (((QBenef2[1].ISLoan.GovPay[.CARDINAL +
  QBenef2[2].ISLoan.GovPay[.CARDINAL) +
  QBenef2[1].ISLoan.NIGovPay[.CARDINAL) +
  QBenef2[2].ISLoan.NIGovPay[.CARDINAL) > 1
  AND: (APNo = 1) AND NOT (IncSupp IN QBenefit.QBen3Q.Adult[2].Ben3Q[])
  AND: (Gov2LnRs = Suppressed) OR Gov2LnEx <> EMPTY

```

(1607) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.Gov2LnEx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^SuppTxt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: ((GovPay.CARDINAL >= 1) AND NOT (None IN GovPay)) OR
  ((NIGovPay.CARDINAL >= 1) AND NOT (None IN NIGovPay))
  AND: PAsk = Yes

```

(1608) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.GovBefor

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N

```

Just now, you said that you got ^SomeAmt ^PBName last time. Was that BEFORE or AFTER taking off what the ^Gov1 pay for directly?^N

(1) Befor entitlement)	BEFORE deducting what the ^Gov1 pay for directly (ie. respondent's gross
(2) Afr respondent)	AFTER deducting what the ^Gov1 pay for directly (ie. net amount received by
-

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: None IN GovPay
  GovPay.CARDINAL = 1

```

^I 'None of these' is an exclusive code for this question.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: None IN NIGovPay
  NIGovPay.CARDINAL = 1

```

^I 'None of these' is an exclusive code for this question.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
GovPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1609) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.SFRepay

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

Are you at present making any repayments on any Social Fund loan(s)?

(1)	Yes	Yes
(2)	No	No
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: SFRepay = Yes

```

(1610) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.RepayAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

How much in total do you repay, per week?

IF REPAYING MORE THAN ONE LOAN, GIVE COMBINED AMOUNT.

0.01..997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: SFRepay = Yes
AND: RepayAmt = NONRESPONSE
AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: SFRepay = Yes
  AND: RepayAmt = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: SFRepay = Yes
  AND: (RepayAmt > 0) OR (RepayAmt = NONRESPONSE AND (PAsk = Yes))

```

(1611) FRS0504C.BU[.QBenefit.QBenef2[.ISLoan.SFInc

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

Just now, you said that you got ^SomeAmt ^PBName last time. Was that BEFORE or AFTER taking off your Social Fund loan repayments?

(1)	Befor	BEFORE taking off amount for loan repayment
(2)	Aftr	AFTER taking off amount for loan repayment
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
  RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
```

NCDVOB := (NCDVOB + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
```

BTyp := 9

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
```

Stateben[[PerNo] := 'Yes'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
```

UName := UPCASE(BName[[BTyp])

FRS0504C.BU[].QBenefit.QBenef2[].IBHow

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

LBenTyp := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

Benefit := LBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

LPNo := PPNo

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NatCen = NI

```

BenAgency := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (NatCen = NI)
  AND: NOT (NIPens IN QBen1Q.Adult[LPNo].Ben1Q[])

```

BenAgency := 'or Benefits Agency'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp = 5
  AND: NIPens IN QBen1Q.Adult[LPNo].Ben1Q[]
  AND: NatCen <> NI

```

PenServ := 'Pension Service part of the'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [4, 10, 11]
  AND: ((DLACare IN QBen2Q.Adult[LPNo].Ben2Q[]) OR (DLAMob IN
  QBen2Q.Adult[LPNo].Ben2Q[])) OR (AttAll IN QBen2Q.Adult[LPNo].Ben2Q[])
  AND: NatCen <> NI

```

DCD := 'Disability and Carer's Directorate (DCD) or'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [6, 33]

```

Your := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp IN [6, 33])

```

Your := 'your '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33]

```

How := ('Thinking about ' + Your + BName[LBenTyp] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp = 53

```

letter := 'letter or award notice'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp = 53)

```

letter := 'letter'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1612) FRS0504C.BU[.QBenefit.QBenef2[.IBHow.HowBen

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

@>^I Help <F9>^I

@<

^N^How is it paid to you?^N ^I

Prompt as necessary to classify.

^IC All bank and post office accounts should be included under code 2 (including BASIC accounts / post office card accounts).^I

(1)	Book	Order book (cashed at Post Office)
(2)	Bank	Direct to current bank / building society / post office account
(3)	Giro	Giro cheque
(4)	Motab	Paid directly for motability
(5)	Other	Other ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Bank

```

ACTBen [[PNo] := (ACTBen [[PNo] + 1)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Motab
      ((IN(DLACare,QBen2Q.Adult[.Ben2Q[] [LPNo])) OR
      (IN(DLAMob,QBen2Q.Adult[.Ben2Q[] [LPNo])) AND
      INVOLVING(QBen2Q.Adult[.Ben2Q[] [LPNo],HowBen)

```

^I Disability Living Allowance must be in receipt for category 4 at HowBen. Please amend.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: LBenTyp = 52
IN(HowBen, [???, ???])

```

^I New Deal for over 50's can only be paid straight into Bank (code 2) or by Giro (code 3). Please amend.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Book

```

(1613) FRS0504C.BU[.QBenefit.QBenef2[.IBHow.BookCard

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have the order book to hand, so you could consult it?^N

(1)	Yes	Yes, consulted now
(2)	Later	To be consulted^B later^B
(3)	Refused	Respondent unwilling/refused
(4)	NonHH	Held by non-household member
(5)	Unable	Unable to find it
(6)	Other	Other reason for not consulting ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Book
AND: BookCard = Later

```

OBLater := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Book
  AND: BookCard = Later

```

BookDo := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Book
  AND: BookCard = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52

```

(1614) FRS0504C.BU[.QBenefit.QBenef2[.IBHow.BenLettr

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have a ^letter from the ^PenServ ^DCD ^Gov1 ^BenAgency that you could consult?^N

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52
  AND: BenLettr = Yes

```

NCDVDC := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: LBenTyp = 52

```

Or_is := 'Is'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: NOT (LBenTyp = 52)

```

Or_is := '.....or is'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))

```

(1615) FRS0504C.BU[.QBenefit.QBenef2[.IBHow.BankStmt

ACC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^I Ask or record:^I

^Or_is there a bank statement you could consult?

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: BankStmt = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: LBenTyp IN [12, 19]

```

(1616) FRS0504C.BU[.QBenefit.QBenef2[.IBHow.OrdBkLt

ACC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^I

Please enter the order book (card/voucher) identifying letters.^I

(1)	BB	BB - Working Families' Tax Credit
(2)	CC	CC - Disabled Person's Tax Credit
(3)	Other	Other - make a note
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: LBenTyp = 1

```

```

OrdBk Txt := ('Interviewer: Child Benefit is sometimes paid on
' + 'Order Book DD. In these cases enter number 5. ' + 'You do
not need to make a note.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: NOT (LBenTyp = 1)

```

```

OrdBk Txt := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])

```

(1617) FRS0504C.BU[.QBenefit.QBenef2[.IBHow.OrdBkNo

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^I^IC^B Enter order book number^B, from top right-hand corner of counterfoil (Ie. Voucher)

```

```

^OrdBk_Txt^I

```

```

5..14

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: OrdBkNo = RESPONSE
  OrdBkNo <> 9

```

```

^I Order Book 9 is for refunds of Prescription Charges.
Please change your answer.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = RESPONSE
 (((((((OrdBkNo = 5) AND (IN(LBenTyp, [1..3])))) OR ((OrdBkNo = 6) AND
 (IN(LBenTyp, [20, 31..32])))) OR ((OrdBkNo = 7) AND
 (IN(LBenTyp, [10..11])))) OR ((OrdBkNo = 8) AND (LBenTyp = 28))) OR
 ((OrdBkNo = 10) AND (IN(LBenTyp, [4..6, 10..11, 53])))) OR ((OrdBkNo =

^I^PBName is NOT usually received on this Order Book number. Ask respondent to check FRONT
 PAGES of Book, for benefit name(s).

If correct, however, suppress warning & make a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = 10
 ((IN(PenCred, QBen3Q.Adult[] .Ben3Q[] [PPNo])) OR
 (IN(IncSupp, QBen3Q.Adult[] .Ben3Q[] [PPNo]))

^I Interviewer: If Order Book 10 is used then the respondent ALWAYS received income support or
 pension credit. Please check the book and if necessary amend your coding at Ben3Q. If you suppress this
 warning you MUST press make a note explaining that you checked the order book and found no record of
 income support / pension credit.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)

(1618) FRS0504C.BU[.QBenefit.QBenef2[.IBHow.CombBk

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^I^IC Check - are any other benefits paid on this book?

(If yes: please ensure they were recorded earlier at Ben1Q, etc.)^I

(1)	Yes	Yes
(2)	No	No
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
      RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.IBAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1619) FRS0504C.BU[.QBenefit.QBenef2[.IBAmt.BenAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW

```

(1620) FRS0504C.BU[.QBenefit.QBenef2[.IBAmt.BenAmtDK

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: BenAmt > 0

```

(1621) FRS0504C.BU[.QBenefit.QBenef2[.IBAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: BenAmt > 0

```

(1622) FRS0504C.BU[.QBenefit.QBenef2[.IBAmt.BenPd

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: BenAmt > 0
AND: BenPd = Note

```

(1623) FRS0504C.BU[.QBenefit.QBenef2[.IBAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
 AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

PdConW[8] := 6.5

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[]
(LWeekly <= 184.8) AND INVOLVING(IBAmt.BenPd,IBAmt.BenAmt)

```

^I Warning: It is very unusual to receive more than £184.80 per week. Check your figures and, if warning is suppressed, explain in a note.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: (LNumJob[PerNo] > 0) AND (IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[])

```

(1624) FRS0504C.BU[.QBenefit.QBenef2[]].MadEmp

^CC*** ^Names[PNo] *** @|@|BENEFITS

^N Are you getting 'made-up' pay from your employer in addition to the ^UName you are receiving?^N

(1)	Yes	Yes
(2)	No	No
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: (LNumJob[PerNo] > 0) AND (IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[])
AND: MadEmp = Yes

```

(1625) FRS0504C.BU[.QBenefit.QBenef2[]].MduPwk

^CC*** ^Names[PNo] *** @|@|BENEFITS

^N Are you getting 'made-up' pay ...^N^I Running prompt...^I

(1)	EvWeek	^N...every week from your employer^N
(2)	SomeWeek	^N...or for only some weeks?^N
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: (LNumJob[PerNo] > 0) AND (IncapBen IN QBen3Q.Adult[PerNo].Ben3Q[])
AND: MadEmp = Yes
AND: MduPwk = SomeWeek

```

(1626) FRS0504C.BU[.QBenefit.QBenef2[]].MdupNo

^CC*** ^Names[PNo] *** @|@|BENEFITS

^N For how many weeks are you getting 'made-up' pay?^N

0..97

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[ ]
```

NCDVOB := (NCDVOB + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[ ]
```

BTyp := 15

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[ ]
```

UName := UPCASE(BName [BTyp])

FRS0504C.BU[.QBenefit.QBenef2[.IDisHow

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

LBenTyp := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

Benefit := LBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

LPNo := PPNo

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NatCen = NI

```

BenAgency := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (NatCen = NI)
  AND: NOT (NIPens IN QBen1Q.Adult[LPNo].Ben1Q[])

```

BenAgency := 'or Benefits Agency'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp = 5
  AND: NIPens IN QBen1Q.Adult[LPNo].Ben1Q[]
  AND: NatCen <> NI

```

PenServ := 'Pension Service part of the'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [4, 10, 11]
  AND: ((DLACare IN QBen2Q.Adult[LPNo].Ben2Q[]) OR (DLAMob IN
  QBen2Q.Adult[LPNo].Ben2Q[])) OR (AttAll IN QBen2Q.Adult[LPNo].Ben2Q[])
  AND: NatCen <> NI

```

DCD := 'Disability and Carer's Directorate (DCD) or'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [6, 33]

```

Your := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp IN [6, 33])

```

Your := 'your '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33]

```

How := ('Thinking about ' + Your + BName[LBenTyp] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp = 53

```

```

letter := 'letter or award notice'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp = 53)

```

```

letter := 'letter'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1627) FRS0504C.BU[.QBenefit.QBenef2[.IDisHow.HowBen

```

^CC*** ^Names[PNo] *** @|@|BENEFITS

```

```

^I^UName^I

```

```

@>^I Help <F9>^I

```

```

@<

```

```

^N^How is it paid to you?^N ^I

```

Prompt as necessary to classify.

^IC All bank and post office accounts should be included under code 2 (including BASIC accounts / post office card accounts).^I

(1)	Book	Order book (cashed at Post Office)
(2)	Bank	Direct to current bank / building society / post office account
(3)	Giro	Giro cheque
(4)	Motab	Paid directly for motability
(5)	Other	Other ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Bank

```

```

ACTBen [[PNo] := (ACTBen [[PNo] + 1)

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Motab
      ((IN(DLACare,QBen2Q.Adult[.Ben2Q[] [LPNo])) OR
      (IN(DLAMob,QBen2Q.Adult[.Ben2Q[] [LPNo])) ) AND
      INVOLVING(QBen2Q.Adult[.Ben2Q[] [LPNo],HowBen)

```

^I Disability Living Allowance must be in receipt for category 4 at HowBen. Please amend.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: LBenTyp = 52
IN(HowBen, [???, ???])

```

^I New Deal for over 50's can only be paid straight into Bank (code 2) or by Giro (code 3). Please amend.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Book

```

(1628) FRS0504C.BU[.QBenefit.QBenef2[.IDisHow.BookCard

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have the order book to hand, so you could consult it?^N

(1)	Yes	Yes, consulted now
(2)	Later	To be consulted^B later^B
(3)	Refused	Respondent unwilling/refused
(4)	NonHH	Held by non-household member
(5)	Unable	Unable to find it
(6)	Other	Other reason for not consulting ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Book
AND: BookCard = Later

```

OBLater := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Book
  AND: BookCard = Later

```

BookDo := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Book
  AND: BookCard = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52

```

(1629) FRS0504C.BU[.QBenefit.QBenef2[.IDisHow.BenLettr

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have a ^letter from the ^PenServ ^DCD ^Gov1 ^BenAgency that you could consult?^N

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52
  AND: BenLettr = Yes

```

NCDVDC := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: LBenTyp = 52

```

Or_is := 'Is'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: NOT (LBenTyp = 52)

```

Or_is := '.....or is'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))

```

(1630) FRS0504C.BU[.QBenefit.QBenef2[.IDisHow.BankStmt

ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I Ask or record:^I

^Or_is there a bank statement you could consult?

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: BankStmt = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: LBenTyp IN [12, 19]

```

(1631) FRS0504C.BU[.QBenefit.QBenef2[.IDisHow.OrdBkLt

ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I

Please enter the order book (card/voucher) identifying letters.^I

(1)	BB	BB - Working Families' Tax Credit
(2)	CC	CC - Disabled Person's Tax Credit
(3)	Other	Other - make a note
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: LBenTyp = 1

```

```

OrdBk Txt := ('Interviewer: Child Benefit is sometimes paid on
' + 'Order Book DD. In these cases enter number 5. ' + 'You do
not need to make a note.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: NOT (LBenTyp = 1)

```

```

OrdBk_Txt := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])

```

(1632) FRS0504C.BU[.QBenefit.QBenef2[.IDisHow.OrdBkNo

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^I^IC^B Enter order book number^B, from top right-hand corner of counterfoil (Ie. Voucher)

```

```

^OrdBk_Txt^I

```

```

5..14

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: OrdBkNo = RESPONSE
  OrdBkNo <> 9

```

```

^I Order Book 9 is for refunds of Prescription Charges.
Please change your answer.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = RESPONSE
 (((((((OrdBkNo = 5) AND (IN(LBenTyp, [1..3]))) OR ((OrdBkNo = 6) AND
 (IN(LBenTyp, [20, 31..32])))) OR ((OrdBkNo = 7) AND
 (IN(LBenTyp, [10..11])))) OR ((OrdBkNo = 8) AND (LBenTyp = 28))) OR
 ((OrdBkNo = 10) AND (IN(LBenTyp, [4..6, 10..11, 53])))) OR ((OrdBkNo =

^I^PBName is NOT usually received on this Order Book number. Ask respondent to check FRONT
 PAGES of Book, for benefit name(s).

If correct, however, suppress warning & make a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = 10
 (IN(PenCred, QBen3Q.Adult[] .Ben3Q[] [PPNo])) OR
 (IN(IncSupp, QBen3Q.Adult[] .Ben3Q[] [PPNo]))

^I Interviewer: If Order Book 10 is used then the respondent ALWAYS received income support or
 pension credit. Please check the book and if necessary amend your coding at Ben3Q. If you suppress this
 warning you MUST press make a note explaining that you checked the order book and found no record of
 income support / pension credit.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)

(1633) FRS0504C.BU[.QBenefit.QBenef2[.IDisHow.CombBk

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^I^IC Check - are any other benefits paid on this book?

(If yes: please ensure they were recorded earlier at Ben1Q, etc.)^I

(1)	Yes	Yes
(2)	No	No
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.IDisAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1634) FRS0504C.BU[.QBenefit.QBenef2[.IDisAmt.BenAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = REFUSAL
  AND: QBUIId.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUIId.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW

```

(1635) FRS0504C.BU[.QBenefit.QBenef2[.IDisAmt.BenAmtDK

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd[[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt > 0

```

(1636) FRS0504C.BU[.QBenefit.QBenef2[.IDisAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt > 0

```

(1637) FRS0504C.BU[.QBenefit.QBenef2[.IDisAmt.BenPd

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1638) FRS0504C.BU[.QBenefit.QBenef2[.IDisAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenAmtDK <> Yes

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PdConW[1] := 1

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PdConW[2] := 2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PdConW[3] := 3

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PdConW[4] := 4

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PdConW[5] := 4.333

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PdConW[7] := 8.67

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
```

PdConW[8] := 6.5

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
    AND: IndDisab IN QBen3Q.Adult[PerNo].Ben3Q[]
    (LWeekly <= 235) AND INVOLVING(IDisAmt.BenPd, IDisAmt.BenAmt)

```

^I Warning: It is very unusual to receive more than £235 per week. Check your figures and, if warning is suppressed, explain in a note.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
    AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
    AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

BTyp := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
    AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

UName := UPCASE(BName [BTyp])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
    AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

Stateben[PerNo] := 'Yes'

FRS0504C.BU[.QBenefit.QBenef2[.MAllHow

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

LBenTyp := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

Benefit := LBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

LPNo := PPNo

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NatCen = NI

```

BenAgency := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (NatCen = NI)
  AND: NOT (NIPens IN QBen1Q.Adult[LPNo].Ben1Q[])

```

BenAgency := 'or Benefits Agency'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp = 5
  AND: NIPens IN QBen1Q.Adult[LPNo].Ben1Q[]
  AND: NatCen <> NI

```

PenServ := 'Pension Service part of the'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [4, 10, 11]
  AND: ((DLACare IN QBen2Q.Adult[LPNo].Ben2Q[]) OR (DLAMob IN
  QBen2Q.Adult[LPNo].Ben2Q[])) OR (AttAll IN QBen2Q.Adult[LPNo].Ben2Q[])
  AND: NatCen <> NI

```

DCD := 'Disability and Carer's Directorate (DCD) or'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [6, 33]

```

Your := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp IN [6, 33])

```

Your := 'your '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33]

```

How := ('Thinking about ' + Your + BName[LBenTyp] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: LBenTyp = 53

```

```

letter := 'letter or award notice'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (LBenTyp = 53)

```

```

letter := 'letter'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1639) FRS0504C.BU[.QBenefit.QBenef2[.MAllHow.HowBen

```

^CC*** ^Names[PNo] *** @|@|BENEFITS

```

```

^I^UName^I

```

```

@>^I Help <F9>^I

```

```

@<

```

```

^N^How is it paid to you?^N ^I

```

Prompt as necessary to classify.

^IC All bank and post office accounts should be included under code 2 (including BASIC accounts / post office card accounts).^I

(1)	Book	Order book (cashed at Post Office)
(2)	Bank	Direct to current bank / building society / post office account
(3)	Giro	Giro cheque
(4)	Motab	Paid directly for motability
(5)	Other	Other ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Bank

```

```

ACTBen [[PNo] := (ACTBen [[PNo] + 1)

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Motab
((IN(DLACare,QBen2Q.Adult[.Ben2Q[LPNo])) OR
(IN(DLAMob,QBen2Q.Adult[.Ben2Q[LPNo])) AND
INVOLVING(QBen2Q.Adult[.Ben2Q[LPNo],HowBen)

```

^I Disability Living Allowance must be in receipt for category 4 at HowBen. Please amend.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: LBenTyp = 52
IN(HowBen, [???,???)

```

^I New Deal for over 50's can only be paid straight into Bank (code 2) or by Giro (code 3). Please amend.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Book

```

(1640) FRS0504C.BU[.QBenefit.QBenef2[.MAllHow.BookCard

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have the order book to hand, so you could consult it?^N

(1)	Yes	Yes, consulted now
(2)	Later	To be consulted^B later^B
(3)	Refused	Respondent unwilling/refused
(4)	NonHH	Held by non-household member
(5)	Unable	Unable to find it
(6)	Other	Other reason for not consulting ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: HowBen = Book
AND: BookCard = Later

```

OBLater := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Book
  AND: BookCard = Later

```

BookDo := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: HowBen = Book
  AND: BookCard = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52

```

(1641) FRS0504C.BU[.QBenefit.QBenef2[.MAllHow.BenLettr

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have a ^letter from the ^PenServ ^DCD ^Gov1 ^BenAgency that you could consult?^N

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52
  AND: BenLettr = Yes

```

NCDVDC := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: LBenTyp = 52

```

Or_is := 'Is'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: NOT (LBenTyp = 52)

```

Or_is := '.....or is'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))

```

(1642) FRS0504C.BU[.QBenefit.QBenef2[.MAllHow.BankStmt

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I Ask or record:^I

^Or_is there a bank statement you could consult?

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: BankStmt = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: LBenTyp IN [12, 19]

```

(1643) FRS0504C.BU[.QBenefit.QBenef2[.MAllHow.OrdBkLt

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I

Please enter the order book (card/voucher) identifying letters.^I

(1)	BB	BB - Working Families' Tax Credit
(2)	CC	CC - Disabled Person's Tax Credit
(3)	Other	Other - make a note
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: LBenTyp = 1

```

```

OrdBk Txt := ('Interviewer: Child Benefit is sometimes paid on
' + 'Order Book DD. In these cases enter number 5. ' + 'You do
not need to make a note.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: NOT (LBenTyp = 1)

```

```

OrdBk_Txt := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])

```

(1644) FRS0504C.BU[.QBenefit.QBenef2[.MAllHow.OrdBkNo

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^I^IC^B Enter order book number^B, from top right-hand corner of counterfoil (Ie. Voucher)

```

```

^OrdBk_Txt^I

```

```

5..14

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: OrdBkNo = RESPONSE
  OrdBkNo <> 9

```

```

^I Order Book 9 is for refunds of Prescription Charges.
Please change your answer.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = RESPONSE
 (((((((OrdBkNo = 5) AND (IN(LBenTyp, [1..3])))) OR ((OrdBkNo = 6) AND
 (IN(LBenTyp, [20, 31..32])))) OR ((OrdBkNo = 7) AND
 (IN(LBenTyp, [10..11])))) OR ((OrdBkNo = 8) AND (LBenTyp = 28))) OR
 ((OrdBkNo = 10) AND (IN(LBenTyp, [4..6, 10..11, 53])))) OR ((OrdBkNo =

^I^PBName is NOT usually received on this Order Book number. Ask respondent to check FRONT
 PAGES of Book, for benefit name(s).

If correct, however, suppress warning & make a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = 10
 (IN(PenCred, QBen3Q.Adult[] .Ben3Q[] [PPNo])) OR
 (IN(IncSupp, QBen3Q.Adult[] .Ben3Q[] [PPNo]))

^I Interviewer: If Order Book 10 is used then the respondent ALWAYS received income support or
 pension credit. Please check the book and if necessary amend your coding at Ben3Q. If you suppress this
 warning you MUST press make a note explaining that you checked the order book and found no record of
 income support / pension credit.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: (HowBen = Book) AND (BookCard = Yes)

(1645) FRS0504C.BU[.QBenefit.QBenef2[.MAllHow.CombBk

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^I^IC Check - are any other benefits paid on this book?

(If yes: please ensure they were recorded earlier at Ben1Q, etc.)^I

(1)	Yes	Yes
(2)	No	No
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.MAllAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]

```

(1646) FRS0504C.BU[.QBenefit.QBenef2[.MallAmt.BenAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW

```

(1647) FRS0504C.BU[.QBenefit.QBenef2[.MallAmt.BenAmtDK

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt > 0

```

(1648) FRS0504C.BU[.QBenefit.QBenef2[.MAllAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt > 0

```

(1649) FRS0504C.BU[.QBenefit.QBenef2[.MAllAmt.BenPd

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1650) FRS0504C.BU[.QBenefit.QBenef2[.MAllAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
AND: Edit = Yes
BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatAllw IN QBen3Q.Adult[PerNo].Ben3Q[]
  RESERVECHECK

```

RESERVECHECK

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]

```

BTyp := 24

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[ ]
```

```
UName := UPCASE(BName[ [BTyp] ])
```

FRS0504C.BU[.QBenefit.QBenef2[.Fun6M

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
```

PersId := PId

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
```

Benefit := PBenTyp

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Benefit IN [6, 22, 24, 33]
```

forBen := (' for ' + BName[Benefit])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: NOT (Benefit IN [6, 22, 24, 33])
```

forBen := ''

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
```

(1651) FRS0504C.BU[.QBenefit.QBenef2[.Fun6M.BenAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N

What is the total amount you have received ^forBen in the last 12 months?^N

^I (If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for both/all such benefits^B)^I

0.01..9997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = REFUSAL
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW

```

(1652) FRS0504C.BU[.QBenefit.QBenef2[.Fun6M.BenAmtDK

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't Know' and enter the ^B combined benefit figure ^B in a note, with explanations as needed.^I
- (2) No No
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd[[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUID.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Edit = Yes
  BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits; check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Funeral IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
```

NCDVOB := (NCDVOB + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
```

BTyp := 22

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
```

UName := UPCASE(BName [BTyp])

FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
```

LBenTyp := PBenTyp

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
```

PersId := PId

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
```

Benefit := LBenTyp

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
```

LPNo := PPNo

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: NatCen = NI
```

BenAgency := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: NOT (NatCen = NI)
  AND: NOT (NIPens IN QBen1Q.Adult[LPNo].Ben1Q[])
```

BenAgency := 'or Benefits Agency'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: LBenTyp = 5
  AND: NIPens IN QBen1Q.Adult[LPNo].Ben1Q[]
  AND: NatCen <> NI

```

PenServ := 'Pension Service part of the'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: LBenTyp IN [4, 10, 11]
  AND: ((DLACare IN QBen2Q.Adult[LPNo].Ben2Q[]) OR (DLAMob IN
  QBen2Q.Adult[LPNo].Ben2Q[])) OR (AttAll IN QBen2Q.Adult[LPNo].Ben2Q[])
  AND: NatCen <> NI

```

DCD := 'Disability and Carer's Directorate (DCD) or'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: LBenTyp IN [6, 33]

```

Your := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: NOT (LBenTyp IN [6, 33])

```

Your := 'your '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33]

```

How := ('Thinking about ' + Your + BName[LBenTyp] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: NOT (LBenTyp IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: LBenTyp = 53

```

```

letter := 'letter or award notice'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: NOT (LBenTyp = 53)

```

```

letter := 'letter'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]

```

(1653) FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow.HowBen

```

^CC*** ^Names[PNo] *** @|@|BENEFITS

```

```

^I^UName^I

```

```

@>^I Help <F9>^I

```

```

@<

```

```

^N^How is it paid to you?^N ^I

```

Prompt as necessary to classify.

^IC All bank and post office accounts should be included under code 2 (including BASIC accounts / post office card accounts).^I

(1)	Book	Order book (cashed at Post Office)
(2)	Bank	Direct to current bank / building society / post office account
(3)	Giro	Giro cheque
(4)	Motab	Paid directly for motability
(5)	Other	Other ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: HowBen = Bank

```

```

ACTBen [[PNo] := (ACTBen [[PNo] + 1)

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
AND: HowBen = Motab
      ((IN(DLACare,QBen2Q.Adult[.Ben2Q[[]LPNo])) OR
      (IN(DLAMob,QBen2Q.Adult[.Ben2Q[[]LPNo])) AND
      INVOLVING(QBen2Q.Adult[.Ben2Q[[]LPNo],HowBen)

```

^I Disability Living Allowance must be in receipt for category 4 at HowBen. Please amend.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
AND: LBenTyp = 52
IN(HowBen, [???,???)

```

^I New Deal for over 50's can only be paid straight into Bank (code 2) or by Giro (code 3). Please amend.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
AND: HowBen = Book

```

(1654) FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow.BookCard

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have the order book to hand, so you could consult it?^N

(1)	Yes	Yes, consulted now
(2)	Later	To be consulted^B later^B
(3)	Refused	Respondent unwilling/refused
(4)	NonHH	Held by non-household member
(5)	Unable	Unable to find it
(6)	Other	Other reason for not consulting ^I<Describe in a note>^I
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
AND: HowBen = Book
AND: BookCard = Later

```

OBLater := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: HowBen = Book
  AND: BookCard = Later

```

BookDo := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: HowBen = Book
  AND: BookCard = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52

```

(1655) FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow.BenLettr

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Do you have a ^letter from the ^PenServ ^DCD ^Gov1 ^BenAgency that you could consult?^N

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: LBenTyp <> 52
  AND: BenLettr = Yes

```

NCDVDC := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: LBenTyp = 52

```

Or_is := 'Is'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: NOT (LBenTyp = 52)

```

Or_is := '.....or is'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))

```

(1656) FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow.BankStmt

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I Ask or record:^I

^Or_is there a bank statement you could consult?

(1)	Yes	Yes
(2)	No	No (incl. unwilling)
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Bank) OR (LBenTyp = 53)
  AND: (BenLettr <> Yes) OR (LBenTyp = 52)
  AND: NOT ((LBenTyp = 53) AND (HowBen IN [Book, Giro, Other]))
  AND: BankStmt = Yes

```

NCDVDC := Yes

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: LBenTyp IN [12, 19]

```

(1657) FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow.OrdBkLt

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I

Please enter the order book (card/voucher) identifying letters.^I

(1)	BB	BB - Working Families' Tax Credit
(2)	CC	CC - Disabled Person's Tax Credit
(3)	Other	Other - make a note
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: LBenTyp = 1

```

```

OrdBk Txt := ('Interviewer: Child Benefit is sometimes paid on
' + 'Order Book DD. In these cases enter number 5. ' + 'You do
not need to make a note.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: NOT (LBenTyp = 1)

```

```

OrdBk Txt := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])

```

(1658) FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow.OrdBkNo

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^I^IC^B Enter order book number^B, from top right-hand corner of counterfoil (Ie. Voucher)

```

```

^OrdBk_Txt^I

```

```

5..14

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: (HowBen = Book) AND (BookCard = Yes)
  AND: NOT (LBenTyp IN [12, 19])
  AND: OrdBkNo = RESPONSE
  OrdBkNo <> 9

```

```

^I Order Book 9 is for refunds of Prescription Charges.
Please change your answer.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = RESPONSE
 (((((((OrdBkNo = 5) AND (IN(LBenTyp, [1..3])))) OR ((OrdBkNo = 6) AND
 (IN(LBenTyp, [20, 31..32])))) OR ((OrdBkNo = 7) AND
 (IN(LBenTyp, [10..11])))) OR ((OrdBkNo = 8) AND (LBenTyp = 28))) OR
 ((OrdBkNo = 10) AND (IN(LBenTyp, [4..6, 10..11, 53])))) OR ((OrdBkNo =

^I^PBName is NOT usually received on this Order Book number. Ask respondent to check FRONT
 PAGES of Book, for benefit name(s).

If correct, however, suppress warning & make a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
AND: (HowBen = Book) AND (BookCard = Yes)
AND: NOT (LBenTyp IN [12, 19])
AND: OrdBkNo = 10
 ((IN(PenCred, QBen3Q.Adult[] .Ben3Q[] [PPNo])) OR
 (IN(IncSupp, QBen3Q.Adult[] .Ben3Q[] [PPNo]))

^I Interviewer: If Order Book 10 is used then the respondent ALWAYS received income support or
 pension credit. Please check the book and if necessary amend your coding at Ben3Q. If you suppress this
 warning you MUST press make a note explaining that you checked the order book and found no record of
 income support / pension credit.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
AND: (HowBen = Book) AND (BookCard = Yes)

(1659) FRS0504C.BU[.QBenefit.QBenef2[.MGrntHow.CombBk

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I^UName^I

^I^IC Check - are any other benefits paid on this book?

(If yes: please ensure they were recorded earlier at Ben1Q, etc.)^I

(1)	Yes	Yes
(2)	No	No
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
      AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
      RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.MGrnt6M

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Benefit IN [6, 22, 24, 33]

```

forBen := (' for ' + BName[Benefit])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: NOT (Benefit IN [6, 22, 24, 33])

```

forBen := ''

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]

```

(1660) FRS0504C.BU[.QBenefit.QBenef2[.MGrnt6M.BenAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N

What is the total amount you have received ^forBen in the last 12 months?^N

^I (If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for both/all such benefits^B)^I

0.01..9997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = REFUSAL
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW

```

(1661) FRS0504C.BU[.QBenefit.QBenef2[.MGrnt6M.BenAmtDK

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't Know' and enter the ^B combined benefit figure ^B in a note, with explanations as needed. ^I
- (2) No No
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd[[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Edit = Yes
  BenAmtDK <> Yes

```

^I Editor: Interviewer was unable to give separate amounts for combined benefits; check their notes, and follow the edit instructions where applicable.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
  RESERVECHECK

```

RESERVECHECK

FRS0504C.BU[].QBenefit.QBenef2[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[ ]

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[ ]

```

BTyp := 25

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[ ]

```

UName := UPCASE (BName [BTyp])

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[ ]

```

(1662) FRS0504C.BU[].QBenefit.QBenef2[].SFType

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Thinking about the money you received from the social fund, was that a loan or a grant?^N
^I If both, code 1 and 2.^I

SET [2] OF

(1)	Loan	Social Fund loan
(2)	Grant	Social Fund Community Care grant
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[ ]
  AND: Grant IN SFType

```

(1663) FRS0504C.BU[].QBenefit.QBenef2[].SFGrNum

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Community Care Grant^I

^N How many such grants have you had in the past 12 months?^N

1..7

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Grant IN SFType

```

(1664) FRS0504C.BU[.QBenefit.QBenef2[.SFGrAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Community Care Grant^I

```

```

^N About how much did you receive (altogether)?^N

```

```

1..9997

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType

```

(1665) FRS0504C.BU[.QBenefit.QBenef2[.SFLnType

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Social Fund Loan^I

```

```

^N Was it a Budgeting loan, or a Crisis loan?^N

```

```

^I If both, code 1 and 2.^I

```

```

SET [2] OF

```

(1)	Budget	Budgeting loan
(2)	Crisis	Crisis loan
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: (Budget IN SFLnType) OR SFLnType = NONRESPONSE
  AND: Budget IN SFLnType

```

```

LTYPE := 'BUDGETING'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: (Budget IN SFLnType) OR SFLnType = NONRESPONSE
  AND: NOT (Budget IN SFLnType)

```

```

LTYPE := 'SOCIAL FUND'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: (Budget IN SFLnType) OR SFLnType = NONRESPONSE

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: (Budget IN SFLnType) OR SFLnType = NONRESPONSE

```

BTyp := 48

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: (Budget IN SFLnType) OR SFLnType = NONRESPONSE

```

UName := UPCASE(BName [BTyp])

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: (Budget IN SFLnType) OR SFLnType = NONRESPONSE

```

(1666) FRS0504C.BU[.QBenefit.QBenef2[]].LoanNum

^CC*** ^Names[PNo] *** @|@|BENEFITS
^|^LTYPE LOAN^I

^N How many such loans have you had in the past 12 months?^N

1..7

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: (Budget IN SFLnType) OR SFLnType = NONRESPONSE

```

(1667) FRS0504C.BU[.QBenefit.QBenef2[]].LoanAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS
^|^LTYPE LOAN^I

^N About how much did you borrow (altogether)?^N

0.00..999997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: Crisis IN SFLnType

```

LTYPE := 'CRISIS'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: Crisis IN SFLnType

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: Crisis IN SFLnType

```

BTyp := 49

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: Crisis IN SFLnType

```

UName := UPCASE(BName [BTyp])

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: Crisis IN SFLnType

```

(1668) FRS0504C.BU[.QBenefit.QBenef2[]].LoanNum

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^LTYPE LOAN^I

^N How many such loans have you had in the past 12 months?^N

1..7

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: SFLoan IN QBen4Q.Adult[PerNo].Ben4Q[]
  AND: Loan IN SFType
  AND: Crisis IN SFLnType

```

(1669) FRS0504C.BU[.QBenefit.QBenef2[.LoanAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^LTYPE LOAN^I

```

```

^N About how much did you borrow (altogether)?^N

```

```

0.00..999997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes

```

```

NCDVOB := (NCDVOB + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes

```

```

BTyp := 51

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes

```

```

UName := UPCASE (BName [ BTyp ] )

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes

```

(1670) FRS0504C.BU[.QBenefit.QBenef2[.WintFAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Winter Fuel Payment^I

```

```

^N How much did you receive for your winter fuel payment?^N

```

```

^I^IC Please include any one-off payments paid to people aged 70 or over to help pay for living expenses,
including Council Tax bills.^I

```

```

0.00..999997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes

```

WintFck := 0

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes
  AND: WintFAmt = RESPONSE
  AND: ((AdultNum = 1) AND (AgeOf[1] >= 80)) OR (((AdultNum = 2) AND
  (((PerNo = 1) AND (QWintF.Adult[2].WintFuel <> Yes)) AND (AgeOf[1] >=
  80))) OR (((PerNo = 2) AND (QWintF.Adult[1].WintFuel <> Yes)) AND
  (AgeOf[2] >= 80)))

```

WintFck := 300

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes
  AND: WintFAmt = RESPONSE
  AND: (AdultNum = 2) AND (((PerNo = 1) AND (QWintF.Adult[2].WintFuel =
  Yes)) AND (AgeOf[1] >= 80)) OR (((PerNo = 2) AND
  (QWintF.Adult[1].WintFuel = Yes)) AND (AgeOf[2] >= 80)))

```

WintFck := 150

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes
  AND: WintFAmt = RESPONSE
  AND: (AdultNum = 1) OR ((AdultNum = 2) AND (((PerNo = 1) AND
  (QWintF.Adult[2].WintFuel <> Yes)) OR ((PerNo = 2) AND
  (QWintF.Adult[1].WintFuel <> Yes))))

```

WintFck := 200

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes
  AND: WintFAmt = RESPONSE
  AND: (AdultNum = 2) AND (((PerNo = 1) AND (QWintF.Adult[2].WintFuel =
  Yes)) OR ((PerNo = 2) AND (QWintF.Adult[1].WintFuel = Yes)))

```

WintFck := 100

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes
  AND: WintFAmt = RESPONSE
  AND: NOT ((AdultNum = 2) AND (((PerNo = 1) AND
    (QWintF.Adult[2].WintFuel = Yes)) OR ((PerNo = 2) AND
    (QWintF.Adult[1].WintFuel = Yes))))

```

WintFck := 0

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes
  AND: WintFAmt = RESPONSE
  AND: WintFAmt > WintFck
  AND: Edit <> Yes
  ERROR AND INVOLVING(WintFAmt)

```

^I Payments are not usually higher than £^WintFck.
Please check amount entered.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QWintF.Adult[PerNo].WintFuel = Yes
  AND: WintFAmt = RESPONSE
  AND: WintFAmt > WintFck

```

(1671) FRS0504C.BU[.QBenefit.QBenef2[.BackWF

^CC*** ^Names[PNo] *** @|@|BENEFITS
^N Is this a backdated claim?^N

(1)	Yes	Yes
(2)	No	No
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK
```

RESERVECHECK

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: BTWB IN QBen5Q.Adult[PerNo].Ben5Q[]
```

NCDVOB := (NCDVOB + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: BTWB IN QBen5Q.Adult[PerNo].Ben5Q[]
```

BTyp := 46

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: BTWB IN QBen5Q.Adult[PerNo].Ben5Q[]

```

```

UName := UPCASE (BName [ [BTyp] ] )

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: BTWB IN QBen5Q.Adult[PerNo].Ben5Q[]

```

(1672) FRS0504C.BU[.QBenefit.QBenef2[.BTWAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I Back To Work Bonus^I

^N Thinking about your Back to Work Bonus, how much did you receive?^N

0.00..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]

```

BTyp := 27

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]

```

UName := UPCASE (BName [[BTyp]])

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NatCen = NI

```

(1673) FRS0504C.BU[.QBenefit.QBenef2[.NIExtHBB

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I^UName^I

^N Did you receive an extended payment of Housing Benefit?^N

(1)	Yes	Yes
(2)	No	No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NatCen = NI
  AND: NIExtHBB = Yes

```

NCDVIB := (NCDVIB + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (NatCen = NI)

```

(1674) FRS0504C.BU[.QBenefit.QBenef2[.ExtHBCTB

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Did you receive an extended payment of Housing Benefit, or Council Tax Benefit, or both?^N

^I If 'both': Were they paid together, or separately?^I

- (1) HOnly Housing Benefit only
 - (2) CTBOnly Council Tax Benefit only
 - (3) BothTog HB and CTB, paid together
 - (4) BothSep HB and CTB, paid separately
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (NatCen = NI)
  AND: ExtHBCTB IN [HOnly, BothTog, BothSep]

```

NCDVIB := (NCDVIB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NatCen = NI
  AND: NIExtHBB = Yes

```

**EXTENDPAY := 'HB EXTENDED PAYMENT
'**

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NatCen = NI
  AND: NOT (NIExtHBB = Yes)

```

EXTENDPAY := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (NatCen = NI)
  AND: ExtHBCTB = DONTKNOW

```

```

EXTENDPAY := ' '

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (NatCen = NI)
  AND: ExtHBCTB IN [HBOOnly, BothSep]

```

```

EXTENDPAY := 'HB EXTENDED PAYMENT'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (NatCen = NI)
  AND: NOT (ExtHBCTB IN [HBOOnly, BothSep])

```

```

EXTENDPAY := 'HB+CTB EXTENDED PAYMENT'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (NatCen = NI)
  AND: NOT (ExtHBCTB IN [HBOOnly, BothSep])

```

```

altogether := ' altogether'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: (ExtHBCTB IN [HBOOnly, BothSep]) OR (NIExtHBB = Yes)

```

```

( 1675 ) FRS0504C.BU[.QBenefit.QBenef2[.ExBenAmt

```

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^EXTENDPAY^I

```

```

^N How much was the extended payment^altogether?^N

```

```

0.01..997.99

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: (ExtHBCTB IN [HBOOnly, BothSep]) OR (NIExtHBB = Yes)

```

(1676) FRS0504C.BU[.QBenefit.QBenef2[.ExBenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: (ExtHBCTB IN [HBOOnly, BothSep]) OR (NIExtHBB = Yes)
  AND: ExBenPd[1] = Note

```

(1677) FRS0504C.BU[.QBenefit.QBenef2[.ExBenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^IC^Pd97Txt^I

```

OPEN

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: ExtHBCTB IN [CTBOnly, BothSep]

```

```

EXTENDPAY := 'CTB EXTENDED PAYMENT
'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: ExtHBCTB IN [CTBOnly, BothSep]

```

altogether := ''

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: ExtHBCTB IN [CTBOnly, BothSep]

```

(1678) FRS0504C.BU[.QBenefit.QBenef2[.ExBenAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^EXTENDPAY^I

```

```

^N How much was the extended payment^altogether?^N

```

0.01..997.99

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: ExtHBCTB IN [CTBOnly, BothSep]

```

(1679) FRS0504C.BU[.QBenefit.QBenef2[.ExBenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: ExtHBCTB IN [CTBOnly, BothSep]
AND: ExBenPd[2] = Note

```

(1680) FRS0504C.BU[.QBenefit.QBenef2[.ExBenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: (ExtHBCTB = BothTog) OR (ExtHBCTB = DONTKNOW)

```

(1681) FRS0504C.BU[.QBenefit.QBenef2[.ExBenAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^EXTENDPAY^I

```

^N How much was the extended payment^altogether?^N

0.01..997.99

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: (ExtHBCTB = BothTog) OR (ExtHBCTB = DONTKNOW)

```

(1682) FRS0504C.BU[.QBenefit.QBenef2[.ExBenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: EHBCTB IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: (ExtHBCTB = BothTog) OR (ExtHBCTB = DONTKNOW)
  AND: ExBenPd[3] = Note

```

(1683) FRS0504C.BU[.QBenefit.QBenef2[.ExBenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^|^IC^Pd97Txt^|

```

```

OPEN

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]

```

```

NCDVOB := (NCDVOB + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]

```

```

BTyp := 44

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]

```

```

UName := UPCASE(BName [ BTyp ] )

```

FRS0504C.BU[.QBenefit.QBenef2[.ChMAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]

```

(1684) FRS0504C.BU[.QBenefit.QBenef2[.ChMAmt.BenAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Child Maintenance Bonus / PREMIUM^I

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text
(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW

```

(1685) FRS0504C.BU[.QBenefit.QBenef2[.ChMAmt.BenAmtDK

^ACC*** ^Names[PNo] *** @|@|BENEFITS
 ^I Child Maintenance Bonus / PREMIUM^I

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the^B combined benefit figure^B IN A NOTE, with explanations as needed.^I
 (2) No No
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd[[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: BenAmt > 0

```

(1686) FRS0504C.BU[.QBenefit.QBenef2[.ChMAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Child Maintenance Bonus / PREMIUM^I
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: BenAmt > 0

```

(1687) FRS0504C.BU[.QBenefit.QBenef2[.ChMAmt.BenPd

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Child Maintenance Bonus / PREMIUM^I
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: BenAmt > 0
AND: BenPd = Note

```

(1688) FRS0504C.BU[.QBenefit.QBenef2[.ChMAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Child Maintenance Bonus / PREMIUM^I
^I^IC^Pd97Txt^I

```

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: Edit = Yes
BenAmtDK <> Yes

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: Edit = Yes
BenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChMaint IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
```

BTyp := 45

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
```

UName := 'LOAN PARENT'S BENEFIT RUN ON'

FRS0504C.BU[.QBenefit.QBenef2[.LParAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]

```

(1689) FRS0504C.BU[.QBenefit.QBenef2[.LParAmt.BenAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I Lone Parent's Benefit run-on^I

^N^How much did you get last time ^forBen ^incl_AttAll?^N

^I^IC^PC_Text

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for both/all such benefits^B)^I

0.01..9997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW

```

(1690) FRS0504C.BU[.QBenefit.QBenef2[.LParAmt.BenAmtDK

^CC*** ^Names[PNo] *** @|@|BENEFITS
 ^I Lone Parent's Benefit run-on^I

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the^B combined benefit figure^B IN A NOTE, with explanations as needed.^I
 (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd[[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt > 0

```

(1691) FRS0504C.BU[.QBenefit.QBenef2[.LParAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Lone Parent's Benefit run-on^I
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt > 0

```

(1692) FRS0504C.BU[.QBenefit.QBenef2[.LParAmt.BenPd

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Lone Parent's Benefit run-on^I
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1693) FRS0504C.BU[.QBenefit.QBenef2[.LParAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I Lone Parent's Benefit run-on^I
^I^IC^Pd97Txt^I

```

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: Edit = Yes
BenAmtDK <> Yes

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: Edit = Yes
BenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LonePar IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: WidPay IN QBen5Q.Adult[PerNo].Ben5Q[]

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: WidPay IN QBen5Q.Adult[PerNo].Ben5Q[]

```

BTyp := 50

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: WidPay IN QBen5Q.Adult[PerNo].Ben5Q[]

```

UName := UPCASE(BName [BTyp])

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: WidPay IN QBen5Q.Adult[PerNo].Ben5Q[]

```

(1694) FRS0504C.BU[.QBenefit.QBenef2[]].WidPAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS

^I Widow's Payment or Bereavement Payment^I

^N How much did you receive for your widow's payment/bereavement payment?^N

1..5000

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: WidPay IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: WidPAmt = RESPONSE
  ABS(WidPAmt - 2000) <= 0.01

```

^I Payments are usually £2000.

Please check amount entered.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

NCDVOB := (NCDVOB + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

BTyp := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

UName := UPCASE (BName [BTyp])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

LothName := QBen5Q.Adult[] .OthName[PerNo]

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

(1695) FRS0504C.BU[.QBenefit.QBenef2[.OthPres

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N Are you currently receiving ^LOthName at present?^N

(1)	Yes	Yes
(2)	No	No
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

(1696) FRS0504C.BU[.QBenefit.QBenef2[.OthWeeks

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

^N For how many weeks in the last six months have you been receiving ^LOthName for this time?^N

0..26

FRS0504C.BU[.QBenefit.QBenef2[.OBenAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]

```

(1697) FRS0504C.BU[.QBenefit.QBenef2[.OBenAmt.BenAmt

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = REFUSAL
  AND: QBUIId.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = REFUSAL
  AND: NOT (QBUIId.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW

```

(1698) FRS0504C.BU[.QBenefit.QBenef2[.OBenAmt.BenAmtDK

```

^ACC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd[[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: BenAmt > 0

```

(1699) FRS0504C.BU[.QBenefit.QBenef2[.OBenAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: BenAmt > 0

```

(1700) FRS0504C.BU[.QBenefit.QBenef2[.OBenAmt.BenPd

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: BenAmt > 0
AND: BenPd = Note

```

(1701) FRS0504C.BU[.QBenefit.QBenef2[.OBenAmt.BenPx

```

^CC*** ^Names[PNo] *** @|@|BENEFITS
^I^UName^I
^I^IC^Pd97Txt^I

```

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: Edit = Yes
BenAmtDK <> Yes

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
AND: Edit = Yes
BenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: OthBen IN QBen5Q.Adult[PerNo].Ben5Q[]
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: PAskBTW = Yes

```

BTyp := 47

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: PAskBTW = Yes

```

UName := UPCASE(BName[[BTyp])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: PAskBTW = Yes
  AND: BTWamt <> EMPTY

```

BTWNote1 := ('Interviewer note: Eligible respondents will either be ' + 'accruing a back to work bonus or have received it once ' + 'they come off benefits. The bonus is paid through the ' + 'final benefit payment and so there may be cases where ' + 'someone is still on benefits, ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: PAskBTW = Yes
  AND: BTWamt <> EMPTY

```

BTWNote2 := ('and so will be asked if they are accruing, but have ' + 'already received their bonus. We would expect the ' + 'response to BTWACC to BE no.')

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: PAskBTW = Yes

```

(1702) FRS0504C.BU[.QBenefit.QBenef2[.BTWAcc

ACC* ^Names[PNo] *** @|@|BENEFITS**

^N Some people who ^Train_JSA can build up a special bonus called the 'Back to Work Bonus'. Are you building up a Back to Work Bonus?**^N**

^|^IC ^BTWNote1^BTWNote2^I

(1)	Yes	Yes
(2)	No	No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: PAskBTW = Yes
AND: BTWAcc = Yes

```

(1703) FRS0504C.BU[.QBenefit.QBenef2[.BTWStmt

^CC*** ^Names[PNo] *** @|@|BENEFITS

^N Do you have a statement showing the amount of the bonus?^N

(1)	Yes	Yes
(2)	No	No
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: PAskBTW = Yes
AND: BTWAcc = Yes
AND: BTWStmt = Yes

```

(1704) FRS0504C.BU[.QBenefit.QBenef2[.AccruAmt

^CC*** ^Names[PNo] *** @|@|BENEFITS

^N

How much altogether have you built up for a Back to Work Bonus?^N

0.00..99997.00

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChBAmt.BenAmt > 0
IN (ChBAmt.BenPd, [???, ???, ???, ???])

```

^I This benefit can only be paid in multiples of weekly amounts, and is usually paid weekly, 4-weekly or (rarely) 13-weekly. Please amend PERIOD and (if necessary) AMOUNT, to fit one of these categories. Add a NOTE if any unusual circumstances.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

ChBenL := 17.55

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

ChBenC := 16.5

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: ChildNum > 0

```

ChBenL := (ChBenL + ((ChildNum - 1) * 11.05))

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: ChildNum > 0

ChBenC := (ChBenC + ((ChildNum - 1) * 11.05))
```

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  ((ABS(LWeekly - ChBenL) <= 0.01) OR (ABS(LWeekly - ChBenC) <= 0.01))
  AND INVOLVING(ChBAmt.BenAmt, ChBAmt.BenPd)

```

^I Are you sure? That's £^LWeekly a week.

Child Benefit would normally be £^ChBenC, or £^ChBenL for lone parents (unless the lone parent's claim began after April 1998 - if so, suppress this check). Please resolve or explain in a Note.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: AdultNum = 1

```

ChBenX := ChBenL

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: NOT (AdultNum = 1)

```

ChBenX := ChBenC

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  ChBAmt.BenAmt<>NONRESPONSE AND ChBAmt.BenPd<>NONRESPONSE

```

^I Missing information for Child Benefit amount and/or period.

For this benefit unit, Child Benefit would normally be £^ChBenX per week. Please insert this amount, unless there's an interviewer note to the contrary.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

GrdBen := (11.85 + ((ChildNum - 1) * 11.85))

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
(ABS(LWeekly - GrdBen) <= 0.01) AND
INVOLVING(GrdAmt.BenPd,GrdAmt.BenAmt)

^I Are you sure? That's £LWeekly a week.

Guardian's allowance would normally be £11.85 for the first child plus £11.85 for each subsequent child for whom it's received.

Please check.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
(LWeekly <= 210) AND INVOLVING(PenAmt.BenAmt, PenAmt.BenAmt)

^I Are you sure? This seems very high for Retirement Pension. Please check, and if correct, explain in a Note.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
(LWeekly <= 400) AND INVOLVING(WWidAmt.BenPd,WWidAmt.BenAmt)

^I Warning: It is very unusual to receive more than £400 per week. Check your figures and, if warning is suppressed, explain in a note.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
((ABS(LWeekly - 58.8) < 0.01) OR (ABS(LWeekly - 39.35) < 0.01)) AND
INVOLVING(AtAlAmt.BenPd,AtAlAmt.BenAmt)

^I Are you sure?

This comes to £^LWeekly per week.

The rate for Attendance Allowance is normally £58.80 (higher rate for day AND night care) or £39.35 (lower rate, for day OR night care).

Please resolve or explain in a Note.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: (LWeekly > 0) AND (QBen3Q.Adult[PerNo].JSAType = IncBase)
(IN(LWeekly, [1..220])) AND INVOLVING(JSAAmt.BenPd, JSAAmt.BenAmt)

^I Are you sure?

This comes to £^LWeekly per week. Income-based Jobseeker's Allowance is normally less than £220 per week. Please check; if necessary, explain in a Note why your figure is outside this range.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
(LWeekly <= 260) AND INVOLVING(ISAmt.BenPd, ISAmt.BenAmt)

^I Are you sure?

Income Support doesn't normally exceed £260 per week.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
(IN(LWeekly, [50..100])) AND INVOLVING(IBAmt.BenPd, IBAmt.BenAmt)

^I Are you sure?

This comes to £^LWeekly a week. Incapacity Benefit is normally between £50 and £100 per week. Please check; if necessary, explain in a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MdupNo = RESPONSE
MdupNo <= 29

^I You have entered that made up pay was received for more than 29 weeks. Please check that your answer is correct.

If so, explain circumstances in a Note.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
(ABS(LWeekly - 102.8) <= 0.01) AND
INVOLVING(MAllAmt.BenPd,MAllAmt.BenAmt)

```

^I Are you sure?

This comes to £^LWeekly a week. Maternity Allowance is normally £102.80 per week.

Amend one of these amounts unless you have evidence to the contrary: explain circumstances in a Note.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
Fun6M.BenAmt <= 1000

```

^I Are you sure?

This grant doesn't normally exceed £1000. Please check; if necessary, explain in a Note.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: MGrnt6M.BenAmt = RESPONSE
(MGrnt6M.BenAmt >= 100) AND (MGrnt6M.BenAmt <= 500)

```

^I Are you sure?

A grant from the Social Fund for maternity expenses is normally £100 and a 'Sure Start' maternity grant is not more than £500. Please resolve or make a note for editors.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: SFGrAmt = RESPONSE
SFGrAmt <= 1000

```

^I Are you sure?

This grant doesn't normally exceed £1000. Please check; if necessary, explain in a Note.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LoanAmt[1] = RESPONSE
LoanAmt[1] <= 1000

```

^I Are you sure?

This loan doesn't normally exceed £1000. Please check; if necessary, explain in a Note.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LoanAmt[2] = RESPONSE
LoanAmt[2] <= 1000
```

^I Are you sure?

This loan doesn't normally exceed £1000. Please check; if necessary, explain in a Note.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
AND: (DWeekly > 0) AND (PCLoan.GovBefor = Befor)
(DWeekly <= LWeekly) AND
INVOLVING(PCAmt.BenPd,PCAmt.BenAmt,PCLoan.GovPd,PCLoan.GovAmt)

```

^I The weekly amount paid by ^GOV1 exceeds the weekly amount of Pension Credit received last time.
That can't be right. Please check and amend your answers.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
AND: (DWeekly > 0) AND (ISLoan.GovBefor = Befor)
AND: (DWeekly <= LWeekly) AND
INVOLVING(ISAmt.BenPd, ISAmt.BenAmt, ISLoan.GovPd, ISLoan.GovAmt)

```

^I The weekly amount paid by ^GOV1 exceeds the weekly amount of Income Support received last time.
That can't be right. Please check and amend your answers.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
RESERVECHECK

```

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[10] := 5.2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[13] := 13

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[26] := 26

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[52] := 52

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: (LWeekly > 0) AND (QBen3Q.Adult[PerNo].JSAType = Contrib)
(((IN(AgeOf[[PerNo],[16..17]])) AND (LWeekly = 33.5)) OR
((IN(AgeOf[[PerNo],[18..24]])) AND (LWeekly = 44.05))) OR
((AgeOf[[PerNo] >= 25) AND (LWeekly = 55.65))) AND
INVOLVING(JSAAmt.BenPd,JSAAmt.BenAmt,QBen3Q.Adult[PerNo].JSAType[PerNo])

```

^I The standard weekly rates for CONTRIBUTORY JSA are £33.50 (age 16-17), £44.05 (age 18-24), or £55.65 (age 25+). If the amount you entered is correct, however, it may be INCOME-BASED JSA. If so, press <Enter> now, change to 'Income-based' (code 2), then press <End>.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
AND: QBen3Q.Adult[PerNo].JSAType = Contrib
(JSAAmt.BenPd = RESPONSE) AND (JSAAmt.BenAmt = RESPONSE)

```

^I EDITOR: MISSING AMOUNT FOR JSA (CONTRIBUTORY). INSERT STANDARD weekly rate: £33.50 (age 16-17), £44.05 (age 18-24), or £55.65 (age 25+).^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[10] := 5.2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[13] := 13

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[26] := 26

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
```

PdConW[52] := 52

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0

```

InvBen1 := 44.35

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0

```

InvBen3 := (InvBen1 + 26.5)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: ChildNum > 0

```

InvBen2 := (InvBen1 + (ChildNum * 11.35))

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: ChildNum > 0

```

InvBen4 := (InvBen2 + 26.5)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: ChildNum > 0

```

ICA2 := ('; £' + STR(InvBen2,6,2) + ' with possible child additions')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: ChildNum > 0

```

ICA4 := ('; or £' + STR(InvBen4,6,2) + ' with both')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: ChildNum > 0

```

```

or_ := ''

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: NOT (ChildNum > 0)

```

```

ICA2 := ''

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: NOT (ChildNum > 0)

```

```

ICA4 := ''

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: NOT (ChildNum > 0)

```

```

or_ := 'or'

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: InvBen3 > 101.2

```

```

InvBen3 := 101.2

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  (((LWeekly = InvBen1) OR (LWeekly = InvBen2)) OR (LWeekly = InvBen3))
  OR (LWeekly = InvBen4) AND INVOLVING(InvAmt.BenPd,InvAmt.BenAmt)

```

^I Are you sure? For this Benefit Unit, weekly Invalid Care Allowance/Carer's Allowance would normally be either the basic rate of £^InvBen1^ICA2; ^or_ £^InvBen3 with dependent adults^ICA4. Please check and amend or suppress this check and make a Note.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0

```

SevBen1 := 44.8

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: AgeOf[PerNo] IN [1 .. 39]

```

SevBen1 := (SevBen1 + 15.55)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: AgeOf[PerNo] IN [40 .. 49]

```

SevBen1 := (SevBen1 + 10)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: AgeOf[PerNo] IN [50 .. 59]

```

SevBen1 := (SevBen1 + 5)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0
  AND: ChildNum > 0

```

SevBen1 := ((SevBen1 + 9.55) + ((ChildNum - 1) * 11.35))

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: LWeekly > 0

```

SevBen2 := (SevBen1 + 26.65)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: LWeekly > 0
((LWeekly = SevBen1) OR (LWeekly = SevBen2)) AND
INVOLVING(SevAmt.BenPd,SevAmt.BenAmt)

```

^I Are you sure? For this Benefit Unit, weekly Severe Disablement Allowance would normally be either £^SevBen1 or £^SevBen2. Please check with respondent. Is it combined with another benefit, perhaps? If you suppress this check, please make a note.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AtAlAmt.BenAmt <> DONTKNOW

```

^I There are two rates of Attendance Allowance, a HIGHER rate (for day AND night care) of £58.80 and a LOWER rate (day OR night care) of £39.35. If the respondent knows which rate they get, please put in the amount.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes

```

InvBen1 := 43.15

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes

```

InvBen2 := 43.15

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
AND: ChildNum > 0

```

InvBen2 := (InvBen1 + (ChildNum * 11.35))

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes

```

InvBen3 := (InvBen1 + 25.8)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes

```

InvBen4 := (InvBen2 + 25.8)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
InvAmt.BenAmt<>NONRESPONSE AND InvAmt.BenPd<>NONRESPONSE

```

^I Editor: Missing amount and/or period for Invalid Care Allowance/Carer's Allowance. F or this benefit unit it would normally be either basic rate of £^InvBen1, £^InvBen2 with child additions, £^InvBen3 with a dependent adult, or £^InvBen4 with both. Please insert the appropriate rate, unless there's an interviewer note to the contrary^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
WDisAmt.BenAmt<>NONRESPONSE AND WDisAmt.BenPd<>NONRESPONSE

```

^I Editor: Missing information for War Disablement Pension amount and/or period. If any interviewer notes on percentage rate, Record details of note, serial number, BU and person number and send this to research.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
WWidAmt.BenAmt<>NONRESPONSE AND WWidAmt.BenPd<>NONRESPONSE

```

^I Missing information for War Widow's/Widower's Pension amount and/or period. If any interviewer notes on percentage rate, Record details of note, serial number, BU and person number and send this to research.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes

```

SevBen1 := 44.8

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
AND: AgeOf[PerNo] IN [1 .. 39]

```

SevBen1 := (SevBen1 + 15.55)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
AND: AgeOf[PerNo] IN [40 .. 49]

```

SevBen1 := (SevBen1 + 10)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: AgeOf[PerNo] IN [50 .. 59]

```

```

SevBen1 := (SevBen1 + 5)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: ChildNum > 0

```

```

SevBen1 := ((SevBen1 + 9.55) + ((ChildNum - 1) * 11.35))

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

```

SevBen2 := (SevBen1 + 26.65)

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  SevAmt.BenAmt<>NONRESPONSE AND SevAmt.BenAmt<>NONRESPONSE

```

^I Editor: Missing amount and/or period for Severe Disablement Allowance. For this benefit unit, it would normally be either £^SevBen1, or £^SevBen2 with a dependent adult. Please insert the appropriate rate, unless there's an interviewer note to the contrary.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: (AtAlAmt.BenAmt = NONRESPONSE OR AtAlAmt.BenPd = NONRESPONSE) AND
  (PerNo = 1)
  QHealth3.Adult[] .Rstrct[1]=EMPTY

```

^I Missing amount and/or period for Attendance Allowance.
Refer to look-up table to determine the appropriate amount.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: (AtAlAmt.BenAmt = NONRESPONSE OR AtAlAmt.BenPd = NONRESPONSE) AND
  (PerNo = 2)
  QHealth3.Adult[] .Rstrct[2]=EMPTY

```

^I Missing amount and/or period for Attendance Allowance.
Refer to look-up table to determine the appropriate amount.^I

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[1] := 1

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[2] := 2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[3] := 3

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[4] := 4

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[5] := 4.333

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[7] := 8.67

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[8] := 6.5

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[.Weekly()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[1] := 1

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[2] := 2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[3] := 3

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[4] := 4

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[5] := 4.333

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[7] := 8.67

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
```

PdConW[8] := 6.5

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[9] := 5.78

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[10] := 5.2

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[13] := 13

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[26] := 26

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes

```

PdConW[52] := 52

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: Edit = Yes
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

```

PWeekly := 0

FRS0504C.BU[.QBenefit.QBenef2[] (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
AND: (IncSupp IN QBen3Q.Adult[PerNo].Ben3Q[]) AND (((ISHow.BookCard IN
[Refused .. Other]) OR (ISHow.BenLettr = No)) OR ISHow.BenLettr =
NONRESPONSE)
((((BelowPe2[[PerNo] = 2) OR
(IN(InvCare,QBen1Q.Adult[PerNo].Ben1Q[PerNo])) OR (LWeekly = 58.8)) OR
(DWeekly = 58.8)) OR (QHealth3.Adult[PerNo].Rstrct[PerNo] = NoWork)) OR
((AdultNum = 1) AND (ChildNum > 0))) AND
INVOLVING(DLACamt.BenAmt,AtAlAmt.BenAmt)

```

^I Editor: Respondent is not among the usual groups of people who can receive Income Support. Check to see if an interviewer note matches one of the 'Exceptional Groups' as listed in your instructions. If not, change it from Income Support TO income-based JSA.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
(MAllAmt.BenAmt<>NONRESPONSE AND MAllAmt.BenPd<>NONRESPONSE) AND
INVOLVING(QJobDes[PerNo].Subj1.EType[PerNo])

```

^I Missing information for Maternity Allowance amount and/or period
Editor: It is now £102.80 per week for all WOMEN.
Please check these details and if appropriate, enter this amount.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
AND: Edit = Yes
AND: MatGrant IN QBen4Q.Adult[PerNo].Ben4Q[]
MGrnt6M.BenAmt = RESPONSE

```

^I Missing information for Social Fund Maternity Grant.
Insert £100 (the standard amount for 1 child), unless there's a note to the contrary.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit (continued)**State Benefits**

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QBenef2[PNo].ICAPer IN [1 .. 14]
QBenef2[PNo].ICAPer <= HHSIZE

```

^I This code is not valid for this question.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY
  AND: QBenef2[PNo].ICAPer IN [1 .. 14]
QBenef2[PNo].ICAPer <> Person[[PNo]

```

^I Please select the number of a person other than the respondent.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBen5Q.Adult[PNo].Ben5Q <> EMPTY

```

CC := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY

```

CC := ''

FRS0504C.BU[.QBenefit.QBenef4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY

CC := ''

FRS0504C.BU[.QBenefit.QBenef4.Adult[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR ii := 1 TO AdultNum

(1705) FRS0504C.BU[.QBenefit.QBenef4.Adult[.PersId

ACC*** ^Names[ii] ***
 Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR ii := 1 TO AdultNum

(1706) FRS0504C.BU[.QBenefit.QBenef4.Adult[.Ben7Q

ACC*** ^Names[ii] ***
 ^IS^I TT^I

^N In the last 12 months (that is since ^DatYrAgo), have you received any regular payments from any of these insurance schemes?^N

SET [5] OF

(1)	UnEmp	Unemployment/redundancy insurance
(2)	TradUn	Trade Union sick pay or strike pay
(3)	Private	Private medical scheme
(4)	AccIns	Personal accident insurance
(5)	PHI	Permanent health insurance
(6)	HospSav	Hospital savings scheme
(7)	FrSoc	Friendly Society sickness benefit
(8)	CritIll	Critical Illness cover
(9)	OSick	Any other sickness insurance
(10)	None	None of these
-

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR ii := 1 TO AdultNum
AND: None IN Ben7Q
Ben7Q.CARDINAL = 1

^I 'None of these' is an exclusive code for this question.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR ii := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR ii := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR ii := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR ii := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef4 (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR ii := 1 TO AdultNum

```

```

Adult[ii].PersId := Person[[ii]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR ii := 1 TO AdultNum

```

```

CC := ''

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR ii := 1 TO AdultNum
  RESERVECHECK

```

```

RESERVECHECK

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR ii := 1 TO AdultNum
  RESERVECHECK

```

```

RESERVECHECK

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR ii := 1 TO AdultNum
  RESERVECHECK

```

```

RESERVECHECK

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR ii := 1 TO AdultNum
  RESERVECHECK

```

```

RESERVECHECK

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  RESERVECHECK

```

```

RESERVECHECK

```

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  RESERVECHECK

```

```

RESERVECHECK

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QBenefit (continued)**State Benefits**

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK
```

```
RESERVECHECK
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK
```

```
RESERVECHECK
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK
```

```
RESERVECHECK
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
```

```
CC := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: UnEmp IN QBenef4.Adult[PNo].Ben7Q
```

```
BTyp39 := Yes
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: NOT (UnEmp IN QBenef4.Adult[PNo].Ben7Q)
```

```
BTyp39 := No
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: TradUn IN QBenef4.Adult[PNo].Ben7Q
```

```
BTyp34 := Yes
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: NOT (TradUn IN QBenef4.Adult[PNo].Ben7Q)
```

```
BTyp34 := No
```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: FrSoc IN QBenef4.Adult[PNo].Ben7Q

```

BTyp35 := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: NOT (FrSoc IN QBenef4.Adult[PNo].Ben7Q)

```

BTyp35 := No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: Private IN QBenef4.Adult[PNo].Ben7Q

```

BTyp36 := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: NOT (Private IN QBenef4.Adult[PNo].Ben7Q)

```

BTyp36 := No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: AccIns IN QBenef4.Adult[PNo].Ben7Q

```

BTyp37 := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: NOT (AccIns IN QBenef4.Adult[PNo].Ben7Q)

```

BTyp37 := No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: HospSav IN QBenef4.Adult[PNo].Ben7Q

```

BTyp38 := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: NOT (HospSav IN QBenef4.Adult[PNo].Ben7Q)

```

BTyp38 := No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PHI IN QBenef4.Adult[PNo].Ben7Q

```

BTyp40 := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: NOT (PHI IN QBenef4.Adult[PNo].Ben7Q)

```

BTyp40 := No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: OSick IN QBenef4.Adult[PNo].Ben7Q

```

BTyp41 := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: NOT (OSick IN QBenef4.Adult[PNo].Ben7Q)

```

BTyp41 := No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: CritIll IN QBenef4.Adult[PNo].Ben7Q

```

BTyp42 := Yes

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: NOT (CritIll IN QBenef4.Adult[PNo].Ben7Q)

```

BTyp42 := No

FRS0504C.BU[.QBenefit.QBenef5[]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[34] := 'Trade Union Sick Pay or Strike Pay'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[35] := 'Friendly Society Sickness Benefit'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[36] := 'Benefits under Private Medical Scheme'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[37] := 'Benefits under Accident Insurance'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[38] := 'Benefits under Hospital Savings Scheme'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[39] := 'Unemployment/Redundancy Insurance'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[40] := 'Permanent Health Insurance'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

BName[41] := 'Any other Sicknesss Insurance'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

BName[42] := 'Critical Illness Cover'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

LPId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp39 = Yes

BTyp := 39

FRS0504C.BU[.QBenefit.QBenef5[.UEPres

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes

```

Benefit := PBenTyp

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes

```

(1707) FRS0504C.BU[.QBenefit.QBenef5[.UEPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes

```

(1708) FRS0504C.BU[.QBenefit.QBenef5[.UEPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
RESERVECHECK

```

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.UEAmt

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP39 = Yes
```

Benefit := PBenTyp

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP39 = Yes
```

PersId := PId

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP39 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]
```

forBen := (' for ' + BName[[Benefit]])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP39 = Yes
  AND: Benefit = 26
```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP39 = Yes
  AND: NOT (Benefit = 26)
```

forBen := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP39 = Yes
  AND: Benefit IN [45]
```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP39 = Yes
  AND: NOT (Benefit IN [45])
```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes

```

(1709) FRS0504C.BU[.QBenefit.QBenef5[.UEAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text
(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt = DONTKNOW

```

(1710) FRS0504C.BU[.QBenefit.QBenef5[.UEAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the^B combined benefit figure^B IN A NOTE, with explanations as needed.^I
- (2) No No
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt > 0

```

(1711) FRS0504C.BU[.QBenefit.QBenef5[.UEAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt > 0

```

(1712) FRS0504C.BU[.QBenefit.QBenef5[.UEAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp39 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1713) FRS0504C.BU[.QBenefit.QBenef5[.UEAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
AND: Edit = Yes
BenAmtDK <> Yes

```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
AND: Edit = Yes
BenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp39 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp39 = Yes
 NOT (IN (UEAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp34 = Yes

BTyp := 34

FRS0504C.BU[.QBenefit.QBenef5[.TUPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTYP34 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTYP34 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTYP34 = Yes

(1714) FRS0504C.BU[.QBenefit.QBenef5[.TUPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTYP34 = Yes

(1715) FRS0504C.BU[.QBenefit.QBenef5[.TUPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTYP34 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.TUAmt

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
```

Benefit := PBenTyp

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
```

PersId := PId

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]
```

forBen := (' for ' + BName[[Benefit])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: Benefit = 26
```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: NOT (Benefit = 26)
```

forBen := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: Benefit IN [45]
```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: NOT (Benefit IN [45])
```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes

```

(1716) FRS0504C.BU[.QBenefit.QBenef5[.TUAmt.BenAmt

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N^How much did you get last time ^forBen ^incl_AttAll?^N

^I^IC^PC_Text

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for both/all such benefits^B)^I

0.01..9997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt = DONTKNOW

```

(1717) FRS0504C.BU[.QBenefit.QBenef5[.TUAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the^B combined benefit figure^B IN A NOTE, with explanations as needed.^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt > 0

```

(1718) FRS0504C.BU[.QBenefit.QBenef5[.TUAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt > 0

```

(1719) FRS0504C.BU[.QBenefit.QBenef5[.TUAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp34 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1720) FRS0504C.BU[.QBenefit.QBenef5[.TUAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
AND: Edit = Yes
BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
AND: Edit = Yes
BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp34 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp34 = Yes
 NOT (IN (TUAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp35 = Yes

BTyp := 35

FRS0504C.BU[.QBenefit.QBenef5[.FRPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp35 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp35 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp35 = Yes

(1721) FRS0504C.BU[.QBenefit.QBenef5[.FRPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp35 = Yes

(1722) FRS0504C.BU[.QBenefit.QBenef5[.FRPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp35 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.FRAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP35 = Yes

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP35 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP35 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP35 = Yes
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP35 = Yes
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP35 = Yes
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP35 = Yes
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes

```

(1723) FRS0504C.BU[.QBenefit.QBenef5[.FRAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt = DONTKNOW

```

(1724) FRS0504C.BU[.QBenefit.QBenef5[.FRAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt > 0

```

(1725) FRS0504C.BU[.QBenefit.QBenef5[.FRAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt > 0

```

(1726) FRS0504C.BU[.QBenefit.QBenef5[.FRAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp35 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1727) FRS0504C.BU[.QBenefit.QBenef5[.FRAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
AND: Edit = Yes
BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
AND: Edit = Yes
BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp35 = Yes
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTYP35 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTYP35 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTYP35 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTYP35 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTYP35 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp35 = Yes
 NOT (IN (FRAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp36 = Yes

BTyp := 36

FRS0504C.BU[.QBenefit.QBenef5[.PSPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp36 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp36 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp36 = Yes

(1728) FRS0504C.BU[.QBenefit.QBenef5[.PSPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp36 = Yes

(1729) FRS0504C.BU[.QBenefit.QBenef5[.PSPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp36 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.PSAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP36 = Yes

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP36 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP36 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP36 = Yes
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP36 = Yes
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP36 = Yes
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP36 = Yes
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes

```

(1730) FRS0504C.BU[.QBenefit.QBenef5[.PSAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text
(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt = DONTKNOW

```

(1731) FRS0504C.BU[.QBenefit.QBenef5[.PSAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt > 0

```

(1732) FRS0504C.BU[.QBenefit.QBenef5[.PSAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt > 0

```

(1733) FRS0504C.BU[.QBenefit.QBenef5[.PSAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp36 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1734) FRS0504C.BU[.QBenefit.QBenef5[.PSAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp36 = Yes
      AND: Edit = Yes
      BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp36 = Yes
      AND: Edit = Yes
      BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp36 = Yes
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp36 = Yes
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp36 = Yes
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp36 = Yes
      RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp36 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp36 = Yes
 NOT (IN (PSAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp37 = Yes

BTyp := 37

FRS0504C.BU[.QBenefit.QBenef5[.ACCPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp37 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp37 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp37 = Yes

(1735) FRS0504C.BU[.QBenefit.QBenef5[.ACCPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp37 = Yes

(1736) FRS0504C.BU[.QBenefit.QBenef5[.ACCPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp37 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.ACCAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
    AND: PBTYP37 = Yes

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
    AND: PBTYP37 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
    AND: PBTYP37 = Yes
    AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
    AND: PBTYP37 = Yes
    AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
    AND: PBTYP37 = Yes
    AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
    AND: PBTYP37 = Yes
    AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
    AND: In loop FOR PNo := 1 TO AdultNum
    AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
    AND: PBTYP37 = Yes
    AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes

```

(1737) FRS0504C.BU[.QBenefit.QBenef5[.ACCAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: BenAmt = DONTKNOW

```

(1738) FRS0504C.BU[.QBenefit.QBenef5[.ACCAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp37 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
AND: BenAmt > 0

```

(1739) FRS0504C.BU[.QBenefit.QBenef5[.ACCAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
AND: BenAmt > 0

```

(1740) FRS0504C.BU[.QBenefit.QBenef5[.ACCAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
AND: BenAmt > 0
AND: BenPd = Note

```

(1741) FRS0504C.BU[.QBenefit.QBenef5[.ACCAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
AND: Edit = Yes
BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
AND: Edit = Yes
BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp37 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp37 = Yes
 NOT (IN (ACCAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp38 = Yes

BTyp := 38

FRS0504C.BU[.QBenefit.QBenef5[.HSPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp38 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp38 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp38 = Yes

(1742) FRS0504C.BU[.QBenefit.QBenef5[.HSPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp38 = Yes

(1743) FRS0504C.BU[.QBenefit.QBenef5[.HSPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp38 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.HSAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
,
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: NOT (Benefit = 53)

```

```
PC_Text := ''
```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes

```

(1744) FRS0504C.BU[.QBenefit.QBenef5[.HSAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```
0.01..9997.00
```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```
HRPMiss := (HRPMiss + 1)
```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```
OthMiss := (OthMiss + 1)
```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt = DONTKNOW

```

(1745) FRS0504C.BU[.QBenefit.QBenef5[.HSAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt > 0

```

(1746) FRS0504C.BU[.QBenefit.QBenef5[.HSAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt > 0

```

(1747) FRS0504C.BU[.QBenefit.QBenef5[.HSAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp38 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1748) FRS0504C.BU[.QBenefit.QBenef5[.HSAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
AND: Edit = Yes
BenAmtDK <> Yes

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
AND: Edit = Yes
BenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp38 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp38 = Yes
 NOT (IN (HSAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp40 = Yes

BTyp := 40

FRS0504C.BU[.QBenefit.QBenef5[.PHIPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp40 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp40 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp40 = Yes

(1749) FRS0504C.BU[.QBenefit.QBenef5[.PHIPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1) Yes Yes

(2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp40 = Yes

(1750) FRS0504C.BU[.QBenefit.QBenef5[.PHIPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp40 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[].QBenefit.QBenef5[].PHIAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[].OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes

```

(1751) FRS0504C.BU[.QBenefit.QBenef5[.PHIAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: BenAmt = DONTKNOW

```

(1752) FRS0504C.BU[.QBenefit.QBenef5[.PHIAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp40 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP40 = Yes
  AND: BenAmt > 0

```

(1753) FRS0504C.BU[.QBenefit.QBenef5[.PHIAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP40 = Yes
  AND: BenAmt > 0

```

(1754) FRS0504C.BU[.QBenefit.QBenef5[.PHIAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP40 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1755) FRS0504C.BU[.QBenefit.QBenef5[.PHIAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp40 = Yes
      AND: Edit = Yes
      BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp40 = Yes
      AND: Edit = Yes
      BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp40 = Yes
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp40 = Yes
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp40 = Yes
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
      AND: In loop FOR PNo := 1 TO AdultNum
      AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
      AND: PBTyp40 = Yes
      RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp40 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp40 = Yes
 NOT (IN (PHIAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp41 = Yes

BTyp := 41

FRS0504C.BU[.QBenefit.QBenef5[.OSPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp41 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp41 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp41 = Yes

(1756) FRS0504C.BU[.QBenefit.QBenef5[.OSPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp41 = Yes

(1757) FRS0504C.BU[.QBenefit.QBenef5[.OSPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp41 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.OSAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes

```

(1758) FRS0504C.BU[.QBenefit.QBenef5[.OSAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt = DONTKNOW

```

(1759) FRS0504C.BU[.QBenefit.QBenef5[.OSAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the^B combined benefit figure^B IN A NOTE, with explanations as needed.^I
- (2) No No
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt > 0

```

(1760) FRS0504C.BU[.QBenefit.QBenef5[.OSAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt > 0

```

(1761) FRS0504C.BU[.QBenefit.QBenef5[.OSAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp41 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1762) FRS0504C.BU[.QBenefit.QBenef5[.OSAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
AND: Edit = Yes
BenAmtDK <> Yes
```

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
AND: Edit = Yes
BenPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp41 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp41 = Yes
 NOT (IN (OSAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp42 = Yes

BTyp := 42

FRS0504C.BU[.QBenefit.QBenef5[.CIPres

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp42 = Yes

PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp42 = Yes

Benefit := PBenTyp

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp42 = Yes

(1763) FRS0504C.BU[.QBenefit.QBenef5[.CIPres.Pres

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N Are you receiving ^PBName at present?^N

(1)	Yes	Yes
(2)	No	No
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp42 = Yes

(1764) FRS0504C.BU[.QBenefit.QBenef5[.CIPres.NumWeeks

^CC*** ^Names[PNo] ***

^BName[BTyp]

^N For how many weeks in the last 12 months have you received ^PBName?^N

0..52

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
 AND: PBTyp42 = Yes
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[.CIAmt

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP42 = Yes

```

Benefit := PBenTyp

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP42 = Yes

```

PersId := PId

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP42 = Yes
  AND: Benefit IN [1, 3 .. 6, 8 .. 11, 13 .. 15, 22, 24, 31, 33, 44, 53]

```

forBen := (' for ' + BName[[Benefit]])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP42 = Yes
  AND: Benefit = 26

```

forBen := (' for ' + QBen5Q.Adult[.OthName[PNo])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP42 = Yes
  AND: NOT (Benefit = 26)

```

forBen := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP42 = Yes
  AND: Benefit IN [45]

```

How := ('Thinking about your ' + BName[[Benefit] + ', how')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTYP42 = Yes
  AND: NOT (Benefit IN [45])

```

How := 'How'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: Benefit = 53

```

```

PC_Text := ('
If Pension Credit received for guarantee credit and ' +
'saving credit enter ' + B + 'total' + B + 'received here.' +
'
If Award Notice consulted refer to section titled His / Her
Pension Credit.')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: NOT (Benefit = 53)

```

```

PC_Text := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes

```

(1765) FRS0504C.BU[.QBenefit.QBenef5[.CIAmt.BenAmt

```

^CC*** ^Names[PNo] ***
^BName[BTyp]

```

```

^N^How much did you get last time ^forBen ^incl_AttAll?^N
^I^IC^PC_Text

```

```

(If combined with another benefit and unable to give^B separate^B amount, enter 'Don't know'^B for
both/all such benefits^B)^I

```

```

0.01..9997.00

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt = REFUSAL
  AND: QBUID.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt = REFUSAL
  AND: NOT (QBUID.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt = DONTKNOW

```

(1766) FRS0504C.BU[.QBenefit.QBenef5[.CIAmt.BenAmtDK

```

^ACC*** ^Names[PNo] ***
^BName[BTyp]

```

^I^IC Is this 'Don't know' because it's paid in combination with ^B another ^B benefit, and you cannot establish a separate amount?^I

- (1) Yes Yes. ^I Leave your 'Amount' answer as 'Don't know' and enter the ^B combined benefit figure ^B IN A NOTE, with explanations as needed. ^I
- (2) No No

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = Yes

```

CombEd [[PNo] := 1

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt = DONTKNOW
  AND: BenAmtDK = No
  AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt > 0

```

(1767) FRS0504C.BU[.QBenefit.QBenef5[.CIAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt > 0

```

(1768) FRS0504C.BU[.QBenefit.QBenef5[.CIAmt.BenPd

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^N
How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
  AND: PBTyp42 = Yes
  AND: BenAmt > 0
  AND: BenPd = Note

```

(1769) FRS0504C.BU[.QBenefit.QBenef5[.CIAmt.BenPx

```

^CC*** ^Names[PNo] ***
^BName[BTyp]
^I^IC^Pd97Txt^I

```

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
AND: Edit = Yes
BenAmtDK <> Yes

^I Editor: Interviewer was unable to give separate amounts for combined benefits: Check their notes, and follow the edit instructions where applicable.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
AND: Edit = Yes
BenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit.QBenef5[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
AND: PBTyp42 = Yes
NOT (IN (CIAmt.BenPd, [???, ???]))

^I Interviewer: the question asks about regular payments, so the period code should not be LUMP SUM or NONE OF THESE. Please check your answer and if necessary explain in a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QBenefit (continued)**State Benefits**

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY
RESERVECHECK

```

```

RESERVECHECK

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QBenef4.Adult[PNo].Ben7Q <> EMPTY

```

```

CC := ''

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY

```

```

CC := ''

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: Edit = Yes
AND: In loop FOR PNo := 1 TO 2
AND: CombEd[PNo] = 1

```

```

QComb[PNo].PersId := Person[[PNo]

```


FRS0504C.BU[.QBenefit.QComb[

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: Edit = Yes
 AND: In loop FOR PNo := 1 TO 2
 AND: CombEd[PNo] = 1

(1770) FRS0504C.BU[.QBenefit.QComb[.PersId

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: Edit = Yes
 AND: In loop FOR PNo := 1 TO 2
 AND: CombEd[PNo] = 1

(1771) FRS0504C.BU[.QBenefit.QComb[.CombAmt

^I

Editor: Benefit amounts are 'DK', because combined.

If unable to separate, enter total here (standardise to weekly amount if possible).^I

0.01..99999.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
 AND: Edit = Yes
 AND: In loop FOR PNo := 1 TO 2
 AND: CombEd[PNo] = 1

(1772) FRS0504C.BU[.QBenefit.QComb[.CombPx

^I^IC^Pd97Ttxt^I

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: Edit = Yes
  AND: In loop FOR PNo := 1 TO 2
  AND: CombEd[PNo] = 1

```

(1773) FRS0504C.BU[.QBenefit.QComb[.CombPd

^I

Editor: Combined benefit - enter period if known (otherwise 'DK').^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: Edit = Yes
  AND: In loop FOR PNo := 1 TO 2
  AND: CombEd[PNo] = 1
  AND: CombPd = Note

```

(1774) FRS0504C.BU[.QBenefit.QComb[.CombPx

^I^IC^Pd97Tt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: Edit = Yes
  AND: In loop FOR PNo := 1 TO 2
  AND: CombEd[PNo] = 1
  AND: Edit = Yes
  CombPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
  AND: Edit = Yes
  AND: In loop FOR PNo := 1 TO 2
  AND: CombEd[PNo] = 1
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: Edit = Yes
AND: In loop FOR PNo := 1 TO 2
AND: CombEd[PNo] = 1
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: Edit = Yes
AND: In loop FOR PNo := 1 TO 2
AND: CombEd[PNo] = 1
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: Edit = Yes
AND: In loop FOR PNo := 1 TO 2
AND: CombEd[PNo] = 1
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[].QBenefit (continued)

State Benefits

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: Edit = Yes
AND: In loop FOR PNo := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: Edit = Yes
AND: In loop FOR PNo := 1 TO 2
RESERVECHECK

RESERVECHECK

FRS0504C.BU[] (continued)**Benefit Unit Schedule**

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((DLACare IN QBenefit.QBen2Q.Adult[Count1].Ben2Q) OR (DLAMob IN QBenefit.QBen2Q.Adult[Count1].Ben2Q)) AND
(QHealth1.Adult[Count1].Health = RESPONSE)
(QHealth1.Adult[Count1].Health = Yes) AND
INVOLVING(QHealth1.Adult[Count1].Health, QBenefit.QBen2Q.Adult[Count1].Ben2Q)

^I Does the respondent really mean Disability Living Allowance? Earlier they said they had NO long-standing illness or disability.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ((DLACare IN QBenefit.QB2QFut.Adult[Count1].B2QFut) OR (DLAMob IN QBenefit.QB2QFut.Adult[Count1].B2QFut)) AND
(QHealth1.Adult[Count1].Health = RESPONSE)
(QHealth1.Adult[Count1].Health = Yes) AND
INVOLVING(QHealth1.Adult[Count1].Health, QBenefit.QB2QFut.Adult[Count1].B2QFut)

^I Does the respondent really mean Disability Living Allowance? Earlier they said they had NO long-standing illness or disability.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: JSA IN QBenefit.QBen3Q.Adult[Count1].Ben3Q
(LHrsWrk[Count1] <= 16) AND
INVOLVING(QCurSt1.Adult[Count1].JobAway, QCurSt1.Adult[Count1].Working, QBenefit.QBen3Q.Adult[Count1].Ben3Q)

^I Respondent is coded as working more than 16 hours a week and receiving Jobseeker's Allowance. Tactfully check this. (JSA is not normally payable in this situation.)^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: (IncSupp IN QBenefit.QBen3Q.Adult[Count1].Ben3Q) AND
(QCurSt1.Adult[Count1].Look = RESPONSE)
(QCurSt1.Adult[Count1].Look = No) AND
INVOLVING(QCurSt1.Adult[Count1].Look, QBenefit.QBen3Q.Adult[Count1].Ben3Q)

^I Are you sure? People who are looking for work (recorded earlier) would normally be receiving Jobseeker's Allowance, not Income Support.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: (IncapBen IN QBenefit.QBen3Q.Adult[Count1].Ben3Q) AND
((QCurSt1.Adult[Count1].Working = RESPONSE) OR
(QCurSt1.Adult[Count1].JobAway = RESPONSE))
NOT((QCurSt1.Adult[Count1].Working = Yes) OR
(QCurSt1.Adult[Count1].JobAway = Yes)) AND
INVOLVING(QCurSt1.Adult[Count1].JobAway,QCurSt1.Adult[Count1].Working,
QBenefit.QBen3Q.Adult[Count1].Ben3Q)

```

^I Respondent says he/she is currently receiving Incapacity Benefit whilst being employed. This is not normally possible. Please check that your answer is correct.
If so, explain circumstances in a Note.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: (QBenefit.QBen3Q.Adult[Count1].Ben3Q = RESPONSE) AND
(QClaim.Adult[Count1].Claimant = JSA)
IN(JSA,QBenefit.QBen3Q.Adult[Count1].Ben3Q) AND
INVOLVING(QClaim.Adult[Count1].Claimant,QBenefit.QBen3Q.Adult[Count1].
Ben3Q)

```

^I Respondent said earlier they were claiming Jobseeker's Allowance. If so, they should be coded here also.
Please resolve the discrepancy, or explain it in a Note.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: JSA IN QBenefit.QBen3Q.Adult[Count1].Ben3Q
((QClaim.Adult[Count1].Claimant = JSA) OR
QClaim.Adult[Count1].Claimant=EMPTY) AND
INVOLVING(QClaim.Adult[Count1].Claimant,QBenefit.QBen3Q.Adult[Count1].
Ben3Q)

```

^I Earlier they said they were NOT claiming Jobseeker's Allowance. Either change answer at 'Claimant' (then press <End> to get back here), or change this answer.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QCurSt1.Adult[AdultNum].Working <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QNIMeals

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
(QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
(QBenefit.QBen3Q.Adult[2].JSAType = IncBase)

```

```

smbu := 0

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
(QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
(QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: In loop FOR smi := 1 TO 5
  AND: QWelfare.SMIQ[smi].BenUnit = QBUIId.BUNum

```

```

smbu := (smbu + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
(QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
(QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: (smbu = 0) AND (FreeSM > 0)
  AND: AdultNum = 1

```

```

AdNames := Names[1]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
(QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
(QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: (smbu = 0) AND (FreeSM > 0)
  AND: NOT (AdultNum = 1)

```

```

AdNames := (Names[1 + ' and ' + Names[2])

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
(QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
(QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: (smbu = 0) AND (FreeSM > 0)

```

(1775) FRS0504C.BU[.QNIMeals.Apply

```

*** ^AdNames ***

```

Earlier you said your child(ren) did not receive free school meals. Do you know how to go about applying for free school meals?

(1)	Yes	Yes
(2)	No	No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI
AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
(QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
(QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
AND: (smbu = 0) AND (FreeSM > 0)
AND: Apply = Yes

(1776) FRS0504C.BU[.QNIMeals.WhyNot

*** ^AdNames ***

Why have you not applied for free school meals?

STRING[200]

FRS0504C.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0504C.BU[.QOIncA4.Adult[

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1

```

(1777) FRS0504C.BU[.QOIncA4.Adult[.PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

Person identifier.

0..14

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1

```

(1778) FRS0504C.BU[.QOIncA4.Adult[.RedAny

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N In the last 12 months, that is since ^DatYrAgo, have you received any redundancy payments?^N

^I^IC Include statutory and non-statutory.^I

(1)	Yes	Yes
(2)	No	No
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  AND: RedAny = Yes

```

(1779) FRS0504C.BU[.QOIncA4.Adult[.RedAmt

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N How much did you receive?^N

0.01..999997.00

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  AND: RedAny = Yes
  RedAmt < 69855

```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  AND: RedAny = Yes
  AND: RedAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

```

HRPMiss := (HRPMiss + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  AND: RedAny = Yes
  AND: RedAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

```

OthMiss := (OthMiss + 1)

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
  RESERVECHECK

```

```

RESERVECHECK

```

FRS0504C.BU[.QOIncA4

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
  AND: AskRedAny[PNo] = 1
```

Adult[PNo].PersId := Person[[PNo]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
```

CC := ''

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[] (continued)**Benefit Unit Schedule**

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

(1780) FRS0504C.BU[].Jump24

^I

The questions that follow are about other incomes.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0504C.BU[.QOIncA5.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

(1781) FRS0504C.BU[.QOIncA5.Adult[]].PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1
 Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

(1782) FRS0504C.BU[.QOIncA5.Adult[]].AnyPen

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1
 @>^I Help <F9>^I
 @< ^IS^I UU^I

^N Are you at present receiving an income from any of the sources shown on this card?^N

^I^IC Code ALL that apply.^I

SET [7] OF

(1)	EmpPens	An employee pension from a previous employer
(2)	SpouPens	Widow's Employee Pension (Pension from previous employer of deceased spouse or relative)
(3)	PersPens	A personal pension
(4)	TUPens	A pension as a member of a Trade Union or friendly society
(5)	Annuity	An annuity (includes home income plan or equity release)
(6)	Trust	A trust or covenant
(7)	ExShare	A share of an employee or personal pension from an ex-spouse/partner as a result of a court order or settlement made on divorce
(8)	None	None of these
-

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN AnyPen
AnyPen.CARDINAL = 1

^I 'None of these' is an exclusive code for this question.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ExShare IN AnyPen
(QBenefit.QBen1Q.Adult[.].Wid[PNo] <> WdPen) AND INVOLVING(AnyPen)

^I^IC The respondent receives Widow's pension. Are you sure that they receive a 'share of an employee or personal pension as a result of a court order or settlement on divorce'? Should you have coded 2 'widow's employee pension' instead? Please check the circumstances and explain in a note if necessary?^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Annuity IN AnyPen

```

(1783) FRS0504C.BU[.QOIncA5.Adult[.PenLump

```

^ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

```

```

^I Ask or record:^I

```

```

Can I just check, was that annuity bought with... ^I Running prompt...^I

```

- (1) EmpLump ...a lump sum from an EMPLOYEE pension scheme,
- (2) PersLump ...or a lump sum from a PERSONAL pension scheme?

- (3) Neither Neither of these
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

```

RESERVECHECK

```

FRS0504C.BU[.QOIncA5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 RESERVECHECK

RESERVECHECK

FRS0504C.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0504C.BU[.QOIncA6[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

PenName[1] := ' PENSION FROM A PREVIOUS EMPLOYER.
'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

PenName[2] := ' WIDOW'S EMPLOYEE PENSION.
'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

PenName[3] := ' PERSONAL PENSION.
'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

PenName[4] := ' PENSION FROM A TRADE UNION OR A FRIENDLY SOCIETY.
'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

PenName[5] := ' ANNUITY.
'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

PenName[6] := ' TRUST OR COVENANT.
'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

PenName[7] := ' SHARE OF PENSION FROM EX-SPOUSE/PARTNER
'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 1

FRS0504C.BU[.QOIncA6[.EmpPrev[

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

```

(1784) FRS0504C.BU[.QOIncA6[.EmpPrev[.PersId

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

```

0..14

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

```

(1785) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenSeq

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

```

1..97

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

```

PenType := PPenType

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

```

(1786) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPay

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

```

0.01..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

(1787) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

```

(1788) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPd

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

```

(1789) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]

```

(1790) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenTax

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.].QOIncA6[.].EmpPrev[.].PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EighYear
```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LInThat := ' in that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.EmpPrev[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1791) FRS0504C.BU[.QOIncA6[.EmpPrev[.PTAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE

```

(1792) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

(1793) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

```

(1794) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPdl <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

```

(1795) FRS0504C.BU[.QOIncA6[.EmpPrev[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

(1)	Befor	Before
(2)	Aftr	After

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

```

(1796) FRS0504C.BU[.QOIncA6[.EmpPrev[.TRights

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to
trustees for their permission each time you want money from it?^N

```

(1)	inc	Absolute right to^B income only^B
(2)	cp	Absolute right to^B capital only^B
(3)	both	Absolute right to^B both^B
(4)	dis	Only at^B discretion of trustees^B
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

```

(1797) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenOth

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

```

```

^I^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.].QOIncA6[.].EmpPrev[.].PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LThat := ' over those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

```
PPdTxt := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

```
PPdTxt := (LThat + PPdTxt)
```

FRS0504C.BU[.QOIncA6[.EmpPrev[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

over_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1798) FRS0504C.BU[.QOIncA6[.EmpPrev[.POAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE

```

(1799) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

(1800) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPd2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

```

(1801) FRS0504C.BU[.QOIncA6[.EmpPrev[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

```

(1802) FRS0504C.BU[.QOIncA6[.EmpPrev[.PO Sour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

(1)	Yes	Yes
(2)	No	No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1803) FRS0504C.BU[.QOIncA6[.EmpPrev[.PoInc

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

```

(1)	Befor	Before
(2)	Aftr	After
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PTInc = Aftr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PoInc = Aftr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

(1804) FRS0504C.BU[.QOIncA6[.EmpPrev[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have any other pensions of this type?^N

(1)	Yes	Yes
(2)	No	No
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QOIncA6[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
```

```
EmpPrev[Loopvar].PersId := Person[[PerNo]
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
```

```
EmpPrev[Loopvar].PenSeq := Loopvar
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  RESERVECHECK
```

```
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  RESERVECHECK
```

```
RESERVECHECK
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
```

```
PenType := 2
```

FRS0504C.BU[.QOIncA6[.SpouPrev[

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

```

(1805) FRS0504C.BU[.QOIncA6[.SpouPrev[.PersId

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

```

0..14

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

```

(1806) FRS0504C.BU[.QOIncA6[.SpouPrev[.PenSeq

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

```

1..97

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

```

PenType := PPenType

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

```

(1807) FRS0504C.BU[.QOIncA6[.SpouPrev[.PenPay

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

```

0.01..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

(1808) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

```

(1809) FRS0504C.BU[.QOIncA6[.SpouPrev[.PenPd

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

```

(1810) FRS0504C.BU[.QOIncA6[.SpouPrev[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]

```

(1811) FRS0504C.BU[.QOIncA6[.SpouPrev[.PenTax

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.SpouPrev[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LInThat := ' in those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LInThat := ' in that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.SpouPrev[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1812) FRS0504C.BU[.QOIncA6[.SpouPrev[.PTAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE

```

(1813) FRS0504C.BU[.QOIncA6[.SpouPrev[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

(1814) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

```

(1815) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE
  AND: Edit = Yes
  PenPd1 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1816) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

(1) Befor Before

(2) Aftr After

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

```

(1817) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].TRights

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to
trustees for their permission each time you want money from it?^N

```

(1)	inc	Absolute right to^B income only^B
(2)	cp	Absolute right to^B capital only^B
(3)	both	Absolute right to^B both^B
(4)	dis	Only at^B discretion of trustees^B
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

```

(1818) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PenOth

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.SpouPrev[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
    AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [TwoMonth .. TenYear]

```

LThat := ' over those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [TwoMonth .. TenYear]
    AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [TwoMonth .. TenYear]
    AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.SpouPrev[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

over_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1819) FRS0504C.BU[.QOIncA6[.SpouPrev[.POAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE

```

(1820) FRS0504C.BU[.QOIncA6[.SpouPrev[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Tx^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

(1821) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PenPd2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

```

(1822) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE
  AND: Edit = Yes
  PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1823) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

(1) Yes Yes

(2) No No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1824) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].PoInc

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

```

(1)	Befor	Before
(2)	Aftr	After
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PTInc = Aftr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PoInc = Aftr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

(1825) FRS0504C.BU[.].QOIncA6[.].SpouPrev[.].Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have any other pensions of this type?^N

(1)	Yes	Yes
(2)	No	No
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
      AND: In loop FOR Count1 := 1 TO AdultNum
      AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
      AND: In loop FOR Loopvar := 1 TO 3
      AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
      RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
      AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
      AND: In loop FOR Count1 := 1 TO AdultNum
      AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
      AND: In loop FOR Loopvar := 1 TO 3
      AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
      RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QOIncA6[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

```

```

SpouPrev[Loopvar].PersId := Person[[PerNo]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

```

```

SpouPrev[Loopvar].PenSeq := (Loopvar + 4)

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  RESERVECHECK

```

```

RESERVECHECK

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]

```

```

PenType := 3

```

FRS0504C.BU[.QOIncA6[.PersPen[

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

```

(1826) FRS0504C.BU[.QOIncA6[.PersPen[.PersId

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

```

0..14

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

```

(1827) FRS0504C.BU[.QOIncA6[.PersPen[.PenSeq

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

```

1..97

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

```

PenType := PPenType

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

```

(1828) FRS0504C.BU[.QOIncA6[.PersPen[.PenPay

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

```

0.01..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

(1829) FRS0504C.BU[.QOIncA6[.PersPen[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

```

(1830) FRS0504C.BU[.QOIncA6[.PersPen[.PenPd

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

```

(1831) FRS0504C.BU[.QOIncA6[.PersPen[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]

```

(1832) FRS0504C.BU[.QOIncA6[.PersPen[.PenTax

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.PersPen[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LInThat := ' in those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LInThat := ' in that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.PersPen[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1833) FRS0504C.BU[.QOIncA6[.PersPen[.PTAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE

```

(1834) FRS0504C.BU[.QOIncA6[.PersPen[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

(1835) FRS0504C.BU[.QOIncA6[.PersPen[.PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: P PenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

```

(1836) FRS0504C.BU[.QOIncA6[.PersPen[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE
  AND: Edit = Yes
  PenPd1 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1837) FRS0504C.BU[.QOIncA6[.PersPen[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

(1)	Befor	Before
(2)	Aftr	After

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

```

(1838) FRS0504C.BU[.QOIncA6[.PersPen[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

(1)	inc	Absolute right to^B income only^B
(2)	cp	Absolute right to^B capital only^B
(3)	both	Absolute right to^B both^B
(4)	dis	Only at^B discretion of trustees^B
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

```

(1839) FRS0504C.BU[.QOIncA6[.PersPen[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Were there any other deductions?^N

^I^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.PersPen[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LThat := ' over those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

```
PPdTxt := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

```
PPdTxt := (LThat + PPdTxt)
```


FRS0504C.BU[.QOIncA6[.PersPen[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

over_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1840) FRS0504C.BU[.QOIncA6[.PersPen[.POAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE

```

(1841) FRS0504C.BU[.QOIncA6[.PersPen[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

(1842) FRS0504C.BU[.QOIncA6[.PersPen[.PenPd2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: P PenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

```

(1843) FRS0504C.BU[.QOIncA6[.PersPen[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE
  AND: Edit = Yes
  PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1844) FRS0504C.BU[.QOIncA6[.PersPen[.POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

(1) Yes Yes

(2) No No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1845) FRS0504C.BU[.QOIncA6[.PersPen[.PoInc

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

```

(1)	Befor	Before
(2)	Aftr	After
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PTInc = Aftr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PoInc = Aftr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

(1846) FRS0504C.BU[.QOIncA6[.PersPen[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have any other pensions of this type?^N

(1)	Yes	Yes
(2)	No	No
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QOIncA6[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

```

```

PersPen[Loopvar].PersId := Person[[PerNo]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

```

```

PersPen[Loopvar].PenSeq := (Loopvar + 7)

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  RESERVECHECK

```

```

RESERVECHECK

```

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  RESERVECHECK

```

```

RESERVECHECK

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]

```

```

PenType := 4

```

FRS0504C.BU[.QOIncA6[.TuPen[

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

```

(1847) FRS0504C.BU[.QOIncA6[.TuPen[.PersId

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

```

0..14

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

```

(1848) FRS0504C.BU[.QOIncA6[.TuPen[.PenSeq

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

```

1..97

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

```

PenType := PPenType

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

```

(1849) FRS0504C.BU[.QOIncA6[.TuPen[.PenPay

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

```

0.01..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

(1850) FRS0504C.BU[.QOIncA6[.TuPen[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

```

(1851) FRS0504C.BU[.QOIncA6[.TuPen[.PenPd

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

```

(1852) FRS0504C.BU[.QOIncA6[.TuPen[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]

```

(1853) FRS0504C.BU[.QOIncA6[.TuPen[.PenTax

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.TuPen[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LInThat := ' in those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LInThat := ' in that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.TuPen[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1854) FRS0504C.BU[.QOIncA6[.TuPen[.PTAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE

```

(1855) FRS0504C.BU[.QOIncA6[.TuPen[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

(1856) FRS0504C.BU[.QOIncA6[.TuPen[.PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record:^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

```

(1857) FRS0504C.BU[.QOIncA6[.TuPen[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

```

(1858) FRS0504C.BU[.QOIncA6[.TuPen[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

(1) Befor Before

(2) Aftr After

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

```

(1859) FRS0504C.BU[.QOIncA6[.TuPen[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

(1)	inc	Absolute right to^B income only^B
(2)	cp	Absolute right to^B capital only^B
(3)	both	Absolute right to^B both^B
(4)	dis	Only at^B discretion of trustees^B
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

```

(1860) FRS0504C.BU[.QOIncA6[.TuPen[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Were there any other deductions?^N

^I^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.TuPen[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LThat := ' over those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LThat := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

```

PPdTxt := ''

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]

```

```

PPdTxt := (LThat + PPdTxt)

```

FRS0504C.BU[.QOIncA6[.TuPen[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

over_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1861) FRS0504C.BU[.QOIncA6[.TuPen[.POAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE

```

(1862) FRS0504C.BU[.QOIncA6[.TuPen[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Tx^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

(1863) FRS0504C.BU[.QOIncA6[.TuPen[.PenPd2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record:^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

```

(1864) FRS0504C.BU[.QOIncA6[.TuPen[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE
  AND: Edit = Yes
  PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPmiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1865) FRS0504C.BU[.].QOIncA6[.].TuPen[.].POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

(1)	Yes	Yes
(2)	No	No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1866) FRS0504C.BU[.QOIncA6[.TuPen[.PoInc

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

```

(1)	Befor	Before
(2)	Aftr	After
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PTInc = Aftr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PoInc = Aftr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

(1867) FRS0504C.BU[.QOIncA6[.TuPen[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have any other pensions of this type?^N

(1)	Yes	Yes
(2)	No	No

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QOIncA6[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

```

TuPen[Loopvar].PersId := Person[[PerNo]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

```

TuPen[Loopvar].PenSeq := (Loopvar + 10)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: NOT (SpouPens IN QOIncA5.Adult[PerNo].AnyPen[])
  AND: (QBenefit.QBen1Q.Adult[PerNo].Wid[PerNo] <> WdPen) AND
  INVOLVING (QOIncA5.Adult[PerNo].AnyPen[PerNo])

```

^I^I^I Are you sure? Earlier at the question 'Wid' a widow's pension was recorded, so should 'AnyPen' have code 2 instead of code 5?

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]

```

PenType := 5

FRS0504C.BU[.QOIncA6[.AnnPen[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 3
 AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

(1868) FRS0504C.BU[.QOIncA6[.AnnPen[.PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 3
 AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

(1869) FRS0504C.BU[.QOIncA6[.AnnPen[.PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 3
 AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 3
 AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

(1870) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

(1871) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

```

(1872) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPd

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

```

(1873) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]

```

(1874) FRS0504C.BU[.QOIncA6[.AnnPen[.PenTax

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.AnnPen[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LInThat := ' in those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LInThat := ' in that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.AnnPen[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1875) FRS0504C.BU[.QOIncA6[.AnnPen[.PTAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE

```

(1876) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

(1877) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record:^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

```

(1878) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE
  AND: Edit = Yes
  PenPdl <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1879) FRS0504C.BU[.QOIncA6[.AnnPen[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

(1)	Befor	Before
(2)	Aftr	After

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

```

(1880) FRS0504C.BU[.QOIncA6[.AnnPen[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

(1)	inc	Absolute right to^B income only^B
(2)	cp	Absolute right to^B capital only^B
(3)	both	Absolute right to^B both^B
(4)	dis	Only at^B discretion of trustees^B
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

```

(1881) FRS0504C.BU[.QOIncA6[.AnnPen[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Were there any other deductions?^N

^I^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.AnnPen[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
    AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [TwoMonth .. TenYear]

```

LThat := ' over those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [TwoMonth .. TenYear]
    AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
    AND: In loop FOR Count1 := 1 TO AdultNum
    AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
    AND: In loop FOR Loopvar := 1 TO 3
    AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
    AND: PPenType IN [1 .. 2]
    AND: PenOth = Yes
    AND: PenPd IN [OneWeek .. LessWeek]
    AND: PPeriod IN [TwoMonth .. TenYear]
    AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

```
PPdTxt := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

```
PPdTxt := (LThat + PPdTxt)
```

FRS0504C.BU[.QOIncA6[.AnnPen[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

over_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1882) FRS0504C.BU[.QOIncA6[.AnnPen[.POAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE

```

(1883) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

(1884) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPd2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record:^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

```

(1885) FRS0504C.BU[.QOIncA6[.AnnPen[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE
  AND: Edit = Yes
  PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1886) FRS0504C.BU[.QOIncA6[.AnnPen[.POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

(1)	Yes	Yes
(2)	No	No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1887) FRS0504C.BU[.QOIncA6[.AnnPen[.PoInc

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

```

(1)	Befor	Before
(2)	Aftr	After
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PTInc = Aftr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PoInc = Aftr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

(1888) FRS0504C.BU[.QOIncA6[.AnnPen[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have any other pensions of this type?^N

(1)	Yes	Yes
(2)	No	No
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QOIncA6[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
```

```
AnnPen[Loopvar].PersId := Person[[PerNo]
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
```

```
AnnPen[Loopvar].PenSeq := (Loopvar + 12)
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  RESERVECHECK
```

```
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  RESERVECHECK
```

```
RESERVECHECK
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
```

```
PenType := 6
```

FRS0504C.BU[.QOIncA6[.TrustQ[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

(1889) FRS0504C.BU[.QOIncA6[.TrustQ[.PersId

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

(1890) FRS0504C.BU[.QOIncA6[.TrustQ[.PenSeq

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

(1891) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPay

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N How much was the last payment?^N

0.01..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

(1892) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

```

(1893) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPd

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

```

(1894) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]

```

(1895) FRS0504C.BU[.QOIncA6[.TrustQ[.PenTax

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.TrustQ[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LInThat := ' in those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LInThat := ' in that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.TrustQ[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1896) FRS0504C.BU[.QOIncA6[.TrustQ[.PTAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE

```

(1897) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

(1898) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record:^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

```

(1899) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE
  AND: Edit = Yes
  PenPdl <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1900) FRS0504C.BU[.QOIncA6[.TrustQ[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

(1)	Befor	Before
(2)	Aftr	After

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

```

(1901) FRS0504C.BU[.QOIncA6[.TrustQ[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

(1)	inc	Absolute right to^B income only^B
(2)	cp	Absolute right to^B capital only^B
(3)	both	Absolute right to^B both^B
(4)	dis	Only at^B discretion of trustees^B
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

```

(1902) FRS0504C.BU[.QOIncA6[.TrustQ[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Were there any other deductions?^N
 ^I^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.QOIncA6[.TrustQ[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LThat := ' over those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.TrustQ[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

over_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1903) FRS0504C.BU[.QOIncA6[.TrustQ[.POAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE

```

(1904) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

(1905) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPd2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

```

(1906) FRS0504C.BU[.QOIncA6[.TrustQ[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

```

(1907) FRS0504C.BU[.QOIncA6[.TrustQ[.PO Sour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

(1)	Yes	Yes
(2)	No	No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1908) FRS0504C.BU[.QOIncA6[.TrustQ[.PoInc

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

```

(1)	Befor	Before
(2)	Aftr	After
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PTInc = Aftr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PoInc = Aftr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

(1909) FRS0504C.BU[.QOIncA6[.TrustQ[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have any other pensions of this type?^N

(1)	Yes	Yes
(2)	No	No
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QOIncA6[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

```

TrustQ[Loopvar].PersId := Person[[PerNo]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

```

TrustQ[Loopvar].PenSeq := (Loopvar + 15)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  RESERVECHECK

```

RESERVECHECK

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]

```

PenType := 7

FRS0504C.BU[.QOIncA6[.ExShareQ[

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

```

(1910) FRS0504C.BU[.QOIncA6[.ExShareQ[.PersId

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

```

0..14

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

```

(1911) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenSeq

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

```

1..97

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

```

PenType := PPenType

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

```

(1912) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPay

```

^ACC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

```

0.01..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PenPay = NONRESPONSE
  AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PenPay = RESPONSE

```

(1913) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

```

(1914) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPd

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

```

(1915) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPx

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenPay = RESPONSE

```

```

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: NOT (PenPay = RESPONSE)

```

```

PTIncFill := 'sum (even though you don't know the amount)'

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]

```

(1916) FRS0504C.BU[.].QOIncA6[.].ExShareQ[.].PenTax

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

```

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.].QOIncA6[.].ExShareQ[.].PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LInThat := ' in those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LInThat := ' in that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.ExShareQ[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

in_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1917) FRS0504C.BU[.QOIncA6[.ExShareQ[.PTAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE

```

(1918) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

```

(1919) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record:^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

```

(1920) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = RESPONSE
  AND: Edit = Yes
  PenPdl <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PTAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes

```

(1921) FRS0504C.BU[.].QOIncA6[.].ExShareQ[.].PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

(1)	Befor	Before
(2)	Aftr	After

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

```

(1922) FRS0504C.BU[.QOIncA6[.ExShareQ[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

(1)	inc	Absolute right to^B income only^B
(2)	cp	Absolute right to^B capital only^B
(3)	both	Absolute right to^B both^B
(4)	dis	Only at^B discretion of trustees^B
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

```

(1923) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Were there any other deductions?^N

^I^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

(1)	Yes	Yes
(2)	No	No

FRS0504C.BU[.].QOIncA6[.].ExShareQ[.].PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Fourweek

```

PPdTxt := 'four week period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Month

```

PPdTxt := 'calendar month'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrMonth

```

PPdTxt := 'three month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = SixMonth

```

PPdTxt := 'six month period'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = Year

```

PPdTxt := 'year'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]

```

LThat := ' over those '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TwoMonth

```

PPdTxt := 'two calendar months'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = EighYear

```

PPdTxt := 'eight payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = NineYear

```

PPdTxt := 'nine payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [TwoMonth .. TenYear]
  AND: PPeriod = TenYear

```

PPdTxt := 'ten payments'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

LThat := ' over that '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod = LessWeek

```

PPdTxt := 'week'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)

```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0504C.BU[.QOIncA6[.ExShareQ[(continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: NOT (PenPd IN [OneWeek .. LessWeek])

```

```

over_that_period := ''

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1924) FRS0504C.BU[.QOIncA6[.ExShareQ[.POAmt

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

```

```

0.01..9997.00

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE

```

(1925) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

```

OPEN

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

```

(1926) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPd2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

```

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I
-

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

```

(1927) FRS0504C.BU[.QOIncA6[.ExShareQ[.PenPx2

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^IC^Pd97Txt^I

```

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = RESPONSE
  AND: Edit = Yes
  PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: QBUIId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: POAmt = NONRESPONSE
  AND: NOT (QBUIId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1928) FRS0504C.BU[.].QOIncA6[.].ExShareQ[.].POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

(1)	Yes	Yes
(2)	No	No

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes

```

(1929) FRS0504C.BU[.QOIncA6[.ExShareQ[.PoInc

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

```

(1)	Befor	Before
(2)	Aftr	After
-

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenGross := PenPay

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PTInc = Aftr

```

PenGross := (PenGross + PTAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  AND: PoInc = Aftr

```

PenGross := (PenGross + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenDed := (PTAmt + POAmt)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

```

PenNet := (PenGross - PenDed)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
  OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
  PenNet >= (0.3 * PenGross)

```

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

```

(1930) FRS0504C.BU[.QOIncA6[.ExShareQ[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Do you have any other pensions of this type?^N

(1)	Yes	Yes
(2)	No	No
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  RESERVECHECK

```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK
```

RESERVECHECK

FRS0504C.BU[.QOIncA6[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

```

ExShareQ[Loopvar].PersId := Person[[PerNo]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

```

ExShareQ[Loopvar].PenSeq := (Loopvar + 17)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Edit = Yes
  AND: In loop FOR Loopvar := 1 TO 4
  AND: EmpPrev[Loopvar].PTAmt = NONRESPONSE AND (EmpPrev[Loopvar].PenPay
    = RESPONSE)
  EmpPrev[Loopvar].PenTax = No

```

^I Missing information for tax deducted from pension from a previous employer.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Edit = Yes
  AND: In loop FOR Loopvar := 1 TO 4
  RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 4
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
AND: SpouPrev[Loopvar].PTAmt = NONRESPONSE AND
(SpouPrev[Loopvar].PenPay = RESPONSE)
SpouPrev[Loopvar].PenTax = No

^I Missing information for tax deducted from widow's employee pension.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
AND: PersPen[Loopvar].PTAmt = NONRESPONSE AND (PersPen[Loopvar].PenPay = RESPONSE)
PersPen[Loopvar].PenTax = No

^I Missing information for tax deducted from personal pension.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
AND: AnnPen[Loopvar].PTAmt = NONRESPONSE AND (AnnPen[Loopvar].PenPay =
RESPONSE)
AnnPen[Loopvar].PenTax = No

```

^I Missing information for tax deducted from annuity.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
AND: TrustQ[Loopvar].PTAmt = NONRESPONSE AND (TrustQ[Loopvar].PenPay =
RESPONSE)
TrustQ[Loopvar].PenTax = No

```

^I Missing information for tax deducted from trust or covenant.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
AND: ExShareQ[Loopvar].PTAmt = NONRESPONSE AND
      (ExShareQ[Loopvar].PenPay = RESPONSE)
ExShareQ[Loopvar].PenTax = No

```

^I Missing information for tax deducted from trust or covenant.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0504C.BU[] (continued)**Benefit Unit Schedule**

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
```

```
CC := ''
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  RESERVECHECK
```

```
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  RESERVECHECK
```

```
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  RESERVECHECK
```

```
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  RESERVECHECK
```

```
RESERVECHECK
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
```

```
CC := ''
```

FRS0504C.BU[.QOIncA7.Adult[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

(1931) FRS0504C.BU[.QOIncA7.Adult[.PersId

^ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

(1932) FRS0504C.BU[.QOIncA7.Adult[.Royal

^ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

@>^I Help <F9>^I

@< ^IS^I WW^I

^N In the last 12 months, that is since ^DatYrAgo, have you received any income not yet mentioned from any of the sources listed on this card?^N

SET [4] OF

(1)	Rent	Rent from any property
(2)	Roy	Royalties eg. from land, books or performances
(3)	Sleep	Income as a sleeping partner in a business
(4)	Pens	An occupational pension from an overseas government or company, paid in foreign currency
(5)	None	None of these
-

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN Royal
Royal.CARDINAL = 1

^I 'None of these' is an exclusive code for this question.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal
NOT(QProperty.SubRent > 0) AND
INVOLVING(Royal,QProperty.SubRent,QAccomdat.SubLet)

^I Is the respondent getting rent from another property AND getting income from sub-letting this accommodation? If they ARE getting an income from BOTH, suppress this check and continue.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Roy IN Royal

Royalties := 'royalties'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Roy IN Royal

```

(1933) FRS0504C.BU[.QOIncA7.Adult[.RoyYr

ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Thinking of your ^royalties, how much have you received in the last 12 months?^N

^I Enter amount in £.^I

0.00..999997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Sleep IN Royal

```

Royalties := 'income as a sleeping partner'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Sleep IN Royal

```

(1934) FRS0504C.BU[.QOIncA7.Adult[.RoyYr

ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Thinking of your ^royalties, how much have you received in the last 12 months?^N

^I Enter amount in £.^I

0.00..999997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Pens IN Royal

```

Royalties := 'pension paid in foreign currency'

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Pens IN Royal

```

(1935) FRS0504C.BU[.QOIncA7.Adult[.RoyYr

ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Thinking of your ^royalties, how much have you received in the last 12 months?^N

^I Enter amount in £.^I

0.00..999997.00

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal

```

(1936) FRS0504C.BU[.QOIncA7.Adult[.PropRent

ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^IS^I XX^I

^N How much rent have you received before tax from other property in the last 12 months, AFTER paying for any of the things on this card?^N

0.00..99999.97

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal

```

(1937) FRS0504C.BU[.QOIncA7.Adult[.RentProf

ACC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Is that a profit or a loss from the property?^N

(1)	Profit	Profit
(2)	Loss	Loss
-

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
(PropRent / 52) < 385

```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0504C.BU[.QOIncA7

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum

CC := ''