

## **UK Data Archive Data Dictionary**

### **File-level information:**

File Name = [attwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [8523](#)

### **Variable-level information:**

**Pos. = 1**    **Variable =** [ahid](#)    **Variable label =** [household identification number](#)  
[Value label information for ahid](#)

**Pos. = 2**    **Variable =** [attwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for attwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [bttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [5697](#)

### Variable-level information:

**Pos. = 1**    **Variable = [bhid](#)**    **Variable label = [household identification number](#)**  
[Value label information for bhid](#)

**Pos. = 2**    **Variable = [bttwa](#)**    **Variable label = [travel to work areas](#)**  
[Value label information for bttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [cttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [5886](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [chid](#)    **Variable label =** [household identification number](#)  
[Value label information for chid](#)

**Pos. = 2**    **Variable =** [cttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for cttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [dttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6238](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [dhid](#)    **Variable label =** [household identification number](#)  
[Value label information for dhid](#)

**Pos. = 2**    **Variable =** [dttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for dttwa](#)

## **UK Data Archive Data Dictionary**

### **File-level information:**

File Name = [ettwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6223](#)

### **Variable-level information:**

**Pos. = 1**    **Variable =** [ehid](#)    **Variable label =** [household identification number](#)  
[Value label information for ehid](#)

**Pos. = 2**    **Variable =** [ettwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for ettwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [fttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [5512](#)

### Variable-level information:

**Pos. = 1**    **Variable = [fhid](#)**    **Variable label = [household identification number](#)**  
[Value label information for fhid](#)

**Pos. = 2**    **Variable = [fttwa](#)**    **Variable label = [travel to work areas](#)**  
[Value label information for fttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [gttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6350](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [ghid](#)    **Variable label =** [household identification number](#)  
[Value label information for ghid](#)

**Pos. = 2**    **Variable =** [gttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for gttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [httwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6325](#)

### Variable-level information:

**Pos. = 1**    **Variable = [hhid](#)**    **Variable label = [household identification number](#)**  
[Value label information for hhid](#)

**Pos. = 2**    **Variable = [httwa](#)**    **Variable label = [travel to work areas](#)**  
[Value label information for httwa](#)



## UK Data Archive Data Dictionary

### File-level information:

File Name = [ittwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10867](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [ihid](#)    **Variable label =** [household identification number](#)  
[Value label information for ihid](#)

**Pos. = 2**    **Variable =** [ittwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for ittw](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [jttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10540](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [jhid](#)    **Variable label =** [household identification number](#)  
[Value label information for jhid](#)

**Pos. = 2**    **Variable =** [jttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for jttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [kttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [12325](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [khid](#)    **Variable label =** [household identification number](#)  
[Value label information for khid](#)

**Pos. = 2**    **Variable =** [kttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for kttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [ltdwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10415](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [lhid](#)    **Variable label =** [household identification number](#)  
[Value label information for lhid](#)

**Pos. = 2**    **Variable =** [ltdwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for ltdwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [mtwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10132](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [mhid](#)    **Variable label =** [household identification number](#)  
[Value label information for mhid](#)

**Pos. = 2**    **Variable =** [mtwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for mtwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [nttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [9868](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [nhid](#)    **Variable label =** [household identification number](#)  
[Value label information for nhid](#)

**Pos. = 2**    **Variable =** [nttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for nttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [ottwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [9567](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [ohid](#)    **Variable label =** [household identification number](#)  
[Value label information for ohid](#)

**Pos. = 2**    **Variable =** [ottwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for ottwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [pttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [9416](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [phid](#)    **Variable label =** [household identification number](#)  
[Value label information for phid](#)

**Pos. = 2**    **Variable =** [pttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for pttwa](#)



## UK Data Archive Data Dictionary

### File-level information:

File Name = [qttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [9115](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [qhid](#)    **Variable label =** [household identification number](#)  
[Value label information for qhid](#)

**Pos. = 2**    **Variable =** [qttwa](#)    **Variable label =** [travel to work areas](#)  
[Value label information for qttwa](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [rttwa\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [8834](#)

### Variable-level information:

**Pos. = 1**    **Variable = [rhid](#)**    **Variable label = [household identification number](#)**  
[Value label information for rhid](#)

**Pos. = 2**    **Variable = [rttwa](#)**    **Variable label = [travel to work areas](#)**  
[Value label information for rttwa](#)