

## **UK Data Archive Data Dictionary**

### **File-level information:**

File Name = [apcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [8523](#)

### **Variable-level information:**

**Pos. = 1**    **Variable =** [ahid](#)                      **Variable label =** [household identification number](#)  
[Value label information for ahid](#)

**Pos. = 2**    **Variable =** [apcon](#)                      **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for apcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [bpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [5697](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [bhid](#)    **Variable label =** [household identification number](#)  
[Value label information for bhid](#)

**Pos. = 2**    **Variable =** [bpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for bpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [cpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [5886](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [chid](#)    **Variable label =** [household identification number](#)  
[Value label information for chid](#)

**Pos. = 2**    **Variable =** [cpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for cpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [dpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6238](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [dhid](#)    **Variable label =** [household identification number](#)  
[Value label information for dhid](#)

**Pos. = 2**    **Variable =** [dpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for dpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [epcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6223](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [ehid](#)                    **Variable label =** [household identification number](#)  
[Value label information for ehid](#)

**Pos. = 2**    **Variable =** [epcon](#)                    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for epcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [fpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [5512](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [fhid](#)    **Variable label =** [household identification number](#)  
[Value label information for fhid](#)

**Pos. = 2**    **Variable =** [fpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for fpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [gpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6350](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [ghid](#)    **Variable label =** [household identification number](#)  
[Value label information for ghid](#)

**Pos. = 2**    **Variable =** [gpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for gpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [hpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [6325](#)

### Variable-level information:

**Pos. = 1**    **Variable = [hhid](#)**    **Variable label = [household identification number](#)**  
[Value label information for hhid](#)

**Pos. = 2**    **Variable = [hpcon](#)**    **Variable label = [westminster parliamentary constituencies](#)**  
[Value label information for hpcon](#)



## UK Data Archive Data Dictionary

### File-level information:

File Name = [ipcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10867](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [ihid](#)    **Variable label =** [household identification number](#)  
[Value label information for ihid](#)

**Pos. = 2**    **Variable =** [ipcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for ipcon](#)

## **UK Data Archive Data Dictionary**

### **File-level information:**

File Name = [jpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10540](#)

### **Variable-level information:**

**Pos. = 1**    **Variable =** [jhid](#)    **Variable label =** [household identification number](#)  
[Value label information for jhid](#)

**Pos. = 2**    **Variable =** [jpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for jpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [kpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [12325](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [khid](#)    **Variable label =** [household identification number](#)  
[Value label information for khid](#)

**Pos. = 2**    **Variable =** [kpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for kpcon](#)

## **UK Data Archive Data Dictionary**

### **File-level information:**

File Name = [lpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10415](#)

### **Variable-level information:**

**Pos. = 1**    **Variable =** [lhid](#)    **Variable label =** [household identification number](#)  
[Value label information for lhid](#)

**Pos. = 2**    **Variable =** [lpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for lpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [mpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [10132](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [mhid](#)    **Variable label =** [household identification number](#)  
[Value label information for mhid](#)

**Pos. = 2**    **Variable =** [mpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for mpcon](#)

## **UK Data Archive Data Dictionary**

### **File-level information:**

File Name = [npcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [9868](#)

### **Variable-level information:**

**Pos. = 1**    **Variable =** [nhid](#)    **Variable label =** [household identification number](#)  
[Value label information for nhid](#)

**Pos. = 2**    **Variable =** [npcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for npcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [opcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [9567](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [ohid](#)                      **Variable label =** [household identification number](#)  
[Value label information for ohid](#)

**Pos. = 2**    **Variable =** [opcon](#)                      **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for opcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = ppcon\_protect  
Number of variables = 2  
Number of cases = 9416

### Variable-level information:

**Pos. = 1**    **Variable = phid**    **Variable label = household identification number**  
[Value label information for phid](#)

**Pos. = 2**    **Variable = ppcon**    **Variable label = westminster parliamentary constituencies**  
[Value label information for ppcon](#)



## UK Data Archive Data Dictionary

### File-level information:

File Name = qpcon\_protect  
Number of variables = 2  
Number of cases = 9115

### Variable-level information:

**Pos. = 1**    **Variable = qhid**    **Variable label = household identification number**  
[Value label information for qhid](#)

**Pos. = 2**    **Variable = qpcon**    **Variable label = westminster parliamentary constituencies**  
[Value label information for qpcon](#)

## UK Data Archive Data Dictionary

### File-level information:

File Name = [rpcon\\_protect](#)  
Number of variables = [2](#)  
Number of cases = [8834](#)

### Variable-level information:

**Pos. = 1**    **Variable =** [rhid](#)    **Variable label =** [household identification number](#)  
[Value label information for rhid](#)

**Pos. = 2**    **Variable =** [rpcon](#)    **Variable label =** [westminster parliamentary constituencies](#)  
[Value label information for rpcon](#)