

UK Data Archive Data Dictionary

File-level information:

File Name = [acasward_protect](#)
Number of variables = [2](#)
Number of cases = [8523](#)

Variable-level information:

Pos. = 1 **Variable =** [ahid](#) **Variable label =** [household identification number](#)
[Value label information for ahid](#)

Pos. = 2 **Variable =** [acasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for acasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [bcasward_protect](#)
Number of variables = [2](#)
Number of cases = [5697](#)

Variable-level information:

Pos. = 1 **Variable =** [bhid](#) **Variable label =** [household identification number](#)
[Value label information for bhid](#)

Pos. = 2 **Variable =** [bcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for bcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [ccasward_protect](#)
Number of variables = [2](#)
Number of cases = [5886](#)

Variable-level information:

Pos. = 1 **Variable =** [chid](#) **Variable label =** [household identification number](#)
[Value label information for chid](#)

Pos. = 2 **Variable =** [ccasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for ccasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [dcasward_protect](#)
Number of variables = [2](#)
Number of cases = [6238](#)

Variable-level information:

Pos. = 1 **Variable =** [dhid](#) **Variable label =** [household identification number](#)
[Value label information for dhid](#)

Pos. = 2 **Variable =** [dcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for dcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [ecasward_protect](#)
Number of variables = [2](#)
Number of cases = [6223](#)

Variable-level information:

Pos. = 1 **Variable =** [ehid](#) **Variable label =** [household identification number](#)
[Value label information for ehid](#)

Pos. = 2 **Variable =** [ecasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for ecasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = fcasward_protect
Number of variables = 2
Number of cases = 5512

Variable-level information:

Pos. = 1 **Variable = fhid** **Variable label = household identification number**
[Value label information for fhid](#)

Pos. = 2 **Variable = fcasward** **Variable label = census area statistics ward**
[Value label information for fcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [gcasward_protect](#)
Number of variables = [2](#)
Number of cases = [6350](#)

Variable-level information:

Pos. = 1 **Variable =** [ghid](#) **Variable label =** [household identification number](#)
[Value label information for ghid](#)

Pos. = 2 **Variable =** [gcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for gcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [hcasward_protect](#)
Number of variables = [2](#)
Number of cases = [6325](#)

Variable-level information:

Pos. = 1 **Variable =** [hhid](#) **Variable label =** [household identification number](#)
[Value label information for hhid](#)

Pos. = 2 **Variable =** [hcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for hcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [icasward_protect](#)
Number of variables = [2](#)
Number of cases = [10867](#)

Variable-level information:

Pos. = 1 **Variable =** [ihid](#) **Variable label =** [household identification number](#)
[Value label information for ihid](#)

Pos. = 2 **Variable =** [icasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for icasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = jcasward_protect
Number of variables = 2
Number of cases = 10540

Variable-level information:

Pos. = 1 **Variable =** [jhid](#) **Variable label =** [household identification number](#)
[Value label information for jhid](#)

Pos. = 2 **Variable =** [jcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for jcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [kcasward_protect](#)
Number of variables = [2](#)
Number of cases = [12325](#)

Variable-level information:

Pos. = 1 **Variable =** [khid](#) **Variable label =** [household identification number](#)
[Value label information for khid](#)

Pos. = 2 **Variable =** [kcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for kcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [lcasward_protect](#)
Number of variables = [2](#)
Number of cases = [10415](#)

Variable-level information:

Pos. = 1 **Variable =** [lhid](#) **Variable label =** [household identification number](#)
[Value label information for lhid](#)

Pos. = 2 **Variable =** [lcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for lcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [mcasward_protect](#)
Number of variables = [2](#)
Number of cases = [10132](#)

Variable-level information:

Pos. = 1 **Variable =** [mhid](#) **Variable label =** [household identification number](#)
[Value label information for mhid](#)

Pos. = 2 **Variable =** [mcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for mcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [ncasward_protect](#)
Number of variables = [2](#)
Number of cases = [9868](#)

Variable-level information:

Pos. = 1 **Variable =** [nhid](#) **Variable label =** [household identification number](#)
[Value label information for nhid](#)

Pos. = 2 **Variable =** [ncasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for ncasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [ocasward_protect](#)
Number of variables = [2](#)
Number of cases = [9567](#)

Variable-level information:

Pos. = 1 **Variable =** [ohid](#) **Variable label =** [household identification number](#)
[Value label information for ohid](#)

Pos. = 2 **Variable =** [ocasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for ocasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [pcasward_protect](#)
Number of variables = [2](#)
Number of cases = [9416](#)

Variable-level information:

Pos. = 1 **Variable =** [phid](#) **Variable label =** [household identification number](#)
[Value label information for phid](#)

Pos. = 2 **Variable =** [pcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for pcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = [qcasward_protect](#)
Number of variables = [2](#)
Number of cases = [9115](#)

Variable-level information:

Pos. = 1 **Variable =** [qhid](#) **Variable label =** [household identification number](#)
[Value label information for qhid](#)

Pos. = 2 **Variable =** [qcasward](#) **Variable label =** [census area statistics ward](#)
[Value label information for qcasward](#)

UK Data Archive Data Dictionary

File-level information:

File Name = rcasward_protect
Number of variables = 2
Number of cases = 8834

Variable-level information:

Pos. = 1 **Variable = rhid** **Variable label = household identification number**
[Value label information for rhid](#)

Pos. = 2 **Variable = rcasward** **Variable label = census area statistics ward**
[Value label information for rcasward](#)