Documentation of Questionnaire/Module 'FRS0801A' on 03-10-2008 at 16:55

FRS0801A

FAMILY RESOURCES SURVEY 2007-2008

```
COMPUTE ALWAYS:
NatCen := ONS
COMPUTE ALWAYS:
Edit := No
COMPUTE ALWAYS:
Test := No
COMPUTE ALWAYS:
VerCode := '018 1'
COMPUTE ALWAYS:
TestVer := '01'
COMPUTE IF: NatCen = NI
SuppTxt := ('Please record the reasons why you suppressed ' +
'this warning, then press <SAVE> to save and continue.')
COMPUTE IF: NOT (NatCen = NI)
SuppTxt := ('Please record the reasons why you suppressed ' +
'this warning, then press <Alt> + S to save and continue.')
COMPUTE ALWAYS:
Pd97Txt := ('Please leave a note/remark giving full details '
+ 'then press <SAVE> to save and continue.')
COMPUTE ALWAYS:
KeyTxt := ('This is a 'Key Question': It is VERY ' +
'IMPORTANT to get an answer here if possible. If you cannot '
+ 'do so (either now, or later) please make a Note about the '
+ 'circumstances.')
COMPUTE IF: NatCen = ONS
N := ''
COMPUTE IF: NatCen = ONS
I := ''
COMPUTE IF: NatCen = ONS
B := ''
```

```
Compute if: NatCen = ONS
X := 'H'
COMPUTE IF: NatCen = ONS
01 := '('
COMPUTE IF: NatCen = ONS
02 := ')'
COMPUTE IF: NatCen = ONS
IC := 'i'
COMPUTE IF: NatCen = ONS
IS := 'N'
COMPUTE IF: NatCen = ONS
BLU := ''
COMPUTE IF: NatCen = ONS
Anyone Else := 'Anyone else'
COMPUTE IF: NatCen = ONS
Any Others := 'Any others'
Compute if: NatCen = ONS
Any Other := 'Any other'
COMPUTE IF: NOT (NatCen = ONS)
N := ''
COMPUTE IF: NOT (NatCen = ONS)
I := ''
COMPUTE IF: NOT (NatCen = ONS)
B := ''
COMPUTE IF: NOT (NatCen = ONS)
X := '*'
COMPUTE IF: NOT (NatCen = ONS)
01 := '('
COMPUTE IF: NOT (NatCen = ONS)
02 := ')'
```

```
COMPUTE IF: NOT (NatCen = ONS)
     AND: Edit = Yes
IC := 'EDITOR:'
COMPUTE IF: NOT (NatCen = ONS)
     AND: NOT (Edit = Yes)
IC := 'INTERVIEWER:'
COMPUTE IF: NOT (NatCen = ONS)
IS := 'SHOW CARD'
COMPUTE IF: NOT (NatCen = ONS)
BLU := ''
COMPUTE IF: NOT (NatCen = ONS)
Anyone Else := 'Who else'
COMPUTE IF: NOT (NatCen = ONS)
Any_Others := 'Which others'
COMPUTE IF: NOT (NatCen = ONS)
Any Other := 'Which other'
COMPUTE IF: NatCen = NI
Help F9 := '<HELP>'
COMPUTE IF: NOT (NatCen = NI)
Help F9 := 'Help <F9>'
RECORD ALWAYS:
    1) FRS0801A.IVers
     'I Version code of interview program, eg. I_048_1. I = Interview, 04 = month, 7 = year, 1 = release. 'I
     STRING[7]
RECORD ALWAYS:
    2) FRS0801A.EVers
     ^I Version code of edit program, eg. E_047_1. E = Edit, 04 = month, 7 = year, 1 = release.^I
     STRING[7]
COMPUTE IF: Test = Yes
     AND: NatCen = NI
IVers := ('NI_' + TestVer)
```

```
Compute if: Test = Yes
    AND: NOT (NatCen = NI)
IVers := ('T ' + VerCode)
COMPUTE IF: Edit = Yes
EVers := ('E_' + VerCode)
COMPUTE IF: NOT (Edit = Yes)
IVers := ('I ' + VerCode)
COMPUTE IF: Edit = Yes
Interviewer := 'Editor'
COMPUTE IF: Edit = Yes
EditVersion := ('Edit version@|@|:@|' + EVers + '
COMPUTE IF: NOT (Edit = Yes)
Interviewer := 'Interviewer'
COMPUTE IF: NOT (Edit = Yes)
EditVersion := '
COMPUTE ALWAYS:
Days[1] := 'Sunday'
COMPUTE ALWAYS:
Days[2] := 'Monday'
COMPUTE ALWAYS:
Days[3] := 'Tuesday'
COMPUTE ALWAYS:
Days[4] := 'Wednesday'
COMPUTE ALWAYS:
Days[5] := 'Thursday'
COMPUTE ALWAYS:
Days[6] := 'Friday'
COMPUTE ALWAYS:
Days[7] := 'Saturday'
```

COMPUTE ALWAYS: Months[1] := 'January' COMPUTE ALWAYS: Months[2] := 'February' COMPUTE ALWAYS: Months[3] := 'March' COMPUTE ALWAYS: Months[4] := 'April' COMPUTE ALWAYS: Months[5] := 'May' COMPUTE ALWAYS: Months[6] := 'June' COMPUTE ALWAYS: Months[7] := 'July' COMPUTE ALWAYS: Months[8] := 'August' COMPUTE ALWAYS: Months[9] := 'September' COMPUTE ALWAYS: Months[10] := 'October' COMPUTE ALWAYS: Months[11] := 'November' COMPUTE ALWAYS: Months[12] := 'December' COMPUTE ALWAYS: AssDo := No COMPUTE ALWAYS: BookDo := No COMPUTE ALWAYS: NCDVLP := No

COMPUTE ALWAYS:

NCDVOB := 0

COMPUTE ALWAYS:

NCDVDC := No

COMPUTE ALWAYS:

NCDVTC := No

COMPUTE ALWAYS:

NCDVTC := No

COMPUTE ALWAYS:

NCDVCP := 0

COMPUTE ALWAYS:

NCDVCP := 0

COMPUTE ALWAYS:

NCDVAW := No

COMPUTE ALWAYS:

COMPUTE ALWAYS:

NCDVAA := No

FRS0801A.QSerial

Serial number

```
Compute if: Test = Yes
    AND: NatCen = Yes
KeyString := GETENV('KEYVALUE')
COMPUTE IF: Test = Yes
    AND: NatCen = Yes
DArea := VAL(SUBSTRING(KeyString,1,5))
COMPUTE IF: Test = Yes
    AND: NatCen = Yes
DAddress := VAL(SUBSTRING(KeyString,6,2))
COMPUTE IF: Test = Yes
    AND: NatCen = Yes
DHhold := VAL(SUBSTRING(KeyString, 8, 1))
COMPUTE IF: Test = Yes
    AND: NOT (NatCen = Yes)
    AND: BIDData.SEARCH (1)
DArea := VAL(SUBSTRING(BIDData.BIdField,1,5))
COMPUTE IF: Test = Yes
    AND: NOT (NatCen = Yes)
    AND: BIDData.SEARCH (1)
DAddress := VAL(SUBSTRING(BIDData.BIdField,6,2))
Compute if: Test = Yes
    AND: NOT (NatCen = Yes)
    AND: BIDData.SEARCH (1)
DHhold := VAL(SUBSTRING(BIDData.BIdField, 8, 1))
Ask if: Test = Yes
   3) FRS0801A.QSerial.Area
    AREA NUMBER.
    ^B JUST PRESS <Enter>^B.
    1..99997
Ask if: Test = Yes
   4) FRS0801A.QSerial.Address
    ADDRESS NUMBER.
    ^B JUST PRESS <Enter>^B.
    1..97
```

Ask if: Test = Yes

(5) FRS0801A.QSerial.Hhold

HOUSEHOLD NUMBER.

^B JUST PRESS <Enter>^B.

1..3

CHECK IF: Test = Yes RESERVECHECK

RESERVECHECK

CHECK IF: Test = Yes RESERVECHECK

RESERVECHECK

CHECK IF: Test = Yes RESERVECHECK

RESERVECHECK

COMPUTE IF: Test = Yes
AND: DArea > 0

Area := DArea

COMPUTE IF: Test = Yes
AND: DAddress > 0

Address := DAddress

COMPUTE IF: Test = Yes
AND: DHhold > 0

Hhold := DHhold

FRS0801A.QSerial

Serial number

```
COMPUTE IF: NOT (Test = Yes)
    AND: NatCen = Yes
KeyString := GETENV('KEYVALUE')
COMPUTE IF: NOT (Test = Yes)
    AND: NatCen = Yes
DArea := VAL(SUBSTRING(KeyString,1,5))
COMPUTE IF: NOT (Test = Yes)
    AND: NatCen = Yes
DAddress := VAL(SUBSTRING(KeyString,6,2))
COMPUTE IF: NOT (Test = Yes)
    AND: NatCen = Yes
DHhold := VAL(SUBSTRING(KeyString, 8, 1))
COMPUTE IF: NOT (Test = Yes)
    AND: NOT (NatCen = Yes)
    AND: BIDData.SEARCH (1)
DArea := VAL(SUBSTRING(BIDData.BIdField,1,5))
COMPUTE IF: NOT (Test = Yes)
    AND: NOT (NatCen = Yes)
    AND: BIDData.SEARCH (1)
DAddress := VAL(SUBSTRING(BIDData.BIdField, 6, 2))
COMPUTE IF: NOT (Test = Yes)
    AND: NOT (NatCen = Yes)
    AND: BIDData.SEARCH (1)
DHhold := VAL(SUBSTRING(BIDData.BIdField, 8, 1))
Ask if: NOT (Test = Yes)
   6) FRS0801A.QSerial.Area
    AREA NUMBER.
    ^B JUST PRESS <Enter>^B.
    1..99997
Ask IF: NOT (Test = Yes)
   7) FRS0801A.QSerial.Address
    ADDRESS NUMBER.
    ^B JUST PRESS <Enter>^B.
    1..97
```

Ask if: NOT (Test = Yes)

8) FRS0801A.QSerial.Hhold

HOUSEHOLD NUMBER.

^B JUST PRESS <Enter>^B.

1..3

CHECK IF: NOT (Test = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: NOT (Test = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: NOT (Test = Yes)

RESERVECHECK

RESERVECHECK

COMPUTE IF: NOT (Test = Yes)

AND: DArea > 0

Area := DArea

COMPUTE IF: NOT (Test = Yes)

AND: DAddress > 0

Address := DAddress

COMPUTE IF: NOT (Test = Yes)

AND: DHhold > 0

Hhold := DHhold

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: OSerial.Area < 10

StrArea := ('0000' + STR(QSerial.Area,1))

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: QSerial.Area < 100

StrArea := ('000' + STR(QSerial.Area,2))

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: QSerial.Area < 1000

StrArea := ('00' + STR(QSerial.Area,3))

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: QSerial.Area < 10000

StrArea := ('0' + STR(QSerial.Area,4))

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: NOT (QSerial.Area < 10000)</pre>

StrArea := STR(QSerial.Area,5)

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

AND: QSerial.Address IN [1 .. 9]

StrAddr := ('0' + STR(QSerial.Address,1))

 $\textbf{\textit{Compute if:}} \ \, (\textit{QSerial.Area} = \textit{RESPONSE}) \ \, \textit{AND } \ \, (\textit{QSerial.Address} = \textit{RESPONSE}) \\ \textbf{\textit{AND:}} \ \, \textit{NOT } \ \, (\textit{QSerial.Address IN [1 ... 9]})$

StrAddr := STR(QSerial.Address,2)

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

StrSerial := (StrArea + StrAddr)

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

Serial := VAL(StrSerial)

FRS0801A.QDataBag

Sample information

Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) 9) FRS0801A.QDataBag.Serial Serial number excluding household number. 1..9999997 Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) 10) FRS0801A.QDataBag.Hhold Household number 1..3 Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) 11) FRS0801A.QDataBag.IntNo Interviewer Number 0..9999 Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) 12) FRS0801A.QDataBag.SurvId 3-letter acronym for survey. STRING[3] Ask IF: (OSerial.Area = RESPONSE) AND (OSerial.Address = RESPONSE) 13) FRS0801A.QDataBag.SampYear Year Code 1998..9997 Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) 14) FRS0801A.QDataBag.SampMnth Sample month. 1..12

(15) FRS0801A.QDataBag.SampQtr

Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

Sample quarter

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
   16) FRS0801A.QDataBag.Attempt
     Issue number.
     1..7
Ask IF: (OSerial.Area = RESPONSE) AND (OSerial.Address = RESPONSE)
   17) FRS0801A.QDataBag.SSTRTReg
     Stratifying region: Survey specific.
     1..97
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
   18) FRS0801A.QDataBag.StaRegGB
     Statistical region in GB.
     1..12
ASK IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
   19) FRS0801A.QDataBag.GovRegGB
     Government office region in GB.
     1..12
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
   20) FRS0801A.QDataBag.Country
     1..7
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
   21) FRS0801A.QDataBag.ACORN
     0..97
ASK IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
   22) FRS0801A.QDataBag.SLA
     Local Authority Code.
     STRING[4]
```

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(23) FRS0801A.QDataBag.LAC

Local Authority Code. GOV version

0..997

Ask IF: (OSerial.Area = RESPONSE) AND (OSerial.Address = RESPONSE)

(24) FRS0801A.QDataBag.NICoun

Northern Ireland District Council Codes

1..97

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(25) FRS0801A.QDataBag.NIRate

Northern Ireland District Council Rates

-99.9999..999.9999

ASK IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(26) FRS0801A.QDataBag.NINRV

Net rateable value of property (in N. Ireland)

1..9997

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(27) FRS0801A.QDataBag.AddType

Spare code frame

0..97

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(28) FRS0801A.QDataBag.URInd

Spare code frame

0..97

ASK IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(29) FRS0801A.QDataBag.Spare1

Spare code frame

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(30) FRS0801A.QDataBag.Spare2

Spare code frame

0..97

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(31) FRS0801A.QDataBag.Spare3

Spare code frame

0..997

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

(32) FRS0801A.QDataBag.Spare4

Spare code frame

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: DBData.SEARCH (Serial)
QDataBag := DBData.QDataBag
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: DBData.SEARCH (Serial)
    AND: SUBSTRING (QDataBag.SLA, 1, 2) =
QDataBag.SLA := (SUBSTRING(QDataBag.SLA,3,2) + '
                                                           ')
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: DBData.SEARCH (Serial)
    AND: SUBSTRING (QDataBag.SLA, 1, 1) =
QDataBag.SLA := (SUBSTRING(QDataBag.SLA,2,3) + ' ')
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
NIreland := No
COMPUTE IF: QDataBaq.SSTRTReq IN [22 .. 27]
Scotland := Yes
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
Wales := No
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
    AND: NatCen = Yes
EngWalScot := '(Scotland Case)'
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
NIreland := No
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
Scotland := No
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
Wales := Yes
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
    AND: NatCen = Yes
EngWalScot := '(England/Wales Case)'
COMPUTE IF: QDataBag.SSTRTReg IN [30]
NIreland := Yes
```

```
COMPUTE IF: QDataBag.SSTRTReg IN [30]
Scotland := No
COMPUTE IF: QDataBag.SSTRTReg IN [30]
Wales := No
COMPUTE IF: NOT (QDataBag.SSTRTReg IN [30])
NIreland := No
COMPUTE IF: NOT (QDataBag.SSTRTReg IN [30])
Scotland := No
COMPUTE IF: NOT (QDataBag.SSTRTReg IN [30])
Wales := No
COMPUTE IF: NOT (QDataBaq.SSTRTReq IN [30])
    AND: NatCen = Yes
EngWalScot := '(England/Wales Case)'
COMPUTE IF: Test = Yes
    AND: NICoun = RESPONSE
NIDCoun := ORD(NICoun)
COMPUTE IF: QDataBag.NICoun IN [1 .. 97]
NIDCoun := QDataBag.NICoun
COMPUTE IF: QDataBaq.NIRate IN [0.01 .. 9997]
NIRate := QDataBag.NIRate
Compute if: NOT ((QDataBag.SampMnth IN [4 .. 7]) AND (QDataBag.SampYear =
    2007))
GIP := '/ Guaranteed Income Payment (GIP)'
Compute if: NOT ((QDataBag.SampMnth IN [4 .. 7]) AND (QDataBag.SampYear =
    2007))
GIP1 := '/ Guaranteed Income Payment (GIP) paid to Service or
ex-service personnel'
COMPUTE IF: NOT ((QDataBag.SampMnth IN [4 .. 7]) AND (QDataBag.SampYear =
    2007))
GIP2 := '/ Guaranteed Income Payment (GIP) paid to surviving
partners of Service personnel'
COMPUTE IF: NatCen = NI
SharOwn := 'co-ownership'
```

Compute if: NatCen = NI SOwners := 'Co-owners' **COMPUTE IF:** NatCen = NI LANIHE := 'NIHE' Compute if: NatCen = NICouncil1 := 'Northern Ireland Housing Executive' Compute if: NatCen = NI Council2 := 'Northern Ireland Housing Executive' COMPUTE IF: NatCen = NI GOVSSA := 'Social Security Agency' COMPUTE IF: NatCen = NI GOV1 := 'SSA' COMPUTE IF: NatCen = NI GOV2 := 'Social Security Agency' COMPUTE IF: NatCen = NI JobCen := 'a Social Security Office' Compute if: NatCen = NIRentReb1 := 'rent and/or rates rebate' COMPUTE IF: NatCen = NI RentReb2 := 'rent/rates rebate' COMPUTE IF: NatCen = NI LAuths := 'Social Services' Compute if: NatCen = NILAuth1 := 'Social Services' COMPUTE IF: NatCen = NI LAuth2 := 'Social Services' COMPUTE IF: NatCen = NI IncROI1 := '

Include accounts held in the Republic Of Ireland.'

```
COMPUTE IF: NatCen = NI
IncROI2 := ('If account held in the Republic of Ireland open
note ' + 'to state if amount recorded in Punts or Euros.')
COMPUTE IF: NatCen = NI
IncROI3 := ('Include holdings and/or accounts held in the
Republic ' + 'Of Ireland and open note to state if amount
recorded in ' + 'Punts or Euros.')
COMPUTE IF: NatCen = NI
Dept := 'Department for Social Development'
COMPUTE IF: NatCen = NI
Mid Pri := ''
COMPUTE IF: NatCen = NI
Mid Sec := ''
Compute if: NatCen = NI
Grammar := '/Grammar'
COMPUTE IF: NatCen = NI
State run := ''
COMPUTE IF: NatCen = NI
assisted := ''
COMPUTE IF: NatCen = NI
Inland Revenue := 'HM Revenue and Customs (formerly Inland
Revenue)'
Compute if: NatCen = NI
rate := ''
COMPUTE IF: NatCen = NI
RatesOrCharges := 'charges'
COMPUTE IF: NOT (NatCen = NI)
SharOwn := 'shared ownership'
COMPUTE IF: NOT (NatCen = NI)
SOwners := 'Shared owners'
COMPUTE IF: NOT (NatCen = NI)
LANIHE := 'local authority'
```

```
COMPUTE IF: NOT (NatCen = NI)
Council1 := ('The local authority/council/New Town ' +
'development/Scottish Homes')
COMPUTE IF: NOT (NatCen = NI)
Council2 := 'Local Authority or Council (incl. GLC)'
COMPUTE IF: NOT (NatCen = NI)
GOVSSA := 'DWP (formerly DSS)'
COMPUTE IF: NOT (NatCen = NI)
GOV1 := 'DWP'
COMPUTE IF: NOT (NatCen = NI)
GOV2 := 'DWP (formerly DSS)'
COMPUTE IF: NOT (NatCen = NI)
JobCen := 'an Employment Service local office or Jobcentre'
COMPUTE IF: NOT (NatCen = NI)
RentReb1 := 'rent rebate'
COMPUTE IF: NOT (NatCen = NI)
RentReb2 := 'rent rebate'
COMPUTE IF: NOT (NatCen = NI)
LAuths := 'Local Authorities'
COMPUTE IF: NOT (NatCen = NI)
LAuth1 := 'Local Authority'
COMPUTE IF: NOT (NatCen = NI)
LAuth2 := 'a Local Authority'
COMPUTE IF: NOT (NatCen = NI)
IncROI1 := ''
COMPUTE IF: NOT (NatCen = NI)
IncROI2 := ''
COMPUTE IF: NOT (NatCen = NI)
IncROI3 := ''
COMPUTE IF: NOT (NatCen = NI)
Dept := 'Department for Work and Pensions'
```

```
COMPUTE IF: NOT (NatCen = NI)
Mid Pri := 'Middle-deemed primary school (state run or
assisted) '
COMPUTE IF: NOT (NatCen = NI)
Mid Sec := 'Middle-deemed secondary school (state run or
assisted) '
COMPUTE IF: NOT (NatCen = NI)
Grammar := ''
COMPUTE IF: NOT (NatCen = NI)
State run := 'State run'
COMPUTE IF: NOT (NatCen = NI)
assisted := '(State run or assisted)'
COMPUTE IF: NOT (NatCen = NI)
Inland Revenue := 'HM Revenue and Customs (formerly Inland
Revenue) (or formerly the DSS)'
COMPUTE IF: NOT (NatCen = NI)
rate := '(rates)'
```

COMPUTE IF: NOT (NatCen = NI)

RatesOrCharges := 'rates or charges'

ASK ALWAYS:

(33) FRS0801A.First

^I^B^BLU^IC^B For your information... You are in the ^B Household ^B Schedule for @|@|@|@|@|PEngWalScot Area No: @|@|^StrArea Address No: @|@|^StrAddr Household No: @|^QSerial.Hhold

- To go directly to 'Admin', press <Ctrl + Enter>.
- To continue with interview press '1' and <Enter>.

Interview version@|:@|^IVers ^EditVersion^I

(1) Continue Continue

Ask if: NatCen = Yes

(34) FRS0801A.AdrCheck

^I^BLU Refer to address label:

Check that label gives respondent's full current address.

If not, amend address and code 'Address changed'. ^BLU^I

- (1) Conf Address confirmed
- (2) Chang Address changed

COMPUTE IF: (QDataBag.SampYear = RESPONSE) AND (QDataBag.SampMnth = RESPONSE)

ThisYear := QDataBag.SampYear

COMPUTE IF: (QDataBag.SampYear = RESPONSE) AND (QDataBag.SampMnth = RESPONSE)

ThisMnth := QDataBag.SampMnth

Ask if: Test = Yes

(**35**) FRS0801A.ThisYear

^I FRS Survey Year (eg. 2007 = April 2007 - March 2008).^I

2007..2097

Ask if: Test = Yes

(**36**) FRS0801A.ThisMnth

^I Enter survey month.^I

1..12

COMPUTE IF: ThisMnth IN [1 .. 12]

MnthOK2 := ThisMnth

COMPUTE IF: ThisMnth IN [1 .. 12]

AND: ThisMnth = 11

MnthOK1 := 10

COMPUTE IF: ThisMnth IN [1 .. 12]
AND: ThisMnth = 11

MnthOK3 := 12

Compute if: ThisMnth IN [1 .. 12]
AND: ThisMnth = 11

MnthOK4 := 1

COMPUTE IF: ThisMnth IN [1 .. 12]
AND: ThisMnth = 12

MnthOK1 := 11

```
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 12
MnthOK3 := 1
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 12
MnthOK4 := 2
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 1
MnthOK1 := 12
COMPUTE IF: ThisMnth IN [1 .. 12]
AND: ThisMnth = 1
MnthOK3 := 2
Compute if: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 1
MnthOK4 := 3
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 4
MnthOK1 := 4
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 4
MnthOK3 := 5
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 4
MnthOK4 := 6
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: NOT (ThisMnth = 4)
MnthOK1 := (ThisMnth - 1)
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: NOT (ThisMnth = 4)
MnthOK3 := (ThisMnth + 1)
Compute if: ThisMnth IN [1 .. 12]
    AND: NOT (ThisMnth = 4)
MnthOK4 := (ThisMnth + 2)
```

Block: FRS0801A.QSignIn

FRS0801A.QSignIn

RECORD ALWAYS:

(37) FRS0801A.QSignIn.StartDat

^I^BLU^IC The date on which the interview with this household was started.^I

DATE

RECORD ALWAYS:

(38) FRS0801A.QSignIn.DateOK

^I^BLU^IC Today's date according to the laptop is ^AStartD.

Is this the correct date?^I

- (1) Yes Yes
- (2) No No

COMPUTE IF: StartDat = EMPTY

AStartD := SYSDATE

Ask if: StartDat = EMPTY

(39) FRS0801A.QSignIn.DateOK

^I^BLU^IC Today's date according to the laptop is ^AStartD.

Is this the correct date?^I

- (1) Yes Yes
- (2) No No

COMPUTE IF: StartDat = EMPTY
AND: DateOK = Yes

StartDat := AStartD

Ask if: StartDat = EMPTY **AND:** DateOK = No

(40) FRS0801A.QSignIn.BStartD

^I^BLU^IC Enter the date on which the interview with this household was started.^I

DATE

```
COMPUTE IF: StartDat = EMPTY
     AND: DateOK = No
     AND: ((((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear + 1)))
     AND ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4))) OR (ThisYear
     <> RESPONSE)) OR (ThisMnth <> RESPONSE)
StartDat := BStartD
CHECK IF: StartDat = EMPTY
     AND: DateOK = No
     AND: NOT (((((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear +
     1))) AND ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4))) OR (ThisYear
     <> RESPONSE)) OR (ThisMnth <> RESPONSE)
     ((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear + 1))) AND
     INVOLVING(BStartD)
     ^I The year is wrong for the current FRS survey (^ThisYear)!
     Please re-enter the date from the beginning.^I
CHECK IF: StartDat = EMPTY
     AND: DateOK = No
     AND: NOT (((((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear +
     1))) AND ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4))) OR (ThisYear
     <> RESPONSE)) OR (ThisMnth <> RESPONSE)
     ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4)) AND
     INVOLVING(BStartD)
     ^I The month is wrong for the current FRS survey (^Months[ThisMnth])!
     Please re-enter the date from the beginning.^I
Ask if: (Edit = Yes) AND (Test = Yes)
   41) FRS0801A.QSignIn.CStartD
     ^I EDITOR: Change the interview start date (currently ^StartDat)?^I
          Yes
                    Yes
     (1)
     (2)
          No
                    No
Ask if: (Edit = Yes) AND (Test = Yes)
     AND: CStartD = Yes
  42) FRS0801A.QSignIn.StartDat
     ^I^BLU^IC The date on which the interview with this household was started.^I
     DATE
DISPLAY IF: NOT ((Edit = Yes) AND (Test = Yes)
```

(43) FRS0801A.QSignIn.StartDat

^I^BLU^IC The date on which the interview with this household was started.^I

DATE

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

RECORD ALWAYS:

(44) FRS0801A.QSignIn.IntSTime

^I Interview start time^I

TIME

COMPUTE IF: IntSTime = EMPTY AND StartDat <> EMPTY

IntSTime := STARTTIME

Ask if: (Edit = Yes) AND (NatCen <> Yes)

(45) FRS0801A.QSignIn.Editor

^I Editor at HQ: Enter your identification number.^I

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

COMPUTE ALWAYS: DateNow := QSignIn.StartDat COMPUTE ALWAYS: DatYrAgo := (DateNow + (-1,0,0))COMPUTE ALWAYS: DatMnAgo := (DateNow + (0,-1,0))COMPUTE ALWAYS: DatWkAgo := (DateNow + (0,0,-7))COMPUTE ALWAYS: DatWeek := (Days[DatWkAgo.WEEKDAY] + ' the ' +
STR(DatWkAgo.DAY) + ' ' + Months[DatWkAgo.MONTH]) COMPUTE IF: DateNow.WEEKDAY = 1 DatLSun := (DateNow + (0,0,-7))COMPUTE IF: NOT (DateNow.WEEKDAY = 1) DatLSun := (DateNow + (0,0,-(DateNow.WEEKDAY) + 1)) COMPUTE ALWAYS: DatSun := ('Sunday the ' + STR(DatLSun.DAY) + ' ' + Months[DatLSun.MONTH]) CHECK ALWAYS: RESERVECHECK RESERVECHECK CHECK ALWAYS: RESERVECHECK RESERVECHECK CHECK ALWAYS: RESERVECHECK RESERVECHECK CHECK ALWAYS: RESERVECHECK RESERVECHECK

```
COMPUTE IF: QDataBag.SampMnth IN [1, 2, 3]
```

CheckYear := 2008

```
COMPUTE IF: NOT (QDataBag.SampMnth IN [1, 2, 3])
```

CheckYear := 2007

COMPUTE ALWAYS:

```
FWDate := TODATE(CheckYear,QDataBag.SampMnth,1)
```

```
WARN IF: QDataBag.SampYear <> 0
   (QSignIn.StartDat.YEAR = FWDate.YEAR) OR ((QSignIn.StartDat.YEAR =
   (FWDate.YEAR + 1)) AND (QSignIn.StartDat <= (FWDate + (0,3,0))))</pre>
```

^I You have accidentally entered the wrong year. It doesn't agree with the fieldwork period. Please check and amend.^I

```
WARN IF: QDataBag.SampMnth <> 0
   (QSignIn.StartDat >= FWDate) OR ((FWDate.MONTH = 12) AND
   (QSignIn.StartDat.MONTH = 11))
```

^I You have accidentally entered the wrong month and/or year. It doesn't agree with the fieldwork period. Please check and amend.^I

```
Warn IF: QDataBag.SampMnth <> 0
   QSignIn.StartDat <= (FWDate + (0,3,0))</pre>
```

'I The month of this date is more than 3 months after the fieldwork period, please check and amend. 'I

COMPUTE ALWAYS:

```
DLYear := (QSignIn.StartDat + (-1,0,0))
```

FRS0801A.QNames

Names of household members

ASK ALWAYS:

(46) FRS0801A.QNames.WhoHere

۸N

Who normally lives at this address?^N

(1) Cont Press <Enter> to continue.

FRS0801A.QNames.M[]

```
Ask if: In loop FOR Pers := 1 TO 14
AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
```

(47) FRS0801A.QNames.M[].Name

^BLU^IC^I Enter an identifier for this household member

Please take care to record an accurate name. If the respondent refuses to give his or her name - record something that uniquely identifies this person within the household so you can refer to them later in the interview.^I

STRING[15]

FRS0801A.QNames.M[].ProperAdd()

Procedure Call

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
OAddLine := AddLine
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
PNoChar := NoChar
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
NLetter := 0
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
NLettID := 0
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
    AND: In loop FOR Idx := 1 TO PNoChar
AVar[Idx] := LOWERCASE(SUBSTRING(OAddLine,Idx,1))
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
ASCIICode [Idx] := SOMETHING (AVar [Idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
    AND: In loop FOR Idx := 1 TO PNoChar
     AND: ASCIICode [Idx] IN [48 .. 57, 65 .. 90, 97 .. 122]
NLetter := (NLetter + 1)
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
    AND: ASCIICode[Idx] IN [48 .. 57, 65 .. 90, 97 .. 122]
     AND: NLettID = 0
NLettID := Idx
```

```
CHECK IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
     AND: NOT (ASCIICode[1] IN [32, 48 .. 57, 65 .. 90, 97 .. 122])
     ERROR AND INVOLVING (AddLine)
     You started the text with an invalid character (^AVar[Idx]).
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
     AND: ASCIICode[1] IN [97 .. 122]
ASCIICode[1] := (ASCIICode[1] - 32)
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
     AND: ASCIICode [1] IN [97 .. 122]
AVar[1] := UPCASE(AVar[1])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
     AND: Idx > 1
     AND: (ASCIICode[Idx - 1] IN [32, 45, 46]) AND (ASCIICode[Idx] IN [65 ...
     90, 97 .. 122])
ASCIICode [Idx] := (ASCIICode [Idx] - 32)
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
     AND: Idx > 1
     AND: (ASCIICode[Idx - 1] IN [32, 45, 46]) AND (ASCIICode[Idx] IN [65 ...
     90, 97 .. 122])
AVar[Idx] := UPCASE(AVar[Idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
     AND: Idx > 1
     AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)
ASCIICode [Idx] := (ASCIICode [Idx] - 32)
```

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
     AND: Idx > 1
     AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)
AVar[Idx] := UPCASE(AVar[Idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
PAddLine := (PAddLine + AVar[Idx])
CHECK IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
    RESERVECHECK
     RESERVECHECK
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
     AND: PAddLine = RESPONSE
    AND: In loop FOR Idx := 1 TO PNoChar
AVar2[Idx] := SUBSTRING(PAddLine, Idx, 1)
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
    AND: PAddLine = RESPONSE
     AND: In loop FOR Idx := 1 TO PNoChar
ASCIICode2[Idx] := SOMETHING(AVar2[Idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
    AND: PAddLine = RESPONSE
    AND: In loop FOR Idx := 1 TO PNoChar
     AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1] IN [0, 48].
     57, 65 .. 90, 97 .. 122])
    AND: In loop FOR Idy := 1 TO PNoChar
     AND: Idy >= Idx
ASCIICode2[Idx] := ASCIICode2[Idy + 1]
```

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OAddLine = RESPONSE
     AND: PAddLine = RESPONSE
    AND: In loop FOR Idx := 1 TO PNoChar
    AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1]) IN [0, 48 ...
     57, 65 .. 90, 97 .. 122])
    AND: In loop FOR Idy := 1 TO PNoChar
    AND: Idy >= Idx
AVar2[Idx] := AVar2[Idy + 1]
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
     AND: PAddLine = RESPONSE
    AND: In loop FOR Idx := 1 TO PNoChar
     AND: (Idx < NLettID) AND (AVar2[Idx] = )
AVar2[Idx] := ''
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
     AND: PAddLine = RESPONSE
    AND: In loop FOR Idx := 1 TO PNoChar
PFAddLine := (PFAddLine + AVar2[Idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OAddLine = RESPONSE
```

EFAddLine := PFAddLine

$FRS0801A.QNames.M[]\ (continued)$

Ask if: In loop FOR Pers := 1 TO 14

AND: (Pers = 1) OR (M[Pers - 1].More = Yes)

AND: PPers < 14

$(\quad 48\)\ FRS0801A.QNames.M[].More$

^N

Is there anyone else in this household?^N

(1) Yes Yes(2) No No

FRS0801A.QNames (continued)

Names of household members

COMPUTE IF: In loop FOR Pers := 1 TO 14 AND: M[Pers].More = No

HSize := Pers

CHECK IF: In loop FOR Pers := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Pers := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Pers := 1 TO 14

RESERVECHECK

RESERVECHECK

Compute if: (M[13].More = Yes) AND M[14].Name <> EMPTY

HSize := 14

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

RECORD ALWAYS:

(49) FRS0801A.HHSize

^I Household size including any x-ed out^I

0..14

COMPUTE IF: (QNames. HSize > 0) OR (Edit = No)

HHSize := QNames.HSize

COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize

DMName[Loop1] := QNames.M[Loop1].Name

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

Block: FRS0801A.HHG

FRS0801A.HHG

Data on household members

COMPUTE IF: HHSize > 0

FHHSize := PHHSize

COMPUTE IF: HHSize > 0
AND: NatCen = Yes

Out772 := '772'

COMPUTE IF: HHSize > 0

AND: NOT (NatCen = Yes)

Out772 := '77'

COMPUTE IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

P[P1].Person := P1

COMPUTE IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

P[P1].Name := QNames.M[].Name[P1]

FRS0801A.HHG.P[]

```
RECORD IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
( 50) FRS0801A.HHG.P[].BenUnit
     Benefit Unit number.
     0..7
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
( 51) FRS0801A.HHG.P[].Person
     Person number in Household Grid.
    0..14
RECORD IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
( 52) FRS0801A.HHG.P[].Name
     ^N First name.^N
    STRING[15]
COMPUTE IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
LName := Name
COMPUTE IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
UName := UPCASE(Name)
Ask if: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
( 53) FRS0801A.HHG.P[].Sex
    HHG
    ^I^BLU Code ^UName'S sex.^I
                    Male
     (1)
          Male
     (2)
         Female
                   Female
```

```
DISPLAY IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
( 54) FRS0801A.HHG.P[].Name
     ^N First name.^N
     STRING[15]
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
heshe := 'he'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
hisher := 'his'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
heshe := 'she'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
hisher := 'her'
Ask if: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
  55 ) FRS0801A.HHG.P[].AgeOf
     HHG
     ^N
     What was ^LName's age last birthday?^N
     ^I^BLU If age not given, probe for an estimate.
     For later routing, you must know whether:
     A) Men are aged 16-64 or 65+
     B) Women are aged 16-59 or 60+
     ۸I
     0..120
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
DVAge := AgeOf
```

```
Ask if: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

AND: SUBSTRING (Name, 1, 2) <> XX

AND: AgeOf IN [16 .. 120]
```

(56) FRS0801A.HHG.P[].MS

HHG

۸I

The aim is to obtain legal marital status, irrespective of any de facto arrangement. The only qualification to this aim is that you should not probe the answer 'separated'. Should a respondent query the term, explain that it covers any person whose spouse is living elsewhere because of estrangement (whether the separation is legal or not). Ignore temporary absences, eg. on oil rig.

A person whose spouse has been working away from home for over 6 months, eg. on a contract overseas or in the armed forces, should still be coded as married and living with husband/wife if the separation is not permanent.

Civil partners may only be of the same sex, and must have obtained legal recognition of their partnership; probe whether partnership was registered under the new provisions that came into force as from December 2005. A

- (1) Single 'N... single, that is, never married or never in a legally recognised Civil Partnership, 'N
- (2) Marr ^N... married and living with husband/wife or in a legally recognised Civil Partnership and living with civil partner,^N
- (3) Sep ^N...married and separated from husband/wife or in a legally recognised Civil Partnership and separated from civil partner,^N
- (4) Divorce 'N...divorced or Civil Partnership legally dissolved, 'N
- (5) Widowed ^N...or widowed?^N

```
Ask IF: HHSize > 0
```

```
AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
AND: AgeOf IN [16 .. 120]
AND: (FHHSize > 1) AND (MS IN [Single, Sep, Divorce, Widowed])
```

(57) FRS0801A.HHG.P[].CupChk

HHG

^I Ask or record:^I

^N May I just check, are you / is ^LName living with someone in this household as a couple?

^BLU^I^IC Only respondents who are living with their partner should be coded as living together as a couple.

You may code No without asking the question^B only^B if all members of the household are too closely related for any to be living together in a de facto marital relationship.^I

```
(1) Yes Yes
(2) No No
```

```
Ask IF: HHSize > 0
```

```
AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
AND: MS = Widowed
```

58) FRS0801A.HHG.P[].W1

HHG

۸N

What was ^LName's age when widowed?^N

0..120

```
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: MS = Widowed
     AND: W1 = RESPONSE
     W1 >= 16
     'I Are you sure? It is not usual to be married before the age of 16 unless you were married outside the
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: MS = Widowed
     AND: W1 = RESPONSE
     W1 <= AgeOf
     'I You've coded that 'LName is 'AgeOf years old, but was widowed at the age of 'W1. Please amend the
     one or the other.^I
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: MS = Widowed
( 59) FRS0801A.HHG.P[].W2
     HHG
     ^N
     Did ^LName have any children aged under 16 when widowed?^N
     (1)
          Yes
                    Yes
     (2)
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
SonDaughter := 'son'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
BrotherSister := 'brother'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
FatherMother := 'father'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
SonDaughter := 'daughter'
```

```
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
BrotherSister := 'sister'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
FatherMother := 'mother'
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX

RESERVECHECK

FRS0801A.HHG.P[].QRel[]

Ask IF: HHSize > 0 AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize AND: RPers < PPers

(60) FRS0801A.HHG.P[].QRel[].R

HHG

^I^BLU Ask or record ^PName's relationship to ^RName.^BLU^I

(1) Spouse spouse / civil partner, Cohabit (2) cohabitee, (3) Child ^SonDaughter (incl. adopted) (/legal dependant), (4) StChild step-^SonDaughter, **FChild** (5) foster child, **ILChild** ^SonDaughter-in-law, (6) Parent ^FatherMother (or guardian), (7) StParent step-^FatherMother, (8) (9) **FParent** foster parent, **ILParent** (10)^FatherMother-in-law, (11)Sib ^BrotherSister (incl. adopted), (12)StSib step-^BrotherSister, (13)**FSib** foster 'BrotherSister, (14)**ILSib** ^BrotherSister-in-law.

(15)GChild grand-^SonDaughter, grand-^FatherMother, (16)**GParent**

(17)OthRel other relative.

NonRel or other non-relative? (18)

(97) Self

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX AND: In loop FOR R1 := 1 TO FHHSize AND: RPers < PPers

R <> Self

[^]I Code 97 is not valid for this question.^I

```
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      AND: NOT (RPers < PPers)
    61 ) FRS0801A.HHG.P[].QRel[].R
      HHG
      ^I^BLU Ask or record ^PName's relationship to ^RName.^BLU^I
      (1)
           Spouse
                       spouse / civil partner,
           Cohabit
                       cohabitee,
      (2)
           Child
                       ^SonDaughter (incl. adopted)
      (3)
                       (/legal dependant),
      (4)
           StChild
                       step-^SonDaughter,
      (5)
           FChild
                       foster child,
      (6)
           ILChild
                       ^SonDaughter-in-law,
      (7)
           Parent
                       ^FatherMother (or guardian),
      (8)
           StParent
                       step-^FatherMother,
      (9)
           FParent
                       foster parent,
      (10)
           ILParent
                       ^FatherMother-in-law,
      (11)
           Sib
                       ^BrotherSister (incl. adopted),
           StSib
      (12)
                       step-^BrotherSister,
                       foster ^BrotherSister,
      (13)
           FSib
      (14)
           ILSib
                       ^BrotherSister-in-law,
      (15)
           GChild
                       grand-^SonDaughter,
      (16)
           GParent
                       grand-^FatherMother,
      (17)
           OthRel
                       other relative,
           NonRel
                       or other non-relative?
      (18)
      (97)
           Self
COMPUTE IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      AND: NOT (RPers < PPers)
      AND: RPers = PPers
R := Self
CHECK IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      RESERVECHECK
      RESERVECHECK
```

CHECK IF: HHSize > 0
AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize

RESERVECHECK

Warn if: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX AND: In loop FOR R1 := 1 TO FHHSize NOT(IN(R,[???,???,???]))

^I Warning: This code must only be used if the foster child is covered by a Local Authority Allowance. Please check that this is the case.^I

FRS0801A.HHG.P[] (continued)

```
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: In loop FOR R1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
Warn if: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
   62) FRS0801A.HHG.P[].Spouses
     HHG
     0..14
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
   63) FRS0801A.HHG.P[].NumParn
     HHG
```

0..14

```
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
   64) FRS0801A.HHG.P[].NumPart
     HHG
     0..14
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
   65) FRS0801A.HHG.P[].NumCohab
     HHG
     0..14
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
   66 ) FRS0801A.HHG.P[].Parent1
     ^N Person number of parent 1^N
     0..14
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
( 67) FRS0801A.HHG.P[].Parent2
     ^N Person number of parent 2^N
     0..14
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
   68) FRS0801A.HHG.P[].Hholder
     ^N Is this person coded at QHholder.Hhldr?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
```

```
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: AgeOf IN [4 .. 74]
( 69) FRS0801A.HHG.P[].FTEd
     HHG
     ^N
     Is ^LName currently in full-time education?^N
     ^I^BLU^IC Include correspondence courses and open learning as well as other forms of full-time
     courses.^I
     (1)
          Yes
                     Yes
     (2)
          No
                     No
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
AND: AgeOf IN [19 .. 23]
StillEduc := (' - or is ' + heshe + ' still in full-time
education')
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
     AND: NOT (AgeOf IN [19 .. 23])
StillEduc := ''
```

```
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
     AND: AgeOf IN [19 .. 25]
continuous := (''Continuous' can include a break, if less than
  + '18 months.
Code '96' if still in continuous F/T Ed.')
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120]) AND: AgeOf IN [26 .. 120]
continuous := ('Enter age (or code '96' if still in ' +
'continuous full-time education).')
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
     AND: NOT (AgeOf IN [26 .. 120])
continuous := ''
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
   70 ) FRS0801A.HHG.P[].TEA
     HHG
     ^I Include the following as part of 'continuous education':
     - A ^B'gap year'^B between school and college/university, as long as there is/was some clear intention to
     continue education.
     - A^B holiday job^B during a course, provided they intend to continue with the course.
     - The working section of a^B sandwich course^B.
     -^B National Service^B, if it occurred between school and college/university.^I
     5..97
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120]) AND: TEA IN [5 .. 95]
     TEA <= AgeOf
     'I You've coded that 'LName is 'AgeOf years old, but left full-time education at the age of 'TEA. Please
     amend the one or the other.^I
```

```
CHECK IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
    AND: SUBSTRING (Name, 1, 2) <> XX
    AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
    AND: (FTEd = No) AND (AgeOf IN [16 .. 18])
    TEA <> 96
```

^I At the previous question you say that ^LName is not in full-time education. Please amend your answers.^I

```
RECORD IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

AND: SUBSTRING (Name, 1, 2) <> XX

AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
```

(71) FRS0801A.HHG.P[].TEAEx

HHG

'I This is a 'Key Question': it is very important to get an answer if you possibly can. An ESTIMATE is preferable to Don't know (or refusal).

^SuppTxt^I

OPEN

```
Warn If: HHSize > 0
AnD: In loop FOR P1 := 1 TO FHHSize
AnD: SUBSTRING (Name, 1, 2) <> XX
AnD: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
AnD: Edit = No
AnD: TEA = NONRESPONSE
ERROR
```

'I This is a 'Key Question': it is very important to get an answer if you possibly can. An ESTIMATE is preferable to Don't know (or refusal).'I

```
Ask if: HHSize > 0
AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
AND: Edit = No
AND: TEA = NONRESPONSE
```

(72) FRS0801A.HHG.P[].TEAEx

HHG

^I This is a 'Key Question': it is very important to get an answer if you possibly can. An ESTIMATE is preferable to Don't know (or refusal).

^SuppTxt^I

OPEN

```
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
     AND: Edit = No
     AND: TEA = RESPONSE
     AND: AgeOf > 25
     TEA <> 96
     <sup>A</sup>I This person is over 25, so is unlikely to still be in CONTINUOUS full-time education (ie. having been
     OUT of education for less than 18 months). Please check.^I
Warn IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
     AND: Edit = No
     AND: TEA = RESPONSE
     (TEA >= 14) OR (TEA = 97)
     ^I This value seems low.
     Please check that it is correct.^I
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [16 .. 18]) AND (FTEd = No)) OR (AgeOf IN [19 .. 120])
     AND: Edit = No
     AND: TEA = RESPONSE
     AND: TEA < 96
     TEA < 28
     ^I This value seems high.
     Please check that it is correct.^I
```

```
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: (TEA = 96) OR (FTEd = Yes)
  73 ) FRS0801A.HHG.P[].TypeEd
      <sup>^</sup>I Secondary Schools include: Secondary Modern, Grammar, Comprehensive and Technical Schools.
      Age ranges for Middle-deemed Primary:
      8-12
      9-12
      9-13
      Age ranges for Middle-deemed Secondary:
      10-13
      10-14.^I
                       Nursery School/Nursery Class/Playgroup/Pre-school
      (1)
           Nursery
      (2)
           Primry
                       ^State_run Primary (including reception classes)
      (3)
           Special
                       Special School \State_run (e.g. for children with disabilities and special educational
      needs)
      (4)
           MidPri
                       ^Mid Pri
      (5)
           MidSec
                       ^Mid Sec
      (6)
           Sec
                       Secondary Grammar school assisted
           Nonady
                       Non-advanced further education/6th form/tertiary/further education college
      (7)
           Private
                       Any PRIVATE/Independent school (prep, primary, secondary, City Technology
      (8)
      Colleges)
                       University/polytechnic/any other higher education
      (9)
           Univ
      (10)
           HomeSch
                       Home Schooling
Warn IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: (TEA = 96) OR (FTEd = Yes)
      RESERVECHECK
      RESERVECHECK
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: (TEA = 96) OR (FTEd = Yes)
      AND: TypeEd IN [Sec .. Nonadv]
      AgeOf >= 8
      ^I This doesn't sound right in relation to ^LName's age:
      Please check your entry.^I
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
     AND: (TEA = 96) OR (FTEd = Yes)
      AND: TypeEd = Nursery
      IN(AgeOf, [2..12])
      ^I This doesn't sound right in relation to ^LName's age:
      Please check your entry.^I
```

```
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: (TEA = 96) OR (FTEd = Yes)
     AND: (TypeEd = Special) AND (AgeOf IN [16 .. 18])
   74) FRS0801A.HHG.P[].SchChk
     HHG
     ^I^BLU^IC Please check: Is^B Child Benefit^B still received for this person? (IF yes, this confirms they
     still belong to someone else's benefit unit).^I
          YesCB
                     Yes, child benefit still received
     (1)
     (2)
          No
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NatCen = NI
     NOT(IN(TypeEd, [???,???]))
     ^I Interviewer, do not use this code at TypeEd.^I
Ask if: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [0 .. 19]) AND (AgeOf = RESPONSE)) OR ((NatCen IN [Yes,
     ONS]) AND ((QDataBag.SampMnth = 1) AND (QDataBag.SampYear = 2007)))
   75 ) FRS0801A.HHG.P[].DoB
     HHG
     ^N
     May I check, what is ^LName's date of birth?^N
     ^I^BLU If day not known, enter 15th.^I
     DATE
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [0 .. 19]) AND (AgeOf = RESPONSE)) OR ((NatCen IN [Yes,
     ONS]) AND ((QDataBag.SampMnth = 1) AND (QDataBag.SampYear = 2007)))
     AND: DOB = RESPONSE
     DoB <= QSignIn.StartDat</pre>
     ^I You've entered a future date!^I
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [0 .. 19]) AND (AgeOf = RESPONSE)) OR ((NatCen IN [Yes,
     ONS]) AND ((QDataBag.SampMnth = 1) AND (QDataBag.SampYear = 2007)))
     AND: DOB = RESPONSE
     AND: AgeOf > 0
     AGE(DoB,QSignIn.StartDat) = AgeOf
     ^I This date doesn't agree with the age and the date of interview. Please check.^I
```

```
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((AgeOf IN [0 .. 19]) AND (AgeOf = RESPONSE)) OR ((NatCen IN [Yes,
     ONS]) AND ((QDataBag.SampMnth = 1) AND (QDataBag.SampYear = 2007)))
     AND: DOB = RESPONSE
     AND: (AgeOf = 0) AND (AgeOf = RESPONSE)
      ((QSignIn.StartDat.JULIAN - DoB.JULIAN) <= 365) AND
     INVOLVING(AgeOf, DoB)
     ^I This date doesn't agree with the age and the date of interview. Please check.^I
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
AND: ((AgeOf IN [16 .. 19]) AND (FTEd = No)) AND (TEA < 96)
  76) FRS0801A.HHG.P[].Trainee
     HHG
     ^N
     Is ^LName currently on a government scheme for employment training?^N
     (1)
           Yes
                      Yes
     (2)
           No
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
   77 ) FRS0801A.HHG.P[].Depend
     HHG
     ^N Status indicator of whether this adult is treated as dependent.^N
     (1)
           Adult
                      Independent adult
           DepAd
                      16-19 years old AND in F/T education, OR 16-19 in government employment
     (2)
     training
     (3)
           Child
                      0-15 years old
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
   78) FRS0801A.HHG.P[].LiveWith
     HHG
     ^N Cohabitee?^N
```

(1)

(2)

Yes

No

Yes

No

RECORD IF: HHSize > 0 AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX 79) FRS0801A.HHG.P[].DVMarDF ^N De facto marital status^N (1) Married Married or in a legally recognised Civil Partnership Cohabiting (including same sex couples) (2) Cohab (3) **DFSingle** Single (4) DFWidow Widowed (including surviving civil partner) **DFDivor** Divorced or civil partnership dissolved (5) **DFSepar** Separated (6) CHECK IF: HHSize > 0 AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 **AND:** In loop FOR P1 := 1 TO FHHSize RESERVECHECK RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

RESERVECHECK

FRS0801A.HHG (continued)

Data on household members

```
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
LegGuard[[P1] := 2
Compute if: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].NumParn := 0
Compute if: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].NumPart := 0
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
P[P1].NumCohab := 0
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
P[P1].Spouses := 0
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
P[P1].Parent1 := 1
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
P[P1].Parent2 := 1
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].LiveWith := No
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [Spouse .. Cohabit, Sib .. ILSib, OthRel,
     NonRel]
P[P1].QRel[P2].R := P[P2].QRel[P1].R
```

```
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [Child .. ILChild]
P[P1].QRel[P2].R := (ORD(P[P2].QRel[P1].R) + 4)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [Parent .. ILParent]
P[P1].QRel[P2].R := (ORD(P[P2].QRel[P1].R) - 4)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [GChild]
P[P1].QRel[P2].R := GParent
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [GParent]
P[P1].QRel[P2].R := GChild
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].ORel[P2].R = Cohabit
P[P1].LiveWith := Yes
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = Cohabit
P[P1].DVMarDF := Cohab
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS = Marr
P[P1].DVMarDF := Married
```

```
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].CupChk = Yes
P[P1].DVMarDF := Cohab
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].AgeOf < 16
P[P1].DVMarDF := DFSingle
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].MS = Single) AND (P[P1].LiveWith <> Yes)
P[P1].DVMarDF := DFSingle
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS = Widowed
P[P1].DVMarDF := DFWidow
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS = Divorce
P[P1].DVMarDF := DFDivor
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS = Sep
P[P1].DVMarDF := DFSepar
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
AND: P[P1].QRel[P2].R = Spouse
     P[P1].Sex <> P[P2].Sex AND INVOLVING(P[P1].Sex,P[P2].Sex)
     A Civil partners must have obtained legal recognition of their partnership. Please check whether
```

^I Civil partners must have obtained legal recognition of their partnership. Please check whether partnership was registered under the new provisions that came into force as from December 2005.^I

```
CHECK IF: HHSize > 0
AND: P[FHHSize].Sex = RESPONSE
AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
AND: P[P1].QRel[P2].R = Spouse
((P[P2].MS = Marr) OR P[P2].MS=EMPTY) AND
INVOLVING(P[P2].QRel[P1].R,P[P2].MS)
```

^I You've recorded ^P[P1].Name as the spouse / civil partner of ^P[P2].Name who is NOT 'Married & living with spouse / is NOT in a legally recognised Civil Partnership and living with civil partner'. Please amend one or the other.^I

```
CHECK IF: HHSize > 0
AND: P[FHHSize].Sex = RESPONSE
AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
AND: P[P1].QRel[P2].R = Cohabit
(P[P2].MS <> Marr) AND INVOLVING(P[P2].QRel[P1].R)
```

^I You've recorded ^P[P1].Name as 'cohabiting' with ^P[P2].Name, who is 'MARRIED & living with^B spouse^B / in a legally recognised Civil Partnership and living with^B civil partner^B'. Please amend one or the other^I

```
WARN IF: HHSize > 0
AND: P[FHHSize].Sex = RESPONSE
AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
AND: P[P1].QRel[P2].R = Cohabit
P[P1].Sex <> P[P2].Sex AND INVOLVING(P[P2].QRel[P1].R)
```

^I A cohabiting partner has been found in our data to usually be of the opposite sex. Are you sure this is a same sex cohabiting couple? ^I

```
CHECK IF: HHSize > 0
AND: P[FHHSize].Sex = RESPONSE
AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
AND: P[P2].QRel[P1].R = Spouse
((P[P1].MS = Marr) OR P[P1].MS=EMPTY) AND INVOLVING(P[P2].QRel[P1].R)
```

^I You've recorded ^P[P2].Name as the spouse / civil partner of ^P[P1].Name, who is not coded as being 'Married & living with spouse / in a legally recognised Civil Partnership and living with civil partner'. Please amend one or the other^I

```
CHECK IF: HHSize > 0
AND: P[FHHSize].Sex = RESPONSE
AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
AND: P[P2].QRel[P1].R = Cohabit
(P[P1].MS <> Marr) AND INVOLVING(P[P2].QRel[P1].R)
```

^I You've recorded ^P[P2].Name as 'cohabiting' with ^P[P1].Name, who is coded as 'MARRIED & living with^B spouse^B / in a legally recognised Civil Partnership and living with^B civil partner^B'. Please amend one or the other^I

```
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Parent .. ILParent, GParent]
     (P[P1].AgeOf > 15) AND INVOLVING(P[P2].QRel[P1].R,P[P1].AgeOf)
     ^I You've coded ^P[P1].Name as a parent (inc. foster/in-law/step) or grandparent, but he/she is less than
     16 years old. Please check ^P[P1].Name's age.^I
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. ILChild, GChild]
     (P[P1].AgeOf < P[P2].AgeOf) AND INVOLVING(P[P2].QRe1[P1].R)
     'I Children (inc. foster/in-law/step) and grandchildren should normally be younger than their
     parents/grandparents/ step-parents. Please check the ages you have entered.^I
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Parent .. ILParent, GParent]
     (P[P1].AgeOf > P[P2].AgeOf) AND INVOLVING(P[P2].QRe1[P1].R)
     ^I Parents (inc. foster/in-law/step) or grandparents, are normally older than their child/grandchild/step-
     child. Please check the ages and relationships you've entered. I
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. ILChild]
     (P[P1].AgeOf < (P[P2].AgeOf - 12)) AND INVOLVING(P[P2].QRe1[P1].R)
     ^I Children (inc. foster/in-law/step) are normally at least 12 years younger than parents/step-parents.
     Please check the ages you have entered. I
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Parent .. ILParent]
     (P[P1].AgeOf > (P[P2].AgeOf + 12)) AND INVOLVING(P[P2].QRe1[P1].R)
     <sup>A</sup>I Parents (inc. foster/in-law/step) are normally at least 12 years older than their child/step-child. Please
     check the ages and relationships you've entered.^I
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = GChild
     (P[P1].AgeOf < (P[P2].AgeOf - 24)) AND INVOLVING(P[P2].QRel[P1].R)
     ^I Children are normally at least 24 years younger than their grandparents. Please check the ages you
     have entered.^I
```

```
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = GParent
     (P[P1].AgeOf > (P[P2].AgeOf + 24)) AND INVOLVING(P[P2].QRel[P1].R)
     ^I Grandparents are normally at least 24 years older than their grandchildren. Please check the ages and
     relationships you've entered.^I
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Spouse]
P[P1].Spouses := (P[P1].Spouses + 1)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Spouse .. Cohabit]
P[P1].NumPart := (P[P1].NumPart + 1)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = Cohabit
P[P1].NumCohab := (P[P1].NumCohab + 1)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].AgeOf IN [0 .. 15]) AND (P[P1].AgeOf = RESPONSE)
P[P1].Depend := Child
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].NumPart > 0
P[P1].Depend := Adult
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1]^T.AgeOf\ IN\ [16\ ..\ 18])\ AND\ ((P[P1].TypeEd\ =\ Special)\ AND\ )
     (P[P1].SchChk = No))
P[P1].Depend := Adult
```

```
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].AgeOf IN [16 .. 19]) AND ((P[P1].TypeEd IN [Special ..
     Private]) OR (P[P1].Trainee = Yes))
P[P1].Depend := DepAd
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: NOT (\bar{P}[P1].AgeOf\ IN\ [16\ ..\ 19])\ AND\ (P[P1].TypeEd\ IN\ [Special\ ..\ ])
     Private]) OR (P[P1].Trainee = Yes))
P[P1].Depend := Adult
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize AND: In loop FOR P2 := 1 TO FHHSize
     (IN(P[P1].NumPart,[0..1])) AND
     INVOLVING(P[P2].QRel[P1].R,P[P1].QRel[P2].R)
     ^I^P[P1].Name has more than one spouse/cohabitee. Establish who is principal partner, & re-code the
     other as '17' or '18'.^I
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. FChild]
     AND: P[P1].Parent1 = EMPTY
P[P1].Parent1 := P2
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. FChild]
     AND: P[P1].Parent2 = EMPTY AND (P[P1].Parent1 <> P2)
     P[P[P1].Parent1].Sex <> P[P2].Sex AND INVOLVING(P[P2].QRe1[P1].R)
     ^I The parents of ^P[P1].Name are of the same sex. Please check.^I
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. FChild]
     AND: P[P1].Parent2 = EMPTY AND (P[P1].Parent1 <> P2)
P[P1].Parent2 := P2
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. FChild]
P[P1].NumParn := (P[P1].NumParn + 1)
```

```
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = Adult) AND INVOLVING (P[P2].QRel[P1].R,
     P[P1].QRel[P2].R)
     P[P1].NumParn <= 2
     'I This suggests that 'P[P1]. Name has more than two parents. Please check the relationship codes for
     ^P[P1].Name and select which one to alter.^I
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     And: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = DepAd) AND INVOLVING (P[P2].QRel[P1].R,
     P[P1].QRel[P2].R)
     P[P1].NumParn <= 2
     ^I You've given ^P[P1].Name more than two parents (inc step/foster). To calculate Benefit Units properly
     you must reduce this to a maximum of two. Select which one to alter, and re-code as '17'. (Check who
     receives Child Benefit for ^P[P1].Name).^I
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = Child) AND (P[P1].QRel[P2].R IN [Child .. FChild])
LegGuard[[P1] := 1
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = DepAd) AND (P[P1].QRel[P2].R IN [Spouse ...
     FChild])
LegGuard[[P1] := 1
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: (P[P1].Depend = DepAd) AND (P[PHHSize].QRel[PHHSize - 1].R =
     RESPONSE)
     (LegGuard[[P1] = 1) AND INVOLVING(P[P1].QRel[1].R)
     'I Who in the household is responsible for 'P[P1]. Name - is there a legal guardian, or does anyone get
     Child Benefit for ^P[P1].Name? If so, recode ^P[P1].Name as that person's legal dependent (Code 3) or
     that person as ^P[P1]. Name's parent (code 7). If not, suppress warning and continue. ^I
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: P[P1].Sex = Male
himher := 'him'
```

```
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: P[P1].Sex = Female
himher := 'her'
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: (P[P1].Depend = Child) AND (P[PHHSize].QRel[PHHSize - 1].R =
     RESPONSE)
     (LegGuard[[P1] = 1) AND INVOLVING(P[P1].AgeOf)
     ^I^P[P1].Name is under 16, so you MUST recode ^himher as the child (relationship code 3) of an adult:
     in order of priority, the person receiving Child Benefit for ^himher, or the legal guardian, or whoever is
     responsible for ^himher.
     (NB. If no-one in the household is over age 15, the household is ineligible - outcome code ^Out772). ^I
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     RESERVECHECK
     RESERVECHECK
```

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE AND: In loop FOR Loop1 := 1 TO HHSize AND: (HHG.P[Loop1].MS = Marr) AND (HHG.P[Loop1].Spouses = 0) **AND:** SpOut [Loop1] = Amend HHG.P[Loop1].Sex <> RESPONSE ^I Press <Enter> to return to the household grid.^I CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE AND: In loop FOR Loop1 := 1 TO HHSize AND: (HHG.P[Loop1].MS = Marr) AND (HHG.P[Loop1].Spouses = 0) RESERVECHECK RESERVECHECK CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE AND: In loop FOR Loop1 := 1 TO HHSize AND: (HHG.P[Loop1].MS = Marr) AND (HHG.P[Loop1].Spouses = 0) RESERVECHECK RESERVECHECK CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE AND: In loop FOR Loop1 := 1 TO HHSize AND: (HHG.P[Loop1].MS = Marr) AND (HHG.P[Loop1].Spouses = 0) RESERVECHECK RESERVECHECK

```
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: (HHG.P[Loop1].MS = Marr) AND (HHG.P[Loop1].Spouses = 0)
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AllNameNo := ''
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AdNameNo := ''
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AllAd := 0
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AllCh := 0
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
ChUnder1 := 0
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
Over75 := 0
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
Over60 := 0
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
Under19 := 0
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
AllNameNo := (AllNameNo + '
 + STR(Loop1,2,0) + '. ' + QNames.M[Loop1].Name)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
    AND: HHG.P[Loop1].AgeOf IN [16 .. 120]
AdNameNo := (AdNameNo + '
' + STR(Loop1,2,0) + '. ' + QNames.M[Loop1].Name)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
    AND: HHG.P[Loop1].AgeOf IN [16 .. 120]
OneHRP := Loop1
```

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].AgeOf IN [16 .. 120]
AllAd := (AllAd + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: NOT (HHG.P[Loop1].AgeOf IN [16 .. 120])
AllCh := (AllCh + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].AgeOf IN [0 .. 1]
ChUnder1 := (ChUnder1 + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].AgeOf >= 75
Over75 := (Over75 + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].AgeOf >= 60
Over60 := (Over60 + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].AgeOf IN [0 .. 18]
Under19 := (Under19 + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
DMAge[Loop1] := HHG.P[Loop1].AgeOf
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
DMDoB[Loop1] := HHG.P[Loop1].DoB
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
DMTEA[Loop1] := HHG.P[Loop1].TEA
```

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMParent1[Loop1] := HHG.P[Loop1].Parent1
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMParent2[Loop1] := HHG.P[Loop1].Parent2
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMNumParn[Loop1] := HHG.P[Loop1].NumParn
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].Sex := HHG.P[Loop1].Sex
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].MS := HHG.P[Loop1].MS
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].W1 := HHG.P[Loop1].W1
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].W2 := HHG.P[Loop1].W2
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].FtEd := HHG.P[Loop1].FTEd
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].TypeEd := HHG.P[Loop1].TypeEd
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
    AND: HHG.P[Loop1].Depend IN [DepAd .. Child]
NCDVCP := (NCDVCP + 1)
```

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: (HHG.P[Loop1].Depend IN [DepAd .. Child]) AND
     ((HHG.P[Loop1].NumPart > 0) OR (LegGuard[Loop1] = 2))
PRec[Loop1].Depend := Adult
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: NOT ((HHG.P[Loop1].Depend IN [DepAd .. Child]) AND
     ((HHG.P[Loop1].NumPart > 0) OR (LegGuard[Loop1] = 2))
PRec[Loop1].Depend := HHG.P[Loop1].Depend
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: (HHG.P[Loop1].CupChk = Yes) AND HHG.P[HHSize].QRel[HHSize].R <>
     EMPTY
     (HHG.P[Loop1].NumCohab > 0) AND
     INVOLVING (HHG.P[HHSize].QRel[HHSize].R, HHG.P[Loop1].CupChk)
     ^I (^HHG.P[Loop1].Name) Can I just check, you said earlier that you were living with someone in this
     household as a couple, is this correct?
     If yes: go back and correct the code at Relationship.
     IF no: go back and correct CupChk to No (2).^I
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: (HHG.P[Loop1].CupChk = No) AND HHG.P[HHSize].QRel[HHSize].R <>
     EMPTY
     (HHG.P[Loop1].NumCohab = 0) AND
     INVOLVING (HHG.P[HHSize].QRel[HHSize].R, HHG.P[Loop1].CupChk)
     'I(\'HHG.P[Loop1].Name) Can I just check, are you living with anyone in the household as a couple?
     If yes: go back and correct CupChk to Yes (1).
     If no: go back and correct the code at Relationship.^I
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: A11Ad = 1
you := 'you'
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: NOT (AllAd = 1)
you := 'ANY of you'
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (AllAd + AllCh) = 1
any of you := 'you'
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: NOT ((AllAd + AllCh) = 1)
any of you := 'ANY of you'
```

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE

RentName := ''

FRS0801A.QHholder

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[1] := ' 1. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[2] := ' 2. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[3] := ' 3. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[4] := ' 4. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[5] := ' 5. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[6] := ' 6. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[7] := ' 7. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[8] := ' 8. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[9] := ' 9. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[10] := '10. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[11] := '11. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[12] := '12. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[13] := '13. '
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
LPad[14] := '14. '
```

Ask if: HHG.P[HHSize].AgeOf = RESPONSE

(80) FRS0801A.QHholder.HHldr

^N

In whose name is the accommodation owned or rented? ^Anyone_else?^N

^I^BLU Code all that apply.^I

```
SET [15] OF
     Per1
                 ^DMName[1]
(1)
(2)
     Per2
                 ^DMName[2]
(3)
     Per3
                 ^DMName[3]
(4)
     Per4
                 ^DMName[4]
(5)
     Per5
                 ^DMName[5]
(6)
     Per6
                 ^DMName[6]
(7)
     Per7
                 ^DMName[7]
(8)
     Per8
                 ^DMName[8]
(9)
                 ^DMName[9]
     Per9
(10) Per10
                 ^DMName[10]
    Per11
                 ^DMName[11]
(11)
                 ^DMName[12]
(12)
     Per12
                 ^DMName[13]
(13)
    Per13
                 ^DMName[14]
(14) Per14
(97) NotHH
                 Not a household member
```

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE

HhldList := ''

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE

HhldNum := 0

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE AND: NotHH IN HHldr

HhldCard := (HHldr.CARDINAL - 1)

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE AND: NOT (NotHH IN HHldr)

HhldCard := HHldr.CARDINAL

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE AND: In loop FOR Loop := 1 TO 14

HhldName[Loop] := ''

FRS0801A.QHholder.PadString()

Procedure Call

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr

OutString := InString

Compute IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr
AND: ResLngth > LEN (OutString)

Fin := (ResLngth - LENGTH(OutString))

Compute IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr
AND: Loop IN HHldr
AND: ResLngth > LEN (OutString)
AND: In loop FOR PLoop := 1 TO Fin

OutString := (OutString + ' ')
```

FRS0801A.QHholder (continued)

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
    AND: Loop IN HHldr
HhldName[Loop] := ('
 ' + LPad[Loop] + PadName + ' (Age: ' + STR(DMAge[[Loop],3,0)
+ ')')
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
    AND: Loop IN HHldr
HhldNum := (HhldNum + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
    And: Loop IN HHldr
    AND: HhldNum = 1
HhldList := DMName[[Loop]
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr
    AND: HhldNum < HhldCard
HhldList := (HhldList + ', ' + DMName[[Loop])
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
    AND: Loop IN HHldr
    AND: HhldNum = HhldCard
HhldList := (HhldList + ' and ' + DMName[[Loop])
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
    RESERVECHECK
     RESERVECHECK
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
    RESERVECHECK
    RESERVECHECK
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
    RESERVECHECK
    RESERVECHECK
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
    RESERVECHECK
    RESERVECHECK
```

```
Warn IF: HHG.P[HHSize].AgeOf = RESPONSE
    RESERVECHECK
```

RESERVECHECK

```
Ask if: HHG.P[HHSize].AgeOf = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
```

(81) FRS0801A.QHholder.WhoResp

۸N

Although you have mentioned that the rent or mortgage for this accommodation is paid for by someone outside the household, there needs to be someone within the household who is responsible for the property. Who then in this household is responsible for this accommodation? Anyone else?^N

^I^BLU Code all that apply.

```
SET [14] OF
     Per1
                 ^DMName[1]
(1)
     Per2
                 ^DMName[2]
(2)
                 ^DMName[3]
(3)
     Per3
(4)
                 ^DMName[4]
     Per4
                 ^DMName[5]
(5)
     Per5
(6)
     Per6
                 ^DMName[6]
(7)
     Per7
                 ^DMName[7]
(8)
     Per8
                 ^DMName[8]
(9)
                 ^DMName[9]
     Per9
(10)
     Per10
                 ^DMName[10]
(11)
     Per11
                 ^DMName[11]
                 ^DMName[12]
(12)
     Per12
(13)
     Per13
                 ^DMName[13]
(14)
     Per14
                 ^DMName[14]
```

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
```

HhldList := ''

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
```

HhldNum := 0

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
```

HhldCard := WhoResp.CARDINAL

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE

AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)

AND: In loop FOR Loop := 1 TO 14
```

HhldName[Loop] := ''

FRS0801A.QHholder.PadString()

Procedure Call

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN WhoResp

OutString := InString

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN WhoResp
AND: ResLngth > LEN (OutString)

Fin := (ResLngth - LENGTH(OutString))

COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN WhoResp
AND: ResLngth > LEN (OutString)
AND: ResLngth > LEN (OutString)
AND: In loop FOR PLoop := 1 TO Fin

OutString := (OutString + ' ')
```

FRS0801A.QHholder (continued)

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
HhldName[Loop] := ('
' + LPad[Loop] + PadName + ' (Age: ' + STR(DMAge[[Loop],3,0)
+ ')')
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
HhldNum := (HhldNum + 1)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE

AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
     AND: HhldNum = 1
HhldList := DMName[[Loop]
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
     AND: HhldNum < HhldCard
HhldList := (HhldList + ', ' + DMName[[Loop])
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE

AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
     AND: HhldNum = HhldCard
HhldList := (HhldList + ' and ' + DMName[[Loop])
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     RESERVECHECK
     RESERVECHECK
RECORD IF: HHG.P[HHSize].AgeOf = RESPONSE
```

(82) FRS0801A.QHholder.HRPPrtnr

^N Person number of HRP's spouse/partner.^N

1..15

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (HHldr <> EMPTY AND (AllAd = 1)) AND (OneHRP = RESPONSE)
HRPPrtnr := 15
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
     RESERVECHECK
      RESERVECHECK
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
      RESERVECHECK
      RESERVECHECK
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: WhoResp.CARDINAL > 1
own := 'are responsible for'
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE

AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (Whoresp.CARDINAL > 1)
     AND: NOT (WhoResp.CARDINAL > 1)
own := 'own or rent'
Ask if: HHG.P[HHSize].AgeOf = RESPONSE
      AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
      (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
   83) FRS0801A.QHholder.HiHNum
      ^I If respondent asks for period to average over - one year.
      Prompt as necessary for joint householders:
      Is one of them the sole person with paid work or occupational pension?
      1..15
```

```
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: WhoResp = EMPTY
     AND: HiHNum IN [1 ...
     (IN(HiHNum, HHldr)) AND INVOLVING(HiHNum)
     ^I This person is not recorded as a householder (at HHldr).^I
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: NOT (WhoResp = EMPTY)
     AND: HiHNum IN [1 .. 14]
     (IN(HiHNum, WhoResp)) AND INVOLVING(HiHNum)
     ^I This person is not recorded as responsible for the household (at WhoResp).^I
Ask if: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
   84) FRS0801A.QHholder.JntEldA
     ^I Ask or record.
     Enter Person Number of the 'B eldest 'B joint householder from those with the same highest income.
     ^HhldName[1]^HhldName[2]^HhldName[3]^HhldName[4]^HhldName[5]
     ^HhldName[6]^HhldName[7]^HhldName[8]^HhldName[9]^HhldName[10]
     ^HhldName[11]^HhldName[12]^HhldName[13]^HhldName[14]^I
     0..14
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA = RESPONSE
     JntEldA <> 0
     Zero (0) is not a valid code.
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA IN [1 .. 14]
     AND: WhoResp = EMPTY
     (IN(JntEldA, HHldr)) AND INVOLVING(HiHNum)
     'I This person is not recorded as a householder (at HHldr).'I
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA IN [1 .. 14]
     AND: NOT (WhoResp = EMPTY)
     (IN(JntEldA, WhoResp)) AND INVOLVING(HiHNum)
     ^I This person is not recorded as responsible for the household (at WhoResp).^I
```

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
      (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA IN [1 .. 14]
DVHRPNum := JntEldA
Ask if: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
(85) FRS0801A.QHholder.JntEldB
     ^I Ask or record.
     Enter Person Number of the eldest joint householder.
     ^HhldName[1]^HhldName[2]^HhldName[3]^HhldName[4]^HhldName[5]
     ^HhldName[6]^HhldName[7]^HhldName[8]^HhldName[9]^HhldName[10]
     ^HhldName[11]^HhldName[12]^HhldName[13]^HhldName[14]^I
     0..14
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB = RESPONSE
     JntEldB <> 0
     ^I Zero (0) is not a valid code.^I
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB IN [1 .. 14]
     AND: WhoResp = EMPTY
      (IN(JntEldB, HHldr)) AND INVOLVING(HiHNum)
     ^I This person is not recorded as a householder (at HHldr).^I
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
      (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB IN [1 .. 14]
     AND: NOT (WhoResp = EMPTY)
      (IN(JntEldB, WhoResp)) AND INVOLVING(HiHNum)
     ^I This person is not recorded as responsible for the household (at WhoResp).^I
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
      (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB IN [1 .. 14]
DVHRPNum := JntEldB
```

Page 85

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
    AND: HiHNum IN [1 .. 14]
DVHRPNum := HiHNum
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: (HHldr.CARDINAL = 1) AND NOT (NotHH IN HHldr)
DVHRPNum := ORD(HHldr[1])
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: (HHldr.CARDINAL = 2) AND (NotHH IN HHldr)
    AND: HHldr[1] = NotHH
DVHRPNum := ORD(HHldr[2])
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: (HHldr.CARDINAL = 2) AND (NotHH IN HHldr)
     AND: NOT (HHldr[1] = NotHH)
DVHRPNum := ORD(HHldr[1])
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: WhoResp.CARDINAL = 1
DVHRPNum := ORD(WhoResp[1])
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: NOT (WhoResp.CARDINAL = 1)
DVHRPNum := 0
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: DVHRPNum IN [1 .. 14]
LName := DMName[[DVHRPNum]
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: NOT (DVHRPNum IN [1 .. 14])
LName := 'Non-HH Member'
Ask if: HHG.P[HHSize].AgeOf = RESPONSE
   86) FRS0801A.QHholder.HRP
     The Household Reference Person is:
     (^DVHRPNum) ^LName
    Press 1 and <Enter> to continue.^I
     (1)
         Continue
                   Continue
```

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.HHldr
     PRec[Loop1].Sex = RESPONSE
     ^I Code ^Loop1 is not valid for this question.^I
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.HHldr
     PRec[Loop1].Depend = Adult
     ^I Person ^Loop1 is a child or a dependent adult. Please amend.^I
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.HHldr
HHG.P[Loop1].Hholder := Yes
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: NOT (Loop1 IN QHholder.HHldr)
HHG.P[Loop1].Hholder := No
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.WhoResp
     PRec[Loop1].Sex = RESPONSE
     'I This figure exceeds the number of household members. Please check and amend your answer.'I
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.WhoResp
     PRec[Loop1].Depend = Adult
     ^I The person responsible for the property must be an adult household member. Please check and amend
     your answer.^I
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
```

RESERVECHECK

RESERVECHECK

```
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     PRec[QHholder.DVHRPNum].Depend = Adult
     ^I Code ^QHholder.DVHRPNum is not valid for this question.^I
WARN IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     NOT((PRec[QHholder.DVHRPNum].Sex = Female) AND
     (PRec[QHholder.DVHRPNum].MS = Marr))
     ^I For a married couple the man is always Head of household.
     Please amend your coding. (But if he is away for more than 6 months, suppress check and move on.) \(^1\)
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: OHholder.DVHRPNum = RESPONSE
HRPNames := DMName[QHholder.DVHRPNum]
Compute if: HHG.P[HHSize].AgeOf = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
PRel.PR[Loop1].R := HHG.P[Loop1].QRel[QHholder.DVHRPNum].R
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].QRel[QHholder.DVHRPNum].R IN [Spouse, Cohabit]
HRPNames := (HRPNames + ' and ' + DMName[Loop1])
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].QRel[QHholder.DVHRPNum].R IN [Spouse, Cohabit]
QHholder.HRPPrtnr := Loop1
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: Loop1 = QHholder.DVHRPNum
QHholder.QPerId[Loop1].HOHID := HOH
```

```
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: Loop1 = QHholder.DVHRPNum
QHholder.QPerId[Loop1].HRPID := HRP
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: OHholder.DVHRPNum = RESPONSE
AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: Loop1 = QHholder.DVHRPNum
QHholder.QPerId[Loop1].CombID := HOHHRP
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: NOT (Loop1 = QHholder.DVHRPNum)
QHholder.QPerId[Loop1].HOHID := NotHOH
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
    AND: QHholder.DVHRPNum = RESPONSE
AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: NOT (Loop1 = QHholder.DVHRPNum)
QHholder.QPerId[Loop1].HRPID := NotHRP
COMPUTE IF: HHG.P[HHSize].AgeOf = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: NOT (Loop1 = QHholder.DVHRPNum)
QHholder.QPerId[Loop1].CombID := HOHonly
```

Block: FRS0801A.QEthnic

FRS0801A.QEthnic

Ethnic data on adults in household

COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR Personnr := 1 TO HHSize

AND: PRec[Personnr].Depend = Adult

P[Personnr].PersId := Personnr

COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR Personnr := 1 TO HHSize

AND: PRec[Personnr].Depend = Adult

P[Personnr].BenUnit := DMBU[[Personnr]

COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR Personnr := 1 TO HHSize

AND: PRec[Personnr].Depend = Adult

P[Personnr].EName := DMName[[Personnr]

FRS0801A.QEthnic.P[]

```
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
(87) FRS0801A.QEthnic.P[].BenUnit
     ^I QEthnic
     ۸I
     ^N Benefit Unit number.^N
     1..7
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
   88) FRS0801A.QEthnic.P[].PersId
     ^I QEthnic
     ۸I
     ^N Person identifier.^N
     0..14
DISPLAY IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
(89) FRS0801A.QEthnic.P[].EName
     ^I QEthnic
     ۸Ţ
     STRING[15]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
LName := EName
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     AND: PRec[PersId].Sex = Male
he she := 'he'
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     AND: NOT (PRec[PersId].Sex = Male)
he she := 'she'
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     AND: NatCen <> NI
   90) FRS0801A.QEthnic.P[].NatID
     ^I QEthnic
     ۸I
     ^IS^I A2^I
     ^X(^LName)^N What do you consider your^B national identity^B to be? Please choose your answer
     from this card, choose as many or as few as apply. N
     ^I^BLU Probe: ^Blu ^Any_other?
     ۸Ι
     SET [6] OF
           English
                      English
     (1)
     (2)
           Scottish
                      Scottish
     (3)
           Welsh
                      Welsh
     (4)
           Irish
                      Irish
     (5)
           British
                      British
     (6)
           Other
                      Other answer
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
```

AND: PRec[Personnr].Depend = Adult

AND: NatCen <> NI **AND:** Other IN NatID

91) FRS0801A.QEthnic.P[].NatOth

^I QEthnic

^I

^N (^LName)

How would you describe your national identity?^N

^I^BLU^IC If someone describes themselves as being half English and half Irish or any combination of Welsh, Scottish, Irish or English, code them as 'Mixed British' and then record the mix they specify.^I

(1) Mixed Mixed British

(2) Describe ENTER DESCRIPTION OF ETHNIC GROUP

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR Personnr := 1 TO HHSize
      AND: PRec[Personnr].Depend = Adult
      AND: NatCen <> NI
      AND: Other IN NatID
   92) FRS0801A.QEthnic.P[].XNatOth
      ^I QEthnic
      ^I
      ^I^BLU (^LName)
      Enter description of ethnic group.^I
      STRING[100]
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR Personnr := 1 TO HHSize
      AND: PRec[Personnr].Depend = Adult
      AND: NatCen <> NI
   93) FRS0801A.QEthnic.P[].EthGrp
      ^I QEthnic
      ۸I
      ^IS^I A3^I
      ^X^N To which of these ethnic groups does ^LName consider ^he_she belongs?^N
      ^I^BLU^IC This is a question of respondent's (or proxy's) opinion.^I
            WhtBrit
                        White - British
      (1)
            WhtOth
                        Any other white background (please describe)
      (2)
            MixedWBC Mixed - White and Black Caribbean
      (3)
            MixedWBA Mixed - White and Black African
      (4)
      (5)
            MixedWAs Mixed - White and Asian
      (6)
            MixedOth
                        Any other mixed background (please describe)
            Indian
                        Asian or Asian British - Indian
      (7)
            Pakistan
                        Asian or Asian British - Pakistani
      (8)
      (9)
            Bngldesh
                        Asian or Asian British - Bangladeshi
            AsianOth
                        Any other Asian/Asian British background (please describe)
      (10)
            BlackCrb
                        Black or Black British - Caribbean
      (11)
      (12)
            BlackAfr
                        Black or Black British - African
            BlackOth
                        Any other Black/Black British background (please describe)
      (13)
            Chinese
      (14)
                        Chinese
      (15)
           Other
                        Any other (please describe)
```

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     AND: NatCen <> NI
     AND: EthGrp IN [WhtOth, MixedOth, AsianOth, BlackOth, Other]
   94) FRS0801A.QEthnic.P[].EthOth
     ^I QEthnic
     ۸I
     ^N (^LName)
     Please can you describe your ethnic group?^N
     ^I^BLU Enter description of ethnic group.^I
     STRING[100]
Ask IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     AND: NOT (NatCen <> NI)
  95) FRS0801A.QEthnic.P[].NINatID
     ^I QEthnic
     ۸I
     ^IS^I A2^I
     ^N *^X(^LName) What do you consider your^B national identity^B to be? Please choose your answer
     from this card, choose as many or as few as apply. N
     ^I^BLU Probe: Any other?^I
     SET [8] OF
     (1)
           British
                       British
     (2)
           Irish
                      Irish
     (3)
           Ulster
                       Ulster
     (4)
           NIrish
                      Northern Irish
     (5)
           English
                      English
     (6)
           Scottish
                       Scottish
     (7)
           Welsh
                       Welsh
     (8)
           Other
                       Other answer
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     AND: NOT (NatCen <> NI)
     AND: Other IN NINatID
  96) FRS0801A.QEthnic.P[].NINatOth
     ^I QEthnic
     ۸I
     ^N (^LName)
     How would you describe your national identity?^N
     ^I^BLU^IC - If someone describes themselves as being half English and half Irish or any combination of
     Welsh, Scottish, Irish or English, code them as 'Mixed British' AND then record the mix they specify. 1
```

(1)

(2)

Mixed

Describe

Mixed British

ENTER DESCRIPTION OF ETHNIC GROUP

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR Personnr := 1 TO HHSize
      AND: PRec[Personnr].Depend = Adult
      AND: NOT (NatCen <> NI)
      AND: Other IN NINatID
    97) FRS0801A.QEthnic.P[].NIXNatOth
      ^I QEthnic
      ^I
      ^I (^LName)
      Enter description of ethnic GROUP.^I
      STRING[100]
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR Personnr := 1 TO HHSize
      AND: PRec[Personnr].Depend = Adult
      AND: NOT (NatCen <> NI)
   98) FRS0801A.QEthnic.P[].NIEthGrp
      ^I QEthnic
      ۸I
      ^IS^I A3^IS
      ^N To which of these ethnic groups does ^LName consider ^he_she belongs?^N
      ^I^BLU^IC This is a question of respondent's (or proxy's) opinion.
            WhtBrit
                       White
      (1)
                       Irish Traveller
            IrishTrv
      (2)
            WhtOth
                       Any other white background (please describe)
      (3)
            MixedWBC Mixed - White and Black Caribbean
      (4)
      (5)
            MixedWBA Mixed - White and Black African
      (6)
            MixedWAs Mixed - White and Asian
            MixedOth
                       Any other mixed background (please describe)
      (7)
            Indian
                       Asian - Indian
      (8)
      (9)
            Pakistan
                       Asian - Pakistani
            Bngldesh
                       Asian - Bangladeshi
      (10)
                       Any other Asian background (please describe)
      (11)
            AsianOth
      (12)
            BlackCrb
                       Black - Caribbean
            BlackAfr
                       Black - African
      (13)
            BlackOth
                       Any other Black background (please describe)
      (14)
      (15)
            Chinese
                       Chinese
      (16)
            Other
                       Any other (please describe)
```

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     AND: NOT (NatCen <> NI)
AND: NIEthGrp IN [WhtOth, AsianOth, BlackOth, Other]
   99) FRS0801A.QEthnic.P[].NIEthOth
     ^I QEthnic
     ^I
     ^N (^LName)
     Please can you describe your ethnic group?^N
     ^I Enter description of ethnic group^I.
     STRING[100]
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     RESERVECHECK
     RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
AND: PRec[Personnr].Depend = Adult
     RESERVECHECK
     RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     RESERVECHECK
     RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Personnr := 1 TO HHSize
     AND: PRec[Personnr].Depend = Adult
     RESERVECHECK
     RESERVECHECK
```

Block: FRS0801A.QEthnic

FRS0801A.QEthnic (continued)

Ethnic data on adults in household

WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR Personnr := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR Personnr := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR Personnr := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR Personnr := 1 TO HHSize

RESERVECHECK

RESERVECHECK

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit])
DepParnt := (STR(DMParent1[Loop1],1,0) + ' : ' +
DMName[DMParent1[Loop1]] + '
  + STR(DMParent2[Loop1],1,0) + ' : ' +
DMName [DMParent2 [Loop1]])
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit])
     AND: PRec[Loop1].Sex = Male
HeShe := 'he'
COMPUTE IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit])
     AND: PRec[Loop1].Sex = Male
HisHer := 'his'
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     And: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit])
     AND: NOT (PRec[Loop1].Sex = Male)
HeShe := 'she'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit])
     AND: NOT (PRec[Loop1].Sex = Male)
HisHer := 'her'
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit])
( 100) FRS0801A.LegDep
     ^I^BLU^IC ^DMName[Loop1] is classified as a^B dependant adult^B or a^B child^B, ie. ^HeShe will
     not form a Benefit Unit of 'HisHer own.
     To properly assess to which Benefit Unit 'HeShe belongs, please code which of the parents receive Child
     Benefit for ^DMName[Loop1].
     ^DepParnt^I
     1..97
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit])
     AND: LegDep[Loop1] = RESPONSE
     (LegDep[Loop1] = DMParent1[Loop1]) OR (LegDep[Loop1] =
     DMParent2[Loop1])
     ^I Code ^LegDep[Loop1] is not valid for this question.^I
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
ABen[Loop1] := 1
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
```

```
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
( 101) FRS0801A.NewBU
     ^I Total number of BUs^I
    0..7
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
ABen [QHholder.DVHRPNum] := 1
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
Last := 1
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [Adult])
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: ABen[Loop2] <> EMPTY AND (HHG.P[Loop1].QRel[Loop2].R IN [Spouse,
     Cohabit])
ABen[Loop1] := ABen[Loop2]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend = Adult)
    AND: Last < 7
Last := (Last + 1)
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend = Adult)
     AND: Last < 7
ABen[Loop1] := Last
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend = Adult)
    AND: NOT (Last < 7)
ABen[Loop1] := 0
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
    AND: LegDep[Loop1] = RESPONSE
ABen[Loop1] := ABen[LegDep[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: DMParent1[Loop1] <> 0
ABen[Loop1] := ABen[DMParent1[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: DMParent2[Loop1] <> 0
ABen[Loop1] := ABen[DMParent2[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: NOT (DMParent2[Loop1] <> 0)
     AND: Last < 7
Last := (Last + 1)
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
    AND: NOT (DMParent2[Loop1] <> 0)
    AND: Last < 7
ABen[Loop1] := Last
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
    AND: NOT (DMParent2[Loop1] <> 0)
     AND: NOT (Last < 7)
ABen[Loop1] := 0
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
NewBU := Last
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
    RESERVECHECK
```

```
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
NameInBU[Loop1] := ''
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [Adult]
NameInBU[ABen[Loop1]] := (NameInBU[ABen[Loop1]] +
UPCASE(DMName[Loop1]) + ' ')
Compute if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes) And: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
NameInBU[ABen[Loop1]] := (NameInBU[ABen[Loop1]] +
DMName[Loop1] + ' ')
Compute if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes) And: In loop FOR Loop1 := 1 TO NewBU
NameInBU[Loop1] := ('
' + STR(Loop1,1,0) + ':
                                ' + NameInBU[Loop1])
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
( 102) FRS0801A.ShowBen
     'I If you think that the computer has made a mistake in allocating the individuals to Benefit Units, go
     back to the household grid and check the relationship codes of each person.^I
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
hhchu11 := No
Compute if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes) And: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Sex = RESPONSE
DMBU[Loop1] := ABen[Loop1]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Sex = RESPONSE
HHG.P[Loop1].BenUnit := ABen[Loop1]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: (DMBU[Loop1] = 1) AND (DMAge[Loop1] IN [0 .. 10])
hhchu11 := Yes
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: Loop1 IN QHholder.HHldr
RentName := (RentName + ' ' + DMName[Loop1])
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: Loop1 IN QHholder.HHldr
     AND: DMBU[Loop1] <> 1
NotHRPBU := 1
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend = Adult
     AND: BUAdName [DMBU [Loop1]] =
BUAdName[DMBU[Loop1]] := DMName[Loop1]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend = Adult
     AND: NOT (BUAdName[DMBU[Loop1]] =)
BUAdName[DMBU[Loop1]] := (BUAdName[DMBU[Loop1]] + ' and ' +
DMName [Loop1])
```

FRS0801A.QAccomdat

Questions about accommodation

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(103) FRS0801A.QAccomdat.Ten1Ex

^I QAccomDat

۸I

^BLU^IC^I^KeyTxt

^SuppTxt^I^BLU

OPEN

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(104) FRS0801A.QAccomdat.Ten2Rs

^I QAccomDat

۸Ţ

^NCan I just check do you live rent free because you receive 100% housing benefit?^N

^I^BLU^IC If Yes recode tenure to code 4 (rent it).

Please check their rent/mortgage is not paid by B benefits B. Only accommodation provided by someone else (employer, relative, etc) is rent-free. I

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(105) FRS0801A.QAccomdat.Ten2Ex

^I QAccomDat

۸Ι

^I^BLU^IC ^SuppTxt^I

OPEN

Ask if: HHG.P[HHSize].BenUnit = RESPONSE

(106) FRS0801A.QAccomdat.Tenure

^I QAccomDat

۸I

^IS^I B1^I^N

In which of these ways do you occupy this accommodation?^N

(1) Outright Own it outright

(2) Mortgage Buying it with the help of a mortgage or loan
 (3) Part Pay part rent and part mortgage (^SharOwn)

(4) Rents Rent it

(5) RentFree Live here rent-free (including in a relative's/friend's property; excluding squatting)

(6) Squattin Squatting

```
WARN IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: Tenure = NONRESPONSE
     ERROR
     ^I^KeyTxt^I
Ask IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: Tenure = NONRESPONSE
```

(107) FRS0801A.QAccomdat.Ten1Ex

^I QAccomDat

۸I

^BLU^IC^I^KeyTxt

^SuppTxt^I^BLU

OPEN

WARN IF: HHG.P[HHSize].BenUnit = RESPONSE Tenure <> RentFree

Tenure <> RentFree

Ask IF: HHG.P[HHSize].BenUnit = RESPONSE AND: Ten2Rs = Suppressed

108) FRS0801A.QAccomdat.Ten2Ex

^I QAccomDat

۸I

^I^BLU^IC ^SuppTxt^I

OPEN

Ask IF: HHG.P[HHSize].BenUnit = RESPONSE AND: Tenure = Part

(109) FRS0801A.QAccomdat.SOBuy

^I QAccomDat

۸Ţ

^I^BLU^IC Ask or record:

^SOwners: Are you still buying your share in this (house/flat), or have you now paid off that mortgage or loan?

(1)StillM Still buying

Mortgage is paid off (2) Paid

Ask if: HHG.P[HHSize].BenUnit = RESPONSE

(110) FRS0801A.QAccomdat.SubLet

^I QAccomDat

۸Ι

N Do you have a formal arrangement to let, or sub-let, any part of this accommodation to someone who is^B not^B a member of your household?^N

(1)Yes Yes

(2) No No

```
Block: FRS0801A.QAccomdat
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: SubLet = Yes
How := ('Thinking just of the accommodation occupied ' + 'by
your household,
how')
Ask IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: SubLet = Yes
  111) FRS0801A.QAccomdat.SubLetY
     ^I QAccomDat
     ۸I
     ^N Who is that?..^N^I^BLU Code first that applies.
     ^BLU^IC Close relatives = Householder's partner,
     parent (incl.step-), son or daughter (incl. step-),
     brother or sister, or spouse of any of these. N
     (1)
           ClosRel
                      Close relative
     (2)
           OthRel
                      Other relative
     (3)
           NonRel
                      Non-relative
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: NOT (SubLet = Yes)
How := 'How'
Ask if: HHG.P[HHSize].BenUnit = RESPONSE
  112) FRS0801A.QAccomdat.Rooms
     ^I QAccomDat
     ۸I
     ۸I
     In general, include any room which is habitable or usable by the household all year round.
```

If a room is open-plan count it as 2 rooms if it is divided by a fixed sliding or folding partition. \(^1\)

0..20

Ask if: HHG.P[HHSize].BenUnit = RESPONSE

(113) FRS0801A.QAccomdat.RoomShar

^I QAccomDat

۸I

'N Are any of these rooms shared with anyone who is' B not' B a member of your household?' N

^I^BLU^IC If 'No' enter '0'.

If 'Yes', 'B ask: 'B How many? and enter number. 'I

0..10

```
WARN IF: HHG.P[HHSize].BenUnit = RESPONSE
    RoomShar <> 2
```

'I The answer you have entered means two rooms are shared. If you intended to answer 'No' to this question, please change the code to '0' (zero). Otherwise, suppress this warning. I

Ask IF: HHG.P[HHSize].BenUnit = RESPONSE

114) FRS0801A.QAccomdat.Bedroom

^I QAccomDat

۸Ţ

^N^How many bedrooms do you have in this accommodation?^N

^I^BLU^IC Include any room used for sleeping.

1..10

COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE

ChkTxt := ('cannot be greater than total number of rooms: ' +
'please check your answers and amend as necessary.')

CHECK IF: HHG.P[HHSize].BenUnit = RESPONSE
RoomShar <= Rooms</pre>

^I Number of shared rooms ^ChkTxt^I

CHECK IF: HHG.P[HHSize].BenUnit = RESPONSE
Bedroom <= Rooms</pre>

^I Number of bedrooms ^ChkTxt^I

Ask if: HHG.P[HHSize].BenUnit = RESPONSE

(115) FRS0801A.QAccomdat.MainAcc

^I QAccomDat

۸τ

^I Note that this is accommodation occupied by the household. If the household occupies a flat in a converted house, code as a flat.^I^Blu

(1) HseBun a house or bungalow
 (2) FltMas a flat or maisonette
 (3) ARoom a room or rooms
 (4) Oth or something else?

Ask if: HHG.P[HHSize].BenUnit = RESPONSE

(116) FRS0801A.QAccomdat.Shelter

^I QAccomDat

^I

^N Is this sheltered accommodation?^N

^I^BLU^IC Housing with a warden and/or alarms.^I

- (1) Yes Yes
- (2) No No

```
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
    AND: MainAcc IN [HseBun .. FltMas, Oth]
    AND: MainAcc = HseBun
Detach := (N + 'detached')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = HseBun
SemiDetach := (N + 'semi-detached')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
    AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = HseBun
Terrace := (N + 'or terraced/end of terrace?')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
    AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = HseBun
PurposeBuilt := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = HseBun
ConvertedHouse := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = HseBun
MobileHome := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = HseBun
OtherKind := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
    AND: MainAcc = HseBun
Accommodation := 'the house or bungalow'
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = FltMas
Detach := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
    AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = FltMas
SemiDetach := ''
```

```
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
    AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = FltMas
Terrace := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
    AND: MainAcc = FltMas
PurposeBuilt := (N + 'a purpose-built block')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
    AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = FltMas
ConvertedHouse := (N + 'or a converted house/some other kind
of building?')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
    AND: MainAcc = FltMas
MobileHome := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = FltMas
OtherKind := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: MainAcc = FltMas
Accommodation := (N + 'the flat/maisonette')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: NOT (MainAcc = FltMas)
Detach := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
    AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: NOT (MainAcc = FltMas)
SemiDetach := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
    AND: NOT (MainAcc = FltMas)
Terrace := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: NOT (MainAcc = FltMas)
PurposeBuilt := ''
```

```
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: NOT (MainAcc = FltMas)
ConvertedHouse := ''
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: NOT (MainAcc = FltMas)
MobileHome := (N + 'a caravan, mobile home or houseboat')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: NOT (MainAcc = FltMas)
OtherKind := (N + 'or some other kind of accommodation?')
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: NOT (MainAcc = FltMas)
Accommodation := (N + 'the accommodation')
Ask if: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
(117) FRS0801A.QAccomdat.TypeAcc
     ^I QAccomDat
     ۸Ţ
     ۸1
     Houses which are joined only by a garage (link-detached) should be coded detached. I
     (1)
          Detached
                     ^Detach
     (2)
          Semi det
                     ^SemiDetach
     (3)
          Terraced
                     ^Terrace
     (4)
          Purpose_
                     ^PurposeBuilt
                     ^ConvertedHouse
     (5)
          Converte
     (6)
          Mobile h
                     ^MobileHome
                     ^OtherKind
          Other ki
     (7)
CHECK IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
     AND: TypeAcc = RESPONSE
     (((IN(TypeAcc,[???])) AND (MainAcc = HseBun)) OR
     ((IN(TypeAcc, [???, ???])) AND (MainAcc = FltMas))) OR ((MainAcc = Oth)
     AND (IN(TypeAcc, [???])))
     ^I This code is not valid for this accommodation.^I
CHECK IF: HHG.P[HHSize].BenUnit = RESPONSE
     AND: MainAcc IN [HseBun .. FltMas, Oth]
AND: TypeAcc IN [Detached .. Purpose_built]
     (SubLet <> Yes) AND INVOLVING (MainAcc)
     'I As part of this accommodation is sub-let, this household cannot be coded as occupying a whole house,
     flat etc.
     Use another code at MainAcc instead.^I
```

Ask IF: HHG.P[HHSize].BenUnit = RESPONSE

AND: (TypeAcc IN [Purpose built, Converted house]) OR (MainAcc = ARoom)

(118) FRS0801A.QAccomdat.Floor

^I QAccomDat

۸I

^N What is the floor level of this household's accommodation?^N

Basement	Basement/semi-basement
Ground	Ground floor/street level
First	1st floor (floor above street level)
Second	2nd floor
Third	3rd floor
Fourth	4th Floor
Fifthup	5th to 9th floor
	Ground First Second Third Fourth

(7) Fifthup 5th to 9th floor(8) TenthUp 10th floor or higher

(9) DNK Don't Know

Ask if: HHG.P[HHSize].BenUnit = RESPONSE

(119) FRS0801A.QAccomdat.Entry

^I QAccomDat

^I

^N Are there any physical barriers to entry to the house/flat/accommodation? ^I

^BLU^IC Code all that apply^I

SET [6] OF

(1) None No physical impediments or barriers

(2) Entrance Locked common entrance

(3) Gates Locked gates

(4) Staff Security staff, concierge or other gatekeeper

(5) Phone Entry phone access, intercom
 (6) Animal Guard dog/patrol animal
 (7) Warden Warden controlled

CHECK IF: HHG.P[HHSize].BenUnit = RESPONSE

AND: None IN Entry Entry.CARDINAL = 1

^I'None' is an exclusive code.^I

Ask if: HHG.P[HHSize].BenUnit = RESPONSE

(120) FRS0801A.QAccomdat.YearLive

^I QAccomDat

۸1

^N For how many years have you, ^N(that is ^PHRPName),^N lived at this address?^N

^I^BLU^IC Probe to classify.^I

(1)	Less12m	Less than 12 months
(2)	Fr1yr	12 months but less than 2 years
(3)	Fr2yr	2 years but less than 3 years
(4)	Fr3yr	3 years but less than 5 years
(5)	Fr5yr	5 years but less than 10 years
(6)	Fr10yr	10 years but less than 20 years
(7)	Fr20yr	20 years or longer

```
Ask if: HHG.P[HHSize].BenUnit = RESPONSE
AND: YearLive = Less12m
```

(121) FRS0801A.QAccomdat.MonLive

^I QAccomDat

۸I

^N For how many months have you, (that is ^PHRPName), lived at this address?^N

^I^BLU^IC Enter number of months, to nearest whole month.^I

0..11

```
COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE

AND: NewBU = 1
```

HHStat := Conv

```
Ask IF: HHG.P[HHSize].BenUnit = RESPONSE
AND: NOT (NewBU = 1)
```

(122) FRS0801A.QAccomdat.HHStat

^I QAccomDat

۸۱

^I^BLU^IC Classify this household as one of the following:

NOTE: *B Conventional Households *B include:

- tenure is owner occupier and a 2nd or 3rd benefit unit is paying rent
- tenure is rent free but 2nd or 3rd BU receives Housing Benefit.
- 2rd or 3rd BU members paying rent to the householder(s) in BU1 are also named as householders (this is similar to part owned/part rented tenure)^I.
- (1) Conv Conventional household: ie. single person or couple with other family and/or boarder(s) and/or lodger(s)
- (2) Shared 'Shared' household arrangements: identity of HRP is unclear or arbitrary eg. students, nurses, unrelated adults etc, sharing ON EQUAL BASIS

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(123) FRS0801A.QAccomdat.AnyVeh

^I QAccomDat

۸Ţ

^N Do you at present own or have continuous use of any motor vehicles?^N

- (1) Yes Yes
- (2) No No

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(124) FRS0801A.QAccomdat.VehNumb

^I QAccomDat

۸I

^N Number of vehicles.^N

0..8

```
RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE
  125) FRS0801A.QAccomdat.AdultH
     ^I QAccomDat
     ۸Ţ
     ^N Actual number of adults in household.^N
RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE
( 126) FRS0801A.QAccomdat.DepChldH
     ^I QAccomDat
     ۸I
     ^N Actual number of children in household.^N
     0..14
RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE
( 127) FRS0801A.QAccomdat.DatYrAgo
     ^I QAccomDat
     ۸Ţ
     ^N Date one year ago^N
     DATE
RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE
( 128) FRS0801A.QAccomdat.BenUnits
     ^I QAccomDat
     ۸I
     ^N Actual number of Benefit Units in household.^N
     0..7
RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE
( 129) FRS0801A.QAccomdat.Dentist
     ^I QAccomDat
     ΛŢ
     ^N Anyone having NHS visits to the dentist?^N
          Yes
                     Yes
     (1)
     (2)
          No
                     No
RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE
```

$(\ \ 130\)\ FRS0801A.QAccomdat.Eye Test$

^I QAccomDat

۸I

^N Anyone having NHS eyetests?^N

- (1) Yes Yes
- (2) No No

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(131) FRS0801A.QAccomdat.Specs

^I QAccomDat

۸Ţ

^N Anyone having NHS glasses/lenses^N?

- (1) Yes Yes
- (2) No No

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(132) FRS0801A.QAccomdat.Hospital

^I QAccomDat

۸I

^N Anyone having NHS hospital treatment?^N

- (1) Yes Yes
- (2) No No

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(133) FRS0801A.QAccomdat.Pres

^I QAccomDat

۸Ţ

^B Anyone having NHS prescriptions?^N

- (1) Yes Yes
- (2) No No

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

$(\ 134\,)\,FRS0801A.QAccomdat.SchMeal$

^I QAccomDat

^I

^N Anyone having school meals?^N

- (1) Yes Yes
- (2) No No

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

(135) FRS0801A.QAccomdat.SchMilk

^I QAccomDat

ΛТ

^N Anyone having school milk?^N

- (1) Yes Yes
- (2) No No

RECORD IF: HHG.P[HHSize].BenUnit = RESPONSE

$(-136\)\ FRS0801A.QAccomdat.WelfMilk$

^I QAccomDat

۸Ι

^N Anyone having welfare milk?^N

(1) Yes Yes

(2) No No

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

CHECK IF: HHG.P[HHSize].BenUnit = RESPONSE

RESERVECHECK

RESERVECHECK

COMPUTE IF: HHG.P[HHSize].BenUnit = RESPONSE

AND: QAccomdat.HHStat = Shared

AND: In loop FOR Loop1 := 1 TO NewBU

BUHBElig[Loop1] := Yes

COMPUTE ALWAYS:

QAccomdat.AdultH := AllAd

COMPUTE ALWAYS:

QAccomdat.DepChldH := AllCh

COMPUTE ALWAYS:

QAccomdat.DatYrAgo := DLYear

COMPUTE ALWAYS:

QAccomdat.BenUnits := NewBU

FRS0801A.QRenting

Questions about renters

Ask IF: QAccomdat. Tenure IN [Part .. Squatting]

(137) FRS0801A.QRenting.Landlord

^I QRenting

۸I

۸Ī

If property is let through a letting agent or estate agent, the question refers to the owner not the agent, so please probe to try to find out who actually owns the property.

If the respondent does not know who the landlord is, use code 7 (other private individual) rather than coding 'Don't know'.

Code 1 (^LANIHE) includes people renting from Housing Action Trusts.

Code 2 (housing association etc.) includes Registered Social Landlords. Nearly all housing associations are now Registered Social Landlords but continue to be known as housing associations.

۸1

(1)	Council	^Council1
(2)	Assocn	A housing association, charitable trust or Local Housing Company
(3)	OrgEmpl	Employer (organisation) of a household member
(4)	OrgOth	Another organisation
(5)	FrndRel	Relative/friend (before you lived here) of household member
(6)	IndEmpl	Employer (individual) of a household member
(7)	OthIndiv	Another individual, private landlord or Letting Agency

RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]

(138) FRS0801A.QRenting.LLEx

```
^I QRenting
```

۸I

^I^BLU^IC^KeyTxt

^SuppTxt^I

OPEN

```
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
```

AND: Edit = No

AND: Landlord = NONRESPONSE

ERROR

^I^BLU^IC^KeyTxt^I

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Edit = No
     AND: Landlord = NONRESPONSE
(139) FRS0801A.QRenting.LLEx
     ^I QRenting
     ^I^BLU^IC^KeyTxt
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord = Council
Allowance := 'Rebate'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (Landlord = Council)
Allowance := 'Allowance'
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
( 140) FRS0801A.QRenting.Furnish
     ^I QRenting
     ۸I
     ^N Is this accomodation provided...
     ^N
     (1)
          Furnishe
                     furnished,
     (2)
          PartFurn
                     partly furnished (eg. curtains and carpets only),
          Unfurnis
                     or unfurnished?
     (3)
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
( 141) FRS0801A.QRenting.ResLL
     ^I QRenting
     ۸I
     ^N Does the landlord live in the building?
     ^N
     (1)
          Yes
                     Yes
     (2)
          No
                     No
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: (ResLL = Yes) AND (QAccomdat.TypeAcc = Purpose_built)
(142) FRS0801A.QRenting.ResLL2
     ^I QRenting
     ۸I
     ^N Does the landlord live in the same flat as you or not?@^N/
          Yes
                     Yes
     (1)
     (2)
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: (ResLL = No) OR (ResLL2 = No)
     AND: NatCen <> NI
( 143) FRS0801A.QRenting.YStart
     ^I QRenting
     ^I
     ^I^BLU^IC Ask or record^I
     In which year did you first become a tenant of this accommodation?
     ^I^IC 'You'=Person(s) named at 'Hhldr', that is... ^RentName.
     ۸I
           Bef1988
                      1988 or earlier
     (1)
     (2)
           ToFeb97
                      From 1989 to February 1997
     (3)
           AftMar97
                      March 1997 or later
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: (ResLL = No) OR (ResLL2 = No)
     AND: NOT (NatCen <> NI)
( 144) FRS0801A.QRenting.NIYstart
     ^I QRenting
     ۸I
     ^I^BLU^IC Ask or record^I
     In which year did you first become a tenant of this accommodation?
     ^I^IC 'You'=Person(S) named AT 'Hhldr', that is... ^RentName.
     ۸I
           Bef1978
                      1978 or earlier
     (1)
           Aft1979
                      1979 or later
     (2)
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: (ResLL = No) OR (ResLL2 = No)
     AND: ((NatCen <> NI) AND (YStart IN [ToFeb97 .. AftMar97])) OR ((NatCen
     = NI) AND (NIYstart = Aft1979))
( 145) FRS0801A.QRenting.Ctract
     ^I QRenting
     ۸I
     ^N When you started to rent this accommodation ^N ^I^BLU...Running prompt...
     ۸I
     (1)
           Signed
                      ^N...did you and the landlord sign a written agreement,^N
     (2)
           NotSign
                      ^N...did you have a written agreement which you didn't sign,^N
           Unwrittn
                      ^N...or did you just have an unwritten agreement?^N
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: NatCen = NI
various := 'various'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: NOT (NatCen = NI)
various := 'various other'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: NatCen <> NI
     AND: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 =
     EMPTY OR (ResLL2 = Yes)))
     AND: Scotland = Yes
AssuredSH := 'Short Assured'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: NatCen <> NI
     And: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 =
     EMPTY OR (ResLL2 = Yes)))
     AND: NOT (Scotland = Yes)
AssuredSH := 'Assured Shorthold'
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: NatCen <> NI
     AND: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 =
     EMPTY OR (ResLL2 = Yes)))
( 146) FRS0801A.QRenting.TenType
     ^I QRenting
     ۸I
     ^IS^I B3^I^N
     Can you tell me what kind of tenancy you have?^N
     ^I^BLU^IC If tenancy type written on contract/notice ask respondent to read out.^I
     (1)
          AssSHold
                     ^AssuredSH
     (2)
          Assured
                     Assured
          Regulate
                     Regulated (tenancy must have started in 1988 or earlier)
     (3)
     (4)
          ResLL
                     Resident landlord
     (5)
          LetEduc
                     Let by educational institution
          OthLet
                     Other type of let
     (6)
```

```
Ask IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: NatCen <> NI
AND: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 = EMPTY OR (ResLL2 = Yes)))
AND: TenType = OthLet

( 147 ) FRS0801A.QRenting.OthType

^I QRenting
^I
```

^IS^I B4^I^N There are ^various ways in which landlords can let accommodation. Will you please look at this card and tell me if the letting is one of these?^N

(1) Crown Crown tenancy/licence (includes H.M Forces) (2) Servive Service occupancy (excludes H.M. Forces) (3) Business or agricultural tenancy BusAgr Assured agricultural occupancy (4) AssAgr Asylum seeker let (issued by National Asylum Support Service NASS) (5) Asylum (6)Holiday Holiday let (7)OthLet Other type of let

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
   And: Landlord IN [FrndRel .. OthIndiv]
And: NatCen <> NI
And: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 = EMPTY OR (ResLL2 = Yes)))
And: TenType = AssSHold
```

(148) FRS0801A.QRenting.LowShort

^I QRenting

۸I

^N Is this a low season let?^N

^I^BLU^IC This refers to an out of season let^I

(1) Yes Yes(2) No No

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: NOT (NatCen <> NI)
```

(149) FRS0801A.QRenting.OthType

^I QRenting

۸I

^IS^I B4^I^N

There are $^{\text{various}}$ ways in which landlords can let accommodation. Will you please look at this card and tell me if the letting is one of these? $^{\text{N}}$

(1)	Crown	Crown tenancy/licence (includes H.M Forces)
(2)	Servive	Service occupancy (excludes H.M. Forces)
(3)	BusAgr	Business or agricultural tenancy
(4)	AssAgr	Assured agricultural occupancy
(5)	Asylum	Asylum seeker let (issued by National Asylum Support Service NASS)
(6)	Holiday	Holiday let
(7)	OthLet	Other type of let

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: Ctract IN [Signed .. NotSign]
     AND: ((((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = ToFeb97))
OR (((Scotland = Yes) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 ...
AftMar97]))) OR (((NatCen = NI) AND (ResLL2 <> Yes)) AND (NIYstart =
     Aft1979))
     AND: NatCen = NI
Assured := 'a Protected'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: Ctract IN [Signed .. NotSign]
     AND: ((((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = ToFeb97))
OR (((Scotland = Yes) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 ...
AftMar97]))) OR (((NatCen = NI) AND (ResLL2 <> Yes)) AND (NIYstart =
     Aft1979))
     AND: NatCen = NI
Tenancy := 'a Protected Shorthold Tenancy'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: Ctract IN [Signed .. NotSign]
     AND: ((((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = ToFeb97))
     OR (((Scotland = Yes) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 ...
     AftMar97]))) OR (((NatCen = NI) AND (ResLL2 <> Yes)) AND (NIYstart =
     Aft1979))
     AND: NatCen = NI
Shorthold := 'a Protected Shorthold'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: Ctract IN [Signed .. NotSign]
     AND: ((((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = ToFeb97))
     OR (((Scotland = Yes) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 ...
     AftMar97]))) OR (((NatCen = NI) AND (ResLL2 <> Yes)) AND (NIYstart =
     Aft1979))
     AND: NOT (NatCen = NI)
Assured := 'an Assured'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
     AND: Ctract IN [Signed .. NotSign]
     AND: ((((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = ToFeb97))
     OR (((Scotland = Yes) AND (ResLL2 \leftrightarrow Yes)) AND (YStart IN [ToFeb97 ...
     AftMar97]))) OR (((NatCen = NI) AND (ResLL2 <> Yes)) AND (NIYstart =
     Aft1979))
     AND: NOT (NatCen = NI)
Tenancy := 'for an Assured Shorthold Tenancy'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: Ctract IN [Signed .. NotSign]
     AND: ((((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = ToFeb97))
     OR (((Scotland = Yes) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 .. AftMar97]))) OR (((NatCen = NI) AND (ResLL2 <> Yes)) AND (NIYstart =
     Aft1979))
     AND: NOT (NatCen = NI)
Shorthold := 'an Assured Shorthold'
```

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: Ctract IN [Signed .. NotSign]
AND: (((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = ToFeb97))
OR (((Scotland = Yes) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 .. AftMar97]))) OR (((NatCen = NI) AND (ResLL2 <> Yes)) AND (NIYstart = Aft1979))
AND: NatCen <> NI
AND: TenType = NONRESPONSE OR OthType = NONRESPONSE
```

(150) FRS0801A.QRenting.Short1

^I QRenting

۸Τ

^N There is a form of tenancy called ^Assured Shorthold. It had to be initially for a fixed period and you had to be given a special notice in writing by the landlord that told you it was ^Tenancy. Here is an example of a notice to a tenant saying that the tenancy is ^Shorthold.

^BLU SHOW EXAMPLE OF NOTICE.^BLU

Does your notice state that it is 'Assured Shorthold or not?'I

(1) Assured Yes, an Assured Shorthold

(2) Other Other agreement

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: Ctract IN [Signed .. NotSign]
AND: ((NatCen <> NI) AND (Scotland <> Yes)) AND (YStart = AftMar97)
AND: TenType = NONRESPONSE OR OthType = NONRESPONSE
```

(151) FRS0801A.QRenting.Short2

^I QRenting

۸τ

^N Most tenancies are Assured Shortholds. There are others, just called 'Assured'. For these you have to be given a notice, in writing by the landlord, that tells you it is NOT an Assured Shorthold agreement.

^BLU SHOW EXAMPLE OF NOTICE.^BLU

Does your agreement or notice state that it is NOT an Assured Shorthold?^N

^I^BLU^IC The law changed in March 1997 to the effect that by default all tenancy agreements are assured shortholds, unless the landlord gave written notice to the contrary.^I

```
    NotAss Not an Assured Shorthold
    Other No, other agreement
```

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: ((((Scotland <> Yes) AND (YStart = Bef1988)) AND ((ResLL = No) OR (ResLL2 = No))) OR ((Scotland = Yes) AND ((ResLL = No) OR (ResLL2 = No)))) OR ((NatCen = NI) AND ((ResLL = No) OR (ResLL2 = No)))

AND: NatCen = NI
```

assessed := 'assessed'

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: ((((Scotland <> Yes) AND (YStart = Bef1988)) AND ((ResLL = No) OR
     (\textit{ResLL2} = \textit{No}))) OR ((\textit{Scotland} = \textit{Yes}) AND ((\textit{ResLL} = \textit{No})) OR (\textit{ResLL2} = \textit{No})
     No)))) OR ((NatCen = NI) AND ((ResLL = No) OR (ResLL2 = No)))
     AND: NatCen = NI
rent officer := ('rent officer for Northern Ireland who will
set up an independent ' + 'committee to assess and fix an
appropriate rent')
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: ((((Scotland <> Yes) AND (YStart = Bef1988)) AND ((ResLL = No) OR
     (ResLL2 = No))) OR ((Scotland = Yes) AND ((ResLL = No) OR (ResLL2 =
     No)))) OR ((NatCen = NI) AND ((ResLL = No)) OR (ResLL2 = No)))
     AND: NOT (NatCen = NI)
assessed := 'registered'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: ((((Scotland <> Yes) AND (YStart = Bef1988)) AND ((ResLL = No) OR
     (ResLL2 = No))) OR ((Scotland = Yes) AND ((ResLL = No)) OR (ResLL2 = No))
     No)))) OR ((NatCen = NI) AND ((ResLL = No) OR (ResLL2 = No)))
     AND: NOT (NatCen = NI)
rent officer := ('local rent officer or rent assessment
committee to decide on a ' + 'fair rent which is then
registered')
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: ((((Scotland <> Yes) AND (YStart = Bef1988)) AND ((ResLL = No) OR
     (ResLL2 = No))) OR ((Scotland = Yes) AND ((ResLL = No) OR (ResLL2 =
     No)))) OR ((NatCen = NI) AND ((ResLL = No) OR (ResLL2 = No)))
(152) FRS0801A.QRenting.FairRent
     ^I QRenting
     ^N Has the rent been registered by the local rent officer or rent committee?^N
                    Yes
     (1)
          Yes
     (2)
          No
                    No
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
(153) FRS0801A.QRenting.AccJob
     ^I QRenting
     ^N Does this accommodation go with the present job of anyone in your household?^N
          Yes
     (1)
                    Yes
     (2)
          No
                    No
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccJob = Yes
( 154) FRS0801A.QRenting.AccJbPer
     ^I QRenting
     ۸I
     ^N Who is that?^N
     ^I^BLU^IC Code all that apply.^I
     SET [14] OF
     (1)
          Per1
                    ^DMName[1]
     (2)
          Per2
                    ^DMName[2]
     (3)
          Per3
                    ^DMName[3]
     (4)
          Per4
                    ^DMName[4]
     (5)
          Per5
                    ^DMName[5]
     (6)
          Per6
                    ^DMName[6]
                    ^DMName[7]
     (7)
          Per7
     (8)
          Per8
                    ^DMName[8]
     (9)
          Per9
                    ^DMName[9]
     (10)
         Per10
                    ^DMName[10]
     (11)
          Per11
                    ^DMName[11]
     (12)
                    ^DMName[12]
          Per12
     (13)
                    ^DMName[13]
          Per13
     (14)
          Per14
                    ^DMName[14]
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccJob = Yes
     AND: In loop FOR Index := 1 TO 14
     AND: Index IN AccJbPer
     PRec[].Depend[Index] = Adult
     ^I Code ^Index is not valid for this question.^I
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: QAccomdat.HHStat = Shared
es household := (' you, that is, just ^B' + HRPNames + '^B,')
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: QAccomdat.HHStat = Shared
IsAre := 'Are'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (QAccomdat.HHStat = Shared)
es household := 'es your household'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (QAccomdat.HHStat = Shared)
IsAre := 'Is'
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
```

(155) FRS0801A.QRenting.RentDoc

^I QRenting

۸I

^N Do you have a rent book, rent card, Housing Benefit statement or some other rent document that you could consult?^N

^I^BLU^IC If HB statement available please consult this.^I

(1) HBStmt Housing Benefit Statement(2) Oth Some other document

(3) None None

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
```

AND: RentDoc IN [HBStmt, Oth]

Consult_the_document := ' Please consult the document.'

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
AND: NOT (RentDoc IN [HBStmt, Oth])
```

Consult_the_document := ''

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
```

(156) FRS0801A.QRenting.Rent

^I QRenting

۸Ι

^I If in arrears, enter amount last paid but open a Note and give the date of payment (and say if an extra amount is included to pay towards the arrears).

If 100% rent rebate/HB is received and water/sewerage rates and other services etc are^B not^B included in the rent, then the amount at 'Rent' should be zero. But if water, etc rates ARE included in the rent, then the amount paid for these rates should be entered at the question 'Rent'.

If rent includes an element for the business part of the property (eg a shop beneath a flat), and the amount for the residential part cannot be determined, enter 'DK' at 'Rent'.'I

0.00..999997.00

```
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
```

(157) FRS0801A.QRenting.RentEx

```
^I QRenting
```

۸I

^I^BLU^IC ^KeyTxt

^SuppTxt^I

OPEN

```
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Edit = No
     AND: Rent = NONRESPONSE
     ERROR
     ^I^KeyTxt^I
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Edit = No
     AND: Rent = NONRESPONSE
(158) FRS0801A.QRenting.RentEx
     ^I QRenting
     ۸Ţ
     ^I^BLU^IC ^KeyTxt
     ^SuppTxt^I
     OPEN
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
(159) FRS0801A.QRenting.RentPx
     ^I QRenting
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
(160) FRS0801A.QRenting.RentPd
     ^I QRenting
     ۸Ţ
     ^N How long does this cover?^N
           OneWeek
                      One week
     (1)
           TwoWeek
                      Two weeks
     (2)
     (3)
           ThrWeek
                      Three weeks
     (4)
           Fourweek
                      Four weeks
     (5)
           Month
                      Calendar month
     (7)
           TwoMonth
                     Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
     (10)
           TenYear
                     Ten times a year
     (13)
           ThrMonth
                     Three months/13 weeks
     (26)
           SixMonth
                     Six months/26 weeks
     (52)
           Year
                      One Year/12 months/52 weeks
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum
                     One off/lump sum
                     None of these ^I(Explain in a note)^I
     (97)
          Note
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]

AND: PTenure IN [Rents, Part]

AND: Rent > 0

AND: RentPd = Note

( 161 ) FRS0801A.QRenting.RentPx

^I QRenting
^I

^I'*AIPBLU*IC *Pd97Txt*I

OPEN
```

```
Warn IF: QAccomdat.Tenure IN [Part .. Squatting]
   AnD: PTenure IN [Rents, Part]
   AnD: Rent > 0
   AnD: Edit = Yes
   RentPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

FRS0801A.QRenting.Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[2] := 2
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[10] := 5.2
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
     AND: RentPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
RentWkly := LWeekly1
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
     AND: RentPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
     AND: Landlord = Council
     (RentWkly < 101) AND INVOLVING(RentPd, Rent)
     ^I This comes to £^RentWkly a week.
     Rents for Council tenants are normally below £100 a week. I
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
     AND: RentPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
     AND: Edit = No
     ((RentWkly < 151) OR (Landlord = Council)) AND INVOLVING(RentPd, Rent)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent = REFUSAL
HMissVar := (HMissVar + 1)
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent = DONTKNOW
( 162) FRS0801A.QRenting.RentDK
     ^I QRenting
     ^I^BLU^IC@|Is this 'don't know' because rent is partly for^B business^B,
     @|@|@|and you cannot establish a separate amount for the B domestic B accommodation? I
     (1)
          Yes
                     Yes (Please give full details in a Note)
     (2)
          No
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent = DONTKNOW
     AND: RentDK <> Yes
HMissVar := (HMissVar + 1)
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Rent <> EMPTY
(163) FRS0801A.QRenting.RentHol
     ^I QRenting
     ۸I
     ^N Do you have a rent holiday?^N
     ^I^BLU^IC Some people know this as 'Rent free week(s)'.^I
          Yes
                    Yes
     (1)
     (2)
          No
                    No
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Rent <> EMPTY
     AND: RentHol = Yes
( 164) FRS0801A.QRenting.WeekHol
     ^I QRenting
     ۸I
     'N For how many weeks of the year do you have a rent holiday?'N
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Rent <> EMPTY
AND: RentHol = Yes
     WeekHol <= 8
     ^I Rent holidays do not normally exceed 8 weeks per year.^I
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord = Council
allowed := 'allowed'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord = Council
directly := ''
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (Landlord = Council)
allowed := 'receiving'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (Landlord = Council)
directly := ', either directly or by having it paid to your
landlord'
```

Ask IF: QAccomdat. Tenure IN [Part .. Squatting] (165) FRS0801A.QRenting.HBenefit ^I QRenting ۸Ι 'N Are you 'allowed Housing Benefit or Rent 'Allowance, to help with paying your rent'directly?'N Yes (1) No (2)No RECORD IF: QAccomdat. Tenure IN [Part .. Squatting] (166) FRS0801A.QRenting.HBenEx ^I QRenting ۸I ^I^BLU^IC ^KeyTxt ^SuppTxt^I **OPEN** WARN IF: QAccomdat. Tenure IN [Part .. Squatting] **AND:** Edit = No **AND:** HBenefit = NONRESPONSE ERROR ^I^KeyTxt^I Ask if: QAccomdat. Tenure IN [Part .. Squatting] **And:** Edit = No **AND:** HBenefit = NONRESPONSE (167) FRS0801A.QRenting.HBenEx ^I QRenting ^I^BLU^IC ^KeyTxt ^SuppTxt^I **OPEN** Ask if: QAccomdat. Tenure IN [Part .. Squatting] AND: ((Rent = 0) AND (Rent = RESPONSE)) AND (HBenefit = Yes) (168) FRS0801A.QRenting.Rebate ^I QRenting ۸I ^N You said that you paid no rent last time, is that because you get 100% Housing Benefit?^N Yes Yes (1) (2) No No

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: ((Rent = 0) AND (Rent = RESPONSE)) AND ((HBenefit = No) OR (Rebate
     = No)
(169) FRS0801A.QRenting.RebateO
     ^I QRenting
     ^N Can I just check, what is the reason for your paying no rent last time?^N
     STRING[60]
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HHSize > 1
you all := 'you and the other members of your household'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (HHSize > 1)
you all := 'you'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
NCDVIB := (NCDVIB + 1)
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
(170) FRS0801A.QRenting.HBenAmt
     ^I QRenting
     ۸I
     ^N How much Housing Benefit/ rent rebate/ allowance are ^you all allowed?^N
     'I'BLU'IC Some respondents may receive more housing benefit than the amount of their rent.'I
     0.01..997.00
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
(171) FRS0801A.QRenting.HBenPx
     ^I QRenting
     ۸I
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBenAmt > 0
(\ 172\ )\ FRS0801A.QRenting.HBenPd
      ^I QRenting
      ۸Ι
      ^N How long does this cover?^N
           OneWeek
                       One week
      (1)
           TwoWeek
      (2)
                       Two weeks
           ThrWeek
      (3)
                       Three weeks
      (4)
           Fourweek
                       Four weeks
           Month
                       Calendar month
      (5)
           TwoMonth
                       Two Calendar months
      (7)
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                       Nine times a year
      (10)
           TenYear
                       Ten times a year
           ThrMonth
                       Three months/13 weeks
      (13)
           SixMonth
                       Six months/26 weeks
      (26)
      (52)
           Year
                       One Year/12 months/52 weeks
      (90)
           LessWeek
                       Less than one week
      (95)
           LumpSum
                       One off/lump sum
      (97)
           Note
                       None of these ^I(Explain in a note)^I
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBenAmt > 0
     AND: HBenPd = Note
(173) FRS0801A.QRenting.HBenPx
      ^I QRenting
      ^I^BLU^IC^Pd97Txt^I
      OPEN
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBenAmt > 0
      AND: Edit = Yes
     HBenPd <> Note
      ^I Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it. I
```

FRS0801A.QRenting.Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[10] := 5.2
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: HBenAmt > 0
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: HBenAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: HBenefit = Yes
AND: HBenAmt > 0
AND: HBenPd IN [OneWeek .. Year]
AND: LWeekly1 >= 0.01
```

HBenWkly := LWeekly1

```
Warn IF: QAccomdat.Tenure IN [Part .. Squatting]
   AnD: HBenefit = Yes
AnD: HBenAmt > 0
AnD: HBenPd IN [OneWeek .. Year]
AnD: LWeekly1 >= 0.01
AnD: Edit = NO
   (HBenWkly < 200) AND INVOLVING(HBenPd, HBenAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Warn IF: QAccomdat.Tenure IN [Part .. Squatting]
   AnD: HBenefit = Yes
AnD: HBenAmt > 0
AnD: HBenPd IN [OneWeek .. Year]
AnD: LWeekly1 >= 0.01
AnD: Edit = Yes
AnD: (HBenWkly = RentWkly) OR (Rent = HBenAmt)
ERROR AND INVOLVING(Rent, HBenAmt)
```

^I Editor: The respondent has given exactly the same figure for rent and housing benefit. Please check that there is no double counting.^I

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: HBenefit = Yes
AND: HBenAmt > 0
AND: Rent > 0
```

(174) FRS0801A.QRenting.HBenChk

```
^I QRenting 
^I
```

^N Can I just check, is the amount of ^rent for rent that you mentioned earlier, BEFORE or AFTER taking off the Housing Benefit?^N

```
(1) Befor Before(2) Aftr After
```

```
Warn if: QAccomdat.Tenure IN [Part .. Squatting]
   AnD: HBenefit = Yes
   AnD: HBenAmt > 0
   AND: Rent > 0
   AND: ((HBenWkly = RESPONSE) AND (RentWkly = RESPONSE)) AND (HBenChk = Befor)
   (HBenWkly <= RentWkly) AND INVOLVING(HBenAmt, Rent)</pre>
```

^I Housing Benefit is not normally more than rent. However from October 2003 in some areas Housing Benefit may exceed rent. Please double check the figure with the respondent.^I

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: (HBenAmt = DONTKNOW) AND ((Rent = DONTKNOW) OR (Rent > 0))
(175) FRS0801A.QRenting.RentFull
     ^I QRenting
     ۸I
     'N How much is your FULL rent - that is, BEFORE Housing Benefit or Rent 'Allowance?'N
     0.00..999997.00
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentFull > 0
(176) FRS0801A.QRenting.RentPx1
     ^I QRenting
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentFull > 0
(177) FRS0801A.QRenting.RentPd1
     ^I QRenting
     ۸I
     ^N How long does this cover?^N
           OneWeek
     (1)
                      One week
           TwoWeek
     (2)
                     Two weeks
           ThrWeek
     (3)
                     Three weeks
           Fourweek
                      Four weeks
     (4)
     (5)
           Month
                     Calendar month
     (7)
           TwoMonth
                     Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                     Nine times a year
          TenYear
     (10)
                     Ten times a year
     (13)
          ThrMonth
                     Three months/13 weeks
          SixMonth
                     Six months/26 weeks
     (26)
                     One Year/12 months/52 weeks
     (52)
          Year
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum
                     One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentFull > 0
     AND: RentPd1 = Note
(178) FRS0801A.QRenting.RentPx1
     ^I QRenting
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
```

```
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentFull > 0
     AND: Edit = Yes
     RentPd1 <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. I
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
(179) FRS0801A.QRenting.HBWeeks
     ^I QRenting
     ۸I
     ^N For how long have you been on Housing Benefit or Rent ^Allowance (this time)?^N
     (1)
           Less2Y
                       Up to 2 years
     (2)
           Less3Y
                       2 years but less than 3
     (3)
           Less4Y
                       3 years but less than 4
     (4)
           Less5Y
                       4 years but less than 5
     (5)
           More5Y
                      5 or more years
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBWeeks = Less2Y
(180) FRS0801A.QRenting.HBWeeks2
     ^I QRenting
     ۸I
     'N Please tell me how many weeks you have been on Housing Benefit or Rent 'Allowance (this
     0..997
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBWeeks = Less2Y
     AND: HBWeeks2 = RESPONSE
     IN(HBWeeks2,[1..104])
     Enter a value between 1 and 104
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
( 181) FRS0801A.QRenting.EligAmt
     ^I QRenting
     ^N On the (rent book/ card/ statement), what is the amount shown for eligible rent?^N
     ^I^BLU^IC This must be the ^B eligible rent ^B (may not be same as the amount of benefit)
     Eligible rent = after deductions.^I
     1.00..1000.00
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
  182) FRS0801A.QRenting.EligPx
     ^I QRenting
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EliqAmt > 0
( 183) FRS0801A.QRenting.EligPd
     ^I QRenting
     ۸Ţ
     ^N What period does that cover?^N
          OneWeek
     (1)
                     One week
     (2)
          TwoWeek
                     Two weeks
     (3)
          ThrWeek
                     Three weeks
     (4)
          Fourweek
                     Four weeks
     (5)
          Month
                     Calendar month
          TwoMonth Two Calendar months
     (7)
          EighYear
                     Eight times a year
     (8)
     (9)
          NineYear
                     Nine times a year
          TenYear
                     Ten times a year
     (10)
          ThrMonth
                    Three months/13 weeks
     (13)
     (26)
          SixMonth
                     Six months/26 weeks
     (52)
          Year
                     One Year/12 months/52 weeks
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum One off/lump sum
                     None of these ^I(Explain in a note)^I
     (97)
          Note
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
     AND: EligPd = Note
( 184) FRS0801A.QRenting.EligPx
     ^I QRenting
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
```

WARN IF: QAccomdat. Tenure IN [Part .. Squatting]

AND: HBenefit = Yes
AND: RentDoc = HBStmt
AND: EligAmt > 0
AND: Edit = Yes
EligPd <> Note

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

FRS0801A.QRenting.Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EliqAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[52] := 52
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: RentDoc = HBStmt
     AND: EligAmt > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]

AND: HBenefit = Yes

AND: RentDoc = HBStmt

AND: EligAmt > 0

AND: EligPd IN [OneWeek .. Year]

AND: LWeekly1 >= 0.01
```

EligWkly := LWeekly1

```
Warn IF: QAccomdat.Tenure IN [Part .. Squatting]
   AnD: HBenefit = Yes
AnD: RentDoc = HBStmt
AnD: EligAmt > 0
AnD: EligPd IN [OneWeek .. Year]
AnD: LWeekly1 >= 0.01
AnD: Edit = No
(EligWkly < 200) AND INVOLVING(EligPd, EligAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
AND: HBenefit = No
```

(185) FRS0801A.QRenting.HBenWait

^I QRenting

۸I

^N Are you awaiting the outcome of a claim for Housing Benefit - that is, either Rent Rebate or Rent Allowance?^N

(1) Yes Yes(2) No No

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
AND: (Scotland <> Yes) AND (NatCen <> NI)
```

(186) FRS0801A.QRenting.WSInc

^I QRenting

۸I

^N Were water or sewerage charges ^rate included in the rent which you mentioned?^N^I^Consult_the_document^I

(1) Both Both water & sewerage

(2) Water Water only(3) Sewer Sewerage only(4) Neith Neither

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
      AND: WSInc = Both
COMBINED AMOUNT := '
 Enter combined amount.'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
AND: WSInc IN [Both, Water, Sewer]
     AND: WSInc = Water
water sewerage := 'water'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: WSInc = Sewer
water sewerage := 'sewerage'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (WSInc = Sewer)
water sewerage := 'water/sewerage'
```

FRS0801A.QRenting.PdTxt1()

Procedure Call

```
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
LInThat := ' in that '
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = OneWeek
PPdTxt := 'one week period'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
     AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = TwoWeek
PPdTxt := 'two week period'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = ThrWeek
PPdTxt := 'three week period'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = Fourweek
PPdTxt := 'four week period'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = Month
PPdTxt := 'calendar month'
```

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = ThrMonth
PPdTxt := 'three month period'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek . LessWeek]
AND: PPeriod IN [OneWeek . Month, ThrMonth . Year]
      AND: PPeriod = SixMonth
PPdTxt := 'six month period'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = Year
PPdTxt := 'year'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek . . LessWeek]
AND: PPeriod IN [TwoMonth . . TenYear]
LInThat := ' in those '
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [TwoMonth .. TenYear]
      AND: PPeriod = TwoMonth
PPdTxt := 'two calendar months'
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [TwoMonth .. TenYear]
      AND: PPeriod = EighYear
PPdTxt := 'eight payments'
```

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [TwoMonth .. TenYear]
      AND: PPeriod = NineYear
PPdTxt := 'nine payments'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
      AND: PPeriod = TenYear
PPdTxt := 'ten payments'
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
LInThat := ' in that '
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod = LessWeek
PPdTxt := 'week'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
      AND: NOT (PPeriod = LessWeek)
LInThat := ''
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: NOT (PPeriod = LessWeek)
PPdTxt := ''
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
PPdTxt := (LInThat + PPdTxt)
```

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
AND: NOT (RentPd IN [OneWeek .. LessWeek])
in that period := ''
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
( 187) FRS0801A.QRenting.WSIncAmt
     ^I QRenting
     ۸I
     ^N How much was included for ^water_sewerage ^in_that_period?^N
     ^I^BLU^IC ^COMBINED_AMOUNT^Consult_the_document^I
     1.00..100.00
WARN IF: QAccomdat. Tenure IN [Part .
                                        . Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: Rent >= 0
     NOT(WSIncAmt > Rent)
     ^I The amount included in rent for water/sewerage is greater than the rent!^I
RECORD IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: WSIncAmt > 0
(188) FRS0801A.QRenting.RentPx2
     ^I QRenting
     ^I^BLU^IC ^Pd97Txt^IC
     OPEN
```

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: WSIncAmt > 0
(189) FRS0801A.QRenting.RentPd2
      ^I QRenting
      ^N How long did this cover?^N
      (1)
            OneWeek
                        One week
            TwoWeek
                        Two weeks
      (2)
            ThrWeek
                        Three weeks
      (3)
      (4)
            Fourweek
                        Four weeks
      (5)
            Month
                        Calendar month
      (7)
            TwoMonth
                       Two Calendar months
      (8)
            EighYear
                        Eight times a year
      (9)
            NineYear
                        Nine times a year
      (10)
            TenYear
                        Ten times a year
                        Three months/13 weeks
      (13)
            ThrMonth
            SixMonth
                        Six months/26 weeks
      (26)
      (52)
            Year
                        One Year/12 months/52 weeks
            LessWeek
                        Less than one week
      (90)
      (95)
            LumpSum
                        One off/lump sum
      (97)
            Note
                        None of these ^I(Explain in a note)^I
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Scotland <> Yes) AND (NatCen <> NI)
      AND: WSInc IN [Both, Water, Sewer]
      AND: WSIncAmt > 0
      AND: RentPd2 = Note
(190) FRS0801A.QRenting.RentPx2
      ^I QRenting
      ^I^BLU^IC ^Pd97Txt^IC
      OPEN
```

FRS0801A.QRenting.Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[1] := 1
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[3] := 3
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[9] := 5.78
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[13] := 13
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[26] := 26
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[52] := 52
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Page 153

FRS0801A.QRenting.Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[1] := 1
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[3] := 3
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
```

PdConW[8] := 6.5

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[9] := 5.78
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[13] := 13
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[26] := 26
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[52] := 52
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Questions about renters

```
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: (WSIncAmt > 0) AND ((RentPd IN [OneWeek .. Year]) OR (RentPd2 IN
      [OneWeek .. Year]))
     AND: LWeekly1 >= 1
WSIWkly := LWeekly1
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: (WSIncAmt > 0) AND ((RentPd IN [OneWeek .. Year]) OR (RentPd2 IN
     [OneWeek .. Year]))
     AND: LWeekly1 >= 1
     AND: Edit = No
     (WSIWkly < 20) AND INVOLVING(WSIncAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Scotland <> Yes) AND (NatCen <> NI)
     AND: WSInc IN [Both, Water, Sewer]
     AND: WSIncAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: Rent <> 0
(191) FRS0801A.QRenting.SerInc
     ^I QRenting
     ۸Ţ
     ^IS^I B10^I^N
      Does the rent which you mentioned include any of the services shown on this
     card?^N^I^Consult_the_document^I
     ^I^BLU^IC Code all that apply.^I
     SET [5] OF
           Heating
     (1)
                      Heating
           Lighting
                      Lighting
     (2)
           HotWat
     (3)
                      Hot water
     (4)
           FuelCook
                      Fuel for cooking
```

(5)

(6)

TVLic

None

TV licence fees

None of these services

```
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: Rent <> 0
     AND: None IN SerInc
     SerInc.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) OR ((PTenure IN [RentFree, Squatting])
     AND (AccJob <> Yes))
  192) FRS0801A.QRenting.AccNonHH
     ^I QRenting
     ۸Ι
     ^N (Apart from Housing Benefit) does anyone outside your household pay any rent on this
     accommodation on your behalf?^N
     ^I^BLU^IC Exclude Housing Benefit - ie. Rent Rebate or Rent Allowance.^I
     (1)
           Yes
                      Yes
                      No
     (2)
           No
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
  193) FRS0801A.QRenting.AccPay
     ^I QRenting
     ^N Who is that?^N
     ^I^BLU^IC Code all that apply.^I
     SET [5] OF
           GOV
                      ^GOVSSA
     (1)
     (2)
                      Employer
           Emp
                      Other organisation
     (3)
           Org
     (4)
           Rel
                      Friend or relative
     (5)
           Other
                      Other
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     NOT (IN (GOV, AccPay))
```

^I Are you sure? ^GOV1 only ever pay ^B arrears ^B of rent. Double-check, that respondent is not thinking of Housing Benefit.

If genuine arrears, suppress this warning.^I

FRS0801A.QRenting.QAccPay[]

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
Payer[1] := GOV1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
Payer[2] := 'employer'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
Payer[3] := 'other organisation'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
Payer[4] := 'relative or friend'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
Payer[5] := '
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
LRent := PRent
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
RentSeq := PSeq
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
AccPay := PSeq
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
( 194) FRS0801A.QRenting.QAccPay[].AccAmt
     ^I QRenting
     ۸I
     ^N How much rent did the ^Payer[AccPay] pay for you last time?^N
     0.01..999997.00
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
AND: AccAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
( 195) FRS0801A.QRenting.QAccPay[].AccPx
     ^I QRenting
     ۸Ι
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
(196) FRS0801A.QRenting.QAccPay[].AccPd
     ^I QRenting
     ۸I
     ^N How long did that cover?^N
           OneWeek
                      One week
     (1)
           TwoWeek
                      Two weeks
     (2)
           ThrWeek
                      Three weeks
     (3)
           Fourweek
                      Four weeks
     (4)
     (5)
           Month
                      Calendar month
     (7)
           TwoMonth
                     Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
     (10)
           TenYear
                      Ten times a year
     (13)
           ThrMonth
                      Three months/13 weeks
     (26)
           SixMonth
                      Six months/26 weeks
                      One Year/12 months/52 weeks
     (52)
           Year
           LessWeek
     (90)
                      Less than one week
     (95)
           LumpSum
                      One off/lump sum
     (97)
           Note
                      None of these ^I(Explain in a note)^I
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
     AND: AccPd = Note
( 197) FRS0801A.QRenting.QAccPay[].AccPx
     ^I QRenting
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
     AND: Edit = Yes
     AccPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. If
```

FRS0801A.QRenting.QAccPay[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
     AND: ACCAMT > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[8] := 6.5
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
    AND: AccAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[52] := 52
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
     AND: AccAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
    AND: AccAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QRenting.QAccPay[] (continued)

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: AccNonHH = Yes

AND: In loop FOR Index := 1 TO 5

AND: Index IN AccPay

AND: AccAmt > 0

AND: AccPd IN [OneWeek .. Year]

AND: LWeekly >= 0.01
```

AccWkly := LWeekly

```
Warn IF: QAccomdat.Tenure IN [Part .. Squatting]
   AND: AccNonHH = Yes
   AND: In loop FOR Index := 1 TO 5
   AND: Index IN AccPay
   AND: AccAmt > 0
   AND: AccPd IN [OneWeek .. Year]
   AND: LWeekly >= 0.01
   AND: Edit = No
   (AccWkly < 151) AND INVOLVING(AccPd, AccAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: AccNonHH = Yes
AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
AND: PRent > 0
```

(198) FRS0801A.QRenting.QAccPay[].AccChk

```
^I QRenting 
^I
```

^N Can I just check, is the amount of £^LRent for rent, that you mentioned earlier, BEFORE or AFTER deducting this payment?^N

(1) Befor Before(2) Aftr After

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
     AND: ((QAccPay[Index].AccWkly = RESPONSE) AND (RentWkly = RESPONSE))
     AND (QAccPay[Index].AccChk = Befor)
AccC := (AccC + QAccPay[Index].AccWkly)
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: ((QAccPay[Index].AccWkly = RESPONSE) AND (RentWkly = RESPONSE))
     AND (QAccPay[Index].AccChk = Befor)
     (AccC <= RentWkly) AND
     INVOLVING(QAccPay[Index].AccPd,QAccPay[Index].AccAmt)
     ^I The amount recorded for help with your rent is greater than the rent recorded.^I
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
```

```
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Edit = Yes
     AND: Rent = NONRESPONSE OR RentPd = NONRESPONSE
     NOT(IN(Landlord,[???])) AND
     INVOLVING(QAccomdat.Rooms,QAccomdat.TypeAcc)
     ^I
     Missing information for rent amount or period.
     Follow edit instructions for 'Rent'^I
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Edit = Yes
     AND: HBenAmt = NONRESPONSE OR (HBenPd = NONRESPONSE AND (HBenefit =
     Yes))
     NOT(IN(Landlord,[???]))
     ۸I
     Missing information FOR Housing Benefit amount and/or period.
     Follow edit instructions for 'Housing Benefit'^I
```

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

Warn IF: QAccomdat.Tenure IN [Part .. Squatting]
 And: QAccomdat.Tenure = RentFree
 IN(QRenting.Landlord,[???])

^I It is very unusual for Local Authority or Housing Association tenants to be living rent-free. Please check with respondent. Change 'Tenure' to renting if 100% Housing Benefit received, or somebody else pays the rent.^I

WARN IF: QAccomdat. Tenure IN [Part .. Squatting]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Part .. Squatting]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Part .. Squatting]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Part .. Squatting]

RESERVECHECK

RESERVECHECK

COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]

AND: In loop FOR Loop1 := 1 TO HHSize

AND: Loop1 IN QHholder.HHldr

Oldest := (MAX(DMAge[Loop1],Oldest))

FRS0801A.QOwner1

Questions about mortgages

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
(199) FRS0801A.QOwner1.BuyYear
     ^I QOwner1
     ۸I
     ^I This should be the year^B this^B property was bought. Even if the respondent states that the current
     mortgage was 'carried over' from a previous property, enter the purchase date for B this B property - not
     the previous one.^I
     1901..2008
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (POldest > 0)
     BuyYear >= (DLYear.YEAR - POldest)
     'I This is before the date of birth of the oldest householder. Please check your figures.'I
CHECK IF: OAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
```

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
    AND: QDataBag.SampMnth IN [4 .. 12]
    BuyYear <> 2008
     ^I Wrong Year!^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
YearLive := ORD (QAccomdat.YearLive)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
    AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
     AND: YearLive = 4
YearLive := 5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
    AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
     AND: YearLive = 5
YearLive := 10
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
    AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
AND: YearLive = 6
YearLive := 20
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[1] := '12 months'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[2] := '2 years'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[3] := '3 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[5] := '5 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[10] := '10 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[20] := '20 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
MorgYear := (QSignIn.StartDat.YEAR - BuyYear)
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
     (YearLive >= MorgYear) AND INVOLVING(QAccomdat.YearLive, BuyYear)
     'I The respondent has lived here for less than 'Time[YearLive], but the 'B mortgage' B started in
     ^BuyYear - ^MorgYear years ago. Please check that BuyYear is when the mortgage on THIS
     PROPERTY was taken out. (If so, suppress & continue)^I
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
( 200) FRS0801A.QOwner1.PurcLoan
     ^I QOwner1
     ۸I
     ^N Can I just check, did you take out one loan to purchase this accommodation, or more than one?^N
          One
     (1)
                    One
     (2)
          Two
                    Two (or more) loans for purchase
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: PTenure = Part
your share in := ' your share in'
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
( 201) FRS0801A.QOwner1.PurcAmt
     ^I QOwner1
     ۸I
     ^N What was the purchase price of \u00e7your_share_in your house/flat?\u00e7N
     -99999999.99..999999999.99
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: PurcAmt = RESPONSE
     PurcAmt >= 0
     ^I^BLU^IC Please enter a positive amount (>=0)^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: Edit = No
     PurcAmt < 500000
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     AND: PurcAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Outright) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     Paid))
( 202) FRS0801A.QOwner1.OthMort3
     ^I QOwner1
     ΛŢ
     ^N May I just check, are you currently using ^B this house/flat ^B as security for a mortgage or loan of
     any kind?^N
     (1)
          Yes
                     Yes
     (2)
          No
                     No
```

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: (PTenure = Outright) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
      Paid))
( 203) FRS0801A.QOwner1.OPur3Rs
     ^I QOwner1
      ۸I
     ^I This should only apply to loans for purchase. Please resolve, or make a Note.^I
      (1)
           Passed
                       Passed
      (2)
           Hard
                       Hard
      (3)
           Soft
                       Soft
      (4)
           Suppress
                       Suppressed
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: (PTenure = Outright) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
      Paid))
( 204) FRS0801A.QOwner1.OPur3Ex
      ^I QOwner1
      ۸I
      ^I^BLU^IC^SuppTxt^I
      OPEN
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: (PTenure = Outright) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
      Paid))
      AND: OthMort3 = Yes
( 205) FRS0801A.QOwner1.OthPur3
      ^I QOwner1
      ^I
      ^IS^I B11^I
      Which of these items best describe the reasons why you took out this other loan? ^Any_others?^N
     ^I^BLU^IC Code all that apply.^I
      SET [7] OF
                       To make improvements or extensions to this property
      (1)
           Improve
      (2)
           Purcase
                       To help purchase a major item like a car, boat, caravan or second home
      (3)
           IntrRate
                       To get a better, or fixed, interest rate
      (4)
           Business
                       In connection with a business
                       To buy out another person's share in the property
      (5)
           BuyOut
      (6)
           Repairs
                       For essential repairs to make the property fit for occupation
     (7)
           Other
                       Some other purpose ^I(Specify in a note.)^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: (PTenure = Outright) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
      Paid))
     AND: OthMort3 = Yes
     NOT(IN(IntrRate,OthPur3))
      NOT (IntrRate IN OthPur3)
```

FRS0801A.QOwner1.QMortgage.M[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq IN [1 .. 2]
      AND: PPTenure = Part
to_buy_this_house := ' to buy your share in this house/flat'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1]\ .OthPur)\ OR\ ...)
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: PSeq IN [1 .. 2]
AND: NOT (PPTenure = Part)
to buy this house := ' to buy this house/flat'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq IN [1 .. 2]
fill := (', in ' + STR(PBuyYear))
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1]\ .OthPur)\ OR\ ...)
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq = 3
to buy this house := ' for essential repairs'
Compute if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq = 1
MORTGAGE := (B + ' main ' + B + ' mortgage
@ for ' + 'the purchase of this accommodation.')
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq = 1
INSTRUC := ('
@ (Questions about any other, ' + 'separate mortgage will
follow.)')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1]\ .OthPur)\ OR\ ...)
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq = 2
MORTGAGE := (B + ' second ' + B + ' mortgage
@ for ' + 'the purchase of this accommodation.')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq = 2
INSTRUC := ('
@ (Questions about any other, ' + 'separate mortgage will
follow.)
1)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq = 3
MORTGAGE := 'loan for essential repairs'
```

Page 174

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
( 207) FRS0801A.QOwner1.QMortgage.M[].IntroM
      ^I QOwner1
      ۸I
      ۸Τ
      @|The next questions are about the ^MORTGAGE ^INSTRUC^I
      (1)
            Cont
                        Press <Enter> to continue.
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
MortSeq := PSeq
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: PSeq = 2
( 208) FRS0801A.QOwner1.QMortgage.M[].Loan2Y
      ^I QOwner1
      ۸I
      ^I^BLU^IC Check: Do they still have this other mortgage for purchase? (If now repaid, use code 2)^I
      (1)
                        Yes, still have this mortgage
      (2)
            Repaid
                        No, mortgage has been repaid
```

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PSeq = 3
(209) FRS0801A.QOwner1.QMortgage.M[].LoanYrRs
      ^I QOwner1
      ۸I
      ^I^BLU^IC You have entered that the respondent took out a second loan on this property before they
      purchased it. Please check your answer. You MUST make a note if you suppress this check. 1
           Passed
      (1)
                       Passed
      (2)
           Hard
                       Hard
      (3)
                       Soft
           Soft
      (4)
           Suppress
                       Suppressed
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PSeq = 3
(210) FRS0801A.QOwner1.QMortgage.M[].LoanYrEx
      ^I QOwner1
      ۸I
      ^I^BLU^IC^SuppTxt^I
      OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PSeq = 3
(211) FRS0801A.QOwner1.QMortgage.M[].LoanYear
      ^I QOwner1
      ۸I
      ^N In which year did you take out this mortgage or loan?^N
      1901..2008
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PSeq = 3
     AND: QDataBag.SampMnth IN [4 .. 12]
     LoanYear <> 2008
     Wrong Year!
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PSeq = 3
     AND: (Edit <> Yes) AND ((LoanYear > 0) AND (BuyYear > 0))
     BuyYear <= LoanYear
     BuyYear <= LoanYear
Ask IF: OAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PSeq = 3
           (Edit <> Yes) AND ((LoanYear > 0) AND (BuyYear > 0))
     AND:
     AND: (LoanYrRs = Suppressed) OR LoanYrEx <> EMPTY
(212) FRS0801A.QOwner1.QMortgage.M[].LoanYrEx
     ^I OOwner1
     ۸Ţ
     ^I^BLU^IC^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
LPurcAmt := PPurcAmt
```

Page 177

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))

AND: Loan2Y <> Repaid
```

(213) FRS0801A.QOwner1.QMortgage.M[].BorAmtRs

```
^I QOwner1
^I
```

^I^BLU^IC The amount borrowed is more than the purchase price - this is very unusual. Please check your figures and, if necessary, explain in a Note.^I

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))

AND: Loan2Y <> Repaid
```

(214) FRS0801A.QOwner1.QMortgage.M[].BorAmtEx

```
^I QOwner1
^I
```

^I^BLU^IC^SuppTxt^I

OPEN

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]
   And: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   And: In loop FOR ii := 1 TO 3
   And: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   And: Loan2Y <> Repaid
```

(215) FRS0801A.QOwner1.QMortgage.M[].BorrAmt

```
^I QOwner1
^I
```

۸Ţ

This should be the B original B amount of this mortgage, as taken out when the property was purchased (in 'Buy Year').

^B Properties/mortgages partly for business^B: If the amount borrowed includes the purchase of non-domestic accommodation or land, eg. a farm, a shop with flat above, try to obtain purchase and mortgage details for the domestic element only.^I

-99999999.99..999999999.99

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: BorrAmt = RESPONSE
     BorrAmt >= 0
     ^I^BLU^IC Please enter a positive amount. Negative amounts (eg. -10) are not allowed.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((Edit <> Yes) AND (BorrAmt > 0)) AND (LPurcAmt > 0)
     BorrAmt <= LPurcAmt
     BorrAmt <= LPurcAmt
Ask IF: QAccomdat. Tenure IN [Outright .
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((Edit <> Yes) AND (BorrAmt > 0)) AND (LPurcAmt > 0)
     AND: (BorAmtRs = Suppressed) OR BorAmtEx <> EMPTY
(216) FRS0801A.QOwner1.QMortgage.M[].BorAmtEx
     ^I QOwner1
     ۸I
     ^I^BLU^IC^SuppTxt^I
     OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: BorrAmt = RESPONSE
     BorrAmt < 250000
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

'I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.'

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: BorrAmt = RESPONSE
     BorrAmt >= 500
     ^I That seems very low - please check your figures.^I
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (PSeq = 1) AND (BorrAmt = DONTKNOW)
( 217) FRS0801A.QOwner1.QMortgage.M[].BorAmtDK
     ^I QOwner1
     ۸Ţ
     ^I^BLU^IC Is this 'Don't know' because the^B original^B mortgage was to buy domestic
     accommodation^B and^B for business purposes, and you cannot get a separate figure for the^B
     domestic^B part?^I
           Yes
     (1)
                      Yes (Please give full details in a Note)
     (2)
           No
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: BorrAmt = REFUSAL
HMissVar := (HMissVar + 1)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (((PSeq = 1) AND (BorrAmt = DONTKNOW)) AND (BorAmtDK <> Yes)) OR
      ((PSeg <> 1) AND (BorrAmt = DONTKNOW))
HMissVar := (HMissVar + 1)
```

```
Ask IF: QAccomdat.Tenure IN [Outright .. Part]
   And: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   And: In loop FOR ii := 1 TO 3
   And: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   And: Loan2Y <> Repaid
```

(218) FRS0801A.QOwner1.QMortgage.M[].RMort

```
^I QOwner1
^I
```

'I 'Re-mortgage': a new mortgage is taken out and is used to REPAY an existing mortgage on a property. Typically this happens when a new lender offers better terms, eg. a lower rate of interest. The new loan can be bigger than the old one.

'Further advance or top-up': the loan is EXTENDED (eg. from £30,000 to £40,000). But, if there are SEPARATE payments to cover the new sum borrowed, this counts as a separate loan - NOT a further advance/top-up. Separate loans are dealt with later, at 'OthMort1'.^I

```
(1) Yes Yes(2) No No
```

```
Ask If: QAccomdat.Tenure IN [Outright .. Part]
   And: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   And: In loop FOR ii := 1 TO 3
   And: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   And: Loan2Y <> Repaid
   And: RMort = Yes
```

$(\ \ 219\)\ FRS0801A.QOwner1.QMortgage.M[].RMortYr$

```
^I QOwner1
^I
```

^N In which year did you take out the most recent re-mortgage/further advance?^N

1901..2008

```
WARN IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   AND: RMort = Yes
   AND: QDataBag.SampMnth IN [4 .. 12]
   RMortYr <> 2008

^I Wrong Year!^I
```

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     And: RMort = Yes
     AND: (RMortYr = RESPONSE) AND (PBuyYear = RESPONSE)
     RMortYr >= PBuyYear
     'I The first mortgage was taken out in 'PBuyYear, so the re-mortgage can't have been taken out before
     that. Please amend your answers.^I
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
( 220) FRS0801A.QOwner1.QMortgage.M[].RMAmt
     ^I QOwner1
     ۸I
     ^N What was the total amount of the mortgage, after re-mortgaging/taking out the further advance?^N
     ^I^BLU^IC Total should be after all re-mortgages and further advances.^I
     -99999999.99..999999999.99
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
     AND: RMAmt = RESPONSE
     RMAmt >= 0
     ^I^BLU^IC Please enter a positive amount. Negative amounts (eg. -10) are not allowed.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     And: RMort = Yes
     AND: Edit = No
     RMAmt < 250000
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: RMort = Yes
      AND: RMAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: RMort = Yes
  221) FRS0801A.QOwner1.QMortgage.M[].RMPur
      ^I OOwner1
      ۸Ţ
      ^IS^I B5^I^N
      Which of these items best describe the reasons why you took out a re-mortgage/ further advance?
      ^Any others?^N
      ^I^BLU^IC Code all that apply.^I
      SET [8] OF
           Improve
                       To make improvements or extensions to this property
      (1)
      (2)
           Purcase
                       To help purchase a major item like a car, boat, caravan or second home
      (3)
           IntrRate
                       To get a better, or fixed, interest rate
      (4)
           Business
                       In connection with a business
      (5)
           BuyOut
                       To buy out another person's share in the property
           Repairs
      (6)
                       For essential repairs to make the property fit for occupation
      (7)
           Flexible
                       To move to a more flexible mortgage
      (8)
           Other
                       Some other purpose (SPECIFY IN A NOTE.)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
( 222) FRS0801A.QOwner1.QMortgage.M[].MortTyEx
      ^I QOwner1
      ۸I
      ^I^MortTTxt
      ^SuppTxt^I
      OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
  223) FRS0801A.QOwner1.QMortgage.M[].MortType
```

```
^I QOwner1
۸I
```

^IS^I B6^I^N

Looking at this card, please tell me which of these options describe your mortgage or loan?^N ^I^BLU^IC If necessary add 'With a repayment mortgage, by repaying the original loan we mean the original capital sum borrowed.'^I

```
(1)
      Endow
                    an ENDOWMENT mortgage
                    (where your mortgage payments cover interest only)
(2)
      Repay
                    a REPAYMENT mortgage
                    (where your mortgage payments cover interest and part of the original loan)
                    a PENSION mortgage
(3)
      Pension
                    (where your mortgage payments cover interest only)
      PEP
(4)
                    a PEP, Unit Trust or ISA mortgage
      EndRep
                   both an endowment (or other interest only) AND a repayment mortgage
(5)
(6)
      IntLink
                    an interest only mortgage with more than one linked investment
                    (e.g. pension and unit trust, endowment and ISA)
      IntNoLnk
                   an interest only mortgage with NO linked investment
(7)
                    (e.g. NO endowment, pension, PEP or ISA)
      Other
(8)
                    or another type (not listed above)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: Edit = No
      AND: MortType = NONRESPONSE
```

MortTTxt := KeyTxt

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
    Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
    AND: Loan2Y <> Repaid
    AND: Edit = No
    AND: MortType = NONRESPONSE
    ERROR
    ^MortTTxt
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
      And: Edit = No
      AND: MortType = NONRESPONSE
( 224) FRS0801A.QOwner1.QMortgage.M[].MortTyEx
      ^I QOwner1
      ۸I
      ^I^MortTTxt
      ^SuppTxt^I
      OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: Edit = No
      AND: MortType = Other
MortTTxt := ('Interviewer: This is a rather unusual sort of '
+ 'mortgage. Are you sure that it is not covered ' + 'by one
of the codes above? If it is not, please ' + 'record the title
in a note and answer follow-up ' + 'questions as fully as
possible.')
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      And: Edit = No
      AND: MortType = Other
      ERROR
      ^I^MortTTxt^I
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: MortType = Other
( 225) FRS0801A.QOwner1.QMortgage.M[].MortTyEx
     ^I QOwner1
     ۸I
     ^I^MortTTxt
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType = Endow
this kind of := 'an endowment'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType = Repay
this kind of := 'a repayment'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1]\ .OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType = Pension
this_kind_of := 'a pension'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType = PEP
this kind of := 'a PEP, Unit Trust or ISA'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType = EndRep
this kind of := 'an endowment & repayment'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [IntLink, IntNoLnk]
this kind of := 'an interest only'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType IN [IntLink, IntNoLnk])
this kind of := 'this kind of'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: MortType IN [Endow, EndRep]
Is the := 'Apart from the endowment I mentioned earlier is
the'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: NOT (MortType IN [Endow, EndRep])
Is the := 'Is the'
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
( 226) FRS0801A.QOwner1.QMortgage.M[].EndwPrin
      ^I QOwner1
      ۸I
      ^IS^I B7^I^N
      'Is the repayment of the original loan covered by any of the things on this card?'N
      ^I^BLU^IC Code all that apply.^I
      SET [4] OF
            Pension
                        Current payments into a Pension Plan (pension mortgage)
      (1)
            PEP
      (2)
                        Current payments into a PEP or ISA
      (3)
            UnitT
                        Current payments into a Unit Trust or Investment Trust scheme
      (4)
            OthSch
                        Current payments into any B other B savings/investment scheme
      (5)
            HseSale
                        Proceeds of sale from existing house only
      (6)
            None
                        None of the above.
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: None IN EndwPrin
      EndwPrin.CARDINAL = 1
      ^I None is an exclusive code for this question.^I
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      RESERVECHECK
      RESERVECHECK
```

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
( 227) FRS0801A.QOwner1.QMortgage.M[].EndwP1Ex
     ^I QOwner1
     ۸I
     ^I Please leave a note to describe how the respondent will be repaying their mortgage.
     ^SuppTxt^I
     OPEN
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
( 228) FRS0801A.QOwner1.QMortgage.M[].EndwP2Ex
     ^I QOwner1
     ۸I
     ^I^EndP2Txt
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: III loop lok 11 .- 110 .

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
EndwPTxt := ('This method of capital repayment does not match
the ' + 'type of mortgage recorded earlier at MortType. ' + '
Please resolve, or make a note.')
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: None IN EndwPrin
     AND: NOT (MortType IN [Endow, EndRep])
     ERROR AND INVOLVING (MortType, EndwPrin)
     ^I Please leave a note to describe how the respondent will be repaying their mortgage.^I
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: None IN EndwPrin
     AND: NOT (MortType IN [Endow, EndRep])
  229 ) FRS0801A.QOwner1.QMortgage.M[].EndwP1Ex
     ^I OOwner1
     ۸Ţ
     ^I Please leave a note to describe how the respondent will be repaying their mortgage.
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Endow
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndP2Txt := EndwPTxt
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = Endow
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
     ERROR AND INVOLVING(MortType,EndwPrin)
     ^I^EndP2Txt^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: IN 1000 FOR 11 .- 1 10 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     And: Edit = No
     AND: MortType = Endow
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
(230) FRS0801A.QOwner1.QMortgage.M[].EndwP2Ex
     ^I QOwner1
     ۸Ţ
     ^I^EndP2Txt
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Pension
     AND: (((PEP IN EndwPrin) OR (UnitT IN EndwPrin)) OR (OthSch IN
     EndwPrin)) OR (None IN EndwPrin)
```

EndP2Txt := EndwPTxt

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = Pension
     AND: (((PEP IN EndwPrin) OR (UnitT IN EndwPrin)) OR (OthSch IN
     EndwPrin)) OR (None IN EndwPrin)
     ERROR AND INVOLVING(MortType,EndwPrin)
     ^I^EndP2Txt^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: IN 1000 FOR 11 .- 1 10 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Pension
     AND: (((PEP IN EndwPrin) OR (UnitT IN EndwPrin)) OR (OthSch IN
     EndwPrin)) OR (None IN EndwPrin)
(231) FRS0801A.QOwner1.QMortgage.M[].EndwP2Ex
     ^I QOwner1
     ۸Ţ
     ^I^EndP2Txt
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = PEP
     AND: ((Pension IN EndwPrin) OR (OthSch IN EndwPrin)) OR (None IN
     EndwPrin)
EndP2Txt := EndwPTxt
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = PEP
     AND: ((Pension IN EndwPrin) OR (OthSch IN EndwPrin)) OR (None IN
     EndwPrin)
     ERROR AND INVOLVING(MortType,EndwPrin)
     ^I^EndP2Txt^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: IN 1000 FOR 11 .- 1 10 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = PEP
     AND: ((Pension IN EndwPrin) OR (OthSch IN EndwPrin)) OR (None IN
     EndwPrin)
(232) FRS0801A.QOwner1.QMortgage.M[].EndwP2Ex
     ^I QOwner1
     ۸Ţ
     ^I^EndP2Txt
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = IntNoLnk
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndP2Txt := ('You described your mortgage as an interest ' +
'only with NO linked investments, can I just ' + 'check is
this savings/investment scheme linked ' + 'to your mortgage?
Please amend the answer at ' + 'MortType as appropriate.')
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = IntNoLnk
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
     ERROR AND INVOLVING(EndwPrin,MortType)
     ^I^EndP2Txt^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: IN 1865 FOR 11 .- 1 16 5

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = IntNoLnk
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
(233) FRS0801A.QOwner1.QMortgage.M[].EndwP2Ex
     ^I QOwner1
     ۸Ţ
     ^I^EndP2Txt
     ^SuppTxt^I
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Other
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndP2Txt := ('If there is a pension, ISA or other ' +
'savings/investment scheme to cover the ' + 'repayment of the
original loan, please ' + 'amend the answer at MortType as
appropriate.')
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: Edit = No
AND: MortType = Other
      AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
      EndwPrin)) OR (OthSch IN EndwPrin)
     ERROR AND INVOLVING(EndwPrin,MortType)
      ^I^EndP2Txt^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: IN 1000 FOR 11 .- 1 10 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
     And: Edit = No
     AND: MortType = Other
      AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
      EndwPrin)) OR (OthSch IN EndwPrin)
(234) FRS0801A.QOwner1.QMortgage.M[].EndwP2Ex
      ^I QOwner1
      ۸Ţ
      ^I^EndP2Txt
      ^SuppTxt^I
      OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: Edit = No
     RESERVECHECK
      RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
             AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
              (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
             AND: Loan2Y <> Repaid
             AND: MortType IN [Endow, Pension .. Other]
             AND: Edit = No
             RESERVECHECK
             RESERVECHECK
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
             Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
              (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
             AND: Loan2Y <> Repaid
             AND: MortType IN [Endow, Pension .. Other]
             AND: Pension IN EndwPrin
DMAEndwPrin := Pension
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
             AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
              (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
             AND: Loan2Y <> Repaid
             AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
             EndwPrin)) OR (OthSch IN EndwPrin)
payment1 := 'contribution to the'
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
             AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
              (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
             AND: Loan2Y <> Repaid
             AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
             EndwPrin)) OR (OthSch IN EndwPrin)
payment2 := '(pension plan/PEP/ISA/Unit Trust)'
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
             AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
              \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{((Repairs IN M[1].OthPur) OR })) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND })) \ \textit{((Repairs IN M[1].OthPur) OR }) \ \textit{OR} \ \textit{((iii)} = \textit{3)}) \ \textit{
              (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
             AND: Loan2Y <> Repaid
             AND: MortType = IntLink
payment1 := 'premium/payment on the'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType = IntLink
payment2 := ('endowment policy / pension / unit trust /' +
'ISA / PEP / investment trust / other policy')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType = IntLink)
payment1 := 'premium on the'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType = IntLink)
payment2 := 'endowment policy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MortType = IntLink
policy := ('policy / pension / unit trust / ISA / PEP /
investment ' + 'trust / other policy')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType = IntLink)
policy := 'policy'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: MortType IN [Endow, EndRep]
Are := '(Can I just check), are'
Compute if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = Two)\ AND\ (ii = 2)))\ OR\ ((ii = 3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: NOT (MortType IN [Endow, EndRep])
Are := 'Are'
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
(235) FRS0801A.QOwner1.QMortgage.M[].MenPol
      ^I QOwner1
      ۸I
      ^N^Are there any endowment policies covering the repayment of this mortgage
      or loan?^N
      (1)
            Yes
                        Yes
      (2)
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: Edit = No
      AND: MortType IN [Endow, EndRep]
      ((MenPol = Yes) OR (MortType = Other)) AND INVOLVING(MortType, MenPol)
      'I Normally there' would' be an endowment policy, with an endowment mortgage: please check.' I
```

```
Warn if: QAccomdat.Tenure IN [Outright .. Part]
And: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
And: In loop FOR ii := 1 TO 3
And: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
And: Loan2Y <> Repaid
And: MortType IN [Endow, Pension .. Other]
And: MenPol = Yes
NOT(IN(MortType,[???,???])) AND INVOLVING(MortType,MenPol)
```

^I You described your mortgage as an interest only with NO linked investments or another type of mortgage, can I just check is this savings/investment scheme linked to your mortgage? Please amend the answer at MortType as appropriate.^I

```
WARN IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
AND: MortType IN [Endow, Pension .. Other]
AND: MenPol = Yes
(MortType <> Other) AND INVOLVING(MortType, MenPol)
```

^I If there is an endowment, pension, ISA or other arrangement to cover the repayment of the original loan, please amend the answer at MortType as appropriate.^I

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
AND: MortType IN [Endow, Pension .. Other]
AND: MenPol = No
(MortType <> Other) AND INVOLVING(MortType, MenPol)
```

^I It is unusual for there to be no policies to cover the repayment of the loan. Please check. If original loan is included in monthly payments, please amend your answer at MortType to a Repayment (code 2) OR Endowment and Repayment (code 5) mortgage.^I

```
Warn if: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   RESERVECHECK
```

RESERVECHECK

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: OAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: RMort = No
How Long := ('How long is the term of your mortgage. By this
we mean ' + 'the agreed term?')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT (RMort = No)
How Long := ('How long is the term of your mortgage. By this
we ' + 'mean the agreed term since you have remortgaged or ' +
'extended the original loan?')
```

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
```

(236) FRS0801A.QOwner1.QMortgage.M[].MorFlc

```
^I QOwner1
^I
```

^N All-in-one accounts are a new type of flexible mortgage which allow a person to link together accounts - for example, a current account, a savings account and a mortgage (as well as other types of loans). There are two types of all-in-one account: current account mortgages and offset mortgages.^N

^I^BLU^IC Examples include the One account (RBoS), a Woolwich Open Plan or some other all-in-one account..^BLU^I ^N

Is your mortgage an all-in-one account?^N

- (1) Yes Yes
- (2) No No

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]
   And: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   And: In loop FOR ii := 1 TO 3
   And: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   And: Loan2Y <> Repaid
   And: MorFlc = Yes
```

(237) FRS0801A.QOwner1.QMortgage.M[].MorAll

```
^I QOwner1
^I
```

^IS^I B8 AND B9^I

^N

Is your all-in-one account mortgage, a current account mortgage or an offset mortgage?^N

- (1) Current Current account mortgage
- (2) OffSet Offset mortgage

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
(238) FRS0801A.QOwner1.QMortgage.M[].MortEnd
           ^I QOwner1
           ۸I
           ^N^How_Long^N
           ^I^BLU^IC If remortgaged agreed term is from the point of remortgaging.^I
           1..60
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
            \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{((Repairs IN M[1].OthPur) OR })) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND })) \ \textit{((Repairs IN M[1].OthPur) OR }) \ \textit{OR} \ \textit{((iii)} = \textit{3)}) \ \textit{((Alpha alpha a
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: RMort = No
remortgage := 'mortgage was taken out'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
           AND: Loan2Y <> Repaid
           AND: NOT (RMort = No)
remortgage := 'last re-mortgage'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           MortEnd <= 40
           'I Are you sure? The end-date would not normally be more than 40 years after the 'remortgage. Please
           check your figures.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           RESERVECHECK
           RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: OAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: MorAll = Current
What amount := ('What is the amount of the negative balance or
' + 'overdraft on your current account mortgage')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT (MorAll = Current)
What amount := ('What is the amount still outstanding on your
' + 'mortgage/loan from this source - that is, how ' + 'much
do you still have to pay off')
```

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
```

(239) FRS0801A.QOwner1.QMortgage.M[].MortL1Rs

```
^I QOwner1
^I
```

^N For ^this_kind_of mortgage, the amount outstanding should equal the ^amount ^borrowed. Please check and amend, else explain in a Note.^N

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
```

(240) FRS0801A.QOwner1.QMortgage.M[].MortL1Ex

```
^I QOwner1
^I
```

^I^BLU^IC^SuppTxt^I

OPEN

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
```

$(\ 241\)\ FRS0801A.QOwner1.QMortgage.M[].MortL2Rs$

```
^I QOwner1
^I
```

'N For 'this_kind_of mortgage, the amount outstanding should be less than the 'amount 'borrowed. Please check and amend, else explain in a Note.'N

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
( 242) FRS0801A.QOwner1.QMortgage.M[].MortL2Ex
      ^I QOwner1
      ۸I
      ^I^BLU^IC^SuppTxt^I
      OPEN
Ask IF: OAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{((Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
       (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
( 243) FRS0801A.QOwner1.QMortgage.M[].MortLeft
      ^I QOwner1
      ۸I
      ^N^What_amount?^N
      -99999999.99..999999999.99
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
       (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortLeft = RESPONSE
      MortLeft >= 0
      ^I^BLU^IC Please enter a positive amount. Negative amounts (eg. -10) are not allowed.^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: IN TOOP FOR IT .- I TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: MortLeft = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: RMort = Yes
borrowed := 'of the re-mortgage'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: RMort = Yes
amount := 'total amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: RMort = Yes
      (ABS (MortLeft - RMAmt) <= 50) AND INVOLVING (MortLeft)
      (ABS (MortLeft - RMAmt) <= 50) AND INVOLVING (MortLeft)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: RMort = Yes
      AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
( 244) FRS0801A.QOwner1.QMortgage.M[].MortL1Ex
      ^I QOwner1
      ΛŢ
      ^I^BLU^IC^SuppTxt^I
      OPEN
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: NOT (RMort = Yes)
borrowed := 'originally borrowed'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: NOT (RMort = Yes)
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: NOT (RMort = Yes)
      (ABS(MortLeft - BorrAmt) <= 50) AND INVOLVING(MortLeft)
      (ABS (MortLeft - BorrAmt) <= 50) AND INVOLVING (MortLeft)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, PEP, Other]
      AND: NOT (RMort = Yes)
      AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
( 245) FRS0801A.QOwner1.QMortgage.M[].MortL1Ex
      ^I QOwner1
      ΛŢ
      ^I^BLU^IC^SuppTxt^I
      OPEN
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: RMort = Yes
borrowed := 'of re-mortgage'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: RMort = Yes
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: RMort = Yes
      (MortLeft < RMAmt) AND INVOLVING(MortLeft)
      (MortLeft < RMAmt) AND INVOLVING (MortLeft)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: RMort = Yes
      AND: (MortL2Rs = Suppressed) OR MortL2Ex <> EMPTY
( 246) FRS0801A.QOwner1.QMortgage.M[].MortL2Ex
      ^I QOwner1
      ΛŢ
      ^I^BLU^IC^SuppTxt^I
      OPEN
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: NOT (RMort = Yes)
borrowed := 'originally borrowed'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: NOT (RMort = Yes)
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: NOT (RMort = Yes)
      (MortLeft < BorrAmt) AND INVOLVING(MortLeft)
      (MortLeft < BorrAmt) AND INVOLVING (MortLeft)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: NOT (RMort = Yes)
      AND: (MortL2Rs = Suppressed) OR MortL2Ex <> EMPTY
( 247) FRS0801A.QOwner1.QMortgage.M[].MortL2Ex
      ^I QOwner1
      ΛŢ
      ^I^BLU^IC^SuppTxt^I
      OPEN
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
borrowed := 'of the re-mortgage'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
      (MortLeft = RMAmt) AND INVOLVING(MortLeft)
      (MortLeft = RMAmt) AND INVOLVING (MortLeft)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
      AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
( 248) FRS0801A.QOwner1.QMortgage.M[].MortL1Ex
      ^I QOwner1
      ΛŢ
      ^I^BLU^IC^SuppTxt^I
      OPEN
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: NOT (RMort = Yes)
borrowed := 'originally borrowed'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: NOT (RMort = Yes)
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: NOT (RMort = Yes)
      (MortLeft = BorrAmt) AND INVOLVING (MortLeft)
      (MortLeft = BorrAmt) AND INVOLVING (MortLeft)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: NOT (RMort = Yes)
      AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
( 249) FRS0801A.QOwner1.QMortgage.M[].MortL1Ex
      ^I QOwner1
      ΛŢ
      ^I^BLU^IC^SuppTxt^I
      OPEN
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: OAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1]\ .OthPur)\ OR\ ...)
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
Compute if: QAccomdat. Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
taking out the loan := 'you re-mortgaged'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
           (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
          AND: NOT (RMort = Yes)
taking out the loan := 'taking out the original loan'
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
          AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
           (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: NOT ((MorAll = Current) OR (MortType = Repay))
(250) FRS0801A.QOwner1.QMortgage.M[].MorInPay
           ^I QOwner1
           ۸I
           'N How much was your last payment on this mortgage or loan?'N
           0.00..9999.97
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
          AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
          AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
           (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: NOT ((MorAll = Current) OR (MortType = Repay))
           AND: MorInPay = RESPONSE
LastPay := STR(MorInPay,6,2)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
          AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
          AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
           (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: NOT ((MorAll = Current) OR (MortType = Repay))
           AND: MorInPay = DONTKNOW
LastPay := '?????'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
          AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
          AND: In loop FOR ii := 1 TO 3
          AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1]\ .OthPur)\ OR\ ((Repairs\ IN\ M[1]\ .OthPur))\ OR\ ((Repairs\ IN\ M[1]\ .OthPur)\ OR\ ((Repa
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: NOT ((MorAll = Current) OR (MortType = Repay))
           AND: MorInPay = DONTKNOW
HMissVar := (HMissVar + 1)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPay = REFUSAL
LastPay := '!!!!!!'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPay = REFUSAL
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
(251) FRS0801A.QOwner1.QMortgage.M[].MorInPx
     ^I QOwner1
     ۸I
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
(252) FRS0801A.QOwner1.QMortgage.M[].MorInPd
      ^I QOwner1
      ۸I
      ^N How long did this cover?^N
      (1)
            OneWeek
                        One week
            TwoWeek
                        Two weeks
      (2)
            ThrWeek
                        Three weeks
      (3)
            Fourweek
      (4)
                        Four weeks
            Month
      (5)
                        Calendar month
      (7)
            TwoMonth
                       Two Calendar months
      (8)
            EighYear
                        Eight times a year
      (9)
            NineYear
                        Nine times a year
      (10)
           TenYear
                        Ten times a year
      (13)
           ThrMonth
                        Three months/13 weeks
      (26)
            SixMonth
                        Six months/26 weeks
      (52)
            Year
                        One Year/12 months/52 weeks
      (90)
           LessWeek
                        Less than one week
                        One off/lump sum
      (95)
           LumpSum
      (97)
                        None of these ^I(Explain in a note)^I
            Note
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorInPd = Note
(253) FRS0801A.QOwner1.QMortgage.M[].MorInPx
      ^I QOwner1
      ۸I
      ^I^BLU^IC^Pd97Txt^I
      OPEN
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: Edit = Yes
     MorInPd <> Note
      ^I Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.^I
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
( 254) FRS0801A.QOwner1.QMortgage.M[].MorInUs
      ^I QOwner1
      ۸I
      ^N Is this the amount you usually pay each time?^N
      (1)
           Yes
                       Yes
      (2)
           No
                       No
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorInUs = No
( 255) FRS0801A.QOwner1.QMortgage.M[].MorUs
      ^I QOwner1
      ۸I
```

^I If the last interest payment includes arrears accept the actual amount given but if it was a long time ago make a note using <Ctrl+M> to give the date, or if the amount was greater than normal to cover past arrears. Payments by people outside the household should be included.^I

0.00..9999.97

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
              AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
              AND: In loop FOR ii := 1 TO 3
              AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
               (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
              AND: Loan2Y <> Repaid
              AND: NOT ((MorAll = Current) OR (MortType = Repay))
              AND: MorInUs = No
( 256) FRS0801A.QOwner1.QMortgage.M[].MorUPx
              ^I QOwner1
              ۸I
              ^I^BLU^IC^Pd97Txt^I
              OPEN
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
              AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
              AND: In loop FOR ii := 1 TO 3
              AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR\ ((ii=1)))\ OR\ ((ii=1))\ OR\ ((ii=1))
               (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
              AND: Loan2Y <> Repaid
              AND: NOT ((MorAll = Current) OR (MortType = Repay))
              AND: MorInUs = No
( 257) FRS0801A.QOwner1.QMortgage.M[].MorUPd
              ^I QOwner1
              ^I
              ^N How long does this cover?^N
                           OneWeek
              (1)
                                                      One week
                           TwoWeek
                                                      Two weeks
              (2)
                           ThrWeek
                                                      Three weeks
              (3)
              (4)
                           Fourweek
                                                       Four weeks
              (5)
                           Month
                                                      Calendar month
              (7)
                           TwoMonth
                                                     Two Calendar months
              (8)
                           EighYear
                                                      Eight times a year
              (9)
                           NineYear
                                                      Nine times a year
                                                      Ten times a year
              (10)
                           TenYear
                           ThrMonth
                                                      Three months/13 weeks
              (13)
                                                       Six months/26 weeks
              (26)
                           SixMonth
              (52)
                           Year
                                                       One Year/12 months/52 weeks
              (90)
                           LessWeek
                                                      Less than one week
              (95)
                           LumpSum
                                                      One off/lump sum
              (97)
                           Note
                                                       None of these ^I(Explain in a note)^I
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorInUs = No
AND: MorUPd = Note
  258) FRS0801A.QOwner1.QMortgage.M[].MorUPx
      ^I QOwner1
      ۸I
      ^I^BLU^IC^Pd97Txt^I
      OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorInUs = No
      AND: Edit = Yes
      MorUPd <> Note
      ^I Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.^I
```

FRS0801A.QOwner1.QMortgage.M[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = Two)\ AND\ (ii = 2)))\ OR\ ((ii = 3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[5] := 4.333
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorUs > 0
PdConW[13] := 13
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QOwner1.QMortgage.M[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[1] := 1
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
AND: NOT (MorUs > 0)
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = Two)\ AND\ (ii = 2)))\ OR\ ((ii = 3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[5] := 4.333
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
AND: NOT (MorUs > 0)
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: NOT (MorUs > 0)
PdConW[13] := 13
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QOwner1.QMortgage.M[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: LWeekly > 0
MorIWkly := LWeekly
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: MortLeft = RESPONSE
EPIntC := (((MorIWkly * 52) / MortLeft) * 100)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: MortLeft = RESPONSE
IntFill := ROUND(EPIntC)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: MortLeft = RESPONSE
     AND: EPIntC <= 2
higher := 'lower'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: MortLeft = RESPONSE
     AND: EPIntC >= 11
higher := 'higher'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: MortLeft = RESPONSE
      ((EPIntC > 2) AND (EPIntC < 11)) AND INVOLVING(MorInPd, MorInPay)
     'I The interest payments work out roughly at 'IntFill per cent which is 'higher than most current interest
     rates available for a mortgage of this size.
     If no particular reason for this, please check your answers.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
```

MenPolAm0 := Yes

FRS0801A.QOwner1.QMortgage.M[].QEndow[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
MortSeq := PPSeq
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
EndowSeq := PCount
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
AND: PMenpol = Yes
     AND: PCount > 1
next := 'next'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
            AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
            AND: In loop FOR ii := 1 TO 3
            AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
            AND: Loan2Y <> Repaid
            AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
            OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
            AND: MorAll <> Current
            AND: In loop FOR Count := 1 TO 4
            AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
            AND: PMenpol = Yes
            AND: NOT (PCount > 1)
next := 'first'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
            AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
            AND: In loop FOR ii := 1 TO 3
            AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
            Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
            AND: Loan2Y <> Repaid
            AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
            OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
            AND: MorAll <> Current
            AND: In loop FOR Count := 1 TO 4
            AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
            AND: PMenpol = Yes
premium payment := 'premium'
Compute if: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
            AND: In loop FOR ii := 1 TO 3
            AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
             \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{((Repairs IN M[1].OthPur) OR })) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND })) \ \textit{((Repairs IN M[1].OthPur) OR }) \ \textit{OR} \ \textit{((iii)} = \textit{3)}) \ \textit{
             (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
            AND: Loan2Y <> Repaid
            AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
            OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
            AND: MorAll <> Current
            AND: In loop FOR Count := 1 TO 4
            AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
            AND: PMenpol = Yes
policies plans := 'endowment policies'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
            AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
            AND: In loop FOR ii := 1 TO 3
            AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
             (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
            AND: Loan2Y <> Repaid
            AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
            OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
            AND: MorAll <> Current
            AND: In loop FOR Count := 1 TO 4
            AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
            AND: NOT (PMenpol = Yes)
premium payment := 'payment'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: NOT (PMenpol = Yes)
policies plans := 'savings or investment plans'
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
(259) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenPolAm
     ^I QOwner1
     ۸I
     ^N How much was your last ^payment1 ^next ^payment2?^N
     ^I^BLU^IC: For interest only mortgages include combined interest and endowment payment.^I
     0.00..9999.97
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
( 260) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenPolPx
     ^I QOwner1
     ۸1
     ^I^BLU^IC^Pd97Txt^I
     OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
( 261) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenPolPd
     ^I QOwner1
     ۸I
     ^N How long did this cover?^N
           OneWeek
                      One week
     (1)
           TwoWeek
     (2)
                      Two weeks
           ThrWeek
     (3)
                      Three weeks
     (4)
           Fourweek
                      Four weeks
     (5)
           Month
                      Calendar month
     (7)
           TwoMonth
                      Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
     (10)
           TenYear
                      Ten times a year
     (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
     (26)
                      Six months/26 weeks
     (52)
           Year
                      One Year/12 months/52 weeks
     (90)
           LessWeek
                      Less than one week
     (95)
           LumpSum
                      One off/lump sum
                      None of these ^I(Explain in a note)^I
     (97)
           Note
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
      OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
      AND: MorAll <> Current
      AND: In loop FOR Count := 1 TO 4
      AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
      AND: MenPolAm > 0
      AND: MenPolPd = Note
( 262) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenPolPx
      ^I QOwner1
      ^I^BLU^IC^Pd97Txt^I
      OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
      OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
      AND: In loop FOR Count := 1 TO 4
      AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
      AND: MenPolAm > 0
      AND: Edit = Yes
      MenPolPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it. I
```

FRS0801A.QOwner1.QMortgage.M[].QEndow[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
AND: MenPolAm > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
```

PdConW[3] := 3

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1]\ .OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \ \textit{AND} \ \ (\textit{ii} = \textit{2}))) \ \ \textit{OR} \ \ (\textit{(iii} = \textit{3}) \ \ \textit{AND} \ \ (\textit{((Repairs IN M[1].OthPur) OR })) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[8] := 6.5
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1]\ .OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \ \textit{AND} \ \ (\textit{ii} = \textit{2}))) \ \ \textit{OR} \ \ (\textit{(iii} = \textit{3}) \ \ \textit{AND} \ \ (\textit{((Repairs IN M[1].OthPur) OR })) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[26] := 26
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QOwner1.QMortgage.M[].QEndow[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
AND: MenPolAm > 0
     AND: MenPolPd IN [OneWeek .. Year]
     AND: LWeekly > 0
MenPWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: MenPolAm > 0
     AND: MenPolPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: Edit = No
      (MenPWkly < 100) AND INVOLVING (MenPolPd, MenPolAm)
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]
    AnD: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    AnD: In loop FOR ii := 1 TO 3
AnD: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin)))
OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
AND: MorAll <> Current
AND: In loop FOR Count := 1 TO 4
AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
AND: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
( 263 ) FRSO801A.QOwner1.QMortgage.M[].QEndow[].IncInInt

^I QOwner1
```

^N Is this ^premium payment included in the amount you mentioned earlier (£^PLastPay)?^N

(1) Yes Yes

۸1

(2) No No

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
   OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
   AND: MorAll <> Current
   AND: In loop FOR Count := 1 TO 4
   AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
   AND: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
   AND: PMenpol = Yes
```

$(\ 264\)\ FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenstRs$

^I QOwner1 ^I

^N Are you sure? That means the endowment was purchased before HHldr was 18.^N ^I^BLU^IC Check the circumstances and explain in a note.^I

- (1) Passed Passed(2) Hard Hard(3) Soft Soft
- (4) Suppress Suppressed

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
     AND: PMenpol = Yes
  265 ) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenstEx
     ^I QOwner1
     ^I^BLU^IC^SuppTxt^I
     OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
     AND: PMenpol = Yes
( 266) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenstYr
     ^I QOwner1
     ^I
     ^N In what year was this endowment ^policy taken out?^N
     1901..2008
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
     AND: PMenpol = Yes
     AND: QDataBag.SampMnth IN [4 .. 12]
     MenstYr <> 2008
     ^I Wrong Year!^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
     AND: PMenpol = Yes
     AND: (((Edit <> Yes) AND (QSignIn.StartDat = RESPONSE)) AND
     (HHG.P[QHholder.DVHRPNum].AgeOf > 0)) AND (MenstYr > 0)
     (MenstYr >= ((QSignIn.StartDat.YEAR -
     HHG.P[].AgeOf[QHholder.DVHRPNum]) + 17)) AND INVOLVING(MenstYr)
     (MenstYr >= ((QSignIn.StartDat.YEAR - HHG.P[QHholder.DVHRPNum].AgeOf) + 17)) AND
     INVOLVING (MenstYr)
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
     AND: PMenpol = Yes
     AND: (((Edit <> Yes) AND (QSignIn.StartDat = RESPONSE)) AND
     (HHG.P[QHholder.DVHRPNum].AgeOf > 0)) AND (MenstYr > 0)
     AND: (MenstRs = Suppressed) OR MenstEx <> EMPTY
( 267) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MenstEx
     ^I QOwner1
     ^I
     ^I^BLU^IC^SuppTxt^I
     OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: PCount < 4
( 268) FRS0801A.QOwner1.QMortgage.M[].QEndow[].MpMore
     ^I QOwner1
     ۸I
     N Can I just check, are there any more savings or investment plans covering the repayment of the
     mortgage or loan?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = Two)\ AND\ (ii = 2)))\ OR\ ((ii = 3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
          (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     RESERVECHECK
     RESERVECHECK
```

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
    AnD: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    AnD: In loop FOR ii := 1 TO 3
    AnD: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
    AnD: Loan2Y <> Repaid
    AnD: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
    OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
    AnD: MorAll <> Current
    AnD: In loop FOR Count := 1 TO 4
    AnD: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
    RESERVECHECK
```

RESERVECHECK

FRS0801A.QOwner1.QMortgage.M[] (continued)

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     (QEndow[Count].MenPWkly <= MorIWkly) AND INVOLVING(QEndow[Count].MenPolAm)
     ^I The payment/endowment premium is more than the last mortgage payment at MorInPay. This is very
     unusual - please check your figures.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: (MorIWkly > 0) AND (QEndow[Count].IncInInt = Yes)
      (QEndow[Count].MenPWkly < MorIWkly) AND
     INVOLVING (QEndow [Count] . MenPolAm, QEndow [Count] . MenPolPd)
     'I The payment/endowment premium is included in the interest payment of £^LastPay, so it can't exceed
     this amount. Please check your figures.^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MpMore = Yes)
     AND: QEndow[Count].MenPolAm <> 0
MenPolAm0 := No
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: (MortSeq = 1) AND (QEndow[1].MpMore = No)
     NOT(QMortgage.M[].MortType[MortSeq] = IntLink) AND
     INVOLVING(QEndow[1].MpMore)
```

^I Are you sure? Earlier the respondent said they had more than 1 savings / investment policy for this mortgage. Check if the respondent has another policy to tell you about. If not you MUST make a note of the circumstances.^I

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
(269) FRS0801A.QOwner1.QMortgage.M[].MpMore
     ^I QOwner1
     ۸I
     ^N Are there any more policies/plans covering the repayment of the mortgage or loan?^N
     (1)
           Yes
                      Yes
     (2)
           No
                      No
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (PEP IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: QEndow[1].MpMore = Yes
MpMore := Yes
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
(270) FRS0801A.QOwner1.QMortgage.M[].IntPrPay
     ^I QOwner1
     ۸1
     'N How much was your last payment on this mortgage or loan?'N
     0.00..9999.97
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
           (Edit = No) AND (IntPrPay = RESPONSE)
      NOT(IntPrPay = 0)
      'I You have entered that the respondent's last instalment on the mortgage/loan was £0. Please do not enter
      zero even if they paid nothing last time. Please collect the amount they usually pay or if there is no usual,
      the contractual or notional amount they would need to pay in order for the mortgage/loan to be paid off in
      the agreed period.^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPay = RESPONSE
LastPay := STR(IntPrPay, 6, 2)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: IN ICOD FOR II .- I ICO S

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPay = DONTKNOW
LastPay := '?????'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: IN 1000 FOR 11 .- 1 10 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPay = DONTKNOW
HMissVar := (HMissVar + 1)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPay = REFUSAL
LastPay := '!!!!!!'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPay = REFUSAL
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
  271) FRS0801A.QOwner1.QMortgage.M[].IntPrPx
      ^I OOwner1
      ۸I
      ^I^BLU^IC^Pd97Txt^I
      OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
( 272) FRS0801A.QOwner1.QMortgage.M[].IntPrPd
      ^I OOwner1
      ۸I
      ^N How long did this cover?^N
      (1)
           OneWeek
                       One week
      (2)
           TwoWeek
                       Two weeks
      (3)
           ThrWeek
                       Three weeks
      (4)
           Fourweek
                       Four weeks
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                       Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                       Nine times a year
           TenYear
      (10)
                       Ten times a year
      (13)
           ThrMonth
                       Three months/13 weeks
      (26)
           SixMonth
                       Six months/26 weeks
                       One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                       Less than one week
      (95)
           LumpSum
                       One off/lump sum
      (97)
           Note
                       None of these ^I(Explain in a note)^I
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPd = Note
(273) FRS0801A.QOwner1.QMortgage.M[].IntPrPx
      ^I QOwner1
      ۸I
      ^I^BLU^IC^Pd97Txt^I
      OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: Edit = Yes
      IntPrPd <> Note
      ^I Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it. I
```

FRS0801A.QOwner1.QMortgage.M[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[2] := 2
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
```

PdConW[4] := 4

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[10] := 5.2
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} ) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2)) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QOwner1.QMortgage.M[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: (MorAll <> Current) AND (MortType = Repay)
           AND: NOT (Edit = Yes)
           AND: IntPrPd IN [OneWeek .. Year]
           AND: LWeekly > 0
IntPWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: (MorAll <> Current) AND (MortType = Repay)
           AND: NOT (Edit = Yes)
           AND: IntPrPd IN [OneWeek .. Year]
           AND: LWeekly > 0
            (IntPWkly < 650) AND INVOLVING(IntPrPd,IntPrPay)
           'I Are you sure? That is higher than the amount usually entered here. Confirm that the last payment was
           this amount and if Yes suppress check.^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR\ ((ii=1)))\ OR\ ((ii=1))\ OR\ ((ii=1))
            (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
           AND: Loan2Y <> Repaid
           AND: (MorAll <> Current) AND (MortType = Repay)
           AND: NOT (Edit = Yes)
           AND: IntPrPd IN [OneWeek .. Year]
           AND: LWeekly > 0
           AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
           AND: RMAmt > 0
PrIntC := ((((IntPWkly - (RMAmt / (25 * 52))) * 52) / (RMAmt *
0.62)) * 100)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     AND: BorrAmt > 0
PrIntC := ((((IntPWkly - (BorrAmt / (25 * 52))) * 52) /
(BorrAmt * 0.62)) * 100)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     AND: PrIntC < 3
higher := 'lower'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: IN TOOP FOR II .- 1 10 5

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
AND: PrIntC > 10
higher := 'higher'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
      ((PrIntC >= 3) AND (PrIntC <= 10)) AND INVOLVING(IntPrPay)
```

^I You have entered an amount that is ^higher than that usually paid for a mortgage of this size. Please check that you have entered the correct payment.^I

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
( 274) FRS0801A.QOwner1.QMortgage.M[].IntrUs
      ^I QOwner1
      ۸I
      ^N Is this the amount you usually pay each time?^N
            Yes
                       Yes
      (1)
      (2)
            No
                       No
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1]\ .OthPur)\ OR\ ((II)\ ..))))))
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
( 275) FRS0801A.QOwner1.QMortgage.M[].IntrU
      ^I QOwner1
      ۸Ţ
      ^N How much are your usual payments on this mortgage or loan?^N
      0.00..9999.97
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
( 276) FRS0801A.QOwner1.QMortgage.M[].IntrPx
      ^I OOwner1
      ۸I
      ^I^BLU^IC^Pd97Txt^I
      OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
( 277) FRS0801A.QOwner1.QMortgage.M[].IntrPd
      ^I QOwner1
      ۸I
      ^N How long did this cover?^N
      (1)
           OneWeek
                       One week
      (2)
           TwoWeek
                      Two weeks
      (3)
           ThrWeek
                      Three weeks
      (4)
           Fourweek
                      Four weeks
      (5)
           Month
                      Calendar month
      (7)
           TwoMonth
                     Two Calendar months
      (8)
           EighYear
                      Eight times a year
      (9)
           NineYear
                      Nine times a year
           TenYear
      (10)
                      Ten times a year
           ThrMonth
      (13)
                      Three months/13 weeks
      (26)
           SixMonth
                      Six months/26 weeks
      (52)
           Year
                      One Year/12 months/52 weeks
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2)) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      AND: IntrPd = Note
( 278) FRS0801A.QOwner1.QMortgage.M[].IntrPx
      ^I QOwner1
      ۸I
      ^I^BLU^IC^Pd97Txt^I
      OPEN
```

```
WARN IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   AND: (MorAll <> Current) AND (MortType = Repay)
   AND: IntrUs = No
   AND: Edit = Yes
   IntrPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

FRS0801A.QOwner1.QMortgage.M[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
PdConW[4] := 4
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[10] := 5.2
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
PdConW[52] := 52
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QOwner1.QMortgage.M[] (continued)

COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

```
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
     AND: LWeekly > 0
IntPWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: III loop lok 11 .- 1100

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     (IntPWkly < 650) AND INVOLVING(IntrPd,IntrU)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1].OthPur)\ OR)
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntrUs = No
     AND: NOT (Edit = Yes)
     AND: IntrPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     AND: RMAmt > 0
PrIntC := ((((IntPWkly - (RMAmt / (25 * 52))) * 52) / (RMAmt *
0.62)) * 100)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
      AND: LWeekly > 0
      AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
      AND: BorrAmt > 0
PrIntC := ((((IntPWkly - (BorrAmt / (25 * 52))) * 52) /
(BorrAmt * 0.62)) * 100)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
AND: IntrUs = No
      AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
      AND: LWeekly > 0
      AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
AND: PrIntC < 3
higher := 'lower'
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
      And: NOT (Edit = Yes)
And: IntrPd IN [OneWeek .. Year]
      AND: LWeekly > 0
      AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
      AND: PrIntC > 10
higher := 'higher'
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntrUs = No
AND: NOT (Edit = Yes)
      AND: IntrPd IN [OneWeek .. Year]
      AND: LWeekly > 0
      AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
      ((PrIntC >= 3) AND (PrIntC <= 10)) AND INVOLVING(IntrU)
      'I You have entered an amount that is 'higher than that usually paid for a mortgage of this size. Please
      check that you have entered the correct payment.^I
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
      AND: MenPol = Yes
Apart do := ('Apart from any endowment policies already ' +
'mentioned, do')
Compute if: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) \overline{AND} (ii = 2))) \overline{OR} ((ii = 3) \overline{AND} (((Repairs IN M[1].OthPur) \overline{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
      AND: MenPol = Yes
redundancy := ' or redundancy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
      AND: MenPol = Yes
death := '(NOT USED)'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
AND: PPTenure IN [Mortgage, Part]
      AND: NOT (MenPol = Yes)
Apart do := 'Do'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
      AND: NOT (MenPol = Yes)
redundancy := ', redundancy or death'
Compute if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = Two)\ AND\ (ii = 2)))\ OR\ ((ii = 3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
      AND: NOT (MenPol = Yes)
death := 'Death'
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
(279) FRS0801A.QOwner1.QMortgage.M[].MortProt
      ^I QOwner1
      ۸I
      ^I Only include policies which specifically pay the^B mortgage^B. Do not confuse these with polices that
      simply pay out money in the event of redundancy or sickness (and could be used to pay for anything). A
      (1)
            Yes
                         Yes
      (2)
            No
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
      AND: (MortProt = RESPONSE) AND (MortType <> Endow)
```

^I Interviewer: for this type of mortgage there is normally a protection policy. Please check - is it included in the last mortgage payment? (If no policy, suppress warning and continue.)^I

MortProt = Yes

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
( 280) FRS0801A.QOwner1.QMortgage.M[].MPCover
     ^I QOwner1
     ۸I
     ^N What is covered by the mortgage protection policy?^N
     ^I^BLU^IC Probe to classify.
     Code all that apply.^I
     SET [3] OF
          Sick
                     Sickness/accident
     (1)
          Redund
                     Redundancy/loss of employment
     (2)
                     ^death
     (3)
          Dead
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: MenPol = Yes
     NOT(IN(Dead, MPCover))
     ^I This code is not valid for this question.^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: MPCover.CARDINAL > 1
( 281) FRS0801A.QOwner1.QMortgage.M[].MPolNo
     ^I QOwner1
     ۸Ţ
     ^N Can I check, is there^B one^B mortgage protection policy, or^B more than^B one?^N
     ^I^BLU^IC Count as separate policy if separate^B payments (premiums)^B are made.
     Enter number of policies.^I
     1..3
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: IntPrPay <> EMPTY OR (MorInPay > 0)
PCP := ('your last payment on the mortgage/loan (f' + LastPay
+ ')')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: IntPrPay <> EMPTY OR (MorInPay > 0)
     AND: MorInPay > 0
     AND: MenPolAm0 = No
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PCP := (PCP + ' or in the (pension/PEP/ISA/Unit' + ' Trust)
contribution')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: IntPrPay <> EMPTY OR (MorInPay > 0)
     AND: MorInPay > 0
     AND: MenPolAm0 = No
     AND: NOT ((((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PCP := (PCP + ' or in the endowment premium')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: MorInPay <> EMPTY AND (MenPolAm0 = No)
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
```

PCP := 'the (pension/PEP/ISA/Unit Trust) contribution'

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: MorInPay <> EMPTY AND (MenPolAm0 = No)
     AND: NOT ((((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PCP := 'the endowment premium'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
AND: MortProt = Yes
     AND: (((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PC := 'pension/PEP/ISA/Unit Trust contribution'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: NOT ((((Pension IN EndwPrin) OR (PEP IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PC := 'endowment premium'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
Order[1] := 'FIRST'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
```

Order[2] := 'SECOND'

```
Compute if: QAccomdat. Tenure IN [Outright .. Part]

And: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

And: In loop FOR ii := 1 TO 3

And: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))

And: Loan2Y <> Repaid

And: PPTenure IN [Mortgage, Part]

And: MortProt = Yes
```

FRS0801A.QOwner1.QMortgage.M[].QMortProt[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
LPayment etc := ppayment
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: LPayment etc =
LPayment etc := 'the mortgage payment you mentioned earlier'
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
( 282) FRS0801A.QOwner1.QMortgage.M[].QMortProt[].IncMPAmt
     ^I QOwner1
     ۸I
     ^B *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B
     @?^I If the precise amount for the mortgage protection policy cannot be given, please ask the respondent
     to given an estimate rather than accept DK.^I
     0.00..9997.99
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
( 283) FRS0801A.QOwner1.QMortgage.M[].QMortProt[].IncMPPx
     ^I QOwner1
     ۸I
     ^B *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
( 284) FRS0801A.QOwner1.QMortgage.M[].QMortProt[].IncMPPd
     ^I QOwner1
     ۸I
     ^B *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B
     ^N How long did this cover?^N
     (1)
          OneWeek
                     One week
     (2)
          TwoWeek
                     Two weeks
     (3)
          ThrWeek
                     Three weeks
     (4)
          Fourweek
                     Four weeks
     (5)
          Month
                     Calendar month
          TwoMonth
                     Two Calendar months
     (7)
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
     (13)
          ThrMonth
                     Three months/13 weeks
     (26)
          SixMonth
                     Six months/26 weeks
     (52)
          Year
                     One Year/12 months/52 weeks
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum One off/lump sum
                     None of these ^I(Explain in a note)^I
     (97)
          Note
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
     AND: IncMPPd = Note
( 285) FRS0801A.QOwner1.QMortgage.M[].QMortProt[].IncMPPx
     ^I QOwner1
     ^I
     ^B *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   AND: PPTenure IN [Mortgage, Part]
   AND: MortProt = Yes
   AND: In loop FOR Count := 1 TO 3
   AND: (Count = 1) OR (Count <= MPolNo)
   AND: Edit = Yes
   IncMPPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

FRS0801A.QOwner1.QMortgage.M[].QMortProt[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[52] := 52
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
      AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
      AND: IncMPAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
      AND: MortProt = Yes
      AND: In loop FOR Count := 1 TO 3
      AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
      AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QOwner1.QMortgage.M[].QMortProt[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
     AND: IncMPPd IN [OneWeek .. Year]
     AND: LWeekly > 0
IncMWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
     AND: IncMPPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     (IncMWkly < 30) AND INVOLVING(IncMPPd,IncMPAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
( 286) FRS0801A.QOwner1.QMortgage.M[].QMortProt[].IncMStYr
     ^I QOwner1
     ۸I
     ^B *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B
     ^N In what year was the mortgage protection policy taken out?^N
     1901..2008
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: QDataBaq.SampMnth IN [4 .. 12]
     IncMStYr <> 2008
     ^I Wrong Year!^I
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: (IncMPAmt > 0) OR IncMPAmt = NONRESPONSE
( 287) FRS0801A.QOwner1.QMortgage.M[].QMortProt[].IncMP
     ^I QOwner1
     ۸Ţ
     ^B *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B
     ^N Was this mortgage protection payment included in ^LPayment etc?^N
           Yes
                      Yes
     (1)
           No
                      No
     (2)
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: (IncMPAmt > 0) OR IncMPAmt = NONRESPONSE
     AND: ((IncMP = Yes) AND (SUBSTRING (PLastPay, 1, 1) <> 0)) AND
      (PMenPolAm0 = No)
  288) FRS0801A.QOwner1.QMortgage.M[].QMortProt[].IncMIncl
     ^I QOwner1
     ۸I
     ^B *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B
     ^I Ask or record.^I
     Was it included in the mortgage payment or the 'ppremium'?
     (1)
           Mort
                      mortgage payment
     (2)
           Endprm
                      ^ppremium
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
```

FRS0801A.QOwner1.QMortgage.M[] (continued)

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))

AND: Loan2Y <> Repaid

AND: PPTenure IN [Mortgage, Part]

AND: MortProt = Yes

AND: In loop FOR Count := 1 TO 3

AND: (Count = 1) OR (Count <= MPolNo)

AND: (PSeq IN [1 .. 2]) AND (QMortProt[Count].IncMStYr = RESPONSE)

PBuyYear <= QMortProt[Count].IncMStYr
```

^I The mortgage protection policy was taken out BEFORE the mortgage started ('BuyYear'). This seems very unusual - please check your dates.^I

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   AND: PPTenure IN [Mortgage, Part]
   AND: MortProt = Yes
   AND: In loop FOR Count := 1 TO 3
   AND: (Count = 1) OR (Count <= MPolNo)
   AND: IntPWkly = RESPONSE
   (QMortProt[Count].IncMWkly <= IntPWkly) AND
   INVOLVING(QMortProt[Count].IncMPAmt,QMortProt[Count].IncMPPd,IntPrPay)</pre>
```

^I The mortgage protection premium is more than the last mortgage payment at IntPrPay (£^LastPay). This is very unusual - please check your figures.^I

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
AND: PPTenure IN [Mortgage, Part]
AND: MortProt = Yes
AND: In loop FOR Count := 1 TO 3
AND: (Count = 1) OR (Count <= MPolNo)
AND: MorAll = Current
QMortProt[Count].IncMPAmt <> DONTKNOW
```

^I Interviewer: Please try not to collect Don't Know at this question. Ask your respondent to be more specific and provide you with their best estimate as to their monthly payment.^I

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: Edit = Yes
     QMortProt[Count].IncMPAmt<>NONRESPONSE
     ^I Missing amount for Mortgage Protection Policy. Note the size of last mortgage payment (£^LastPay),
     then follow Edit Instructions to fill in IncMPAmt.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: OAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
( 289) FRS0801A.QOwner1.QMortgage.M[].OutsMort
      ^I QOwner1
      ۸I
      ^N Does anyone from outside the household pay anything towards THIS mortgage/loan on your behalf,
      on a regular basis?^N
      (1)
            Yes
                         Yes
      (2)
            No
                         No
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{((Repairs IN M[1].OthPur) OR })) ) ) \\
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
(290) FRS0801A.QOwner1.QMortgage.M[].QOutsPay
      ^I QOwner1
      ΛΙ
      ^N Who is that?^N
      SET [6] OF
            GOV
                         ^GOV2
      (1)
      (2)
            Emp
                         Employer
      (3)
                         Other organisation
            Org
      (4)
            Rel
                        Friend or relative
                         Mortgage protection/insurance policy
      (5)
            Pol
      (6)
            Other
                         Other
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[1] := GOV1
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[2] := 'employer'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[3] := 'other organisation'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[4] := 'relative or friend'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[5] := 'policy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)

AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{((Repairs IN M[1].OthPur) OR })) ) \\ 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[6] := '
```

FRS0801A.QOwner1.QMortgage.M[].QOutside[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
MortSeq := PPSeq
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
ContSeq := POutsPay
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
OutsPay := POutsPay
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
(291) FRS0801A.QOwner1.QMortgage.M[].QOutside[].OutsAmt
     ^I QOwner1
     ۸Ţ
     ^N How much did the ^PPayer pay last time?^N
     0.01..999997.00
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
(292) FRS0801A.QOwner1.QMortgage.M[].QOutside[].OutsPx
     ^I QOwner1
     ۸I
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
(293) FRS0801A.QOwner1.QMortgage.M[].QOutside[].OutsPd
     ^I QOwner1
     ۸Ţ
     ^N How long did that cover?^N
           OneWeek
     (1)
                      One week
     (2)
           TwoWeek
                      Two weeks
     (3)
           ThrWeek
                      Three weeks
     (4)
           Fourweek
                      Four weeks
           Month
                      Calendar month
     (5)
     (7)
           TwoMonth
                     Two Calendar months
     (8)
           EighYear
                     Eight times a year
     (9)
           NineYear
                      Nine times a year
     (10)
          TenYear
                     Ten times a year
     (13)
           ThrMonth
                     Three months/13 weeks
           SixMonth
                      Six months/26 weeks
     (26)
     (52)
                      One Year/12 months/52 weeks
          Year
     (90)
          LessWeek
                     Less than one week
                     One off/lump sum
     (95) LumpSum
     (97)
                     None of these ^I(Explain in a note)^I
          Note
Ask if: QAccomdat. Tenure IN [Outright .
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: OutsPd = Note
( 294) FRS0801A.QOwner1.QMortgage.M[].QOutside[].OutsPx
     ^I QOwner1
     ۸I
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
WARN IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: ((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   AND: OutsMort = Yes
   AND: In loop FOR Count := 1 TO 6
   AND: Count IN QOutsPay
   AND: OutsAmt > 0
   AND: Edit = Yes
   OutsPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

FRS0801A.QOwner1.QMortgage.M[].QOutside[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[4] := 4
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[52] := 52
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QOwner1.QMortgage.M[].QOutside[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: OutsPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
OutWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: OutsPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
     AND: Edit = No
     (OutWkly < 159) AND INVOLVING(OutsPd,OutsAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: (OutsAmt <> 0) AND (SUBSTRING (PLastPay, 1, 1) <> 0)
  295) FRS0801A.QOwner1.QMortgage.M[].QOutside[].OutsIncl
     ^I QOwner1
     ۸I
     ^N Was this included in the mortgage payment that you mentioned earlier?^N
```

(1)

(2)

Yes

No

Yes

No

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
```

Page 297

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs\ IN\ M[1].OthPur)\ OR)
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     RESERVECHECK
     RESERVECHECK
```

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   AND: Loan2Y <> Repaid
   AND: OutsMort = Yes
   AND: In loop FOR Count := 1 TO 6
   AND: Count IN QOutsPay
   RESERVECHECK
RESERVECHECK
```

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
AND: Loan2Y <> Repaid
AND: OutsMort = Yes
AND: In loop FOR Count := 1 TO 6
AND: Count IN QOutsPay
RESERVECHECK
```

FRS0801A.QOwner1.QMortgage.M[] (continued)

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
      AND: In loop FOR Count := 1 TO 6
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
      AND: In loop FOR Count := 1 TO 6
      RESERVECHECK
      RESERVECHECK
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (PSeq = 1) AND (PBuyYear > 1980)
(296) FRS0801A.QOwner1.QMortgage.M[].ExRent
      ^I QOwner1
      ۸Ţ
      ^N Had you been renting this house/flat before deciding to buy it?^N
      ^I^BLU 'You' = HRP/Householder, or spouse/partner^I
      (1)
           Yes
                       Yes
           No
                      No
      (2)
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: Loan2Y <> Repaid
      AND: (PSeq = 1) AND (PBuyYear > 1980)
      AND: ExRent = Yes
(297) FRS0801A.QOwner1.QMortgage.M[].RentFrom
      ^I QOwner1
      ۸I
      ^N Who was it rented from?^N
      ^I^BLU Prompt as necessary.^I
      (1)
            LA
                        ^Council2
      (2)
            HA
                        Housing Association, co-operative, charitable trust
      (3)
                        Employer
            Emp
      (4)
            OthOrg
                        Other organisation
      (5)
                        Other individual
            OthInd
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} \ )) 
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: (PSeq = 1) AND (PPurcLoan = One)
( 298) FRS0801A.QOwner1.QMortgage.M[].OthMort1
      ^I QOwner1
      ۸I
```

^N I have already asked you about the loan you had to purchase this house/flat. Apart from that, do you have any other mortgage or loan secured on^B this^B property?^N

(1) Yes Yes(2) No No

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: (PSeq = 2) AND (PPurcLoan = Two)
( 299) FRS0801A.QOwner1.QMortgage.M[].OthMort2
      ^I QOwner1
      ۸I
      'N May I just check, are you currently using'B this house/flat'B as security for a mortgage or loan of any
      other kind?^N
      (1)
           Yes
                       Yes
      (2)
                       No
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{((Repairs IN M[1] . OthPur) OR })) ) ) \\
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
( 300) FRS0801A.QOwner1.QMortgage.M[].OthPurRs
      ^I QOwner1
      ۸I
      ^I This should only apply to loans for purchase. Please resolve, or make a Note.^I
           Passed
                       Passed
      (1)
           Hard
                       Hard
      (2)
      (3)
           Soft
                       Soft
      (4)
           Suppress
                       Suppressed
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
( 301) FRS0801A.QOwner1.QMortgage.M[].OthPurEx
      ^I QOwner1
      ۸I
      ^I^BLU^IC^SuppTxt^I
      OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
( 302) FRS0801A.QOwner1.QMortgage.M[].OthPur
     ^I QOwner1
     ۸I
     ^IS^I B11^I
     Which of these items best describe the reasons why you took out the other loan or loans?
     ^Any_others?^N
     ^I^BLU^IC Code all that apply.^I
     SET [7] OF
           Improve
                      To make improvements or extensions to this property
     (1)
     (2)
           Purcase
                      To help purchase a major item like a car, boat, caravan or second home
           IntrRate
     (3)
                      To get a better, or fixed, interest rate
           Business
     (4)
                      In connection with a business
     (5)
           BuyOut
                      To buy out another person's share in the property
     (6)
           Repairs
                      For essential repairs to make the property fit for occupation
                      Some other purpose (INTERVIEWER: SPECIFY IN A NOTE.)
     (7)
           Other
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
     NOT(IN(IntrRate,OthPur))
     NOT (IntrRate IN OthPur)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
     AND: (OthPurRs = Suppressed) OR OthPurEx <> EMPTY
( 303) FRS0801A.QOwner1.QMortgage.M[].OthPurEx
     ^I QOwner1
     ۸I
     ^I^BLU^IC^SuppTxt^I
     OPEN
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Edit = Yes
     AND: NOT (MortType IN [Endow, EndRep])
     NOT (IN (None, EndwPrin))
     'I Editor: Mortgage Capital repaid by 'unknown' method: There should be a note attached. Please re-code
     into 1-4, IF possible.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} (((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Edit = Yes
     IntPrPay<>NONRESPONSE AND IntPrPd<>NONRESPONSE
     Missing amount and/or period for Mortgage Instalment.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Edit = Yes
     MorInPay<>NONRESPONSE AND MorInPd<>NONRESPONSE
     ^I Missing amount and/or period for Mortgage Instalment.^I
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: Edit = Yes
     MenPol <> No
     ۸Ţ
     There are no endowment policies covering the repayment of this mortgage OR loan. AIAB
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
     AND: (RMAmt = RESPONSE) AND (BorrAmt = RESPONSE)
     BorrAmt <= RMAmt
     ^I The re-mortgage amount would normally be at least as large as the original mortgage.
     Please check your figures.^I
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
       (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ (((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR
       (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: IN TOOP FOR IT .- I TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
      RESERVECHECK
      RESERVECHECK
```

```
WARN IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
RESERVECHECK
RESERVECHECK
```

Warn if: QAccomdat.Tenure IN [Outright .. Part]
 AnD: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
 AnD: In loop FOR ii := 1 TO 3
 AnD: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
 RESERVECHECK

RESERVECHECK

```
WARN IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   RESERVECHECK
```

RESERVECHECK

```
Warn if: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND (((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)) OR (Repairs IN OthPur3[])))
   RESERVECHECK
```

FRS0801A.QOwner1.QMortgage

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
AND: In loop FOR ii := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
     AND: In loop FOR ii := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY OR (Repairs IN OthPur3)
    RESERVECHECK
     RESERVECHECK
```

FRS0801A.QOwner1 (continued)

Questions about mortgages

WARN IF: QAccomdat. Tenure IN [Outright .. Part]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Outright .. Part]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.Tenure IN [Outright .. Part] RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Outright .. Part]

RESERVECHECK

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    RESERVECHECK
     RESERVECHECK
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (((QAccomdat.Tenure IN [Mortgage .. Part]) OR (QOwner1.OthMort3 =
     Yes)) AND (QOwner1.QMortgage.M[1].MorInPay = EMPTY OR
     (QOwner1.QMortgage.M[1].MorInPay > 0))) AND
     (QOwner1.QMortgage.M[2].MorInPay = EMPTY OR
     (QOwner1.QMortgage.M[2].MorInPay > 0))
AskStruc := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (((QAccomdat.Tenure IN [Outright .. Part]) OR QAccomdat.Tenure = NONRESPONSE) OR (QRenting.Landlord IN [Assocn .. OthIndiv])) OR
     QRenting.Landlord = NONRESPONSE
     AND: AskStruc = 1
AskStruc := 3
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (((QAccomdat.Tenure IN [Outright .. Part]) OR QAccomdat.Tenure =
     NONRESPONSE) OR (QRenting.Landlord IN [Assocn .. OthIndiv])) OR
     QRenting.Landlord = NONRESPONSE
     AND: NOT (AskStruc = 1)
AskStruc := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (QAccomdat.Tenure = Part) AND (QAccomdat.SOBuy = Paid)
AskStruc := 2
```

FRS0801A.QInsur

Questions about structure insurance.

Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [1, 3]

(304) FRS0801A.QInsur.StrMort

^I QInsur

۸I

^N Did your last payment on the mortgage/ loan include an amount for any insurance on the structure of this accommodation, its furniture or contents, or any personal possessions?^N

(1) Yes Yes(2) No No

Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [1, 3]
AND: StrMort = Yes

(305) FRS0801A.QInsur.StrCov

^I QInsur

۸I

^N Was that for...^N^I^BLU Running prompt...^I

(1) Struct ^N...structure^B only^B^N

(2) Furn ^N...furniture and contents or personal possessions, only^N

(3) Combine ^N...structure^B and^B furniture and contents, or personal possessions?^N

FRS0801A.QInsur.QStructure[]

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: (PStrCov = Struct) OR (PCovOths = Struct)
combined := ' structure'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: PStrCov = Furn
combined := ' contents'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: (PStrCov = Combine) OR (PCovOths = Combine)
combined := ' combined'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: PSeq = 1
included := ' included in your last mortgage payment'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: NOT (PSeq = 1)
last := ' last'
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
( 306) FRS0801A.QInsur.QStructure[].StrAmt
     ^I QInsur
     ۸I
     ^N How much was the last premium included for this combined policy? N
     0.01..99997.00
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
( 307) FRS0801A.QInsur.QStructure[].StrPx
     ^I QInsur
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
( 308) FRS0801A.QInsur.QStructure[].StrPd
     ^I OInsur
     ۸I
     ^N How long did this cover?^N
           OneWeek
     (1)
                      One week
           TwoWeek
     (2)
                      Two weeks
           ThrWeek
     (3)
                      Three weeks
     (4)
           Fourweek
                      Four weeks
     (5)
           Month
                      Calendar month
           TwoMonth
                     Two Calendar months
     (7)
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
           TenYear
                      Ten times a year
     (10)
     (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
     (26)
                      One Year/12 months/52 weeks
     (52)
           Year
     (90)
           LessWeek
                      Less than one week
     (95)
           LumpSum
                      One off/lump sum
     (97)
           Note
                      None of these ^I(Explain in a note)^I
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
     AND: StrPd = Note
  309) FRS0801A.QInsur.QStructure[].StrPx
     ^I QInsur
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
```

FRS0801A.QInsur.QStructure[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
     AND: StrAmt > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QInsur.QStructure[] (continued)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
StrWkly := LWeekly
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
     And: Edit = No
     (StrWkly < 50) AND INVOLVING(StrPd,StrAmt)
     ^I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     StrPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. N
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
```

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [1, 3]
AND: StrMort = Yes

RESERVECHECK

FRS0801A.QInsur (continued)

Questions about structure insurance.

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [2 .. 3]
AND: (StrMort = EMPTY OR (StrMort = No)) OR (StrCov = Furn)
```

(310) FRS0801A.QInsur.StrOths

^I QInsur

۸Ţ

^N Do you pay an insurance premium on the^B structure^B of this accommodation?^N

(1) Yes Yes(2) No No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [2 . . 3]
AND: StrOths = Yes
```

$(311)\,FRS0801A.QInsur.CovOths$

^I QInsur

۸I

^N Does the premium cover...^N^I^BLU Running prompt...^I

- (1) Struct 'N...structure'B only'B,'N
- (2) Combine 'N...or structure combined with furniture, contents or personal possessions?'N

FRS0801A.QInsur.QStructure[]

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: (PStrCov = Struct) OR (PCovOths = Struct)
combined := ' structure'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: PStrCov = Furn
combined := ' contents'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: (PStrCov = Combine) OR (PCovOths = Combine)
combined := ' combined'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: PSeq = 1
included := ' included in your last mortgage payment'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: NOT (PSeq = 1)
last := ' last'
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
(312) FRS0801A.QInsur.QStructure[].StrAmt
     ^I QInsur
     ۸I
     ^N How much was the last premium included for this combined policy? N
     0.01..99997.00
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
(313) FRS0801A.QInsur.QStructure[].StrPx
     ^I QInsur
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
( 314) FRS0801A.QInsur.QStructure[].StrPd
     ^I OInsur
     ۸I
     ^N How long did this cover?^N
           OneWeek
     (1)
                      One week
           TwoWeek
     (2)
                      Two weeks
           ThrWeek
     (3)
                      Three weeks
     (4)
           Fourweek
                      Four weeks
     (5)
           Month
                      Calendar month
           TwoMonth
                     Two Calendar months
     (7)
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
           TenYear
                      Ten times a year
     (10)
     (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
     (26)
                      One Year/12 months/52 weeks
     (52)
           Year
     (90)
           LessWeek
                      Less than one week
     (95)
           LumpSum
                      One off/lump sum
     (97)
           Note
                      None of these ^I(Explain in a note)^I
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
     AND: StrPd = Note
(315) FRS0801A.QInsur.QStructure[].StrPx
     ^I QInsur
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
```

FRS0801A.QInsur.QStructure[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
     AND: StrAmt > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QInsur.QStructure[] (continued)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
StrWkly := LWeekly
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
     And: Edit = No
     (StrWkly < 50) AND INVOLVING(StrPd,StrAmt)
     ^I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     StrPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. N
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
```

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [2 .. 3]
AND: Stroths = Yes

RESERVECHECK

FRS0801A.QInsur (continued)

Questions about structure insurance.

 $\textbf{WARN IF: } \textit{QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit = Yes})$

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: QInsur.QStructure[1].StrWkly = RESPONSE

AND: QOwner1.QMortgage.M[1].MorIWkly = RESPONSE

(QInsur.QStructure[1].StrWkly < QOwner1.QMortgage.M[1].MorIWkly) AND INVOLVING(QOwner1.QMortgage.M[1].MorInPay,QInsur.QStructure[1].StrAmt,QInsur.QStructure[1].StrPd)

^I The amount you recorded for the premium on the insurance on the structure is greater than the amount recorded for the last mortgage payment.

Please check whether this is correct.^I

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: QInsur.QStructure[1].StrWkly = RESPONSE

AND: QOwner1.QMortgage.M[1].IntPWkly = RESPONSE

(QInsur.QStructure[1].StrWkly < QOwner1.QMortgage.M[1].IntPWkly) AND INVOLVING(QOwner1.QMortgage.M[1].IntPrPay,QInsur.QStructure[1].StrAmt,QInsur.QStructure[1].StrPd)

^I The amount you recorded for the premium on the insurance on the structure is greater than the amount recorded for the last mortgage payment.

Please check whether this is correct.^I

FRS0801A.QCounTax

```
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandAMax := 1065
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandBMax := 1242
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandCMax := 1420
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandDMax := 1597
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandEMax := 1951
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandFMax := 2306
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandGMax := 2661
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandHMax := 3193
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandIMax := 3193
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
BandAMin := 454
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
CTIntro := (B + '
Now there are some questions about Council Tax' + B)
```

Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI

(316) FRS0801A.QCounTax.CTConDoc

^I QCounTax^I

^N^CTIntro

For your Council Tax, do you have a bill, or a payment book that you could consult? N

^I^BLU^IC Accept a statement/bill from the year 2006-2007 if no payment for 2007-2008 yet made.^I

- (1) Yes Yes consulted now
- (2) No No no document (or will not consult)

Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI

(317) FRS0801A.QCounTax.CTBand

^I QCounTax^I

^N

Could you please tell me which Council Tax band this accommodation is in?

^I^BLU^IC This must be the band given by the council - do not accept respondent's own estimate of value of property.

Council Tax band I exists in Wales for properties over £400,000.

If this household's accommodation is not valued separately (eg. because it's a rented part of larger premises), then use code 10.

If respondent's initial band allocation was later changed because they are disabled enter^B original^B band here.^I

- (1) BandA Band A
- (2) BandB Band B
- (3) BandC Band C
- (4) BandD Band D
- (5) BandE Band E
- (6) BandF Band F
- (7) BandG Band G
- (8) BandH Band H
- (9) BandI Band I
- (10) NotApp Household accommodation not valued separately

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NatCen <> NI
AND: Wales <> Yes
CTBand <> BandI

^I This is not a Welsh property - that code is invalid.^I

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NatCen <> NI RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NatCen <> NI RESERVECHECK

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    RESERVECHECK
    RESERVECHECK
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
CTXAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
CTSXAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
CTSWAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
CTSSAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
    AND: CTData.SEARCH (QDataBag.SLA)
RCTXAmt := CTData.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
    AND: CTData.SEARCH (QDataBag.SLA)
CTXAmt := STR(RCTXAmt, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    And: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
    AND: (Scotland = Yes) AND CTScot.SEARCH (QDataBaq.SLA)
RCTSXAmt := CTScot.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
    AND: (Scotland = Yes) AND CTScot.SEARCH (QDataBag.SLA)
CTSXAmt := STR(RCTSXAmt, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
    AND: NOT ((Scotland = Yes) AND CTScot.SEARCH (QDataBag.SLA)
CTSXAmt := 'N/A'
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: (Scotland = Yes) AND ScotWat.SEARCH (QDataBag.SLA)
RCTSWAmt := ScotWat.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: (Scotland = Yes) AND ScotWat.SEARCH (QDataBag.SLA)
CTSWAmt := STR(RCTSWAmt, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: NOT ((Scotland = Yes) AND ScotWat.SEARCH (QDataBaq.SLA)
CTSWAmt := 'N/A'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: (Scotland = Yes) AND ScotSew.SEARCH (QDataBag.SLA)
RCTSSAmt := ScotSew.BandAmt[ORD(CTBand)]
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: (Scotland = Yes) AND ScotSew.SEARCH (QDataBag.SLA)
CTSSAmt := STR(RCTSSAmt, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
    AND: NOT ((Scotland = Yes) AND ScotSew.SEARCH (QDataBag.SLA)
CTSSAmt := 'N/A'
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: Edit = Yes
     AND: CTConDoc <> EMPTY
    CTBand = RESPONSE
     'I Editor: The Council Tax Band is missing. The Local Authority will need to be telephoned. Consult the
    fact sheet & telephone them.^I
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
( 318) FRS0801A.QCounTax.CTValid
     ^I QCounTax^I
```

STRING[2]

Page 329

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[1] := 'A'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[2] := 'B'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[3] := 'C'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[4] := 'D'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[5] := 'E'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[6] := 'F'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[7] := 'G'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[8] := 'H'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[9] := 'I'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand IN [BandA .. BandI]
Letter := Letters[ORD(CTBand)]
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand = NotApp
Letter := 'Not valued separately'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand = DONTKNOW
Letter := 'Don't know'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand = REFUSAL
Letter := 'Missing'
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
( 319) FRS0801A.QCounTax.CTLVBand
     ^I QCounTax^I
     ^N
     Was your Council Tax bill reduced to a lower band because there is a disabled person in the
     household?^N
     ^I^BLU^IC Households must make a special application in order to obtain this reduction.
          Yes
     (1)
                    Yes
     (2)
          No
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (CTLVBand = Yes) AND (CTBand IN [BandA .. BandI])
  320) FRS0801A.QCounTax.CTLVChk
     ^I QCounTax^I
     You said you were in Band ^Letter; is that the Band^B after^B this lower valuation, or^B before^B?^N
     (1)
          Aftr
                    After lower valuation
     (2)
          Befor
                    Before
CHECK IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (CTLVBand = Yes) AND (CTBand IN [BandA .. BandI])
     AND: CTBand = BandI
     CTLVChk <> Aftr
```

^I Band I is the HIGHEST band, so it cannot be the band AFTER the lower valuation. Please change one or the other.^I

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: Scotland = Yes
ScotFill := (' including^B Domestic water & sewerage' + '
charges^B')
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: NOT (Scotland = Yes)
ScotFill := ''
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
( 321) FRS0801A.QCounTax.CTAmt
     ^I QCounTax^I
     'I If the respondent has not paid any tax for any reason then enter 0 and the later questions will probe the
     reasons.^I
     0.00..9999.97
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: Scotland = Yes
     CTAmt <> 0
     Al No Council Tax paid, but you should record here the last payment of domestic water charge and
     domestic sewerage charge, which are not paid for by C. Tax benefit. If they have not been paid, suppress
     warning and continue.^I
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (CTAmt > 0) OR CTAmt = NONRESPONSE
( 322) FRS0801A.QCounTax.CTInstal
     ^I QCounTax^I
     ^N^O1 Can I just check,^O2 Was that the full payment for the year, or was it an instalment?^N
     ^I^BLU^IC 'Year' = April to March (12 months).^N
     (1)
          Full
                     Full annual payment
```

(2)

Instal

An instalment

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NatCen <> NI
      AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
      AND: (CTAmt > 0) OR CTAmt = NONRESPONSE
      AND: CTInstal = Instal
( 323) FRS0801A.QCounTax.CTTime
      ^I QCounTax^I
      How many instalments are there, over the whole year?^N
      ^I^BLU^IC 'Whole year' = April to March (12 months).
      If payment given is from B last B year, enter number of instalments made last year. I
      2..52
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      And: NatCen <> NI
      AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
      AND: (CTAmt > 0) OR CTAmt = NONRESPONSE
     AND: CTInstal = Instal
      AND: (CTConDoc = Yes) AND (CTTime = RESPONSE)
( 324) FRS0801A.QCounTax.CTAnnual
      ^I OCounTax^I
      ^I^BLU^IC Refer to document being consulted: ^BLU^I
      On the statement/bill, what is the B total B amount payable for the year, ScotFill after deducting any
      discounts or benefit?^N
      ^I^BLU^IC 'Year' = April to March (12 months)^I
      0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: (CTAmt = RESPONSE) AND (CTInstal = RESPONSE)
      AND: CTInstal = Full
CTAmtYr := CTAmt
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE AND: (CTAmt = RESPONSE) AND (CTInstal = RESPONSE)
      AND: (CTInstal = Instal) AND (CTTime = RESPONSE)
CTAmtYr := (CTAmt * CTTime)
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

(325) FRS0801A.QCounTax.CWat1Rs

^I QCounTax^I

۸I

In Scotland, Domestic Water Charge should be^B included^B in the total Council Tax bill for the year - if not, please explain in a note.^I

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

(326) FRS0801A.QCounTax.CWat1Ex

^I QCounTax^I
^I^BLU^IC^SuppTxt^I

OPEN

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

(327) FRS0801A.QCounTax.CSew1Rs

^I QCounTax^I

۸I

In Scotland, Domestic Sewerage Charge should be^B included^B in the total Council Tax bill for the year - if not, please explain in a note.^I

(1) Passed Passed
(2) Hard Hard
(3) Soft Soft
(4) Suppress Suppressed

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

(328) FRS0801A.QCounTax.CSew1Ex

```
^I QCounTax^I
^I^BLU^IC^SuppTxt^I^BLU^IC
```

OPEN

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Scotland = Yes)) AND (CTConDoc = Yes)) AND
      ((CTInstal = Full) OR (CTAnnual > 0))
  329) FRS0801A.QCounTax.CWatAmt1
     ^I QCounTax^I
     How much is the annual Domestic Water Charge, as shown on the bill?^N
     ^I^BLU^IC Enter the full charge, before any status discount.^I
     0.00..9999.97
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: (((Edit = No) AND (Scotland = Yes)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     CWatAmt1 > 0
     CWatAmt1 > 0
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: (((Edit = No) AND (Scotland = Yes)) AND (CTConDoc = Yes)) AND
      ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     AND: (CWat1Rs = Suppressed) OR CWat1Ex <> EMPTY
( 330) FRS0801A.QCounTax.CWat1Ex
     ^I QCounTax^I
     ^I^BLU^IC^SuppTxt^I
     OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Scotland = Yes)) AND (CTConDoc = Yes)) AND
      ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
( 331) FRS0801A.QCounTax.CSewAmt1
     ^I QCounTax^I
     ^N
     How much is the annual Domestic Sewerage Charge, as shown on the bill?^N
     ^I^BLU^IC Enter the full charge, before any status discount or transitional relief.^I
     0.00..9999.97
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Scotland = Yes)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     AND: CSewAmt1 = RESPONSE
     CSewAmt1 > 0
     CSewAmt1 > 0
Ask if: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
          (((Edit = No) AND (Scotland = Yes)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     AND: CSewAmt1 = RESPONSE
     AND: (CSew1Rs = Suppressed) OR CSew1Ex <> EMPTY
( 332) FRS0801A.QCounTax.CSew1Ex
     ^I QCounTax^I
     ^I^BLU^IC^SuppTxt^I^BLU^IC
     OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: ((Edit = Yes) AND (Scotland = Yes)) AND (CTConDoc = Yes)
  333) FRS0801A.QCounTax.CWatAmt1
     ^I QCounTax^I
     ^N
     How much is the annual Domestic Water Charge, as shown on the bill?^N
     ^I^BLU^IC Enter the full charge, before any status discount.^I
     0.00..9999.97
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: ((Edit = Yes) AND (Scotland = Yes)) AND (CTConDoc = Yes)
( 334) FRS0801A.QCounTax.CSewAmt1
     ^I QCounTax^I
     ۸N
     How much is the annual Domestic Sewerage Charge, as shown on the bill?^N
     ^I^BLU^IC Enter the full charge, before any status discount or transitional relief.^I
     0.00..9999.97
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
```

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

(335) FRS0801A.QCounTax.CTRebPx

^I QCounTax^I ^I^BLU^IC^Pd97Txt^I

OPEN

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

(336) FRS0801A.QCounTax.CTRebRs

^I QCounTax^I

۸I

That seems rather high. Please check the amount and frequency of payment. If correct, suppress warning and explain circumstances in a note.^I

(1)PassedPassed(2)HardHard(3)SoftSoft

(4) Suppress Suppressed

 $\textit{Record if: QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit} \; = \; \textit{Yes})$

And: NatCen <> NI

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

(337) FRS0801A.QCounTax.CTRebEx

^I QCounTax^I
^I^BLU^IC^SuppTxt^I

OPEN

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

(338) FRS0801A.QCounTax.CTReb

^I QCounTax^I

^N

Are you allowed Council Tax Benefit or rebate, to help pay your Council Tax?^N

(1) Yes Yes

(2) No No

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = No
     AND: (CTAmt = 0) OR CTAmt = NONRESPONSE
( 339) FRS0801A.QCounTax.WhyNoCT
     ^I QCounTax^I
     ^I^BLU^IC No council tax is paid, but no benefit received.
     Ask or code: what was the reason for paying no council tax?^I
           NotRec
                      Bill not yet B received B and household not previously liable for C.Tax
     (1)
           NotPaid
                      Bill not yet^B paid^B and household not previously liable for C.Tax
     (2)
           Delib
                      Deliberate non-payment, in dispute, appeal, etc.
     (3)
                      Household only recently moved into accommodation
     (4)
           Moved
     (5)
           Exempt
                      Household has a 'formal exemption' from the Tax
                      (all students; MoD property; severely mentally impaired.)
           Other
                      Other reason (DESCRIBE IN A NOTE)
     (6)
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = No
( 340) FRS0801A.QCounTax.CTBWait
     ^I QCounTax^I
     Are you awaiting the outcome of a claim for Council Tax benefit or rebate?^N
     (1)
           Yes
                      Yes
     (2)
           No
                      No
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
  341) FRS0801A.QCounTax.CTRebAmt
     ^I QCounTax^I
     How much was allowed?^N
     0.00..9999.97
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: CTReb = Yes
AND: CTRebAmt > 0

( 342 ) FRS0801A.QCounTax.CTRebPd
^I QCounTax^I
^N
```

(1) OneWeek One week TwoWeek Two weeks (2) ThrWeek Three weeks (3) Fourweek Four weeks (4) (5) Month Calendar month (7) TwoMonth Two Calendar months (8) EighYear Eight times a year (9) NineYear Nine times a year (10)TenYear Ten times a year Three months/13 weeks (13)ThrMonth

How long did this cover?^N

(13) ThrMonth Three months/13 weeks (26) SixMonth Six months/26 weeks

(52) Year One Year/12 months/52 weeks

(90) LessWeek Less than one week(95) LumpSum One off/lump sum

(97) Note None of these 'I(Explain in a note)'I

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

AND: CTReb = Yes AND: CTRebAmt > 0 AND: CTRebPd = Note

(343) FRS0801A.QCounTax.CTRebPx

^I QCounTax^I ^I^BLU^IC^Pd97Txt^I

OPEN

FRS0801A.QCounTax.Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[8] := 6.5
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE AND: CTReb = Yes
    AND: CTRebAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QCounTax (continued)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
CTRWkly := LWeekly
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
CTRebYr := (CTRWkly * 52)
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (CTRebYr > 0) AND (CTBand = RESPONSE)
     (((((((((CTBand = BandA) AND (CTRebYr <= BandAMax)) OR ((CTBand =
     BandB) AND (CTRebYr <= BandBMax))) OR ((CTBand = BandC) AND (CTRebYr
     <= BandCMax))) OR ((CTBand = BandD) AND (CTRebYr <= BandDMax))) OR
     ((CTBand = BandE) AND (CTRebYr <= BandEMax))) OR ((C
     (((((((CTBand = BandA) AND (CTRebYr <= BandAMax)) OR ((CTBand = BandB) AND (CTRebYr
     <= BandBMax))) OR ((CTBand = BandC) AND (CTRebYr <= BandCMax))) OR ((CTBand = BandD)
     AND (CTRebYr <= BandDMax))) OR ((CTBand = BandE) AND (CTRebYr <= BandEMax))) OR
     ((CTBand = BandF) AND (CTRebYr <= BandFMax))) OR ((CTBand = BandG) AND (CTRebYr <=
     BandGMax))) OR ((CTBand = BandH) AND (CTRebYr <= BandHMax))) OR ((CTBand = BandI) AND
     (CTRebYr <= BandIMax))) AND INVOLVING (CTBand, CTRebPd, CTRebAmt)
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (CTRebYr > 0) AND (CTBand = RESPONSE)
     AND: (CTRebRs = Suppressed) OR CTRebEx <> EMPTY
( 344) FRS0801A.QCounTax.CTRebEx
     ^I OCounTax^I
     ^I^BLU^IC^SuppTxt^I
     OPEN
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((NewBU >= 2) AND (CTConDoc = Yes)) AND (CTReb = Yes)) AND
     (NotHRPBU = 1)
( 345) FRS0801A.QCounTax.WhoseCTB
     ^I QCounTax^I
     According to the statement, who is the Council Tax Benefit for?^N
     ^I^BLU^IC Code all that apply.^I
     SET [7] OF
                    ^BUAdName[1]
     (1)
          p1
     (2)
          p2
                    ^BUAdName[2]
          р3
     (3)
                    ^BUAdName[3]
          p4
     (4)
                    ^BUAdName[4]
     (5)
          p5
                    ^BUAdName[5]
          р6
     (6)
                    ^BUAdName[6]
          p7
     (7)
                    ^BUAdName[7]
     (8)
          Oth
                    Someone else (SPECIFY IN A NOTE)
     (9)
          NS
                    Not on statement
CHECK IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((NewBU >= 2) AND (CTConDoc = Yes)) AND (CTReb = Yes)) AND
     (NotHRPBU = 1)
     AND: In loop FOR Index := 1 TO 7
     AND: Index IN WhoseCTB
     BUAdName[[Index] <> ''
     Code ^Index is not valid for this question.
CHECK IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((NewBU >= 2) AND (CTConDoc = Yes)) AND (CTReb = Yes)) AND
     (NotHRPBU = 1)
     AND: NS IN WhoseCTB
     WhoseCTB.CARDINAL = 1
     'Not known/not on statement' is an exclusive code!
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
are := 'In addition to your rebate/ benefit, are'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: NOT (CTReb = Yes)
are := 'Are'
```

```
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: NatCen <> NI

SHOWCARD := (IS + ' B12')

Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: NOT (NatCen <> NI)

SHOWCARD := ''

ASK IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

(346) FRS0801A.QCounTax.CTDisc

^I QCounTax^I

^I The council tax assumes two adults per household. If only one adult lives there, a 25% status discount will usually apply. If a student/student nurse/apprentice etc. lives with^B one^B other adult then a discount of 25% will apply. However no discount will apply if that person lives with two or more other adults.^I

- (1) Yes Yes
- (2) No No

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: CTDisc = Yes
```

(347) FRS0801A.QCounTax.CT25D50D

^I QCounTax^I

^I Some households get a discount on their Council Tax because of the^B type^B of person living there. Usually this is a 25% discount. The rules are very detailed, but in general:

25% for Single adult households

25% for one adult, plus: a student/student nurse/person under 18/apprentice/YT Trainee/care worker/severely mentally impaired

50% when a household is made up of a mixture of those who are exempt (eg. student/student nurse/person under 18/apprentice/YT Trainee/care worker/severely mentally impaired)

Note: Households wholly occupied by students or under 18 year olds are entirely B exempt B from Council Tax.

(1) D25 25% (2) D50 50%

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTDisc = Yes
     CT25D50D <> D50
     'I Are you sure? Discount is usually 25%. The 50% discount applies only if ALL household members
     belong to the groups shown on 'SHOWCARD. Please check with respondent. If discount IS
     DEFINITELY 50%, suppress warning and continue.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: AllAd = 1
     (CTDisc = Yes) AND (CT25D50D = D25)
     ^I Are you sure? Households with only one adult would normally have a status discount (25% reduction
     of the bill).^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     RESERVECHECK
     RESERVECHECK
WARN IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: (CTAmtYr > 0) AND (CTBand = RESPONSE)
     ((((((((((((CTBand = BandA) AND (CTAmtYr <= BandAMax)) OR ((CTBand =
     BandB) AND (CTAmtYr <= BandBMax))) OR ((CTBand = BandC) AND (CTAmtYr
     <= BandCMax))) OR ((CTBand = BandD) AND (CTAmtYr <= BandDMax))) OR
     ((CTBand = BandE) AND (CTAmtYr <= BandEMax))) OR ((C
     'I That's £'CTAmtYr a year which seems rather high for a property in this Band. Please check the
     amount and frequency of payment. If correct, suppress warning and explain circumstances in a Note. A
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: ((CTAmt > 0) AND (CTDisc <> Yes)) AND (CTReb <> Yes)
     ((CTInstal = Instal) AND ((CTAmt * CTTime) >= BandAMin)) OR ((CTInstal
     = Full) AND (CTAmt > BandAMin))
     'I The annual Council Tax comes to less than the cheapest Council Tax. No discount or rebate is
     received, so please check for a typing error. If correct, please give explanation in a Note. 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: ((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTAnnual =
     RESPONSE)
CTReal := (CTAmt * CTTime)
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: ((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTAnnual =
     RESPONSE)
     CTAnnual < (1.2 * CTReal)
     ^I £^CTAnnual is more than would be expected, given the instalments mentioned earlier. Please check,
     from the document consulted, that it's for the B same year B as the instalments. I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: ((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTAnnual =
     RESPONSE)
     CTAnnual > (0.8 * CTReal)
     ^I £^CTAnnual is less than would be expected, given the instalments mentioned earlier. Please check,
     from the document consulted, that it's for the B same year B as the instalments. I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     (CTBand <> NotApp) AND (CTBand <> DONTKNOW)
     ^I^BLU^IC If necessary check which is correct; this accom:
     - is NOT valued separately for C.Tax (code 9),
     - or it IS valued for C.Tax, but respondent DOESN'T KNOW the Tax Band
     (enter Don't know).
     If correct, suppress check & continue.^I
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: ((((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTInstal =
     Instal)) AND (CTAnnual = RESPONSE)) AND (CWatAmt1 = RESPONSE)
CTReal := (CTAmt * CTTime)
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: ((((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTInstal =
     Instal)) AND (CTAnnual = RESPONSE)) AND (CWatAmt1 = RESPONSE)
     CWatAmt1 <= CTReal
     'I The Domestic'B Water'B charge is more than the total amount of Council Tax paid for the year. Make
     sure that the last payment of Domestic Water charge (and domestic sewerage charge) was included at
     CTAmt.^I
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: ((CWatAmt1 = RESPONSE) AND (CTAmt = RESPONSE)) AND (CTInstal =
     Full)
     CWatAmt1 <= CTAmt
     'I The Domestic' Water' B Charge is more than the total amount of Council Tax paid for the year.
     Make sure that the last payment of Domestic Water charge (and domestic sewerage charge) was included
     at CTAmt.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: CTReb <> EMPTY AND (CTRebAmt = RESPONSE)
     CTRebAmt <> 0
     'I Zero amount of Council Tax benefit: this contradicts previous answer (at 'CTReb') that benefit WAS
     received. Please resolve if possible.^I
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
  348) FRS0801A.QCounTax.OrgWatAmt
     ^I QCounTax^I
     Domestic Water Charge, original entry before discount
     0.00..9999.97
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
( 349) FRS0801A.QCounTax.OrgSewAmt
```

^I QCounTax^I

Domestic Sewerage Charge, original entry before discount as entered at interview.

0.00..9999.97

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     And: Edit = Yes
    AND: Scotland = Yes
     AND: CWatAmt1 <> EMPTY
OrgWatAmt := CWatAmt1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
    AND: Edit = Yes
    AND: Scotland = Yes
     AND: ((OrgWatAmt <> RESPONSE) AND (CTBand IN [BandA .. BandI])) AND
     ScotWat.SEARCH (QDataBag.SLA)
OrgWatAmt := ScotWat.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     And: Edit = Yes
     AND: Scotland = Yes
    AND: ((OrgWatAmt <> RESPONSE) AND (CTBand IN [BandA .. BandI])) AND
     ScotWat.SEARCH (QDataBag.SLA)
CWatAmt1 := OrgWatAmt
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
( 350) FRS0801A.QCounTax.OrgWatAmt
     ^I OCounTax^I
     Domestic Water Charge, original entry before discount
    0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
    And: Edit = Yes
     AND: Scotland = Yes
CTDiscR := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
     AND: CT25D50D = D25
CTDiscR := 0.75
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
     AND: CT25D50D = D50
CTDiscR := 0.5
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: Edit = Yes
    AND: Scotland = Yes
CWatAmt := (OrgWatAmt * CTDiscR)
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
  351) FRS0801A.QCounTax.CWatAmt
     ^I QCounTax^I
     Water charge: Final value (after discount)
     0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
    AND: Scotland = Yes
     AND: CSewAmt1 <> EMPTY
OrgSewAmt := CSewAmt1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: Edit = Yes
    AND: Scotland = Yes
     AND: ((OrgSewAmt <> RESPONSE) AND (CTBand IN [BandA .. BandI])) AND
     ScotSew.SEARCH (QDataBag.SLA)
OrgSewAmt := ScotSew.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: Edit = Yes
     AND: Scotland = Yes
     AND: ((OrgSewAmt <> RESPONSE) AND (CTBand IN [BandA .. BandI])) AND
     ScotSew.SEARCH (QDataBag.SLA)
CSewAmt1 := OrgSewAmt
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
( 352) FRS0801A.QCounTax.OrgSewAmt
     Domestic Sewerage Charge, original entry before discount as entered at interview.
     0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
CSewAmt := (OrgSewAmt * CTDiscR)
```

```
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     And: Edit = Yes
     AND: Scotland = Yes
( 353) FRS0801A.QCounTax.CSewAmt
     ^I QCounTax^I
     Sewerage charge: Final value (after discount)
     0.00..9999.97
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: Edit = Yes
CTChkB := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: Edit = Yes
CTChkC := 'Not known'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
CTChkD := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
CTChkE := 'N/A'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     And: Edit = Yes
CTChkF := 'Not calculated'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: Edit = Yes
     AND: CTAnnual = RESPONSE
CTChkCR := CTAnnual
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
     AND: Edit = Yes
     AND: CTAnnual = RESPONSE
CTChkC := STR(CTAnnual, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     And: Edit = Yes
     AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
     NONRESPONSE
     AND: (CTInstal = Full) OR (CTAmt = 0)
```

CTChkCR := CTAmt

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: Edit = Yes
    AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE
    AND: (CTInstal = Full) OR (CTAmt = 0)
CTChkC := STR(CTAmt, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: Edit = Yes
    AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE
    AND: CTInstal = Instal
CTChkCR := (CTAmt * CTTime)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: Edit = Yes
    AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE
    AND: CTInstal = Instal
CTChkC := STR(CTAmt * CTTime, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    And: NatCen <> NI
    And: Edit = Yes
    AND: CTDisc = No
CTChkD := 'None'
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    And: NatCen <> NI
    AND: Edit = Yes
    AND: CT25D50D = D25
CTChkD := '25%'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: Edit = Yes
    AND: CT25D50D = D50
CTChkD := '50%'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NatCen <> NI
    AND: Edit = Yes
    AND: CT25D50D = NONRESPONSE
CTChkD := 'Amount not known'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    And: NatCen <> NI
    AND: Edit = Yes
    AND: (CTRebAmt = RESPONSE) AND (CTRebPd = RESPONSE)
CTChkE := STR(CTRWkly * 52,7,2)
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: Edit = Yes

AND: CTRebAmt = NONRESPONSE OR CTRebPd = NONRESPONSE

CTChkE := 'Annual amount not known'

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

And: Edit = Yes

AND: ((((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <> NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE

CTChkFR := (CTChkCR + (CTRWkly * 52))

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: Edit = Yes

AND: ((((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE
AND: CT25D50D = D25

CTChkFR := ((CTChkFR * 4) / 3)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: Edit = Yes

AND: ((((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <> NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE
AND: CT25D50D = D50

CTChkFR := (CTChkFR * 2)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: NatCen <> NI

AND: Edit = Yes

AND: ((((CTAmt = RESPONSE) AND CTINStal <> NONRESPONSE) AND CTTime <> NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE

CTChkF := STR(CTChkFR,7,2)

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: Edit = Yes
```

(354) FRS0801A.QCounTax.CTChk

^I QCounTax^I

^I Editor: The following calculations are based on the council tax details.

Local Authority @|@|@|: ^QDataBag.SLA

CTBand @|@|@|@|: ^Letter

Annual set charge (from lookup)@|: £^CTXAmt

SCOTLAND ONLY (from lookup):

Taking off water/sewerage charges@|: £^CTSXAmt @|(Water charges: ^CTSWAmt,@|Sewer charges: ^CTSSAmt)

Respondent's annual payment@|: £^CTChkc

Discount@|@|@|@|: ^CTChkd

Annual benefit received@|@|: £^CTChke EXPECTED annual charge@|@|: £^CTChkf

PRESS <Enter> To continue.^I

STRING[1]

```
Warn if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
And: NatCen <> NI
And: Edit = Yes
```

(CTConDoc <> No) AND INVOLVING(CTChk)

^I Editor: No Council Tax document consulted Examine display at 'CTChk' for discrepancies.

Compare set charge with expected charge (Should be v. similar) and refer to supervisor if necessary. \(^1\)

```
Warn if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AnD: NatCen <> NI
   AnD: Edit = Yes
   CTAmt<>NONRESPONSE
```

^I Missing amount of council tax. Refer to display at 'ctchk' and enter annual payment, after taking off discount/rebate (Also check for notes). If in Scotland, and discount applies, then see edit instructions.^I

```
Warn IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI
AND: Edit = Yes
AND: CTAmt = RESPONSE
CTAmt <> 0
```

^I Editor: Zero Council Tax recorded. Please check the details as necessary^I

```
Warn IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AnD: NatCen <> NI
   AnD: Edit = Yes
   CTTime<>NONRESPONSE
```

^I Missing Period for Council Tax.^I

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     And: Edit = Yes
     CTRebAmt<>NONRESPONSE
     ^I Missing amount for Council Tax rebate.^I
     Editor: For new claims made from April 1999, the maximum rebate for bands F, G & H is the band^B
     E^B total.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: Edit = Yes
     CTRebPd<>NONRESPONSE
     ^I Missing period for Council Tax Rebate.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
     AND: (CTBand = RESPONSE) AND CTLVChk <> EMPTY
     CTLVChk <> Aftr
     'I Editor: The CT band is the band'B after'B Disablement re-valuation. But it should be the band'B
     before^B. Please change '^B CTBand^B' to the^B next band up^B (Eg. from 'C' to 'D') and then change
     the answer at '^B CTLVChk^B' to code 2, 'before'.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
     AND: Edit = Yes
     CTRebPd <> Note
     ^I EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
     AND: (CTRebYr > 0) AND (CTBand = RESPONSE)
     (((((CTBand = BandA) AND (CTRebYr <= BandAMax)) OR ((CTBand = BandB)
     AND (CTRebYr <= BandBMax))) OR ((CTBand = BandC) AND (CTRebYr <=
     BandCMax))) OR ((CTBand = BandD) AND (CTRebYr <= BandDMax))) OR
     ((IN(CTBand,[???])) AND (CTRebYr <= BandEMax))
     'I Editor: CT rebate is £^CTRebYr a year. For new claims made from April 1998, the maximum rebate
     for bands F, G & H is the band^B E^B total. For claims before April 1998 this capping does not apply.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     And: NatCen <> NI
     AND: Edit = Yes
     AND: (CTRebYr > 0) AND (CTBand <> RESPONSE)
     CTRebYr <= BandHMax
     'I Editor: Council Tax rebate is £'CTRebYr a year which is greater than even the highest council tax
     rebate allowed. Please check the amount and period of payment. \(^{1}\)
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     And: Edit = Yes
     WhyNoCT <> Other
     ^I Editor: Other reason for CT non-payment. Please check for a note; and see
     (a) If the reason can be re-coded, at '^B WHYNOCT^B' {or at '^B CTEXREB^B};
     (b) If the hhold is in fact not liable for CT - Eg. note states 'paid to landlord' or 'included in rent' (If so,
     change '^B CTBand^B' to '9').^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
     AND: (CTInstal = Full) OR (CTAnnual > 0)
     CWatAmt1 = RESPONSE
     ^I Editor: Missing amount for Domestic Water Charge (Scotland): Please impute using figures
     provided.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NatCen <> NI
     AND: Edit = Yes
     AND: Scotland = Yes
     AND: (CTInstal = Full) OR (CTAnnual > 0)
     CSewAmt1 = RESPONSE
     ^I Editor: Missing amount for domestic sewerage charge (Scotland): Please impute using figures
     provided.^I
```

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NatCen <> NI

QCounTax.WhyNoCT <> Other

'I If Tax is 'paid by landlord' or 'included in rent', check whether the accommodation is valued separately and if not, recode CTBand;

if a deduction is made from pay, enter it as a payment at CTAmt.^I

Warn IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
 AND: NatCen <> NI
 AND: QCounTax.CTReb <> EMPTY AND ((QRenting.HBenefit = Yes) OR (GOV IN QOwner1.QMortgage.M[1].QOutsPay))
 QCounTax.CTReb = Yes

^I Earlier, the respondent said they get Housing Benefit or help from ^GOV1 with mortgage. They should usually also get Council Tax Benefit. Please check: is their C.Tax bill 'reduced' - does the Council take anything off it? (apart from Discount). If so, change answer to 'Yes'.^I

FRS0801A.QNIRates

```
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 1
NIRate := 3.4857
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 2
NIRate := 3.5278
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 3
NIRate := 3.7189
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
    AND: NIDCoun = 4
NIRate := 3.4017
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
    AND: NIDCoun = 5
NIRate := 3.3867
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 6
NIRate := 3.5807
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 7
NIRate := 3.736
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 8
NIRate := 3.5094
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 9
NIRate := 3.2167
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 10
NIRate := 3.3567
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 11
NIRate := 3.4432
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 12
NIRate := 3.6182
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
     AND: NIDCoun = 13
NIRate := 3.6516
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
     AND: NIDCoun = 14
NIRate := 3.3551
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
     AND: NIDCoun = 15
NIRate := 3.1797
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 16
NIRate := 3.6637
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
    AND: NIDCoun = 17
NIRate := 3.5046
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 18
NIRate := 3.3255
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
    AND: NIDCoun = 19
NIRate := 3.7491
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 20
NIRate := 3.1884
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 21
NIRate := 3.775
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 22
NIRate := 3.6567
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 23
NIRate := 3.4836
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 24
NIRate := 3.4617
 \textit{Compute if: QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit = Yes}) 
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 25
NIRate := 3.6293
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NIDCoun = 26
NIRate := 3.4721
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
PDCode[1] := 52
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
PDCode[2] := 26
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
PDCode[3] := 17.33
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
PDCode[4] := 13
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[5] := 12
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[7] := 6
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[8] := 8
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
PDCode[9] := 9
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[10] := 10
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[13] := 4
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[26] := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[52] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[90] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
PDCode[95] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (NatCen <> NI)
```

RTIntro := 'Now there are some questions about Rates'

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
( 355) FRS0801A.QNIRates.BillRate
     ^I QNIRates
     ۸I
     ^N^BLU^RTIntro^BLU
     Do you get a bill for rates on this accommodation?^N
           Yes
                       Yes
     (1)
     (2)
           No
                      No
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: BillRate = No
( 356) FRS0801A.QNIRates.NoRate
     ^I QNIRates
     ۸I
     ^N Why do you not get a rates bill?^N
     (1)
           RateInc
                      Rented accommodation with rates included in rent
           RateFree
     (2)
                      Rent/rates free
     (3)
           RateRbt
                      Receive rebate
     (4)
           Other
                      Other reason (specify)
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: BillRate = No
     AND: NoRate = Other
( 357) FRS0801A.QNIRates.OthReas
     ^I QNIRates
     ۸Ι
     ^N Please specify this other reason^N
     STRING[100]
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
AND: NOT (BillRate = No)
( 358) FRS0801A.QNIRates.PayRate
     ^I QNIRates
     ۸I
     ^N Do you, or someone in this household, pay the rates bill?^N
     (1)
           Yes
                      Yes
     (2)
           No
                      No
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = No
(359) FRS0801A.QNIRates.NoPay
     ^I QNIRates
     ۸I
     ^N Why don't you pay your rates bill?^N
     STRING[100]
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
( 360) FRS0801A.QNIRates.RTConDoc
     ^I QNIRates
     ۸I
     ^N For your Rates, do you have a bill, statement, or payment book that you could consult?^N
     'I'BLU'IC Accept a statement/bill from the most recent year if none available for 2007-2008.'I
     (1)
           Yes
                      Yes - consulted now
     (2)
                     No - no document (or will not consult)
           No
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = Yes
( 361) FRS0801A.QNIRates.RTStatYr
     ^I QNIRates
     ۸I
     ^I^BLU Refer to document being consulted: ^I ^BLU
     ^N Which year does the statement/bill refer to?^N
           Yr04
                     2004-05
     (1)
                      2005-06
     (2)
           Yr05
     (3)
           Yr06
                      2006-07
     (4)
           Yr07
                     2007-08
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = Yes
Document := 'Refer to document being consulted:'
```

Page 362

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = Yes
can_you := 'On the statement/bill'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = No
Document := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = No
can you := 'Can you tell me'
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
(362) FRS0801A.QNIRates.RTAnnual
     ^I QNIRates
     ۸I
     ^I^BLU ^Document^I ^BLU
     ^N ^can_you, what is the total amount of rates payable, after deducting any discounts or benefit?^N
     ^I^BLU^IC If not consulting a statement/bill - probe to ensure amount given is as accurate as possible.
     'Year' = April to March (12 months)
     Note: No rates are payable in February and March each year^I
     0.00..9999.97
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
( 363) FRS0801A.QNIRates.RTArrear
     ^I QNIRates
     ^I^BLU ^Document^I ^BLU
     ^N Are there any arrears included in the total amount payable? ^N
     (1)
          Yes
                     Yes
          No
                     No
     (2)
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTArrear = Yes
( 364) FRS0801A.QNIRates.RTArrAmt
     ^I QNIRates
     ۸I
     ^N What is the total amount of arrears payable? ^N
     0.00..9999.97
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
AND: NOT (BillRate = No)
     AND: PayRate = Yes
( 365) FRS0801A.QNIRates.RTInstal
     ^I QNIRates
     ۸I
     ^N (Can I just check,) is this total amount payable the full payment for the year, or was it an
     instalment?^N
     ^I^BLU^IC 'Year' = April to March (12 months).^I
                      Full annual payment
           Full
     (1)
                      An instalment
           Instal
     (2)
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTInstal = Instal
( 366) FRS0801A.QNIRates.RTTimePx
     ^I QNIRates
     ۸Ţ
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (NatCen <> NI)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTInstal = Instal
```

(367) FRS0801A.QNIRates.RTTimePd

```
^I QNIRates
^I
```

^N How often do you pay instalments?^N

^I^BLU^IC 'Whole year' = April to March (12 months).

Note: If respondent paying by Direct Debit there are usually 10 monthly instalments per year as no rates are payable in February and March.

If payment given is from last year, enter number of instalments made last year. If

```
    OneWeek
    One week
    Month
    Calendar month
    Ten times a year
```

(52) Year One Year/12 months/52 weeks(97) Note None of these ^I(Explain in a note)^I

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

```
AND: NOT (NatCen <> NI)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTInstal = Instal
AND: RTTimePd = Note
```

(368) FRS0801A.QNIRates.RTTimePx

```
^I QNIRates
^I
^I^BLU^IC^Pd97Txt^I
```

OPEN

```
Warn if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AnD: NOT (NatCen <> NI)
   AnD: NOT (BillRate = No)
   AnD: PayRate = Yes
   AnD: RTInstal = Instal
   AND: RTTimePd = Year
   (RTInstal <> Instal) AND INVOLVING(RTInstal,RTTimePd)
```

The respondent said they pay one instalment per year - therefore go to RTInstal and change code to 'Full annual payment'

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
( 369) FRS0801A.QNIRates.RTReb
     ^I QNIRates
     ۸I
     ^N Are you allowed a Rates Rebate?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: (NoRate = RateRbt) OR (RTReb = Yes)
( 370) FRS0801A.QNIRates.RTDeduc
     ^I QNIRates
     ۸Ι
     ^N Was this deducted from your LAST rates payment?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: (NoRate = RateRbt) OR (RTReb = Yes)
     AND: RTDeduc = Yes
( 371) FRS0801A.QNIRates.RTRebAmt
     ^I QNIRates
     ۸I
     ^N How much was allowed?^N
     0.01..9999.97
RECORD IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: (NoRate = RateRbt) OR (RTReb = Yes)
     AND: RTDeduc = Yes
( 372) FRS0801A.QNIRates.RTRebPx
     ^I QNIRates
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: (NoRate = RateRbt) OR (RTReb = Yes)
     AND: RTDeduc = Yes
( 373) FRS0801A.QNIRates.RTRebPd
     ^I QNIRates
     ۸I
     ^N How long did this cover?^N
     (1)
          OneWeek
                    One week
          Month
                    Calendar month
     (5)
     (10)
         TenYear
                    Ten times a year
                    One Year/12 months/52 weeks
     (52)
         Year
     (97) Note
                    None of these ^I(Explain in a note)^I
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: (NoRate = RateRbt) OR (RTReb = Yes)
     AND: RTDeduc = Yes
     AND: RTRebPd = Note
( 374) FRS0801A.QNIRates.RTRebPx
     ^I QNIRates
     ^I^BLU^IC^Pd97Txt^I
     OPEN
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
```

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: QNIRates.RTReb <> EMPTY AND ((QRenting.HBenefit = Yes) OR (GOV IN
     QOwner1.QMortgage.M[1].QOutsPay))
     QNIRates.RTReb = Yes
     'I Earlier, the respondent said they get Housing Benefit or help from 'GOV1 with mortgage. They should
     usually also get a Rates Rebate. Please check: is their Rates bill 'reduced' - does the Rate Collection
     Agency take anything off it? If so, change answer to 'Yes'.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     AND: QNIRates.BillRate <> EMPTY AND (QNIRates.NoRate = RateInc)
     ((QAccomdat.Tenure = Part) OR (QAccomdat.Tenure = Rents)) AND
     INVOLVING(QAccomdat.Tenure)
     'I Earlier, the respondent said they did NOT rent/part rent this accommodation - the rates could NOT be
     included in the rent!!
     Please check that Tenure is correct.^I
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (NatCen <> NI)
     RESERVECHECK
```

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NOT (NatCen <> NI)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NOT (NatCen <> NI)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)

AND: (QRenting.WSInc = EMPTY OR QRenting.WSInc = NONRESPONSE) OR (QRenting.WSInc IN [Sewer, Neith])

AskWater := Yes

COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)

AND: (QRenting.WSInc = EMPTY OR QRenting.WSInc = NONRESPONSE) OR

(QRenting.WSInc IN [Water, Neith])

AskSewer := Yes

FRS0801A.QWaterSew

Questions about sewerage and water rates

```
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: (NatCen = NI) AND ((PAskWater = Yes) OR (PAskSewer = Yes))
```

(375) FRS0801A.QWaterSew.NIWIntro

```
^I QWaterSew
```

۸Ţ

^N From April 2007, the government has introduced water and sewerage charges to Northern Ireland.

These charges are based on the 'capital value' of your home and are being 'phased in' for the first two years - where you pay one-third of the yearly charge in the first year and two-thirds in the second year. In the third year, from April 2009, you will pay the full amount.

There are two charges - water & sewerage - but you only pay for the services you receive.

By now you should have received a letter/bill indicating how much you will be eligible to pay for the period 1st April 2007 to 31 March 2008.

I will now ask you some questions about these charges.

PRESS <ENTER> TO CONTINUE^N

STRING[1]

```
Ask if: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: PAskWater = Yes
```

(376) FRS0801A.QWaterSew.WaterMet

```
^I QWaterSew
^I
```

^I^B Northern Ireland only^B - Meters will only be installed for pensioner households, all new properties and those properties connecting to the water supply for the first time.^I

(1) Yes Yes

```
(2) No No
```

```
Ask if: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: PAskWater = Yes
```

(377) FRS0801A.QWaterSew.WaterPay

```
^I QWaterSew
```

^I

^N Do you pay water ^RatesOrCharges?^N

- (1) Yes Yes
- (2) No No

```
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: PAskSewer = Yes
( 378) FRS0801A.QWaterSew.SewerPay
     ^I QWaterSew
     ^N Do you pay sewerage ^RatesOrCharges?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
ASK IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: ((WaterPay = Yes) AND (SewerPay = Yes)) AND (NatCen <> NI)
(379) FRS0801A.QWaterSew.SewSep
     ^I QWaterSew
     ۸I
     ^N Do you pay separate or combined water and sewerage rates or charges?^N
          Separate
                    Separate
     (1)
          Combined
                    Combined
     (2)
Ask if: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
( 380) FRS0801A.QWaterSew.WatTime
     ^I QWaterSew
     ۸I
     'N How many times a year do you pay water 'RatesOrCharges?'N
     ^I^BLU^IC Enter times a year.^I
     1..52
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
( 381) FRS0801A.QWaterSew.WatAmt
     ^I QWaterSew
     ۸Ţ
     ^N How much did you actually pay last time?^N
     0.01..9997.00
```

```
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
( 382) FRS0801A.QWaterSew.WatAnul
     ^I QWaterSew
     ΛŢ
     ^N How much is your^B annual^B bill?^N
     ^I^BLU^IC Code as don't know if respondent has not yet received their annual bill because they are on a
     0.01..9997.00
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
     AND: (WatAmt = RESPONSE) AND (WatTime = RESPONSE)
WatWkly := ((WatAmt * WatTime) / 52)
WARN IF: OCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
     AND: Edit = No
     (WatWkly <= 12) AND INVOLVING(WatTime, WatAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
     AND: Edit = No
     AND: ((WatTime = RESPONSE) AND (WatAnul = RESPONSE)) AND (WatAmt =
     RESPONSE)
      (ABS((WatTime * WatAmt) - WatAnul) <= 25) AND
     INVOLVING(WatTime, WatAnul, WatAmt)
     ^I Interviewer: The Annual payment for water rates/charges (WatAnul) is very different from the total for
     individual payments (WatTime x WatAmt).
     Please check these figures.^I
Ask If: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
( 383) FRS0801A.QWaterSew.SewTime
     ^I QWaterSew
     ۸I
     'N How many times a year do you pay sewerage 'RatesOrCharges?'N
     ^I^BLU^IC Enter times a year.^I
     1..52
```

```
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
( 384) FRS0801A.QWaterSew.SewAmt
     ^I QWaterSew
     ΛŢ
     ^N How much did you actually pay last time?^N
     0.01..9997.00
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
  385) FRS0801A.QWaterSew.SewAnul
     ^I QWaterSew
     ۸I
     ^N How much is your^B annual^B bill?^N
     ^I^BLU^IC Code as don't know if respondent has not yet received their annual bill because they have a
     septic tank.^I
     0.01..9997.00
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
     AND: (SewAmt = RESPONSE) AND (SewTime = RESPONSE)
SewWkly := ((SewAmt * SewTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
     AND: Edit = No
     (SewWkly <= 8) AND INVOLVING(SewTime, SewAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
     AND: Edit = No
     AND: ((SewTime = RESPONSE) AND (SewAnul = RESPONSE)) AND (SewAmt =
     RESPONSE)
     (ABS((SewTime * SewAmt) - SewAnul) <= 25) AND
     INVOLVING(SewTime, SewAnul, SewAmt)
     ^I Interviewer: The Annual payment for sewerage rates/charges (SewAnul) is very different from the total
     for individual payments (SewTime x SewAmt).
     Please check these figures.^I
```

```
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Combined) OR (((NatCen = NI) AND (SewerPay = Yes)) AND
     (WaterPay = Yes))
( 386) FRS0801A.QWaterSew.WSewTime
     ^I QWaterSew
     ۸I
     ^N How many times a year do you pay?^N
     ^I^BLU^IC Enter times a year.^I
     1..52
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Combined) OR (((NatCen = NI) AND (SewerPay = Yes)) AND
     (WaterPay = Yes))
  387) FRS0801A.QWaterSew.WSewAmt
     ^I QWaterSew
     ^I^B Metered Water^B - Charges made via a water meter should be treated as water rate payments and
     the last amount actually paid entered. I
     0.01..9997.00
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Combined) OR (((NatCen = NI) AND (SewerPay = Yes)) AND
     (WaterPay = Yes))
  388) FRS0801A.QWaterSew.WSewAnul
     ^I QWaterSew
     ۸I
     ^N How much is your^B annual^B bill?^N
     ^I^BLU^IC Code as don't know if respondent has not yet received their annual bill.^I
     0.01..9997.00
COMPUTE IF: OCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Combined) OR (((NatCen = NI) AND (SewerPay = Yes)) AND
     (WaterPay = Yes))
     AND: (WSewAmt = RESPONSE) AND (WSewTime = RESPONSE)
WSewWkly := ((WSewAmt * WSewTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Combined) OR (((NatCen = NI) AND (SewerPay = Yes)) AND
     (WaterPay = Yes))
     AND: Edit = No
     (WSewWkly < 20) AND INVOLVING(WSewTime, WSewAmt)
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

```
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Combined) OR (((NatCen = NI) AND (SewerPay = Yes)) AND
     (WaterPay = Yes))
     AND: Edit = No
     AND: ((WSewTime = RESPONSE) AND (WSewAnul = RESPONSE)) AND (WSewAmt =
     RESPONSE)
      (ABS((WSewTime * WSewAmt) - WSewAnul) <= 25) AND
     INVOLVING (WSewTime, WSewAnul, WSewAmt)
     'I Interviewer: The Annual payment for water/sewerage rates/charges (WSewAnul) is very different from
     the total for individual payments (WSewTime x WSewAmt).
     Please check these figures.^I
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (NatCen = NI) AND (PAskWater = Yes)
  389) FRS0801A.QWaterSew.NIWRedT
     ^I QWaterSew
     'I Any entitlement to Housing Benefit will automatically mean the householder qualifies for the Reduced
     Those on the Reduced Tariff will pay no more than £60 in 2007-08 for their water/sewerage charges.^I
     (1)
          Yes
                     Yes
     (2)
                     No
          No
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (NatCen = NI) AND (PAskWater = Yes)
     AND: (WatAmt = RESPONSE) AND (WatTime = RESPONSE)
WatWkly := ((WatAmt * WatTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
          (NatCen = NI) AND (PAskWater = Yes)
```

```
AND: NIWRedT = Yes
(WatWkly < 1.16) AND INVOLVING(WatAmt, WatTime, NIWRedT)
```

The respondent said they qualified for the Reduced Tariff, therefore the total annual charge cannot be more than £60. Please check your answers

```
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
    AND: (AskWater = Yes) OR (AskSewer = Yes)
    AND: (NatCen = NI) AND (PAskWater = Yes)
    AND: (SewAmt = RESPONSE) AND (SewTime = RESPONSE)
SewWkly := ((SewAmt * SewTime) / 52)
WARN IF: OCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
    AND: (AskWater = Yes) OR (AskSewer = Yes)
    AND: (NatCen = NI) AND (PAskWater = Yes)
    AND: NIWRedT = Yes
    (SewWkly < 1.16) AND INVOLVING(SewAmt, SewTime, NIWRedT)
```

The respondent said they qualified for the Reduced Tariff, therefore the total annual charge cannot be more than £60. Please check your answers

```
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (NatCen = NI) AND (PAskWater = Yes)
     AND: (WSewAmt = RESPONSE) AND (WSewTime = RESPONSE)
WSewWkly := ((WSewAmt * WSewTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (NatCen = NI) AND (PAskWater = Yes)
     AND: NIWRedT = Yes
     (WSewWkly < 1.16) AND INVOLVING(WSewAmt, WSewTime, NIWRedT)
     The respondent said they qualified for the Reduced Tariff, therefore the total annual charge cannot be
     more than £60. Please check your answers
Ask IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (WaterMet = Yes) AND (NatCen <> NI)
  390) FRS0801A.QWaterSew.WatRb
     ^I QWaterSew
     ۸I
     'I The vast majority of people have to pay the full water and sewage charges but there are also a few
     metered who are eligible for assistance under the Vulnerable Groups Scheme (Water Industry Act 1999).
     Under this scheme people who qualify receive a bill capped at the average charge for their region and do
     not have to pay the measured charge reflecting their genuine water consumption. I
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     RESERVECHECK
     RESERVECHECK
```

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)

AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)

AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)

AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QCounTax.CTBand <> EMPTY AND (Scotland <> Yes)
AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK

FRS0801A.QAccomCharge

Questions on charges with accommodation.

Ask IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]

(391) FRS0801A.QAccomCharge.Charge

^I QAccomCharge

۸I

Use the combined charge category when it is not possible for respondents to split out separate amounts for ground rent, service charge and maintenance charge. If you record a combined amount, do not record the separate amounts as well.^I

SET [9] OF

((1)) Ground	Ground	Rent

(2) FeuDuty THIS CODE IS NOT USED

(3) Chief Chief Rent(4) Service Service charge

(5) Maint Compulsory or regular maintenance charges

(6) SiteRent Site rent (caravans)

(7) Factor Factoring (Payments to a land steward)

(8) Other Any other regular payments

(9) Combined Combined charges (eg. ground rent, service charge, maintenance charge, factoring

etc.)

(10) None None of these

Warn if: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting]
 AND: (((Ground IN Charge) AND (Service IN Charge)) AND (Maint IN Charge)) AND (Combined IN Charge)
 ERROR

^I Only code combined charges instead of the separate ground rent, service charge, maintenance charge, factoring etc.^I

Ask if: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
AND: Other IN Charge

(392) FRS0801A.QAccomCharge.ChargeO

^I QAccomCharge

۸Ι

^N Please specify the other type of payments.^N

STRING[50]

Ask IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
AND: (Service IN Charge) OR (Combined IN Charge)

(393) FRS0801A.QAccomCharge.ChIns

^I QAccomCharge

۸I

^N Does this service charge include insurance?^N

(1) Yes Yes

(2) No No

FRS0801A.QAccomCharge.QChargeAmtPd[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 9
     AND: Idx IN Charge
LCharges[1] := 'Ground Rent'
Compute if: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
    AND: Idx IN Charge
LCharges[2] := 'Feu duty'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 9
AND: Idx IN Charge
LCharges[3] := 'Chief Rent'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
    AND: Idx IN Charge
LCharges[4] := 'Service charge'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
    AND: Idx IN Charge
LCharges[5] := 'Maintenance charges'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 9
    AND: Idx IN Charge
LCharges[6] := 'Site rent'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 9
    AND: Idx IN Charge
LCharges[7] := 'Factoring'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 9
    AND: Idx IN Charge
LCharges[8] := PChargeO
Compute if: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 9
    AND: Idx IN Charge
LCharges[9] := ('Combined charges (eg. ground rent, service
charge, ' + 'maintenance charge, factoring etc.)')
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
     AND: Idx IN Charge
( 394) FRS0801A.QAccomCharge.QChargeAmtPd[].ChrgAmt
     ^I QAccomCharge
     ۸I
     ^N I would now like to ask about the charges you pay for ^LCharges[PSeq].
     How much did you pay last time?^N
     0.01..9997.00
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
     AND: Idx IN Charge
     AND: ChrgAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
     AND: Idx IN Charge
     AND: ChrqAmt > 0
( 395) FRS0801A.QAccomCharge.QChargeAmtPd[].ChrgPx
     ^I QAccomCharge
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
     AND: Idx IN Charge
     AND: ChrgAmt > 0
  396) FRS0801A.QAccomCharge.QChargeAmtPd[].ChrgPd
     ^I QAccomCharge
     ۸I
     ^N How long did this cover?^N
     (1)
          OneWeek
                     One week
          TwoWeek
                    Two weeks
     (2)
          ThrWeek
                     Three weeks
     (3)
          Fourweek
                     Four weeks
     (4)
                     Calendar month
     (5)
          Month
     (7)
          TwoMonth Two Calendar months
     (8)
          EighYear
                     Eight times a year
     (9)
          NineYear
                     Nine times a year
          TenYear
     (10)
                     Ten times a vear
                    Three months/13 weeks
     (13)
          ThrMonth
     (26)
          SixMonth
                     Six months/26 weeks
                     One Year/12 months/52 weeks
     (52)
          Year
     (90)
          LessWeek
                     Less than one week
          LumpSum
                     One off/lump sum
     (95)
                     None of these ^I(Explain in a note)^I
     (97)
          Note
```

```
ASK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
     AND: Idx IN Charge
     AND: ChrgAmt > 0
     AND: ChrgPd = Note
(\ \ 397\ )\ FRS0801A.QAccomCharge.QChargeAmtPd[].ChrgPx
     ^I QAccomCharge
     ۸I
     ^I^BLU^IC ^Pd97Txt^I
     OPEN
Warn IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
     AND: Idx IN Charge
AND: Edit = Yes
     ChrgPd <> Note
     ^I Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.^I
```

FRS0801A.QAccomCharge (continued)

Questions on charges with accommodation.

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
     RESERVECHECK
     RESERVECHECK
Warn IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 9
    RESERVECHECK
     RESERVECHECK
Warn IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
    RESERVECHECK
     RESERVECHECK
Warn IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 9
    RESERVECHECK
    RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: Charge = RESPONSE
    NOT (IN (FeuDuty, Charge))
     ^I CODE 2 IS NOT VALID^I
CHECK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: None IN Charge
     Charge.CARDINAL = 1
     'I 'None of these' is an exclusive code for this question.'I
CHECK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
     RESERVECHECK
```

CHECK IF: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting] RESERVECHECK

RESERVECHECK

CHECK IF: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting] RESERVECHECK

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

RESERVECHECK

RESERVECHECK

CHECK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]

RESERVECHECK

RESERVECHECK

FRS0801A.QLodger

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
AND: In loop FOR count := 1 TO HHSize
     AND: ((PRec[count].Depend IN [Adult .. DepAd]) AND (PRel.PR[count].R IN
     [Child .. NonRel])) AND (ECount < 5)
ECount := (ECount + 1)
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: In loop FOR count := 1 TO HHSize
     AND: ((PRec[count].Depend IN [Adult .. DepAd]) AND (PRel.PR[count].R IN
     [Child .. NonRel])) AND (ECount < 5)
ELodger[ECount] := count
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
BordLodg[count].BenUnit := DMBU[[ELodger[count]]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
BordLodg[count].PersId := ELodger[count]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRel.PR[ELodger[count]].R IN [FChild, FParent, FSib, GChild ...
     NonRel]
Relation := Distant
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRec[ELodger[count]].Depend = DepAd
Relation := Skip
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRel.PR[ELodger[count]].R IN [Child .. StChild, ILChild ..
     StParent, ILParent .. StSib, ILSib]
Relation := Close
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRec[ELodger[count]].Sex = Male
HeShe := 'he'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: NOT (PRec[ELodger[count]].Sex = Male)
HeShe := 'she'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
LName := DMName[[ELodger[count]]
```

FRS0801A.QLodger.BordLodg[]

```
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
( 398) FRS0801A.QLodger.BordLodg[].BenUnit
     ^I QLodger
     ۸I
     ^N Benefit Unit of respondent.^N
     0..7
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
  399) FRS0801A.QLodger.BordLodg[].PersId
     ^I QLodger
     ۸I
     Person number of respondent.
     0..14
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: \tilde{E}Count > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
  400) FRS0801A.QLodger.BordLodg[].ConvBL
     ^I QLodger
     ۸I
     ^N (Can I just check), is ^LName ^N ... ^I Running Prompt... ^I
     (1)
          Board
                     ^N...a^B boarder:^B that is, someone who pays you a^B rent^B for board AND
     lodging^N
     (2)
          Lodg
                     ^N...a^B lodger:^B that is, someone who pays you a^B rent for lodging, but not
     food^N
     (3)
          Neith
                     ^N...or neither of these?^N
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL = Board
pay := ' pay for board and lodging'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL = Lodg
pay := ' pay'
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
  401) FRS0801A.QLodger.BordLodg[].CvPay
     ^I QLodger
     'N How much rent did 'LName'pay last time it was due, after deducting any Housing Benefit?'N
     0.00..997.00
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
(402) FRS0801A.QLodger.BordLodg[].CvPx
     ^I QLodger
     ^I^BLU^IC^Pd97Txt^I
     OPEN
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
  403) FRS0801A.QLodger.BordLodg[].CvPd
     ^I QLodger
     ۸I
     ^N How long does that cover?^N
           OneWeek
                     One week
     (1)
           TwoWeek
                     Two weeks
     (2)
           ThrWeek
                     Three weeks
     (3)
     (4)
           Fourweek
                     Four weeks
     (5)
           Month
                     Calendar month
     (7)
           TwoMonth
                     Two Calendar months
     (8)
           EighYear
                     Eight times a year
     (9)
           NineYear
                     Nine times a year
           TenYear
     (10)
                     Ten times a year
     (13)
           ThrMonth
                     Three months/13 weeks
          SixMonth
                     Six months/26 weeks
     (26)
                     One Year/12 months/52 weeks
     (52)
           Year
     (90)
           LessWeek
                     Less than one week
     (95)
           LumpSum
                     One off/lump sum
                     None of these ^I(Explain in a note)^I
     (97)
           Note
```

```
ASK IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit = Yes)

AND: QAccomdat.HHStat = Conv
AND: ECount > 0
AND: In loop FOR count := 1 TO 5
AND: ELodger[count] > 0
AND: PRelation = Distant
AND: ConvBL IN [Board .. Lodg]
AND: CvPay > 0
AND: CvPd = Note

( 404 ) FRS0801A.QLodger.BordLodg[].CvPx

^I QLodger
^I

^I^BLU^IC^Pd97Txt^I

OPEN
```

FRS0801A.QLodger.BordLodg[].Weekly()

Procedure Call

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[1] := 1
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[2] := 2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[3] := 3
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[4] := 4
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[5] := 4.333
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[7] := 8.67
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[8] := 6.5
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[9] := 5.78
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[10] := 5.2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[13] := 13
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
    AND: ELodger[count] > 0
    AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[26] := 26
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
    AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
    AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
    AND: CvPay > 0
PdConW[52] := 52
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
    AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
    AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
    AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
    AND: CvPay > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QLodger.BordLodg[] (continued)

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
     AND: CvPd IN [OneWeek .. Year]
     AND: LWeekly > 0
CvWkly := LWeekly
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: (ConvBL = Lodg) AND (CvPay > 0)
  405) FRS0801A.QLodger.BordLodg[].CvHt
     ^I QLodger
     ^N Is HEATING included in that, or is it paid for separately?
     (1)
          Included
                     Included
     (2)
          Separat
                     Paid for separately
Warn IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     CvPd <> Note
     ^N EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it. N
```

FRS0801A.QLodger (continued)

```
Warn IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit = Yes)
AnD: QAccomdat.HHStat = Conv
AnD: ECount > 0
AnD: In loop FOR count := 1 TO 5
AnD: ELodger[count] > 0
AnD: Edit = No
AnD: BordLodg[count].CvWkly = RESPONSE
(BordLodg[count].CvWkly < 119) AND
INVOLVING(BordLodg[count].CvPd,BordLodg[count].CvPay)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit = Yes)

AND: QAccomdat.HHStat = Conv AND: In loop FOR Loop1 := 1 TO 5

AND: QLodger.BordLodg[Loop1].CvPay > 0

BUHBElig[QLodger.BordLodg[Loop1].BenUnit] := Yes

AND: QAccomdat.HHStat = Conv

RESERVECHECK

RESERVECHECK

AND: QAccomdat.HHStat = Conv

RESERVECHECK

RESERVECHECK

AND: QAccomdat.HHStat = Conv

RESERVECHECK

RESERVECHECK

AND: QAccomdat.HHStat = Conv

RESERVECHECK

FRS0801A.QSharer

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO HHSize
    AND: (PRec[count].Depend = Adult) AND (ECount < 8)
ECount := (ECount + 1)
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Ves
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO HHSize
     AND: (PRec[count].Depend = Adult) AND (ECount < 8)
ESharer[ECount] := count
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
Sharer[count].BenUnit := DMBU[[ESharer[count]]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
Sharer[count].PersId := ESharer[count]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
LName := DMName[[ESharer[count]]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: PRec[ESharer[count]].Sex = Male
HeShe := 'he'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: NOT (PRec[ESharer[count]].Sex = Male)
HeShe := 'she'
```

FRS0801A.QSharer.Sharer[]

```
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
(406) FRS0801A.QSharer.Sharer[].BenUnit
     ^I QSharer
     ۸Ţ
    BU number of person
    0..7
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
(407) FRS0801A.QSharer.Sharer[].PersId
     ^I QSharer
    ۸I
    Person identifier.
     0..14
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: PersId = 1
Preamb := ('Now I'd like to ask how much each of you' + ' pays
towards certain things.')
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: NOT (PersId = 1)
Preamb := ''
```

```
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
(408) FRS0801A.QSharer.Sharer[].SRentAmt
     ^I QSharer
     ۸I
     ^N How much rent did ^LName pay last time it was due, after deducting any Housing Benefit?^N
     0.00..997.00
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
(409) FRS0801A.QSharer.Sharer[].SRentPx
     ^I QSharer
     ۸I
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

```
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
  410) FRS0801A.QSharer.Sharer[].SRentPd
     ^I QSharer
     ۸I
     ^N How long does that cover?^N
           OneWeek
                     One week
     (1)
           TwoWeek
                     Two weeks
     (2)
           ThrWeek
     (3)
                     Three weeks
     (4)
           Fourweek
                     Four weeks
     (5)
           Month
                     Calendar month
     (7)
           TwoMonth Two Calendar months
     (8)
           EighYear
                     Eight times a year
     (9)
           NineYear
                     Nine times a year
     (10)
          TenYear
                     Ten times a year
                     Three months/13 weeks
     (13)
          ThrMonth
           SixMonth
                     Six months/26 weeks
     (26)
                     One Year/12 months/52 weeks
     (52)
          Year
     (90)
          LessWeek
                     Less than one week
     (95)
          LumpSum
                     One off/lump sum
     (97)
          Note
                     None of these ^I(Explain in a note)^I
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
     AND: SRentPd = Note
  411) FRS0801A.QSharer.Sharer[].SRentPx
     ^I QSharer
     ۸I
     ^I^BLU^IC^Pd97Txt^I
     OPEN
```

FRS0801A.QSharer.Sharer[].Weekly()

Procedure Call

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[1] := 1
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[2] := 2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[3] := 3
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[4] := 4
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[5] := 4.333
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[7] := 8.67
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[8] := 6.5
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[9] := 5.78
Compute if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
    AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[10] := 5.2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[13] := 13
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[26] := 26
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[52] := 52
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS0801A.QSharer.Sharer[] (continued)

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
     AND: SRentPd IN [OneWeek .. Year]
     AND: LWeekly >= 0
SRntWkly := LWeekly
Warn IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     SRentPd <> Note
     ^I EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.^I
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit = 1
How := 'Apart from any rent, how'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: NOT (BenUnit = 1)
How := 'How'
```

FRS0801A.QSharer (continued)

```
Warn IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit = Yes)
AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
AND: In loop FOR count := 1 TO 8
AND: ESharer[count] > 0
AND: Edit = No
AND: Edit = No
AND: Sharer[count].SRntWkly = RESPONSE
(Sharer[count].SRntWkly < 103) AND
INVOLVING(Sharer[count].SRentPd,Sharer[count].SRentAmt)</pre>
```

[^]I Are you sure? Enter here only the RESPONDENT'S SHARE of the household rent.^I

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

Warn if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
 Yes)

AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

Warn IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
 Yes)

AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

FRS0801A.QProperty

Questions about other property

Ask if: QAccomdat.SubLet = Yes

(412) FRS0801A.QProperty.SubRent

^I QProperty

۸I

^N You mentioned earlier that you let, or sub-let, part of this accommodation to someone outside your household.

How much rent have you received from this in the last 12 months, ie. since D LYear: that's BEFORE deducting any income tax that might be due on it? N

0.00..99999.97

```
COMPUTE IF: QAccomdat.SubLet = Yes
AND: SubRent = RESPONSE
```

SubWkly := (SubRent / 52)

```
WARN IF: QAccomdat.SubLet = Yes
AND: Edit = No
(SubWkly < 180) AND INVOLVING(SubRent)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: QAccomdat.SubLet = Yes
AND: SubRent = NONRESPONSE
```

HMissVar := (HMissVar + 1)

Ask IF: QAccomdat.SubLet = Yes

(413) FRS0801A.QProperty.SubAllow

^I QProperty

۸Ţ

^N And is that BEFORE or AFTER deducting allowable expenses?

(1) Befor Before(2) Aftr After

COMPUTE IF: QAccomdat.SubLet = Yes

Im := 'Apart from that, in'

```
COMPUTE IF: NOT (QAccomdat.SubLet = Yes)
```

Im := 'In'

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
WARN ALWAYS:
     RESERVECHECK
     RESERVECHECK
WARN ALWAYS:
     RESERVECHECK
     RESERVECHECK
WARN ALWAYS:
     RESERVECHECK
     RESERVECHECK
WARN ALWAYS:
    RESERVECHECK
     RESERVECHECK
COMPUTE ALWAYS:
PersList[1] := ''
COMPUTE ALWAYS:
PersList[2] := ''
COMPUTE ALWAYS:
PersList[3] := ''
COMPUTE ALWAYS:
Elig[1] := 0
COMPUTE ALWAYS:
Elig[2] := 0
COMPUTE ALWAYS:
Elig[3] := 0
Compute if: In loop FOR Loop1 := 1 TO HHSize
     AND: ((DMAge[Loop1] IN [16 .. 50]) AND (PRec[Loop1].Sex = Female)) OR (DMAge[Loop1] IN [0 .. 15])
PersList[1] := (PersList[1] + STR(Loop1,2) + ' : ' +
DMName[Loop1] + '
')
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
AND: ((DMAge[Loop1] IN [16 .. 50]) AND (PRec[Loop1].Sex = Female)) OR
     (DMAge[Loop1] IN [0 .. 15])
Elig[1] := (Elig[1] + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1]. TypeEd IN [Nursery .. Nonadv]
PersList[2] := (PersList[2] + STR(Loop1,2,0) + ' : ' +
DMName[Loop1] + '
1)
Compute if: In loop FOR Loop1 := 1 TO HHSize

AND: PRec[Loop1].TypeEd IN [Nursery .. Nonadv]
Elig[2] := (Elig[2] + 1)
Compute if: In loop FOR Loop1 := 1 TO HHSize
     AND: (DMAge[Loop1] IN [2 .. 18]) AND (PRec[Loop1].TypeEd IN [Nursery ..
     Nonadvl)
PersList[3] := (PersList[3] + STR(Loop1,2,0) + ' : ' +
DMName [Loop1] + '
')
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
     AND: (DMAge[Loop1] \ IN \ [2 .. 18]) \ AND \ (PRec[Loop1].TypeEd IN [Nursery ...])
     Nonadv])
Elig[3] := (Elig[3] + 1)
```

FRS0801A.QWelfare

Questions about free meals etc

```
COMPUTE IF: PAllCh > 0
incl child := ' (including any of your children under 16)'
Compute if: PAllCh = 1
incl child := ' (including your child under 16)'
Compute if: ((Elig[1] + Elig[2]) + Elig[3]) > 1
READ OUT := (I + 'Individual prompt...' + I)
Compute if: ((Elig[1] + Elig[2]) + Elig[3]) > 0
    AND: Elig[1] >= 1
WelfMilk := (N + '...any free welfare milk?' + N)
Compute if: ((Elig[1] + Elig[2]) + Elig[3]) > 0
    AND: NOT (Elig[1] >= 1)
WelfMilk := ''
Compute if: ((Elig[1] + Elig[2]) + Elig[3]) > 0
    AND: Elig[2] >= 1
SchMilk := (N + '...any free school milk?' + N)
Compute if: ((Elig[1] + Elig[2]) + Elig[3]) > 0
And: NOT (Elig[2] >= 1)
SchMilk := ''
Compute if: ((Elig[1] + Elig[2]) + Elig[3]) > 0
    AND: Elig[3] >= 1
SchMeal := (N + '...any free school meals?' + N)
Compute if: ((Elig[1] + Elig[2]) + Elig[3]) > 0
And: NOT (Elig[3] >= 1)
SchMeal := ''
```

```
Ask If: ((Elig[1] + Elig[2]) + Elig[3]) > 0
  414) FRS0801A.QWelfare.FreeItem
      ^I QWelfare
      ۸Ţ
      ^I^BLU^IC Questions about free school meals and welfare milk.^BLU^I
      ^N In the last 7 days, have ^you^incl_child had...^N
      ^BLU^READ_OUT
      SET [3] OF
           WMilk
                      ^WelfMilk
      (1)
      (2)
           SMilk
                       ^SchMilk
      (3)
           SMeal
                       ^SchMeal
      (4)
           None
                       None of these
CHECK IF: ((Elig[1] + Elig[2]) + Elig[3]) > 0
     AND: None IN FreeItem
     FreeItem.CARDINAL = 1
     ^I 'None of these' is an exclusive code for this question.^I
CHECK IF: ((Elig[1] + Elig[2]) + Elig[3]) > 0
      AND: WMilk IN FreeItem
     Elig[1 > 0]
      ^I Code 1 is not valid for this question.^I
CHECK IF: ((Elig[1] + Elig[2]) + Elig[3]) > 0
      AND: SMilk IN FreeItem
      Elig[2 > 0]
      ^I Code 2 is not valid for this question.^I
CHECK IF: ((Elig[1] + Elig[2]) + Elig[3]) > 0
     AND: SMeal IN FreeItem Elig[3 > 0
```

FRS0801A.QWelfare.WMkQ[]

```
RECORD IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
(415) FRS0801A.QWelfare.WMkQ[].Person
     ^I QWelfare
     ^N Person identifier.^N
     0..14
RECORD IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
(416) FRS0801A.QWelfare.WMkQ[].BenUnit
     ^I QWelfare
     ۸I
     ^N BU number of recipient.^N
     0..7
COMPUTE IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: PHHSize = 1
WMkPer := 1
COMPUTE IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: PHHSize = 1
NameOf := 'you'
Ask IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: NOT (PHHSize = 1)
  417) FRS0801A.QWelfare.WMkQ[].WMkPer
     ^I QWelfare
     ۸I
     ^N Who received the free^B welfare milk^B?^N
     ^I^BLU^IC Type in person number.
     ^PersList[1]^I
     0..14
```

```
CHECK IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: NOT (PHHSize = 1)
     AND: WMkPer = RESPONSE
     (WMkPer > 0) AND (WMkPer <= PHHSize)
     ^I This code is not valid for this question.^I
COMPUTE IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: NOT (PHHSize = 1)
NameOf := DMName[[WMkPer]
COMPUTE IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
Person := WMkPer
Ask if: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: WMkPer = RESPONSE
  418) FRS0801A.QWelfare.WMkQ[].WMkIt
     ^I QWelfare
     ۸I
     ^N Thinking just of the past seven days ending yesterday - how many pints did ^NameOf receive?
     ^N
     0..97
WARN IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: WMkPer = RESPONSE
     AND: Edit = No
     WMkIt <= 7
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
Ask IF: WMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
     AND: Elig[1] > 1
  419) FRS0801A.QWelfare.WMkQ[].WMIntro
     ^I QWelfare
     ۸I
     ^I^BLU^IC Prompt: Has anyone else had any free welfare milk during the past seven days ending
     yesterday?
     ۸I
     (1)
          Yes
                     Yes
     (2)
          No
                     No
```

COMPUTE IF: WMilk IN FreeItem

AND: In loop FOR Index1 := 1 TO 5
AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
AND: NOT (Elig[1] > 1)

WMIntro := No

FRS0801A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: WMilk IN FreeItem
AND: In loop FOR Index1 := 1 TO 5
AND: (Index1 = 1) OR (WMkQ[Index1 - 1].WMIntro = Yes)
```

WMkQ[Index1].BenUnit := DMBU[[WMkQ[Index1].WMkPer]

```
CHECK IF: WMilk IN FreeItem
AND: In loop FOR Index1 := 1 TO 5
AND: In loop FOR Index2 := 1 TO 5
AND: Index2 < Index1
WMkQ[Index2].WMkPer <> WMkQ[Index1].WMkPer
```

[^]I You have already entered this person number.^I

FRS0801A.QWelfare.SMkQ[]

```
RECORD IF: SMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
(420) FRS0801A.QWelfare.SMkQ[].Person
     ^I QWelfare
     ۸I
     ^N Person identifier.^N
     0..14
RECORD IF: SMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
(421) FRS0801A.QWelfare.SMkQ[].BenUnit
     ^I QWelfare
     ۸I
     ^N BU number of recipient.^N
     0..7
Ask if: SMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
(422) FRS0801A.QWelfare.SMkQ[].SMkPer
     ^I QWelfare
     ۸Ţ
     'I Free School Milk may be available if the child is in full-time education at a state school. The rules for
     offering Free School Milk differ by Local Education Authority. The age of children for whom it can be
     claimed also varies by LEA.^I
     0..14
COMPUTE IF: SMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
Person := SMkPer
```

```
Ask IF: SMilk IN FreeItem
      AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
  423 ) FRS0801A.QWelfare.SMkQ[].SMkIt
      ^I QWelfare
      ۸Ι
      'N Thinking just of the past seven days ending yesterday - how many cartons or bottles did
      ^DMName[SmkPer] receive?
      ^N
      0..97
WARN IF: SMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
      AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
      AND: Edit = No
      SMkIt <= 6
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
Ask if: SMilk IN FreeItem
      AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
AND: Elig[2] > 1
(424) FRS0801A.QWelfare.SMkQ[].SMIntro
      ^I QWelfare
      ^I^BLU^IC Prompt:^I^N Has any other child had any free school milk during the past seven days ending
      yesterday?
      Only applicable to children at state schools. N
      (1)
           Yes
                       Yes
                       No
      (2)
           No
COMPUTE IF: SMilk IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
AND: NOT (Elig[2] > 1)
SMIntro := No
```

FRS0801A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: SMilk IN FreeItem
AND: In loop FOR Index1 := 1 TO 5
AND: (Index1 = 1) OR (SMkQ[Index1 - 1].SMIntro = Yes)
```

SMkQ[Index1].BenUnit := DMBU[[SMkQ[Index1].SMkPer]

```
CHECK IF: SMilk IN FreeItem
AND: In loop FOR Index1 := 1 TO 5
AND: In loop FOR Index2 := 1 TO 5
AND: Index2 < Index1
SMkQ[Index2].SMkPer <> SMkQ[Index1].SMkPer
```

[^]I You have already entered this person number.^I

FRS0801A.QWelfare.SMlQ[]

```
RECORD IF: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
(425) FRS0801A.QWelfare.SMIQ[].BenUnit
     ^I QWelfare
     ۸I
     BU number of recipient.
     0..7
RECORD IF: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
(426) FRS0801A.QWelfare.SMIQ[].Person
     ^I QWelfare
     ۸I
     Person identifier.
     0..14
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
     AND: PHHSize = 1
MLPer := 1
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
     AND: PHHSize = 1
have you := 'have you'
```

```
Ask if: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
     AND: NOT (PHHSize = 1)
(427) FRS0801A.QWelfare.SMlQ[].MLPer
     ^I QWelfare
     ۸I
     ^N Who received the^B free school meals^B?
     ^BLU Only applicable to children at state schools. Can include 16-18 year olds.^N
     ^I^IC Type in person number.
     ^PersList[3]^I
     0..14
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
     AND: NOT (PHHSize = 1)
have you := ('has ' + DMName[[MLPer])
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
Person := MLPer
Ask if: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
     AND: MLPer = RESPONSE
(428) FRS0801A.QWelfare.SMlQ[].SMlIt
     ^I QWelfare
     ۸I
     'N Thinking just of the PAST seven days ending yesterday, how many free school meals 'have_you had?
     ^N
     0..97
Warn if: SMeal IN FreeItem
     AND: In loop FOR Index1 := 1 TO 5
     AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
     AND: MLPer = RESPONSE
     AND: Edit = No
     SMlIt <= 21
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

```
Ask if: SMeal IN FreeItem
AND: In loop FOR Index1 := 1 TO 5
AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
AND: Elig[3] > 1
```

$(\ \ 429\)\ FRS0801A.QWelfare.SMlQ[].MLIntro$

```
^I QWelfare
^I
```

^I^BLU^IC Prompt:^I^N Has any other child had any free school meals during the past seven days ending yesterday?

Only applicable to children at state schools. Can include 16-18 year olds. N

(1) Yes Yes(2) No No

```
Compute if: SMeal IN FreeItem
AND: In loop FOR Index1 := 1 TO 5
AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
AND: NOT (Elig[3] > 1)
```

MLIntro := No

FRS0801A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: SMeal IN FreeItem

AND: In loop FOR Index1 := 1 TO 5

AND: (Index1 = 1) OR (SMlQ[Index1 - 1].MLIntro = Yes)
```

SMlQ[Index1].BenUnit := DMBU[[SMlQ[Index1].MLPer]

```
CHECK IF: SMeal IN FreeItem

AND: In loop FOR Index1 := 1 TO 5

AND: In loop FOR Index2 := 1 TO 5

AND: Index2 < Index1

SMlQ[Index2].MLPer <> SMlQ[Index1].MLPer
```

^I You have already entered this person number.^I

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.WMkQ[Loop1].WMkPer = RESPONSE
Loop5 := QWelfare.WMkQ[Loop1].WMkPer
CHECK IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.WMkQ[Loop1].WMkPer = RESPONSE
    ^I This code is not valid for this question.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.WMkQ[Loop1].WMkPer = RESPONSE
QWelfare.WMkQ[Loop1].BenUnit := DMBU[Loop5]
Compute if: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SMkQ[Loop1].SMkPer = RESPONSE
Loop5 := QWelfare.SMkQ[Loop1].SMkPer
CHECK IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SMkQ[Loop1].SMkPer = RESPONSE
    ((Loop5 > 0) AND (Loop5 <= HHSize)) AND (IN(PRec[Loop5].TypeEd,[???]))
    ^I This code is not valid for this question.^I
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SMkQ[Loop1].SMkPer = RESPONSE
QWelfare.SMkQ[Loop1].BenUnit := DMBU[Loop5]
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SMlQ[Loop1].MLPer = RESPONSE
Loop5 := QWelfare.SMlQ[Loop1].MLPer
CHECK IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SMlQ[Loop1].MLPer = RESPONSE
    (((Loop5 > 0) AND (Loop5 <= HHSize)) AND (IN(DMAge[Loop5],[2..18])))
    AND (IN(PRec[Loop5].TypeEd,[???]))
    ^I This code is not valid for this question.^I
Compute if: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SMlQ[Loop1].MLPer = RESPONSE
QWelfare.SMlQ[Loop1].BenUnit := DMBU[Loop5]
```

WARN IF: In loop FOR Loop1 := 1 TO 5 AND: PRec[QWelfare.SMlQ[Loop1].MLPer].TypeEd IN [Nursery, Primry, MidPri .. Nonadv] (IN(QWelfare.SMlQ[Loop1].SMlIt,[0..5])) AND INVOLVING(QWelfare.SMlQ[Loop1].SMlIt) 'I That's 'QWelfare.SMlQ[Loop1].SMlIt meals - for this type of school the weekly maximum would normally be 5 (ie. one meal per day) - please check.^I WARN ALWAYS: RESERVECHECK RESERVECHECK WARN ALWAYS: RESERVECHECK RESERVECHECK WARN ALWAYS: RESERVECHECK RESERVECHECK WARN ALWAYS: RESERVECHECK RESERVECHECK COMPUTE IF: SMeal IN QWelfare.FreeItem QAccomdat.SchMeal := Yes COMPUTE IF: NOT (SMeal IN QWelfare.FreeItem) QAccomdat.SchMeal := No COMPUTE IF: SMilk IN QWelfare. FreeItem QAccomdat.SchMilk := Yes COMPUTE IF: NOT (SMilk IN OWelfare.FreeItem) QAccomdat.SchMilk := No COMPUTE IF: WMilk IN QWelfare. FreeItem QAccomdat.WelfMilk := Yes COMPUTE IF: NOT (WMilk IN QWelfare.FreeItem) QAccomdat.WelfMilk := No

childtxt := 'child'

COMPUTE IF: AllCh > 0

COMPUTE IF: AllCh > 0
AND: AllCh > 1

childtxt := 'children'

Ask if: AllCh > 0

(430) FRS0801A.Disp

^N The next questions are about childcare for your ^childtxt. This includes all types of childcare such as playschool or nursery school or a childminder^B as well as^B relatives or friends who look after your ^childtxt.^N

(1) Cont Press <Enter> to continue.

FRS0801A.QChCare.QCh1Care

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    AND: DMNumParn[Index2] = 1
PNames := DMName[[DMParent1[[Index2]]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    AND: DMNumParn[Index2] > 1
PNames := (DMName[[DMParent1[[Index2]] + ' and ' +
DMName [ [DMParent2 [ [Index2] ] )
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
ChAge := DMAge[[Index2]
```

FRS0801A.QChCare.QCh1Care.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
(431) FRS0801A.QChCare.QCh1Care.Child[].BenUnit
     ^I QChCare
     ۸I
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
(432) FRS0801A.QChCare.QCh1Care.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier.
     0..14
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[1] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[2] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[3] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[4] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[5] := ''
```

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[6] := ''
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[9] := ''
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
AttTxt[[10] := 'other provider'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[7] := 'Holiday scheme / club'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[8] := 'Children's centres / integrated centres /
combined centres'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    AND: ChAge < 6
AttTxt[[1] := 'Playgroup or pre school'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    AND: ChAge < 6
AttTxt[[2] := 'Day nursery or workplace creche'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    AND: ChAge < 6
AttTxt[[3] := 'Nursery school'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    AND: ChAge IN [3 .. 5]
AttTxt[[4] := 'Infant's school'
```

```
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
     AND: ChAge IN [2 .. 5]
AttTxt[[5] := 'Primary school'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     And: ChAge >= 2
AttTxt[[6] := 'Breakfast / After school club'
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: ChAge >= 2
AttTxt[[9] := (N + 'SPONTANEOUS ONLY' + N + ' - Boarding
school')
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
(433) FRS0801A.QChCare.QCh1Care.Child[].ChAtt
     ^I QChCare
     ^I Child Care^I
     'I Count all after school activities as 'After school clubs'.
     This includes all study support or recreational activities after school hours. I
     SET [10] OF
                     ^N^AttTxt[1]
     (1)
          PlayGp
     (2)
          DayNurse
                     ^N^AttTxt[2]
     (3)
          Nursery
                     ^N^AttTxt[3]
     (4)
          InfantS
                     ^N^AttTxt[4]
                     ^N^AttTxt[5]
     (5)
          PrimaryS
          Breakfst
                     ^N^AttTxt[6]
     (6)
                     ^N^AttTxt[7]
     (7)
          Holiday
     (8)
          ChCentre
                     ^N^AttTxt[8]
     (9)
          Boarding
                     ^N^AttTxt[9]
     (10)
          Other
                     SPONTANEOUS ONLY - ^N Other
     (11)
          None
                     None of the above
CHECK IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: None IN ChAtt
     ChAtt.CARDINAL = 1
```

'None of the above' is an exclusive code.

```
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
     AND: In loop FOR ii := 1 TO 9
     AND: ii IN ChAtt
    AttTxt[[ii] <> ''
     Code ^ii is not valid for this child
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
     AND: In loop FOR ii := 1 TO 9
    RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    AND: In loop FOR ii := 1 TO 9
    RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
    RESERVECHECK
```

FRS0801A.QChCare.QCh1Care (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

FRS0801A.QChCare.QCh2Care

```
Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].BenUnit := DMBU[[Index2]

Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].Person := Index2

Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[Index2] IN [0 .. 15]
```

FRS0801A.QChCare.QCh2Care.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
(434) FRS0801A.QChCare.QCh2Care.Child[].BenUnit
     ^I QChCare
     ۸I
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
(435) FRS0801A.QChCare.QCh2Care.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier.
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: InfantS IN QCh1Care.Child[Person].ChAtt[]
(436) FRS0801A.QChCare.QCh2Care.Child[].ChInf
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     A Nursery class is attended by 3 to 5 year olds before attendance at a reception class.
     A reception class takes children who are either almost 5 years or are 5 years old. Reception class is
     attended before year 1 of primary school.
                      ^N Reception class?
     (1)
           Recept
           Nursery
                      ^N Nursery class?
     (2)
                      ^N None of the above
     (3)
           None
```

```
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: PrimaryS IN QCh1Care.Child[Person].ChAtt[]
(437) FRS0801A.QChCare.QCh2Care.Child[].ChPri
     ^I QChCare
     ۸I
     ^I Child Care^I
     A Nursery class is attended by 3 to 5 year olds before attendance at a reception class.
     A reception class takes children who are either almost 5 years or are 5 years old. Reception class is
     attended before year 1 of primary school.
     (1)
           Recept
                      ^N Reception class?
     (2)
           Nursery
                      ^N Nursery class?
     (3)
           None
                      ^N None of the above
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: (((((((((PlayGp IN QCh1Care.Child[Person].ChAtt[]) OR (DayNurse IN
     QCh1Care.Child[Person].ChAtt[])) OR (Nursery IN
     QCh1Care.Child[Person].ChAtt[])) OR
                                                (Breakfst IN
     QCh1Care.Child[Person].ChAtt[])) OR
                                                (Holiday IN
     QCh1Care.Child[Person].ChAtt[])) OR
                                                (ChCentre IN
     QCh1Care.Child[Person].ChAtt[])) OR
                                                (Boarding IN
     QCh1Care.Child[Person].ChAtt[])) OR (Other IN
QCh1Care.Child[Person].ChAtt[])) OR (ChInf IN [Recept, Nursery])) OR
      (ChPri IN [Recept, Nursery])
     And: ChAge >= 3
(438) FRS0801A.QChCare.QCh2Care.Child[].CTrm
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I(Can I just check), ^I^N for ^ChName was that week in term time or was it a school holiday...^N
                      ^N Term time^N
     (1)
           Termtime
     (2)
           Halfterm
                      ^N Half term^N
           Holiday
                      ^N Or other school holiday?^N
     (3)
     (4)
           NotApp
                      ^N Not applicable^N
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

FRS0801A.QChCare.QCh2Care (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh3Care

```
Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].BenUnit := DMBU[[Index2]

Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].Person := Index2

Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[Index2]
```

FRS0801A.QChCare.QCh3Care.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge [Index2] IN [0 .. 15]
  439) FRS0801A.QChCare.QCh3Care.Child[].BenUnit
      ^I QChCare
      ^I Child Care^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge[Index2] IN [0 .. 15]
  440) FRS0801A.QChCare.QCh3Care.Child[].Person
      ^I QChCare
      ۸1
      ^I Child Care^I
      Person identifier.
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge[Index2] IN [0 .. 15]
  441) FRS0801A.QChCare.QCh3Care.Child[].ChPeo
      ^I QChCare
      ۸Ţ
      ^I Child Care^I
      ^IS^I C2^I^N
      And during those seven days (ending Sunday the ^DatLSun) were there any other people who looked
      after ^ChName?^N
      ^I^BLU^IC Other than resident parent/guardian, and staff contact whilst at places previously mentioned.
      Code babysitters as 8 'other non-relative.' Ensure that respondent has included all types of paid and
      unpaid childcare, including childcare given by non-resident parents. 1
      SET [9] OF
            Granps
                        Child's grand parents
      (1)
      (2)
            NonRes
                        Child's non-resident parent/an ex-spouse/an ex-partner
                        Child's brother or sister
      (3)
            BroSis
      (4)
            Rels
                        Other relatives
      (5)
            ChMind
                       Childminder
            Nanny
                       Nanny/Au pair (includes both live-in and day nannies)
      (6)
                       Friends or neighbours
            Friends
      (7)
            NonRels
                       Other non-relatives (includes babysitters)
      (8)
            NotMind
                        SPONTANEOUS ONLY - Does not require minding
      (9)
```

(10)

None

None of the above

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: None IN ChPeo ChPeo.CARDINAL = 1

'None' exclusive for this question.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK

FRS0801A.QChCare.QCh3Care (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh4Care

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[Index2]
```

FRS0801A.QChCare.QCh4Care.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
(442) FRS0801A.QChCare.QCh4Care.Child[].BenUnit
     ^I QChCare
     ۸I
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
(443) FRS0801A.QChCare.QCh4Care.Child[].Person
     ^I QChCare
     ۸I
     ^I Child Care^I
     Person identifier.
     0..14
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
provider := 'childminder'
```

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: ChMind IN QCh3Care.Child[Person].ChPeo[]

(444) FRS0801A.QChCare.QCh4Care.Child[].Registrd

^I QChCare

۸I

^I Child Care^I

^I Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs^I

- (1) Register Registered OR Approved
- (2) NonReg Not registered OR Not approved

COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: ChMind IN QCh3Care.Child[Person].ChPeo[]

with1 := 'with'

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: ChMind IN QCh3Care.Child[Person].ChPeo[]

$(\ \ 445\)\ FRS0801A.QChCare.QCh4Care.Child[].EmplProv$

^I QChCare

۸Ţ

^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Is the childcare ^with1 the ^provider provided by your employer?

- (1) Yes Yes
- (2) No No
- (3) DNA Does not apply child's parents/guardians have no employer

```
COMPUTE IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]

provider := 'playgroup or pre-school'

```
Ask if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]

(446) FRS0801A.QChCare.QCh4Care.Child[].Registrd

^I QChCare

۸Τ

^I Child Care^I

^I Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs^I

- (1) Register Registered OR Approved
- (2) NonReg Not registered OR Not approved

COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]

provider := 'day nursery or creche'

```
Ask if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge [Index2] IN [0 .. 15]

AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]

(447) FRS0801A.QChCare.QCh4Care.Child[].Registrd

^I QChCare

۸I

^I Child Care^I

^I Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs^I

- (1) Register Registered OR Approved
- (2) NonReg Not registered OR Not approved

```
Compute if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge [Index2] IN [0 .. 15]

AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]

with1 := 'in'

```
Ask if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]

$(\ \ 448\)\ FRS0801A.QChCare.QCh4Care.Child[].EmplProv$

^I QChCare

۸Ţ

^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Is the childcare ^with1 the ^provider provided by your employer?

- (1) Yes Yes
- (2) No No
- (3) DNA Does not apply child's parents/guardians have no employer

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
```

provider := 'nursery school'

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
```

(449) FRS0801A.QChCare.QCh4Care.Child[].Registrd

```
^I QChCare
^I
^I Child Care^I
```

^I Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs^I

(1) Register Registered OR Approved(2) NonReg Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]

provider := 'infant's school'

```
Ask if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]

(450) FRS0801A.QChCare.QCh4Care.Child[].Registrd

^I QChCare

۸I

^I Child Care^I

^I Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs^I

- (1) Register Registered OR Approved
- (2) NonReg Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]

provider := 'primary school'

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge [Index2] IN [0 .. 15]

AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]

(451) FRS0801A.QChCare.QCh4Care.Child[].Registrd

^I QChCare

۸I

^I Child Care^I

^I Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs^I

- (1) Register Registered OR Approved
- (2) NonReg Not registered OR Not approved

COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: Nanny IN QCh3Care.Child[Person].ChPeo[]

provider := 'nanny/au-pair'

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: Nanny IN QCh3Care.Child[Person].ChPeo[]

(452) FRS0801A.QChCare.QCh4Care.Child[].Registrd

^I QChCare

^I

^I Child Care^I

^I Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs^I

- (1) Register Registered OR Approved
- (2) NonReg Not registered OR Not approved

Compute if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: Nanny IN QCh3Care.Child[Person].ChPeo[]

with1 := 'with'

```
Ask if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: Nanny IN QCh3Care.Child[Person].ChPeo[]

453) FRS0801A.QChCare.QCh4Care.Child[].EmplProv

^I QChCare

۸Ţ

^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Is the childcare ^with1 the ^provider provided by your employer?

- (1) Yes Yes
- (2) No No
- (3) DNA Does not apply child's parents/guardians have no employer

```
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
```

FRS0801A.QChCare.QCh4Care (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care1

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care1.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
  454) FRS0801A.QChCare.QCh5Care1.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
  455) FRS0801A.QChCare.QCh5Care1.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
  456) FRS0801A.QChCare.QCh5Care1.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     ^his_her playgroup or pre-school?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care1 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care2

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care2.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
  457) FRS0801A.QChCare.QCh5Care2.Child[].BenUnit
     ^I QChCare
     ۸I
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
  458) FRS0801A.QChCare.QCh5Care2.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
  459) FRS0801A.QChCare.QCh5Care2.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     ^his_her Day nursery or workplace creche?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care2 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care3

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care3.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
  460) FRS0801A.QChCare.QCh5Care3.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
  461) FRS0801A.QChCare.QCh5Care3.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
  462) FRS0801A.QChCare.QCh5Care3.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     his_her nursery school? N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nursery IN QCh1Care.Child[Index2].ChAtt[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care3 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care4

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Infants IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
ChAge := DMAge[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
AND: PRec[Index2].Sex = Female
his her := 'her'
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS0801A.QChCare.QCh5Care4.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
  463) FRS0801A.QChCare.QCh5Care4.Child[].BenUnit
     ^I QChCare
     ΛŢ
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
(464) FRS0801A.QChCare.QCh5Care4.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
  465) FRS0801A.QChCare.QCh5Care4.Child[].ChHr1
     ^I QChCare
     ۸Ι
     ^I Child Care^I
     @>^I^Help F9^I
     @<
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     his her infant's school? N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK

FRS0801A.QChCare.QCh5Care4 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care5

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: PRec[Index2].Sex = Female
his her := 'her'
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS0801A.QChCare.QCh5Care5.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
  466) FRS0801A.QChCare.QCh5Care5.Child[].BenUnit
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
(467) FRS0801A.QChCare.QCh5Care5.Child[].Person
     ^I QChCare
     ΛŢ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
  468) FRS0801A.QChCare.QCh5Care5.Child[].ChHr1
     ^I QChCare
     ۸Ι
     ^I Child Care^I
     @>^I^Help F9^I
     @<
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     his_her primary school? N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK

FRS0801A.QChCare.QCh5Care5 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care6.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
  469) FRS0801A.QChCare.QCh5Care6.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
  470) FRS0801A.QChCare.QCh5Care6.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
  471 ) FRS0801A.QChCare.QCh5Care6.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     ^his her Breakfast / After school club?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care6 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care7.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
  472) FRS0801A.QChCare.QCh5Care7.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
  473 ) FRS0801A.QChCare.QCh5Care7.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
  474) FRS0801A.QChCare.QCh5Care7.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     ^his_her Holiday scheme / club?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Holiday IN QCh1Care.Child[Index2].ChAtt[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care7 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care8.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
  475 ) FRS0801A.QChCare.QCh5Care8.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
  476) FRS0801A.QChCare.QCh5Care8.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
  477) FRS0801A.QChCare.QCh5Care8.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     ^his_her Children"s centres / integrated centres / combined centres?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care8 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care9.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
  478) FRS0801A.QChCare.QCh5Care9.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
  479 ) FRS0801A.QChCare.QCh5Care9.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
  480) FRS0801A.QChCare.QCh5Care9.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend in
     his_her boarding school? N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care9 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Other IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care10.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
  481) FRS0801A.QChCare.QCh5Care10.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
  482) FRS0801A.QChCare.QCh5Care10.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
  483 ) FRS0801A.QChCare.QCh5Care10.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     ^his_her other childcare provider?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Other IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Other IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Other IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Other IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care10 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care11.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
  484) FRS0801A.QChCare.QCh5Care11.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
  485 ) FRS0801A.QChCare.QCh5Care11.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
  486) FRS0801A.QChCare.QCh5Care11.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     his_her grandparents? N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

(487) FRS0801A.QChCare.QCh5Care11.Child[].PMChk

^I QChCare

۸Ι

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

'N Was the time spent with 'ChName's grandparents during the daytime; or at night; or both in the day'B and'B at night?'N

(1) Daytime Daytime only(2) Night At night only

(3) Both Both day and night (include overnight only stays)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care11 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care12.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
  488) FRS0801A.QChCare.QCh5Care12.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
  489) FRS0801A.QChCare.QCh5Care12.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
  490) FRS0801A.QChCare.QCh5Care12.Child[].ChHr1
     ^I QChCare
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     ^his_her non-resident parent/ex-spouse/ex-partner?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

(491) FRS0801A.QChCare.QCh5Care12.Child[].PMChk

^I QChCare

۸Ι

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

^N Was the time spent with ^ChName's non-resident parent/ex-spouse/ex-partner during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only(2) Night At night only

(3) Both Both day and night (include overnight only stays)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care12 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care13.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
  492) FRS0801A.QChCare.QCh5Care13.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
  493 ) FRS0801A.QChCare.QCh5Care13.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
  494) FRS0801A.QChCare.QCh5Care13.Child[].ChHr1
     ^I QChCare
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     his her brother or sister? N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

(495) FRS0801A.QChCare.QCh5Care13.Child[].PMChk

^I QChCare

۸Ι

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

'N Was the time spent with 'ChName's brother or sister during the daytime; or at night; or both in the day'B and'B at night?'N

(1) Daytime Daytime only(2) Night At night only

(3) Both Both day and night (include overnight only stays)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care13 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care14.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
  496) FRS0801A.QChCare.QCh5Care14.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
  497) FRS0801A.QChCare.QCh5Care14.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
  498) FRS0801A.QChCare.QCh5Care14.Child[].ChHr1
     ^I QChCare
     ^T
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     ^his her other relatives?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

(499) FRS0801A.QChCare.QCh5Care14.Child[].PMChk

^I QChCare

۸Ι

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

^N Was the time spent with ^ChName's other relatives during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only(2) Night At night only

(3) Both Both day and night (include overnight only stays)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care14 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care15

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care15.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
  500) FRS0801A.QChCare.QCh5Care15.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
(501) FRS0801A.QChCare.QCh5Care15.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
  502) FRS0801A.QChCare.QCh5Care15.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     ^his_her childminder?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

(503) FRS0801A.QChCare.QCh5Care15.Child[].PMChk

^I QChCare

۸I

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

^N Was the time spent with ^ChName's childminder during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only(2) Night At night only

(3) Both Both day and night (include overnight only stays)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care15 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care16

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care16.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
  504) FRS0801A.QChCare.QCh5Care16.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
(505) FRS0801A.QChCare.QCh5Care16.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
  506) FRS0801A.QChCare.QCh5Care16.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     ^his_her nanny/au pair?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

(507) FRS0801A.QChCare.QCh5Care16.Child[].PMChk

^I QChCare

۸Ι

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

^N Was the time spent with ^ChName's nanny/au pair during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only(2) Night At night only

(3) Both Both day and night (include overnight only stays)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care16 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care17

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care17.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
  508) FRS0801A.QChCare.QCh5Care17.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
(509) FRS0801A.QChCare.QCh5Care17.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
  510) FRS0801A.QChCare.QCh5Care17.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     ^his_her friends or neighbours?^N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

```
Ask IF: AllCh > 0
     AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

(511) FRS0801A.QChCare.QCh5Care17.Child[].PMChk

^I QChCare

۸I

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

'N Was the time spent with 'ChName's friends or neighbours during the daytime; or at night; or both in the day^B and^B at night?^N

(1)Daytime Daytime only Night (2) At night only

Both Both day and night (include overnight only stays) (3)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care17 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh5Care18

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh5Care18.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(512) FRS0801A.QChCare.QCh5Care18.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(513) FRS0801A.QChCare.QCh5Care18.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(514) FRS0801A.QChCare.QCh5Care18.Child[].ChHr1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     @>^I^Help F9^I
     'N About how many hours in the seven days ending Sunday the 'DatLSun did 'ChName spend with
     his her other non-relatives? N
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
```

Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

(515) FRS0801A.QChCare.QCh5Care18.Child[].PMChk

^I QChCare

۸Ι

^I Child Care^I

^I^BLU^IC Ask or record:

^ChName^BLU^I

^N Was the time spent with ^ChName's other non-relatives during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only(2) Night At night only

(3) Both Both day and night (include overnight only stays)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh5Care18 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care1

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care1.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care1.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care1.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care1.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care1.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care1.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care1.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care1.Child[Index2].ChHr1 > 0
(516) FRS0801A.QChCare.QCh6Care1.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care1.Child[Index2].ChHr1 > 0
(517) FRS0801A.QChCare.QCh6Care1.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care1.Child[Index2].ChHr1 > 0
(518) FRS0801A.QChCare.QCh6Care1.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare in 'ChName's playgroup or pre-school, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care1.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care1.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care1 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care2

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care2.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care2.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care2.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care2.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care2.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care2.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care2.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care2.Child[Index2].ChHr1 > 0
(519) FRS0801A.QChCare.QCh6Care2.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care2.Child[Index2].ChHr1 > 0
(520) FRS0801A.QChCare.QCh6Care2.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care2.Child[Index2].ChHr1 > 0
(521) FRS0801A.QChCare.QCh6Care2.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare in 'ChName's day nursery or workplace creche, does this cost you
     anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
          Yes
                     Yes
     (1)
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care2.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care2.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care2.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care2.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care2 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care3

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care3.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care3.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care3.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care3.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care3.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care3.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care3.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care3.Child[Index2].ChHr1 > 0
(522) FRS0801A.QChCare.QCh6Care3.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care3.Child[Index2].ChHr1 > 0
(523) FRS0801A.QChCare.QCh6Care3.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care3.Child[Index2].ChHr1 > 0
(524) FRS0801A.QChCare.QCh6Care3.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare in ^ChName's nursery school, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     And: QCh5Care3.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care3.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care3.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care3.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care3 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care4

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care4.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care4.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care4.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care4.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care4.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care4.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care4.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care4.Child[Index2].ChHr1 > 0
(525) FRS0801A.QChCare.QCh6Care4.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care4.Child[Index2].ChHr1 > 0
(526) FRS0801A.QChCare.QCh6Care4.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care4.Child[Index2].ChHr1 > 0
(527) FRS0801A.QChCare.QCh6Care4.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare in ^ChName's infant school, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care4.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care4.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

Warn IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care4.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care4.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care4 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care5

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care5.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care5.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care5.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care5.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care5.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care5.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care5.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care5.Child[Index2].ChHr1 > 0
(528) FRS0801A.QChCare.QCh6Care5.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care5.Child[Index2].ChHr1 > 0
(529) FRS0801A.QChCare.QCh6Care5.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care5.Child[Index2].ChHr1 > 0
  530) FRS0801A.QChCare.QCh6Care5.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare in ^ChName's primary school, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care5.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care5.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care5.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care5.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care5 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care6.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care6.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care6.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care6.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care6.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care6.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care6.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care6.Child[Index2].ChHr1 > 0
(531) FRS0801A.QChCare.QCh6Care6.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care6.Child[Index2].ChHr1 > 0
(532) FRS0801A.QChCare.QCh6Care6.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care6.Child[Index2].ChHr1 > 0
(533) FRS0801A.QChCare.QCh6Care6.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare in 'ChName's Breakfast / After school club, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care6.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care6.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care6 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care7.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care7.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care7.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care7.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care7.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care7.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care7.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care7.Child[Index2].ChHr1 > 0
(534) FRS0801A.QChCare.QCh6Care7.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care7.Child[Index2].ChHr1 > 0
(535) FRS0801A.QChCare.QCh6Care7.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care7.Child[Index2].ChHr1 > 0
  536) FRS0801A.QChCare.QCh6Care7.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare in 'ChName's Holiday scheme / club, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care7.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care7.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care7 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care8.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care8.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care8.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care8.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care8.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care8.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care8.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care8.Child[Index2].ChHr1 > 0
(537) FRS0801A.QChCare.QCh6Care8.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care8.Child[Index2].ChHr1 > 0
(538) FRS0801A.QChCare.QCh6Care8.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care8.Child[Index2].ChHr1 > 0
  539) FRS0801A.QChCare.QCh6Care8.Child[].Cost
     ^I QChCare
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare in ^ChName's Children"s centres / integrated centres / combined centres,
     does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
           Yes
                      Yes
     (1)
     (2)
           No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care8.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care8 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care9.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care9.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care9.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care9.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care9.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care9.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care9.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care9.Child[Index2].ChHr1 > 0
(540) FRS0801A.QChCare.QCh6Care9.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care9.Child[Index2].ChHr1 > 0
(541) FRS0801A.QChCare.QCh6Care9.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care9.Child[Index2].ChHr1 > 0
(542) FRS0801A.QChCare.QCh6Care9.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare in ^ChName's boarding school, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     And: QCh5Care9.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care9 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care10.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care10.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care10.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care10.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care10.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care10.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care10.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care10.Child[Index2].ChHr1 > 0
(543) FRS0801A.QChCare.QCh6Care10.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care10.Child[Index2].ChHr1 > 0
(544) FRS0801A.QChCare.QCh6Care10.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care10.Child[Index2].ChHr1 > 0
(545) FRS0801A.QChCare.QCh6Care10.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare in 'ChName's (other) childcare provider, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care10.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care10 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care11.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care11.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care11.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care11.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care11.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care11.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care11.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care11.Child[Index2].ChHr1 > 0
(546) FRS0801A.QChCare.QCh6Care11.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care11.Child[Index2].ChHr1 > 0
(547) FRS0801A.QChCare.QCh6Care11.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care11.Child[Index2].ChHr1 > 0
(548) FRS0801A.QChCare.QCh6Care11.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare with ^ChName's grandparents, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care11.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care11 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care12.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care12.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care12.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care12.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care12.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care12.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care12.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care12.Child[Index2].ChHr1 > 0
(549) FRS0801A.QChCare.QCh6Care12.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care12.Child[Index2].ChHr1 > 0
(550) FRS0801A.QChCare.QCh6Care12.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care12.Child[Index2].ChHr1 > 0
(551) FRS0801A.QChCare.QCh6Care12.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare with 'ChName's non-resident parent/ex-spouse/ex-partner, does this cost
     you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
          Yes
                     Yes
     (1)
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care12.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care12 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care13.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care13.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care13.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care13.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care13.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care13.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care13.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care13.Child[Index2].ChHr1 > 0
(552) FRS0801A.QChCare.QCh6Care13.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care13.Child[Index2].ChHr1 > 0
(553) FRS0801A.QChCare.QCh6Care13.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care13.Child[Index2].ChHr1 > 0
  554) FRS0801A.QChCare.QCh6Care13.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare with 'ChName's brother or sister, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care13.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care13 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care14.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care14.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care14.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care14.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care14.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care14.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care14.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care14.Child[Index2].ChHr1 > 0
(555) FRS0801A.QChCare.QCh6Care14.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care14.Child[Index2].ChHr1 > 0
(556) FRS0801A.QChCare.QCh6Care14.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care14.Child[Index2].ChHr1 > 0
(557) FRS0801A.QChCare.QCh6Care14.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare with 'ChName's other relatives, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care14.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care14 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care15

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care15.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care15.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care15.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care15.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care15.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care15.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care15.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care15.Child[Index2].ChHr1 > 0
 558) FRS0801A.QChCare.QCh6Care15.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care15.Child[Index2].ChHr1 > 0
(559) FRS0801A.QChCare.QCh6Care15.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care15.Child[Index2].ChHr1 > 0
  560) FRS0801A.QChCare.QCh6Care15.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare with 'ChName's childminder, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care15.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care15 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care16

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care16.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care16.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care16.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care16.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care16.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care16.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care16.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care16.Child[Index2].ChHr1 > 0
(561) FRS0801A.QChCare.QCh6Care16.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care16.Child[Index2].ChHr1 > 0
(562) FRS0801A.QChCare.QCh6Care16.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care16.Child[Index2].ChHr1 > 0
  563) FRS0801A.QChCare.QCh6Care16.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare with ^ChName's nanny/au-pair, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care16.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care16 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care17

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care17.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care17.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care17.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care17.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care17.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care17.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care17.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care17.Child[Index2].ChHr1 > 0
(564) FRS0801A.QChCare.QCh6Care17.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care17.Child[Index2].ChHr1 > 0
(565) FRS0801A.QChCare.QCh6Care17.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care17.Child[Index2].ChHr1 > 0
  566) FRS0801A.QChCare.QCh6Care17.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N Thinking of the childcare with 'ChName's friends or neighbours, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care17.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care17 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care18

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care18.Child[Index2].ChHr1 > 0
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care18.Child[Index2].ChHr1 > 0
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care18.Child[Index2].ChHr1 > 0
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care18.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh5Care18.Child[Index2].ChHr1 > 0
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care18.Child[Index2].ChHr1 > 0
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh6Care18.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care18.Child[Index2].ChHr1 > 0
(567) FRS0801A.QChCare.QCh6Care18.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care18.Child[Index2].ChHr1 > 0
(568) FRS0801A.QChCare.QCh6Care18.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care18.Child[Index2].ChHr1 > 0
  569) FRS0801A.QChCare.QCh6Care18.Child[].Cost
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N Thinking of the childcare with ^ChName's other non-relatives, does this cost you anything?
     ^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. N
     (1)
          Yes
                     Yes
     (2)
          No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh5Care18.Child[Index2].ChHr1 > 0
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0

RESERVECHECK

FRS0801A.QChCare.QCh6Care18 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care1

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care1.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care1.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care1.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care1.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
  570) FRS0801A.QChCare.QCh7Care1.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
(571) FRS0801A.QChCare.QCh7Care1.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
(572) FRS0801A.QChCare.QCh7Care1.Child[].ChAmt1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare in ^ChName's playgroup or pre-school?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
```

0.00..99997.00

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(573) FRS0801A.QChCare.QCh7Care1.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                      Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
```

(97)

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes

None of these ^I(Explain in a note)^I

RESERVECHECK

Note

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care1 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care2

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care2.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care2.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care2.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care2.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
(574) FRS0801A.QChCare.QCh7Care2.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
(575) FRS0801A.QChCare.QCh7Care2.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
  576) FRS0801A.QChCare.QCh7Care2.Child[].ChAmt1
     ^I QChCare
     ۸I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N How much was your most recent payment for the childcare in 'ChName's day nursery or workplace
     creche?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
```

0.00..99997.00

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care2.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care2.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care2.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(577) FRS0801A.QChCare.QCh7Care2.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
```

(97)

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes

None of these ^I(Explain in a note)^I

RESERVECHECK

Note

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care2 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care3

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care3.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care3.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care3.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care3.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
  578) FRS0801A.QChCare.QCh7Care3.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
(579) FRS0801A.QChCare.QCh7Care3.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
  580) FRS0801A.QChCare.QCh7Care3.Child[].ChAmt1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare in ^ChName's nursery school?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
     And: Edit = No
     AND: ChAmt1 = RESPONSE
     ChAmt1 < 130
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
(581) FRS0801A.QChCare.QCh7Care3.Child[].ChPd
     ^I QChCare
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N And what period did that payment cover?^N
     ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                      One week
     (1)
           TwoWeek
                      Two weeks
     (2)
           ThrWeek
     (3)
                      Three weeks
           Fourweek
                      Four weeks
     (4)
     (5)
           Month
                      Calendar month
     (7)
           TwoMonth
                      Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
     (10)
     (13)
           ThrMonth
                      Three months/13 weeks
```

(26)

(52)

(90)

(95)

(97)

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

Six months/26 weeks

Less than one week

One off/lump sum

One Year/12 months/52 weeks

None of these ^I(Explain in a note)^I

RESERVECHECK

SixMonth

LessWeek

LumpSum

Year

Note

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care3 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care4

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care4.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care4.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care4.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care4.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
  582) FRS0801A.QChCare.QCh7Care4.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
  583 ) FRS0801A.QChCare.QCh7Care4.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
  584) FRS0801A.QChCare.QCh7Care4.Child[].ChAmt1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare in ^ChName's infant school?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(585) FRS0801A.QChCare.QCh7Care4.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
           Year
                      One Year/12 months/52 weeks
      (52)
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
```

RESERVECHECK RESERVECHECK

AND: QCh6Care4.Child[Index2].Cost = Yes

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care4 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care5

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care5.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care5.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care5.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care5.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
  586) FRS0801A.QChCare.QCh7Care5.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
  587) FRS0801A.QChCare.QCh7Care5.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
  588) FRS0801A.QChCare.QCh7Care5.Child[].ChAmt1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare in ^ChName's primary school?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
     And: Edit = No
     AND: ChAmt1 = RESPONSE
     ChAmt1 < 130
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
```

(589) FRS0801A.QChCare.QCh7Care5.Child[].ChPd

^I QChCare

^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

OneWeek One week (1) TwoWeek Two weeks (2) ThrWeek (3) Three weeks Fourweek Four weeks (4) (5)Month Calendar month (7)TwoMonth Two Calendar months (8)EighYear Eight times a year (9)NineYear Nine times a year Ten times a year TenYear (10)(13)ThrMonth Three months/13 weeks SixMonth Six months/26 weeks (26)One Year/12 months/52 weeks (52)Year

(90)LessWeek Less than one week (95)LumpSum One off/lump sum

(97)Note None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care5.Child[Index2].Cost = Yes

RESERVECHECK

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care5 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care6

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care6.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care6.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care6.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care6.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
  590) FRS0801A.QChCare.QCh7Care6.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
(591) FRS0801A.QChCare.QCh7Care6.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
  592) FRS0801A.QChCare.QCh7Care6.Child[].ChAmt1
     ^I QChCare
     ۸I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N How much was your most recent payment for the childcare in 'ChName's Breakfast / After school
     club?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

AND: Edit = No

AND: ChAmt1 = RESPONSE

ChAmt1 < 130

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

AND: ChAmt1 = NONRESPONSE

HMissVar := (HMissVar + 1)

```
Ask if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

AND: ChAmt1 > 0

(593) FRS0801A.QChCare.QCh7Care6.Child[].ChPd

^I QChCare

۸۱

^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week(95) LumpSum One off/lump sum
- (97) Note None of these 'I(Explain in a note)'I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

RESERVECHECK

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care6 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care7

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care7.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care7.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care7.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
  594) FRS0801A.QChCare.QCh7Care7.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
  595) FRS0801A.QChCare.QCh7Care7.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
  596) FRS0801A.QChCare.QCh7Care7.Child[].ChAmt1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare in ^ChName's Holiday scheme / club?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
```

0.00..99997.00

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
     And: Edit = No
     AND: ChAmt1 = RESPONSE
     ChAmt1 < 130
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
(597) FRS0801A.QChCare.QCh7Care7.Child[].ChPd
     ^I QChCare
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N And what period did that payment cover?^N
     ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                      One week
     (1)
           TwoWeek
                      Two weeks
     (2)
           ThrWeek
     (3)
                      Three weeks
           Fourweek
                      Four weeks
     (4)
     (5)
           Month
                      Calendar month
     (7)
           TwoMonth
                      Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
     (10)
     (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
     (26)
```

(52)

(90)

(95)

(97)

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

Less than one week

One off/lump sum

One Year/12 months/52 weeks

None of these ^I(Explain in a note)^I

RESERVECHECK

Year

Note

LessWeek

LumpSum

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care7 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care8

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care8.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care8.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care8.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A. QChCare. QCh7Care 8. Child []

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
  598) FRS0801A.QChCare.QCh7Care8.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
  599) FRS0801A.QChCare.QCh7Care8.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
  600) FRS0801A.QChCare.QCh7Care8.Child[].ChAmt1
     ^I QChCare
     ۸I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N How much was your most recent payment for the childcare in 'ChName's Children"s centres /
     integrated centres / combined centres?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care8.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care8.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care8.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(601) FRS0801A.QChCare.QCh7Care8.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
```

(95)

(97)

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes

One off/lump sum

None of these ^I(Explain in a note)^I

RESERVECHECK

Note

LumpSum

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care8 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care9

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care9.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care9.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care9.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care9.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
(602) FRS0801A.QChCare.QCh7Care9.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
(603) FRS0801A.QChCare.QCh7Care9.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
  604) FRS0801A.QChCare.QCh7Care9.Child[].ChAmt1
     ^I QChCare
     ^I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare in ^ChName's boarding school?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
     And: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(605) FRS0801A.QChCare.QCh7Care9.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                       Two weeks
      (2)
           ThrWeek
      (3)
                       Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                       Nine times a year
                       Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                       Six months/26 weeks
      (26)
                       One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes

RESERVECHECK

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care9 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care10

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care10.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care10.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care10.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
(606) FRS0801A.QChCare.QCh7Care10.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
(607) FRS0801A.QChCare.QCh7Care10.Child[].Person
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
  608) FRS0801A.QChCare.QCh7Care10.Child[].ChAmt1
     ^I QChCare
     ۸I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's other provider?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(609) FRS0801A.QChCare.QCh7Care10.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                      One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                      Four weeks
      (4)
      (5)
           Month
                      Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                      Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
      RESERVECHECK
```

RESERVECHECK

Page 643

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care10 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care11

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Carell.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Carell.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Carell.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care11.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care11.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Carell.Child[Index2].Cost = Yes
(610) FRS0801A.QChCare.QCh7Care11.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
(611) FRS0801A.QChCare.QCh7Care11.Child[].Person
     ^I QChCare
     ۸I
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
(612) FRS0801A.QChCare.QCh7Care11.Child[].ChAmt1
     ^I QChCare
     ۸I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's grandparents?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care11.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Carell.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(613) FRS0801A.QChCare.QCh7Care11.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                      One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                      Four weeks
      (4)
      (5)
           Month
                      Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                      Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Carell.Child[Index2].Cost = Yes
      RESERVECHECK
```

RESERVECHECK

Page 648

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care11 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care12

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care12.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care12.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care12.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
(614) FRS0801A.QChCare.QCh7Care12.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
(615) FRS0801A.QChCare.QCh7Care12.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
(616) FRS0801A.QChCare.QCh7Care12.Child[].ChAmt1
     ^I QChCare
     ۸I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's non-resident parent/ex-
     spouse/ex-partner?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
```

0.00..99997.00

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care12.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care12.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(617) FRS0801A.QChCare.QCh7Care12.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
```

RESERVECHECK

AND: QCh6Care12.Child[Index2].Cost = Yes

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care12 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care13

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care13.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
(618) FRS0801A.QChCare.QCh7Care13.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
(619) FRS0801A.QChCare.QCh7Care13.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
  620) FRS0801A.QChCare.QCh7Care13.Child[].ChAmt1
     ^I QChCare
     ^I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's brother or sister?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
```

0.00..99997.00

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(621) FRS0801A.QChCare.QCh7Care13.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                       Two weeks
      (2)
           ThrWeek
      (3)
                       Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                       Nine times a year
                       Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                       Six months/26 weeks
      (26)
                       One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
```

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care13.Child[Index2].Cost = Yes

RESERVECHECK

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care13 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care14

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
PerNo := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[PerNo].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[PerNo].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS0801A.QChCare.QCh7Care14.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
(622) FRS0801A.QChCare.QCh7Care14.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
(623) FRS0801A.QChCare.QCh7Care14.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
  624) FRS0801A.QChCare.QCh7Care14.Child[].ChAmt1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's other relatives?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[PerNo].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[PerNo].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[PerNo].Cost = Yes
      AND: ChAmt1 > 0
(625) FRS0801A.QChCare.QCh7Care14.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[PerNo].Cost = Yes
```

RESERVECHECK RESERVECHECK

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[PerNo].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[PerNo].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[PerNo].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care14 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care15

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care15.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care15.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care15.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
(626) FRS0801A.QChCare.QCh7Care15.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
(627) FRS0801A.QChCare.QCh7Care15.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
  628) FRS0801A.QChCare.QCh7Care15.Child[].ChAmt1
     ^I QChCare
     ^I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's childminder?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
     AND: Edit = No
     AND: ChAmt1 = RESPONSE
     ChAmt1 < 130
     'I Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
(629) FRS0801A.QChCare.QCh7Care15.Child[].ChPd
     ^I QChCare
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N And what period did that payment cover?^N
     ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                      One week
     (1)
           TwoWeek
                      Two weeks
     (2)
           ThrWeek
     (3)
                      Three weeks
           Fourweek
                      Four weeks
     (4)
     (5)
           Month
                      Calendar month
     (7)
           TwoMonth
                      Two Calendar months
     (8)
           EighYear
                      Eight times a year
     (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
     (10)
     (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
     (26)
                      One Year/12 months/52 weeks
     (52)
           Year
     (90)
           LessWeek
                      Less than one week
     (95)
           LumpSum
                      One off/lump sum
     (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care15 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care16

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care16.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care16.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care16.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
(630) FRS0801A.QChCare.QCh7Care16.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
(631) FRS0801A.QChCare.QCh7Care16.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
(632) FRS0801A.QChCare.QCh7Care16.Child[].ChAmt1
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N How much was your most recent payment for the childcare with 'ChName's nanny/au pair?'N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
     0.00..99997.00
```

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(633) FRS0801A.QChCare.QCh7Care16.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                       One week
      (1)
           TwoWeek
                       Two weeks
      (2)
           ThrWeek
      (3)
                       Three weeks
           Fourweek
                       Four weeks
      (4)
      (5)
           Month
                       Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                       Eight times a year
      (9)
           NineYear
                       Nine times a year
                       Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                       Six months/26 weeks
      (26)
                       One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes

RESERVECHECK

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care16 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care17

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care17.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care17.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care17.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
(634) FRS0801A.QChCare.QCh7Care17.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
(635) FRS0801A.QChCare.QCh7Care17.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
  636) FRS0801A.QChCare.QCh7Care17.Child[].ChAmt1
     ^I QChCare
     ^I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's friends or neighbours?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
```

0.00..99997.00

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(637) FRS0801A.QChCare.QCh7Care17.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                      One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                      Four weeks
      (4)
      (5)
           Month
                      Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                      Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
      RESERVECHECK
```

RESERVECHECK

Page 678

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care17 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS0801A.QChCare.QCh7Care18

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care18.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care18.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his_her := 'his/her'
```

FRS0801A.QChCare.QCh7Care18.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
(638) FRS0801A.QChCare.QCh7Care18.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
(639) FRS0801A.QChCare.QCh7Care18.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
  640) FRS0801A.QChCare.QCh7Care18.Child[].ChAmt1
     ^I QChCare
     ^I
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     ^N How much was your most recent payment for the childcare with ^ChName's other non-relatives?^N
     ^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs
     by number of children
     ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.
     grandparents or where payment is made with childcare vouchers. 1
```

0.00..99997.00

```
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
     AND: Edit = No
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      'I Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.^I
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
(641) FRS0801A.QChCare.QCh7Care18.Child[].ChPd
      ^I QChCare
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^N And what period did that payment cover?^N
      ^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I
           OneWeek
                      One week
      (1)
           TwoWeek
                      Two weeks
      (2)
           ThrWeek
      (3)
                      Three weeks
           Fourweek
                      Four weeks
      (4)
      (5)
           Month
                      Calendar month
      (7)
           TwoMonth
                      Two Calendar months
      (8)
           EighYear
                      Eight times a year
      (9)
           NineYear
                      Nine times a year
                      Ten times a year
           TenYear
      (10)
      (13)
           ThrMonth
                      Three months/13 weeks
           SixMonth
                      Six months/26 weeks
      (26)
                      One Year/12 months/52 weeks
      (52)
           Year
      (90)
           LessWeek
                      Less than one week
      (95)
           LumpSum
                      One off/lump sum
      (97)
           Note
                      None of these ^I(Explain in a note)^I
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes

RESERVECHECK

FRS0801A.QChCare.QCh7Care18 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care11.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
(642) FRS0801A.QChCare.QCh8Care11.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
(643) FRS0801A.QChCare.QCh8Care11.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
( 644) FRS0801A.QChCare.QCh8Care11.Child[].ChInKnd
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
     ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
     repay ^ChName's grandparents for looking after ^him_her?^N
     ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
     and make a note as necessary.^I
     SET [4] OF
     (1)
           Lookaft
                      Looked after his/her child(ren) in return
     (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
     (3)
           Other
                      Other
     (4)
           Nothing
                      No, nothing
     (5)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care11 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care12.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
(645) FRS0801A.QChCare.QCh8Care12.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
(646) FRS0801A.QChCare.QCh8Care12.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
(647) FRS0801A.QChCare.QCh8Care12.Child[].ChInKnd
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
     ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
     repay ^ChName's non-resident parent/ex-spouse/ex-partner for looking after ^him_her?^N
     ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
     and make a note as necessary.^I
     SET [4] OF
     (1)
           Lookaft
                      Looked after his/her child(ren) in return
     (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
     (3)
           Other
                      Other
     (4)
           Nothing
                      No, nothing
     (5)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care12 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care13.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
(648) FRS0801A.QChCare.QCh8Care13.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
(649) FRS0801A.QChCare.QCh8Care13.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
(650) FRS0801A.QChCare.QCh8Care13.Child[].ChInKnd
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
     ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
     repay ^ChName's brother or sister for looking after ^him_her?^N
     ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
     and make a note as necessary.^I
     SET [4] OF
     (1)
           Lookaft
                      Looked after his/her child(ren) in return
     (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
     (3)
           Other
                      Other
     (4)
           Nothing
                      No, nothing
     (5)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care13 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care14.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
(651) FRS0801A.QChCare.QCh8Care14.Child[].BenUnit
      ^I QChCare
      ۸I
      ^I Child Care^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
(652) FRS0801A.QChCare.QCh8Care14.Child[].Person
      ^I QChCare
      ۸1
      ^I Child Care^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
(653) FRS0801A.QChCare.QCh8Care14.Child[].ChInKnd
      ^I QChCare
      ۸Ţ
      ^I Child Care^I
      ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
      ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
      repay ^ChName's other relatives for looking after ^him_her?^N
      ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
      and make a note as necessary.^I
      SET [4] OF
      (1)
           Lookaft
                      Looked after his/her child(ren) in return
      (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
      (3)
           Other
                      Other
      (4)
                      No, nothing
      (5)
           Nothing
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care14 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care15.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
(654) FRS0801A.QChCare.QCh8Care15.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
(655) FRS0801A.QChCare.QCh8Care15.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
(656) FRS0801A.QChCare.QCh8Care15.Child[].ChInKnd
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
     ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
     repay ^ChName's childminder for looking after ^him_her?^N
     ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
     and make a note as necessary.^I
     SET [4] OF
     (1)
           Lookaft
                      Looked after his/her child(ren) in return
     (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
     (3)
           Other
                      Other
     (4)
           Nothing
                      No, nothing
     (5)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care15 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care16.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
(657) FRS0801A.QChCare.QCh8Care16.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
(658) FRS0801A.QChCare.QCh8Care16.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
(659) FRS0801A.QChCare.QCh8Care16.Child[].ChInKnd
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
     ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
     repay ^ChName's nanny/au pair for looking after ^him_her?^N
     ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
     and make a note as necessary.^I
     SET [4] OF
     (1)
           Lookaft
                      Looked after his/her child(ren) in return
     (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
     (3)
           Other
                      Other
     (4)
           Nothing
                      No, nothing
     (5)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care16 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care17.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
(660) FRS0801A.QChCare.QCh8Care17.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
(661) FRS0801A.QChCare.QCh8Care17.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
(662) FRS0801A.QChCare.QCh8Care17.Child[].ChInKnd
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
     ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
     repay ^ChName's friends or neighbours for looking after ^him_her?^N
     ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
     and make a note as necessary.^I
     SET [4] OF
     (1)
           Lookaft
                      Looked after his/her child(ren) in return
     (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
     (3)
           Other
                      Other
     (4)
           Nothing
                      No, nothing
     (5)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care17 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh8Care18.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(663) FRS0801A.QChCare.QCh8Care18.Child[].BenUnit
     ^I QChCare
     ^I Child Care^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(664) FRS0801A.QChCare.QCh8Care18.Child[].Person
     ^I QChCare
     ۸1
     ^I Child Care^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(665) FRS0801A.QChCare.QCh8Care18.Child[].ChInKnd
     ^I QChCare
     ۸Ţ
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
      ^IS^I C3^I
     ^X^I [And/And apart from any money which you paid]^I^N do you do any of the things on this card to
     repay ^ChName's other non-relatives for looking after ^him_her?^N
     ^I^BLU^IC This is an opinion question. Code anything which is not found in categories 1, 2 or 3 as Other
     and make a note as necessary.^I
     SET [4] OF
     (1)
           Lookaft
                      Looked after his/her child(ren) in return
     (2)
           Favour
                      Did him/her a favour
           Gift
                      Gave him/her a gift or treat
     (3)
           Other
                      Other
     (4)
           Nothing
                      No, nothing
     (5)
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS0801A.QChCare.QCh8Care18 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Male
him her := 'him'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
him her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
him_her := 'him/her'
```

FRS0801A.QChCare.QCh9Care.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(666) FRS0801A.QChCare.QCh9Care.Child[].BenUnit
     ^I QChCare
     ۸I
     ^I Child Care^I
     BU number of person
    0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
(667) FRS0801A.QChCare.QCh9Care.Child[].Person
     ^I QChCare
     ۸Ţ
    ^I Child Care^I
     Person identifier
     0..14
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: NatCen = NI
HBenCTRT := 'Housing Benefit/rent/rates rebate'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (NatCen = NI)
HBenCTRT := 'Housing Benefit/Council Tax Benefit'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChText := ''
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
provider := 'childminder'
```

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
     AND: QCh4Care.Child[Person].Registrd[1] = Registered
ChText := provider
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]
provider := 'playgroup or pre-school'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]
    AND: QCh4Care.Child[Person].Registrd[2] = Registered
     And: ChText =
ChText := provider
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]
     AND: QCh4Care.Child[Person].Registrd[2] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
provider := 'day nursery or creche'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
     AND: QCh4Care.Child[Person].Registrd[3] = Registered
     AND: ChText =
ChText := provider
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
     AND: QCh4Care.Child[Person].Registrd[3] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
provider := (ChName + ''s nursery school')
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
     AND: QCh4Care.Child[Person].Registrd[4] = Registered
     AND: ChText =
ChText := provider
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
     AND: QCh4Care.Child[Person].Registrd[4] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
provider := (ChName + ''s infant's school')
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
     AND: QCh4Care.Child[Person].Registrd[5] = Registered
     AND: ChText =
ChText := provider
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
     AND: QCh4Care.Child[Person].Registrd[5] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
provider := 'primary school'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
     AND: QCh4Care.Child[Person].Registrd[6] = Registered
     AND: ChText =
ChText := provider
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
     AND: QCh4Care.Child[Person].Registrd[6] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
provider := 'nanny/au-pair'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
     AND: QCh4Care.Child[Person].Registrd[7] = Registered
     AND: ChText =
ChText := provider
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
     AND: QCh4Care.Child[Person].Registrd[7] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: (((((((ChMind IN QCh3Care.Child[Person].ChPeo[]) OR (PlayGp IN
     QCh1Care.Child[Person].ChAtt[])) OR (DayNurse IN
     QCh1Care.Child[Person].ChAtt[])) OR (Nursery IN QCh1Care.Child[Person].ChAtt[])) OR (QCh2Care.Child[Person].ChInf IN
     [Recept, Nursery])) OR (QCh2Care.Child[Person].ChPri IN [Recept,
     Nursery])) OR (Nanny IN QCh3Care.Child[Person].ChPeo[])) AND (ChAge <
     13)) AND ((((((QRenting.HBenAmt > 0) OR (QRenting.HBenefit = Yes)) OR
     (QCounTax.CTRebAmt > 0)) OR (QCounTax.CTReb = Yes)) OR (QNIRates.RTRebAmt > 0)) OR (QNIRates.RTReb = Yes))
(668) FRS0801A.QChCare.QCh9Care.Child[].BenCCDis
     ^I QChCare
     ^I Child Care^I
     ^I^BLU ^ChName^BLU^I
     'N You said earlier that you get 'HBenCTRT. Does the benefit take account of the cost of 'ChName's
     ^ChText?^N
     (1)
          Yes
                    Yes
     (2)
          No
                    No
```

WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK

FRS0801A.QChCare.QCh9Care (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

Block: FRS0801A.QChCare

FRS0801A.QChCare (continued)

Questions about child care

WARN IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
WARN IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
WARN IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
WARN IF: AllCh > 0 RESERVECHECK	

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

```
WARN IF: AllCh > 0
      RESERVECHECK
      RESERVECHECK
Compute if: In loop FOR Loop1 := 1 TO 14
      AND: ((((QChCare.QCh4Care.Child[Loop1].Registrd[1] = Registered) OR
      (QChCare.QCh4Care.Child[Loop1].Registrd[2] = Registered)) OR
      (QChCare.QCh4Care.Child[Loop1].Registrd[3] = Registered)) OR (QChCare.QCh4Care.Child[Loop1].Registrd[4] = Registered)) OR (QChCare.QCh4Care.Child[Loop1].Registrd[5] = Registered)
ChRegis := (ChRegis + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO 14
AND: DMAge[Loop1] IN [0 .. 15]
      AND: DMNumParn[Loop1] = 1
LoneParent := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO 14
AND: DMAge[Loop1] IN [0 .. 15]
      AND: DMNumParn[Loop1] = 1
NCDVLP := Yes
COMPUTE IF: In loop FOR Loop1 := 1 TO 14
      AND: DMAge [Loop1] IN [0 .. 15]
      AND: DMNumParn[Loop1] > 1
LoneParent := No
```

Page 726

Block: FRS0801A.QCare

FRS0801A.QCare

Questions about carers/cared for

ASK ALWAYS:

(669) FRS0801A.QCare.NeedHelp

^I QCare

۸I

^B Keeping an eye out, 'being there': ^B

Being available if needed Making your whereabouts known so you can be contacted if needed

^B Social support and assistance:^B

Sitting with Chatting with/ listening to/reading to Making/receiving telephone calls to talk to them Encouraging them to do things for themselves

^B Accompanying on trips out to go:^B Shopping To hospital/ GP/optician/dentist/chiropodist To the park/place of worship/restaurant

^B Paperwork/official/financial:^B

Helping with paperwork Dealing with 'officials' (including by phone)

^B Home and garden: ^B

Making meals Going shopping for someone Washing/ironing/changing sheets Cleaning /housework Gardening Odd jobs/maintenance

^B Medical:^B

Collecting prescriptions/giving medication Changing dressings

^B Moving about the home: Giving help with ^B

Getting up and down stairs Moving from room to room Getting in and out of bed

^B Personal care: help with^B

Getting dressed Feeding Washing/bathing/using the toilet

- (1) Yes Yes
- (2) No No

Block: FRS0801A.QCare

ASK ALWAYS:

670) FRS0801A.QCare.GiveHelp

^I QCare

۸Ţ

^B Keeping an eye out, 'being there': ^B

Being available if needed Making your whereabouts known so you can be contacted if needed

^B Social support and assistance:^B

Sitting with Chatting with/ listening to/reading to Making/receiving telephone calls to talk to them Encouraging them to do things for themselves

^B Accompanying on trips out to go:^B Shopping To hospital/ GP/optician/dentist/chiropodist To the park/place of worship/restaurant

^B Paperwork/official/financial:^B

Helping with paperwork Dealing with 'officials' (including by phone)

^B Home and garden: ^B

Making meals Going shopping for someone Washing/ironing/changing sheets Cleaning /housework Gardening Odd jobs/maintenance

^B Medical:^B

Collecting prescriptions/giving medication Changing dressings

^B Moving about the home: Giving help with ^B

Getting up and down stairs Moving from room to room Getting in and out of bed

^B Personal care: help with^B

Getting dressed Feeding Washing/bathing/using the toilet

- (1) Yes Yes
- (2) No No

FRS0801A.QCare.QRecHelp

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: NeedHelp = Yes
    AND: In loop FOR Idy := 1 TO HHSize
LName[Idy] := DMName[[Idy]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[15] := 'Parent outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[16] := 'Other Parent outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[17] := 'Child outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[18] := 'Spouse outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[19] := 'Other relative'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[20] := 'Friend/neighbour'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[21] := 'Client of voluntary organisation'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[22] := 'Other non-household'
```

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
```

671) FRS0801A.QCare.QRecHelp.QNeedPer

```
^I QCare
^I
```

'I If they provide help or give help for B more than one B individual in any one category of:

- 15: Parent outside household
- 16: Other parent outside household
- 18: Child outside household
- 19: Relative
- 20: Friend/neighbour
- 21: Client of voluntary organisation
- 22: Other non-household

Please make a Note here <Ctrl+M> to tell us how many^B more^B people are involved.^I

```
SET [5] OF
                  ^LName[1]
(1)
      Per1
                  ^LName[2]
(2)
      Per2
                  ^LName[3]
(3)
      Per3
                  ^LName[4]
(4)
      Per4
(5)
      Per5
                  ^LName[5]
(6)
      Per6
                  ^LName[6]
(7)
      Per7
                  ^LName[7]
(8)
      Per8
                  ^LName[8]
(9)
      Per9
                  ^LName[9]
(10)
      Per10
                  ^LName[10]
      Per11
                  ^LName[11]
(11)
(12)
                  ^LName[12]
      Per12
(13)
                  ^LName[13]
      Per13
(14)
      Per14
                  ^LName[14]
(15)
      Per15
                  ^LName[15]
(16)
      Per16
                  ^LName[16]
(17)
      Per17
                  ^LName[17]
(18)
      Per18
                  ^LName[18]
(19)
      Per19
                  ^LName[19]
(20)
      Per20
                  ^LName[20]
(21)
      Per21
                  ^LName[21]
(22)
      Per22
                  ^LName[22]
```

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR ixy := 1 TO 22
AND: ixy IN QNeedPer
(LName[ixy] <> '') AND INVOLVING(QNeedPer)
```

[^]N Record a valid code for person cared for.

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: Per22 IN QNeedPer
(672) FRS0801A.QCare.QRecHelp.NeedPerO
     ^I QCare
     ۸I
     ^N Who is the other person outside the household receiving help or being looked after?^N
     STRING[40]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] IN [Per1 .. Per22]
NeedNum := ORD(QNeedPer[Idx])
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx \leftarrow QNeedPer.CARDINAL
     AND: NeedNum IN [1 .. 14]
NeedName := DMName[[NeedNum]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per15
NeedName := 'the PARENT'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per16
NeedName := 'the OTHER PARENT'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per17
NeedName := 'the CHILD'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per18
NeedName := 'the SPOUSE'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per19
```

NeedName := 'the RELATIVE'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per20
NeedName := 'the FRIEND/NEIGHBOUR'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
AND: QNeedPer[Idx] = Per21
NeedName := 'the CLIENT of a voluntary organisation'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per22
NeedName := UPCASE(NeedPerO)
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
```

Recip[Idx].NeedPer := NeedNum

FRS0801A.QCare.QRecHelp.Recip[]

```
RECORD IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
(673) FRS0801A.QCare.QRecHelp.Recip[].NeedPer
     ^I QCare
     ۸I
     ^N Who is receiving help/being looked after.^N
     0..22
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
LNeedPer := NeedPer
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
LNeedName := PNeedName
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
(674) FRS0801A.QCare.QRecHelp.Recip[].Freq
     ^I QCare
     ۸Ţ
     ^N How frequently does ^LNeedName receive such help?^N
     (1)
           Continuo
                     Continuously
     (2)
           SevDay
                     Several times a day
     (3)
           OTDay
                     Once or twice a day
     (4)
           SevWeek
                     Several times a week
     (5)
           OWeek
                     Once a week
     (6)
          LessFreq
                     Less frequently
```

```
Ask If: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: Freq IN [Continuously, SevDay]
(675) FRS0801A.QCare.QRecHelp.Recip[].DayNight
     ^I QCare
     ۸Ι
     ^N And does ^LNeedName receive help during the daytime; or at night; or both in the day^B and^B at
     night?^N
     (1)
          Day
                     Daytime only
     (2)
          Night
                     At night only
     (3)
          Both
                     Both day and night
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Rel := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Fri := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
LAH := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Dom := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx \leftarrow QNeedPer.CARDINAL
     AND: LNeedPer > 14
Nur := ''
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Hel := ''
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop \overline{FOR} Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Rel := 'Relatives'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
     AND: NOT (LNeedPer > 14)
Fri := 'Friends/Neighbours'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
     And: NatCen = NI
LAH := 'Social Services home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
    AND: NOT (NatCen = NI)
LAH := 'Local Authority home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop \overline{FOR} Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Dom := 'Private domestic help'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Nur := 'District nurse, health visitor or other kind of nurse'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: NOT (LNeedPer > 14)
Hel := 'Other outside helpers'
```

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
(676) FRS0801A.QCare.QRecHelp.Recip[].WhoLook
     ^I QCare
     ۸Ι
     ^N Who looks after, or provides help for ^LNeedName? ^Anyone else?^N
     ^I^BLU^IC Code all that apply.^I
     SET [5] OF
     (1)
          Per1
                     ^DMName[1]
     (2)
          Per2
                     ^DMName[2]
     (3)
                     ^DMName[3]
          Per3
                     ^DMName[4]
     (4)
          Per4
                     ^DMName[5]
     (5)
          Per5
                     ^DMName[6]
     (6)
          Per6
     (7)
          Per7
                     ^DMName[7]
     (8)
          Per8
                     ^DMName[8]
     (9)
          Per9
                     ^DMName[9]
     (10)
          Per10
                     ^DMName[10]
     (11)
          Per11
                     ^DMName[11]
                     ^DMName[12]
     (12)
          Per12
     (13)
          Per13
                     ^DMName[13]
          Per14
                     ^DMName[14]
     (14)
                     ^Rel
     (15)
          Relative
     (16)
          Friends
                     ^Fri
     (17)
          LAHelp
                     ^LAH
     (18)
          Domestic
                     ^Dom
     (19)
          Nurse
                     ^Nur
     (20)
                     ^Hel
          Helpers
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR ixx := 1 TO 14
     AND: ixx IN WhoLook
     (DMName[[ixx] <> '') AND INVOLVING(WhoLook)
     ^N Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: Relative IN WhoLook
     (Rel <> '') AND INVOLVING(WhoLook)
     ^N Record valid code for carer.
```

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: Friends IN WhoLook
     (Fri <> '') AND INVOLVING(WhoLook)
     ^N Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: LAHelp IN WhoLook
(LAH <> '') AND INVOLVING(WhoLook)
     ^N Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: Domestic IN WhoLook
     (Dom <> '') AND INVOLVING(WhoLook)
     ^N Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: Nurse IN WhoLook
     (Nur <> '') AND INVOLVING(WhoLook)
     ^N Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: Helpers IN WhoLook
     (Hel <> ''') AND INVOLVING(WhoLook)
     ^N Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: LNeedPer > 14
     NOT((((((((((IN(Relative, WhoLook)) OR (IN(Friends, WhoLook))) OR
     (IN(LAHelp, WhoLook))) OR (IN(Domestic, WhoLook))) OR
     (IN(Nurse, WhoLook))) OR (IN(Helpers, WhoLook)))
     ^I^BLU^IC That code is invalid^I
```

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
      AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
      AND: LNeedPer <= 14
     NOT(IN(LNeedPer,WhoLook))
      ^I^BLU^IC You've included ^LNeedName as looking after him-/herself. Please remove him/her from the
      answer at WhoLook.^I
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 14
      AND: Count IN WhoLook
     DMAge[[Count] >= 0
      ^I^BLU^IC Code ^Count is not valid for this question.^I
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 14
      RESERVECHECK
      RESERVECHECK
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 14
      RESERVECHECK
      RESERVECHECK
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq \tilde{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 14
      RESERVECHECK
      RESERVECHECK
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Relative
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Relative
has := 'has'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Relative
helper := 'the relative'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Relative
HCount := 15
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq \overline{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Friends
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Friends
has := 'has'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Friends
helper := 'the friend'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Friends
HCount := 16
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NatCen = NI
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NatCen = NI
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NatCen = NI
helper := ('the Social Services home help or ' + 'home care
worker')
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NOT (NatCen = NI)
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NOT (NatCen = NI)
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NOT (NatCen = NI)
helper := 'the LA home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
HCount := 17
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
helper := 'the private domestic help'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
HCount := 18
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Nurse
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Nurse
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Nurse
helper := 'the nurse'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Nurse
HCount := 19
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Helpers
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Helpers
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Helpers
helper := 'the outside helper'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Helpers
HCount := 20
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per1
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per1
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per1
helper := DMName[[1]
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per1
HCount := 1
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per2
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per2
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per2
helper := DMName[[2]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per2
HCount := 2
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per3
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per3
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per3
helper := DMName[[3]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per3
HCount := 3
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per4
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq \overline{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per4
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per4
helper := DMName[[4]
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per4
HCount := 4
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per5
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per5
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per5
helper := DMName[[5]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per5
HCount := 5
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per6
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per6
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per6
helper := DMName[[6]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per6
HCount := 6
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per7
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq \overline{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per7
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per7
helper := DMName[[7]
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per7
HCount := 7
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per8
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per8
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per8
helper := DMName[[8]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per8
HCount := 8
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per9
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per9
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per9
helper := DMName[[9]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per9
HCount := 9
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per10
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq \overline{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per10
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per10
helper := DMName[[10]
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per10
HCount := 10
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per11
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per11
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per11
helper := DMName[[11]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per11
HCount := 11
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per12
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per12
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per12
helper := DMName[[12]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per12
HCount := 12
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
     \textbf{AND:} \hspace{0.1in} (\textit{Freq IN [Continuously ... OWeek]}) \hspace{0.1in} \textit{OR Freq = NONRESPONSE}
     AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per13
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq \overline{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per13
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per13
helper := DMName[[13]
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: WhoLook[Count] = Per13
HCount := 13
```

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per14
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per14
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per14
helper := DMName[[14]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Per14
HCount := 14
```

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
      AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
(677) FRS0801A.QCare.QRecHelp.Recip[].Hour
      ^I QCare
      ۸Ι
      ^IS^I D2^I
      'N About how many hours a week, on average, does 'helper spend actually providing help for or looking
      after ^LNeedName?^N
      (1)
            upto4
                        0-4 hours per week
            upto9
                        5-9 hours per week
      (2)
            upto19
                        10-19 hours per week
      (3)
      (4)
                        20-34 hours per week
            upto34
      (5)
            upto49
                        35-49 hours per week
      (6)
            upto99
                        50-99 hours per week
      (7)
            over100
                        100 or more hours per week
      (8)
            var20
                        Varies - under 20 hours per week
      (9)
            var2034
                        Varies - 20-34 hours per week
      (10)
           var35
                        Varies - 35 hours a week or more
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
      AND: In loop FOR Idx := 1 TO 5
      AND: Idx <= QNeedPer.CARDINAL
      AND: (Freq \tilde{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
      AND: Count <= WhoLook.CARDINAL
      AND: Edit <> Yes
      AND: HCount <= 14
      AND: DMAge[HCount] IN [1 .. 15]
      Hour[Count] <> over100
```

^I Are you sure that the child(ren) are looking after ^LNeedName for 100 hours a week or more? If so, suppress warning.^I

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
(678) FRS0801A.QCare.QRecHelp.Recip[].HowLng
     ^I QCare
     ۸I
     ^IS^I D3^I
     Thinking of when helper first began providing help for or looking after LNeedname, about how long
     ^has ^helper been providing help for or looking after ^LneedName?
     ^I^BLU^IC Prompt as necessary
     ^I^IC Record how long care has been given regardless of the number of hours the carer gives now or has
     given in the past.
     (1)
           Less6M
                      Less than 6 months
     (2)
           LessYr
                       6 months, less than 1 year
     (3)
           Less3Yr
                       1 year, less than 3 years
     (4)
           Less5Yr
                      3 years, less than 5 years
                       5 years, less than 10 years
     (5)
           Less10Yr
                       10 years, less than 15 years
     (6)
           Less15Yr
     (7)
           Less20Yr
                       15 years, less than 20 years
     (8)
           More20
                      20 years or more
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     RESERVECHECK
```

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL

RESERVECHECK

FRS0801A.QCare.QRecHelp (continued)

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) **AND:** In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK **WARN IF:** (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK **WARN IF:** (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

RESERVECHECK

RESERVECHECK

RESERVECHECK

 $extbf{Warn if:}$ (NeedHelp = Yes) OR (GiveHelp = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

RESERVECHECK

FRS0801A.QCare (continued)

Questions about carers/cared for

```
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: QRecHelp.QNeedPer <> EMPTY AND (NeedHelp = Yes)
     (IN(Per2,QRecHelp.QNeedPer))) OR (IN(Per3,QRecHelp.QNeedPer))) OR
     (IN(Per4,QRecHelp.QNeedPer))) OR (IN(Per5,QRecHelp.QNeedPer))) OR
     (IN(Per6,QRecHelp.QNeedPer))) OR (IN(Per7,QRecHelp.QNeedPer))) OR
     (IN(Per8,QRec
    ^I Please include the household member who receives regular help, or change 'NeedHelp' to 'No'.^I
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Index1 := 1 TO HHSize
    AND: NeedHelp <> EMPTY AND (Index1 IN QRecHelp.QNeedPer)
    NeedHelp = Yes
    'I You have coded a household member as receiving regular help, so please change 'NeedHelp' to 'Yes',
    or remove the household member from 'QNeedPer'.^I
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: QRecHelp.QNeedPer <> EMPTY AND (GiveHelp = Yes)
     OR (IN(Per17, QRecHelp.QNeedPer))) OR (IN(Per18, QRecHelp.QNeedPer))) OR
     (IN(Per19,QRecHelp.QNeedPer))) OR (IN(Per20,QRecHelp.QNeedPer))) OR
     (IN(Per21, QRecHelp.QNeedPer))) OR (IN(Per22, QR
    ^I Please include the non-household member receiving help from someone in the household, or change
    'GiveHelp' to 'No'.^I
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Index1 := 15 TO 22
    AND: GiveHelp <> EMPTY AND (Index1 IN QRecHelp.QNeedPer)
    GiveHelp = Yes
    'I You have coded a non-household member as receiving help, so please change 'GiveHelp' to 'Yes', or
    remove the non-household member from 'QNeedPer'.^I
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Index1 := 15 TO 22
    RESERVECHECK
    RESERVECHECK
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Index1 := 15 TO 22
    RESERVECHECK
    RESERVECHECK
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Index1 := 15 TO 22
    RESERVECHECK
    RESERVECHECK
```

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK RESERVECHECK **WARN IF:** (NeedHelp = Yes) OR (GiveHelp = Yes)AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK RESERVECHECK WARN ALWAYS: RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

Block: FRS0801A

FRS0801A (continued)

FAMILY RESOURCES SURVEY 2007-2008

Check if: In loop FOR Loop1 := 1 TO 14

AND: Loop1 IN QCare.QRecHelp.QNeedPer

DMAge[Loop1] >= 0

^I^BLU^IC Code ^Loop1 is not valid for this question.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO 14

AND: In loop FOR Loop2 := 1 TO 5

AND: Loop1 IN QCare.QRecHelp.Recip[Loop2].WhoLook

DMCarer[Loop1] := Yes

CHECK IF: In loop FOR Loop1 := 1 TO 14

AND: In loop FOR Loop2 := 1 TO 5

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO 14

AND: In loop FOR Loop2 := 1 TO 5

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

Block: FRS0801A

ASK ALWAYS:

(679) FRS0801A.EndDisp

^I^BLU^IC@|-@|End of 'Household' Schedule.

Now administer 'Benefit Unit' Schedule(s).

B.U. members

 $^{\Lambda} Name In BU[1]^{\Lambda} Name In BU[2]^{\Lambda} Name In BU[3]^{\Lambda} Name In BU[4]^{\Lambda} Name In BU[5]$

^NameInBU[6]^NameInBU[7]

Total number of Benefit Units = ^NewBU

Press <Ctrl + Enter> to select Benefit Unit or to fill in Admin details. Alternatively, press <1> and <Enter> to start the first Benefit Unit.^I

1..1

RECORD ALWAYS:

(680) FRS0801A.HHTime

^I Time taken from interview start to end of household grid.

Only visible for testing purposes, just press <Enter>.^I

TIME

RECORD ALWAYS:

(681) FRS0801A.HHMins

^I Total minutes in household grid.

Only visible for testing purposes, just press <Enter>.^I

0.00..1440.00

COMPUTE IF: HHTime = EMPTY AND EndDisp <> EMPTY

HHTime := SYSTIME

COMPUTE IF: HHTime = EMPTY AND EndDisp <> EMPTY

HHMins := ((HHTime.ABSTIME - QSignIn.IntSTime.ABSTIME) /
60000)

Ask if: Test = Yes

(682) FRS0801A.HHTime

^I Time taken from interview start to end of household grid.

Only visible for testing purposes, just press <Enter>.^I

TIME

Ask if: Test = Yes

(683) FRS0801A.HHMins

^I Total minutes in household grid.

Only visible for testing purposes, just press <Enter>.^I

0.00..1440.00

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

COMPUTE ALWAYS:

NBusRooms := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AdInBU[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AdInBU[2] := 1

Compute if: In loop FOR Loop1 := 1 TO NewBU

Child1 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Child2 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Child3 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Child4 := 0

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Child5 := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Child6 := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Child7 := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Child8 := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend = Adult
     AND: AdInBU[1] = EMPTY
AdInBU[1] := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend = Adult
     AND: AdInBU[2] = EMPTY
AdInBU[2] := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child1 = 0
Child1 := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child2 = 0
Child2 := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child3 = 0
Child3 := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child4 = 0
Child4 := Loop2
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child5 = 0
Child5 := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child6 = 0
Child6 := Loop2
Compute if: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child7 = 0
Child7 := Loop2
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: In loop FOR Loop2 := 1 TO HHSize
AND: Loop1 = ABen[Loop2]
     AND: PRec[Loop2].Depend IN [DepAd .. Child]
     AND: Child8 = 0
Child8 := Loop2
```