Compute if: AllCh > 0 And: AllCh > 1

```
childtxt := 'children'
```

Ask if: AllCh > 0

# FRS0805B.Disp

^N The next questions are about childcare for your ^childtxt. This includes all types of childcare such as playschool or nursery school or a childminder^B as well as^B relatives or friends who look after your ^childtxt.^N

(1) Cont Press <Enter> to continue.

#### FRS0805B.QChCare.QCh1Care

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

```
Child[Index2].BenUnit := DMBU[[Index2]
```

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: DMNumParn[Index2] = 1

PNames := DMName[[DMParent1[[Index2]]

```
COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: DMNumParn[Index2] > 1
```

#### PNames := (DMName[[DMParent1[[Index2]] + ' and ' + DMName[[DMParent2[[Index2]])

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

```
ChName := DMName[[Index2]
```

```
Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
```

ChAge := DMAge[[Index2]

### FRS0805B.QChCare.QCh1Care.Child[]

Record if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

### FRS0805B.QChCare.QCh1Care.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
```

### FRS0805B.QChCare.QCh1Care.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier.

0..14

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
```

```
AttTxt[[1] := ''
```

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
```

AttTxt[[2] := ''

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

```
AttTxt[[3] := ''
```

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

AttTxt[[4] := ''

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

AttTxt[[5] := ''

**Compute if:** AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AttTxt[[6] := '' Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AttTxt[[9] := '' **Compute if:** AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AttTxt[[10] := 'other provider' **Compute if:** AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AttTxt[[7] := 'Holiday scheme / club' **Compute if:** AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AttTxt[[8] := 'Children's centres / integrated centres / combined centres' **Compute if:** AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: ChAge < 6 AttTxt[[1] := 'Playgroup or pre school' **Compute if:** AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: ChAge < 6 AttTxt[[2] := 'Day nursery or workplace creche' Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: ChAge < 6 AttTxt[[3] := 'Nursery school' **Compute if:** AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: ChAge IN [3 .. 5]

AttTxt[[4] := 'Infant's school'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: ChAge IN [2 .. 5]

AttTxt[[5] := 'Primary school'

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: ChAge >= 2

AttTxt[[6] := 'Breakfast / After school club'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: ChAge >= 2

AttTxt[[9] := (N + 'SPONTANEOUS ONLY' + N + ' - Boarding
school')

Ask if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

# FRS0805B.QChCare.QCh1Care.Child[].ChAtt

^I QChCare ^I ^I Child Care^I

^I Count all after school activities as 'After school clubs'. This includes all study support or recreational activities after school hours.

^B Pre-school care^B

^B Pre-school and play groups^b

Attended by children between two and five years old. They offer sessions from two-and-a-half hours to four hours, during term time, every day or for several days a week.

^B Day nurseries^B

Attended by children between the ages of six weeks and five years. Run by the council, the community, based in the workplace or privately run. Opening times are from around 7am to 7pm, 50 weeks of the year. Children can attend full or part time.

^B Nursery schools and classes^B

Attended by children between three and five years old.

Run as part of the state education system or by private or voluntary sector organisations.

Open during school hours, usually 9am to 3:30pm in term time for full or half-day sessions. ^I

SET [10] OF

(	(1)	PlayGp	^N^AttTxt[1]
(	(2)	DayNurse	^N^AttTxt[2]
(	(3)	Nursery	^N^AttTxt[3]
(	(4)	InfantS	^N^AttTxt[4]
(	(5)	PrimaryS	^N^AttTxt[5]
(	(6)	Breakfst	^N^AttTxt[6]
(	(7)	Holiday	^N^AttTxt[7]
(	(8)	ChCentre	^N^AttTxt[8]
(	(9)	Boarding	^N^AttTxt[9]
(	(10)	Other	SPONTANEOUS ONLY - ^N Other
(	(11)	None	None of the above

```
CHECK IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: None IN ChAtt
ChAtt.CARDINAL = 1
```

'None of the above' is an exclusive code.

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: In loop FOR ii := 1 TO 9
AND: ii IN ChAtt
AttTxt[[ii] <> ''
```

Code ^ii is not valid for this child

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: In loop FOR ii := 1 TO 9 RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: In loop FOR ii := 1 TO 9
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

# FRS0805B.QChCare.QCh1Care (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

# FRS0805B.QChCare.QCh2Care

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### ChName := DMName[[Index2]

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[[Index2]

# FRS0805B.QChCare.QCh2Care.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

# FRS0805B.QChCare.QCh2Care.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

# FRS0805B.QChCare.QCh2Care.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier.

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: InfantS IN QCh1Care.Child[Person].ChAtt[]
```

# FRS0805B.QChCare.QCh2Care.Child[].ChInf

^I QChCare ^I ^I Child Care^I

A Nursery class is attended by 3 to 5 year olds before attendance at a reception class. A reception class takes children who are either almost 5 years or are 5 years old. Reception class is attended before year 1 of primary school.

(1)	Recept	^N Reception class?
(2)	Nursery	^N Nursery class?
( <b>2</b> )	NT	ANT NT

(3) None ^N None of the above

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: PrimaryS IN QCh1Care.Child[Person].ChAtt[]
```

### FRS0805B.QChCare.QCh2Care.Child[].ChPri

^I QChCare ^I ^I Child Care^I

A Nursery class is attended by 3 to 5 year olds before attendance at a reception class. A reception class takes children who are either almost 5 years or are 5 years old. Reception class is attended before year 1 of primary school.

(1)	Recept	^N Reception class?

(2) Nursery ^N Nursery class?

(3) None ^N None of the above

```
ASK IF: AllCh > 0
```

```
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: ((((((((PlayGp IN QCh1Care.Child[Person].ChAtt[]) OR (DayNurse IN
QCh1Care.Child[Person].ChAtt[])) OR (Nursery IN
QCh1Care.Child[Person].ChAtt[])) OR (Breakfst IN
QCh1Care.Child[Person].ChAtt[])) OR (Holiday IN
QCh1Care.Child[Person].ChAtt[])) OR (ChCentre IN
QCh1Care.Child[Person].ChAtt[])) OR (Boarding IN
QCh1Care.Child[Person].ChAtt[])) OR (Other IN
QCh1Care.Child[Person].ChAtt[])) OR (Other IN
QCh1Care.Child[Person].ChAtt[])) OR (ChInf IN [Recept, Nursery])) OR
(ChPri IN [Recept, Nursery])
AND: ChAge >= 3
```

## FRS0805B.QChCare.QCh2Care.Child[].CTrm

^I QChCare ^I ^I Child Care^I

^I(Can I just check), ^I^N for ^ChName was that week in term time or was it a school holiday ... ^N

(1)	Termtime	^N Term time^N
(2)	Halfterm	^N Half term^N
(3)	Holiday	^N Or other school holiday?^N
(4)	NotApp	^N Not applicable^N

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
RESERVECHECK
```

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
RESERVECHECK

RESERVECHECK

### FRS0805B.QChCare.QCh2Care (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

# FRS0805B.QChCare.QCh3Care

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### ChName := DMName[[Index2]

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[[Index2]

## FRS0805B.QChCare.QCh3Care.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

## FRS0805B.QChCare.QCh3Care.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

Record if: AllCh > 0 And: In loop FOR Index2 := 1 TO HHSize And: DMAge[Index2] IN [0 .. 15]

## FRS0805B.QChCare.QCh3Care.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier.

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
```

# FRS0805B.QChCare.QCh3Care.Child[].ChPeo

^I QChCare ^I ^I Child Care^I

^IS^I C2^I^N

And during those seven days (ending Sunday the ^DatLSun) were there any other people who looked after ^ChName?^N

^I^BLU^IC Other than resident parent/guardian, and staff contact whilst at places previously mentioned. Code babysitters as 8 'other non-relative.' Ensure that respondent has included all types of paid and unpaid childcare, including childcare given by non-resident parents.^I

SET [9] OF

(1)	Granps	Child's grand parents
(2)	NonRes	Child's non-resident parent/an ex-spouse/an ex-partner
(3)	BroSis	Child's brother or sister
(4)	Rels	Other relatives
(5)	ChMind	Childminder
(6)	Nanny	Nanny/Au pair (includes both live-in and day nannies)
(7)	Friends	Friends or neighbours
(8)	NonRels	Other non-relatives (includes babysitters)
(9)	NotMind	SPONTANEOUS ONLY - Does not require minding
(10)	None	None of the above

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: None IN ChPeo ChPeo.CARDINAL = 1

'None' exclusive for this question.

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

# FRS0805B.QChCare.QCh3Care (continued)

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 RESERVECHECK RESERVECHECK

# FRS0805B.QChCare.QCh4Care

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

#### ChName := DMName[[Index2]

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[[Index2]

# FRS0805B.QChCare.QCh4Care.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

# FRS0805B.QChCare.QCh4Care.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

Record if: AllCh > 0 And: In loop FOR Index2 := 1 TO HHSize And: DMAge[Index2] IN [0 .. 15]

# FRS0805B.QChCare.QCh4Care.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier.

0..14

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: ChMind IN QCh3Care.Child[Person].ChPeo[]

#### provider := 'childminder'

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
```

^I QChCare ^I ^I Child Care^I

^I Registered or approved childcare can include: Registered childminders, nurseries and play schemes. Out of hours clubs on school premises run by a school of local authority. Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales The Scottish Commission for the Regulation for Care in Scotland A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include: Childminders who are not required to register. Nannies or au pairs^I

Register Registered OR Approved
 NonReg Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
```

with1 := 'with'

```
Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: ChMind IN QCh3Care.Child[Person].ChPeo[]
```

# FRS0805B.QChCare.QCh4Care.Child[].EmplProv

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Is the childcare ^with1 the ^provider provided by your employer?

(1)	Yes	Yes
(2)	No	No
(3)	DNA	Does not apply - child's parents/guardians have no employer

```
Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]
```

provider := 'playgroup or pre-school'

Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]

# FRS0805B.QChCare.QCh4Care.Child[].Registrd

^I QChCare ^I ^I Child Care^I

^I Registered or approved childcare can include: Registered childminders, nurseries and play schemes. Out of hours clubs on school premises run by a school of local authority. Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales The Scottish Commission for the Regulation for Care in Scotland A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include: Childminders who are not required to register. Nannies or au pairs^I

Register Registered OR Approved
 NonReg Not registered OR Not approved

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]

provider := 'day nursery or creche'

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
```

^I QChCare ^I ^I Child Care^I

^I Registered or approved childcare can include: Registered childminders, nurseries and play schemes. Out of hours clubs on school premises run by a school of local authority. Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales The Scottish Commission for the Regulation for Care in Scotland A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include: Childminders who are not required to register. Nannies or au pairs^I

Register Registered OR Approved
 NonReg Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
```

with1 := 'in'

```
Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: DayNurse IN QCh1Care.Child[Person].ChAtt[]
```

# FRS0805B.QChCare.QCh4Care.Child[].EmplProv

```
^I QChCare
^I
^I Child Care^I
```

^I^BLU ^ChName^BLU^I

^N Is the childcare ^with1 the ^provider provided by your employer?

(1)	Yes	Yes
(2)	No	No
(3)	DNA	Does not apply - child's parents/guardians have no employer

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: Nursery IN QCh1Care.Child[Person].ChAtt[]
```

provider := 'nursery school'

Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: Nursery IN QCh1Care.Child[Person].ChAtt[]

# FRS0805B.QChCare.QCh4Care.Child[].Registrd

^I QChCare ^I ^I Child Care^I

^I Registered or approved childcare can include: Registered childminders, nurseries and play schemes. Out of hours clubs on school premises run by a school of local authority. Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales The Scottish Commission for the Regulation for Care in Scotland A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include: Childminders who are not required to register. Nannies or au pairs^I

Register Registered OR Approved
 NonReg Not registered OR Not approved

COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]

provider := 'infant's school'

```
Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
```

^I QChCare ^I ^I Child Care^I

^I Registered or approved childcare can include: Registered childminders, nurseries and play schemes. Out of hours clubs on school premises run by a school of local authority. Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales The Scottish Commission for the Regulation for Care in Scotland A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include: Childminders who are not required to register. Nannies or au pairs^I

Register Registered OR Approved
 NonReg Not registered OR Not approved

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
```

provider := 'primary school'

```
Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
```

^I QChCare ^I ^I Child Care^I

^I Registered or approved childcare can include: Registered childminders, nurseries and play schemes. Out of hours clubs on school premises run by a school of local authority. Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales The Scottish Commission for the Regulation for Care in Scotland A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include: Childminders who are not required to register. Nannies or au pairs^I

Register Registered OR Approved
 NonReg Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
```

provider := 'nanny/au-pair'

```
Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: Nanny IN QCh3Care.Child[Person].ChPeo[]
```

^I QChCare ^I ^I Child Care^I

^I Registered or approved childcare can include: Registered childminders, nurseries and play schemes. Out of hours clubs on school premises run by a school of local authority. Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales The Scottish Commission for the Regulation for Care in Scotland A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include: Childminders who are not required to register. Nannies or au pairs^I

Register Registered OR Approved
 NonReg Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
```

with1 := 'with'

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
```

# FRS0805B.QChCare.QCh4Care.Child[].EmplProv

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Is the childcare ^with1 the ^provider provided by your employer?

(1)	Yes	Yes
(2)	No	No
(3)	DNA	Does not apply - child's parents/guardians have no employer

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15] RESERVECHECK

RESERVECHECK

# FRS0805B.QChCare.QCh4Care (continued)

CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK CHECK IF: AllCh > 0 RESERVECHECK RESERVECHECK

### FRS0805B.QChCare.QCh5Care1

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

his\_her := 'his/her'

### FRS0805B.QChCare.QCh5Care1.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

### FRS0805B.QChCare.QCh5Care1.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
```

### FRS0805B.QChCare.QCh5Care1.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care1.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his\_her playgroup or pre-school?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

### FRS0805B.QChCare.QCh5Care1 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

#### FRS0805B.QChCare.QCh5Care2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[] AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

his\_her := 'his/her'

## FRS0805B.QChCare.QCh5Care2.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

### FRS0805B.QChCare.QCh5Care2.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
```

### FRS0805B.QChCare.QCh5Care2.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care2.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his\_her Day nursery or workplace creche?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

### FRS0805B.QChCare.QCh5Care2 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nursery IN QCh1Care.Child[Index2].ChAtt[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nursery IN QCh1Care.Child[Index2].ChAtt[]
And: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nursery IN QCh1Care.Child[Index2].ChAtt[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nursery IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

### FRS0805B.QChCare.QCh5Care3.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nursery IN QCh1Care.Child[Index2].ChAtt[]

### FRS0805B.QChCare.QCh5Care3.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nursery IN QCh1Care.Child[Index2].ChAtt[]
```

### FRS0805B.QChCare.QCh5Care3.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care3.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his\_her nursery school?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

### FRS0805B.QChCare.QCh5Care3 (continued)

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: InfantS IN QCh1Care.Child[Index2].ChAtt[] AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: InfantS IN QCh1Care.Child[Index2].ChAtt[]
And: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: InfantS IN QCh1Care.Child[Index2].ChAtt[] AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
AND: PRec[Index2].Sex = Male

his\_her := 'his'

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
AND: PRec[Index2].Sex = Female

```
his_her := 'her'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: InfantS IN QCh1Care.Child[Index2].ChAtt[]
And: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
And: NOT (PRec[Index2].Sex = Female)

### FRS0805B.QChCare.QCh5Care4.Child[]

```
Record if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QChlCare.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
FRS0805B.QChCare.QCh5Care4.Child[].BenUnit
```

```
^I QChCare
^I
^I Child Care^I
```

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: InfantS IN QCh1Care.Child[Index2].ChAtt[]
And: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
```

### FRS0805B.QChCare.QCh5Care4.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: InfantS IN QCh1Care.Child[Index2].ChAtt[]
And: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
```

## FRS0805B.QChCare.QCh5Care4.Child[].ChHr1

```
^I QChCare
^I
^I Child Care^I
@>^I^Help_F9^I
@<
```

@< ^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his her infant's school?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
RESERVECHECK

### FRS0805B.QChCare.QCh5Care4 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
And: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[] AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[] AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
AND: PRec[Index2].Sex = Male

his\_her := 'his'

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
AND: PRec[Index2].Sex = Female

```
his_her := 'her'
```

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[] AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery] AND: NOT (PRec[Index2].Sex = Female)

### FRS0805B.QChCare.QCh5Care5.Child[]

```
Record if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
FRS0805B.QChCare.QCh5Care5.Child[].BenUnit
```

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
And: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
```

## FRS0805B.QChCare.QCh5Care5.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
And: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
```

## FRS0805B.QChCare.QCh5Care5.Child[].ChHr1

```
^I QChCare
^I
^I Child Care^I
@>^I^Help_F9^I
@<
^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in
^his_her primary school?^N
```

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
RESERVECHECK

### FRS0805B.QChCare.QCh5Care5 (continued)

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

### FRS0805B.QChCare.QCh5Care6.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

### FRS0805B.QChCare.QCh5Care6.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care6.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care6.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his\_her Breakfast / After school club?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

### FRS0805B.QChCare.QCh5Care6 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Holiday IN QCh1Care.Child[Index2].ChAtt[]

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

#### ChAge := DMAge[[Index2]

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Holiday IN QCh1Care.Child[Index2].ChAtt[]
And: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Holiday IN QCh1Care.Child[Index2].ChAtt[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Holiday IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

### FRS0805B.QChCare.QCh5Care7.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Holiday IN QCh1Care.Child[Index2].ChAtt[]

### FRS0805B.QChCare.QCh5Care7.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Holiday IN QCh1Care.Child[Index2].ChAtt[]
```

### FRS0805B.QChCare.QCh5Care7.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care7.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his\_her Holiday scheme / club?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

# FRS0805B.QChCare.QCh5Care7 (continued)

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[] AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

### FRS0805B.QChCare.QCh5Care8.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

### FRS0805B.QChCare.QCh5Care8.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
RECORD IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
```

### FRS0805B.QChCare.QCh5Care8.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care8.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his\_her Children''s centres / integrated centres / combined centres?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

### FRS0805B.QChCare.QCh5Care8 (continued)

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Boarding IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

### FRS0805B.QChCare.QCh5Care9.Child[]

Record if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

### FRS0805B.QChCare.QCh5Care9.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
RECORD IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
```

### FRS0805B.QChCare.QCh5Care9.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
```

## FRS0805B.QChCare.QCh5Care9.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his\_her boarding school?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Boarding IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

### FRS0805B.QChCare.QCh5Care9 (continued)

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Other IN QCh1Care.Child[Index2].ChAtt[]

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Other IN QCh1Care.Child[Index2].ChAtt[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Other IN QCh1Care.Child[Index2].ChAtt[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Other IN QCh1Care.Child[Index2].ChAtt[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Other IN QCh1Care.Child[Index2].ChAtt[]
And: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Other IN QCh1Care.Child[Index2].ChAtt[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Other IN QCh1Care.Child[Index2].ChAtt[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care10.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Other IN QCh1Care.Child[Index2].ChAtt[]

# FRS0805B.QChCare.QCh5Care10.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Other IN QCh1Care.Child[Index2].ChAtt[]

## FRS0805B.QChCare.QCh5Care10.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Other IN QCh1Care.Child[Index2].ChAtt[]
```

# FRS0805B.QChCare.QCh5Care10.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her other childcare provider?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Other IN QCh1Care.Child[Index2].ChAtt[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Other IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Other IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Other IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Other IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

## FRS0805B.QChCare.QCh5Care10 (continued)

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[] AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Granps IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care11.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care11.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care11.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care11.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her grandparents?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

### FRS0805B.QChCare.QCh5Care11.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's grandparents during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only

(2) Night At night only

(3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Granps IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Granps IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Granps IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

## FRS0805B.QChCare.QCh5Care11 (continued)

### FRS0805B.QChCare.QCh5Care12

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRes IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care12.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care12.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

Record if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh5Care12.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care12.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her non-resident parent/ex-spouse/ex-partner?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

### FRS0805B.QChCare.QCh5Care12.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's non-resident parent/ex-spouse/ex-partner during the daytime; or at night; or both in the day^B and^B at night?^N

- (1) Daytime Daytime only
- (2) Night At night only
- (3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRes IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRes IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRes IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

## FRS0805B.QChCare.QCh5Care12 (continued)

#### FRS0805B.QChCare.QCh5Care13

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: BroSis IN QCh3Care.Child[Index2].ChPeo[] AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: BroSis IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care13.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: BroSis IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care13.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care13.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care13.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her brother or sister?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

### FRS0805B.QChCare.QCh5Care13.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's brother or sister during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only

(2) Night At night only

(3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: BroSis IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: BroSis IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

## FRS0805B.QChCare.QCh5Care13 (continued)

# FRS0805B.QChCare.QCh5Care14

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Rels IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care14.Child[]

Record if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh5Care14.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

Record if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh5Care14.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care14.Child[].ChHr1

^I QChCare ^I ^I Child Care^I

@>^I^Help\_F9^I @<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her other relatives?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)
```

### FRS0805B.QChCare.QCh5Care14.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's other relatives during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only

(2) Night At night only

(3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Rels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

## FRS0805B.QChCare.QCh5Care14 (continued)

### FRS0805B.QChCare.QCh5Care15

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[] AND: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
AND: PRec[Index2].Sex = Female

his\_her := 'her'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care15.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care15.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care15.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care15.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her childminder?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

### FRS0805B.QChCare.QCh5Care15.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's childminder during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only

(2) Night At night only

(3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: ChMind IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: ChMind IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

# FRS0805B.QChCare.QCh5Care15 (continued)

### FRS0805B.QChCare.QCh5Care16

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nanny IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nanny IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nanny IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care16.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nanny IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh5Care16.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh5Care16.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care16.Child[].ChHr1

^I QChCare ^I ^I Child Care^I

@>^I^Help\_F9^I @<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her nanny/au pair?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

Ask if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Nanny IN QCh3Care.Child[Index2].ChPeo[] AND: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

## FRS0805B.QChCare.QCh5Care16.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's nanny/au pair during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only

(2) Night At night only

(3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nanny IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nanny IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Nanny IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

## FRS0805B.QChCare.QCh5Care16 (continued)

# FRS0805B.QChCare.QCh5Care17

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Friends IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Friends IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: Friends IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care17.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Friends IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh5Care17.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Friends IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh5Care17.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care17.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her friends or neighbours?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Friends IN QCh3Care.Child[Index2].ChPeo[]
And: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

### FRS0805B.QChCare.QCh5Care17.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's friends or neighbours during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only

(2) Night At night only

(3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: Friends IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

# FRS0805B.QChCare.QCh5Care17 (continued)

### FRS0805B.QChCare.QCh5Care18

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

#### ChAge := DMAge[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Male

```
his_her := 'his'
```

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

# FRS0805B.QChCare.QCh5Care18.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]

# FRS0805B.QChCare.QCh5Care18.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
```

## FRS0805B.QChCare.QCh5Care18.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
```

# FRS0805B.QChCare.QCh5Care18.Child[].ChHr1

^I QChCare ^I ^I Child Care^I @>^I^Help F9^I

@<

^N About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with ^his\_her other non-relatives?^N

0..60

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
AND: Edit = No
AND: ChHr1 = RESPONSE
ChHr1 < 55</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

Ask if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
And: (ChHr1 = RESPONSE) AND (ChHr1 > 0)

### FRS0805B.QChCare.QCh5Care18.Child[].PMChk

^I QChCare ^I ^I Child Care^I

^I^BLU^IC Ask or record: ^ChName^BLU^I

^N Was the time spent with ^ChName's other non-relatives during the daytime; or at night; or both in the day^B and^B at night?^N

(1) Daytime Daytime only

(2) Night At night only

(3) Both Both day and night (include overnight only stays)

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

# FRS0805B.QChCare.QCh5Care18 (continued)

### FRS0805B.QChCare.QCh6Care1

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care1.Child[Index2].ChHr1 > 0

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care1.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care1.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care1.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

### FRS0805B.QChCare.QCh6Care1.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care1.Child[Index2].ChHr1 > 0

### FRS0805B.QChCare.QCh6Care1.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care1.Child[Index2].ChHr1 > 0
```

### FRS0805B.QChCare.QCh6Care1.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0
```

#### FRS0805B.QChCare.QCh6Care1.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's playgroup or pre-school, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care1.Child[Index2].ChHr1 > 0
RESERVECHECK

### FRS0805B.QChCare.QCh6Care1 (continued)

### FRS0805B.QChCare.QCh6Care2

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care2.Child[Index2].ChHr1 > 0

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care2.Child[Index2].ChHr1 > 0

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care2.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care2.Child[Index2].ChHr1 > 0
And: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care2.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care2.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care2.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care2.Child[Index2].ChHr1 > 0

### FRS0805B.QChCare.QCh6Care2.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care2.Child[Index2].ChHr1 > 0
```

### FRS0805B.QChCare.QCh6Care2.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care2.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care2.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's day nursery or workplace creche, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes
 Yes
 Yes
 No
 No

WARN IF: AllCh > 0

```
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care2.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care2.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care2.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care2.Child[Index2].ChHr1 > 0
RESERVECHECK

# FRS0805B.QChCare.QCh6Care2 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care3.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care3.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care3.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care3.Child[Index2].ChHr1 > 0
And: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care3.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care3.Child[Index2].ChHr1 > 0
AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care3.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care3.Child[Index2].ChHr1 > 0

## FRS0805B.QChCare.QCh6Care3.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care3.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care3.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care3.Child[Index2].ChHr1 > 0
```

### FRS0805B.QChCare.QCh6Care3.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's nursery school, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care3.Child[Index2].ChHr1 > 0
RESERVECHECK
```

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care3.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care3.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care3.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care3 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care4.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care4.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care4.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care4.Child[Index2].ChHr1 > 0
And: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care4.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care4.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care4.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care4.Child[Index2].ChHr1 > 0

## FRS0805B.QChCare.QCh6Care4.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care4.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care4.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care4.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care4.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's infant school, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care4.Child[Index2].ChHr1 > 0
RESERVECHECK
```

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care4.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care4.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care4.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care4 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care5.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care5.Child[Index2].ChHr1 > 0

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care5.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care5.Child[Index2].ChHr1 > 0
And: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care5.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care5.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care5.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care5.Child[Index2].ChHr1 > 0

## FRS0805B.QChCare.QCh6Care5.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care5.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care5.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care5.Child[Index2].ChHr1 > 0
```

### FRS0805B.QChCare.QCh6Care5.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's primary school, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care5.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care5.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care5.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care5.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care5 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care6.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care6.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care6.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care6.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0
AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care6.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care6.Child[Index2].ChHr1 > 0

## FRS0805B.QChCare.QCh6Care6.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care6.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care6.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care6.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's Breakfast / After school club, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0
RESERVECHECK
```

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care6.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care6.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care6 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care7.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care7.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care7.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care7.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0
AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care7.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care7.Child[Index2].ChHr1 > 0

## FRS0805B.QChCare.QCh6Care7.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care7.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care7.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care7.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's Holiday scheme / club, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care7.Child[Index2].ChHr1 > 0
RESERVECHECK

# FRS0805B.QChCare.QCh6Care7 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care8.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care8.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care8.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care8.Child[Index2].ChHr1 > 0
And: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care8.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0
AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care8.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care8.Child[Index2].ChHr1 > 0

## FRS0805B.QChCare.QCh6Care8.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care8.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care8.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care8.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's Children''s centres / integrated centres / combined centres, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

(1)YesYes(2)NoNo

WARN IF: AllCh > 0

```
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0
RESERVECHECK
```

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care8.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care8.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care8 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care9.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care9.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care9.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care9.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care9.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care9.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care9.Child[Index2].ChHr1 > 0

## FRS0805B.QChCare.QCh6Care9.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care9.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care9.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0
```

### FRS0805B.QChCare.QCh6Care9.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's boarding school, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care9.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care9 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care10.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care10.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care10.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care10.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care10.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care10.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care10.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care10.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care10.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care10.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care10.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare in ^ChName's (other) childcare provider, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care10.Child[Index2].ChHr1 > 0
RESERVECHECK

# FRS0805B.QChCare.QCh6Care10 (continued)

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care11.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care11.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care11.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care11.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Carel1.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care11.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care11.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care11.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Carel1.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care11.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care11.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's grandparents, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care11.Child[Index2].ChHr1 > 0
RESERVECHECK

# FRS0805B.QChCare.QCh6Care11 (continued)

## FRS0805B.QChCare.QCh6Care12

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care12.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care12.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care12.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care12.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care12.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care12.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care12.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care12.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care12.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care12.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care12.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's non-resident parent/ex-spouse/ex-partner, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

(1)YesYes(2)NoNo

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care12.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care12 (continued)

## FRS0805B.QChCare.QCh6Care13

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care13.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care13.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care13.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care13.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care13.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care13.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care13.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care13.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care13.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care13.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care13.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's brother or sister, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care13.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care13 (continued)

## FRS0805B.QChCare.QCh6Care14

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care14.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care14.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care14.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care14.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care14.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care14.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care14.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care14.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care14.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care14.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care14.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's other relatives, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care14.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care14 (continued)

## FRS0805B.QChCare.QCh6Care15

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care15.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care15.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care15.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care15.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care15.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care15.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care15.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care15.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care15.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care15.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care15.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's childminder, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care15.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care15 (continued)

# FRS0805B.QChCare.QCh6Care16

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care16.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care16.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care16.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care16.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care16.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care16.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care16.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care16.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care16.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care16.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care16.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's nanny/au-pair, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care16.Child[Index2].ChHr1 > 0
RESERVECHECK

## FRS0805B.QChCare.QCh6Care16 (continued)

# FRS0805B.QChCare.QCh6Care17

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care17.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care17.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care17.Child[Index2].ChHr1 > 0

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care17.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care17.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh6Care17.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care17.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care17.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care17.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care17.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care17.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's friends or neighbours, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care17.Child[Index2].ChHr1 > 0
RESERVECHECK

# FRS0805B.QChCare.QCh6Care17 (continued)

### FRS0805B.QChCare.QCh6Care18

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care18.Child[Index2].ChHr1 > 0

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care18.Child[Index2].ChHr1 > 0

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care18.Child[Index2].ChHr1 > 0

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh5Care18.Child[Index2].ChHr1 > 0 AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh5Care18.Child[Index2].ChHr1 > 0

AND: NOT (PRec[Index2].Sex = Female)
```

## FRS0805B.QChCare.QCh6Care18.Child[]

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care18.Child[Index2].ChHr1 > 0
```

# FRS0805B.QChCare.QCh6Care18.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

```
Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh5Care18.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care18.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0
```

## FRS0805B.QChCare.QCh6Care18.Child[].Cost

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N Thinking of the childcare with ^ChName's other non-relatives, does this cost you anything?

^I^BLU^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^N

Yes Yes
 No No

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0
RESERVECHECK
```

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh5Care18.Child[Index2].ChHr1 > 0
RESERVECHECK

# FRS0805B.QChCare.QCh6Care18 (continued)

### FRS0805B.QChCare.QCh7Care1

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care1.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh7Care1.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care1.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care1.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care1.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care1.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's playgroup or pre-school?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.<sup>A</sup>I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care1.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

### FRS0805B.QChCare.QCh7Care1.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care1.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
RESERVECHECK

# FRS0805B.QChCare.QCh7Care1 (continued)

### FRS0805B.QChCare.QCh7Care2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care2.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care2.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care2.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care2.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care2.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

# FRS0805B.QChCare.QCh7Care2.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care2.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care2.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care2.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care2.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care2.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's day nursery or workplace creche?^N  $\,$ 

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children

^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care2.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

### FRS0805B.QChCare.QCh7Care2.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care2.Child[Index2].Cost = Yes RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care2 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

## FRS0805B.QChCare.QCh7Care3

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care3.Child[Index2].Cost = Yes

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care3.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care3.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care3.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care3.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care3.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care3.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care3.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care3.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care3.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care3.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's nursery school?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care3.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care3.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care3.Child[Index2].Cost = Yes RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care3 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

## FRS0805B.QChCare.QCh7Care4

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care4.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care4.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care4.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care4.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care4.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care4.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's infant school?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care4.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care4.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care4.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care4 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

## FRS0805B.QChCare.QCh7Care5

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care5.Child[Index2].Cost = Yes

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care5.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care5.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care5.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care5.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care5.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care5.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care5.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care5.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care5.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care5.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's primary school?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care5.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care5.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care5.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care5 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

## FRS0805B.QChCare.QCh7Care6

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care6.Child[Index2].Cost = Yes

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care6.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care6.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care6.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care6.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care6.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care6.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care6.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care6.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care6.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care6.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's Breakfast / After school club?^N  $\,$ 

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children

^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care6.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care6.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>^</sup> I(Explain in a note) <sup>^</sup> I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care6.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care6 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

## FRS0805B.QChCare.QCh7Care7

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care7.Child[Index2].Cost = Yes

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care7.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care7.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care7.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care7.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care7.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care7.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care7.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care7.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care7.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care7.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's Holiday scheme / club?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children

^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care7.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care7.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care7.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care7 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

## FRS0805B.QChCare.QCh7Care8

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care8.Child[Index2].Cost = Yes

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care8.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care8.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care8.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care8.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care8.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care8.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care8.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care8.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care8.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care8.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's Children''s centres / integrated centres / combined centres?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children

^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care8.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care8.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>^</sup> I(Explain in a note) <sup>^</sup> I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care8.Child[Index2].Cost = Yes RESERVECHECK

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care8.Child[Index2].Cost = Yes RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care8 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

## FRS0805B.QChCare.QCh7Care9

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

#### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

#### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

#### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
AND: PRec[Index2].Sex = Male

#### his\_her := 'his'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
COMPUTE IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care9.Child[Index2].Cost = Yes

AND: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care9.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care9.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care9.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care9.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care9.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare in ^ChName's boarding school?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

#### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care9.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care9.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>^</sup> I(Explain in a note) <sup>^</sup> I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care9.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
RESERVECHECK

### FRS0805B.QChCare.QCh7Care9 (continued)

## FRS0805B.QChCare.QCh7Care10

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care10.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care10.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care10.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care10.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care10.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care10.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care10.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care10.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care10.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care10.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care10.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care10.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's other provider?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.<sup>A</sup>I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care10.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care10.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care10.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care10 (continued)

## FRS0805B.QChCare.QCh7Care11

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care11.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care11.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care11.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care11.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care11.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Carell.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care11.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care11.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care11.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care11.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care11.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care11.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's grandparents?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.<sup>A</sup>I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

### FRS0805B.QChCare.QCh7Care11.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care11.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care11 (continued)

## FRS0805B.QChCare.QCh7Care12

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care12.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care12.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care12.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care12.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care12.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care12.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care12.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care12.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care12.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care12.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care12.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care12.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's non-resident parent/exspouse/ex-partner?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children

^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care12.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care12.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care12.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care12 (continued)

## FRS0805B.QChCare.QCh7Care13

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care13.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care13.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care13.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care13.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care13.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care13.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care13.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care13.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care13.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care13.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care13.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care13.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's brother or sister?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.<sup>A</sup>I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care13.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care13.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care13.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care13 (continued)

### FRS0805B.QChCare.QCh7Care14

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize

### PerNo := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care14.Child[PerNo].Cost = Yes

Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care14.Child[PerNo].Cost = Yes

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care14.Child[PerNo].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
AND: PRec[Index2].Sex = Male

his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care14.Child[PerNo].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care14.Child[PerNo].Cost = Yes AND: NOT (PRec[Index2].Sex = Female)

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care14.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care14.Child[PerNo].Cost = Yes

# FRS0805B.QChCare.QCh7Care14.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care14.Child[PerNo].Cost = Yes

## FRS0805B.QChCare.QCh7Care14.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care14.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's other relatives?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

```
WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: QCh6Care14.Child[PerNo].Cost = Yes

AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care14.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care14.Child[PerNo].Cost = Yes RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care14 (continued)

## FRS0805B.QChCare.QCh7Care15

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care15.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care15.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care15.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care15.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care15.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care15.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care15.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care15.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care15.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care15.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care15.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care15.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's childminder?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.<sup>A</sup>I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care15.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care15.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care15.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care15 (continued)

## FRS0805B.QChCare.QCh7Care16

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care16.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care16.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care16.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

## FRS0805B.QChCare.QCh7Care16.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care16.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's nanny/au pair?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.^I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care16.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care16.Child[Index2].Cost = Yes
RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care16.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes
RESERVECHECK

## FRS0805B.QChCare.QCh7Care16 (continued)

# FRS0805B.QChCare.QCh7Care17

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care17.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care17.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care17.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care17.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care17.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care17.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care17.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care17.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care17.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care17.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care17.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care17.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's friends or neighbours?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children ^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g.

grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.<sup>A</sup>I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care17.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care17.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

# FRS0805B.QChCare.QCh7Care17 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

# FRS0805B.QChCare.QCh7Care18

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care18.Child[Index2].Cost = Yes

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care18.Child[Index2].Cost = Yes

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care18.Child[Index2].Cost = Yes

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care18.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Male

### his\_her := 'his'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care18.Child[Index2].Cost = Yes AND: PRec[Index2].Sex = Female

his\_her := 'her'

```
Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care18.Child[Index2].Cost = Yes
And: NOT (PRec[Index2].Sex = Female)
```

his\_her := 'his/her'

# FRS0805B.QChCare.QCh7Care18.Child[]

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care18.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care18.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

RECORD IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care18.Child[Index2].Cost = Yes

# FRS0805B.QChCare.QCh7Care18.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes
```

# FRS0805B.QChCare.QCh7Care18.Child[].ChAmt1

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N How much was your most recent payment for the childcare with ^ChName's other non-relatives?^N

^I^BLU^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children

^IC Only include payments made by the parents/guardian. Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers.^I

0.00..99997.00

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes
AND: Edit = No
AND: ChAmt1 = RESPONSE
ChAmt1 < 130</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes
AND: ChAmt1 = NONRESPONSE
```

### HMissVar := (HMissVar + 1)

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes
AND: ChAmt1 > 0
```

## FRS0805B.QChCare.QCh7Care18.Child[].ChPd

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N And what period did that payment cover?^N

^I^BLU^IC If hourly rate code as 90 'Less than one week'.^I

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

WARN IF: AllCh > 0

And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care18.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: QCh6Care18.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes
RESERVECHECK

RESERVECHECK

# FRS0805B.QChCare.QCh7Care18 (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

### FRS0805B.QChCare.QCh9Care

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

### Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

### Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

### ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

### ChAge := DMAge[[Index2]

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Male

him\_her := 'him'

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
And: PRec[Index2].Sex = Female

him\_her := 'her'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (PRec[Index2].Sex = Female)

him\_her := 'him/her'

## FRS0805B.QChCare.QCh9Care.Child[]

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]

## FRS0805B.QChCare.QCh9Care.Child[].BenUnit

^I QChCare ^I ^I Child Care^I

BU number of person

0..7

Record if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]

### FRS0805B.QChCare.QCh9Care.Child[].Person

^I QChCare ^I ^I Child Care^I

Person identifier

0..14

Compute if: AllCh > 0 And: In loop FOR Index2 := 1 TO HHSize And: NonRels IN QCh3Care.Child[Index2].ChPeo[] And: NatCen = NI

### HBenCTRT := 'Housing Benefit/rent/rates rebate'

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: NOT (NatCen = NI)

### HBenCTRT := 'Housing Benefit/Council Tax Benefit'

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

ChText := ''

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: ChMind IN QCh3Care.Child[Person].ChPeo[]

provider := 'childminder'

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
AND: QCh4Care.Child[Person].Registrd[1] = Registered

#### ChText := provider

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]

provider := 'playgroup or pre-school'

COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
And: PlayGp IN QCh1Care.Child[Person].ChAtt[]
And: QCh4Care.Child[Person].Registrd[2] = Registered
And: ChText =

ChText := provider

COMPUTE IF: AllCh > 0
AnD: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]
AND: QCh4Care.Child[Person].Registrd[2] = Registered
AND: NOT (ChText =)

ChText := (ChText + ' and ' + provider)

COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]

provider := 'day nursery or creche'

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
AND: QCh4Care.Child[Person].Registrd[3] = Registered
AND: ChText =

### ChText := provider

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
AND: QCh4Care.Child[Person].Registrd[3] = Registered
AND: NOT (ChText =)

ChText := (ChText + ' and ' + provider)

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
AND: Nursery IN QCh1Care.Child[Person].ChAtt[]

```
provider := (ChName + ''s nursery school')
```

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
     AND: QCh4Care.Child[Person].Registrd[4] = Registered
    AND: ChText =
ChText := provider
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
     AND: QCh4Care.Child[Person].Registrd[4] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
provider := (ChName + ''s infant's school')
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
    AND: QCh4Care.Child[Person].Registrd[5] = Registered
    AND: ChText =
ChText := provider
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
     AND: QCh4Care.Child[Person].Registrd[5] = Registered
     AND: NOT (ChText =)
ChText := (ChText + ' and ' + provider)
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
provider := 'primary school'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
     AND: QCh4Care.Child[Person].Registrd[6] = Registered
    AND: ChText =
ChText := provider
```

Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery] AND: QCh4Care.Child[Person].Registrd[6] = Registered AND: NOT (ChText =) ChText := (ChText + ' and ' + provider) Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: Nanny IN QCh3Care.Child[Person].ChPeo[] provider := 'nanny/au-pair' COMPUTE IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: Nanny IN QCh3Care.Child[Person].ChPeo[] AND: QCh4Care.Child[Person].Registrd[7] = Registered AND: ChText = ChText := provider Compute if: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: Nanny IN QCh3Care.Child[Person].ChPeo[] AND: QCh4Care.Child[Person].Registrd[7] = Registered AND: NOT (ChText =)

ChText := (ChText + ' and ' + provider)

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] AND: (((((((ChMind IN QCh3Care.Child[Person].ChPeo[]) OR (PlayGp IN QCh1Care.Child[Person].ChAtt[])) OR (DayNurse IN QCh1Care.Child[Person].ChAtt[])) OR (Nursery IN QCh1Care.Child[Person].ChAtt[])) OR (QCh2Care.Child[Person].ChInf IN [Recept, Nursery])) OR (QCh2Care.Child[Person].ChInf IN [Recept, Nursery])) OR (QCh2Care.Child[Person].ChPri IN [Recept, Nursery])) OR (Nanny IN QCh3Care.Child[Person].ChPeo[])) AND (ChAge < 13)) AND (((((QRenting.HBenAmt > 0)) OR (QRenting.HBenefit = Yes)) OR (QCounTax.CTRebAmt > 0)) OR (QNIRates.RTReb = Yes))

### FRS0805B.QChCare.QCh9Care.Child[].BenCCDis

^I QChCare ^I ^I Child Care^I

^I^BLU ^ChName^BLU^I

^N You said earlier that you get ^HBenCTRT. Does the benefit take account of the cost of ^ChName's ^ChText?^N

(1)	Yes	Yes
(2)	No	No

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
RESERVECHECK

RESERVECHECK

# FRS0805B.QChCare.QCh9Care (continued)

WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

# FRS0805B.QChCare (continued)

Questions about child care

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

### FRS0805B (continued)

### FAMILY RESOURCES SURVEY 2008-2009

WARN IF: AllCh > 0 RESERVECHECK

RESERVECHECK

```
COMPUTE IF: In loop FOR Loop1 := 1 TO 14
AND: ((((QChCare.QCh4Care.Child[Loop1].Registrd[1] = Registered) OR
  (QChCare.QCh4Care.Child[Loop1].Registrd[2] = Registered)) OR
  (QChCare.QCh4Care.Child[Loop1].Registrd[3] = Registered)) OR
  (QChCare.QCh4Care.Child[Loop1].Registrd[4] = Registered)) OR
  (QChCare.QCh4Care.Child[Loop1].Registrd[5] = Registered)) OR
```

ChRegis := (ChRegis + 1)

Compute if: In loop FOR Loop1 := 1 TO 14 AND: DMAge[Loop1] IN [0 .. 15] AND: DMNumParn[Loop1] = 1

LoneParent := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO 14 AND: DMAge[Loop1] IN [0 .. 15] AND: DMNumParn[Loop1] = 1

NCDVLP := Yes

COMPUTE IF: IN loop FOR Loop1 := 1 TO 14 AND: DMAge[Loop1] IN [0 .. 15] AND: DMNumParn[Loop1] > 1

LoneParent := No

# FRS0805B.QCare

### Questions about carers/cared for

Ask always:

# FRS0805B.QCare.NeedHelp

- ^I QCare
- ^I `

^B Keeping an eye out, 'being there':^B Being available if needed Making your whereabouts known so you can be contacted if needed

^B Social support and assistance:^B Sitting with Chatting with/ listening to/reading to Making/receiving telephone calls to talk to them Encouraging them to do things for themselves

^B Accompanying on trips out to go:^B Shopping To hospital/ GP/optician/dentist/chiropodist To the park/place of worship/restaurant

^B Paperwork/official/financial:^B Helping with paperwork Dealing with 'officials' (including by phone)

^B Home and garden:^B

Making meals Going shopping for someone Washing/ironing/changing sheets Cleaning /housework Gardening Odd jobs/maintenance

^B Medical:^B Collecting prescriptions/giving medication Changing dressings

<sup>^</sup>B Moving about the home: Giving help with <sup>^</sup>B Getting up and down stairs Moving from room to room Getting in and out of bed

^B Personal care: help with^B Getting dressed Feeding Washing/bathing/using the toilet

Yes Yes
 No No

ASK ALWAYS:

# FRS0805B.QCare.GiveHelp

### ^I QCare

^I

^B Keeping an eye out, 'being there':^B Being available if needed Making your whereabouts known so you can be contacted if needed

^B Social support and assistance:^B

Sitting with Chatting with/listening to/reading to Making/receiving telephone calls to talk to them Encouraging them to do things for themselves

^B Accompanying on trips out to go:^B Shopping To hospital/ GP/optician/dentist/chiropodist To the park/place of worship/restaurant

^B Paperwork/official/financial:^B Helping with paperwork Dealing with 'officials' (including by phone)

^B Home and garden:^B

Making meals Going shopping for someone Washing/ironing/changing sheets Cleaning /housework Gardening Odd jobs/maintenance

^B Medical:^B Collecting prescriptions/giving medication Changing dressings

<sup>^</sup>B Moving about the home: Giving help with <sup>^</sup>B Getting up and down stairs Moving from room to room Getting in and out of bed

^B Personal care: help with^B Getting dressed Feeding Washing/bathing/using the toilet

(1)	Yes	Yes
(2)	No	No

### FRS0805B.QCare.QRecHelp

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: NeedHelp = Yes AND: In loop FOR Idy := 1 TO HHSize

#### LName[Idy] := DMName[[Idy]

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: GiveHelp = Yes

### LName[15] := 'Parent outside household'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: GiveHelp = Yes

### LName[16] := 'Other Parent outside household'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: GiveHelp = Yes

### LName[17] := 'Child outside household'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: GiveHelp = Yes

### LName[18] := 'Spouse outside household'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: GiveHelp = Yes

#### LName[19] := 'Other relative'

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: GiveHelp = Yes

### LName[20] := 'Friend/neighbour'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: GiveHelp = Yes

### LName[21] := 'Client of voluntary organisation'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: GiveHelp = Yes

### LName[22] := 'Other non-household'

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
```

# FRS0805B.QCare.QRecHelp.QNeedPer

^I QCare ^I

^I If they provide help or give help for^B more than one^B individual in any one category of:

- 15: Parent outside household
- 16: Other parent outside household
- 18: Child outside household
- 19: Relative
- 20: Friend/neighbour
- 21: Client of voluntary organisation
- 22: Other non-household

Please make a Note here <Ctrl+M> to tell us how many^B more^B people are involved.^I

SET [5] OF (1) Per1

DD1	5]01	
(1)	Per1	^LName[1]
(2)	Per2	^LName[2]
(3)	Per3	^LName[3]
(4)	Per4	^LName[4]
(5)	Per5	^LName[5]
(6)	Per6	^LName[6]
(7)	Per7	^LName[7]
(8)	Per8	^LName[8]
(9)	Per9	^LName[9]
(10)	Per10	^LName[10]
(11)	Per11	^LName[11]
(12)	Per12	^LName[12]
(13)	Per13	^LName[13]
(14)	Per14	^LName[14]
(15)	Per15	^LName[15]
(16)	Per16	^LName[16]
(17)	Per17	^LName[17]
(18)	Per18	^LName[18]
(19)	Per19	^LName[19]
(20)	Per20	^LName[20]
(21)	Per21	^LName[21]
(22)	Per22	^LName[22]

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR ixy := 1 TO 22
AND: ixy IN QNeedPer
(LName[ixy] <> '') AND INVOLVING(QNeedPer)
```

^N Record a valid code for person cared for.

Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: Per22 IN QNeedPer

### FRS0805B.QCare.QRecHelp.NeedPerO

^I QCare ^I

^N Who is the other person outside the household receiving help or being looked after?^N

STRING[40]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: QNeedPer[Idx] IN [Per1 .. Per22]</pre>
```

### NeedNum := ORD(QNeedPer[Idx])

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: NeedNum IN [1 .. 14]</pre>

NeedName := DMName[[NeedNum]

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5 And: Idx <= QNeedPer.CARDINAL And: QNeedPer[Idx] = Per15

#### NeedName := 'the PARENT'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: QNeedPer[Idx] = Per16</pre>

### NeedName := 'the OTHER PARENT'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: QNeedPer[Idx] = Per17</pre>

#### NeedName := 'the CHILD'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: QNeedPer[Idx] = Per18</pre>

### NeedName := 'the SPOUSE'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: QNeedPer[Idx] = Per19

NeedName := 'the RELATIVE'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: QNeedPer[Idx] = Per20
```

NeedName := 'the FRIEND/NEIGHBOUR'

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: QNeedPer[Idx] = Per21</pre>

NeedName := 'the CLIENT of a voluntary organisation'

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: QNeedPer[Idx] = Per22

NeedName := UPCASE(NeedPerO)

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
```

Recip[Idx].NeedPer := NeedNum

# FRS0805B.QCare.QRecHelp.Recip[]

```
RECORD IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
```

# FRS0805B.QCare.QRecHelp.Recip[].NeedPer

^I QCare ^I

^N Who is receiving help/being looked after.^N

0..22

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
```

### LNeedPer := NeedPer

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
```

### LNeedName := PNeedName

```
Ask IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
```

## FRS0805B.QCare.QRecHelp.Recip[].Freq

^I QCare ^I

^N How frequently does ^LNeedName receive such help?^N

(1)	Continuo	Continuously
(2)	SevDay	Several times a day
(3)	OTDay	Once or twice a day
(4)	SevWeek	Several times a week
(5)	OWeek	Once a week
(6)	LessFreq	Less frequently

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: Freq IN [Continuously, SevDay]
```

## FRS0805B.QCare.QRecHelp.Recip[].DayNight

^I QCare ^I

^N And does ^LNeedName receive help during the daytime; or at night; or both in the day^B and^B at night?^N

Day Daytime only
 Night At night only
 Both Both day and night

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: LNeedPer > 14
```

```
Rel := ''
```

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: LNeedPer > 14
```

Fri := ''

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: LNeedPer > 14
```

LAH := ''

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: LNeedPer > 14
```

Dom := ''

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: LNeedPer > 14
```

```
Nur := ''
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: LNeedPer > 14
```

Hel := ''

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Rel := 'Relatives'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Fri := 'Friends/Neighbours'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
    AND: NatCen = NI
LAH := 'Social Services home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
AND: NOT (NatCen = NI)
LAH := 'Local Authority home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Dom := 'Private domestic help'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Nur := 'District nurse, health visitor or other kind of nurse'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Hel := 'Other outside helpers'
```

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE</pre>
```

## FRS0805B.QCare.QRecHelp.Recip[].WhoLook

^I QCare ^I

^N Who looks after, or provides help for ^LNeedName? ^Anyone\_else?^N

^I^BLU^IC Code all that apply.^I

SET [	5] OF	
(1)	Per1	^DMName[1]
(2)	Per2	^DMName[2]
(3)	Per3	^DMName[3]
(4)	Per4	^DMName[4]
(5)	Per5	^DMName[5]
(6)	Per6	^DMName[6]
(7)	Per7	^DMName[7]
(8)	Per8	^DMName[8]
(9)	Per9	^DMName[9]
(10)	Per10	^DMName[10]
(11)	Per11	^DMName[11]
(12)	Per12	^DMName[12]
(13)	Per13	^DMName[13]
(14)	Per14	^DMName[14]
(15)	Relative	^Rel
(16)	Friends	^Fri
(17)	LAHelp	^LAH
(18)	Domestic	^Dom
(19)	Nurse	^Nur
(20)	Helpers	^Hel

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR ixx := 1 TO 14

AND: ixx IN WhoLook

(DMName[[ixx] <> '') AND INVOLVING(WhoLook)
```

^N Record valid code for carer.

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: Relative IN WhoLook

(Rel <> '') AND INVOLVING(WhoLook)
```

^N Record valid code for carer.

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: Friends IN WhoLook

(Fri <> '') AND INVOLVING(WhoLook)
```

^N Record valid code for carer.

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: LAHelp IN WhoLook

(LAH <> '') AND INVOLVING(WhoLook)
```

^N Record valid code for carer.

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: Domestic IN WhoLook

(Dom <> '') AND INVOLVING(WhoLook)
```

^N Record valid code for carer.

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: Nurse IN WhoLook

(Nur <> '') AND INVOLVING(WhoLook)
```

^N Record valid code for carer.

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: Helpers IN WhoLook

(Hel <> '') AND INVOLVING(WhoLook)
```

^N Record valid code for carer.

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: LNeedPer > 14
NOT(((((((IN(Relative,WhoLook)) OR (IN(Friends,WhoLook))) OR
(IN(LAHelp,WhoLook))) OR (IN(Domestic,WhoLook))) OR
(IN(Nurse,WhoLook))) OR (IN(Helpers,WhoLook)))
```

^I^BLU^IC That code is invalid^I

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: LNeedPer <= 14

NOT(IN(LNeedPer,WhoLook))
```

^I^BLU^IC You've included ^LNeedName as looking after him-/herself. Please remove him/her from the answer at WhoLook.^I

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 14

AND: Count IN WhoLook

DMAge[[Count] >= 0
```

^I^BLU^IC Code ^Count is not valid for this question.^I

CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 14 RESERVECHECK

RESERVECHECK

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 14

RESERVECHECK
```

RESERVECHECK

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 14
RESERVECHECK
```

RESERVECHECK

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Relative</pre>
```

does := 'does'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Relative</pre>
```

#### has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Relative</pre>
```

helper := 'the relative'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Relative</pre>
```

HCount := 15

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Friends</pre>
```

does := 'does'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Friends
```

```
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Friends</pre>
```

helper := 'the friend'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Friends</pre>
```

HCount := 16

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = LAHelp
AND: NatCen = NI</pre>
```

does := 'does'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = LAHelp
AND: NatCen = NI</pre>
```

```
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = LAHelp
AND: NatCen = NI</pre>
```

helper := ('the Social Services home help or ' + 'home care
worker')

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = LAHelp
AND: NOT (NatCen = NI)</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = LAHelp
AND: NOT (NatCen = NI)</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
And: In loop FOR Idx := 1 TO 5
And: Idx <= QNeedPer.CARDINAL
And: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
And: In loop FOR Count := 1 TO 5
And: Count <= WhoLook.CARDINAL
And: WhoLook[Count] = LAHelp
And: NOT (NatCen = NI)</pre>
```

helper := 'the LA home help or home care worker'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = LAHelp</pre>

HCount := 17

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Domestic</pre>

does := 'does'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
And: In loop FOR Idx := 1 TO 5
And: Idx <= QNeedPer.CARDINAL
And: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
And: In loop FOR Count := 1 TO 5
And: Count <= WhoLook.CARDINAL
And: WhoLook[Count] = Domestic</pre>
```

has := 'has'

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Domestic</pre>

helper := 'the private domestic help'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Domestic</pre>

HCount := 18

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Nurse</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Nurse</pre>
```

has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Nurse</pre>
```

### helper := 'the nurse'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Nurse
```

HCount := 19

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Helpers
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Helpers</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Helpers</pre>
```

helper := 'the outside helper'

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Helpers</pre>

HCount := 20

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per1</pre>
```

does := 'does'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per1
```

has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per1
```

helper := DMName[[1]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per1</pre>
```

HCount := 1

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per2</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per2</pre>
```

has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per2</pre>
```

helper := DMName[[2]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per2</pre>
```

HCount := 2

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per3</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per3</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per3</pre>
```

helper := DMName[[3]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per3</pre>
```

HCount := 3

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per4</pre>
```

does := 'does'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per4
```

has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per4
```

helper := DMName[[4]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per4</pre>
```

HCount := 4

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per5</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per5</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per5</pre>
```

helper := DMName[[5]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per5</pre>
```

HCount := 5

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per6</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per6</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per6</pre>
```

helper := DMName[[6]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per6</pre>
```

HCount := 6

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per7</pre>
```

does := 'does'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per7
```

has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per7
```

helper := DMName[[7]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per7</pre>
```

HCount := 7

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per8</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per8</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per8</pre>
```

helper := DMName[[8]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per8</pre>
```

HCount := 8

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per9
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per9</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per9</pre>
```

helper := DMName[[9]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per9</pre>
```

HCount := 9

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per10</pre>
```

does := 'does'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per10
```

has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per10
```

helper := DMName[[10]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per10</pre>
```

HCount := 10

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per11</pre>
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per11</pre>
```

has := 'has'

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per11</pre>
```

helper := DMName[[11]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per11
```

HCount := 11

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

AND: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE

AND: In loop FOR Count := 1 TO 5

AND: Count <= WhoLook.CARDINAL

AND: WhoLook[Count] = Per12
```

```
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per12</pre>
```

has := 'has'

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per12</pre>
```

helper := DMName[[12]

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per12</pre>

HCount := 12

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per13</pre>

does := 'does'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5 AND: Count <= WhoLook.CARDINAL AND: WhoLook[Count] = Per13

has := 'has'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5 AND: Count <= WhoLook.CARDINAL AND: WhoLook[Count] = Per13

helper := DMName[[13]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per13</pre>
```

HCount := 13

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per14</pre>
```

```
does := 'does'
```

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per14</pre>

has := 'has'

COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: WhoLook[Count] = Per14</pre>

helper := DMName[[14]

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
And: In loop FOR Idx := 1 TO 5
And: Idx <= QNeedPer.CARDINAL
And: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
And: In loop FOR Count := 1 TO 5
And: Count <= WhoLook.CARDINAL
And: WhoLook[Count] = Per14</pre>

HCount := 14

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL</pre>
```

# FRS0805B.QCare.QRecHelp.Recip[].Hour

^I QCare

٧L

^IS^I D2^I

^N About how many hours a week, on average, does ^helper spend actually providing help for or looking after ^LNeedName?^N

(1)	upto4	0-4 hours per week
(2)	upto9	5-9 hours per week
(3)	upto19	10-19 hours per week
(4)	upto34	20-34 hours per week
(5)	upto49	35-49 hours per week
(6)	upto99	50-99 hours per week
(7)	over100	100 or more hours per week
(8)	var20	Varies - under 20 hours per week
(9)	var2034	Varies - 20-34 hours per week
(10)	var35	Varies - 35 hours a week or more

```
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL
AND: Edit <> Yes
AND: HCount <= 14
AND: DMAge[HCount] IN [1 .. 15]
Hour[Count] <> over100
```

^I Are you sure that the child(ren) are looking after ^LNeedName for 100 hours a week or more? If so, suppress warning.^I

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
AnD: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
AND: Count <= WhoLook.CARDINAL</pre>
```

# FRS0805B.QCare.QRecHelp.Recip[].HowLng

^I QCare ^I

^IS^I D3^I

Thinking of when ^helper first began providing help for or looking after ^LNeedname, about how long ^has ^helper been providing help for or looking after ^LneedName?

^I^BLU^IC Prompt as necessary ^I^IC Record how long care has been given regardless of the number of hours the carer gives now or has given in the past.

(1)	Less6M	Less than 6 months
(2)	LessYr	6 months, less than 1 year
(3)	Less3Yr	1 year, less than 3 years
(4)	Less5Yr	3 years, less than 5 years
(5)	Less10Yr	5 years, less than 10 years
(6)	Less15Yr	10 years, less than 15 years
(7)	Less20Yr	15 years, less than 20 years
(8)	More20	20 years or more

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5 RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 AND: Idx <= QNeedPer.CARDINAL RESERVECHECK

# FRS0805B.QCare.QRecHelp (continued)

Warn	<pre>IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK</pre>
Warn	<pre>IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK</pre>
WARN	<pre>IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK</pre>
WARN	<pre>IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5 RESERVECHECK RESERVECHECK</pre>
WARN	IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK
Warn	IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK
WARN	<pre>IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK</pre>
WARN	IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK
WARN	IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK
Warn	<pre>IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK</pre>

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) RESERVECHECK RESERVECHECK WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)

RESERVECHECK

# FRS0805B.QCare (continued)

Questions about carers/cared for

^I Please include the household member who receives regular help, or change 'NeedHelp' to 'No'.^I

```
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Index1 := 1 TO HHSize
AND: NeedHelp <> EMPTY AND (Index1 IN QRecHelp.QNeedPer)
NeedHelp = Yes
```

^I You have coded a household member as receiving regular help, so please change 'NeedHelp' to 'Yes', or remove the household member from 'QNeedPer'.^I

```
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: QRecHelp.QNeedPer <> EMPTY AND (GiveHelp = Yes)
(((((((IN(Per15,QRecHelp.QNeedPer))) OR (IN(Per16,QRecHelp.QNeedPer))))
OR (IN(Per17,QRecHelp.QNeedPer))) OR (IN(Per18,QRecHelp.QNeedPer))) OR
(IN(Per19,QRecHelp.QNeedPer))) OR (IN(Per20,QRecHelp.QNeedPer))) OR
(IN(Per21,QRecHelp.QNeedPer))) OR (IN(Per22,QR
```

^I Please include the non-household member receiving help from someone in the household, or change 'GiveHelp' to 'No'.^I

```
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
AND: In loop FOR Index1 := 15 TO 22
AND: GiveHelp <> EMPTY AND (Index1 IN QRecHelp.QNeedPer)
GiveHelp = Yes
```

^I You have coded a non-household member as receiving help, so please change 'GiveHelp' to 'Yes', or remove the non-household member from 'QNeedPer'.^I

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

RESERVECHECK

WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Index1 := 15 TO 22 RESERVECHECK

RESERVECHECK

WARN ALWAYS: RESERVECHECK

#### WARN ALWAYS: RESERVECHECK

## RESERVECHECK

WARN ALWAYS: RESERVECHECK

RESERVECHECK

Warn always: RESERVECHECK

## FRS0805B (continued)

## FAMILY RESOURCES SURVEY 2008-2009

CHECK IF: In loop FOR Loop1 := 1 TO 14 AND: Loop1 IN QCare.QRecHelp.QNeedPer DMAge[Loop1] >= 0

^I^BLU^IC Code ^Loop1 is not valid for this question.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO 14 AND: In loop FOR Loop2 := 1 TO 5 AND: Loop1 IN QCare.QRecHelp.Recip[Loop2].WhoLook

DMCarer[Loop1] := Yes

CHECK IF: In loop FOR Loop1 := 1 TO 14 AND: In loop FOR Loop2 := 1 TO 5 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO 14 AND: In loop FOR Loop2 := 1 TO 5 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO 14 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO 14 RESERVECHECK

RESERVECHECK

CHECK ALWAYS: RESERVECHECK

RESERVECHECK

CHECK ALWAYS: RESERVECHECK

RESERVECHECK

CHECK ALWAYS: RESERVECHECK

RESERVECHECK

CHECK ALWAYS: RESERVECHECK

ASK ALWAYS:

## FRS0805B.EndDisp

^I^BLU^IC@|-@|End of 'Household' Schedule. Now administer 'Benefit Unit' Schedule(s). B.U. members ^NameInBU[1]^NameInBU[2]^NameInBU[3]^NameInBU[4]^NameInBU[5] ^NameInBU[6]^NameInBU[7]

Total number of Benefit Units = ^NewBU

Press <Ctrl + Enter> to select Benefit Unit or to fill in Admin details. Alternatively, press <1> and <Enter> to start the first Benefit Unit.^I

1..1

RECORD ALWAYS:

## FRS0805B.HHTime

^I Time taken from interview start to end of household grid.

Only visible for testing purposes, just press <Enter>.^I

TIME

RECORD ALWAYS:

## **FRS0805B.HHMins**

^I Total minutes in household grid.

Only visible for testing purposes, just press <Enter>.^I

0.00..1440.00

COMPUTE IF: HHTime = EMPTY AND EndDisp <> EMPTY

HHTime := SYSTIME

Compute if: HHTime = EMPTY AND EndDisp <> EMPTY

```
HHMins := ((HHTime.ABSTIME - QSignIn.IntSTime.ABSTIME) / 60000)
```

Ask if: Test = Yes

## FRS0805B.HHTime

^I Time taken from interview start to end of household grid.

Only visible for testing purposes, just press <Enter>.^I

TIME

Ask if: Test = Yes

## FRS0805B.HHMins

^I Total minutes in household grid.

Only visible for testing purposes, just press <Enter>.^I

0.00..1440.00

CHECK ALWAYS: RESERVECHECK

RESERVECHECK

CHECK ALWAYS: RESERVECHECK

RESERVECHECK

CHECK ALWAYS: RESERVECHECK

RESERVECHECK

CHECK ALWAYS: RESERVECHECK

RESERVECHECK

Compute always:

NBusRooms := 0

Compute if: In loop FOR Loop1 := 1 TO NewBU

#### AdInBU[1] := 1

Compute if: In loop FOR Loop1 := 1 TO NewBU

### AdInBU[2] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

## Child1 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

## Child2 := 0

Compute if: In loop FOR Loop1 := 1 TO NewBU

## Child3 := 0

Compute if: In loop FOR Loop1 := 1 TO NewBU

Child4 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Child5 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Child6 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Child7 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Child8 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Loop2 := 1 TO HHSize AND: Loop1 = ABen[Loop2] AND: PRec[Loop2].Depend = Adult AND: AdInBU[1] = EMPTY

AdInBU[1] := Loop2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Loop2 := 1 TO HHSize
AND: Loop1 = ABen[Loop2]
AND: PRec[Loop2].Depend = Adult
AND: AdInBU[2] = EMPTY
```

AdInBU[2] := Loop2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Loop2 := 1 TO HHSize AND: Loop1 = ABen[Loop2] AND: PRec[Loop2].Depend IN [DepAd .. Child] AND: Child1 = 0

Child1 := Loop2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Loop2 := 1 TO HHSize AND: Loop1 = ABen[Loop2] AND: PRec[Loop2].Depend IN [DepAd .. Child] AND: Child2 = 0

Child2 := Loop2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Loop2 := 1 TO HHSize
AND: Loop1 = ABen[Loop2]
AND: PRec[Loop2].Depend IN [DepAd .. Child]
AND: Child3 = 0

Child3 := Loop2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Loop2 := 1 TO HHSize
AND: Loop1 = ABen[Loop2]
AND: PRec[Loop2].Depend IN [DepAd .. Child]
AND: Child4 = 0

Child4 := Loop2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: In loop FOR Loop2 := 1 TO HHSize
AND: Loop1 = ABen[Loop2]
AND: PRec[Loop2].Depend IN [DepAd .. Child]
AND: Child5 = 0
```

## Child5 := Loop2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Loop2 := 1 TO HHSize AND: Loop1 = ABen[Loop2] AND: PRec[Loop2].Depend IN [DepAd .. Child] AND: Child6 = 0

## Child6 := Loop2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Loop2 := 1 TO HHSize AND: Loop1 = ABen[Loop2] AND: PRec[Loop2].Depend IN [DepAd .. Child] AND: Child7 = 0

Child7 := Loop2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Loop2 := 1 TO HHSize AND: Loop1 = ABen[Loop2] AND: PRec[Loop2].Depend IN [DepAd .. Child] AND: Child8 = 0

Child8 := Loop2

## FRS0805B.BU[]

## **Benefit Unit Schedule**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### OBLater := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

BUPerson[1] := Ad1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Person[1] := Ad1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

Name1 := DMName[[Person[1]]

Compute if: In loop FOR Loop1 := 1 TO NewBU

AdultNum := 1

RECORD IF: In loop FOR Loop1 := 1 TO NewBU

## FRS0805B.BU[].BUPerson

Person Id from Grid.

#### 1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ad2 <> 0

## BUPerson[2] := Ad2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ad2 <> 0

#### Person[2] := Ad2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ad2 <> 0

#### AdultNum := 2

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: Ad2 <> 0

## Name2 := DMName[[Person[2]]

Compute if: In loop FOR Loop1 := 1 TO NewBU And: NOT (Ad2 <> 0)

Person[2] := 97

Compute if: In loop FOR Loop1 := 1 TO NewBU And: NOT (Ad2 <> 0)

#### Names[2] := 'No-one else'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: NOT (Ad2 <> 0)

## BUPerson[2] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

## Names[Count1] := DMName[[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

### AgeOf[Count1] := DMAge[[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

### MS[Count1] := PRec[].MS[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

#### SpOut1[Count1] := SpOut[[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

#### W1[Count1] := PRec[].W1[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

#### W2[Count1] := PRec[].W2[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

### TypeEd[Count1] := PRec[].TypeEd[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

## FtEd[Count1] := PRec[].FtEd[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

TEA[Count1] := DMTEA[[Person[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = EMPTY

### Sex[Count1] := PRec[].Sex[Person[Count1]]

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU RESERVECHECK

### RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

#### ChildId[1] := Ch1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

#### ChildId[2] := Ch2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

#### ChildId[3] := Ch3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

#### ChildId[4] := Ch4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

### ChildId[5] := Ch5

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

ChildId[6] := Ch6

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: Ch1 > 0
```

#### ChildId[7] := Ch7

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

### ChildId[8] := Ch8

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

#### ChildNum := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO 8 AND: ChildId[Count1] <> 0

#### ChildNum := (ChildNum + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

#### Under16 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

### FreeSM := 0

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0

### YoungCh := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum

#### ChNames[Count1] := UPCASE(DMName[[ChildId[Count1]])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum

#### ChAges[Count1] := DMAge[[ChildId[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum

### ChDoBs[Count1] := DMDoB[[ChildId[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum

### ChSex[Count1] := PRec[].Sex[ChildId[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum

### ChFtEd[Count1] := PRec[].FtEd[ChildId[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum

#### ChTypeEd[Count1] := PRec[].TypeEd[ChildId[Count1]]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum AND: ChAges[Count1] > YoungCh

## YoungCh := ChAges[Count1]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: Ch1 > 0
AND: In loop FOR Count1 := 1 TO ChildNum
AND: (DMAge[ChildId[Count1]] < 16) OR ((DMAge[ChildId[Count1]] < 17)
AND (QHealth2.Child[Count1].CHealth = Yes))</pre>

### Under16 := (Under16 + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: Ch1 > 0
AND: In loop FOR Count1 := 1 TO ChildNum
AND: (DMAge[ChildId[Count1]] IN [2 .. 18]) AND
(PRec[ChildId[Count1]].TypeEd IN [Nursery .. Nonadv])

### FreeSM := (FreeSM + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: Ch1 > 0
AND: In loop FOR Count1 := 1 TO ChildNum
AND: (DMParent1[ChildId[Count1]] = Person[1]) OR
(DMParent2[ChildId[Count1]] = Person[1])

DepChild[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: Ch1 > 0
AND: In loop FOR Count1 := 1 TO ChildNum
AND: (DMParent1[ChildId[Count1]] = Person[2]) OR
(DMParent2[ChildId[Count1]] = Person[2])

DepChild[2] := 1

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: Ch1 > 0 AND: In loop FOR Count1 := 1 TO ChildNum RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum

### BelowPen[Count1] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum

#### BelowPe2[Count1] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum

#### BelowPe3[Count1] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = Male AND: AgeOf[Count1] <= 65

#### BelowPen[Count1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = Male AND: AgeOf[Count1] <= 64

### BelowPe2[Count1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: Sex[Count1] = Male AND: AgeOf[Count1] <= 64

BelowPe3[Count1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: NOT (Sex[Count1] = Male) AND: AgeOf[Count1] <= 60

#### BelowPen[Count1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: NOT (Sex[Count1] = Male) AND: AgeOf[Count1] <= 59

BelowPe2[Count1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum AND: NOT (Sex[Count1] = Male) AND: AgeOf[Count1] <= 62

#### BelowPe3[Count1] := 1

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: In loop FOR Count1 := 1 TO AdultNum RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
    AND: In loop FOR Count1 := 1 TO AdultNum
    RESERVECHECK
    RESERVECHECK
Compute if: In loop FOR Loop1 := 1 TO NewBU
Stateben[1] := 'No '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
Stateben[2] := 'No '
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
PensInc[1] := 0
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
PensInc[2] := 0
Compute if: In loop FOR Loop1 := 1 TO NewBU
AssName[1] := 'Current Account'
Compute if: In loop FOR Loop1 := 1 TO NewBU
AssName[2] := 'NSB Ordinary/Easy Access Account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[3] := 'NSB Investment Account'
Compute if: In loop FOR Loop1 := 1 TO NewBU
AssName[5] := 'Savings/other account'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[6] := 'Government Gilt-edged stock'
Compute if: In loop FOR Loop1 := 1 TO NewBU
AssName[7] := 'Unit Trusts/Investment Trusts'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[8] := 'Stocks & Shares'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[9] := 'PEP'
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AssName[10] := 'Capital Bonds'
```

Compute if: In loop FOR Loop1 := 1 TO NewBU

#### AssName[11] := 'Index-linked Certificates'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[12] := 'Fixed Interest Certificates'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[13] := 'Pensioner's Income Bonds'

Compute if: In loop FOR Loop1 := 1 TO NewBU

#### AssName[14] := 'SAYE'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[15] := 'Premium Bonds'

Compute if: In loop FOR Loop1 := 1 TO NewBU

#### AssName[16] := 'Income Bonds'

Compute if: In loop FOR Loop1 := 1 TO NewBU

#### AssName[17] := 'Deposit Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[18] := 'First Option Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[19] := 'Yearly Plan'

Compute if: In loop FOR Loop1 := 1 TO NewBU

#### AssName[20] := 'Fixed Rate Savings Bonds'

Compute if: In loop FOR Loop1 := 1 TO NewBU

## AssName[21] := 'Guaranteed Equity Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[22] := 'Endowment (not linked)'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[25] := 'ISA'

Compute if: In loop FOR Loop1 := 1 TO NewBU

#### AssName[26] := 'Profit sharing/options'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

### AssName[27] := 'Share Club'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### AssName[28] := 'Credit Union'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

#### QBUId.BUNum := BNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: NatCen = NI

DWPText := '

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: NOT (NatCen = NI)

DWPText := (I + ' Interviewer read out: ' + I + N + 'The Department for Work ' + 'and Pensions, for whom we are carrying out this ' + 'survey, was formerly called the Department of ' + 'Social Security or DSS. I will refer to it as the ' + 'DWP during this interview. ' + N)

Ask if: In loop FOR Loop1 := 1 TO NewBU

## FRS0805B.BU[].PersDisp

^I^BLU^IC For your information... ...the adult(s) now allocated to this ^B Benefit Unit ^B schedule are: Person 1:@|^Names[1] Person 2:@|^Names[2] ^I^BLU ^DWPText^BLU^I Press 'I' and <Enter> To continue with the interview.^I

(1) Continue Continue

RECORD IF: In loop FOR Loop1 := 1 TO NewBU

## FRS0805B.BU[].BenSTime

^I Start time in Benefit Unit (displayed for testing only)^I

TIME

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: BenSTime = EMPTY AND PersDisp <> EMPTY

#### BenSTime := SYSTIME

Ask IF: In loop FOR Loop1 := 1 TO NewBU AND: Test = Yes

## FRS0805B.BU[].BenSTime

^I Start time in Benefit Unit (displayed for testing only)^I

TIME

Compute if: In loop FOR Loop1 := 1 TO NewBU And: (PersDisp = RESPONSE) OR (Edit = Yes)

CC := ''

# FRS0805B.BU[].QHealth1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes)

CC := ''

# FRS0805B.BU[].QHealth1.Adult[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
```

# FRS0805B.BU[].QHealth1.Adult[].PersId

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

Person Id

0..14

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: PPerNo = 1
```

```
HIntro := 'Now there are some questions about health.
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: NOT (PPerNo = 1)
```

HIntro := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum AND: NatCen = ONS

OpinionTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: NOT (NatCen = ONS)
```

```
OpinionTxt := (I + BLU + IC + 'This is a question of opinion.'
+ I)
```

Ask if: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum

# FRS0805B.BU[].QHealth1.Adult[].Health

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N^B^HIntro^B

<sup>^</sup>X Do you have any long-standing illness, disability or infirmity? By 'long-standing' I mean anything that has troubled you over a period of at least 12 months or that is likely to affect you over a period of at least 12 months.<sup>^</sup>N <sup>^</sup>OpinionTxt

(1)	Yes	Yes
(2)	No	No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: Health = Yes
```

# FRS0805B.BU[].QHealth1.Adult[].HProb

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N^X Does this physical or mental illness or disability (Do any of these physical or mental illnesses or disabilities) limit your activities in any way?^N ^OpinionTxt

(1)	Yes	Yes
(2)	No	No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: Health = Yes
```

# FRS0805B.BU[].QHealth1.Adult[].DisDif

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^IS^I E1^I

^N Does this/Do these health problem(s) or disability(ies) mean that you have substantial difficulties with any of these areas of your life? Please read out the numbers from the card next to the ones which apply to you.^N

^I^BLU^IC Probe:^I^N Which others?^N

SET [9] OF

(1)	Moving	Mobility (moving about)
(2)	Lifting	Lifting, carrying or moving objects
(3)	Hands	Manual dexterity (using your hands to carry out everyday tasks)
(4)	Bladder	Continence (bladder and bowel control)
(5)	Speech	Communication (speech, hearing or eyesight)
(6)	Learn	Memory or ability to concentrate, learn or understand
(7)	Danger	Recognising when you are in physical danger
(8)	Balance	Your physical co-ordination (eg: balance)
(9)	Other	Other health problem or disability
(10)	None	None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum

AND: Health = Yes

AND: None IN DisDif

DisDif.CARDINAL = 1
```

^I 'None of these' is an exclusive code for this question.^I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: Health = Yes
AND: None IN DisDif
```

# FRS0805B.BU[].QHealth1.Adult[].DDATre

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N Can I just check, do you receive medication or treatment without which your health problems (when taken together), would substantially affect your life in the areas we have been discussing?^N

(1) Yes Yes(2) No No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: (PersDisp = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (Health = No) OR ((None IN DisDif) AND (DDATre = No))
```

# FRS0805B.BU[].QHealth1.Adult[].DisDifP

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N Have you ever had a long-term illness, disability or infirmity that affected your activities? (By long-term, I mean lasting for a year or more).^N

Yes
 Yes
 Yes
 No
 No

Ask IF: In loop FOR Loop1 := 1 TO NewBU

```
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (Health = No) OR ((None IN DisDif) AND (DDATre = No))
AND: DisDifP = Yes
```

# FRS0805B.BU[].QHealth1.Adult[].DDATreP

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N Did this health problem or disability (Did these health problems or disabilities, when taken singly or together,) substantially limit your ability to carry out normal day-to-day activities? If you were receiving medication or treatment, please consider what the situation would have been without medication or treatment.^N

(1)	Yes	Yes
(2)	No	No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (Health = No) OR (DDATre = No)
```

# FRS0805B.BU[].QHealth1.Adult[].DDAProg

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N Can I just check, have you ever been diagnosed with a health condition which could substantially affect your day-to-day activities in the future?^N

(1)	Yes	Yes
(2)	No	No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: HProb = Yes
```

#### FRS0805B.BU[].QHealth1.Adult[].LAReg

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N ^LAuths keep registers of disabled people so that they can provide services for disabled people in their area. Are you on the ^LAuth1 register?^N ^I^BLU^IC(Nb. This is not the register of disabled people under the disabled person employment act).^I

(1) Yes Yes(2) No No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: HProb = Yes
AND: LAReg = Yes
```

#### FRS0805B.BU[].QHealth1.Adult[].SpcReg

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|HEALTH

^N Are you registered as...^N

^I^BLU ...Running prompt... Code all that apply.

SET [2] OF

Blind ^N...blind,^N
 Partsee ^N...partially sighted,^N
 Deaf ^N...deaf?^N
 None None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
NOT((IN(Blind,SpcReg)) AND (IN(Partsee,SpcReg)))
```

^I Blind and partially sighted are mutually exclusive responses.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
AND: None IN SpcReg
SpcReg.CARDINAL = 1
```

^I'None of these' is an exclusive code for this question.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (PersDisp = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PerNo := 1 TO AdultNum
RESERVECHECK
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

#### FRS0805B.BU[].QHealth1 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum

Adult[PerNo].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes)

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK

### FRS0805B.BU[] (continued)

#### **Benefit Unit Schedule**

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: (PersDisp = RESPONSE) OR (Edit = Yes) RESERVECHECK

#### FRS0805B.BU[].QHealth2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum

ChName := ChNames[[CNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: ChSex[CNo] = Male

himher := 'him'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: ChSex[CNo] = Male

hisher := 'his'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: ChSex[CNo] = Female

himher := 'her'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: ChSex[CNo] = Female

hisher := 'her'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: NOT (ChSex[CNo] = Female)

himher := 'him/her'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: NOT (ChSex[CNo] = Female)

hisher := 'his/her'

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum

Child[CNo].PersId := ChildId[[CNo]

### FRS0805B.BU[].QHealth2.Child[]

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
```

#### FRS0805B.BU[].QHealth2.Child[].PersId

@|@|^I@|Child health ^I Person Id.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: PCNo = 1

CHIntro := (I + 'Questions about children's health ' + I)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: NOT (PCNo = 1)

CHIntro := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: NatCen = ONS

OpinionTxt := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: NOT (NatCen = ONS)

OpinionTxt := (I + IC + 'This is a question of opinion.' + I)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
```

## FRS0805B.BU[].QHealth2.Child[].CHealth

@|@|^I@|Child health

^I ^N^B^CHIntro^B^X

Does ^ChName have any long-standing illness, disability or infirmity? By 'long-standing' I mean anything that has troubled ^ChName over a period of at least 12 months or that is likely to affect him/her over a period of at least 12 months.^N

^BLU^OpinionTxt

^I For children under a year old record whether the illness/disability is considered to be long-standing in relation to the child's age.^I

Yes
 Yes
 Yes
 No
 No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHealth = Yes
```

## FRS0805B.BU[].QHealth2.Child[].CHProb

@|@|^I@|Child health

^I

^N^X Does this physical or mental illness or disability (Do any of these physical or mental illnesses or disabilities) limit ^ChName's activities in any way?^N

^I^BLU^IC This is a question of opinion.^I

(1)	Yes	Yes

(2) No No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: Chealth = Yes
```

# FRS0805B.BU[].QHealth2.Child[].CDisDif

@|@|^I@|Child health ^I ^IS^I E1^I ^N

Does this/Do these health problem(s) or disability(ies) mean that ^ChName has substantial difficulties with any of these areas of ^hisher life. Please read out the numbers from the card next to the ones which apply.

Exclude difficulties which you would expect for a child of that age.^N ^I^BLU^IC Probe:^I^N Which others?^N

SET [9] OF

-		
(1)	Moving	Mobility (moving about)
(2)	Lifting	Lifting, carrying or moving objects
(3)	Hands	Manual dexterity (using your hands to carry out everyday tasks)
(4)	Bladder	Continence (bladder and bowel control)
(5)	Speech	Communication (speech, hearing or eyesight)
(6)	Learn	Memory or ability to concentrate, learn or understand
(7)	Danger	Recognising when you are in physical danger
(8)	Balance	Your physical co-ordination (eg: balance)
(9)	Other	Other health problem or disability
(10)	None	None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHealth = Yes

AND: None IN CDisDif

CDisDif.CARDINAL = 1
```

^I 'None of these' is an exclusive code for this question.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHealth = Yes
AND: None IN CDisDif
```

#### FRS0805B.BU[].QHealth2.Child[].CDATre

@|@|^I@|Child health

^I

^N Can I just check, does ^ChName take medication without which ^hisher health problems (when taken together), would significantly affect ^hisher life in the areas we have been discussing?^N

(1)	Yes	Yes
(0)		

(2) No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHProb = Yes
AND: ChAges[PCNo] >= 16
```

## FRS0805B.BU[].QHealth2.Child[].ChDLA

@|@|^I@|Child health

vI

^N Does ^ChName receive any of the following payments in ^hisher own right?^N

SET [3] OF(1)DLACare^B Care Component^B of Disability Living Allowance (DLA)(2)DLAMob^B Mobility Component^B of Disability Living Allowance (DLA)(3)DLABothBoth ^B Care Component^B and ^B Mobility component^B of Disability LivingAllowance(4)NoneNone of theseNone

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHProb = Yes

AND: ChAges[PCNo] >= 16

AND: None IN ChDLA

ChDLA.CARDINAL = 1
```

^I 'None of these' is an exclusive code for this question.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHProb = Yes
AND: ChAges[PCNo] >= 16
NOT(IN(DLABoth,ChDLA))
```

^I If respondent receives both Care Component of DLA and Mobility Component of DLA record BOTH code 1 AND 2 TOGETHER.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHProb = Yes
```

#### FRS0805B.BU[].QHealth2.Child[].LAReg

@|@|^I@|Child health
^I
^N ^LAuths keep registers of disabled people so that they can provide services for disabled people in their area. Is ^ChName on the ^LAuth1 register?^N

^I^BLU^IC (NB. This is not the register of disabled people under the disabled person employment act).^I

(1)	Yes	Yes
(2)	No	No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHProb = Yes

AND: LAReg = Yes
```

## FRS0805B.BU[].QHealth2.Child[].SpcReg

@|@|^I@|Child health
^I
^N Is ^ChName registered as ...^N ^I^BLU Running prompt...

Code all that apply.^I

SET [2] OF				
(1)	Blind	^Nblind,^N		
(2)	Partsee	^Npartially sighted,^N		
(3)	Deaf	^Ndeaf?^N		
(4)	None	None of these		

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CHProb = Yes
NOT((IN(Blind,SpcReg)) AND (IN(Partsee,SpcReg)))
```

^I Blind and partially sighted are mutually exclusive responses.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: CHProb = Yes

AND: None IN SpcReg

SpcReg.CARDINAL = 1
```

^I 'None of these' is an exclusive code for this question.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] > 0) AND ((CHealth = No) OR ((None IN CDisDif) AND
(CDATre = No)))
```

#### FRS0805B.BU[].QHealth2.Child[].CDisDifP

@|@|^I@|Child health

^I

^N Has ^ChName ever had a long-term illness, disability or infirmity that affected ^hisher activities? (By long-term, I mean lasting for a year or more).^N

(1)	Yes	Yes	
(2)	No	No	

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] > 0) AND ((CHealth = No) OR ((None IN CDisDif) AND
(CDATre = No)))
AND: CDisDifP = Yes
```

## FRS0805B.BU[].QHealth2.Child[].CDDaTreP

@|@|^I@|Child health

٧I

^N Did this health problem or disability (Did these health problems or disabilities, when taken singly or together,) substantially limit ^ChName's ability to carry out normal day-to-day activities? If they were receiving medication or treatment, please consider what the situation would have been without medication or treatment.^N

(1) Yes Yes(2) No No

Ask IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: ChildNum > 0

AND: In loop FOR CNo := 1 TO ChildNum

AND: (CHealth = No) OR (CDATre = No)

#### FRS0805B.BU[].QHealth2.Child[].CDDAPrg

@|@|^I@|Child health

٧I

^N Can I just check, has ^ChName ever been diagnosed with a health condition which could substantially affect ^hisher day-to-day activities in the future?^N

(1) Yes Yes(2) No No

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

#### FRS0805B.BU[].QHealth2 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: DLACare IN Child[CNo].ChDLA

ChDLAC[[CNo] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: NOT (DLACare IN Child[CNo].ChDLA)

ChDLAC[[CNo] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: DLAMOB IN Child[CNo].ChDLA

ChDLAM[[CNo] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum AND: NOT (DLAMOB IN Child[CNo].ChDLA)

ChDLAM[[CNo] := No

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 AND: In loop FOR CNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

### FRS0805B.BU[] (continued)

#### **Benefit Unit Schedule**

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: ChildNum > 0 RESERVECHECK

### FRS0805B.BU[].QHealth3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1

Adult[PerNo].PersId := Person[[PerNo]

## FRS0805B.BU[].QHealth3.Adult[]

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
```

### FRS0805B.BU[].QHealth3.Adult[].PersId

^CC\*\*\* ^Names[PerNo] \*\*\*@|@|@|Health

Person Id

0..14

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
AND: NatCen = ONS
```

OpinionTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
AND: NOT (NatCen = ONS)
```

OpinionTxt := 'This is a question of opinion.'

Ask if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1

#### FRS0805B.BU[].QHealth3.Adult[].Rstrct

^CC\*\*\* ^Names[PerNo] \*\*\*@|@|@|Health

^IS^I E2^I

<sup>^</sup>X^N Some people are restricted in the amount or type of work they can do, because they have an injury, illness or disability. Which of these statements comes closest to your own position at the moment? Because of injury, illness, disability....^N <sup>^</sup>I^BLU^IC Code first that applies. <sup>^</sup>OpinionTxt^I

- (1) NoWork ^N I am unable to work at the moment^N
- (2) SomeWork ^N I am restricted in the amount or type of work I can (could) do^N
- (3) AnyWork ^N I am not restricted in the amount or type of work I can (could) do^N

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
AND: Rstrct = NoWork
```

## FRS0805B.BU[].QHealth3.Adult[].InjLong

^CC\*\*\* ^Names[PerNo] \*\*\*@|@|@|Health

^N How long have you been unable to work because of this injury/ illness/ disability?^N

^I^BLU If in doubt, consult calendar.^I

Upto6m 28 weeks or less
 Over6m Over 28 weeks, up to 1 year
 Over1yr More than 1 year

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
AND: Rstrct = NoWork
AND: InjLong = Over1yr
```

# FRS0805B.BU[].QHealth3.Adult[].IncDur

^CC\*\*\* ^Names[PerNo] \*\*\*@|@|@|Health

^I Even if they have occasionally returned to work AFTER becoming ill or disabled, code the FIRST time they stopped work for this reason.

Statisticians need to know which year, in order to help with future forecasting of the 'Transitional Protection' of benefits related to incapacity.^I

(1)	From95	1995 or later
(2)	Dur94	Stopped work in 1994
(3)	Dur93	Stopped work in 1993
(4)	Dur92	Stopped work in 1992
(5)	Bef92	Before 1992
(6)	NoWork	Has never worked

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: BelowPe2[PerNo] = 1
AND: Rstrct = SomeWork
```

## FRS0805B.BU[].QHealth3.Adult[].InjWk

^CC\*\*\* ^Names[PerNo] \*\*\*@|@|@|Health

^N How many hours a week (could you/are you able to) work?^N

- (1) Less1 Less than 16 hours a week
- (2) Less2 16 but less than 24 hours a week
- (3) Less3 24 but less than 30 hours a week
- (4) Less4 30 hours a week or more

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: BelowPe2[PerNo] = 1 RESERVECHECK

#### FRS0805B.BU[].QHealth3 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

#### N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK RESERVECHECK CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

```
RESERVECHECK
RESERVECHECK
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

#### FRS0805B.BU[] (continued)

#### **Benefit Unit Schedule**

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

#### ChIntroEd := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Loop2 := 1 TO ChildNum
AND: (ChFtEd[Loop2] = Yes) AND (((((ChTypeEd[Loop2] = Special) OR
(ChTypeEd[Loop2] = MidSec)) OR (ChTypeEd[Loop2] = Sec)) OR
(ChTypeEd[Loop2] = Nonadv)) OR (ChTypeEd[Loop2] = Private))

ChIntroEd := Yes

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR Loop2 := 1 TO ChildNum RESERVECHECK

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR Loop2 := 1 TO ChildNum
RESERVECHECK
```

RESERVECHECK

#### FRS0805B.BU[].IntroEd

^I The questions that follow are about education.^I

(1) Cont Press <Enter> to continue.

### FRS0805B.BU[].QEduc1

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75

Adult[PerNo].PersId := Person[[PerNo]

#### FRS0805B.BU[].QEduc1.Adult[]

```
Record if: In loop FOR Loop1 := 1 TO NewBU
And: QHealth1.Adult[AdultNum].Health <> EMPTY
And: In loop FOR PerNo := 1 TO AdultNum
And: AgeOf[PerNo] < 75</pre>
```

#### FRS0805B.BU[].QEduc1.Adult[].PersId

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

Person Identifier.

0..14

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
```

#### FRS0805B.BU[].QEduc1.Adult[].HiQual1

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N I would now like to ask you about education and work-related training. Do you have any qualifications...^N

^I^BLU^IC Individual Prompt - Code all that apply. Include traditional trade and modern apprenticeships at code 4.^I

SET [7] OF

(1)	School	From school, college or university?
(2)	Work	Connected with work?
(3)	Govt	From government schemes?
(4)	Appren	From an Apprenticeship?
(5)	HomeEd	From having been educated at home, when you were of school age?
(6)	None	No qualifications
(7)	DNK	Don't know

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
AND: None IN HiQual1
HiQual1.CARDINAL = 1
```

^I 'None' is an exclusive code!^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
RESERVECHECK
```

Ask IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PAge >= 16 AND: NOT ((None IN HiQual1)) OR (DNK IN HiQual1))

FRS0805B.BU[].QEduc1.Adult[].HiQual2

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

Degree Code 1 -Higher/First/Foundation Degree Code 1 - Post-graduate Qualification (including PGCE) Code 1 - Other Degree Higher Education Qualification: Code 2 - Diploma in Higher Education Code 2 - HND/HNC Code 2 - Other Higher Education below degree Teaching and Nursing Qualifications: Code 1 - PGCE Code 2 - Teaching Qualification other than PGCE Code 2 - Nursing Qualification not otherwise mentioned. Code 3 - A Level/ A S Level Code 3 - Trade Apprenticeship Code 3 - Scottish 6th Year Certificate Code 3 - Access to Higher Education (HE) GCSE/CSE/O Level: Code 5 - Grade A\*-C Grade 1 Code 6 - Below Grade C or Grades 2-5 Standard/ Ordinary (O) grade/ Lower (Scotland) Code 5 - Levels 1-3 Code 6 - Level 4-6 Baccalaureate: Code 3 - International Code 3 - Advanced Welsh Code 5 - Intermediate Welsh Code 6 - Foundation Welsh BTEC/ TEC/ SCOTVEC/ EDEXCEL/ LQL: Code 2 - Higher (level 4 or above) Code 4 - National Certificate or Diploma (level 3) Code 5 - First Certificate or Diploma (level 2) Code 6 - Introductory Certificate or Diploma (level 1) Code 6 - SCOTVEC modules Code 4 - Ordinary National Certificate(ONC) Ordinary National Diploma (OND) NVQ/ SVQ: Code 1 - Level 5 Code 2 - Level 4 Code 4 - Level 3 Code 5 - Level 2 Code 6 - Level 1 GNVQ/GSVQ: Code 4 - Advanced Code 5 - Intermediate Code 6 - Foundation RSA/ ORC: Code 2 - Higher Diploma Code 4 - Advanced Level Code 5 - Diploma Code 6 - Other City & Guilds: Code 4 - Advanced Craft/ Part 3 Code 5 - Craft/ Part 2 Code 6 - Foundation/Part 1 Code 5 - YT/ YTP Certificate Code 6 - Key/ Basic Skills Qualification Code 6 - Entry Level Qualification Code 7 - Other Qualification (including those gained overseas)

(1)	Degree	Degree level qualification (or equivalent)
(2)	Higher	Higher educational qualification below degree level
(3)	ALevel	A-Levels or Highers
(4)	ONC	ONC / National Level BTEC
(5)	OLevel	O Level or GCSE equivalent (Grade A-C) or O Grade/CSE equivalent (Grade 1) or
Standa	ard Grade leve	l 1-3
(6)	GCSE	GCSE grade D-G or CSE grade 2-5 or Standard Grade level 4-6
(7)	Other	Other qualifications (including foreign qualifications below degree level)
(8)	None	No formal qualifications

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
AND: NOT ((None IN HiQual1)) OR (DNK IN HiQual1))
AND: HiQual2 = Other
```

#### FRS0805B.BU[].QEduc1.Adult[].OthQual

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N You said you have some 'other qualification', is this a ...^N

^I^BLU^IC Code all that apply^I

SET [3] OF

	L- J -	
(1)	Work	work-related or vocational qualification?
(2)	Prof	a professional qualification?
(3)	Foreign	a foreign qualification?
(4)	None	None of these

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: PAge >= 16

AND: NOT ((None IN HiQual1)) OR (DNK IN HiQual1))

AND: HiQual2 = Other

AND: None IN OthQual

OthQual.CARDINAL = 1
```

^I 'None' is an exclusive code!^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
RESERVECHECK
```

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PAge >= 16 RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PAge >= 16 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PAge >= 16 RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PAge >= 16 AND: (PFtEd = Yes) OR (PTEA = 96)

AnyEd := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PAge >= 16 AND: (PFtEd = Yes) OR (PTEA = 96)

And\_are := ('Earlier you said you are enrolled on a full time
' + 'course. Can I just check are')

```
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
AND: (PFtEd = Yes) OR (PTEA = 96)
AND: Test = Yes
```

## FRS0805B.BU[].QEduc1.Adult[].AnyEd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?^N

^I^BLU^IC Include corrspondence courses and open learning as well as other forms of full-time or parttime education^I

(1)	Yes	Yes
(2)	No	No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PAge >= 16
AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
```

# FRS0805B.BU[].QEduc1.Adult[].AnyEd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?^N

^I^BLU^IC Include corrspondence courses and open learning as well as other forms of full-time or parttime education^I

Yes Yes
 No No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: PAge >= 16

AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
```

```
And_are := 'Can I just check are'
```

Ask IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: (AnyEd = Yes) AND (PAge >= 16)

## FRS0805B.BU[].QEduc1.Adult[].EdAtt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N^And\_are you ...^N^I^BLU Running prompt...^I

- (1) StillAtt still attending,
- (2) Waiting waiting for term to (re)start,
- (3) Stopped or have you stopped going?

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: EdAtt IN [StillAtt, Waiting]
```

# FRS0805B.BU[].QEduc1.Adult[].EdTyp

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What kind of course are you on. Is it full-time or part-time, a medical or nursing course or some other kind of course?^N

(1)	SchoolFT	school/full time
(2)	SchoolPT	school/part time
(3)	Sandwich	sandwich course
(4)	CollegFT	studying at university or college including 6th form college^B full time^B
(5)	Medical	training for a qualification in nursing, physiotherapy or a similar medical subject
(6)	CollegPT	on a^B part time^B course at university or college, 'B including^B day release and
block	release	
(7)	OpenColl	on an Open College course
(8)	OpenUni	on an Open University course
(9)	Corresp	any other correspondence course
(10)	Self	any other course including other self / open learning courses

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: EdAtt IN [StillAtt, Waiting]
AND: PAge >= 20
NOT(IN(EdTyp,[???,???]))
```

^I Respondent seems to be too old to be at school.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
RESERVECHECK
```

RESERVECHECK

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: (AnyEd = Yes) AND (PAge >= 16)
```

### FRS0805B.BU[].QEduc1.Adult[].EdHr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N In your course of education, how many hours tuition do you normally receive each week? Only include time spent in lectures, seminars, and practicals where a tutor is present.^N

^I^BLU^IC If none (eg.^B distance^B learning), enter '0'.^I

0..97

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: Edit = No
EdHr < 37</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: (AnyEd = Yes) AND (PAge >= 16)

AND: EdHr > 0
```

#### FRS0805B.BU[].QEduc1.Adult[].EdTime

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Is that...^N^I^BLU Running prompt...^I

(1)	daytime	just in the daytime,
-----	---------	----------------------

- (2) evening ...just in the evenings,
- (3) both ...or both?

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PTypeEd = RESPONSE
```

## FRS0805B.BU[].QEduc1.Adult[].AdEduc

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What type of school or college do you attend?^N

- (1) FE Non-advanced further education/ 6th form/tertiary/further education college
- (2) Priv Any^B private^B school
- (3) HE University or any other higher education
- (4) Other Other (Describe in a Note)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: PTypeEd = RESPONSE
AND: PTypeEd IN [Special .. Sec]
```

```
AdEduc := Other
```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PTypeEd = RESPONSE AND: PTypeEd = Nonadv

#### AdEduc := FE

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PTypeEd = RESPONSE AND: PTypeEd = Private

#### AdEduc := Priv

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: PTypeEd = RESPONSE AND: PTypeEd = Univ

AdEduc := HE

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: AnyEd = Yes
```

## FRS0805B.BU[].QEduc1.Adult[].AdEduc

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What type of school or college do you attend?^N

(1)	FE	Non-advanced further education/ 6th form/tertiary/further education college
(2)	Driv	$\Delta n_{\rm M} \Delta \mathbf{P}$ n $n_{\rm M}$ as $h_{\rm M} = 1$

(2) Priv Any^B private^B school

(3) HE University or any other higher education

(4) Other Other (Describe in a Note)

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
```

AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)

# FRS0805B.BU[].QEduc1.Adult[].EMA

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Do you receive an Educational Maintenance Allowance (EMA) as part of the new Government scheme?^N

Yes Yes
 No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)

AND: EMA = Yes
```

# FRS0805B.BU[].QEduc1.Adult[].EMAAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much did you receive last time?

0.00..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes) AND: EMA = Yes

## FRS0805B.BU[].QEduc1.Adult[].EMAPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 75

AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)

AND: EMA = Yes

AND: EMAAmt IN [0.01 .. 99997]
```

# FRS0805B.BU[].QEduc1.Adult[].EMAPd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How long did that cover?

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

Ask if: In loop FOR Loop1 := 1 TO NewBU

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
AND: EMA = Yes
AND: EMAAmt IN [0.01 .. 99997]
AND: EMAPd = Note</pre>
```

## FRS0805B.BU[].QEduc1.Adult[].EMAPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
AND: EMA = Yes
AND: EMAAmt IN [0.01 .. 99997]
AND: Edit = Yes
EMAPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.^I WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 75
RESERVECHECK</pre>

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75 RESERVECHECK

## FRS0805B.BU[].QEduc1 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 75

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[] (continued)

#### **Benefit Unit Schedule**

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[].QEduc2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: (AgeOf[PerNo] <= 25) AND (TypeEd[PerNo] = Univ)</pre>

#### AskParental := Yes

Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: NOT ((AgeOf[PerNo] <= 25) AND (TypeEd[PerNo] = Univ)</pre>

AskParental := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])

Adult[PerNo].PersId := Person[[PerNo]

# FRS0805B.BU[].QEduc2.Adult[]

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
```

## FRS0805B.BU[].QEduc2.Adult[].PersId

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

Person identifier.

0..14

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
```

## FRS0805B.BU[].QEduc2.Adult[].Grant

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I If a private company provides a scholarship, bursary, grant or similar award this SHOULD be included.^I

(1)	Yes	Yes
(2)	No	No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
```

## FRS0805B.BU[].QEduc2.Adult[].GrtNum

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How many of these are you getting?^N

^I^BLU If more than one, the next questions deal with a maximum of two awards. Take awards in order of annual value (if more than 2, give details of 3rd, etc, in a note.)^I

- (2) Two Two
- (3) Three Three or more

## FRS0805B.BU[].QEduc2.Adult[].QGrant[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
```

## FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtSce

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Is the source of the ^pFirst award ...^N^I^BLU Running prompt...^I

State ...state
 Private ...private
 Overseas ...or overseas?

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = State
```

## FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What is the current annual value of the award, excluding fees?^N

^I^BLU^IC Record amount as 0 if tuition fees only.^I

0.00..99997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = State
AND: Edit = No
AND: GrtAmt = RESPONSE
((pFirst = 'first') AND (GrtAmt < 8000)) OR ((pFirst = 'second') AND
(GrtAmt < 5000))</pre>
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
    AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
    AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
```

```
IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtSce IN [Private, Overseas]
```

### FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtVal

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What is the current annual value of the award, including fees?^N

^I^BLU^IC Include amounts covering tuition fees and other payments.^I

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce IN [Private, Overseas]
AND: Edit = No
AND: GrtVal = RESPONSE
((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
(GrtVal < 9000))</pre>
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
    AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
    AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
    AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
    AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
    AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
```

## FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtDir

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much of this is paid direct to ^pyou?^N

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: Edit = No
AND: GrtDir = RESPONSE
((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
(GrtDir < 6000))</pre>
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private, Overseas]) AND (GrtVal > 0)) AND: GrtDir = RESPONSE AND: GrtSce IN [Private, Overseas] GrtDir <= GrtVal

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE . . HE])
AND: Grant = Yes
AND: GrtNum IN [One . . Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = RESPONSE
AND: GrtSce = State
GrtDir <= GrtAmt</pre>
```

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE . . HE])
AND: Grant = Yes
AND: GrtNum IN [One . . Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: QBUId.BUNum = 1
```

```
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
```

### FRS0805B.BU[].QEduc2.Adult[].QGrant[].StartYr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N In which year did this course start?^N^I Enter year.^I

1996..2009

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
AND: QDataBag.SampMnth IN [4 .. 12]
StartYr <> LYear
```

Wrong Year!

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
```

### FRS0805B.BU[].QEduc2.Adult[].QGrant[].EndYr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N And in which year will the course end?^N^I Enter year.^I

2007..2016

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE . . HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
AND: StartYr = RESPONSE
(StartYr >= (LYear - 7)) AND (StartYr <= LYear)</pre>
```

^I That's rather a long time ago. Please check this date is correct.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
(EndYr - StartYr) < 5</pre>
```

^I The course is longer than 4 years; please check if this is correct.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE . . HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: pFirst = FIRST

AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)

EndYr >= StartYr
```

^I The end year of the course cannot be before the start year.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

RESERVECHECK
```

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Grant = Yes AND: GrtNum IN [One .. Three] RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Grant = Yes AND: GrtNum IN [One .. Three] RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Grant = Yes AND: GrtNum IN [One .. Three] RESERVECHECK

## FRS0805B.BU[].QEduc2.Adult[].QGrant[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AnD: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
```

## FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtSce

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Is the source of the ^pFirst award ...^N^I^BLU Running prompt...^I

State ...state
 Private ...private
 Overseas ...or overseas?

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = State
```

## FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What is the current annual value of the award, excluding fees?^N

^I^BLU^IC Record amount as 0 if tuition fees only.^I

0.00..99997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = State
AND: Edit = No
AND: GrtAmt = RESPONSE
((pFirst = 'first') AND (GrtAmt < 8000)) OR ((pFirst = 'second') AND
(GrtAmt < 5000))</pre>
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
    AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
```

```
AND: GrtSce IN [Private, Overseas]
```

## FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtVal

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What is the current annual value of the award, including fees?^N

^I^BLU^IC Include amounts covering tuition fees and other payments.^I

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce IN [Private, Overseas]
AND: Edit = No
AND: GrtVal = RESPONSE
((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
(GrtVal < 9000))</pre>
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
    AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO AdultNum
     AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     IN [FE .. HE])
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

Ask if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: GrtNum IN [Two .. Three] AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private, Overseas]) AND (GrtVal > 0))

## FRS0805B.BU[].QEduc2.Adult[].QGrant[].GrtDir

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much of this is paid direct to ^pyou?^N

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE . . HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: Edit = No
AND: GrtDir = RESPONSE
((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
(GrtDir < 6000))</pre>
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE . . HE])
AND: Grant = Yes
AND: GrtNum IN [One . . Three]
AND: GrtNum IN [Two . . Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = RESPONSE
AND: GrtSce IN [Private, Overseas]
GrtDir <= GrtVal</pre>
```

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = RESPONSE
AND: GrtSce = State
GrtDir <= GrtAmt</pre>
```

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: QBUId.BUNum = 1
```

```
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
```

### FRS0805B.BU[].QEduc2.Adult[].QGrant[].StartYr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N In which year did this course start?^N^I Enter year.^I

1996..2009

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
AND: QDataBag.SampMnth IN [4 .. 12]
StartYr <> LYear
```

Wrong Year!

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
```

### FRS0805B.BU[].QEduc2.Adult[].QGrant[].EndYr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N And in which year will the course end?^N^I Enter year.^I

2007..2016

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
AND: StartYr = RESPONSE
(StartYr >= (LYear - 7)) AND (StartYr <= LYear)</pre>
```

^I That's rather a long time ago. Please check this date is correct.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
(EndYr - StartYr) < 5</pre>
```

^I The course is longer than 4 years; please check if this is correct.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

AND: pFirst = FIRST

AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)

EndYr >= StartYr
```

^I The end year of the course cannot be before the start year.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc

IN [FE .. HE])

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

RESERVECHECK
```

```
RESERVECHECK
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
RESERVECHECK
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: GrtNum IN [Two .. Three] RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: GrtNum IN [Two .. Three] RESERVECHECK

# FRS0805B.BU[].QEduc2.Adult[] (continued)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: AskParental = Yes
```

# FRS0805B.BU[].QEduc2.Adult[].Parental

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU Include parental contributions for living costs such as food or housing. Do not include tuition fees.^I

Yes Yes
 No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AnD: QHealth1.Adult[AdultNum].Health <> EMPTY
AnD: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: AskParental = Yes
AND: Parental = Yes
```

# FRS0805B.BU[].QEduc2.Adult[].PareAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much did you receive last time?^N

^I^BLU^IC Include^B all^B contributions - if necessary add them together and calculate an average weekly, monthly or annual amount.^I

0.00..99997.00

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: AskParental = Yes
AND: Parental = Yes
AND: PareAmt > 0
```

## FRS0805B.BU[].QEduc2.Adult[].ParePx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: AskParental = Yes
AND: Parental = Yes
AND: PareAmt > 0
```

## FRS0805B.BU[].QEduc2.Adult[].ParePd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How long did that cover?^N

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

#### Ask if: In loop FOR Loop1 := 1 TO NewBU

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
AND: AskParental = Yes
AND: Parental = Yes
AND: PareAmt > 0
AND: ParePd = Note
```

## FRS0805B.BU[].QEduc2.Adult[].ParePx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE .. HE]) AND: Edit = Yes ParePd <> Note

^I Editor: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.^I WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE . . HE]) RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
IN [FE .. HE])
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc IN [FE . . HE]) RESERVECHECK

### FRS0805B.BU[].QEduc2 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[] (continued)

#### **Benefit Unit Schedule**

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[].QEduc3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)

Adult[PerNo].PersId := Person[[PerNo]

## FRS0805B.BU[].QEduc3.Adult[]

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
```

#### FRS0805B.BU[].QEduc3.Adult[].PersId

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

Identifying number of person receiving top up loan.

0..14

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
```

## FRS0805B.BU[].QEduc3.Adult[].TopUpL

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I

Student loans are repaid once the borrower starts earning, and they have their interest rates in line with the RPI which means that in real terms students pay back no more than they borrow.

They are offered by the Student Loans Company and by some private financial institutions.^I

Yes Yes
 No No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
AND: QDataBag.SampMnth IN [4, 5, 6]
```

YrFill1 := STR(LYear - 2,4)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
AND: QDataBag.SampMnth IN [4, 5, 6]
YrFill12 := STR(LYear - 1,4)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
AND: NOT (QDataBag.SampMnth IN [4, 5, 6])
```

```
YrFill1 := STR(LYear - 1,4)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
AND: NOT (QDataBag.SampMnth IN [4, 5, 6])
```

```
YrFill2 := STR(LYear,4)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
```

# FRS0805B.BU[].QEduc3.Adult[].TUBorr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much altogether will you borrow during this academic year, that is the year beginning in September ^YrFill1 and ending in Summer ^YrFill2?^N

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
TUBorr <= 5175</pre>
```

^I You have entered that the person is borrowing more than  $\pounds 5,175$  per year (from the Student Loan Company) through a top up loan. Please check your answer.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
AND: TUBorr = NONRESPONSE
AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: TopUpL = Yes
AND: TUBorr = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
```

### FRS0805B.BU[].QEduc3.Adult[].Loan

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Do you have any^B other^B loan to enable you to attend a course of education?^N

^I^BLU^IC Include loans covering tuition fees only.^I

(1)	Yes	Yes
(2)	No	No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
```

## FRS0805B.BU[].QEduc3.Adult[].LoanNo

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How many loans do you have?^N ^I^BLU If more than one, the next questions deal with a maximum of two loans. T#ake loans in order of amount.^I

(1)	One	One
(2)	Two	Two
(3)	Three	Three or more

# FRS0805B.BU[].QEduc3.Adult[].QEdLoan[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdBorr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Thinking of the ^PFrom loan, from whom have you borrowed the money?^N

organisa organisation
 individ private individual

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdMonYr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N When did you take out the loan?^N

^I^BLU Enter date (If day not known, enter 15th of month).^I

```
DATE
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdMonYr = RESPONSE
AND: Edit = No
EdMonYr >= (DateNow + (-6,-0,-0))
```

^I You have entered that the loan was taken out more than 6 years ago. Please check that it is correct.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdMonYr = RESPONSE
EdMonYr <= DateNow</pre>
```

^I You have entered a future date. Please include only loans already taken out.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdSum

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much did you originally borrow?^N

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: Edit = No
AND: EdSum = RESPONSE
EdSum < 8050</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdSum = NONRESPONSE
AND: QBUID.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdSum = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much was your last repayment?^N ^I^BLU^IC Code 0 if no repayments yet made.^I

```
0.00..99997.00
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: (EdSum = RESPONSE) AND (EdAmt = RESPONSE)
EdAmt <= EdSum</pre>
```

^I You have entered that the respondent made a repayment which was greater than the value of the loan. Please check that it is correct.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt = NONRESPONSE
AND: QBUID.BUNum = 1
```

```
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0
```

# FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

#### ^I^BLU^IC^Pd97Txt^I

#### OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0
```

# FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdPd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How long did that cover?^N

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0
AND: EdPd = Note
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].Weekly()

#### **Procedure Call**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

#### PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

#### PdConW[4] := 4

Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

#### PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

```
PdConW[13] := 13
```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

#### PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: EdAmt > 0
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := 0

### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: EdAmt > 0 AND: EdPd IN [OneWeek .. Year] AND: LWeekly > 0

#### EdWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: EdAmt > 0 AND: EdPd IN [OneWeek .. Year] AND: LWeekly > 0 AND: Edit = No (EdWkly < 100) AND INVOLVING(EdPd,EdAmt)</pre>

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: Edit = Yes
EdPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
```

### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdInt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Does the loan...^N^I^BLU Running prompt...^I

(1)	Interest	carry interest,
(2)	IntFree	or is it interest free?

Ask if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: EdInt = Interest

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].LnRpInt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Was your last payment ... ^N^I^BLU Running prompt ... ^I

Interest ...just interest
 Capital ...or did it include some repayment of capital?

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] RESERVECHECK

# FRS0805B.BU[].QEduc3.Adult[].QEdLoan[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdBorr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Thinking of the ^PFrom loan, from whom have you borrowed the money?^N

organisa organisation
 individ private individual

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdMonYr

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N When did you take out the loan?^N

^I^BLU Enter date (If day not known, enter 15th of month).^I

DATE

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdMonYr = RESPONSE
AND: Edit = No
EdMonYr >= (DateNow + (-6,-0,-0))
```

^I You have entered that the loan was taken out more than 6 years ago. Please check that it is correct.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdMonYr = RESPONSE
EdMonYr <= DateNow</pre>
```

^I You have entered a future date. Please include only loans already taken out.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
```

### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdSum

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much did you originally borrow?^N

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: Edit = No
AND: EdSum = RESPONSE
EdSum < 8050</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdSum = NONRESPONSE
AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
     AND: EdSum = NONRESPONSE
    AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
     AND: LoanNo IN [Two .. Three]
```

#### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much was your last repayment?^N ^I^BLU^IC Code 0 if no repayments yet made.^I

0.00..99997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: (EdSum = RESPONSE) AND (EdAmt = RESPONSE)
EdAmt <= EdSum</pre>
```

^I You have entered that the respondent made a repayment which was greater than the value of the loan. Please check that it is correct.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt = NONRESPONSE
AND: QBUID.BUNum = 1
HRPMiss := (HRPMiss + 1)
```

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
    AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
    AND: EdAmt = NONRESPONSE
    AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
RECORD IF: In loop FOR Loop1 := 1 TO NewBU
    AND: QHealth1.Adult[AdultNum].Health <> EMPTY
    AND: In loop FOR PerNo := 1 TO AdultNum
    AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
     = HE)
    AND: Loan = Yes
     AND: LoanNo IN [One .. Three]
    AND: LoanNo IN [Two .. Three]
     AND: EdAmt > 0
```

#### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
```

### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdPd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How long did that cover?^N

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these ^I(Explain in a note)^I

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
AND: EdPd = Note
```

# FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].Weekly()

#### **Procedure Call**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: LoanNo IN [Two .. Three] AND: EdAmt > 0

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[9] := 5.78

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
```

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[26] := 26

Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := 0

### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: LoanNo IN [Two .. Three] AND: EdAmt > 0 AND: EdPd IN [OneWeek .. Year] AND: LWeekly > 0

EdWkly := LWeekly

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdAmt > 0
AND: EdPd IN [OneWeek .. Year]
AND: LWeekly > 0
AND: Edit = No
(EdWkly < 100) AND INVOLVING(EdPd,EdAmt)</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: Edit = Yes
EdPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.^I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
```

## FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].EdInt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Does the loan...^N^I^BLU Running prompt...^I

(1) Interest ...carry interest,

```
(2) IntFree ...or is it interest free?
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
AND: EdInt = Interest
```

#### FRS0805B.BU[].QEduc3.Adult[].QEdLoan[].LnRpInt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Was your last payment ... ^N^I^BLU Running prompt ... ^I

Interest ...just interest
 Capital ...or did it include some repayment of capital?

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Loan = Yes
AND: LoanNo IN [One .. Three]
AND: LoanNo IN [Two .. Three]
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: LoanNo IN [Two .. Three] RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: LoanNo IN [Two .. Three] RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) AND: Loan = Yes AND: LoanNo IN [One .. Three] AND: LoanNo IN [Two .. Three] RESERVECHECK

# FRS0805B.BU[].QEduc3.Adult[] (continued)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
```

### FRS0805B.BU[].QEduc3.Adult[].Access

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Some students get money from an access fund provided by their college or university to relieve hardship. Do you receive any^B regular^B payment from such an access fund?^N

^I^BLU^IC Do not include lump sum payments or loans.^I

(1) Yes Yes(2) No No

```
Ask IF: In loop FOR Loop1 := 1 TO NewBU
```

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Access = Yes
```

## FRS0805B.BU[].QEduc3.Adult[].AccsAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much did you receive last time?^N

1.00..9997.00

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Access = Yes
AND: AccesAmt = RESPONSE
```

### FRS0805B.BU[].QEduc3.Adult[].AccsPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Access = Yes
AND: AccesAmt = RESPONSE
```

# FRS0805B.BU[].QEduc3.Adult[].AccsPd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N What period did that cover?^N

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>^</sup> I(Explain in a note) <sup>^</sup> I

Ask if: In loop FOR Loop1 := 1 TO NewBU

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Access = Yes
AND: AccesAmt = RESPONSE
AND: AccsPd = Note
```

## FRS0805B.BU[].QEduc3.Adult[].AccsPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Edit = Yes
(AccsPd <> LumpSum) AND (AccsPd <> Year)
```

^I Editor: Access fund should be ^B regular ^B payment, not one-off. If no notes to explain, delete amount at AccsAmt, and change 'Access' to No.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
AND: Edit = Yes
AccsPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc
= HE)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: (QEduc1.Adult[PerNo].AnyEd = Yes) AND (QEduc1.Adult[PerNo].AdEduc = HE) RESERVECHECK

### FRS0805B.BU[].QEduc3 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[] (continued)

#### **Benefit Unit Schedule**

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[].QEduc4

Compute if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 60

Adult[PerNo].PersId := Person[[PerNo]

## FRS0805B.BU[].QEduc4.Adult[]

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60</pre>
```

## FRS0805B.BU[].QEduc4.Adult[].PersId

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

Person identifier.

0..14

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: PAnyEd = No
```

## FRS0805B.BU[].QEduc4.Adult[].OldStud

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N Have you been a student at a college or university at any time since 1990?^N

Yes Yes
 No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
```

### FRS0805B.BU[].QEduc4.Adult[].SLRepay

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N In the last 12 months, have you made any repayments of a Student Loan?^N

(1)	Yes	Yes
(2)	No	No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
```

### FRS0805B.BU[].QEduc4.Adult[].SLRepAmt

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How much did you pay last time?^N

0.00..999997.00

```
RECORD IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 60

AND: (PAnyEd = Yes) OR (OldStud = Yes)

AND: SLRepay = Yes

AND: SLRepAmt = RESPONSE
```

# FRS0805B.BU[].QEduc4.Adult[].SLRepPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 60

AND: (PAnyEd = Yes) OR (OldStud = Yes)

AND: SLRepay = Yes

AND: SLRepAmt = RESPONSE
```

# FRS0805B.BU[].QEduc4.Adult[].SLRepPd

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^N How long did that cover?^N

(1)	OneWeek	One week
(1) (2)	TwoWeek	Two weeks
(2) (3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>A</sup> I(Explain in a note) <sup>A</sup> I
(- ')		

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
AND: SLRepPd = Note
```

### FRS0805B.BU[].QEduc4.Adult[].SLRepPx

^CC\*\*\* ^Names[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

#### FRS0805B.BU[].QEduc4.Adult[].Weekly()

#### **Procedure Call**

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

```
PdConW[1] := 1
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[2] := 2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[3] := 3

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[4] := 4

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

#### PdConW[7] := 8.67

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 60

AND: (PAnyEd = Yes) OR (OldStud = Yes)

AND: SLRepay = Yes

AND: SLRepAmt = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[9] := 5.78

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[10] := 5.2

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[13] := 13

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
```

PdConW[26] := 26

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 60

AND: (PAnyEd = Yes) OR (OldStud = Yes)

AND: SLRepay = Yes

AND: SLRepAmt = RESPONSE
```

PdConW[52] := 52

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO AdultNum

AND: AgeOf[PerNo] < 60

AND: (PAnyEd = Yes) OR (OldStud = Yes)

AND: SLRepay = Yes

AND: SLRepAmt = RESPONSE

AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

PWeekly := 0

# FRS0805B.BU[].QEduc4.Adult[] (continued)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
AND: SLRepPd IN [OneWeek .. Year]
AND: LWeekly > 0
```

#### SLWkly := LWeekly

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: (PAnyEd = Yes) OR (OldStud = Yes)
AND: SLRepay = Yes
AND: SLRepAmt = RESPONSE
AND: SLRepPd IN [OneWeek .. Year]
AND: LWeekly > 0
AND: Edit = No
(SLWkly <= 40) AND INVOLVING(SLRepPd,SLRepAmt)</pre>
```

^I This seems a large amount to be repaying. Please check and amend if necessary. If correct, suppress warning and explain circumstances in a note.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
AND: Edit = Yes
SLRepPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
RESERVECHECK</pre>
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
AND: AgeOf[PerNo] < 60
RESERVECHECK
```

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 60 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 60 RESERVECHECK

### FRS0805B.BU[].QEduc4 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum AND: AgeOf[PerNo] < 60

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO AdultNum

#### N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY

#### N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

#### RESERVECHECK

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

Warn if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[] (continued)

#### **Benefit Unit Schedule**

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
RESERVECHECK

## FRS0805B.BU[].QChEduc

Compute if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

ChName := ChNames[[PerNo]

# FRS0805B.BU[].QChEduc.Child[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

#### PersId := PId

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

QAdEduc.PersId := PId

# FRS0805B.BU[].QChEduc.Child[].QAdEduc

Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

## FRS0805B.BU[].QChEduc.Child[].QAdEduc.PersId

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

Person Identifier.

0..14

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.HiQual1

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N I would now like to ask you about education and work-related training. Do you have any qualifications...^N

^I^BLU^IC Individual Prompt - Code all that apply. Include traditional trade and modern apprenticeships at code 4.^I

SET [7] OF

	L'J -	
(1)	School	From school, college or university?
(2)	Work	Connected with work?
(3)	Govt	From government schemes?
(4)	Appren	From an Apprenticeship?
(5)	HomeEd	From having been educated at home, when you were of school age?
(6)	None	No qualifications
(7)	DNK	Don't know

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: None IN HiQual1
HiQual1.CARDINAL = 1
```

^I 'None' is an exclusive code!^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: PAge >= 16 RESERVECHECK

Ask if: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: PAge >= 16 AND: NOT ((None IN HiQual1) OR (DNK IN HiQual1))

FRS0805B.BU[].QChEduc.Child[].QAdEduc.HiQual2

#### \*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

Degree

- Code 1 -Higher/First/Foundation Degree
- Code 1 Post-graduate Qualification (including PGCE)
- Code 1 Other Degree
- Higher Education Qualification:
- Code 2 Diploma in Higher Education
- Code 2 HND/HNC
- Code 2 Other Higher Education below degree
- Teaching and Nursing Qualifications:
- Code 1 PGCE
- Code 2 Teaching Qualification other than PGCE
- Code 2 Nursing Qualification not otherwise mentioned.
- Code 3 A Level/ A S Level
- Code 3 Trade Apprenticeship
- Code 3 Scottish 6th Year Certificate
- Code 3 Access to Higher Education (HE)
- GCSE/CSE/O Level:
- Code 5 Grade A\*-C Grade 1
- Code 6 Below Grade C or Grades 2-5
- Standard/ Ordinary (O) grade/ Lower (Scotland)
- Code 5 Levels 1-3
- Code 6 Level 4-6
- Baccalaureate:
- Code 3 International
- Code 3 Advanced Welsh
- Code 5 Intermediate Welsh
- Code 6 Foundation Welsh
- BTEC/ TEC/ SCOTVEC/ EDEXCEL/ LQL:
- Code 2 Higher (level 4 or above)
- Code 4 National Certificate or Diploma (level 3)
- Code 5 First Certificate or Diploma (level 2)
- Code 6 Introductory Certificate or Diploma (level 1)
- Code 6 SCOTVEC modules
- Code 4 Ordinary National Certificate(ONC) Ordinary National Diploma (OND)
- NVQ/ SVQ:
- Code 1 Level 5
- Code 2 Level 4
- Code 4 Level 3
- Code 5 Level 2
- Code 6 Level 1
- GNVQ/GSVQ:
- Code 4 Advanced
- Code 5 Intermediate
- Code 6 Foundation
- RSA/ ORC:
- Code 2 Higher Diploma
- Code 4 Advanced Level
- Code 5 Diploma
- Code 6 Other
- City & Guilds:
- Code 4 Advanced Craft/ Part 3
- Code 5 Craft/ Part 2
- Code 6 Foundation/ Part 1
- Code 5 YT/ YTP Certificate
- Code 6 Key/ Basic Skills Qualification
- Code 6 Entry Level Qualification
- Code 7 Other Qualification (including those gained overseas)

(1)Degree Degree level qualification (or equivalent) Higher educational qualification below degree level (2)Higher A-Levels or Highers (3) ALevel (4) ONC ONC / National Level BTEC (5) OLevel O Level or GCSE equivalent (Grade A-C) or O Grade/CSE equivalent (Grade 1) or Standard Grade level 1-3 (6)GCSE GCSE grade D-G or CSE grade 2-5 or Standard Grade level 4-6 (7)Other Other qualifications (including foreign qualifications below degree level) (8)None No formal qualifications

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: NOT ((None IN HiQual1) OR (DNK IN HiQual1))
AND: HiQual2 = Other
```

## FRS0805B.BU[].QChEduc.Child[].QAdEduc.OthQual

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N You said you have some 'other qualification', is this a ...^N

^I^BLU^IC Code all that apply^I

SET [3] OF

	L - J -	
(1)	Work	work-related or vocational qualification?
(2)	Prof	a professional qualification?
(3)	Foreign	a foreign qualification?
(4)	None	None of these

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: NOT ((None IN HiQual1) OR (DNK IN HiQual1))
AND: HiQual2 = Other
AND: None IN OthQual
OthQual.CARDINAL = 1
```

^I 'None' is an exclusive code!^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
RESERVECHECK
```

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: PAge >= 16 RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
RESERVECHECK
```

RESERVECHECK

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: (PFtEd = Yes) OR (PTEA = 96)
```

AnyEd := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: (PFtEd = Yes) OR (PTEA = 96)

And\_are := ('Earlier you said you are enrolled on a full time
' + 'course. Can I just check are')

```
DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: PAge >= 16

AND: (PFtEd = Yes) OR (PTEA = 96)

AND: Test = Yes
```

## FRS0805B.BU[].QChEduc.Child[].QAdEduc.AnyEd

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?^N

^I^BLU^IC Include corrspondence courses and open learning as well as other forms of full-time or parttime education^I

Yes Yes
 No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.AnyEd

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N Are you at present receiving any full- or part-time education - including leisure classes and holiday courses?^N

^I^BLU^IC Include corrspondence courses and open learning as well as other forms of full-time or parttime education^I

(1)	Yes	Yes
(2)	No	No

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PAge >= 16
AND: NOT ((PFtEd = Yes) OR (PTEA = 96)
```

```
And_are := 'Can I just check are'
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
```

## FRS0805B.BU[].QChEduc.Child[].QAdEduc.EdAtt

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N^And\_are you ... ^N^I^BLU Running prompt ... ^I

- (1) StillAtt still attending,
- (2) Waiting waiting for term to (re)start,
- (3) Stopped or have you stopped going?

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: EdAtt IN [StillAtt, Waiting]
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.EdTyp

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N What kind of course are you on. Is it full-time or part-time, a medical or nursing course or some other kind of course?^N

(1)	SchoolFT	school/full time
(2)	SchoolPT	school/part time
(3)	Sandwich	sandwich course
(4)	CollegFT	studying at university or college including 6th form college^B full time^B
(5)	Medical	training for a qualification in nursing, physiotherapy or a similar medical subject
(6)	CollegPT	on a^B part time^B course at university or college,^B including^B day release and
block	release	
(7)	OpenColl	on an Open College course
(8)	OpenUni	on an Open University course
(9)	Corresp	any other correspondence course
(10)	Self	any other course including other self / open learning courses

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: EdAtt IN [StillAtt, Waiting]
AND: PAge >= 20
NOT(IN(EdTyp,[???,???]))
```

^I Respondent seems to be too old to be at school.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
RESERVECHECK
```

RESERVECHECK

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.EdHr

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N In your course of education, how many hours tuition do you normally receive each week? Only include time spent in lectures, seminars, and practicals where a tutor is present.^N

^I^BLU^IC If none (eg.^B distance^B learning), enter '0'.^I

0..97

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: Edit = No
EdHr < 37</pre>
```

<sup>A</sup>I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.<sup>A</sup>I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (AnyEd = Yes) AND (PAge >= 16)
AND: EdHr > 0
```

#### FRS0805B.BU[].QChEduc.Child[].QAdEduc.EdTime

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N Is that...^N^I^BLU Running prompt...^I

(1)	daytime	just in the daytime,
(2)	evening	just in the evenings,

(3) both ...or both?

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PTypeEd = RESPONSE
```

### FRS0805B.BU[].QChEduc.Child[].QAdEduc.AdEduc

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N What type of school or college do you attend?^N

```
(1) FE Non-advanced further education/ 6th form/tertiary/further education college
```

- (2) Priv Any^B private^B school
- (3) HE University or any other higher education
- (4) Other Other (Describe in a Note)

```
Compute if: In loop FOR Loop1 := 1 TO NewBU
```

```
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PTypeEd = RESPONSE
AND: PTypeEd IN [Special .. Sec]
```

AdEduc := Other

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PTypeEd = RESPONSE
AND: PTypeEd = Nonadv
```

AdEduc := FE

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PTypeEd = RESPONSE
AND: PTypeEd = Private
```

AdEduc := Priv

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: PTypeEd = RESPONSE
AND: PTypeEd = Univ
```

#### AdEduc := HE

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: AnyEd = Yes
```

#### FRS0805B.BU[].QChEduc.Child[].QAdEduc.AdEduc

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N What type of school or college do you attend?^N

- (1) FE Non-advanced further education/ 6th form/tertiary/further education college
- (2) Priv Any^B private^B school
- (3) HE University or any other higher education
- (4) Other Other (Describe in a Note)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.EMA

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N Do you receive an Educational Maintenance Allowance (EMA) as part of the new Government scheme?^N

Yes Yes
 No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
AND: EMA = Yes
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.EMAAmt

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N How much did you receive last time?

0.00..99997.00

```
Record if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
AND: EMA = Yes
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.EMAPx

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
AND: EMA = Yes
AND: EMAAmt IN [0.01 .. 99997]
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.EMAPd

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N How long did that cover?

(1)	OneWeek	One week
(2)	TwoWeek	Two weeks
(3)	ThrWeek	Three weeks
(4)	Fourweek	Four weeks
(5)	Month	Calendar month
(7)	TwoMonth	Two Calendar months
(8)	EighYear	Eight times a year
(9)	NineYear	Nine times a year
(10)	TenYear	Ten times a year
(13)	ThrMonth	Three months/13 weeks
(26)	SixMonth	Six months/26 weeks
(52)	Year	One Year/12 months/52 weeks
(90)	LessWeek	Less than one week
(95)	LumpSum	One off/lump sum
(97)	Note	None of these <sup>^</sup> I(Explain in a note) <sup>^</sup> I

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
AND: EMA = Yes
AND: EMAAmt IN [0.01 .. 99997]
AND: EMAPd = Note
```

# FRS0805B.BU[].QChEduc.Child[].QAdEduc.EMAPx

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^I^BLU^IC^Pd97Txt^I

OPEN

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: (PAge IN [16 .. 20]) AND (AnyEd = Yes)
AND: EMA = Yes
AND: EMAAmt IN [0.01 .. 99997]
AND: Edit = Yes
EMAPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list. If you temporarily suppress this check you must come back to resolve it.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
RESERVECHECK
```

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
RESERVECHECK
```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
RESERVECHECK
```

# FRS0805B.BU[].QChEduc.Child[] (continued)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
```

# FRS0805B.BU[].QChEduc.Child[].Grant

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N Is ^ChName receiving an education grant, maintenance grant or scholarship?^N

^I^BLU^IC Include holiday periods.^I

Yes Yes
 No No

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
```

# FRS0805B.BU[].QChEduc.Child[].GrtNum

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N How many grants or scholarships is ^ChName getting?^N

^I^BLU If more than one, the next questions deal with a maximum of two grants. Take grants in order of annual value (If more than 2, give details of 3rd, etc, in a note.^I

One

(2)	Two	Two
(2)	Two	Two

(3) Three or more

# FRS0805B.BU[].QChEduc.Child[].QGrant[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
```

# FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtSce

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N Is the source of the ^pFirst award ...^N^I^BLU Running prompt...^I

State ...state
 Private ...private
 Overseas ...or overseas?

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = State
```

# FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtAmt

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N What is the current annual value of the award, excluding fees?^N

^I^BLU^IC Record amount as 0 if tuition fees only.^I

0.00..99997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce = State
AND: Edit = No
AND: GrtAmt = RESPONSE
((pFirst = 'first') AND (GrtAmt < 8000)) OR ((pFirst = 'second') AND
(GrtAmt < 5000))</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce IN [Private, Overseas]
```

# FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtVal

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N What is the current annual value of the award, including fees?^N

^I^BLU^IC Include amounts covering tuition fees and other payments.^I

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtSce IN [Private, Overseas]
AND: Edit = No
AND: GrtVal = RESPONSE
((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
(GrtVal < 9000))</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
AND: GrtVal = NONRESPONSE
     AND: QBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtSce IN [Private, Overseas]
     AND: GrtVal = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
```

AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private, Overseas]) AND (GrtVal > 0))

### FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtDir

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N How much of this is paid direct to ^pyou?^N

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: Edit = No
AND: GrtDir = RESPONSE
((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
(GrtDir < 6000))</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,

Overseas]) AND (GrtVal > 0))

AND: GrtDir = RESPONSE

AND: GrtSce IN [Private, Overseas]

GrtDir <= GrtVal
```

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,

Overseas]) AND (GrtVal > 0))

AND: GrtDir = RESPONSE

AND: GrtSce = State

GrtDir <= GrtAmt
```

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: QBUId.BUNum = 1
```

HRPMiss := (HRPMiss + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
```

## FRS0805B.BU[].QChEduc.Child[].QGrant[].StartYr

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N In which year did this course start?^N^I Enter year.^I

1996..2009

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
AND: QDataBag.SampMnth IN [4 .. 12]
StartYr <> LYear
```

Wrong Year!

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
```

# FRS0805B.BU[].QChEduc.Child[].QGrant[].EndYr

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N And in which year will the course end?^N^I Enter year.^I

2007..2016

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
AND: StartYr = RESPONSE
(StartYr >= (LYear - 7)) AND (StartYr <= LYear)</pre>
```

^I That's rather a long time ago. Please check this date is correct.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: pFirst = FIRST
AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
(EndYr - StartYr) < 5</pre>
```

^I The course is longer than 4 years; please check if this is correct.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: pFirst = FIRST

AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)

EndYr >= StartYr
```

^I The end year of the course cannot be before the start year.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

RESERVECHECK
```

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
<b>AND:</b> <i>Q</i> Health1.Adult[AdultNum].Health <> EMPTY
<b>AND:</b> In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One Three]
RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: Grant = Yes AND: GrtNum IN [One .. Three] RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: Grant = Yes AND: GrtNum IN [One .. Three] RESERVECHECK

# FRS0805B.BU[].QChEduc.Child[].QGrant[]

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
```

## FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtSce

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N Is the source of the ^pFirst award ...^N^I^BLU Running prompt...^I

State ...state
 Private ...private
 Overseas ...or overseas?

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = State
```

### FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtAmt

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N What is the current annual value of the award, excluding fees?^N

^I^BLU^IC Record amount as 0 if tuition fees only.^I

0.00..99997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce = State
AND: Edit = NO
AND: GrtAmt = RESPONSE
((pFirst = 'first') AND (GrtAmt < 8000)) OR ((pFirst = 'second') AND
(GrtAmt < 5000))</pre>
```

<sup>A</sup>I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.<sup>A</sup>I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: OBUId.BUNum = 1
HRPMiss := (HRPMiss + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
     AND: OHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
     AND: GrtNum IN [Two .. Three]
     AND: GrtSce = State
     AND: GrtAmt = NONRESPONSE
     AND: NOT (QBUId.BUNum = 1)
OthMiss := (OthMiss + 1)
Ask if: In loop FOR Loop1 := 1 TO NewBU
     AND: QHealth1.Adult[AdultNum].Health <> EMPTY
     AND: In loop FOR PerNo := 1 TO ChildNum
     AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
     (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
     (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
     AND: Grant = Yes
     AND: GrtNum IN [One .. Three]
```

### FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtVal

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

AND: GrtNum IN [Two .. Three] AND: GrtSce IN [Private, Overseas]

^N What is the current annual value of the award, including fees?^N

^I^BLU^IC Include amounts covering tuition fees and other payments.^I

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce IN [Private, Overseas]
AND: Edit = No
AND: GrtVal = RESPONSE
((pFirst = 'first') AND (GrtVal < 25000)) OR ((pFirst = 'second') AND
(GrtVal < 9000))</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce IN [Private, Overseas]
AND: GrtVal = NONRESPONSE
AND: QBUId.BUNum = 1
```

```
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: GrtSce IN [Private, Overseas]
AND: GrtVal = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
```

OthMiss := (OthMiss + 1)

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
```

# FRS0805B.BU[].QChEduc.Child[].QGrant[].GrtDir

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N How much of this is paid direct to ^pyou?^N

0.00..999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: Edit = No
AND: GrtDir = RESPONSE
((pFirst = 'first') AND (GrtDir < 9000)) OR ((pFirst = 'second') AND
(GrtDir < 6000))</pre>
```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,

Overseas]) AND (GrtVal > 0))

AND: GrtDir = RESPONSE

AND: GrtSce IN [Private, Overseas]

GrtDir <= GrtVal
```

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,

Overseas]) AND (GrtVal > 0))

AND: GrtDir = RESPONSE

AND: GrtSce = State

GrtDir <= GrtAmt
```

^I The amount paid cannot exceed the total value of the grant. Please amend your coding.^I

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: QBUId.BUNum = 1
```

```
HRPMiss := (HRPMiss + 1)
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: ((GrtAmt > 0) AND (GrtSce = State)) OR ((GrtSce IN [Private,
Overseas]) AND (GrtVal > 0))
AND: GrtDir = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)
```

```
OthMiss := (OthMiss + 1)
```

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
```

# FRS0805B.BU[].QChEduc.Child[].QGrant[].StartYr

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N In which year did this course start?^N^I Enter year.^I

1996..2009

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
AND: QDataBag.SampMnth IN [4 .. 12]
StartYr <> LYear
```

Wrong Year!

```
Ask if: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
```

# FRS0805B.BU[].QChEduc.Child[].QGrant[].EndYr

\*\*\* ^ChNames[PerNo] \*\*\* @|@|@|Education

^N And in which year will the course end?^N^I Enter year.^I

2007..2016

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
AND: StartYr = RESPONSE
(StartYr >= (LYear - 7)) AND (StartYr <= LYear)</pre>
```

^I That's rather a long time ago. Please check this date is correct.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QHealth1.Adult[AdultNum].Health <> EMPTY
AND: In loop FOR PerNo := 1 TO ChildNum
AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR
(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR
(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))
AND: Grant = Yes
AND: GrtNum IN [One .. Three]
AND: GrtNum IN [Two .. Three]
AND: pFirst = FIRST
AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)
(EndYr - StartYr) < 5</pre>
```

^I The course is longer than 4 years; please check if this is correct.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

AND: pFirst = FIRST

AND: (StartYr = RESPONSE) AND (EndYr = RESPONSE)

EndYr >= StartYr
```

^I The end year of the course cannot be before the start year.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU

AND: QHealth1.Adult[AdultNum].Health <> EMPTY

AND: In loop FOR PerNo := 1 TO ChildNum

AND: (ChFtEd[PerNo] = Yes) AND ((((ChTypeEd[PerNo] = Special) OR

(ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR

(ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private))

AND: Grant = Yes

AND: GrtNum IN [One .. Three]

AND: GrtNum IN [Two .. Three]

RESERVECHECK
```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: GrtNum IN [Two .. Three] RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: GrtNum IN [Two .. Three] RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) AND: Grant = Yes AND: GrtNum IN [One .. Three] AND: GrtNum IN [Two .. Three] RESERVECHECK

# FRS0805B.BU[].QChEduc.Child[] (continued)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum AND: (ChFtEd[PerNo] = Yes) AND (((((ChTypeEd[PerNo] = Special) OR (ChTypeEd[PerNo] = MidSec)) OR (ChTypeEd[PerNo] = Sec)) OR (ChTypeEd[PerNo] = Nonadv)) OR (ChTypeEd[PerNo] = Private)) RESERVECHECK

# FRS0805B.BU[].QChEduc (continued)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY AND: In loop FOR PerNo := 1 TO ChildNum RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU AND: QHealth1.Adult[AdultNum].Health <> EMPTY RESERVECHECK