

FRS0805B.BU[.QNIMeals

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
  QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
  (QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
  (QBenefit.QBen3Q.Adult[2].JSAType = IncBase)

```

```

smbu := 0

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
  QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
  (QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
  (QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: In loop FOR smi := 1 TO 5
  AND: QWelfare.SM1Q[smi].BenUnit = QBUId.BUNum

```

```

smbu := (smbu + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
  QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
  (QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
  (QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: (smbu = 0) AND (FreeSM > 0)
  AND: AdultNum = 1

```

```

AdNames := Names[1

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
  QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
  (QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
  (QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: (smbu = 0) AND (FreeSM > 0)
  AND: NOT (AdultNum = 1)

```

```

AdNames := (Names[1 + ' and ' + Names[2)

```

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
  AND: NatCen = NI
  AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
  QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
  (QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
  (QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
  AND: (smbu = 0) AND (FreeSM > 0)

```

FRS0805B.BU[.QNIMeals.Apply

```

*** ^AdNames ***

```

Earlier you said your child(ren) did not receive free school meals. Do you know how to go about applying for free school meals?

- (1) Yes Yes
 (2) No No

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI
AND: (((IncSupp IN QBenefit.QBen3Q.Adult[1].Ben3Q[]) OR (IncSupp IN
QBenefit.QBen3Q.Adult[2].Ben3Q[])) OR
(QBenefit.QBen3Q.Adult[1].JSAType = IncBase)) OR
(QBenefit.QBen3Q.Adult[2].JSAType = IncBase)
AND: (smbu = 0) AND (FreeSM > 0)
AND: Apply = Yes
```

FRS0805B.BU[].QNIMeals.WhyNot

*** ^AdNames ***

Why have you not applied for free school meals?

STRING[200]

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: NatCen = NI

RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA4.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1

FRS0805B.BU[.QOIncA4.Adult[]PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1

FRS0805B.BU[.QOIncA4.Adult[]RedAny

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N In the last 12 months, that is since ^DatYrAgo, have you received any redundancy payments?^N

^I^BLU^IC Include statutory and non-statutory.^I

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
AND: RedAny = Yes

FRS0805B.BU[.QOIncA4.Adult[]RedAmt

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N How much did you receive?^N

0.01..999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
AND: RedAny = Yes
RedAmt < 69855

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
AND: RedAny = Yes
AND: RedAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
AND: RedAny = Yes
AND: RedAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (BelowPen[PNo] = 1) AND (QCurSt2.Adult[PNo].EverWrk <> No)
AND: AskRedAny[PNo] = 1

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

FRS0805B.BU[].Jump24

^I

The questions that follow are about other incomes.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA5.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncA5.Adult[].PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1
Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncA5.Adult[.AnyPen

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1
^I

CODE 1 OR 2:

An occupational pension from an OVERSEAS GOVERNMENT OR COMPANY should be accepted at this question, if paid in STERLING.

If paid in FOREIGN CURRENCY, the pension should be treated as unearned income and entered later at 'Royal'.

Financial Assistance Scheme (FAS)

The Financial Assistance Scheme regulations (2005) came into operation on 1 September 2005 and is administered by the Department for Work and Pensions. The Financial Assistance Scheme offers help to some people who have lost out on their pension because the pension they were a member of was underfunded when it started to wind up, and the employer is insolvent or no longer exists. Assistance is given to those who are in most urgent need. Not all members of schemes will meet qualifying conditions.

Record Financial Assistance schemes at Code 1.

Pension Protection Fund

The Pension Protection Fund began on 6 April 2005 to pay compensation to members of defined benefit pension schemes when the employer is insolvent or no longer exists, and where there are insufficient assets in the pension scheme to cover Pension Protection Fund levels of compensation. Record Pension Protection Fund at Code 1.

CODE 5:

Regular income from an insurance policy or from equity release (and not purchased from pension funds) should be included under 'ANNUITY'. Under equity plan release schemes (such as Home Income Plan, Reversion schemes, Retirement Home Plan), elderly property owners may take out a loan secured on their home and use it to buy an annuity, part of which provides them with an income. Such a loan/mortgage should be recorded as a second mortgage in the household questionnaire (provided income on the loan is being paid).^I

SET [7] OF

- | | | |
|-----|----------|---|
| (1) | EmpPens | An employee pension from a previous employer |
| (2) | SpouPens | Widow's Employee Pension (Pension from previous employer of deceased spouse or relative) |
| (3) | PersPens | A personal pension |
| (4) | TUPens | A pension as a member of a Trade Union or friendly society |
| (5) | Annuity | An annuity (includes home income plan or equity release) |
| (6) | Trust | A trust or covenant |
| (7) | ExShare | A share of an employee or personal pension from an ex-spouse/partner as a result of a court order or settlement made on divorce |
| (8) | None | None of these |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN AnyPen
AnyPen.CARDINAL = 1

^I 'None of these' is an exclusive code for this question.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ExShare IN AnyPen
(QBenefit.QBen1Q.Adult[.Wid[PNo] <> WdPen) AND INVOLVING(AnyPen)

^I^BLU^IC The respondent receives Widow's pension. Are you sure that they receive a 'share of an employee or personal pension as a result of a court order or settlement on divorce'? Should you have coded 2 'widow's employee pension' instead? Please check the circumstances and explain in a note if necessary?^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Annuity IN AnyPen

FRS0805B.BU[.QOIncA5.Adult[.PenLump

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 1

^I Ask or record:^I
Can I just check, was that annuity bought with... ^I^BLU Running prompt...^I

- (1) EmpLump ...a lump sum from an EMPLOYEE pension scheme,
- (2) PersLump ...or a lump sum from a PERSONAL pension scheme?

- (3) Neither Neither of these

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA6[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

**PenName[1] := '
PENSION FROM A PREVIOUS EMPLOYER.
'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

**PenName[2] := '
WIDOW'S EMPLOYEE PENSION.
'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

**PenName[3] := '
PERSONAL PENSION.
'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

**PenName[4] := '
PENSION FROM A TRADE UNION OR A FRIENDLY SOCIETY.
'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

**PenName[5] := '
ANNUITY.
'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

**PenName[6] := '
TRUST OR COVENANT.
'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

**PenName[7] := '
SHARE OF PENSION FROM EX-SPOUSE/PARTNER
'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 1

FRS0805B.BU[.].QOIncA6[.].EmpPrev[.]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].EmpPrev[.].PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].EmpPrev[.].PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].EmpPrev[.].PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenPd

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N How long did this cover?^N

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenTax

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.].QOInca6[.].EmpPrev[.].PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
```

LInThat := ' in those '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

```
PPdTxt := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
```

```
PPdTxt := (LInThat + PPdTxt)
```

FRS0805B.BU[.QOInca6[.EmpPrev[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 4
 AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes
 AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 4
 AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes

FRS0805B.BU[.QOInca6[.EmpPrev[.PTAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 4
 AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes
 AND: PTAmt = RESPONSE

FRS0805B.BU[.QOInca6[.EmpPrev[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenPd1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPdl <> Note

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.QOIncA6[.EmpPrev[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

- (1) Befor Before
- (2) Aftr After

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

FRS0805B.BU[.QOIncA6[.EmpPrev[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

- (1) inc Absolute right to^B income only^B
- (2) cp Absolute right to^B capital only^B
- (3) both Absolute right to^B both^B
- (4) dis Only at^B discretion of trustees^B

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^BLU^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.].QOInca6[.].EmpPrev[.].PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LThat := ' over those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 4
  AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0805B.BU[.QOInca6[.EmpPrev[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOInca6[.EmpPrev[.POAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOInca6[.EmpPrev[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenPd2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

FRS0805B.BU[.QOIncA6[.EmpPrev[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

```

FRS0805B.BU[.QOIncA6[.EmpPrev[.POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.EmpPrev[.PoInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Aftr

PenGross := (PenGross + PTAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Aftr

PenGross := (PenGross + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenDed := (PTAmt + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenNet := (PenGross - PenDed)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
PenNet >= (0.3 * PenGross)

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

FRS0805B.BU[.QOIncA6[.EmpPrev[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have any other pensions of this type?^N

(1) Yes Yes
(2) No No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA6] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

EmpPrev[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
AND: (Loopvar = 1) OR (EmpPrev[Loopvar - 1].Another = Yes)

EmpPrev[Loopvar].PenSeq := Loopvar

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: EmpPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 4
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 2

FRS0805B.BU[.QOInca6[.SpouPrev[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

FRS0805B.BU[.QOInca6[.SpouPrev[.PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

FRS0805B.BU[.QOInca6[.SpouPrev[.PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

FRS0805B.BU[.QOInca6[.SpouPrev[.PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenPx

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6].SpouPrev[.PenPd

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

FRS0805B.BU[.QOIncA6].SpouPrev[.PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenTax

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

FRS0805B.BU[.].QOIncA6[.].SpouPrev[.].PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LInThat := ' in those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0805B.BU[.QOInca6[.SpouPrev[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.QOInca6[.SpouPrev[.PTAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOInca6[.SpouPrev[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
    
```

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenPd1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record:^I How long did this cover?
    
```

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note
    
```

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenPx1

```

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I
    
```

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPdl <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.QOIncA6].SpouPrev[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^B Was the ^PTIncFill, before or after tax was deducted?^N

- (1) Befor Before
- (2) Afr After

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

FRS0805B.BU[.QOIncA6[.SpouPrev[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

- (1) inc Absolute right to^B income only^B
- (2) cp Absolute right to^B capital only^B
- (3) both Absolute right to^B both^B
- (4) dis Only at^B discretion of trustees^B

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^BLU^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.].QOIncA6[.].SpouPrev[.].PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LThat := ' over those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear

PPdTxt := 'nine payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear

PPdTxt := 'ten payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

LThat := ' over that '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

PPdTxt := 'week'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0805B.BU[.QOIncA6[.SpouPrev[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.SpouPrev[.POAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenPd2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

FRS0805B.BU[.QOIncA6[.SpouPrev[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

```

FRS0805B.BU[.QOIncA6].SpouPrev[.POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.SpouPrev[.PoInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Aftr

PenGross := (PenGross + PTAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Aftr

PenGross := (PenGross + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenDed := (PTAmt + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenNet := (PenGross - PenDed)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
PenNet >= (0.3 * PenGross)

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

FRS0805B.BU[.QOIncA6[.SpouPrev[.Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have any other pensions of this type?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA6[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

SpouPrev[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (SpouPrev[Loopvar - 1].Another = Yes)

SpouPrev[Loopvar].PenSeq := (Loopvar + 4)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: SpouPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 3

FRS0805B.BU[.].QOIncA6[.].PersPen[.]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].PersPen[.].PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].PersPen[.].PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].PersPen[.].PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.PersPen[.PenPx

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.PersPen[.PenPd

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

FRS0805B.BU[.QOIncA6[.PersPen[.PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

FRS0805B.BU[.].QOIncA6[.].PersPen[.].PenTax

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.].QOInca6[.].PersPen[.].PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LInThat := ' in those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0805B.BU[.QOIncA6[.PersPen[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.QOIncA6[.PersPen[.PTAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.PersPen[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.PersPen[.PenPd1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

FRS0805B.BU[.QOIncA6[.PersPen[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

```

FRS0805B.BU[.QOIncA6[.PersPen[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

- (1) Befor Before
- (2) Afr After

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

FRS0805B.BU[.].QOIncA6[.].PersPen[.].TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

- (1) inc Absolute right to^B income only^B
- (2) cp Absolute right to^B capital only^B
- (3) both Absolute right to^B both^B
- (4) dis Only at^B discretion of trustees^B

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

FRS0805B.BU[.].QOIncA6[.].PersPen[.].PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^BLU^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.].QOInca6[.].PersPen[.].PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LThat := ' over those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0805B.BU[.QOInca6[.PersPen[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOInca6[.PersPen[.POAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOInca6[.PersPen[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.PersPen[.PenPd2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

FRS0805B.BU[.QOIncA6[.PersPen[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^I^BLU^IC^Pd97Ttxt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

```

FRS0805B.BU[.QOIncA6[.PersPen[.PO Sour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.PersPen[.PoInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Aftr

PenGross := (PenGross + PTAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Aftr

PenGross := (PenGross + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenDed := (PTAmt + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenNet := (PenGross - PenDed)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
PenNet >= (0.3 * PenGross)

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

FRS0805B.BU[.].QOIncA6[.].PersPen[.].Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have any other pensions of this type?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOInca5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA6] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PersPen[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (PersPen[Loopvar - 1].Another = Yes)

PersPen[Loopvar].PenSeq := (Loopvar + 7)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: PersPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 4

FRS0805B.BU[.].QOIncA6[.].TuPen[.]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPd

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenTax

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

FRS0805B.BU[.QOIncA6[.TuPen[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LInThat := ' in those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0805B.BU[.].QOIncA6[.].TuPen[.] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 2
 AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes
 AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 2
 AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PTAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
 AND: In loop FOR Loopvar := 1 TO 2
 AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
 AND: PPenType IN [1 .. 3, 5 .. 7]
 AND: PenTax = Yes
 AND: PTAmt = RESPONSE

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPd1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^I^BLU^IC^Pd97Ttxt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPdl <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

```

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

- (1) Befor Before
- (2) Aftr After

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

FRS0805B.BU[.].QOIncA6[.].TuPen[.].TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

- (1) inc Absolute right to^B income only^B
- (2) cp Absolute right to^B capital only^B
- (3) both Absolute right to^B both^B
- (4) dis Only at^B discretion of trustees^B

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^BLU^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.QOIncA6[.TuPen[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek
```

PPdTxt := 'four week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month
```

PPdTxt := 'calendar month'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth
```

PPdTxt := 'three month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth
```

PPdTxt := 'six month period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year
```

PPdTxt := 'year'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
```

LThat := ' over those '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth
```

PPdTxt := 'two calendar months'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear
```

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0805B.BU[.].QOIncA6[.].TuPen[.] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.].QOIncA6[.].TuPen[.].POAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPd2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.].QOIncA6[.].TuPen[.].POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Was the deduction made at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.].QOIncA6[.].TuPen[.].PoInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Aftr

PenGross := (PenGross + PTAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Aftr

PenGross := (PenGross + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenDed := (PTAmt + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenNet := (PenGross - PenDed)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
PenNet >= (0.3 * PenGross)

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

FRS0805B.BU[.].QOIncA6[.].TuPen[.].Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have any other pensions of this type?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA6[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

TuPen[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TuPen[Loopvar - 1].Another = Yes)

TuPen[Loopvar].PenSeq := (Loopvar + 10)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: TUPens IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: NOT (SpouPens IN QOIncA5.Adult[PerNo].AnyPen[])
(QBenefit.QBen1Q.Adult[.Wid[PerNo] <> WdPen) AND
INVOLVING(QOIncA5.Adult[.AnyPen[][PerNo])

^I^BLU^IC Are you sure? Earlier at the question 'Wid' a widow's pension was recorded, so should 'AnyPen' have code 2 instead of code 5?

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 5

FRS0805B.BU[.].QOIncA6[.].AnnPen[.]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].AnnPen[.].PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].AnnPen[.].PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].AnnPen[.].PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.AnnPen[.PenPx

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.AnnPen[.PenPd

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

FRS0805B.BU[.QOIncA6[.AnnPen[.PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

FRS0805B.BU[.].QOIncA6[.].AnnPen[.].PenTax

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

FRS0805B.BU[.QOInCA6[.AnnPen[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInCA5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInCA5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInCA5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInCA5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LInThat := ' in those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncaA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0805B.BU[.QOIncA6[.AnnPen[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.QOIncA6[.AnnPen[.PTAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.AnnPen[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.AnnPen[.PenPd1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

FRS0805B.BU[.QOIncA6[.AnnPen[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.QOIncA6[.AnnPen[.PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^B Was the ^PTIncFill, before or after tax was deducted?^N

- (1) Befor Before
- (2) Afr After

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

FRS0805B.BU[.QOIncA6[.AnnPen[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

- (1) inc Absolute right to^B income only^B
- (2) cp Absolute right to^B capital only^B
- (3) both Absolute right to^B both^B
- (4) dis Only at^B discretion of trustees^B

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

FRS0805B.BU[.QOIncA6[.AnnPen[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^BLU^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.].QOInca6[.].AnnPen[.].PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LThat := ' over those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear

PPdTxt := 'nine payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear

PPdTxt := 'ten payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

LThat := ' over that '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

PPdTxt := 'week'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Annuity IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 3
  AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0805B.BU[.QOIncA6[.AnnPen[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.AnnPen[.POAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.AnnPen[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.].QOIncA6[.].AnnPen[.].PenPd2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

FRS0805B.BU[.].QOIncA6[.].AnnPen[.].PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.AnnPen[.POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Was the deduction made at source?^N

- (1) Yes Yes
- (2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.AnnPen[.PoInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Aftr

PenGross := (PenGross + PTAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Aftr

PenGross := (PenGross + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenDed := (PTAmt + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenNet := (PenGross - PenDed)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
PenNet >= (0.3 * PenGross)

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

FRS0805B.BU[.QOIncA6[.AnnPen[.Another

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^N Do you have any other pensions of this type?^N

(1) Yes Yes
(2) No No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[.]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA6] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

AnnPen[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
AND: (Loopvar = 1) OR (AnnPen[Loopvar - 1].Another = Yes)

AnnPen[Loopvar].PenSeq := (Loopvar + 12)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Annuity IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 6

FRS0805B.BU[.].QOIncA6[.].TrustQ[.]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].TrustQ[.].PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].TrustQ[.].PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].TrustQ[.].PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.TrustQ[.PenPx

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.QOIncA6[.TrustQ[.PenPd

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

FRS0805B.BU[.QOIncA6[.TrustQ[.PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

FRS0805B.BU[.].QOIncA6[.].TrustQ[.].PenTax

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.QOInca6[.TrustQ[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LInThat := ' in those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear

PPdTxt := 'nine payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear

PPdTxt := 'ten payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

LInThat := ' in that '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

PPdTxt := 'week'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0805B.BU[.].QOInca6[.].TrustQ[.] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.].QOInca6[.].TrustQ[.].PTAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.].QOInca6[.].TrustQ[.].PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.TrustQ[.PenPd1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

FRS0805B.BU[.QOIncA6[.TrustQ[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPd1 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

```

FRS0805B.BU[.].QOIncA6[.].TrustQ[.].PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^B Was the ^PTIncFill, before or after tax was deducted?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

FRS0805B.BU[.QOIncA6[.TrustQ[.TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

- (1) inc Absolute right to^B income only^B
- (2) cp Absolute right to^B capital only^B
- (3) both Absolute right to^B both^B
- (4) dis Only at^B discretion of trustees^B

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

FRS0805B.BU[.QOIncA6[.TrustQ[.PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^BLU^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.QOInca6[.TrustQ[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LThat := ' over those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear

PPdTxt := 'nine payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear

PPdTxt := 'ten payments'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

LThat := ' over that '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek

PPdTxt := 'week'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0805B.BU[.].QOInca6[.].TrustQ[.] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.].QOInca6[.].TrustQ[.].POAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.].QOInca6[.].TrustQ[.].PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOIncA6[.TrustQ[.PenPd2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

FRS0805B.BU[.QOIncA6[.TrustQ[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[ ]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

```

FRS0805B.BU[.].QOIncA6[.].TrustQ[.].POSour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1

^PenName[PenType]

^N Was the deduction made at source?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOIncA6[.TrustQ[.PoInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Aftr

PenGross := (PenGross + PTAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Aftr

PenGross := (PenGross + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenDed := (PTAmt + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenNet := (PenGross - PenDed)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
PenNet >= (0.3 * PenGross)

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

FRS0805B.BU[.QOIncA6[.TrustQ[.Another

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^N Do you have any other pensions of this type?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA6] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

TrustQ[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (TrustQ[Loopvar - 1].Another = Yes)

TrustQ[Loopvar].PenSeq := (Loopvar + 15)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Trust IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]

PenType := 7

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PersId

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenSeq

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
Pension sequence number.

1..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

PenType := PPenType

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPay

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: QBUIId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PenPay = NONRESPONSE
AND: NOT (QBUIId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPd

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PenPay = RESPONSE
AND: PenPd = Note

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPx

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: Edit = Yes
PenPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenPay = RESPONSE

PTIncFill := ('sum of £' + STR(PenPay,1,2) + ' mentioned earlier')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: NOT (PenPay = RESPONSE)

PTIncFill := 'sum (even though you don't know the amount)'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenTax

^CC*** ^Names[Count1] *** @|@|@OTHER INCOME 1
^PenName[PenType]
^N Was tax deducted at source?^N

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.QOInca6[.ExShareQ[.PdTxt1()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LInThat := ' in those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LInThat := ' in that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LInThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 3, 5 .. 7]
  AND: PenTax = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LInThat + PPdTxt)

FRS0805B.BU[.QOInca6[.ExShareQ[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

in_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.QOInca6[.ExShareQ[.PTAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much tax was deducted at source ^in_that_period?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.QOInca6[.ExShareQ[.PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPd1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: PenPd1 = Note

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPx1

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = RESPONSE
AND: Edit = Yes
PenPdl <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes
AND: PTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PenTax = Yes

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PTInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^B Was the ^PTIncFill, before or after tax was deducted?^N

- (1) Befor Before
- (2) Aftr After

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 3, 5 .. 7]
AND: PPenType = 6

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].TRights

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have an absolute right to take income or capital from the trust, or do you have to apply to trustees for their permission each time you want money from it?^N

- (1) inc Absolute right to^B income only^B
- (2) cp Absolute right to^B capital only^B
- (3) both Absolute right to^B both^B
- (4) dis Only at^B discretion of trustees^B

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenOth

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Were there any other deductions?^N

^I^BLU^IC If any deductions - Please explain the purpose of the deduction in a Note.^I

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.QOIncA6[.ExShareQ[.PdTxt2()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = OneWeek
```

PPdTxt := 'one week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = TwoWeek
```

PPdTxt := 'two week period'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
  AND: PPeriod = ThrWeek
```

PPdTxt := 'three week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Fourweek

PPdTxt := 'four week period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Month

PPdTxt := 'calendar month'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = ThrMonth

PPdTxt := 'three month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = SixMonth

PPdTxt := 'six month period'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
AND: PPeriod = Year

PPdTxt := 'year'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]

LThat := ' over those '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TwoMonth

PPdTxt := 'two calendar months'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = EightYear

PPdTxt := 'eight payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = NineYear
```

PPdTxt := 'nine payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
AND: PPeriod = TenYear
```

PPdTxt := 'ten payments'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

LThat := ' over that '

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
```

PPdTxt := 'week'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: PenPd IN [OneWeek .. LessWeek]
AND: NOT (PPeriod = LessWeek)
```

LThat := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
  AND: NOT (PPeriod = LessWeek)
```

PPdTxt := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR Count1 := 1 TO AdultNum
  AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[ ]
  AND: In loop FOR Loopvar := 1 TO 2
  AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
  AND: PPenType IN [1 .. 2]
  AND: PenOth = Yes
  AND: PenPd IN [OneWeek .. LessWeek]
```

PPdTxt := (LThat + PPdTxt)

FRS0805B.BU[.QOInca6[.ExShareQ[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: NOT (PenPd IN [OneWeek .. LessWeek])

over_that_period := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.QOInca6[.ExShareQ[.POAmt

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N How much was the deduction ^over_that_period?^N

0.01..9997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.QOInca6[.ExShareQ[.PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPd2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I Ask or record: ^I How long did this cover?

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: PenPd2 = Note

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PenPx2

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^I^BLU^IC^Pd97Ttxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = RESPONSE
AND: Edit = Yes
PenPd2 <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes
AND: POAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PO Sour

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
 ^PenName[PenType]
 ^N Was the deduction made at source?^N

- (1) Yes Yes
- (2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: PPenType IN [1 .. 2]
AND: PenOth = Yes

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].PoInc

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Was the sum of £^PenPay mentioned earlier, before or after the deduction?^N

- | | | |
|-----|-------|--------|
| (1) | Befor | Before |
| (2) | Aftr | After |

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenGross := PenPay

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PTInc = Aftr

PenGross := (PenGross + PTAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
AND: PoInc = Aftr

PenGross := (PenGross + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenDed := (PTAmt + POAmt)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)

PenNet := (PenGross - PenDed)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: ((PenPay = RESPONSE) AND ((PTAmt = RESPONSE) AND PTInc <> EMPTY))
OR ((POAmt = RESPONSE) AND PoInc <> EMPTY)
PenNet >= (0.3 * PenGross)

^I The 'take-home' pension is only £^PenNet, but the gross pension is £^PenGross. Please check your figures as the deductions of £^PenDed for tax/others seem rather large.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
AND: (((PPenType = 1) AND (PLoop < 4)) OR ((PPenType IN [2, 3, 5]) AND (PLoop < 3))) OR ((PPenType IN [4, 6]) AND (PLoop < 2))

FRS0805B.BU[.].QOIncA6[.].ExShareQ[.].Another

^CC*** ^Names[Count1] *** @|@|@|OTHER INCOME 1
^PenName[PenType]
^N Do you have any other pensions of this type?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOInca5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA6[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

ExShareQ[Loopvar].PersId := Person[[PerNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
AND: (Loopvar = 1) OR (ExShareQ[Loopvar - 1].Another = Yes)

ExShareQ[Loopvar].PenSeq := (Loopvar + 17)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ExShare IN QOIncA5.Adult[PerNo].AnyPen[]
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 4
AND: EmpPrev[Loopvar].PTAmt = NONRESPONSE AND (EmpPrev[Loopvar].PenPay = RESPONSE)
EmpPrev[Loopvar].PenTax = No

^I Missing information for tax deducted from pension from a previous employer.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 4
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 4
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
AND: SpouPrev[Loopvar].PTAmt = NONRESPONSE AND
(SpouPrev[Loopvar].PenPay = RESPONSE)
SpouPrev[Loopvar].PenTax = No

^I Missing information for tax deducted from widow's employee pension.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
AND: PersPen[Loopvar].PTAmt = NONRESPONSE AND (PersPen[Loopvar].PenPay = RESPONSE)
PersPen[Loopvar].PenTax = No

^I Missing information for tax deducted from personal pension.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
AND: AnnPen[Loopvar].PTAmt = NONRESPONSE AND (AnnPen[Loopvar].PenPay = RESPONSE)
AnnPen[Loopvar].PenTax = No

^I Missing information for tax deducted from annuity.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
AND: TrustQ[Loopvar].PTAmt = NONRESPONSE AND (TrustQ[Loopvar].PenPay = RESPONSE)
TrustQ[Loopvar].PenTax = No

^I Missing information for tax deducted from trust or covenant.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
AND: ExShareQ[Loopvar].PTAmt = NONRESPONSE AND
(ExShareQ[Loopvar].PenPay = RESPONSE)
ExShareQ[Loopvar].PenTax = No

^I Missing information for tax deducted from trust or covenant.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: Edit = Yes
AND: In loop FOR Loopvar := 1 TO 2
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA7.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncA7.Adult[.PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncA7.Adult[.Royal

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^I CODE 3:

'Sleeping partner in a business': this includes income from, for example, being a Lloyd's name.^I

SET [4] OF

- | | | |
|-----|-------|--|
| (1) | Rent | Rent from any property |
| (2) | Roy | Royalties eg. from land, books or performances |
| (3) | Sleep | Income as a sleeping partner in a business |
| (4) | Pens | An occupational pension from an overseas government or company, paid in foreign currency |
| (5) | None | None of these |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN Royal
Royal.CARDINAL = 1

^I 'None of these' is an exclusive code for this question.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal
NOT(QProperty.SubRent > 0) AND
INVOLVING(Royal,QProperty.SubRent,QAccomdat.SubLet)

^I Is the respondent getting rent from another property AND getting income from sub-letting this accommodation? If they ARE getting an income from BOTH, suppress this check and continue.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Roy IN Royal

Royalties := 'royalties'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Roy IN Royal

FRS0805B.BU[.QOIncA7.Adult[.RoyYr

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Thinking of your ^royalties, how much have you received in the last 12 months?^N

^I^BLU Enter amount in £.^I

0.00..999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Sleep IN Royal

Royalties := 'income as a sleeping partner'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Sleep IN Royal

FRS0805B.BU[.QOIncA7.Adult[.RoyYr

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Thinking of your ^royalties, how much have you received in the last 12 months?^N

^I^BLU Enter amount in £.^I

0.00..999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Pens IN Royal

Royalties := 'pension paid in foreign currency'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Pens IN Royal

FRS0805B.BU[.QOIncA7.Adult[.RoyYr

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Thinking of your ^royalties, how much have you received in the last 12 months?^N

^I^BLU Enter amount in £.^I

0.00..999997.00

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal

FRS0805B.BU[.QOIncA7.Adult[.PropRent

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^IS^I L3^I

^N How much rent have you received before tax from other property in the last 12 months, AFTER paying for any of the things on this card?^N

0.00..99999.97

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Rent IN Royal

FRS0805B.BU[.QOIncA7.Adult[.RentProf

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 1

^N Is that a profit or a loss from the property?^N

- (1) Profit Profit
- (2) Loss Loss

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
(PropRent / 52) < 385

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA7

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

FRS0805B.BU[].Jump25

^I

The questions that follow are about maintenance.

^BLU^IC^B All^B questions about maintenance are asked for adult 1,
^B before^B switching to adult 2 (where required).^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB3[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

FRS0805B.BU[.QOIncB3[.PersId

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

Person identifier.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: QBenefit.QBenef2[Count1].ISLoan.Maint = Yes

are := 'apart from the maintenance included in your income support, are'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: NOT (QBenefit.QBenef2[Count1].ISLoan.Maint = Yes)

are := 'are'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: ChildNum = 1

children := 'child'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: NOT (ChildNum = 1)

children := 'children'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

FRS0805B.BU[.QOIncB3[.MntRec

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I Irregular payments may be received to buy or contribute to particular items. For example:

Food (including school meals)
Mortgage, rent, bills or other household costs
Transport costs
Childcare costs
Clothes or shoes (including school uniform)
Substantial items
School trips
Activities/outings/socialising
Holidays
Pocket money for child
Savings account for child
Mobile phone (including paying phone bills and top-ups)
Toys, games or books
Presents on birthdays or on religious festivals (e.g. Christmas) ^I

(1) Yes Yes
(2) No No

(3) Skip Use this code if it's clear that there are no previous partner(s)^B and^B no children from any previous liaison/partnership.

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: (MntRec = No) AND (Edit <> Yes)
ERROR AND INVOLVING(MntRec)

^I^BLU^IC make sure those without a former partner are coded as '3'^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes

FRS0805B.BU[.QOIncB3[.MntArr

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^IS^L5^I

^N Looking at this card, which of these arrangements do you have for receiving maintenance for your
^children?^N^I

^BLU^IC Code all that apply^I

SET [5] OF

- (1) CMEC Child Maintenance and Enforcement Commission (C-MEC) (formerly Child Support Agency (CSA)) making arrangements for maintenance payments on your behalf
- (2) Court A court order requiring previous partner to make payments
- (3) Volunt A voluntary agreement between yourself and previous partner
- (4) Other Other arrangement
- (5) None No arrangement made

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: None IN MntArr
MntArr.CARDINAL = 1

^I'None' is an exclusive code.^I

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes

FRS0805B.BU[.QOIncB3[.MntArrEx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I^BLU^IC Please explain why respondent has more than one arrangement.^I

^I^BLU^IC ^SuppTxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: MntArr.CARDINAL > 1
ERROR AND INVOLVING(MntArr)

^I^BLU^IC are you sure that the respondent has more than one arrangement for childcare?

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: MntArr.CARDINAL > 1

FRS0805B.BU[.QOIncB3[.MntArrEx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I^BLU^IC Please explain why respondent has more than one arrangement.^I

^I^BLU^IC ^SuppTxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes

FRS0805B.BU[.QOIncB3[.MntGOV

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N Do you receive these payments yourself, or are they paid via the ^GOV1 or the Child Maintenance and Enforcement Commission (C-MEC) (formerly Child Support Agency)?^N
^I

^BLU^IC If both, i.e. 2+ payments received, code both.^I

SET [2] OF

- | | | |
|-----|------|---------------------------------------|
| (1) | Self | Paid to self |
| (2) | GOV | Paid via ^GOV1 / C-MEC (formerly CSA) |

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes

Paid := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntGOV.CARDINAL > 1

Paid := '(PAID TO SELF):'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntGOV.CARDINAL > 1

FRS0805B.BU[.QOIncB3[.SIntro

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I The following questions are about the maintenance paid to the respondent ('Paid to self').^I

(1) Cont Press <Enter> to continue.

FRS0805B.BU[.QOIncB3[.MntSelf

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV

FRS0805B.BU[.QOIncB3[.MntSelf.MntAmt

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^N How much did you receive last time?^N

0.01..99999.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

FRS0805B.BU[.QOIncB3[.MntSelf.MntPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

FRS0805B.BU[.QOIncB3[.MntSelf.MntPd

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^N How long did this cover?^N

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd = Note

FRS0805B.BU[.QOIncB3[.MntSelf.MntPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = No
MntPd <> Note

^I

Reminder: please make a Note to say what period of time was covered by the payment.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = Yes
MntPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

FRS0805B.BU[.QOIncB3[.MntSelf.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
            AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
            AND: In loop FOR Count1 := 1 TO AdultNum
            AND: MntRec = Yes
            AND: Self IN MntGOV
            AND: MntAmt = RESPONSE
            AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0805B.BU[.QOIncB3[.MntSelf (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MntWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MntWkly < 200) AND INVOLVING(MntPd,MntAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]

FRS0805B.BU[.QOIncB3[.MntSelf.MntUs

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^N Is that the amount you usually receive?^N

- (1) Yes Yes
- (2) No No
- (3) NoUsual No such thing as usual

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No

FRS0805B.BU[.].QOIncB3[.].MntSelf.MntUsAmt

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^N How much do you usually receive?^N

0.01..99999.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

FRS0805B.BU[.].QOIncB3[.].MntSelf.MntUsPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

FRS0805B.BU[.].QOIncB3[.].MntSelf.MntUsPd

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^N How long does this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: MntUsPd = Note

FRS0805B.BU[.].QOIncB3[.].MntSelf.MntUsPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^PAID

^I^BLU^IC^Pd97Ttxt^I

OPEN

FRS0805B.BU[.].QOIncB3[.].MntSelf.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncB3[.MntSelf (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: MntUsPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MntUWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: MntUsPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MntUWkly < 200) AND INVOLVING(MntUsPd,MntUsAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: Edit = Yes
MntUsPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: Self IN MntGOV
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncB3[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV

Paid := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntGOV.CARDINAL > 1

Paid := ('(PAID VIA ' + GOV1 + '):')

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntGOV.CARDINAL > 1

FRS0805B.BU[.QOIncB3[.DIntro

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I The following questions are about the maintenance paid via the ^GOV1/CSA.

(1) Cont Press <Enter> to continue.

FRS0805B.BU[.].QOIncB3[.].MntCSA

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntAmt

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^N How much did you receive last time?^N

0.01..99999.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = NONRESPONSE
AND: QBUIId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = NONRESPONSE
AND: NOT (QBUIId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntPd

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd = Note

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = No
MntPd <> Note

^I

Reminder: please make a Note to say what period of time was covered by the payment.^I

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: Edit = Yes
MntPd <> Note
```

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

FRS0805B.BU[.].QOIncB3[.].MntCSA.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
            AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
            AND: In loop FOR Count1 := 1 TO AdultNum
            AND: MntRec = Yes
            AND: GOV IN MntGOV
            AND: MntAmt = RESPONSE
            AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0805B.BU[.].QOIncB3[.].MntCSA (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MntWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MntWkly < 200) AND INVOLVING(MntPd,MntAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntUs

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^N Is that the amount you usually receive?^N

- (1) Yes Yes
- (2) No No
- (3) NoUsual No such thing as usual

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntUsAmt

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^N How much do you usually receive?^N

0.01..99999.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntUsPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntUsPd

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^N How long does this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: MntUsPd = Note

FRS0805B.BU[.].QOIncB3[.].MntCSA.MntUsPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^Paid

^I^BLU^IC^Pd97Txt^I

OPEN

FRS0805B.BU[.].QOIncB3[.].MntCSA.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.].QOIncB3[.].MntCSA (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: MntUsPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MntUWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: MntUsPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MntUWkly < 200) AND INVOLVING(MntUsPd,MntUsAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
AND: MntAmt = RESPONSE
AND: MntPd IN [OneWeek .. Year]
AND: MntUs = No
AND: MntUsAmt = RESPONSE
AND: Edit = Yes
MntUsPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntRec = Yes
AND: GOV IN MntGOV
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncB3[] (continued)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

FRS0805B.BU[.QOIncB3[.MntNRP

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N Do you have any (other) children aged 19 or under (and in non-advanced education or training) who live OUTSIDE this household with their other parent?^N

^I

^BLU^IC EXCLUDE children outside this household not living with one of their parents e.g. children in care or living with other relatives.

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes

FRS0805B.BU[.QOIncB3[.MntPay

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N Are you currently making any formal or informal maintenance payments to a former partner for any children from a former marriage or partnership, either directly, or through the ^GOV1 / C-MEC (formerly CSA)?^N ^I

^BLU^IC Exclude payments made only to former partner.

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

FRS0805B.BU[.QOIncB3[.QMaint.Maint[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.PersId

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MaintSeq

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

Maintenance sequence number.

1..4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

Order[1] := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

Order[2] := 'second'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

Order[3] := 'third'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

Order[4] := 'fourth'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrKid

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N How many children are covered by this payment?^N

1..9

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrKid > 1

youngest := ' youngest '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: NOT (MrKid > 1)

youngest := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrAge

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N How old was the^youngest child, last birthday?^N

0..24

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrAmt

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N How much was your last payment?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrPd

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE
AND: MrPd = Note

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I^BLU^IC^Pd97Txt^I

OPEN

FRS0805B.BU[.].QOIncB3[.].QMaint.Maint[.].Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncB3[.QMaint.Maint[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE
AND: MrPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MrWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE
AND: MrPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MrWkly < 200) AND INVOLVING(MrPd,MrAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: Edit = Yes
MrPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrAmt = RESPONSE

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrUs

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N Is that the amount you usually pay?^N

- (1) Yes Yes
- (2) No No
- (3) NoUsual No such thing as usual

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrUAmt

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N How much do you usually pay?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = NONRESPONSE
AND: QBUIId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = NONRESPONSE
AND: NOT (QBUIId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrUPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrUPd

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N How long does this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE
AND: MrUPd = Note

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrUPx

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^I^BLU^IC^Pd97Ttxt^I

OPEN

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncB3[.QMaint.Maint[(continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE
AND: MrUPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

MrUWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE
AND: MrUPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(MrUWkly < 200) AND INVOLVING(MrUPd,MrUAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrUs = No
AND: MrUAmt = RESPONSE
AND: MrUPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
AND: (MrWkly = RESPONSE) AND (MrUWkly = RESPONSE)
(MrUWkly <= (MrWkly * 3)) AND INVOLVING(MrAmt,MrUAmt)

^I This is more than three times the amount paid last time.
This might be correct but please check that the respondent does normally pay this (higher) amount.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: Edit = Yes
MrUPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrCt

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N Are these payments covered by a court order?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrV

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N Since you started making these maintenance payments, has the amount you usually pay varied much?
IF YES: Has it gone up, or down?^N

^I^BLU^IC This is a question of opinion. If in doubt, probe for amounts, and count a change greater than + or - 10% as 'Yes'.^I

- | | | |
|-----|----------|---------------------------|
| (1) | YesUp | Yes - went UP |
| (2) | YesDown | Yes - went DOWN |
| (3) | NoChange | No - didn't change (much) |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: MrV IN [YesUp .. YesDown]

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.MrChWhy

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^X^N Why is that? What other reasons?^N
^I^BLU^IC This is a question of opinion.
Code all that apply, then describe more fully in A note.^I

SET [5] OF

- (1) Court ^B Order from court^B - amount of Order changed
- (2) ChilSupp ^B Child Maintenance and Enforcement Commission (C-MEC) (formerly Child Support Agency)^B - amount changed
- (3) PayMore ^B My circumstances^B - was able to pay more
- (4) PayLess - could only afford to pay LESS
- (5) NeedMore ^B Recipient's circumstances^B - needed more/reduced income/greater liabilities
- (6) NeedLess - needed less/fewer liabilities/increased income
- (7) LostCont ^B Other^B - moved/lost contact
- (8) BrokeCon - broken off contact/refuse to continue payments
- (9) AllOther - all other answers

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)
AND: LoopVar < 4

FRS0805B.BU[.QOIncB3[.QMaint.Maint[.M

^CC*** ^Names[Count1] *** @|@|@|MAINTENANCE PAYMENTS

^N Are you currently making any maintenance payments to anyone else?^N

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.QOIncB3[.QMaint

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

Maint[LoopVar].PersId := PID

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
AND: (LoopVar = 1) OR (Maint[LoopVar - 1].M = Yes)

Maint[LoopVar].MaintSeq := LoopVar

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: MntNRP = Yes
AND: MntPay = Yes
AND: In loop FOR LoopVar := 1 TO 4
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncB3[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)**Benefit Unit Schedule**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

N := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: (((MS[1] = Marr) AND (SpOut1[1] = MarrNHH)) OR (MS[1] = Sep)) OR
 (((MS[2] = Marr) AND (SpOut1[2] = MarrNHH)) OR (MS[2] = Sep))

FRS0805B.BU[].AbsIntro

^I

The questions that follow are about allowances^B from^B an absent partner.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA8

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA8.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

FRS0805B.BU[.QOIncA8.Adult[.PersId

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

FRS0805B.BU[.QOIncA8.Adult[.AbsPar

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^N Have you received any allowances from your husband/wife while he/she has been away?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes

FRS0805B.BU[.QOIncA8.Adult[.ApAmt

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^N How much in total have you received from your husband/wife while he/she has been away?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = NONRESPONSE
AND: QBUIId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

FRS0805B.BU[.QOIncA8.Adult[]ApPx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

FRS0805B.BU[.QOIncA8.Adult[]ApPd

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE
AND: ApPd = Note

FRS0805B.BU[.QOIncA8.Adult[]].ApPx

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^I^BLU^IC^Pd97Txt^I

OPEN

FRS0805B.BU[.QOIncA8.Adult[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: AbsPar = Yes
AND: ApAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncA8.Adult[] (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: ApPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01

```

ApWkly := LWeekly

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: ApPd IN [OneWeek .. Year]
  AND: LWeekly >= 0.01
  AND: Edit = No
  (ApWkly < 1350) AND INVOLVING(ApPd,ApAmt)

```

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: AbsPar = Yes
  AND: ApAmt = RESPONSE
  AND: Edit = Yes
  ApPd <> Note

```

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: ((QOwner1.QMortgage.M[1].OutsMort = Yes) OR
(QOwner1.QMortgage.M[2].OutsMort = Yes)) OR
(QOwner1.QMortgage.M[3].OutsMort = Yes)

```

expenses := 'expenses, excluding mortgage payments mentioned earlier'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: NOT (((QOwner1.QMortgage.M[1].OutsMort = Yes) OR
(QOwner1.QMortgage.M[2].OutsMort = Yes)) OR
(QOwner1.QMortgage.M[3].OutsMort = Yes))

```

expenses := 'expenses'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

FRS0805B.BU[.QOIncA8.Adult[.ApDir

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N^O1 In addition to the allowance you mentioned^O2 does your husband/wife pay direct for any household ^expenses?^N

- (1) Yes Yes
(2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes

FRS0805B.BU[.QOIncA8.Adult[.ApHH

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N Please describe these expenses.^N

STRING[40]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes

FRS0805B.BU[.QOIncA8.Adult[.ApDAmt

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How much did he/she pay?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPmiss := (HRPmiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

FRS0805B.BU[.QOIncA8.Adult[.ApDPx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

FRS0805B.BU[.QOIncA8.Adult[.ApDPd

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How long did this cover?^N

- (1) OneWeek One week
 - (2) TwoWeek Two weeks
 - (3) ThrWeek Three weeks
 - (4) Fourweek Four weeks
 - (5) Month Calendar month
 - (7) TwoMonth Two Calendar months
 - (8) EighYear Eight times a year
 - (9) NineYear Nine times a year
 - (10) TenYear Ten times a year
 - (13) ThrMonth Three months/13 weeks
 - (26) SixMonth Six months/26 weeks
 - (52) Year One Year/12 months/52 weeks
 - (90) LessWeek Less than one week
 - (95) LumpSum One off/lump sum
 - (97) Note None of these ^I(Explain in a note)^I
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE
AND: ApDPd = Note

FRS0805B.BU[.QOIncA8.Adult[.ApDPx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^Pd97Ttxt^I

OPEN

FRS0805B.BU[.QOIncA8.Adult[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncA8.Adult[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE
AND: ApDPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

ApDWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE
AND: ApDPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(ApDWkly < 355) AND INVOLVING(ApDPd,ApDAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: ApDir = Yes
AND: ApDAmt = RESPONSE
AND: Edit = Yes
ApDPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
 If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncA8 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: (((MS[1] = Marr) AND (SpOut1[1] = MarrNHH)) OR (MS[1] = Sep)) OR
(((MS[2] = Marr) AND (SpOut1[2] = MarrNHH)) OR (MS[2] = Sep))

FRS0805B.BU[].OtAbsInt

^I

The questions that follow are about allowances^B to^B an absent partner.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA9

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncA9.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

FRS0805B.BU[.QOIncA9.Adult[].PersId

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

FRS0805B.BU[.QOIncA9.Adult[].OtAbsPar

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^N Have you paid any allowances to your husband/wife while he/she has been away?^N

(1)	Yes	Yes
(2)	No	No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes

FRS0805B.BU[.QOIncA9.Adult[].OtApAmt

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^N How much in total have you paid to your husband/wife while he/she has been away?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

FRS0805B.BU[.QOIncA9.Adult[.OtApPx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

FRS0805B.BU[.QOIncA9.Adult[.OtApPd

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How long did this cover?^N

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE
AND: OtApPd = Note

FRS0805B.BU[.QOIncA9.Adult[.OtApPx

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^I^BLU^IC^Pd97Tt^I

OPEN

FRS0805B.BU[.QOIncA9.Adult[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
  AND: In loop FOR PNo := 1 TO AdultNum
  AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
  AND: OtAbsPar = Yes
  AND: OtApAmt = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))
```

PWeekly := 0

FRS0805B.BU[.QOIncA9.Adult[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE
AND: OtApPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

OtApWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE
AND: OtApPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(OtApWkly < 355) AND INVOLVING(OtApPd,OtApAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)
AND: OtAbsPar = Yes
AND: OtApAmt = RESPONSE
AND: Edit = Yes
OtApPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

FRS0805B.BU[.QOIncA9 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ((MS[PNo] = Marr) AND (SpOut1[PNo] = MarrNHH)) OR (MS[PNo] = Sep)

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

FRS0805B.BU[].Jump26

^I
The questions that follow are about allowances.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB1.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB1.Adult[].PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2
Person identifier.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: QEduc2.Adult[PNo].PareAmt = RESPONSE

Are := '(Apart from any income already mentioned) are'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: NOT (QEduc2.Adult[PNo].PareAmt = RESPONSE)

Are := 'Are'

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB1.Adult[].AllowRs

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2
^IThe respondent is in receipt of an allowance for a foster child but foster parent/foster child is not recorded in the relationship grid. Please check details of the foster child and foster parent. Record their name or person number (as recorded in the household grid) and relationship.
The relationships will be amended by the editors. DO NOT change the household grid information yourself at this stage in the interview as this could corrupt the household and Benefit Unit calculations.^I

- | | | |
|-----|----------|------------|
| (1) | Passed | Passed |
| (2) | Hard | Hard |
| (3) | Soft | Soft |
| (4) | Suppress | Suppressed |

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB1.Adult[].AllowEx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2
^I^BLU^IC^SuppTxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB1.Adult[]].Allow

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2
^IS^IL4^I
^N^Are you currently getting any of the regular allowances shown on this card?

IF YES: What allowances have you received?^N
^I^BLU Code all that apply.

Include - allowance from a member of the Armed Forces or Merchant Navy.
Exclude - allowance from A spouse who is either temporarily absent or a NON-household member.
(Already covered if relevant).^I

SET [4] OF

- (1) AbsHHMem a regular allowance from a friend/relative outside the household
- (2) Organ a regular allowance from an organisation
- (3) LAFoster an allowance from ^LAuth2 for a foster child
- (4) OFoster an allowance from ^LAuth2 for an adopted child
- (5) None None of these

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: LAFoster IN Allow
(HHG.P[.FosterP[PersId] = Yes) AND INVOLVING(Allow)

(HHG.P[PersId].FosterP = Yes) AND INVOLVING (Allow)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: LAFoster IN Allow
AND: (AllowRs = Suppressed) OR AllowEx <> EMPTY

FRS0805B.BU[.QOIncB1.Adult[]].AllowEx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2
^I^BLU^IC^SuppTxt^I

OPEN

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN Allow
Allow.CARDINAL = 1

^I 'None of these' is an exclusive code for this question.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncB1 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QBenefit.QBenef4.Adult[AdultNum].Ben7Q <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllCk[1] := 250

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[1] := 'ALLOWANCE FROM FRIEND/RELATIVE'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllCk[2] := 250

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[2] := 'ALLOWANCE FROM ORGANISATION'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllCk[3] := 400

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[3] := 'ALLOWANCE FOR FOSTER CHILD'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllCk[4] := 151

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

AllTxt[4] := 'ALLOWANCE FOR ADOPTED CHILD'

FRS0805B.BU[.QOIncB2.QAllow1[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

FRS0805B.BU[.QOIncB2.QAllow1[].PersId

*** ^Names[1] *** @|@|@OTHER INCOME 2

^AllTxt[ACount]

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

FRS0805B.BU[.QOIncB2.QAllow1[].AllPay

*** ^Names[1] *** @|@|@OTHER INCOME 2

^AllTxt[ACount]

^N How much was the last payment?^N

0.01..999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = RESPONSE

FRS0805B.BU[.QOIncB2.QAllow1[.AllPx

*** ^Names[1] *** @|@|@|OTHER INCOME 2

^AllTxt[ACount]

^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = RESPONSE

FRS0805B.BU[.QOIncB2.QAllow1[.AllPd

*** ^Names[1] *** @|@|@|OTHER INCOME 2

^AllTxt[ACount]

^N How long did this cover?^N

- (1) OneWeek One week
 - (2) TwoWeek Two weeks
 - (3) ThrWeek Three weeks
 - (4) Fourweek Four weeks
 - (5) Month Calendar month
 - (7) TwoMonth Two Calendar months
 - (8) EighYear Eight times a year
 - (9) NineYear Nine times a year
 - (10) TenYear Ten times a year
 - (13) ThrMonth Three months/13 weeks
 - (26) SixMonth Six months/26 weeks
 - (52) Year One Year/12 months/52 weeks
 - (90) LessWeek Less than one week
 - (95) LumpSum One off/lump sum
 - (97) Note None of these ^I(Explain in a note)^I
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = RESPONSE
AND: AllPd = Note

FRS0805B.BU[.QOIncB2.QAllow1[.AllPx

*** ^Names[1] *** @|@|@|OTHER INCOME 2

^AllTxt[ACount]

^I^BLU^IC^Pd97Ttxt^I

OPEN

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: AllPay = RESPONSE
AND: AllPd IN [OneWeek .. Year]

FRS0805B.BU[.].QOIncB2.QAllow1[.].AllWkly

*** ^Names[1] *** @|@|@OTHER INCOME 2

^AllTxt[ACount]

^N Standardised weekly amount.^N

0.01..99997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: Edit = Yes
AllPd <> Note

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

FRS0805B.BU[.QOIncB2 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

QAllow1[ACount].PersId := Person[1

FRS0805B.BU[.].QOIncB2.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncB2 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: QAllow1[ACount].AllPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

QAllow1[ACount].AllWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[1].Allow[]
AND: QAllow1[ACount].AllPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01
AND: Edit = No
(QAllow1[ACount].AllWkly < AllCk[ACount]) AND
INVOLVING(QAllow1[ACount].AllPd,QAllow1[ACount].AllPay)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR ACount := 1 TO 4
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncB2.QAllow2[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

FRS0805B.BU[.QOIncB2.QAllow2[.PersId

*** ^Names[2] *** @|@|@|OTHER INCOME 2

^AllTxt[ACount]

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

FRS0805B.BU[.QOIncB2.QAllow2[.AllPay

*** ^Names[2] *** @|@|@|OTHER INCOME 2

^AllTxt[ACount]

^N How much was the last payment?^N

0.01..999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = RESPONSE

FRS0805B.BU[.QOIncB2.QAllow2[.AllPx

*** ^Names[2] *** @|@|@|OTHER INCOME 2

^AllTxt[ACount]

^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = RESPONSE

FRS0805B.BU[.QOIncB2.QAllow2[.AllPd

*** ^Names[2] *** @|@|@|OTHER INCOME 2

^AllTxt[ACount]

^N How long did this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = RESPONSE
AND: AllPd = Note

FRS0805B.BU[.QOIncB2.QAllow2[.AllPx

*** ^Names[2] *** @|@|@OTHER INCOME 2

^AllTxt[ACount]

^I^BLU^IC^Pd97Ttxt^I

OPEN

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: AllPay = RESPONSE
AND: AllPd IN [OneWeek .. Year]

FRS0805B.BU[.QOIncB2.QAllow2[.AllWkly

*** ^Names[2] *** @|@|@OTHER INCOME 2

^AllTxt[ACount]

^N Standardised weekly amount.^N

0.01..99997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: Edit = Yes
AllPd <> Note

^I Editor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

FRS0805B.BU[.QOIncB2 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

QAllow2[ACount].PersId := Person[2

FRS0805B.BU[.].QOIncB2.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: AdultNum = 2
AND: In loop FOR ACount := 1 TO 4
AND: ACount IN QOIncB1.Adult[2].Allow[]
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncB2 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
 AND: AdultNum = 2
 AND: In loop FOR ACount := 1 TO 4
 AND: ACount IN QOIncB1.Adult[2].Allow[]
 AND: QAllow2[ACount].AllPd IN [OneWeek .. Year]
 AND: LWeekly >= 0.01

QAllow1[ACount].AllWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
 AND: AdultNum = 2
 AND: In loop FOR ACount := 1 TO 4
 AND: ACount IN QOIncB1.Adult[2].Allow[]
 AND: QAllow2[ACount].AllPd IN [OneWeek .. Year]
 AND: LWeekly >= 0.01
 AND: Edit = No
 (QAllow2[ACount].AllWkly < AllCk[ACount]) AND
 INVOLVING(QAllow2[ACount].AllPd,QAllow2[ACount].AllPay)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
 AND: AdultNum = 2
 AND: In loop FOR ACount := 1 TO 4
 RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
 AND: AdultNum = 2
 AND: In loop FOR ACount := 1 TO 4
 RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB6

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB6.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB6.Adult[].PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB6.Adult[].OthTax

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N^O1 Apart from any payments you may have mentioned earlier,^O2 have you made any ^O1 other^O2 income tax payments during the last 12 months?^N

^I^BLU Exclude Capital Gains Tax.^I

(1) Yes Yes
(2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes

FRS0805B.BU[.QOIncB6.Adult[].OTAmt

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How much did you pay?^N

^I^BLU^IC Describe the source of income in a Note.^I

0.01..999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: OTAmt = RESPONSE

OTWkly := (OTAmt / 52)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: Edit = No
(OTWkly < 715) AND INVOLVING(OTAmt)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: OTAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: OthTax = Yes
AND: OTAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncB6 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB9

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

Have := 'Have'

FRS0805B.BU[.QOIncB9.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))

FRS0805B.BU[.QOIncB9.Adult[.PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))

FRS0805B.BU[.QOIncB9.Adult[.NIReg

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N Do you pay a regular National Insurance contribution?^N

^I^BLU Only include if actually paid BY respondent. Do not include, eg. payments made by ^GOV1 ('Credits').^I

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes

FRS0805B.BU[.QOIncB9.Adult[.NIAmt

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How much was the last contribution you made?^N

0.01..9997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: N1Reg = Yes
AND: N1Amt = NONRESPONSE
AND: NOT (QBUld.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: N1Reg = Yes
AND: N1Amt = RESPONSE

FRS0805B.BU[.QOIncB9.Adult[]].NIPx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: N1Reg = Yes
AND: N1Amt = RESPONSE

FRS0805B.BU[.QOIncB9.Adult[]].NIPd

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How long did this cover?^N

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = RESPONSE
AND: NIPd = Note

FRS0805B.BU[.QOIncB9.Adult[.NIPx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^Pd97Txt^I

OPEN

FRS0805B.BU[.QOIncB9.Adult[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NIReg = Yes
AND: NIAmt = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIAmt = RESPONSE
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QOIncB9.Adult[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: NReg = Yes
AND: NIamt = RESPONSE
AND: NIPd IN [OneWeek .. Year]
AND: LWeekly >= 0.01

NIWkly := LWeekly

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: Edit = Yes
NIamt<>NONRESPONSE AND NIPd<>NONRESPONSE

^I Missing amount and/or period for National Insurance contribution. Insert class 3 amount (currently £7.35) and ensure that period code = 1 week.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TFW .. Other]) OR ((BelowPen[PNo] = 1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: Edit = Yes
NIPd <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

FRS0805B.BU[.QOIncB9 (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: Adult[PNo].NIWkly = RESPONSE
(ABS(Adult[PNo].NIWkly - 7.35) < 0.05) AND
INVOLVING(Adult[PNo].NIPd,Adult[PNo].NIamt)

```

^I Amount for National Insurance contribution deviates from standard Class 3 weekly amount (currently £7.35). Please check.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurSt1.Adult[PNo].JobAway = No))

```

Adult[PNo].PersId := Person[[PNo]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (QCurSt1.Adult[PNo].Train IN [TfW .. Other]) OR ((BelowPen[PNo] =
1) AND (QCurSt1.Adult[PNo].JobAway = No))
AND: Adult[PNo].NIReg = Yes

```

Have := 'Apart from that, have'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

```

CC := ''

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: Edit = Yes

FRS0805B.BU[].Jump28

^I
The questions that follow are about odd jobs.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

FRS0805B.BU[.QOIncB10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: PNo = 1

OJIntro := 'QUESTIONS ABOUT OCCASIONAL WORK AND ODD JOBS

'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: PNo = 1

OJText := ('During the last ' + B + '4 weeks' + B + ', have
you received ' + 'any money from the kinds of work shown on
this card, ' + 'which we have not yet covered?
')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: NOT (PNo = 1)

OJText := ('And ' + Names[[PNo] + ', what about you?

')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: NOT (PNo = 1)

OJIntro := ''

FRS0805B.BU[.QOIncB10.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB10.Adult[].PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB10.Adult[].OddJob

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^IS^I L6^I

^N^B^POJIntro^B^POJText^N

^I^BLU Code all that apply.^I

SET [3] OF

- (1) Babysitt Babysitter
- (2) Mail Mail order agent
- (3) OJob Odd job, occasional work or professional advice
- (4) Neither No to all

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Neither IN OddJob
OddJob.CARDINAL = 1

^I 'No to all' is an exclusive code for this question.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.].QOIncB10 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].PersId := Person[[PNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB1.Adult[AdultNum].Allow <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)

CC := ''

FRS0805B.BU[.QOIncB11

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

Adult[PNo].APersId := Person[[PNo]

FRS0805B.BU[.QOIncB11.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB11.Adult[.APersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

Person identifier.

0..14

FRS0805B.BU[.QOIncB11.Adult[.QBabMail

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QOIncB11.Adult[.QBabMail.PersId

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PPNo].OddJob[]

FRS0805B.BU[.QOIncB11.Adult[.QBabMail.BabPay

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^N How much income did you receive in the last 4 weeks for babysitting?^N

^I^BLU^IC Please refer to the amount paid for ALL babysitting jobs in the last four weeks.^I

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PPNo].OddJob[]
AND: BabPay = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PPNo].OddJob[]
AND: BabPay = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Babysitter IN QOIncB10.Adult[PPNo].OddJob[]

FRS0805B.BU[.QOIncB11.Adult[.QBabMail.BabNow

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N Have you done this work in the last seven days, since ^PDateWeek?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]

FRS0805B.BU[.QOIncB11.Adult[.QBabMail.MailPay

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How much income did you receive in the last 4 weeks as a mail order agent?^N

^I^BLU^IC Please refer to the amount paid for ALL mail order agent jobs in the last four weeks.^I

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]
AND: MailPay = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]
AND: MailPay = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: Mail IN QOIncB10.Adult[PPNo].OddJob[]

FRS0805B.BU[.QOIncB11.Adult[.QBabMail.MailNow

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N Have you done this work in the last seven days, since ^PDateWeek?^N

- (1) Yes Yes
- (2) No No

FRS0805B.BU[.QOIncB11.Adult[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

QBabMail.PersId := APersId

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QOIncB11 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR (Mail IN QOIncB10.Adult[2].OddJob)

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (((Babysitter IN QOIncB10.Adult[1].OddJob) OR (Babysitter IN
QOIncB10.Adult[2].OddJob)) OR (Mail IN QOIncB10.Adult[1].OddJob)) OR
(Mail IN QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)

CC := ''

FRS0805B.BU[.QOIncB12

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]

Adult[PNo].APersId := Person[[PNo]

FRS0805B.BU[.QOIncB12.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]

FRS0805B.BU[.QOIncB12.Adult[.APersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

Person identifier.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

QOddJob[LoopVar].PersId := APersId

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.PersId

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

Person identifier.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

OddSeq := PLoop

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

LPNo := PPNo

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: PLoop = 1

OddIntro := 'ODD JOBS / OCCASIONAL WORK :'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: NOT (PLoop = 1)

OddIntro := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJTyp

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N^B^OddIntro^B

What kind of work did you do / advice did you give?

^N

^I^BLU^IC If respondent has more than 1 'Odd Job' answer for one job at a time here.

STRING[40]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJNow

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N Did you do this job in the last seven days, since ^PDatWeek?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJNow = Yes

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJReg

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N Is the job done on a regular basis?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |
-

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJNow = Yes

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJDoRs

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I Is this in fact a^B regular^B job? If so: GO BACK to the 'work' section and enter it there as a 1st, 2nd or 3rd job at 'Working' or 'NumJob'; then press END and delete odd job details. But if odd job is genuine, suppress warning and write a Note.^I

- | | | |
|-----|----------|------------|
| (1) | Passed | Passed |
| (2) | Hard | Hard |
| (3) | Soft | Soft |
| (4) | Suppress | Suppressed |

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJNow = Yes

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJDoEx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^SuppTxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJNow = Yes
NOT(OJReg = Yes) AND
INVOLVING(QCurSt1.Adult[].Working[LPNo],QCurSt1.Adult[].NumJob[LPNo],OJNow,OJReg)

NOT (OJReg = Yes) AND INVOLVING (QCurSt1.Adult[LPNo].Working, QCurSt1.Adult[LPNo].NumJob, OJNow, OJReg)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJNow = Yes
AND: (OJDoRs = Suppressed) OR OJDoEx <> EMPTY

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJDoEx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^SuppTxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJAmt

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^N How much did you receive for that job?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJPayRs

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I Exceeds £1000! Is this a^B regular^B job? If so: GO BACK to the 'work' section and enter it there as a 1st, 2nd or 3rd job at 'Working' or 'NumJob'; then press END and delete odd job details. But if odd job is genuine, suppress warning and write a Note.^I

- | | | |
|-----|----------|------------|
| (1) | Passed | Passed |
| (2) | Hard | Hard |
| (3) | Soft | Soft |
| (4) | Suppress | Suppressed |

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJPayEx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^SuppTxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
NOT(OJAmt > 1000) AND
INVOLVING(QCurSt1.Adult[.Working[LPNo],QCurSt1.Adult[.NumJob[LPNo],OJAmt)

NOT (OJAmt > 1000) AND INVOLVING (QCurSt1.Adult[LPNo].Working,
QCurSt1.Adult[LPNo].NumJob, OJAmt)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: (OJPayRs = Suppressed) OR OJPayEx <> EMPTY

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJPayEx

^CC*** ^Names[PNo] *** @|@|@|OTHER INCOME 2

^I^BLU^IC^SuppTxt^I

OPEN

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJAmt = NONRESPONSE
AND: QBUIId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: OJAmt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
AND: LoopVar <> 3

FRS0805B.BU[.QOIncB12.Adult[.QOddJob[.OJOther

^CC*** ^Names[PNo] *** @|@|@OTHER INCOME 2

^I Did you receive any money for any^B other^B odd jobs in the last four weeks?^I

- (1) Yes Yes
 - (2) No No
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[.]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[.]
AND: In loop FOR LoopVar := 1 TO 3
AND: (LoopVar = 1) OR (QOddJob[LoopVar - 1].OJOther = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.].QOIncB12.Adult[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
AND: OJob IN QOIncB10.Adult[PNo].OddJob[]
AND: In loop FOR LoopVar := 1 TO 3
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.].QOIncB12 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)

N := ''

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: (OJob IN QOIncB10.Adult[1].OddJob) OR (OJob IN
QOIncB10.Adult[2].OddJob)
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: Edit = Yes

FRS0805B.BU[].Jump29

^I

The questions that follow are about child earnings.^I

(1) Cont Press <Enter> to continue.