

FRS0805B.BU[.QChInc**Childrens Income**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: ChildNum = 2

**Child_gets := ('Do either of your children, ' + ChNames[[1] +
' and ' + ChNames[[2] + ', receive')**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: ChildNum > 2

Child_gets := 'Are any of your children, '

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: ChildNum > 2

Ch2 := (ChildNum - 2)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: ChildNum > 2
AND: In loop FOR Index1 := 1 TO Ch2

Child_gets := (Child_gets + ChNames[[Index1] + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: ChildNum > 2

**Child_gets := (Child_gets + ChNames[[ChildNum - 1] + ' and ' +
ChNames[[ChildNum] + ', receiving')**

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: ChildNum > 1

FRS0805B.BU[.QChInc.KidInc

^i^BLU^IC

^B Questions about children's earnings^B^BLU^I

^N^Child_gets any income or earnings either from a spare time job, trust or other allowance?^N

- (1) Yes Yes
(2) No No
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum

ChName := ChNames[[CNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChSex[CNo] = Male

heshe := 'he'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: NOT (ChSex[CNo] = Male)

heshe := 'she'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum

Child[CNo].PersId := ChildId[[CNo]

FRS0805B.BU[.QChInc.Child[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum

FRS0805B.BU[.QChInc.Child[].PersId

@|@|@|CHILD EARNINGS

Person identifier.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChildNum = 1

Intro29 := 'QUESTIONS ABOUT CHILDREN'S EARNINGS

'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: NOT (ChildNum = 1)

Intro29 := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum

FRS0805B.BU[.QChInc.Child[].ChEarns

@|@|@|CHILD EARNINGS

^N^B^Intro29^B^N ^I^BLU^IC Ask or code: Does ^ChName receive an income...^I

- (1) Job from a spare time job
- (2) Trust from a Trust
- (3) Both or from both a spare time job and a Trust?
- (4) Neither neither of these

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)

FRS0805B.BU[.QChInc.Child[.ChYrErn

@|@|@|CHILD EARNINGS

^I^BLU^IC Spare time job:^BLU^I
^N Has ^HeShe had this income throughout the last 12 months?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
AND: ChYrErn = No

FRS0805B.BU[.QChInc.Child[.ChWkErn

@|@|@|CHILD EARNINGS

^I^BLU^IC Spare time job:^BLU^I
^N For how many weeks has ^HeShe had it?^N

0..52

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)

FRS0805B.BU[.QChInc.Child[.ChAmtErn

@|@|@|CHILD EARNINGS

^I^BLU^IC Spare time job:^BLU^I
^N How much did ^HeShe get last time?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
AND: ChAmtErn = NONRESPONSE
AND: QBUIId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
AND: ChAmtErn = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
AND: ChAmtErn = RESPONSE

FRS0805B.BU[.QChInc.Child[.ChPxErn

@|@|@|CHILD EARNINGS

^I^BLU^IC ^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
AND: ChAmtErn = RESPONSE

FRS0805B.BU[.QChInc.Child[.ChPdErn

@|@|@|CHILD EARNINGS

^I^BLU^IC Spare time job:^BLU^I

^N How long did that cover?^N

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Job) OR (ChEarns = Both)
AND: ChAmtErn = RESPONSE
AND: ChPdErn = Note

FRS0805B.BU[.QChInc.Child[.ChPxErn

@|@|@|CHILD EARNINGS

^I^BLU^IC ^Pd97Txt^I

OPEN

FRS0805B.BU[.QChInc.Child[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: ChildNum > 0
  AND: (ChildNum = 1) OR (KidInc = Yes)
  AND: In loop FOR CNo := 1 TO ChildNum
  AND: (ChEarns = Job) OR (ChEarns = Both)
  AND: ChAmtErn = RESPONSE
  AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
```

```
PWeekly := 0
```

FRS0805B.BU[.QChInc.Child[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Job) OR (ChEarnings = Both)
AND: ChAmtErn = RESPONSE
AND: ChPdErn IN [OneWeek .. Year]
(LWeekly < 100) AND INVOLVING(ChPdErn, ChAmtErn)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Trust) OR (ChEarnings = Both)

FRS0805B.BU[.QChInc.Child[.ChYrTst

@|@|@|CHILD EARNINGS

^I^BLU^IC Trust:^BLU^I

^N Has ^HeShe had this income throughout the last 12 months?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Trust) OR (ChEarnings = Both)
AND: ChYrTst = No

FRS0805B.BU[.QChInc.Child[.ChWkTst

@|@|@|CHILD EARNINGS

^I^BLU^IC Trust:^BLU^I

^N For how many weeks has ^HeShe had it?^N

0..52

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarnings = Trust) OR (ChEarnings = Both)

FRS0805B.BU[.QChInc.Child[.ChAmtTst

@|@|@|CHILD EARNINGS

^I^BLU^IC Trust:^BLU^I

^N How much did ^HeShe get last time?^N

0.01..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = NONRESPONSE
AND: QBUID.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

OthMiss := (OthMiss + 1)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE

FRS0805B.BU[.QChInc.Child[.ChPxTst

@|@|@|CHILD EARNINGS

^I^BLU^IC^Pd97Txt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE

FRS0805B.BU[.QChInc.Child[.ChPdTst

@|@|@|CHILD EARNINGS

^I^BLU^IC Trust:^BLU^I

^N How long did that cover?^N

- | | | |
|------|----------|---------------------------------------|
| (1) | OneWeek | One week |
| (2) | TwoWeek | Two weeks |
| (3) | ThrWeek | Three weeks |
| (4) | Fourweek | Four weeks |
| (5) | Month | Calendar month |
| (7) | TwoMonth | Two Calendar months |
| (8) | EighYear | Eight times a year |
| (9) | NineYear | Nine times a year |
| (10) | TenYear | Ten times a year |
| (13) | ThrMonth | Three months/13 weeks |
| (26) | SixMonth | Six months/26 weeks |
| (52) | Year | One Year/12 months/52 weeks |
| (90) | LessWeek | Less than one week |
| (95) | LumpSum | One off/lump sum |
| (97) | Note | None of these ^I(Explain in a note)^I |
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst = Note

FRS0805B.BU[.QChInc.Child[.ChPxTst

@|@|@|CHILD EARNINGS

^I^BLU^IC^Pd97Txt^I

OPEN

FRS0805B.BU[.QChInc.Child[.Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QChInc.Child[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChEarns = Trust) OR (ChEarns = Both)
AND: ChAmtTst = RESPONSE
AND: ChPdTst IN [OneWeek .. Year]
(LWeekly < 240) AND INVOLVING(ChPdTst,ChAmtTst)

^I Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)

FRS0805B.BU[.QChInc.Child[.ChEMA

@|@|@|CHILD EARNINGS

^I Education Maintenance Allowance (EMA) (up to £30-40 per week) can either be paid directly to the student or to a parent - generally the mother.^I

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes

FRS0805B.BU[.QChInc.Child[.ChEMAAmt

@|@|@|CHILD EARNINGS

^N How much did ^HeShe get last time?^N

0.01..99997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes

FRS0805B.BU[.QChInc.Child[.ChEMAPx

@|@|@|CHILD EARNINGS

^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

FRS0805B.BU[.QChInc.Child[.ChEMAPd

@|@|@|CHILD EARNINGS

^N How long did that cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]
AND: ChEMAPd = Note

FRS0805B.BU[.QChInc.Child[.ChEMAPx

@|@|@|CHILD EARNINGS

^I^BLU^IC^Pd97Txt^I

OPEN

FRS0805B.BU[.].QChInc.Child[.].Weekly()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[1] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[2] := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[3] := 3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[4] := 4

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[5] := 4.333

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[7] := 8.67

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[8] := 6.5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[9] := 5.78

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[10] := 5.2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[13] := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[26] := 26

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]

PdConW[52] := 52

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])

PWeekly := (PAmount / PdConW[ORD(PPeriod)])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]
AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year]))

PWeekly := 0

FRS0805B.BU[.QChInc.Child[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChAges[PCNo] >= 16) AND (ChFtEd[PCNo] = Yes)
AND: ChEMA = Yes
AND: ChEMAAmt IN [0.01 .. 99997]
AND: ChEMAPd IN [OneWeek .. Year]
(LWeekly < 40) AND INVOLVING(ChEMAPd,ChEMAAmt)

^I Are you sure? That equals £^LWeekly a week.
EMA is usually not more than £40 per week. Please check and amend or, if correct, suppress check and make a note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QChInc (continued)

Childrens Income

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: Edit = Yes
Child[CNo].ChPdErn <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
AND: Edit = Yes
Child[CNo].ChPdTst <> Note

^I Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: (ChildNum = 1) OR (KidInc = Yes)
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAfford

Deprivation (affordability)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0805B.BU[.QAfford.RandOrg

Original randomly selected adult (1,2) in this BU

1..2

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0805B.BU[.QAfford.RandSel

Randomly selected adult in this BU

1..2

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0805B.BU[.QAfford.RandOth

Non-selected adult in this BU

1..2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: RandOrg = EMPTY AND (AdultNum > 0)

RandOrg := (RANDOM(2) + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 1

RandSel := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 2

RandSel := RandOrg

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: (ChildNum = 0) AND ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))
AND: (AgeOf[1] < 65) OR (AgeOf[2] < 65)
AND: AgeOf[1] < 65

RandSel := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: (ChildNum = 0) AND ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))
AND: (AgeOf[1] < 65) OR (AgeOf[2] < 65)
AND: NOT (AgeOf[1] < 65)

RandSel := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: RandSel = 1

RandOth := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: RandSel = 2

RandOth := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY

SelNo := RandSel

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY

SelName := Names[[SelNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 2
AND: SelNo = 1

OthNo := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 2
AND: NOT (SelNo = 1)

OthNo := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 2

OthName := Names[[OthNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 2

TwoAds := ('
Interviewer enter ' + SelName + ' below if they are ' +
'available to answer these questions now. Otherwise enter ' +
OthName + '.')

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

FRS0805B.BU[.QAfford.WhoDepQ

^I Use this code^B only^B in cases where the interview is conducted entirely by proxy.
 If (any of) the name(s) respondent(s) is / are available then these questions MUST be asked of that respondent.^I

- (1) Adult1 ^Name1
- (2) Adult2 ^Name2
- (3) Proxy None of the named members of this benefit unit are present. Interview is^B totally^B by proxy.

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: AdultNum = 1
WhoDepQ <> Adult2

^I Option 2 is not available for selection.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ = Proxy
ERROR

^I Interviewer: You should only use this code if none of the named respondents are present. This is unusual so please check your coding.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

SelNo := ORD(WhoDepQ)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

SelName := Names[[SelNo]

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: Edit = No
AND: SelNo <> RandSel
ERROR

^I Interviewer:

The questions should have been answered by ^Names[RandSel] but you have entered ^Names[RandOth].
If this is because ^Names[RandSel] is not present suppress the check and continue. Otherwise ask
^Names[RandSel] to answer these questions.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

PNo := SelNo

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: SelNo = 1

OthNo := 2

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: NOT (SelNo = 1)

OthNo := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

OthName := Names[[OthNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

Adult12.PersId := Person[[PNo]

FRS0805B.BU[.QAfford.Adult12

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

FRS0805B.BU[.QAfford.Adult12.PersId

*** ^SelName *** @|AFFORDABILITY QUESTIONS
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

FRS0805B.BU[.QAfford.Adult12.STimeA

*** ^SelName *** @|AFFORDABILITY QUESTIONS
Start time

TIME

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

FRS0805B.BU[.QAfford.Adult12.ETimeA

*** ^SelName *** @|AFFORDABILITY QUESTIONS
End at this time

TIME

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

FRS0805B.BU[.QAfford.Adult12.MinsA

*** ^SelName *** @|AFFORDABILITY QUESTIONS
Minutes to complete

-999999.99..999999.99

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: ChildNum = 1

Does_child := 'Does your child'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: ChildNum = 1

```

child_has := 'child has'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: NOT (ChildNum = 1)

```

Does_child := 'Do your children'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: NOT (ChildNum = 1)

```

child_has := 'children have'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

```

families := 'families'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

```

we := 'We'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0

```

SCard1 := 'M1'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0

```

SCard2 := 'M2'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0

```

you := 'you and your family'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0

```

children := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0

```

num_not_primary := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

num_schoolkids := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

boys10 := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

girls10 := 0

FRS0805B.BU[.QAfford.Adult12.PCase()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum
```

StrLen := LENGTH(IString)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum
  AND: StrLen <= 1
```

OString := UPCASE(IString)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum
  AND: StrLen > 1
```

**OString := (UPCASE(SUBSTRING(IString,1,1)) +
LOWERCASE(SUBSTRING(IString,2,StrLen - 1)))**

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum
  AND: NOT (StrLen > 1)
```

OString := IString

FRS0805B.BU[.QAfford.Adult12 (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum

```

children := (children + LCName)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum
  AND: ChildNum > 1
  AND: L1 = (ChildNum - 1)

```

children := (children + ' and ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum
  AND: ChildNum > 1
  AND: L1 < (ChildNum - 1)

```

children := (children + ', ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: ChildNum > 0
  AND: In loop FOR L1 := 1 TO ChildNum
  AND: (ChAges[L1] < 6) AND ((ChTypeEd[L1] <> Primry) AND (ChTypeEd[L1]
  <> Private))

```

num_not_primary := (num_not_primary + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: In loop FOR L1 := 1 TO ChildNum
AND: (ChAges[L1] < 6) AND ((ChTypeEd[L1] <> Primry) AND (ChTypeEd[L1]
<> Private))

```

```

non_primary_names[num_not_primary] := ChNames[[L1]]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: In loop FOR L1 := 1 TO ChildNum
AND: (ChAges[L1] >= 6) OR ((ChAges[L1] < 6) AND ((ChTypeEd[L1] =
Primry) OR (ChTypeEd[L1] = Private)))

```

```

num_schoolkids := (num_schoolkids + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: In loop FOR L1 := 1 TO ChildNum
AND: (ChAges[L1] >= 6) OR ((ChAges[L1] < 6) AND ((ChTypeEd[L1] =
Primry) OR (ChTypeEd[L1] = Private)))

```

```

schoolnames[num_schoolkids] := ChNames[[L1]]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: In loop FOR L1 := 1 TO ChildNum
AND: ChAges[L1] >= 10
AND: ChSex[L1] = Male

```

```

boys10 := (boys10 + 1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: In loop FOR L1 := 1 TO ChildNum
AND: ChAges[L1] >= 10
AND: ChSex[L1] = Female

```

girls10 := (girls10 + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: AdultNum = 2

```

families := 'people'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: AdultNum = 2

```

we := 'We'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: AdultNum = 2

```

sCard1 := 'M1'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: AdultNum = 2

```

sCard2 := 'M2'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: AdultNum = 2

```

you := 'you and your partner'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NOT (AdultNum = 2)

```

families := 'people'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NOT (AdultNum = 2)

```

we := 'I'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NOT (AdultNum = 2)

```

sCard1 := 'M3'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NOT (AdultNum = 2)

```

sCard2 := 'M4'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NOT (AdultNum = 2)
```

you := 'you'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
```

non_primary_kids := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
```

schoolkids := ''

FRS0805B.BU[.QAfford.Adult12.PCase()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: In loop FOR L1 := 1 TO num_not_primary
```

StrLen := LENGTH(IString)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: In loop FOR L1 := 1 TO num_not_primary
  AND: StrLen <= 1
```

OString := UPCASE(IString)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: In loop FOR L1 := 1 TO num_not_primary
  AND: StrLen > 1
```

**OString := (UPCASE(SUBSTRING(IString,1,1)) +
LOWERCASE(SUBSTRING(IString,2,StrLen - 1)))**

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: In loop FOR L1 := 1 TO num_not_primary
  AND: NOT (StrLen > 1)
```

OString := IString

FRS0805B.BU[.QAfford.Adult12 (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: In loop FOR L1 := 1 TO num_not_primary

```

```

non_primary_kids := (non_primary_kids + LCName)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: In loop FOR L1 := 1 TO num_not_primary
  AND: num_not_primary > 1
  AND: L1 = (num_not_primary - 1)

```

```

non_primary_kids := (non_primary_kids + ' and ')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: In loop FOR L1 := 1 TO num_not_primary
  AND: num_not_primary > 1
  AND: L1 < (num_not_primary - 1)

```

```

non_primary_kids := (non_primary_kids + ', ')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: num_not_primary = 1

```

```

Do_non_primary_kids := ('Does ' + non_primary_kids)

```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_not_primary > 0
  AND: NOT (num_not_primary = 1)

Do_non_primary_kids := ('Do ' + non_primary_kids)
```

FRS0805B.BU[.QAfford.Adult12.PCase()

Procedure Call

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: In loop FOR L1 := 1 TO num_schoolkids
```

StrLen := LENGTH(IString)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: In loop FOR L1 := 1 TO num_schoolkids
  AND: StrLen <= 1
```

OString := UPCASE(IString)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: In loop FOR L1 := 1 TO num_schoolkids
  AND: StrLen > 1
```

**OString := (UPCASE(SUBSTRING(IString,1,1)) +
LOWERCASE(SUBSTRING(IString,2,StrLen - 1)))**

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: In loop FOR L1 := 1 TO num_schoolkids
  AND: NOT (StrLen > 1)
```

OString := IString

FRS0805B.BU[.QAfford.Adult12 (continued)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: In loop FOR L1 := 1 TO num_schoolkids

```

```

schoolkids := (schoolkids + LCName)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: In loop FOR L1 := 1 TO num_schoolkids
  AND: num_schoolkids > 1
  AND: L1 = (num_schoolkids - 1)

```

```

schoolkids := (schoolkids + ' and ')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: In loop FOR L1 := 1 TO num_schoolkids
  AND: num_schoolkids > 1
  AND: L1 < (num_schoolkids - 1)

```

```

schoolkids := (schoolkids + ', ')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: num_schoolkids > 0
  AND: num_schoolkids = 1

```

```

Do_schoolkids := ('Does ' + schoolkids)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: num_schoolkids > 0
AND: NOT (num_schoolkids = 1)

```

Do_schoolkids := ('Do ' + schoolkids)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: AdultNum = 2

```

for_adults := (' for yourself and ' + OthName)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: NOT (AdultNum = 2)

```

for_adults := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: PersId = QHholder.DVHRPNum

```

Can_I_check_Do := 'Can I just check, do'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: NOT (PersId = QHholder.DVHRPNum)

```

Can_I_check_Do := 'Do'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NatCen = NI

```

and_gas := ', gas and rates'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NatCen = NI

```

water := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NatCen = NI

```

BehindCT := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NOT (NatCen = NI)

```

and_gas := ', gas and water rates'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
  AND: WhoDepQ IN [Adult1 .. Adult2]
  AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
  AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
  (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
  OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
  ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
  AND: NOT (NatCen = NI)

```

water := 'water'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65)))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: NOT (NatCen = NI)

BehindCT := 'Behind with Council Tax'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AddInt

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^N This next section is about the sorts of things that some ^families have, but which many people have difficulty finding the money for.^N

(1) Continue Continue

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AddHol

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^IS^I ^SCard1^I

^X^N For each of the following things please tell me the number from the showcard which best explains whether ^you have it or not.

Do ^you have...

...a holiday away from home for at least one week a year, whilst not staying with relatives at their home?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeHave ^We have this
- (2) WeLHave ^We would like to have this but cannot afford this at the moment
- (3) WeNHave ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AddMel

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I ^SCard1^I

^X ^O1 For each of the following things please tell me the number from the showcard which best explains whether ^you have it or not.^O2

^N Do ^you have...

...friends or family around for a drink or meal at least once a month?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeHave ^We have this
- (2) WeLHave ^We would like to have this but cannot afford this at the moment
- (3) WeNHave ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AddShoe

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I ^SCard1^I

^X ^O1 For each of the following things please tell me the number from the showcard which best explains whether ^you have it or not.^O2

^N Do you have...

...two pairs of all weather shoes^for_adults?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeHave ^We have this
- (2) WeLHave ^We would like to have this but cannot afford this at the moment
- (3) WeNHave ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AddDec

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I ^SCard1^I

^X ^O1 For each of the following things please tell me the number from the showcard which best explains whether you and your family have it or not^O2.

^N Do ^you have...

...enough money to keep your home in a decent state of decoration?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeHave ^We have this
- (2) WeLHave ^We would like to have this but cannot afford this at the moment
- (3) WeNHave ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AddIns

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I ^SCard1^I

^X ^N^O1 For each of the following things please tell me the number from the showcard which best explains whether you and your family have it or not^O2.

^Can_I_check_Do ^you have...

...household contents insurance?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeHave ^We have this
- (2) WeLHave ^We would like to have this but cannot afford this at the moment
- (3) WeNHave ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AddMon

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I ^SCard2^I

^X^N Please look at showcard ^SCard2. Now I want to ask a few questions about things you and your family can afford to do. For each please choose the number from the showcard.

Do ^you...

...make regular savings of £10 a month or more for rainy days or retirement?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeDo ^We do this
- (2) WeLDo ^We would like to do this but cannot afford this at the moment
- (3) WeNDo ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.ADepFur

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I ^SCard2^I

^X^O1 For each of the following things please tell me the number from the showcard which best explains whether you and your family have it or not^O2.

^N Do ^you...

... replace any worn out furniture?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeDo ^We do this
- (2) WeLDo ^We would like to do this but cannot afford this at the moment
- (3) WeNDo ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.Af1

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I ^SCard2^I

^X^N Now I want to ask a few questions about things you and your family can afford to do. For each please choose the number from the showcard.

Do ^you...

...replace or repair major electrical goods such as a refrigerator or a washing machine, when broken?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) WeDo ^We do this
- (2) WeLDo ^We would like to do this but cannot afford this at the moment
- (3) WeNDo ^We do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AfDep2

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M3^I

^X^N^O1 On a slightly different note^O2 do you have a small amount of money to spend each week on yourself ^O1 not on your family^O2?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) Ihave I have this
- (2) ILhave I would like to have this but cannot afford this at the moment
- (3) Inhave I do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.AdDepLes

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M3^I

^X^N And do you have a hobby or leisure activity?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) Ihave I have this
- (2) IHave I would like to have this but cannot afford this at the moment
- (3) Inhave I do not want / need this at the moment
- (4) DNApply [Does not apply]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))

FRS0805B.BU[.QAfford.Adult12.HousHe1

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^X^N For the next question please answer just yes or no.
In winter, are you able to keep this accommodation warm enough?^N
^I^BLU^IC Code 'can't afford it' as 'No'.^I

- (1) Yes Yes
- (2) No No
- (3) DNApply [Does not apply]

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
NOT(HousHe1 = DNApply)

^I^BLU^IC Are you sure that this does not apply to respondent? Please open a note and explain if it does not apply.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

FRS0805B.BU[.QAfford.Adult12.CDepInt

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^N The next questions are asked about all the children you (and your partner) are responsible for in this household.

Please think about ^children when answering these questions?^N

(1) Continue Continue

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

FRS0805B.BU[.QAfford.Adult12.CDepHol

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^IS^I M5^I

^X^N For each of the following please tell me the number from the showcard that best explains whether your ^child_has it or not.

^Does_child have...

...a family holiday away from home for at least one week a year?^N

^I^BLU^IC This is respondent's own interpretation.^I

- (1) CHave Child(ren) has / have this
(2) CLHave Child(ren) would like to have this but we cannot afford this at the moment
(3) CnHave Child(ren) do not want / need this at the moment
(4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: (boys10 > 0) AND (girls10 > 0)

FRS0805B.BU[.QAfford.Adult12.CDepBed

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M5^I

^N And are there enough bedrooms for every child of 10 or over of a different sex to have their own bedroom?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CHave Child(ren) has / have this
- (2) CLHave Child(ren) would like to have this but we cannot afford this at the moment
- (3) CnHave Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

FRS0805B.BU[.QAfford.Adult12.CDepEqp

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M5^I

^X^N ^Does_child have...
...leisure equipment such as sports equipment or a bicycle?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CHave Child(ren) has / have this
- (2) CLHave Child(ren) would like to have this but we cannot afford this at the moment
- (3) CnHave Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

FRS0805B.BU[.QAfford.Adult12.CDepCel

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M5^I

^X^N ^O1^Does_child have...^O2
...celebrations on special occasions such as birthdays, Christmas or other religious festivals?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CHave Child(ren) has / have this
- (2) CLHave Child(ren) would like to have this but we cannot afford this at the moment
- (3) CnHave Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

FRS0805B.BU[.QAfford.Adult12.CDepSum

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M6^I

^X^N I now want to ask some questions about whether or not your children can afford to do a number of different activities. Please choose your answer from this card.
^Does_child...
...go swimming at least once a month?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CDo Child(ren) do this
- (2) CLDo Child(ren) would like to do this but we cannot afford this at the moment
- (3) CNDdo Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

FRS0805B.BU[.QAfford.Adult12.CDepLes

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M6^I

^X ^N^O1^Does_child...^O2
...do a hobby or leisure activity?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CDo Child(ren) do this
- (2) CLDo Child(ren) would like to do this but we cannot afford this at the moment
- (3) CNDo Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

FRS0805B.BU[.QAfford.Adult12.CDepTea

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M6^I

^X ^N^O1^Does_child...^O2
...have friends round for tea or a snack once a fortnight?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CDo Child(ren) do this
- (2) CLDo Child(ren) would like to do this but we cannot afford this at the moment
- (3) CNDo Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: num_not_primary > 0

FRS0805B.BU[.QAfford.Adult12.CPlay

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M6^I

^X ^N^Do_non_primary_kids...
...go to a toddler group / nursery / playgroup at least once a week?^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CDo Child(ren) do this
- (2) CLDo Child(ren) would like to do this but we cannot afford this at the moment
- (3) CNDo Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: ((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR (AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0) OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
AND: num_schoolkids > 0

FRS0805B.BU[.QAfford.Adult12.CDepTrp

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M6^I

^X ^N^Do_schoolkids...
...go on school trips? Again, please choose your answer from this card.^N
^I^BLU^IC This is respondent's own interpretation.^I

- (1) CDo Child(ren) do this
- (2) CLDo Child(ren) would like to do this but we cannot afford this at the moment
- (3) CNDo Child(ren) do not want / need this at the moment
- (4) CNApply ^I[Does not apply]^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65)))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0

```

FRS0805B.BU[.QAfford.Adult12.CDelPly

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^X^N For the next question please just answer yes or no.

^Does_child...

...have an outdoor space or facilities nearby where they can play safely?^N

^I^BLU^IC 'Nearby' and 'safely' are respondent's own interpretation.^I

- | | | |
|-----|---------|-----|
| (1) | Yes | Yes |
| (2) | No | No |
| (3) | DNApply | |

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (((QDataBag.SampMnth = 4) AND (((ChildNum > 0) OR ((AdultNum = 1)
AND (AgeOf[1] < 65)))) OR ((AdultNum = 2) AND ((AgeOf[1] < 65) OR
(AgeOf[2] < 65)))) OR ((QDataBag.SampMnth <> 4) AND (((ChildNum > 0)
OR ((AdultNum = 1) AND (AgeOf[1] < 65))) OR ((AdultNum = 2) AND
((AgeOf[1] < 65) AND (AgeOf[2] < 65)))) OR (AgeOf[SelNo] < 65)))
AND: ChildNum > 0
CDelPly <> DNApply

```

^I Code 3 is invalid.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))) AND (AgeOf[SelNo] >= 65))
AND: NatCen = NI

```

CouncilTax := 'Rates'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))) AND (AgeOf[SelNo] >= 65))
AND: NOT (NatCen = NI)

```

CouncilTax := 'Council Tax'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAPre

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^N I am going to read out a list of questions about items related to people's standards of living. For each one, please answer yes or no.^N

(1) Continue Continue

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAPre <> EMPTY AND STimeA = EMPTY

STimeA := SYSTIME

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAMeal

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^N Do you eat at least one filling meal a day?^N

(1) Yes Yes
(2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAOut

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^N Do you go out socially, either alone or with other people, at least once a month?^N

(1) Yes Yes
(2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAFrnd

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you see your friends or family at least once a month?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAHol

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you take a holiday away from home for a week or more at least once a year?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OACook

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Would you be able to replace your cooker if it broke down?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAHome

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Is your home kept in a good state of repair?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAHeat

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Are your heating, electrics, plumbing and drains kept in good working order?^N

- (1) Yes Yes
- (2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OADamp

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you have a damp-free home?^N

- (1) Yes Yes
- (2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OAWarm

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Is your home kept adequately warm?^N

- (1) Yes Yes
- (2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QAfford.Adult12.OABill

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Without cutting back on essentials, are you able to pay regular bills like electricity, gas or CouncilTax?^N

- (1) Yes Yes
- (2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QA]Afford.Adult12.OAPhon

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you have a telephone to use, whenever you need it?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QA]Afford.Adult12.OATaxi

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you have access to a car or taxi, whenever you need it?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QA]Afford.Adult12.OAHair

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you have your hair done or cut regularly?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QA]Afford.Adult12.OACoat

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you have a warm waterproof coat?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

FRS0805B.BU[.QA]Afford.Adult12.OAExpns

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Would you be able to pay an unexpected expense of £200?^N

- (1) Yes Yes
- (2) No No

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAExpns = Yes

FRS0805B.BU[.QA]Afford.Adult12.OAHowPy

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^I^I M8^I
^X^N How would you pay for this unexpected expense of £200?^N

^I^BLU^IC CODE ALL THAT APPLY.^I

SET [6] OF

- (1) Cutback I would use my own income but would need to cut back on essentials
- (2) Income I would use my own income but would not need to cut back on essentials
- (3) Savings I would use my savings
- (4) Credit I would use a form of credit (e.g. credit card or take out a loan)
- (5) Borrow I would get the money from friends or family as a gift or loan
- (6) Other Other (Please specify)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: (((((((((((((((OAMeal = No) OR (OAOut = No)) OR (OAFrnd = No)) OR (OAHol = No)) OR (OACook = No)) OR (OAHome = No)) OR (OAHeat = No)) OR (OADamp = No)) OR (OAWarm = No)) OR (OABill = No)) OR (OAPhon = No)) OR (OATaxi = No)) OR (OAHair = No)) OR (OACoat = No))

FRS0805B.BU[.QA]Afford.Adult12.OADntPr

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N I am now going to ask you about each of the things you said you do not do or have. Selecting your answers from this card, please tell me why this is.^N

- (1) Continue Continue

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAMEal = No

FRS0805B.BU[.QAfford.Adult12.MealNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not eat at least one filling meal a day?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAMEal = No
AND: Other IN MealNt

FRS0805B.BU[.QAfford.Adult12.MealNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent did not eat at least one filling meal a day.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAMeal = No
AND: Other IN MealNt
AND: DNK IN MealNtO
((MealNtO.CARDINAL = 1) AND (MealNt.CARDINAL = 1)) AND INVOLVING(MealNt,MealNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAOut = No

FRS0805B.BU[.QAfford.Adult12.OutNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not go out socially, either alone or with other people, at least once a month?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAOOut = No
AND: Other IN OutNt

FRS0805B.BU[.QAfford.Adult12.OutNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not go out socially.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAOOut = No
AND: Other IN OutNt
AND: DNK IN OutNtO
((OutNtO.CARDINAL = 1) AND (OutNt.CARDINAL = 1)) AND
INVOLVING(OutNt,OutNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAFrnd = No

FRS0805B.BU[.QAfford.Adult12.FrndNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not see your friends or family at least once a month?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAFrnd = No
AND: Other IN FrndNt

FRS0805B.BU[.QAfford.Adult12.FrndNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not see friends or family.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OAFrnd = No
AND: Other IN FrndNt
AND: DNK IN FrndNtO
((FrndNtO.CARDINAL = 1) AND (FrndNt.CARDINAL = 1)) AND INVOLVING(FrndNt,FrndNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OAHol = No

FRS0805B.BU[.QAfford.Adult12.HoINt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not take a holiday away from home for a week or more at least once a year?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHol = No
AND: Other IN HolNt

FRS0805B.BU[.QAfford.Adult12.HolNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not take a holiday away from home.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHol = No
AND: Other IN HolNt
AND: DNK IN HolNtO
((HolNtO.CARDINAL = 1) AND (HolNt.CARDINAL = 1)) AND
INVOLVING(HolNt,HolNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OACook = No

FRS0805B.BU[.QAfford.Adult12.CookNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why would you not be able to replace your cooker if it broke down?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OACook = No
AND: Other IN CookNt

FRS0805B.BU[.QAfford.Adult12.CookNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent could not replace the cooker.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OACook = No
AND: Other IN CookNt
AND: DNK IN CookNtO
((CookNtO.CARDINAL = 1) AND (CookNt.CARDINAL = 1)) AND INVOLVING(CookNt, CookNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OAHome = No

FRS0805B.BU[.QAfford.Adult12.HomeNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why is your home not kept in a good state of repair?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHome = No
AND: Other IN HomeNt

FRS0805B.BU[.QAfford.Adult12.HomeNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent's home is not kept in a good state of repair.
^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.
^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHome = No
AND: Other IN HomeNt
AND: DNK IN HomeNtO
((HomeNtO.CARDINAL = 1) AND (HomeNt.CARDINAL = 1)) AND
INVOLVING(HomeNt, HomeNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHeat = No

FRS0805B.BU[.QAfford.Adult12.HeatNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why are your heating, electrics, plumbing and drains not kept in good working order?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHeat = No
AND: Other IN HeatNt

FRS0805B.BU[.QAfford.Adult12.HeatNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent's heating, electrics, plumbing and drains are not kept in good working order.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHeat = No
AND: Other IN HeatNt
AND: DNK IN HeatNtO
((HeatNtO.CARDINAL = 1) AND (HeatNt.CARDINAL = 1)) AND INVOLVING(HeatNt,HeatNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OADamp = No

FRS0805B.BU[.QAfford.Adult12.DampNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not have a damp-free home?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OADamp = No
AND: Other IN DampNt

FRS0805B.BU[.QAfford.Adult12.DampNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not have a damp-free home.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OADamp = No
AND: Other IN DampNt
AND: DNK IN DampNtO
((DampNtO.CARDINAL = 1) AND (DampNt.CARDINAL = 1)) AND
INVOLVING(DampNt, DampNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAWarm = No

FRS0805B.BU[.QAfford.Adult12.WarmNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why is your home not kept adequately warm?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAWarm = No
AND: Other IN WarmNt

FRS0805B.BU[.QAfford.Adult12.WarmNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent's home is not kept adequately warm.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OAWarm = No
AND: Other IN WarmNt
AND: DNK IN WarmNtO
((WarmNtO.CARDINAL = 1) AND (WarmNt.CARDINAL = 1)) AND INVOLVING(WarmNt,WarmNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OABill = No

FRS0805B.BU[.QAfford.Adult12.BillNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why are you not able to pay regular bills like electricity, gas or ^CouncilTax?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OABill = No
AND: Other IN Billnt

FRS0805B.BU[.QAfford.Adult12.BillntO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent is not able to pay regular bills like electricity, gas or ^CouncilTax.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OABill = No
AND: Other IN Billnt
AND: DNK IN BillntO
((BillntO.CARDINAL = 1) AND (Billnt.CARDINAL = 1)) AND
INVOLVING(Billnt,BillntO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAPhon = No

FRS0805B.BU[.QAfford.Adult12.PhonNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not have a telephone to use, whenever you need it?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAPhon = No
AND: Other IN PhonNt

FRS0805B.BU[.QAfford.Adult12.PhonNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not have a telephone.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OAPhon = No
AND: Other IN PhonNt
AND: DNK IN PhonNtO
((PhonNtO.CARDINAL = 1) AND (PhonNt.CARDINAL = 1)) AND INVOLVING(PhonNt,PhonNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OATaxi = No

FRS0805B.BU[.QAfford.Adult12.TaxiNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not have access to a car or taxi, whenever you need it?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OATaxi = No
AND: Other IN TaxiNt

FRS0805B.BU[.QAfford.Adult12.TaxiNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not have access to a car or taxi.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OATaxi = No
AND: Other IN TaxiNt
AND: DNK IN TaxiNtO
((TaxiNtO.CARDINAL = 1) AND (TaxiNt.CARDINAL = 1)) AND
INVOLVING(TaxiNt, TaxiNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHair = No

FRS0805B.BU[.QAfford.Adult12.HairNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not have your hair done or cut regularly?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OAHair = No
AND: Other IN HairNt

FRS0805B.BU[.QAfford.Adult12.HairNtO

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not have their hair done or cut regularly.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OAHair = No
AND: Other IN HairNt
AND: DNK IN HairNtO
((HairNtO.CARDINAL = 1) AND (HairNt.CARDINAL = 1)) AND INVOLVING(HairNt,HairNtO)

^I 'Do not know' is an exclusive code at these two questions.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1) AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR (AgeOf[2] >= 65))))) AND (AgeOf[SelNo] >= 65))
AND: OACoat = No

FRS0805B.BU[.QAfford.Adult12.CoatNt

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

^X^N Why do you not have a warm waterproof coat?^N

^I^BLU^IC CODE ALL THAT APPLY.

^IC There are 7 answer categories on showcard M9. You can only record answer codes 1 to 5 from the showcard at this question. If other answers are given by the respondent use code 6 'Use this code for other reasons' at this question which will take you to the rest of the answers on showcard M9.

SET [6] OF

- | | | |
|-----|---------|--|
| (1) | Money | I do not have the money for this |
| (2) | Prior | This is not a priority for me on my current income |
| (3) | Health | My health / disability prevents me |
| (4) | Trouble | It is too much trouble / too tiring |
| (5) | NoHelp | There is no one to do this with or help me |
| (6) | Other | Use this code for other reasons |

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OACoat = No
AND: Other IN CoatNt

```

FRS0805B.BU[.QAfford.Adult12.CoatNtO

```

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^IS^I M9^I

```

^I^BLU^IC Continuation from previous question. Record additional reasons why respondent does not have a warm waterproof coat.

^IC Note that the category numbers on the screen are different to those on the showcard. Showcard code 6 'This is not something I want' is code 1. Showcard code 7 'It is not relevant to me' is code 2.

^IC CODE ALL THAT APPLY.^I

SET [5] OF

- | | | |
|-----|-------|------------------------------|
| (1) | NWant | This is not something I want |
| (2) | NRele | It is not relevant to me |
| (3) | Other | Other reason |
| (4) | DNK | Do not know |
| (5) | Code5 | |

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: OACoat = No
AND: Other IN CoatNt
AND: DNK IN CoatNtO
((CoatNtO.CARDINAL = 1) AND (CoatNt.CARDINAL = 1)) AND
INVOLVING(CoatNt,CoatNtO)

```

^I 'Do not know' is an exclusive code at these two questions.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
NOT(((((IN(Code5,MealNtO)) OR (IN(Code5,OutNtO))) OR
(IN(Code5,FrndNtO))) OR (IN(Code5,HolNtO))) OR (IN(Code5,CookNtO))) OR
(IN(Code5,HomeNtO))) OR (IN(Code5,HeatNtO))) OR (IN(Code5,DampNtO)))
OR (IN(Code5,WarmNtO))) OR (IN(Code5,BillNtO))) OR (I

```

^I^Blu^IC Code 5 is invalid.^I

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))

```

FRS0805B.BU[.QAfford.Adult12.IntroA2

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^I^CC^BLU^IC End of Deprivation (affordability) questions for older people.^I

(1) Continue Continue

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: IntroA2 <> EMPTY AND ETimeA = EMPTY

```

ETimeA := SYSTIME

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: (QDataBag.SampMnth <> 4) AND (((ChildNum = 0) AND (((AdultNum = 1)
AND (AgeOf[1] >= 65)) OR ((AdultNum = 2) AND ((AgeOf[1] >= 65) OR
(AgeOf[2] >= 65)))))) AND (AgeOf[SelNo] >= 65))
AND: (STimeA <> EMPTY AND ETimeA <> EMPTY) AND MinsA = EMPTY
AND: ETimeA >= STimeA

```

MinsA := (((ETimeA.HOUR * 60) + ETimeA.MINUTE) - (STimeA.HOUR * 60)) - STimeA.MINUTE)

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]

```

FRS0805B.BU[.QAfford.Adult12.Debt

*** ^SelName *** @|AFFORDABILITY QUESTIONS

^N I am now going to ask you about paying bills for things like electricity^and_gas.^N

^IS^I M7^I

^N Sometimes people are not able to pay every bill when it falls due. May I ask, are you up-to-date with the bills on this card, or are you behind with any of them?^N

^I^BLU^IC There are 10 codes.

'Which others' until 'No others'^I

SET [9] OF

- | | | |
|------|---------|---|
| (1) | Elec | Behind with the electricity bill |
| (2) | Gas | Behind with the gas bill |
| (3) | OthFuel | Behind with other fuel bills like coal or oil |
| (4) | CTRates | ^BehindCT |
| (5) | InsPol | Behind with insurance policies |
| (6) | Phone | Behind with telephone bill |
| (7) | TVVid | Behind with television/video rental or HP |
| (8) | OthHP | Behind with other HP payments |
| (9) | Rates | Behind with ^water rates |
| (10) | NoDebt | Not behind with any of these |
-

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: NoDebt IN Debt
Debt.CARDINAL = 1

^I 'None of these' is an exclusive code.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: NatCen = NI
NOT(IN(CTRates,Debt))

^I Code 4 is invalid.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: BNum = 1

FRS0805B.BU[.QAfford.Adult12.ColTV

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N How many colour TV sets does your household have?^N

^I^BLU^IC Include items stored but in working order, and items under repair.^I

- | | | |
|-----|------|---------------|
| (1) | One | One only |
| (2) | More | more than one |
| (3) | None | none |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: BNum = 1
AND: ColTV = None

FRS0805B.BU[.QAfford.Adult12.BWTV

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^I The information gathered on TV ownership is used help calculate household income. People that only have a black and white television will only require a black and white television licence. These people will have a reduced price licence, which means their household income will be different from those paying for a colour TV licence.^I

- | | | |
|-----|------|---------------|
| (1) | One | One only |
| (2) | More | more than one |
| (3) | None | none |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
AND: BNum = 1
AND: (Over75 > 0) AND ((ColTV IN [One .. More]) OR (BWTV IN [One .. More]))

FRS0805B.BU[.QAfford.Adult12.TVLic

*** ^SelName *** @|AFFORDABILITY QUESTIONS
^N Do you have a free over 75's television licence?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: WhoDepQ IN [Adult1 .. Adult2]
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAfford (continued)

Deprivation (affordability)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QQIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[.QFinance

Financial or Other Assistance from Family & Friends

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU  
  AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear =  
  2008)  
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
```

```
CC := ''
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU  
  AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear =  
  2008)  
  AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY  
  AND: In loop FOR PNo := 1 TO AdultNum
```

```
Adult[PNo].PersId := Person[[PNo]
```

FRS0805B.BU[.QFinance.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[].PersId

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS
Person identifier.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

LPNo := PPNo

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[].STimeF

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS
Start time

TIME

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[].ETimeF

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS
End time

TIME

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
 AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[.MinsF

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS
Minutes to complete

-999999.99..999999.99

ASK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[.IntroF1

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS

^I^CC^BLU^IC Start of Financial or Other Help questions.^I

(1) Continue Continue

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: IntroF1 <> EMPTY AND STimeF = EMPTY

STimeF := SYSTEME

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: ChildNum > 0

Toysetc := '...buying clothes, toys or other equipment for your child(ren)?'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR PNo := 1 TO AdultNum
 AND: NOT (ChildNum > 0)

Toysetc := ''

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear =
2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

```

FRS0805B.BU[.QFinance.Adult[.HlpRec

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS

^N Some people receive financial or other types of help from their family or friends. Over the past 12 months (since ^datyrage) have your family or friends helped you by...(READ OUT).^N

^I^CC^BLU^IC CODE ALL THAT APPLY

Include items partly paid for by family or friends

Exclude members of the household as family or friends.^I

SET [11] OF

- (1) Food ...buying or bringing you food or meals?
- (2) Bills ...paying towards bills (such as utility bills, rent or grocery bills (excluding food)?
- (3) Money ...helping you to manage your money or deal with your benefits?
- (4) Repairs ...helping with home repairs or decoration whether by paying for it or doing it for you?
- (5) Chores ...helping with household chores (such as cleaning, gardening) whether by paying for it or doing it for you?
- (6) Lifts ...giving you lifts to places or paying for travel costs (such as taxi, train or bus fares)?
- (7) Trips ...paying for trips/holidays?
- (8) Clothes ...buying or giving you clothes?
- (9) Toys ^Toysetc
- (10) Cooker ...buying a big electrical item like a cooker, boiler, fridge or washing machine?
- (11) Other Other help received
- (12) None None of these
- (13) Spont SPONTANEOUS - Not applicable has no family or friends

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear =
2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: ChildNum = 0
NOT( IN( Toys ,HlpRec ) )

```

^I Please do not use this code as there are no children in this BU.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear =
2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN HlpRec
HlpRec.CARDINAL = 1

```

^I 'None of these' is an exclusive code.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear =
2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Spont IN HlpRec
HlpRec.CARDINAL = 1

```

^I 'Spontaneous' is an exclusive code.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[.LoanRec

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS

^N Over the past 12 months, have your family or friends ever given or lent you money?^N

SET [3] OF

- (1) RegGive Regularly give money
- (2) SomeGive Sometimes give money
- (3) Lend Lend money
- (4) None None of these

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN LoanRec
LoanRec.CARDINAL = 1

^I 'None of these' is an exclusive code.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[.HlpGvn

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS

^N Some people give financial or other types of help to their family or friends. Over the past 12 months (since ^datyrago) have you helped your family or friends by...(READ OUT)^N

^I^CC^BLU^IC CODE ALL THAT APPLY

Include items partly paid for by family or friends

Exclude members of the household as family or friends.^I

SET [11] OF

- (1) Food ...buying or bringing them food or meals?
- (2) Bills ...paying towards bills (such as utility bills, rent or grocery bills (excluding food)?
- (3) Money ...helping them to manage their money or deal with their benefits?
- (4) Repairs ...helping them with home repairs or decoration whether by paying for it or doing it for them?
- (5) Chores ...helping with household chores (such as cleaning, gardening) whether by paying for it or doing it for them?
- (6) Lifts ...giving them lifts to places or paying for travel costs (such as taxi, train or bus fares)?
- (7) Trips ...paying for trips/holidays?
- (8) Clothes ...buying or giving them clothes?
- (9) Toys ...buying clothes, toys or other equipment for their child(ren)
- (10) Cooker ...buying a big electrical item like a cooker, boiler, fridge or washing machine?
- (11) Other Other help given
- (12) None None of these
- (13) Spont SPONTANEOUS - Not applicable has no family or friends

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN HlpGvn
HlpGvn.CARDINAL = 1

^I 'None of these' is an exclusive code.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Spont IN HlpGvn
HlpGvn.CARDINAL = 1

^I 'Spontaneous' is an exclusive code.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[.LoanGvn

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS

^N Over the past 12 months, have you ever given or lent your family or friends money?^N

SET [3] OF

- (1) RegGive Regularly give money
- (2) SomeGive Sometimes give money
- (3) Lend Lend money
- (4) None None of these

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: None IN LoanGvn
LoanGvn.CARDINAL = 1

^I 'None of these' is an exclusive code.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QFinance.Adult[.IntroF2

^CC*** ^Names[PNo] ***@|FINANCIAL OR OTHER ASSISTANCE FROM FAMILY/FRIENDS

^I^CC^BLU^IC This is the End of Financial or Other Help questions.^I

- (1) Continue Continue

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: IntroF2 <> EMPTY AND ETimeF = EMPTY

ETimeF := SYSTIME

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: (STimeF <> EMPTY AND ETimeF <> EMPTY) AND MinsF = EMPTY
AND: ETimeF >= STimeF

MinsF := (((ETimeF.HOUR * 60) + ETimeF.MINUTE) - (STimeF.HOUR * 60)) - STimeF.MINUTE)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QFinance (continued)

Financial or Other Assistance from Family & Friends

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

CC := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: (QDataBag.SampMnth IN [5 .. 12, 1 .. 3]) AND (QDataBag.SampYear = 2008)
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[].QAdAcc

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[.QAdAcc.Adult[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QAdAcc.Adult[].PersId

^CC*** ^Names[PNo] *** @|@|@|SAVINGS
Person identifier.

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

FRS0805B.BU[.QAdAcc.Adult[].AnyAcc

^CC*** ^Names[PNo] *** @|@|@|SAVINGS
^I

A 'current' account is for day-to-day transactions. There is immediate access to the money - usually by a card for cash machine withdrawal and/or a cheque book.

A 'savings' account is not normally used for day-to-day transactions. There is often a minimum deposit and a notice period for withdrawals.

Only include accounts where money can be deposited and withdrawn by the holder.^I

- | | | |
|-----|-------|-------------------|
| (1) | Yes | Yes - any account |
| (2) | No | No |
| (3) | DKRef | Don't know/Refuse |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdAcc (continued)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
AND: Adult[PNo].AnyAcc = No
ACTBen[[PNo] = 0

```

^I Interviewer: Respondent reported earlier that they received a benefit directly into their bank account, but now you have coded that they don't have any accounts. Please check and resolve, or explain in a note.^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

```

Adult[PNo].PersId := Person[[PNo]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

```

CC := ''

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum
RESERVECHECK

```

RESERVECHECK

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR PNo := 1 TO AdultNum

```

N := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

```

N := ''

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

```

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[].QAdInt1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[.QAdInt1.Adult[]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes

FRS0805B.BU[.QAdInt1.Adult[.Accounts

^CC*** ^Names[ix] *** @|@|@INTEREST ON SAVINGS

^I^IC If respondent has an internet or telephone account but type of account is not known ask respondent what they predominantly use their account for to establish whether it is a current account or savings account. If current account code as 1. If savings account code as 7. If respondent does not know code as 9 as a last resort. ^IncROI1

A 'current' account is for day-to-day transactions. There is immediate access to the money - usually by a card for cash machine withdrawal and/or a cheque book. You can pay other money into these accounts and some let you use the Post Office to get your money.

A 'savings' account is not normally used for day-to-day transactions. There is often a minimum deposit and a notice period for withdrawals.

Only include accounts where money can be deposited and withdrawn by the holder.

A 'Basic bank account' has the basic features of a current account, but won't allow you to have an overdraft. Most allow Post Office access to your cash.

The Post Office card account is an account designed for the collection of benefits, state pensions and tax credits only, so you can't pay any other money in. The POCA cannot be used for receiving cheques, setting up direct debits, standing orders or paying bills.

A credit union is a self-help not-for-profit co-operative financial institution owned and controlled by its members. Credit unions offer many of the same services as banks such as savings and loan services. A credit union differs from a bank in that the members are the Credit union's owners. The credit union is therefore run in the best interests of the membership as a whole. As a result the credit union may pay higher dividend (interest) rates on savings/shares (deposits) and lower charges on loans. ^I

SET [9] OF

- (1) CurrAcc Current account with a bank, building society, supermarket/store or other organisation (incl. phone & internet banking)
- (2) Basic Basic Bank Accounts including introductory / starter accounts (incl. phone & internet banking)
- (3) POCARD Post Office card accounts
- (4) NSBOrd National Savings Bank (Post Office) - Easy Access Savings or Ordinary Account (incl. phone & internet banking)
- (5) NSBInv National Savings Bank (Post Office) - Investment Account (incl. phone & internet banking)
- (6) ISA ISA (Individual Savings Account) (incl. phone & internet banking)
- (7) SavAcc Savings account, investment account/bond, any other account with bank, building society, supermarket/store or other organisation (incl. phone & internet banking)
- (8) CreditU Credit Union
- (9) NetTel Internet or telephone banking - type of account not known
- (10) None None of these

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
AND: None IN Accounts
Accounts.CARDINAL = 1

^N 'None of these' is an exclusive code for this question.^N

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
AND: NetTel IN Accounts
ERROR

^N Use code 9 only where type of account is not known. Please ask respondent what they use this account for to establish whether it is predominantly a current account or a savings account.

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
AND: ISA IN Accounts

FRS0805B.BU[.QAdInt1.Adult[.ISAType

^CC*** ^Names[ix] *** @|@|@INTEREST ON SAVINGS

^I There are various ways to hold the 3 ISA elements. The 'Maxi' ISA is from a single provider and must include a Stocks and shares element, the other 2 parts being optional extras. Alternatively each part can be held with separate providers (called 'Mini' ISAs).

A Cash ISA is for cash deposits (this can also include capital transferred from a maturing TESSA).

A Stocks and Shares ISA is similar to the old PEP and may include shares, unit trusts, corporate bonds and other stock market investments.^I

SET [2] OF

- (1) Cash ^N...Cash in an ISA?^N
- (2) Stocks ^N...Stocks and shares (in an ISA)?^N

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
AND: ISA IN Accounts
AND: Cash IN ISAType

ISAType := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
AND: ISA IN Accounts
AND: NOT (Cash IN ISAType)

ISAType := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
AND: ISA IN Accounts
AND: Stocks IN ISAType

ISA2Type := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
AND: ISA IN Accounts
AND: NOT (Stocks IN ISAType)

ISA2Type := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdInt1 (continued)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: QAdAcc.Adult[ix].AnyAcc = Yes
NOT(IN(None,Adult[ix].Accounts)) AND
INVOLVING(QAdAcc.Adult[.].AnyAcc[ix])

^I This contradicts previous answer!^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: (CurrAcc IN Adult[ix].Accounts) OR (Basic IN Adult[ix].Accounts)

PA[.].A[1].Asset[ix] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT ((CurrAcc IN Adult[ix].Accounts) OR (Basic IN
Adult[ix].Accounts))

PA[.].A[1].Asset[ix] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NSBOrd IN Adult[ix].Accounts

PA[.].A[2].Asset[ix] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT (NSBOrd IN Adult[ix].Accounts)

PA[.].A[2].Asset[ix] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NSBInv IN Adult[ix].Accounts

PA[.].A[3].Asset[ix] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT (NSBInv IN Adult[ix].Accounts)

PA[.].A[3].Asset[ix] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: ISA IN Adult[ix].Accounts

PA[.].A[25].Asset[ix] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT (ISA IN Adult[ix].Accounts)

PA[.A[25].Asset[ix] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SavAcc IN Adult[ix].Accounts

PA[.A[5].Asset[ix] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT (SavAcc IN Adult[ix].Accounts)

PA[.A[5].Asset[ix] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: CreditU IN Adult[ix].Accounts

PA[.A[28].Asset[ix] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT (CreditU IN Adult[ix].Accounts)

PA[.A[28].Asset[ix] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

CC := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdult[]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

FRS0805B.BU[.QAdult[.PersId

Person identifier

0..14

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

FRS0805B.BU[.QAdult[.Accounts

^N Anything in question Accounts?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

FRS0805B.BU[.QAdult[.Invests

^N Anything in question Invests?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum

FRS0805B.BU[.QAdult[.OtInvA

^N Anything in question OtInvA?^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum

QAdult[Count1].PersId := Person[Count1]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: (QAdInt1.Adult[Count1].Accounts = RESPONSE) AND NOT (None IN
 QAdInt1.Adult[Count1].Accounts)

QAdult[Count1].Accounts := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 AND: NOT ((QAdInt1.Adult[Count1].Accounts = RESPONSE) AND NOT (None IN
 QAdInt1.Adult[Count1].Accounts))

QAdult[Count1].Accounts := No

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
 AND: In loop FOR Count1 := 1 TO AdultNum
 RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AskTotInt[1] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
 AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

AskTotInt[2] := No

FRS0805B.BU[].QAdInt2

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[.QAdInt2.Adult[.QIntrest[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

FRS0805B.BU[.QAdInt2.Adult[.QIntrest[.PersId

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS

Person identifier

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[1] := 'Current Accounts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[2] := 'Basic Bank Accounts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[4] := 'National Savings Bank Easy Access Savings or Ordinary Accounts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[5] := 'National Savings Bank Investment Accounts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[6] := 'ISA'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[7] := 'Savings/Other Accounts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[8] := 'Credit Union'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccName[9] := 'Internet/Telephone Account'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

AccountN := PAccounts

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 1

Account := PAccounts

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 1

Curr_Txt := ('
Please exclude any interest from ' + 'any Basic Bank / P.O.
Card Accounts.')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 2

Account := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 2

Curr_Txt := ('
Please exclude any interest from ' + 'any Current Accounts /
P.O. Card Accounts.')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 9

Account := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts IN [4 .. 5]

Account := (PAccounts - 2)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts IN [4 .. 5]

Curr_Txt := ('
Please exclude any interest from ' + 'any Basic Bank
Accounts.')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 6

Account := 25

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 7

Account := 5

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts = 8

```

Account := 28

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

```

AdCh := Adult

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: AccountN IN [1, 4 .. 5, 7]

```

JOINT_SHARE := ('

**' + ' For any ' + B + 'joint' + B + ' account, ' + 'only give
this respondent's share of the interest.
')**

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: NOT (AccountN IN [1, 4 .. 5, 7])

```

JOINT_SHARE := '

'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: AccountN = 1

```

**Curr_Acc := ('If account has been held for 12+ months, and
interest ' + 'is monthly, accept most recent month's interest
and ' + 'multiply by 12 for 1 year's worth.')**

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: NOT (AccountN = 1)

```

Curr_Acc := ''

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3

```

FRS0805B.BU[.QAdInt2.Adult[.QIntrest[.AccInt

^CC*** ^Names[ix] *** @|@|@INTEREST ON SAVINGS

^I

Record the total interest received (or credited) in the last 12 months for^B all^B accounts/investments of this type.

Interest which has been re-invested should also be included here.

For ISAs, record the combined interest from the Cash account and the Securities account (stocks and shares etc).^I

0.00..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3
AND: AccInt = NONRESPONSE
AND: QBUId.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3
AND: AccInt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

```

OthMiss := (OthMiss + 1)

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3
AND: AccInt > 0
AND: (Account = 25) AND (Edit = No)
AccInt <= 3500

```

^I That figure is unusual. The maximum amount of interest available from an ISA is £3,500 a year or £70 per week. Please check and amend amount or make a note if necessary.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3
AND: AccInt > 0

TAX_INSTRUC := ('
INTERVIEWER: IF REGISTERED AS A ' + 'NON-TAXPAYER, USE CODE
3.')

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3
AND: AccInt > 0
AND: NOT (Account IN [25])

FRS0805B.BU[.QAdInt2.Adult[.QIntrest[.AccTax

^CC*** ^Names[ix] *** @|@|@INTEREST ON SAVINGS

^I

Use code 2 if gross interest is entered at the previous question but tax has been/will be paid on it (eg. tax deducted at source but net interest not shown separately on document).

Use code 3 if the respondent is registered as a non-taxpayer.^I

- (1) Afrt ^B After^B tax
 - (2) Befor ^B Before^B tax - but tax payable
 - (3) NonTax Before tax - signed form to get interest without tax
- ^TAX_INSTRUC
-

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
AND: PAccounts <> 3
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdInt2.Adult[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: j IN QAdInt1.Adult[PPNo].Accounts[]

QIntrest[j].PersId := Person[[PPNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
AND: QIntrest[j].AccInt = NONRESPONSE

AskTotInt[[PPNo] := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 9
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU  
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY  
AND: In loop FOR ix := 1 TO AdultNum  
RESERVECHECK
```

RESERVECHECK

FRS0805B.BU[.QAdInt2 (continued)

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: Edit = Yes

FRS0805B.BU[].Jump31

^I

The questions that follow are about investments.^I

(1) Cont Press <Enter> to continue.

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[].QAdInt3

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[.QAdInt3.Adult[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: PPNo = 1

**Intro31 := 'NOW THERE ARE SOME QUESTIONS ABOUT INVESTMENTS
,**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT (PPNo = 1)

Intro31 := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

FRS0805B.BU[.QAdInt3.Adult[.Invests

^CC*** ^Names[ix] *** @|@|@INTEREST ON SAVINGS

^I Include 'Investment company with Variable Capital' under Unit/Investment trusts (Code 2).

With Profit Bonds and Distribution Bonds should be included under code 3 (stocks, shares, bonds, debentures, other securities).^I

SET [7] OF

- | | | |
|-----|----------|---|
| (1) | Gilt | Government Gilt-edged stock (inc. war loans) |
| (2) | Unit | Unit Trusts/Investment Trusts |
| (3) | Stocks | Stocks, shares, bonds, debentures, other securities |
| (4) | PEP | PEP (Personal Equity Plan) |
| (5) | Profit | Profit sharing |
| (6) | SharOpt | Company share option plans |
| (7) | SharClub | Member of share club |
| (8) | None | None of these |

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: ISA IN QAdInt1.Adult[PPNo].Accounts[]
NOT (IN(PEP, Invests)) AND
INVOLVING(QAdInt1.Adult[.Accounts[][PPNo], Invests)

^I^BLU^IC From April 2008, all PEPs automatically become stocks and shares ISAs. Please check with the respondent that the PEP and ISA mentioned are different accounts. We do not want to double-count the savings and investments.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: None IN Invests
Invests.CARDINAL = 1

^I 'None of these' is an exclusive code for this question.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdInt3 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR acc := 1 TO 4
AND: acc IN Adult[ix].Invests

PA[.A[.Asset[ix,acc + 5] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR acc := 1 TO 4
AND: NOT (acc IN Adult[ix].Invests)

PA[.A[.Asset[ix,acc + 5] := No

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR acc := 1 TO 4
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR acc := 1 TO 4
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: (SharOpt IN Adult[ix].Invests) OR (Profit IN Adult[ix].Invests)

PA[.A[.Asset[ix,26] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: NOT ((SharOpt IN Adult[ix].Invests) OR (Profit IN Adult[ix].Invests))

PA[.A[.Asset[ix,26] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

CC := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: (QAdInt3.Adult[Count1].Invests = RESPONSE) AND NOT (None IN
 QAdInt3.Adult[Count1].Invests)

QAdult[Count1].Invests := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: NOT ((QAdInt3.Adult[Count1].Invests = RESPONSE) AND NOT (None IN
 QAdInt3.Adult[Count1].Invests))

QAdult[Count1].Invests := No

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[].QAdInt4

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]

LAccType := AccType

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[.PersId

^CC*** ^Names[ix] *** @|@|@INTEREST ON SAVINGS

Person identifier

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]

Account := LAccType

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]

AdCh := Adult

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: LAccType = 6

AccName := 'Gilt Edged Stock/War Loan'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: LAccType = 7

AccName := 'Unit Trusts/Investment Trusts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: LAccType = 8

AccName := 'Other Stocks/Shares/Securities'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: LAccType = 9

AccName := 'PEP (Personal Equity Plan)'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: LAccType = 27

AccName := 'Share Club'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]

JOINT_SHARE := ('

**INTERVIEWER: For any ' + B + 'joint' + B + ' investment, ' +
'only give this respondent's share of the interest.
')**

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: LAccType IN [6 .. 9, 27]

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[.AccInt

^CC* ^Names[ix] *** @|@|@|INTEREST ON SAVINGS**

^N

Record the total interest received (or credited) in the last 12 months for^B all^B accounts/investments of this type.

Interest which has been re-invested should also be included here.^I

0.00..99997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: AccInt = NONRESPONSE
AND: QBUId.BUNum = 1

HRPMiss := (HRPMiss + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: AccInt = NONRESPONSE
AND: NOT (QBUId.BUNum = 1)

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
AND: (AccInt > 0) AND (LAccType IN [6, 27])

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[.InvTax

^CC*** ^Names[ix] *** @|@|@INTEREST ON SAVINGS

^N

Can I just check, is that interest^B after^B tax - or do you have an arrangement to get the interest^B before^B tax?^N ^I^BLU

Govt. Gilts bought via National Stock Register are^B before^B tax; otherwise, the interest could be before or after tax. War loan is^B before^B tax.^N

- (1) Aftr ^B After^B tax
 - (2) Befor ^B Before^B tax
-

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdInt4.Adult[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: j IN QAdInt3.Adult[PNum].Invests[]

QIntrest[j].PersId := Person[[PNum]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
AND: QIntrest[j].AccInt = NONRESPONSE

AskTotInt[[PNum] := Yes

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR j := 1 TO 4
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

j := 27

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

LAcctype := Acctype

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[.PersId

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS

Person identifier

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

Account := LAcctype

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

AdCh := Adult

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
AND: LAcctype = 6

AccName := 'Gilt Edged Stock/War Loan'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
AND: LAcctype = 7

AccName := 'Unit Trusts/Investment Trusts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
AND: LAcctype = 8

AccName := 'Other Stocks/Shares/Securities'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[ ]
AND: LAccType = 9

```

AccName := 'PEP (Personal Equity Plan)'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[ ]
AND: LAccType = 27

```

AccName := 'Share Club'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[ ]

```

JOINT_SHARE := ('

INTERVIEWER: For any ' + B + 'joint' + B + ' investment, ' +
 'only give this respondent's share of the interest.
 ')

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[ ]
AND: LAccType IN [6 .. 9, 27]

```

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[.AccInt

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS

^N

Record the total interest received (or credited) in the last 12 months for^B all^B accounts/investments of this type.

Interest which has been re-invested should also be included here.^I

0.00..99997.00

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[ ]
AND: AccInt = NONRESPONSE
AND: QBUID.BUNum = 1

```

HRPMiss := (HRPMiss + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[ ]
AND: AccInt = NONRESPONSE
AND: NOT (QBUID.BUNum = 1)

```

OthMiss := (OthMiss + 1)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
AND: (AccInt > 0) AND (LAccType IN [6, 27])

FRS0805B.BU[.QAdInt4.Adult[.QIntrest[.InvTax

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS

^N

Can I just check, is that interest^B after^B tax - or do you have an arrangement to get the interest^B before^B tax?^N ^I^BLU

Govt. Gilts bought via National Stock Register are^B before^B tax; otherwise, the interest could be before or after tax. War loan is^B before^B tax.^N

- (1) Aftr ^B After^B tax
- (2) Befor ^B Before^B tax

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdInt4.Adult[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]

QIntrest[5].PersId := Person[[PNum]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: SharClub IN QAdInt3.Adult[PNum].Invests[]
AND: QIntrest[5].AccInt = NONRESPONSE

AskTotInt[[PNum] := Yes

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdInt4 (continued)

Adult Interest

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

CC := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

N := ''

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[].QAdInt5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

CC := ''

FRS0805B.BU[.QAdInt5.Adult[]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

FRS0805B.BU[.QAdInt5.Adult[.OtInvA

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS
^I With Profit Bonds and Distribution Bonds should not be included at this question. They should be recorded at the previous question about investments as code 3 (stocks, shares, bonds, debentures, other securities).^I

SET [13] OF

- (1) NSCapBnd Capital Bonds (National Savings & Investments)
- (2) IndxCrt Index-linked National Certificates (National Savings & Investments)
- (3) FixCrt Fixed Interest National Certificates (National Savings & Investments)
- (4) PensGuar Pensioner's Guaranteed Income Bonds
- (5) SAYEBank Save-as-You-Earn (National Savings & Investments/Bank/Building Society)
- (6) PrmBnd Premium Bonds
- (7) NSIncBnd Income Bonds (National Savings & Investments)
- (8) NSDepBnd Deposit Bonds (National Savings & Investments)
- (9) FirstOB FIRST Option Bonds
- (10) YPlan Yearly Plan
- (11) FixRate Fixed Rate Savings Bonds
- (12) GEB Guaranteed Equity Bonds
- (13) EndwNLPr Endowment not linked to current mortgage
- (14) None None of these

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: None IN OtInvA
OtInvA.CARDINAL = 1

^I'None of these' is an exclusive code for this question.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

FRS0805B.BU[.QAdInt5.Adult[.PnsGuaRs

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS
^N Are you sure?^N^I These bonds are only available to people aged 60 and over, yet respondent is under 60. Please check, and if necessary explain in a Note.^I

- | | | |
|-----|----------|------------|
| (1) | Passed | Passed |
| (2) | Hard | Hard |
| (3) | Soft | Soft |
| (4) | Suppress | Suppressed |

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

FRS0805B.BU[.QAdInt5.Adult[.PnsGuaEx

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS
^I^BLU^IC^SuppTxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: PensGuar IN OtInvA
(AgeOf[[ix] >= 60) AND INVOLVING(OtInvA)

(AgeOf[ix] >= 60) AND INVOLVING (OtInvA)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: PensGuar IN OtInvA
AND: (PnsGuaRs = Suppressed) OR PnsGuaEx <> EMPTY

FRS0805B.BU[.QAdInt5.Adult[.PnsGuaEx

^CC*** ^Names[ix] *** @|@|@|INTEREST ON SAVINGS
^I^BLU^IC^SuppTxt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: BNum = 1
AND: ((QOwner1.QMortgage.M[1].MortType IN [Endow, EndRep]) OR (QOwner1.QMortgage.M[2].MortType IN [Endow, EndRep])) OR (QOwner1.QMortgage.M[3].MortType IN [Endow, EndRep])
NOT (IN (EndwNLPr, OtInvA)) AND INVOLVING (QOwner1.QMortgage.M[1].MortType, QOwner1.QMortgage.M[2].MortType, QOwner1.QMortgage.M[3].MortType, OtInvA)

^I Earlier you mentioned that you have an endowment mortgage. Can I just check, you also have a different endowment NOT connected to your current property?

INTERVIEWER: If endowment is different suppress the check making a note to confirm you have probed. Otherwise return to OtInvA and remove the endowment code.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QAdInt5 (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR acc := 1 TO 13
AND: acc IN Adult[ix].OtInvA

PA[.A[.Asset[ix,acc + 9] := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
AND: In loop FOR acc := 1 TO 13
AND: NOT (acc IN Adult[ix].OtInvA)

PA[.A[.Asset[ix,acc + 9] := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

CC := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR ix := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY

N := ''

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: (QAdInt5.Adult[Count1].OtInvA = RESPONSE) AND NOT (None IN QAdInt5.Adult[Count1].OtInvA)

QAdult[Count1].OtInvA := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
AND: NOT ((QAdInt5.Adult[Count1].OtInvA = RESPONSE) AND NOT (None IN QAdInt5.Adult[Count1].OtInvA))

QAdult[Count1].OtInvA := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: QOIncB10.Adult[AdultNum].OddJob <> EMPTY
AND: In loop FOR Count1 := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0

FRS0805B.BU[].Jump32

^I

The questions that follow are about childrens' savings.^I

(1) Cont Press <Enter> to continue.

FRS0805B.BU[.QChInt5

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

Child[CNo].PersId := ChildId[[CNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

ChName := ChNames[[CNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

ChAge := ChAges[[CNo]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

ChDOB := ChDoBs[[CNo]

FRS0805B.BU[.QChInt5.Child[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

GivName[1] := 'child's parent inside household'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

GivName[2] := 'child's parent outside household'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

GivName[3] := 'child's grandparents'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

GivName[4] := 'child's other relatives'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

GivName[5] := 'friend of the family'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

GivName[6] := 'other person'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)

FRS0805B.BU[.QChInt5.Child[.CFund

^ChNames[CNo] @|@|@|CHILD INTEREST

^N Does your child ^ChName have a Child Trust Fund?^N

^I^BLU^IC Only code 'yes' if the parent/guardian has set up the Child Trust Fund account themselves using the voucher.

Code 'no' if they have the voucher but have not set up an account yet or are not going to set up an account.^N

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes

```

FRS0805B.BU[.QChInt5.Child[.CFundTp

^ChNames[CNo] @|@|@|CHILD INTEREST

^I

The three types of CTF account are:

1. Stakeholder account - The stakeholder CTF account works by investing the child's money in shares to take advantage of the potential for higher growth that this kind of investment offers. Once the child turns 13, money in the account starts to be moved to lower risk investments or assets (such as cash). All accounts opened by the Government, such as when the voucher expired, are of this type.

2. A Non-stakeholder cash account - is a cash account that earns interest.

3. Non-stakeholder Stocks and Shares Account - this type of account invests the child's money in shares but is not a government approved Stakeholder Account.^I

- | | | |
|-----|----------|--|
| (1) | Stakehld | a Stakeholder Account |
| (2) | Savings | a Non-stakeholder Cash Account |
| (3) | Shares | a Non-Stakeholder Stocks and Shares account? |
| (4) | DNK | Don't Know |

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes

```

FRS0805B.BU[.QChInt5.Child[.GivCFnd

^ChNames[CNo] @|@|@|CHILD INTEREST

^IS^I N4^I

^N Apart from the Child Trust Fund voucher received from the Government, during the last 12 months who contributed to the Child Trust Fund?^N

^I^BLU^IC Code all that apply. Depending on the age of the child, a Child Trust Fund voucher may or may not have been received from the Government in the last 12 months.^N

SET [6] OF

- | | | |
|-----|----------|----------------------------------|
| (1) | ParIn | Child's Parent inside household |
| (2) | ParOut | Child's Parent outside household |
| (3) | Granps | Child's Grandparents |
| (4) | Relative | Child's Other relatives |
| (5) | Friend | Friend of the family |
| (6) | Other | Other |
| (7) | None | No Contribution |

```

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: None IN GivCFnd
GivCFnd.CARDINAL = 1

```

^I 'No contribution' is an exclusive code for this question.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: In loop FOR ii := 1 TO 6
AND: ii IN GivCFnd

FRS0805B.BU[.QChInt5.Child[.FundAmt

^ChNames[CNo] @|@|@|CHILD INTEREST

^I^BLU^IC If more than one person contributes to the fund in one category (E.G. all grandparents or two friends of the family) record total amount given by both parties^BLU^I

^N How much did the ^GivName[ii] put into ^ChName's fund in the last 12 months?

Please exclude any contribution to the Child Trust Fund by the government.^N

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: In loop FOR ii := 1 TO 6
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: In loop FOR ii := 1 TO 6
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes

FRS0805B.BU[.QChInt5.Child[.CFundH

^ChNames[CNo] @|@|@|CHILD INTEREST

^N Roughly how much is currently held in his / her fund?^N

0.00..9999997.00

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: CFundH = RESPONSE
AND: ChAge = 0
CFundH <= 1700

^I The total amount of Child trust Fund for a child of this age should be no more than £1700.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: CFundH = RESPONSE
AND: ChAge = 1
CFundH <= 3000
```

^I The total amount of Child trust Fund for a child of this age should be no more than £3000.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: CFundH = RESPONSE
AND: ChAge >= 2
CFundH <= 4300
```

^I The total amount of Child trust Fund for a child of this age should be no more than £4300.^I

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: CFundH = RESPONSE
AND: ChAge >= 2
RESERVECHECK
```

RESERVECHECK

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: ChDOB >= TODATE (2002, 9, 1)
AND: CFund = Yes
AND: CFundH = RESPONSE
AND: ChAge >= 2
RESERVECHECK
```

RESERVECHECK

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: CFund = Yes
```

CFundTxt := ' (other than the Child Trust Fund you just mentioned)'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: NOT (CFund = Yes)
```

CFundTxt := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum

FRS0805B.BU[.QChInt5.Child[.ChSave

^ChNames[CNo] @|@|@|CHILD INTEREST

^N Thinking of your child ^ChName, ^CFundTxt does he/she have any savings in a bank or building society account; or any National Savings & Investments, such as Children's Bonus Bonds; or any stocks and shares, or other Investments? ^IncROI1 ^N

^I ^BLU ^IC If child has only a Child Trust Fund and no other savings code 2 'No' ^I

(1) Yes Yes
(2) No No

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChSave = Yes) OR (CFund = Yes)

FRS0805B.BU[.QChInt5.Child[.PersId

^ChNames[CNo] @|@|@|CHILD INTEREST

Person number

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChSave = Yes) OR (CFund = Yes)
AND: (CFund = Yes) AND (ChSave = No)

Savings := 'CHILD TRUST FUND'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChSave = Yes) OR (CFund = Yes)
AND: (CFund = Yes) AND (ChSave = Yes)

Savings := 'CHILD TRUST FUND AND OTHER SAVINGS'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChSave = Yes) OR (CFund = Yes)
AND: NOT ((CFund = Yes) AND (ChSave = Yes))

Savings := 'SAVINGS'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
AND: (ChSave = Yes) OR (CFund = Yes)

FRS0805B.BU[.QChInt5.Child].TotSave

^ChNames[CNo] @|@|@|CHILD INTEREST

^IS^I N5^I

^N Thinking of ^B^ChName's^B ^savings, in total roughly what would you say is the current value held by ^ChName?^IncROI1^N

^I^BLU^IC Record all savings including Child Trust Fund^I

- | | | |
|-----|---------|---------------------------|
| (1) | Upto500 | Less than £500 |
| (2) | To1000 | From £500 up to £1,000 |
| (3) | To1500 | From £1000 up to £1,500 |
| (4) | To3000 | From £1500 up to £3,000 |
| (5) | To8000 | From £3,000 up to £8,000 |
| (6) | To20000 | From £8,000 up to £20,000 |
| (7) | Ov20000 | Over £20,000 |
| (8) | Coy | Does not wish to say |

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.QChInt5 (continued)

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
AND: In loop FOR CNo := 1 TO ChildNum
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: ChildNum > 0
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

NameDisp := ('* ' + Names[1] + ' ***')**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 2

**and_partner := (' and your partner (ie ' + Names[1] + ' and '
+ Names[2] + ')')**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 2

NameDisp := ('* ' + Names[1] + ' and ' + Names[2] + ' ***')**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

Holding[1] := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

Holding[2] := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

Holding[3] := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

IntHold1[1] := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

IntHold1[2] := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

IntHold2[1] := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

IntHold2[2] := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 1
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)

Holding[1] := (Holding[1] + UPCASE(AssName[1]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 1
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[1].Accounts

IntHold1[1] := (IntHold1[1] + UPCASE(AssName[1]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 1
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[2].Accounts

IntHold1[2] := (IntHold1[2] + UPCASE(AssName[1]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 2
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)

Holding[1] := (Holding[1] + 'BASIC ACCOUNTS, ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 2
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[1].Accounts

IntHold1[1] := (IntHold1[1] + 'BASIC ACCOUNTS, ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 2
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[2].Accounts

```

```

IntHold1[2] := (IntHold1[2] + 'basic accounts, ')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 IN [4 .. 5]
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
QAdInt1.Adult[2].Accounts)

```

```

Holding[1] := (Holding[1] + UPCASE(AssName[Count1 - 2]) + ',
')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 IN [4 .. 5]
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[1].Accounts

```

```

IntHold1[1] := (IntHold1[1] + UPCASE(AssName[Count1 - 2]) + ',
')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 IN [4 .. 5]
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[2].Accounts

```

```

IntHold1[2] := (IntHold1[2] + UPCASE(AssName[Count1 - 2]) + ',
')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 6
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
QAdInt1.Adult[2].Accounts)

```

```

Holding[1] := (Holding[1] + UPCASE(AssName[25]) + ', ')

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 6
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN
QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[1].Accounts

```

```

IntHold1[1] := (IntHold1[1] + UPCASE(AssName[25]) + ', ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 6
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[2].Accounts

IntHold1[2] := (IntHold1[2] + UPCASE(AssName[25]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 7
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)

Holding[1] := (Holding[1] + UPCASE(AssName[5]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 7
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[1].Accounts

IntHold1[1] := (IntHold1[1] + UPCASE(AssName[5]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 7
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[2].Accounts

IntHold1[2] := (IntHold1[2] + UPCASE(AssName[5]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 8
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)

Holding[1] := (Holding[1] + UPCASE(AssName[28]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 8
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[1].Accounts

IntHold1[1] := (IntHold1[1] + UPCASE(AssName[28]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 9
AND: Count1 = 8
AND: (Count1 IN QAdInt1.Adult[1].Accounts) OR (Count1 IN QAdInt1.Adult[2].Accounts)
AND: Count1 IN QAdInt1.Adult[2].Accounts

IntHold1[2] := (IntHold1[2] + UPCASE(AssName[28]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 4
AND: (Count1 IN QAdInt3.Adult[1].Invests) OR (Count1 IN QAdInt3.Adult[2].Invests)

Holding[1] := (Holding[1] + UPCASE(AssName[Count1 + 5]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 4
AND: (Count1 IN QAdInt3.Adult[1].Invests) OR (Count1 IN QAdInt3.Adult[2].Invests)
AND: Count1 IN QAdInt3.Adult[1].Invests

IntHold1[1] := (IntHold1[1] + UPCASE(AssName[Count1 + 5]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 4
AND: (Count1 IN QAdInt3.Adult[1].Invests) OR (Count1 IN QAdInt3.Adult[2].Invests)
AND: Count1 IN QAdInt3.Adult[2].Invests

IntHold1[2] := (IntHold1[2] + UPCASE(AssName[Count1 + 5]) + ', ')

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 4
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 4
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (((SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN QAdInt3.Adult[1].Invests)) OR (Profit IN QAdInt3.Adult[2].Invests)) OR (SharOpt IN QAdInt3.Adult[2].Invests)

Holding[1] := (Holding[1] + UPCASE(AssName[26]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (((SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN QAdInt3.Adult[1].Invests)) OR (Profit IN QAdInt3.Adult[2].Invests)) OR (SharOpt IN QAdInt3.Adult[2].Invests)
AND: (SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN QAdInt3.Adult[1].Invests)

IntHold2[1] := (IntHold2[1] + UPCASE(AssName[26]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (((SharOpt IN QAdInt3.Adult[1].Invests) OR (Profit IN QAdInt3.Adult[1].Invests)) OR (Profit IN QAdInt3.Adult[2].Invests)) OR (SharOpt IN QAdInt3.Adult[2].Invests)
AND: (SharOpt IN QAdInt3.Adult[2].Invests) OR (Profit IN QAdInt3.Adult[2].Invests)

IntHold2[2] := (IntHold2[2] + UPCASE(AssName[26]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (SharClub IN QAdInt3.Adult[1].Invests) OR (SharClub IN QAdInt3.Adult[2].Invests)

Holding[2] := (Holding[2] + UPCASE(AssName[27]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (SharClub IN QAdInt3.Adult[1].Invests) OR (SharClub IN QAdInt3.Adult[2].Invests)
AND: SharClub IN QAdInt3.Adult[1].Invests

IntHold2[1] := (IntHold2[1] + UPCASE(AssName[27]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (SharClub IN QAdInt3.Adult[1].Invests) OR (SharClub IN QAdInt3.Adult[2].Invests)
AND: SharClub IN QAdInt3.Adult[2].Invests

IntHold2[2] := (IntHold2[2] + UPCASE(AssName[27]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 13
AND: (Count1 IN QAdInt5.Adult[1].OtInvA) OR (Count1 IN QAdInt5.Adult[2].OtInvA)

Holding[3] := (Holding[3] + UPCASE(AssName[Count1 + 9]) + ', ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 13
AND: (Count1 IN QAdInt5.Adult[1].OtInvA) OR (Count1 IN QAdInt5.Adult[2].OtInvA)
AND: Count1 IN QAdInt5.Adult[1].OtInvA

IntHold3[1] := (IntHold3[1] + UPCASE(AssName[Count1 + 9]) + ', ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 13
AND: (Count1 IN QAdInt5.Adult[1].OtInvA) OR (Count1 IN
QAdInt5.Adult[2].OtInvA)
AND: Count1 IN QAdInt5.Adult[2].OtInvA

```

```

IntHold3[2] := (IntHold3[2] + UPCASE(AssName[Count1 + 9]) + ',
')

```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 2
AND: ((LEN (IntHold1[Count1]) > 2) OR (LEN (IntHold2[Count1]) > 2)) OR
(LEN (IntHold3[Count1]) > 2)

```

FRS0805B.BU[].TotInt

^N^Names[Count1]

Over the last 12 months, what was the overall amount of interest and dividends you received after tax from investments and savings?

^IntHold1[Count1]^IntHold2[Count1]^IntHold3[Count1]^N

0.00..99997.97

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 2
AND: ((LEN (IntHold1[Count1]) > 2) OR (LEN (IntHold2[Count1]) > 2)) OR
(LEN (IntHold3[Count1]) > 2)
AND: AskTotInt[Count1] = Yes

```

FRS0805B.BU[].TotInt

^N^Names[Count1]

Over the last 12 months, what was the overall amount of interest and dividends you received after tax from investments and savings?

^IntHold1[Count1]^IntHold2[Count1]^IntHold3[Count1]^N

0.00..99997.97

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 2
RESERVECHECK

```

RESERVECHECK

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: In loop FOR Count1 := 1 TO 2
RESERVECHECK

```

RESERVECHECK

```

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ((LEN (Holding[1]) > 2) OR (LEN (Holding[2]) > 2)) OR (LEN
(Holding[3]) > 2)

```

FRS0805B.BU[].TotSav

^I^NameDisp @|SAVINGS^I

^IS^I N6^I ^N

Thinking of your ^Holding[1]^Holding[2]^Holding[3] roughly what would you say is the current value held by you^and_partner?^N

^I^BLU^IC Explain as appropriate: For current account(s), take balance as at end of previous month/payment period. (ignore overdrafts).

^IncROI3 ^I

- | | | |
|------|----------|----------------------------|
| (1) | Upto1500 | Less than £1,500 |
| (2) | To3000 | From £1,500 up to £3,000 |
| (3) | To8000 | From £3,000 up to £8,000 |
| (4) | To20000 | From £8,000 up to £20,000 |
| (5) | To25000 | From £20,000 up to £25,000 |
| (6) | To30000 | From £25,000 up to £30,000 |
| (7) | To35000 | From £30,000 up to £35,000 |
| (8) | To40000 | From £35,000 up to £40,000 |
| (9) | Ov40000 | Over £40,000 |
| (10) | Coy | Does not wish to say |

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

```

RESERVECHECK

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

```

would := 'would'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

```

Thinking_of := 'Thinking of '

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 1
AND: ChildNum = 0

```

would := 'Would'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 1
AND: ChildNum = 0

Thinking_of := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 1
AND: ChildNum = 1

Thinking_of := (Thinking_of + 'you and your child, ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 1
AND: ChildNum > 1

Thinking_of := (Thinking_of + 'you and your children, ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 2
AND: ChildNum = 0

Thinking_of := (Thinking_of + 'both of you, ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 2
AND: ChildNum = 1

Thinking_of := (Thinking_of + 'both of you and your child, ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: AdultNum = 2
AND: ChildNum > 1

Thinking_of := (Thinking_of + 'both of you and your children, ')

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

ChildNames := ''

FRS0805B.BU[.].Proper()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0

OPFName := IFName

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0

PNoChar := NoChar

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0

NLetter := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0

NLetID := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar

AVar[Idx] := LOWERCASE(SUBSTRING(OPFName, Idx, 1))

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar

ASCIICode[Idx] := SOMETHING(AVar[Idx])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: ASCIICode[Idx] IN [65 .. 90, 97 .. 122]

NLetter := (NLetter + 1)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: ASCIICode[Idx] IN [65 .. 90, 97 .. 122]
AND: NLetID = 0

NLetID := Idx

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: ASCIICode[1] IN [97 .. 122]

ASCIICode[1] := (ASCIICode[1] - 32)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: ASCIICode[1] IN [97 .. 122]

AVar[1] := UPCASE(AVar[1])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: Idx > 1
AND: (ASCIICode[Idx - 1] IN [32, 39, 45, 46]) AND (ASCIICode[Idx] IN [65 .. 90, 97 .. 122])

ASCIICode[Idx] := (ASCIICode[Idx] - 32)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: Idx > 1
AND: (ASCIICode[Idx - 1] IN [32, 39, 45, 46]) AND (ASCIICode[Idx] IN [65 .. 90, 97 .. 122])

AVar[Idx] := UPCASE(AVar[Idx])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: Idx > 1
AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)

ASCIICode[Idx] := (ASCIICode[Idx] - 32)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar
AND: Idx > 1
AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)

AVar[Idx] := UPCASE(AVar[Idx])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar

```

```

PFName := (PFName + AVar[Idx])

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar

```

```

AVar2[Idx] := SUBSTRING(PFName,Idx,1)

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar

```

```

ASCIICode2[Idx] := SOMETHING(AVar2[Idx])

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1] IN [0, 65 ..
  90, 97 .. 122])
  AND: In loop FOR Idy := 1 TO PNoChar
  AND: Idy >= Idx

```

```

ASCIICode2[Idx] := ASCIICode2[Idy + 1]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1] IN [0, 65 ..
  90, 97 .. 122])
  AND: In loop FOR Idy := 1 TO PNoChar
  AND: Idy >= Idx

```

```

AVar2[Idx] := AVar2[Idy + 1]

```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (Idx < NLetID) AND (AVar2[Idx] = )

```

```

AVar2[Idx] := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE
AND: PFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar

PFNameX := (PFNameX + AVar2[Idx])

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: OPFName = RESPONSE

EFName := PFNameX

FRS0805B.BU[] (continued)

Benefit Unit Schedule

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0

ChildNames := ('(' + TmpName)

FRS0805B.BU[.Proper()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: Count1 = ChildNum

OPFName := IFName

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: Count1 = ChildNum

PNoChar := NoChar

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: Count1 = ChildNum

NLetter := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: Count1 = ChildNum

NlettID := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: Count1 = ChildNum
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar

AVar[Idx] := LOWERCASE(SUBSTRING(OPFName,Idx,1))

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: Count1 = ChildNum
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar

ASCIICode[Idx] := SOMETHING(AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[Idx] IN [65 .. 90, 97 .. 122]
```

NLetter := (NLetter + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[Idx] IN [65 .. 90, 97 .. 122]
  AND: NlettID = 0
```

NlettID := Idx

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[1] IN [97 .. 122]
```

ASCIICode[1] := (ASCIICode[1] - 32)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[1] IN [97 .. 122]
```

AVar[1] := UPCASE(AVar[1])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 1] IN [32, 39, 45, 46]) AND (ASCIICode[Idx] IN
  [65 .. 90, 97 .. 122])
```

ASCIICode[Idx] := (ASCIICode[Idx] - 32)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 1] IN [32, 39, 45, 46]) AND (ASCIICode[Idx] IN
  [65 .. 90, 97 .. 122])
```

AVar[Idx] := UPCASE(AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)
```

ASCIICode[Idx] := (ASCIICode[Idx] - 32)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)
```

AVar[Idx] := UPCASE(AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
```

PFName := (PFName + AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
```

AVar2[Idx] := SUBSTRING(PFName,Idx,1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
```

ASCIICode2[Idx] := SOMETHING(AVar2[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1] IN [0, 65 ..
90, 97 .. 122])
  AND: In loop FOR Idy := 1 TO PNoChar
  AND: Idy >= Idx
```

ASCIICode2[Idx] := ASCIICode2[Idy + 1]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1] IN [0, 65 ..
90, 97 .. 122])
  AND: In loop FOR Idy := 1 TO PNoChar
  AND: Idy >= Idx
```

AVar2[Idx] := AVar2[Idy + 1]

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (Idx < NLetID) AND (AVar2[Idx] = )
```

AVar2[Idx] := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: Count1 = ChildNum
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
```

PFNameX := (PFNameX + AVar2[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
            AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
            AND: ChildNum > 0
            AND: In loop FOR Count1 := 2 TO ChildNum
            AND: Count1 = ChildNum
            AND: OPFName = RESPONSE
```

EFName := PFNameX

FRS0805B.BU[] (continued)

Benefit Unit Schedule

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
            AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
            AND: ChildNum > 0
            AND: In loop FOR Count1 := 2 TO ChildNum
            AND: Count1 = ChildNum

ChildNames := (ChildNames + ' and ' + TmpName)
```

FRS0805B.BU[.Proper()

Procedure Call

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: NOT (Count1 = ChildNum)

OPFName := IFName

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: NOT (Count1 = ChildNum)

PNoChar := NoChar

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: NOT (Count1 = ChildNum)

NLetter := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: NOT (Count1 = ChildNum)

NlettID := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: NOT (Count1 = ChildNum)
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar

AVar[Idx] := LOWERCASE(SUBSTRING(OPFName,Idx,1))

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: NOT (Count1 = ChildNum)
AND: OPFName = RESPONSE
AND: In loop FOR Idx := 1 TO PNoChar

ASCIICode[Idx] := SOMETHING(AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[Idx] IN [65 .. 90, 97 .. 122]
```

NLetter := (NLetter + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[Idx] IN [65 .. 90, 97 .. 122]
  AND: NlettID = 0
```

NlettID := Idx

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[1] IN [97 .. 122]
```

ASCIICode[1] := (ASCIICode[1] - 32)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: ASCIICode[1] IN [97 .. 122]
```

AVar[1] := UPCASE(AVar[1])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 1] IN [32, 39, 45, 46]) AND (ASCIICode[Idx] IN
  [65 .. 90, 97 .. 122])
```

ASCIICode[Idx] := (ASCIICode[Idx] - 32)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 1] IN [32, 39, 45, 46]) AND (ASCIICode[Idx] IN
  [65 .. 90, 97 .. 122])
```

AVar[Idx] := UPCASE(AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)
```

ASCIICode[Idx] := (ASCIICode[Idx] - 32)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: Idx > 1
  AND: (ASCIICode[Idx - 2] = 77) AND (ASCIICode[Idx - 1] = 99)
```

AVar[Idx] := UPCASE(AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
```

PFName := (PFName + AVar[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
```

AVar2[Idx] := SUBSTRING(PFName,Idx,1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar

```

ASCIICode2[Idx] := SOMETHING(AVar2[Idx])

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1] IN [0, 65 ..
  90, 97 .. 122])
  AND: In loop FOR Idy := 1 TO PNoChar
  AND: Idy >= Idx

```

ASCIICode2[Idx] := ASCIICode2[Idy + 1]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (ASCIICode2[Idx] = 32) AND NOT (ASCIICode[Idx + 1] IN [0, 65 ..
  90, 97 .. 122])
  AND: In loop FOR Idy := 1 TO PNoChar
  AND: Idy >= Idx

```

AVar2[Idx] := AVar2[Idy + 1]

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar
  AND: (Idx < NlettID) AND (AVar2[Idx] = )

```

AVar2[Idx] := ''

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
  AND: ChildNum > 0
  AND: In loop FOR Count1 := 2 TO ChildNum
  AND: NOT (Count1 = ChildNum)
  AND: OPFName = RESPONSE
  AND: PFName = RESPONSE
  AND: In loop FOR Idx := 1 TO PNoChar

```

PFNameX := (PFNameX + AVar2[Idx])

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
            AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
            AND: ChildNum > 0
            AND: In loop FOR Count1 := 2 TO ChildNum
            AND: NOT (Count1 = ChildNum)
            AND: OPFName = RESPONSE
```

EFName := PFNameX

FRS0805B.BU[] (continued)**Benefit Unit Schedule**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0
AND: In loop FOR Count1 := 2 TO ChildNum
AND: NOT (Count1 = ChildNum)

ChildNames := (ChildNames + ', ' + TmpName)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: ChildNum > 0

ChildNames := (ChildNames + '), ')

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

FRS0805B.BU[].IncChnge

^I^NameDisp@^I^IS^I N7^I

^N^X Now I'd like you to compare your^B present^B income with your income of twelve months ago. By income I mean money coming in regularly from any source, such as the ones on this card.

^Thinking_of^ChildNames^would you say your^B present^B income is higher, lower, or about the same as your income of 12 months ago?

'Regular' income is from jobs, pensions, benefits, maintenance and savings & investments. Exclude one-off sources of income such as grants, loans, redundancy payments, and living off capital.^N

^I^BLU^IC This is a question of opinion.^I

- | | | |
|-----|------|-----------------------|
| (1) | High | Present income higher |
| (2) | Low | Present income lower |
| (3) | Same | About the same |
-

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY

FRS0805B.BU[].BUTime

^N End time in Benefit Unit (displayed for testing only)^N

TIME

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: BUTime = EMPTY AND IncChnge <> EMPTY

BUTime := SYSTIME

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: BUTime.ABSTIME >= BenSTime.ABSTIME

BUMins := ((BUTime.ABSTIME - BenSTime.ABSTIME) / 60000)

DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: Test = Yes

FRS0805B.BU[].BUTime

^N End time in Benefit Unit (displayed for testing only)^N

TIME

DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: Test = Yes

FRS0805B.BU[].BUMins

^N Total minutes in benefit unit (displayed for testing only)^N

0.00..9997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: IncChnge IN [High, Low]
AND: IncChnge = High

higher_lower := 'higher'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: IncChnge IN [High, Low]
AND: NOT (IncChnge = High)

higher_lower := 'lower'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: IncChnge IN [High, Low]

FRS0805B.BU[].IncHiLow

^I^NameDisp^I

^IS^IN8^I

^N I would like you to think about how much ^higher_lower your PRESENT income is, compared to 12 months ago. Which one of the categories on this card best describes your change in PRESENT income?

^B@|@|Annual@|@|Monthly@|@|Weekly^B

^B 1.^B@|Up to|@|£2,500|@|@|£200|@|@|£50

^B 2.^B@|From |@|£2,501 - £5,500|@|£201 - £450|@|£51 - £100

^B 3.^B@|@|£5,501 - £8,000|@|£451 - £650|@|£101 - £150

^B 4.^B@|@|£8,001 - £10,000|@|£651 - £800|@|£151 - £200

^B 5.^B@|@|£10,001 or more|@|£801 or more|@|£201 or more.^N

- | | | |
|-----|----------|------------------------------------|
| (1) | Less2500 | Up to £2,500 ^higher_lower |
| (2) | Less5500 | From £2,501 - £5,500 ^higher_lower |
| (3) | Less8000 | £5,501 - £8,000 ^higher_lower |
| (4) | Less10K | £8,001 - £10,000 ^higher_lower |
| (5) | Over10K | £10,001 or more ^higher_lower |

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (((AdultNum = 1) AND (QNTaxCrd.Adult[1].TaxNotr = No)) OR
QNTaxCrd.Adult[1].NTCDat = NONRESPONSE) OR (((AdultNum = 2) AND
((QNTaxCrd.Adult[1].TaxNotr = No) OR QNTaxCrd.Adult[1].NTCDat =
NONRESPONSE)) OR (QNTaxCrd.Adult[2].TaxNotr = No)) OR
QNTaxCrd.Adult[2].NTCDat = NONRESPONSE)
AND: NatCen = Yes

O3 := '@|'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (((AdultNum = 1) AND (QNTaxCrd.Adult[1].TaxNotr = No)) OR
QNTaxCrd.Adult[1].NTCDat = NONRESPONSE) OR (((AdultNum = 2) AND
((QNTaxCrd.Adult[1].TaxNotr = No) OR QNTaxCrd.Adult[1].NTCDat =
NONRESPONSE)) OR (QNTaxCrd.Adult[2].TaxNotr = No)) OR
QNTaxCrd.Adult[2].NTCDat = NONRESPONSE)

FRS0805B.BU[.IncOld

^I^NameDisp^I

^IS^I N9^I. ^NI would like you to think about your total household income between April ^FYearM1 and March ^FYear. Which one of the categories on this card best describes your annual income?

^B@|Annual@|@|@|Monthly@|@|@|Weekly^B

^B 1.^B@|£0 - £5,000@|@|@| £0 - £400@|@|@| £0 - £100

^B 2.^B@|£5,001 - £11,000@|@|^O3 £401 - £900@|@|@| £101 - £200

^B 3.^B@|£11,001 - £13,000@|@|^O3 £901 - £1,100@|@|@| £201 - £250

^B 4.^B@|£13,001 - £15,000@|@|^O3 £1,101 - £1,250@|@|^O3 £251 - £300

^B 5.^B@|£15,001 - £19,000@|@|^O3 £1,251 - £1,600@|@|^O3 £301 - £350

^B 6.^B@|£19,001 - £23,000@|@|^O3 £1,601 - £1,900@|@|^O3 £351 - £450

^B 7.^B@|£23,001 - £50,000@|@|^O3 £1,901 - £4,150@|@|^O3 £451 - £950

^B 8.^B@|£50,001 - £58,000@|@|^O3 £4,151 - £4,850@|@|^O3 £951 - £1,100

^B 9.^B@|£58,001 - £66,000@|@|^O3 £4,851 - £5,500@|@|^O3 £1,101 - £1,250

^B 10.^B@|£66,001 or above@|@|^O3 £5,501 or above@|@|^O3 £1,251 or above.^N

- | | | |
|------|---------|-------------------|
| (1) | Less5K | £0 - £5,000 |
| (2) | Less11K | £5,001 - £11,000 |
| (3) | Less13K | £11,001 - £13,000 |
| (4) | Less15K | £13,001 - £15,000 |
| (5) | Less19K | £15,001 - £19,000 |
| (6) | Less23K | £19,001 - £23,000 |
| (7) | Less50K | £23,001 - £50,000 |
| (8) | Less58K | £50,001 - £58,000 |
| (9) | Less66K | £58,001 - £66,000 |
| (10) | Over66K | £66,001 or above |

FRS0805B.BU[.QNS.Ad[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[10] := 'Capital Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[11] := 'Index-linked Certificates'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[12] := 'Fixed Interest Certificates'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[13] := 'Pensioner's Income Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[14] := 'SAYE'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[15] := 'Premium Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[16] := 'Income Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[17] := 'Deposit Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[18] := 'First Option Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[19] := 'Yearly Plan'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[20] := 'Fixed Rate Savings Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[21] := 'Guaranteed Equity Bonds'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum

assnam[22] := 'Endowment not linked to current mortgage'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes
AND: nsnum = 22

EndwTxt := '.
Please tell me the current value of the endowment.'

FRS0805B.BU[.QNS.Ad[.QNSAmt[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes

FRS0805B.BU[.QNS.Ad[.QNSAmt[.PersId

*** ^Names[k] *** @|@|@SAVINGS

^N You said ^You had ^assnam[nsnum]:^N
Person identifier.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes

FRS0805B.BU[.QNS.Ad[.QNSAmt[.AdCh

*** ^Names[k] *** @|@|@SAVINGS

^N You said ^You had ^assnam[nsnum]:^N

- (1) Adult Independent adult
- (2) Child Child or dependent adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes

FRS0805B.BU[.QNS.Ad[.QNSAmt[.NSAmt

*** ^Names[k] *** @|@|@SAVINGS

^N You said ^You had ^assnam[nsnum]:^N

^IS^I N10^I

^N In which group on this card does the value of the investment fall^EndwTxt?^N

- | | | |
|------|--------|-------------------|
| (1) | t50 | £1 - £50 |
| (2) | t100 | £51 - £100 |
| (3) | t250 | £101 - £250 |
| (4) | t500 | £251 - £500 |
| (5) | t1000 | £501 - £1000 |
| (6) | t2000 | £1001 - £2000 |
| (7) | t3000 | £2001 - £3000 |
| (8) | t5000 | £3001 - £5000 |
| (9) | t10000 | £5001 - £10,000 |
| (10) | t20000 | £10,001 - £20,000 |
| (11) | t30000 | £20,001 - £30,000 |
| (12) | more | £30,001 or over |

FRS0805B.BU[.QNS.Ad[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes

QNSAmt[nsnum].BenUnit := PBNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes

QNSAmt[nsnum].PersId := PPerson

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes

QNSAmt[nsnum].AdCh := PAdCh

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
AND: (TotSav IN [Upto1500, To25000 .. Ov40000, Coy]) OR TotSav =
NONRESPONSE
AND: In loop FOR k := 1 TO AdultNum
AND: In loop FOR nsnum := 10 TO 22
AND: PA[PPerson].A[nsnum].Asset = Yes

QNSAmt[nsnum].AsseType := nsnum

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: QAdInt5.Adult[AdultNum].OtInvA <> EMPTY
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]

NCDVAA := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]

CC := ''

FRS0805B.BU[.Assets

Assets Block

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: Edit = No

FRS0805B.BU[.Assets.Savings

^N

THERE ARE NOW A FEW QUESTIONS ABOUT SAVINGS AND INVESTMENTS.^N

(1) Continue Continue

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: Edit = No
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

AName := Names[[PersCont]

FRS0805B.BU[.Assets.QCurrAc[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

Account[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

Account[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

Account[pcount].Seq := pcount

FRS0805B.BU[.Assets.QCurrAc[.Account[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QCurrAc[.Account[.BenUnit

*** ^AName *** @|@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QCurrAc[.Account[.Person

*** ^AName *** @|@|@|@|ASSETS

Person Id.

0..14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

AsseType := 1

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QCurrAc[.Account[.Seq

*** ^AName *** @|@|@|@|ASSETS

Asset sequence number.

0..10

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
```

AdCh := Adult

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
```

LPNo := PPersCont

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
```

bank := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
```

nAccounts := 0

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: CurrAcc IN QAdInt1.Adult[LPNo].Accounts[ ]
```

KindTxt[1 := (N + ' ...Current Accounts')

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: CurrAcc IN QAdInt1.Adult[LPNo].Accounts[ ]
```

bank := 'Current'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: CurrAcc IN QAdInt1.Adult[LPNo].Accounts[
```

nAccounts := (nAccounts + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: NOT (CurrAcc IN QAdInt1.Adult[LPNo].Accounts[)
```

KindTxt[1 := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: Basic IN QAdInt1.Adult[LPNo].Accounts[
```

KindTxt[2 := (N + ' Basic Bank Accounts')

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: Basic IN QAdInt1.Adult[LPNo].Accounts[
  AND: bank =
```

bank := 'Basic bank'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: Basic IN QAdInt1.Adult[LPNo].Accounts[
  AND: NOT (bank =)
```

bank := (bank + ' / Basic bank')

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: Basic IN QAdInt1.Adult[LPNo].Accounts[
```

nAccounts := (nAccounts + 1)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: NOT (Basic IN QAdInt1.Adult[LPNo].Accounts[)
```

KindTxt[2 := ''

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: ppcount = 1
```

Order := 'first'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: PA[PersCont].A[1].Asset = Yes
  AND: In loop FOR pcount := 1 TO 5
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
  AND: ppcount = 1
```

first := 'first'

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[1].Asset = Yes
      AND: In loop FOR pcount := 1 TO 5
      AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
      Yes))
      AND: ppcount = 1
```

FRS0805B.BU[.Assets.QCurrAc[.Account[.AnyMon

*** ^AName *** @|@|@|@|ASSETS

^N Now I'd like to ask you about your ^bank account(s):
At the end of last (month/pay period), did you have any money left in your account(s), after your household expenditure?^N

^I^BLU^IC This includes any^B joint^B accounts.
^IncROI^I

- (1) Yes Yes - money in (one or more) account(s)
- (2) No No - no money in any ^bank account
- (3) Gone No longer have any ^bank account(s)

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[1].Asset = Yes
      AND: In loop FOR pcount := 1 TO 5
      AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
      Yes))
      AND: NOT (ppcount = 1)
```

Order := 'next'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[1].Asset = Yes
      AND: In loop FOR pcount := 1 TO 5
      AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
      Yes))
      AND: NOT (ppcount = 1)
```

first := 'next'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
      AND: TotSav IN [To3000, To8000, To20000]
      AND: In loop FOR PersCont := 1 TO AdultNum
      AND: PA[PersCont].A[1].Asset = Yes
      AND: In loop FOR pcount := 1 TO 5
      AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
      Yes))
      AND: nAccounts = 1
```

Which_Account := 'We will now deal with the following account
you have:'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: NOT (nAccounts = 1)

Which_Account := ('Which accounts shall we deal with ' + first + '?')

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)

FRS0805B.BU[.Assets.QCurrAc[.Account[.KindAc

*** ^AName *** @|@|@|@|ASSETS

^N ^Which_Account ^N^I^BLU Running prompt...^I

- (1) Current ^KindTxt[1]
 - (2) Basic ^KindTxt[2]
-

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
AND: KindAc = RESPONSE
(IN(ORD(KindAc), QADInt1.Adult[].Accounts[][LPNo])) AND INVOLVING(QADInt1.Adult[].Accounts[][LPNo], KindAc)

^I The code at 'KindAc' is not valid for this question. Check codes at Accounts^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)

FRS0805B.BU[.Assets.QCurrAc[.Account[.AccName

*** ^AName *** @|@|@|@|ASSETS

^N Is this account in your name only, or held jointly with someone else?^N

- (1) Sole In respondent's name only
 - (2) Joint Joint account
-

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
AND: AccName <> Sole
```

```
Joint_Share := ('
' + IC + ' For any joint ' + 'accounts, only give this
person's ' + 'share of the balance.
')
```

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
```

FRS0805B.BU[.Assets.QCurrAc[.Account[.MuchLeft

*** ^AName *** @|@|@|@|ASSETS

^N Roughly how much was left in the ^Order account at the end of last (month/pay period)?

^I^BLU^IncROI2^Joint_Share

Enter whole £'s only.^I

0.00..9999997.00

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
AND: Edit = No
MuchLeft < 4289
```

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
AND: ppcount < 4

FRS0805B.BU[.Assets.QCurrAc[.Account[.More

*** ^AName *** @|@|@|@|ASSETS

^I

Before entering 'No', ensure you have covered^B all^B accounts/investments of EACH type referred to in the question.^I

- (1) Yes Yes
- (2) No No, has no more ^bank accounts
- (3) HasOther No, has another ^bank account but it contains no money

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
AND: (AnyMon = Yes) OR (ppcount > 1)
AND: ppcount < 4
AND: ((ppcount = 1) AND (CurrAcc IN QAdInt1.Adult[LPNo].Accounts[]))
AND: (Basic IN QAdInt1.Adult[LPNo].Accounts[])
(More <> No) AND INVOLVING(QAdInt1.Adult[.Accounts[][LPNo],More)

You said you had both a Current Account and Basic Bank account, but you have only given details of one of these.

If the respondent has both Basic Bank and Current accounts, but has no money in the account for which they have not yet given details, please use code 3 'No, has another account but it contains no money'.

If the respondent does not have both of these accounts please amend the information that you have recorded at the Accounts question.

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QCurrAc[] (continued)

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: Account[pcount].More = No
AND: CurrAcc IN QAdInt1.Adult[PPersCont].Accounts[]
(((Account[1].KindAc = Current) OR (Account[2].KindAc = Current)) OR
(Account[3].KindAc = Current)) OR (Account[5].KindAc = Current)) AND
INVOLVING(QAdInt1.Adult[.Accounts[ ][PPersCont],Account[pcount].More)

```

You said you had a Current Account. ^I

If the respondent has a Current Account, but has no money in the account for which they have not yet given details, please use code 3 'No, has another account but it contains no money'.

If the respondent does not have this account please amend the information that you have recorded at the Accounts question.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: Account[pcount].More = No
AND: Basic IN QAdInt1.Adult[PPersCont].Accounts[]
(((Account[1].KindAc = Basic) OR (Account[2].KindAc = Basic)) OR
(Account[3].KindAc = Basic)) OR (Account[5].KindAc = Basic)) AND
INVOLVING(QAdInt1.Adult[.Accounts[ ][PPersCont],Account[pcount].More)

```

You said you had a Basic Bank Account. ^I

If the respondent has a Basic Bank Account, but has no money in the account for which they have not yet given details, please use code 3 'No, has another account but it contains no money'.

If the respondent does not have this account please amend the information that you have recorded at the Accounts question.^I

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: Account[pcount].More = No
RESERVECHECK

```

RESERVECHECK

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

```

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[1].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets (continued)**Assets Block**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: In loop FOR jj := 4 TO 5

SavAcc[jj] := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: In loop FOR jj := 4 TO 5
AND: PA[PersCont].A[jj - 2].Asset = Yes

SavAcc[jj] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[25].Asset = Yes

SavAcc[6] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: NOT (PA[PersCont].A[25].Asset = Yes)

SavAcc[6] := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[5].Asset = Yes

SavAcc[7] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: NOT (PA[PersCont].A[5].Asset = Yes)

SavAcc[7] := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[28].Asset = Yes

SavAcc[8] := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: NOT (PA[PersCont].A[28].Asset = Yes)

SavAcc[8] := 0

FRS0805B.BU[.Assets.QASaveAc[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

Account[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

Account[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

Account[pcount].Seq := pcount

FRS0805B.BU[.Assets.QASaveAc[.Account[

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

SavName[4] := 'NSB Ordinary/Easy Access Account'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

SavName[5] := 'NSB Investment Account'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

SavName[6] := 'ISA'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

SavName[7] := 'Savings Account'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

SavName[8] := 'Credit Union'

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
  (SavAcc[7] = 1) OR (SavAcc[8] = 1)
  AND: In loop FOR pcount := 1 TO 9
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
  Yes))

```

nSavings := 0

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
  (SavAcc[7] = 1) OR (SavAcc[8] = 1)
  AND: In loop FOR pcount := 1 TO 9
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
  Yes))
  AND: In loop FOR sx := 4 TO 8
  AND: SavAcc[sx] = 1

```

SavAccs := (SavAccs + SavName[sx] + '(s), ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
  (SavAcc[7] = 1) OR (SavAcc[8] = 1)
  AND: In loop FOR pcount := 1 TO 9
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
  Yes))
  AND: In loop FOR sx := 4 TO 8
  AND: SavAcc[sx] = 1

```

SavCodes := (SavCodes + STR(sx,1) + ': ' + SavName[sx] + ' ')

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
  (SavAcc[7] = 1) OR (SavAcc[8] = 1)
  AND: In loop FOR pcount := 1 TO 9
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
  Yes))
  AND: In loop FOR sx := 4 TO 8
  AND: SavAcc[sx] = 1

```

nSavings := (nSavings + 1)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
  AND: TotSav IN [To3000, To8000, To20000]
  AND: In loop FOR PersCont := 1 TO AdultNum
  AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
  (SavAcc[7] = 1) OR (SavAcc[8] = 1)
  AND: In loop FOR pcount := 1 TO 9
  AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
  Yes))
  AND: LEN (SavAccs) > 2
  AND: SUBSTRING (SavAccs, LEN (SavAccs) - 1, 2) = ,

```

SavAccs := SUBSTRING(SavAccs,1,LENGTH(SavAccs) - 2)

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

FRS0805B.BU[.Assets.QASaveAc[.Account[.BenUnit

*** ^AName *** @|@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

FRS0805B.BU[.Assets.QASaveAc[.Account[.Person

*** ^AName *** @|@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

FRS0805B.BU[.Assets.QASaveAc[.Account[.AsseType

*** ^AName *** @|@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

FRS0805B.BU[.Assets.QASaveAc[.Account[.Seq

*** ^AName *** @|@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QASaveAc[.Account[.Intro

*** ^AName *** @|@|@|@|ASSETS

^N Now I'd like to ask you about your ^SavAccs that you mentioned earlier.

Do you still have these accounts?^N

- (1) Still STILL has any such accounts
 - (2) Gone ALL such accounts now disposed of
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount = 1

first := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: NOT (ppcount = 1)

first := 'next'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: nSavings = 1

**Which_Savings := 'We will now deal with the following account
you have:'**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: NOT (nSavings = 1)

**Which_Savings := ('Which accounts shall we deal with ' + first
+ '?')**

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QASaveAc[.Account[.KindOf

*** ^AName *** @|@|@|@|ASSETS

^I Ask or record^I: ^Which_Savings

^SavCodes

4..8

```

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = RESPONSE
(SavAcc[KindOf] = 1) AND
INVOLVING(QAdInt1.Adult[.Accounts[ ][PersCont],KindOf)

```

^I The code at 'KindOf' is not valid for this question. Check codes at Accounts^I

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf IN [4 .. 5]

```

AsseType := (KindOf - 2)

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = 6

```

AsseType := 25

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = 7

```

AsseType := 5

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = 8

```

AsseType := 28

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = RESPONSE

AccDisp := SavName[KindOf]

DISPLAY IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = RESPONSE

FRS0805B.BU[.Assets.QASaveAc[.Account[.AccDisp

*** ^AName *** @|@|@|@|ASSETS

Displays kind of account currently dealt with.

STRING[22]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf IN [4 .. 5, 7 .. 8]

FRS0805B.BU[.Assets.QASaveAc[.Account[.AccName

*** ^AName *** @|@|@|@|ASSETS

^N Is this account in your name only, or held jointly with someone else?^N

- (1) Sole Sole account
- (2) Joint Joint account

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf IN [4 .. 5, 7 .. 8]
AND: AccName <> Sole

Joint_Share := ('
' + IC + ' For any joint accounts, only give ' + 'this
person's share of the balance.')

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QASaveAc[.Account[.MuchAcc

*** ^AName *** @|@|@|@|ASSETS

^I

For an ISA do not include any savings held in Life Insurance.^I

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: Edit = No
(AdCh = Adult) AND (MuchAcc < 12397)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check
that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < 9

FRS0805B.BU[.Assets.QASaveAc[.Account[.More

*** ^AName *** @|@|@|@|ASSETS

^I

Before entering 'No', ensure you have covered^B all^B accounts/investments of EACH type referred to in
the question.^I

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
AND: (pcount = 1) OR ((pcount > 1) AND (Account[pcount - 1].More =
Yes))
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QASaveAc[] (continued)

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
AND: In loop FOR pcount := 1 TO 9
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((SavAcc[4] = 1) OR (SavAcc[5] = 1)) OR (SavAcc[6] = 1)) OR
(SavAcc[7] = 1) OR (SavAcc[8] = 1)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[].Assets (continued)

Assets Block

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: In loop FOR jj := 6 TO 9

EType[jj] := 0

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: In loop FOR jj := 6 TO 9
AND: PA[PersCont].A[jj].Asset = Yes

EType[jj] := 1

FRS0805B.BU[.Assets.QAEquity[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)

TDo := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

Equity[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

Equity[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

Equity[pcount].Seq := pcount

FRS0805B.BU[.Assets.QAEquity[.Equity[

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

EquiName[6] := 'Government Gilt-edged stock'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

EquiName[7] := 'Unit Trusts/Investment Trusts'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

EquiName[8] := 'Stocks & Shares'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

EquiName[9] := 'PEP'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

nInvests := 0

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: In loop FOR ex := 6 TO 9
AND: EType[ex] = 1
    
```

```

EquiCodes := (EquiCodes + STR(ex,1) + ': ' + EquiName[ex] + '
')
    
```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: In loop FOR ex := 6 TO 9
AND: EType[ex] = 1
    
```

```

EquitTxt := (EquitTxt + EquiName[ex] + ', ')
    
```

```

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: In loop FOR ex := 6 TO 9
AND: EType[ex] = 1
    
```

```

nInvests := (nInvests + 1)
    
```

```

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
    
```

FRS0805B.BU[.Assets.QAEquity[.Equity[.BDo

```

*** ^AName ***@|@|@|ASSETS
    
```

- (1) Yes Yes
- (2) No No

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QAEquity[.Equity[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QAEquity[.Equity[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QAEquity[.Equity[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QAEquity[.Equity[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QAEquity[.Equity[.Intro

*** ^AName ***@|@|@|ASSETS

^N Now I'd like to ask you about your ^EquitTxt that you mentioned earlier.

Do you still have such assets?^N

- (1) Still STILL has any such assets
 - (2) Gone ALL such assets now disposed of
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: ppcount = 1

order := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: NOT (ppcount = 1)

order := 'next'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: nInvests = 1

Which_Invest := 'We will now deal with the following investment you have:'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: NOT (nInvests = 1)
```

```
Which_Invest := ('Which investment shall we deal with ' +
order + '?')
```

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
```

FRS0805B.BU[.Assets.QAEquity[.Equity[.KindOf

```
*** ^AName ***@|@|@|ASSETS
```

```
^N Now I'd like to deal with each investment in turn...
```

```
^I^BLU Ask or record: ^I ^Which_invest
```

```
^EquiCodes
```

```
6..9
```

```
CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
EType[[KindOf] = 1
```

```
^I The code at KindOf is not valid for this question. ^I
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf IN [6 .. 9]
```

```
AsseType := KindOf
```

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = 6
```

Prompt := 'Please describe it as fully as possible.'

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf IN [7, 9]
```

Prompt := ('Please give the name of the company ' + B + 'and'
+ B + ' the name of the fund, policy, ' + 'bond, etc.')

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: KindOf = 8
```

Prompt := ('Please give the full name of the ' + 'company, and
describe the shares as ' + 'fully as possible.')

```
ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
```

FRS0805B.BU[.Assets.QAEquity[.Equity[.NameOf

*** ^AName ***@|@|@|ASSETS

^I

Give full details of the name of the company issuing or managing the shares/unit trusts/PEP, and the full name of the investment.^I

STRING[40]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR (EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: AsseType = 9

HowMany := 1

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR (EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: NOT (AsseType = 9)

FRS0805B.BU[.Assets.QAEquity[.Equity[.HowMany

*** ^AName ***@|@|@|ASSETS

^N How many shares/bonds/units do you hold?^N

^I For joint holdings, only give this person's share.^I

1..999997

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR (EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: NOT (AsseType = 9)
(HowMany <= 5000) OR HowMany=NONRESPONSE

^I Are you sure? Over 5000 sounds rather large for any individual holding. Please check your answer.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR (EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QAEquity[.Equity[.HowHold

*** ^AName ***@|@|@|ASSETS

^N Approximately how much is the value of that holding?^N

^I^IncROI3

Enter whole £'s only.

For joint holdings, only give this person's share.^I

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: Edit = No
(AdCh = Adult) AND (HowHold < 16574)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: AsseType = 6

FRS0805B.BU[.Assets.QAEquity[.Equity[.PlPeriod

*** ^AName ***@|@|@|ASSETS

^N What is the period of the plan?^N
^I War loans should be coded as undated (4)^I

- | | | |
|-----|---------|------------------------|
| (1) | UpTo5 | Up to 5 years (shorts) |
| (2) | UpTo15 | 5-15 years (mediums) |
| (3) | Over15 | Over 15 years (longs) |
| (4) | Undated | Undated |

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])

BDo := Yes

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])

FRS0805B.BU[.Assets.QAEquity[.Equity[.Spare

*** ^AName ***@|@|@|ASSETS

^I

For edit use, enter amount.

To leave it for now, press <Enter> and suppress warning.

If amount cannot be established, code Don't know <Ctrl+K>.^I

0.00..9999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])
AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)

BDO := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ((Edit = Yes) AND HowHold <> EMPTY) AND (KindOf IN [6 .. 8])
(Spare = RESPONSE) OR (Spare = DONTKNOW)

^I A value is given for shares/bonds/units, this can be checked.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < 10

FRS0805B.BU[.Assets.QAEquity[.Equity[.More

*** ^AName ***@|@|@|ASSETS

^I

Before entering 'No', ensure you have covered^B all^B accounts/investments of EACH type referred to in the question.^I

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
RESERVECHECK
```

RESERVECHECK

FRS0805B.BU[.Assets.QAEquity[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
AND: (pcount = 1) OR ((pcount > 1) AND (Equity[pcount - 1].More = Yes))
AND: Equity[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
AND: In loop FOR pcount := 1 TO 10
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR
(EType[9] = 1)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[].Assets (continued)

Assets Block

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU  
  AND: TotSav IN [To3000, To8000, To20000]  
  AND: In loop FOR PersCont := 1 TO AdultNum  
  AND: (((EType[6] = 1) OR (EType[7] = 1)) OR (EType[8] = 1)) OR  
  (EType[9] = 1)  
  AND: QAEquity[PersCont].TDo = Yes
```

IAssDo := Yes

FRS0805B.BU[.Assets.QACertif]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)

TDo := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

Certif[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

Certif[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

Certif[pcount].Seq := pcount

FRS0805B.BU[.Assets.QACertif[.Certif[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QACertif[.Certif[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QACertif[.Certif[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QACertif[.Certif[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QACertif[.Certif[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

AdCh := Adult

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))

LPNo := PersCont

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QACertif[.Certif[.Intro

*** ^AName ***@|@|@|ASSETS

^N Now I'd like to ask you about your Index-Linked and Fixed Interest Certificates, dealing with each issue in turn.^N

^I^BLU Interviewer code:^I

(1) Still TO CONTINUE

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: ppcount = 1

order := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: NOT (ppcount = 1)

order := 'next'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QACertif[.Certif[.Issue

*** ^AName ***@|@|@|ASSETS

^N What is the ^order issue that you hold?^N

^I^BLU^IC If issue number not known, enter DK, and establish whether^B Index-linked^B or^B Fixed Interest^B at the next question.^I

STRING[20]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QACertif[.Certif[.IdxFix

*** ^AName ***@|@|@|ASSETS

^I^BLU^IC Is this issue Index-linked or Fixed Interest?^I

- (1) Index Index-linked
- (2) FixInt Fixed Interest

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: BU[PPBU].QAdInt5.Adult[LPNo].OtInvA[] = RESPONSE
AND: IdxFix = Index
(IN(IdxCrt,BU[.QAdInt5.Adult[.OtInvA[][PPBU,LPNo])) AND INVOLVING(IdxFix)

^I Previously, in the Benefit Unit questionnaire (OtInvA), you recorded some Fixed Interest Certificates, but no Index-linked Certificates. If the respondent has any Index-linked Certificates, please go back and change OtInvA, else change here (at IdxFix).^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: BU[PPBU].QAdInt5.Adult[LPNo].OtInvA[] = RESPONSE
AND: IdxFix = FixInt
(IN(FixCrt,BU[.QAdInt5.Adult[.OtInvA[][PPBU,LPNo])) AND INVOLVING(IdxFix)

^I Previously, in the Benefit Unit questionnaire (OtInvA), you recorded some Index-linked Certificates, but no Fixed Interest Certificates. If the respondent has any Fixed Interest Certificates, please go back and change OtInvA, else change here (at IdxFix).^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QACertif[.Certif[.IssDate

*** ^AName ***@|@|@|ASSETS

^N When did you acquire that issue?^N

^I Enter date (If day not known, enter 15th of month).

DATE

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
(IssDate <= QSignIn.StartDat) OR IssDate=NONRESPONSE

^I You have entered a future date, please amend.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
(IssDate.YEAR > 1920) OR IssDate=NONRESPONSE

^I Please check, this seem too long ago.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
AND: IssDate = RESPONSE
AND: IssDate.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(IssDate)

^I That was before the respondent was born. Check your answer please.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QACertif[.Certif[.IssVal

*** ^AName ***@|@|@|ASSETS

^N What was the total value of the certificate when you acquired it?^N

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: Edit = No
(AdCh = Adult) AND (IssVal < 9001)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND IssVal <> EMPTY

BDo := Yes

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND IssVal <> EMPTY

FRS0805B.BU[.Assets.QACertif[.Certif[.Spare

*** ^AName ***@|@|@|ASSETS

^I For edit use, enter amount.

To leave it for now, press <Enter> and suppress warning.

If amount cannot be established, code Don't know <Ctrl+K>.^I

0.00..9999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND IssVal <> EMPTY
AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)

BDo := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND IssVal <> EMPTY
(Spare = RESPONSE) OR (Spare = DONTKNOW)

^I A value is given for National Savings and Investments Certificates, this can be checked.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < 5

FRS0805B.BU[.Assets.QACertif[.Certif[.More

*** ^AName ***@|@|@|ASSETS

^I

Before entering 'No', ensure you have covered^B all^B accounts/investments of EACH type referred to in the question.^I

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QACertif] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (Certif[pcount - 1].More = Yes))
AND: Certif[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets (continued)**Assets Block**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
AND: QACertif[PersCont].Certif[idx].IdxFix = Index

QACertif[PersCont].Certif[idx].AsseType := 11

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
AND: QACertif[PersCont].Certif[idx].IdxFix = FixInt

QACertif[PersCont].Certif[idx].AsseType := 12

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
AND: QACertif[PersCont].Certif[idx].IdxFix = NONRESPONSE
AND: PA[PersCont].A[11].Asset = Yes

QACertif[PersCont].Certif[idx].AsseType := 11

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
AND: QACertif[PersCont].Certif[idx].IdxFix = NONRESPONSE
AND: PA[PersCont].A[12].Asset = Yes

QACertif[PersCont].Certif[idx].AsseType := 12

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
AND: QACertif[PersCont].Certif[idx].IdxFix = NONRESPONSE
AND: NOT (PA[PersCont].A[12].Asset = Yes)

QACertif[PersCont].Certif[idx].AsseType := 11

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: In loop FOR idx := 1 TO 5
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[11].Asset = Yes) OR (PA[PersCont].A[12].Asset = Yes)
AND: QACertif[PersCont].TDo = Yes

IAssDo := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

QPGIB[PersCont].BenUnit := BNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

QPGIB[PersCont].Person := PersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

QPGIB[PersCont].AsseType := 13

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

QPGIB[PersCont].Seq := 1

FRS0805B.BU[.Assets.QPGIB[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

FRS0805B.BU[.Assets.QPGIB[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

FRS0805B.BU[.Assets.QPGIB[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

FRS0805B.BU[.Assets.QPGIB[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

FRS0805B.BU[.Assets.QPGIB[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes

FRS0805B.BU[.Assets.QPGIB[.Intro

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask about your PENSIONER'S GUARANTEED INCOME BOND.^N

^I^BLU Interviewer code:

(1) Still TO CONTINUE

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still

FRS0805B.BU[.Assets.QPGIB[.PGIBVal

*** ^AName ***@|@|@|ASSETS

^N

What is the total value of the Pensioner's Guaranteed Income Bond that you hold?^N

^I^BLU Enter whole £'s only.

Interviewer: If bond held^B jointly^B, only give this person's share.^I

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still
AND: Edit = No
PGIBVal < 15615

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still
AND: Edit = No
(PGIBVal <= 100000) OR PGIBVal=NONRESPONSE

^I Are you sure?

The maximum value for Pensioner's Guaranteed Income Bonds is £100,000. Please amend the amount or explain circumstances in a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
AND: Intro = Still
AND: Edit = No
(PGIBVal >= 500) OR PGIBVal=NONRESPONSE

^I Are you sure?

The minimum value for Pensioner's Guaranteed Income Bonds is £500. Please amend the amount or explain circumstances in a Note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[13].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QSAYE[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes

TDo := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

SAYE[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

SAYE[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

SAYE[pcount].AsseType := 14

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

SAYE[pcount].Seq := pcount

FRS0805B.BU[.Assets.QSAYE[.SAYE[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QSAYE[.SAYE[.BenUnit

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QSAYE[.SAYE[.Person

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QSAYE[.SAYE[.AsseType

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QSAYE[.SAYE[.Seq

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QSAYE[.SAYE[.II

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask you about your Save-As-You-Earn (SAYE) schemes dealing with each one in turn.^N

^I Interviewer code:^I

(1) Still TO CONTINUE

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: ppcount = 1

order := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: NOT (ppcount = 1)

order := 'next'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))

LPNo := PersCont

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.TT

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Thinking of the ^order scheme, is this a NATIONAL SAVINGS AND INVESTMENTS scheme, or is it with a^B bank^B or^B building society^B?^N

- (1) NatSav National Savings & Investments
 - (2) Bank Bank/Building Society
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (TT = NatSav) OR (TT = DONTKNOW)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.IssHold

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Which issue do you hold?^N

STRING[20]

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.SAYEDat

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

When did you start the SAYE?^N

^I Enter date (If day not known, enter 15th of month)^^I.

DATE

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
(SAYEDat <= QSignIn.StartDat) OR SAYEDat=NONRESPONSE

^I You have entered a future date, please amend.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
(SAYEDat.YEAR > 1920) OR SAYEDat=NONRESPONSE

^I Please check, this seem too long ago.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
AND: SAYEDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(SAYEDat)

^I That was before the respondent was born. Check your answer please.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.SAYEPd

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I Interviewers: under the current SAYE schemes, savers can choose a 3, 5 or 7 year period. So on recent SAYE schemes (since 1995) you would only expect answers of 3, 5 or 7.^I

1..40

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.Amount

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

How much do you regularly pay?^N

0.00..9999997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (Amount = RESPONSE) AND (Amount > 0)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.SAYEPx

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I^BLU^IC^Pd97Tt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (Amount = RESPONSE) AND (Amount > 0)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.Pd

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

How long does this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (Amount = RESPONSE) AND (Amount > 0)
AND: Pd = Note

FRS0805B.BU[.Assets.QSAYE[.SAYE[.SAYEPx

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I^BLU^IC^Pd97Ttxt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QSAYE[.SAYE[.AmtNow

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Approximately how much is there in the SAYE. now?^N

^I Enter whole £'s only.^I

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: Edit = Yes
Pd <> Note

^I EDITOR: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: Edit = No
AND: TT = NatSav
((SAYEDat.YEAR < 1994) OR ((SAYEDat.YEAR = 1994) AND (SAYEDat.MONTH < 12))) AND INVOLVING(SAYEDat)

^I Are you sure? Save As You Earn ended in Nov 1994 (although schemes starting before then are still valid). Please check with the respondent.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: Edit = No
AmtNow < 5231

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: Edit = No
AND: (AmtNow > 12000) AND AmtNow <> NONRESPONSE
TT = NatSav

^I Are you sure? The value of National Savings and Investments SAYE schemes cannot normally exceed £12000. Please check your answer.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY

BDo := Yes

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY

FRS0805B.BU[.Assets.QSAYE[.SAYE[.Spare

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I

For edit use, enter amount.

To leave it for now, press <Enter> and suppress warning.

If amount cannot be established, code Don't know <Ctrl+K>.^I

0.00..9999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY
AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)

BDo := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY
(Spare = RESPONSE) OR (Spare = DONTKNOW)

^I A value is given for SAYE, this can be checked.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: (II = Still) OR (ppcount > 1)
AND: ppcount < 5

FRS0805B.BU[.Assets.QSAYE[.SAYE[.More

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I

Before entering 'No', ensure you have covered^B all^B accounts/investments of EACH type referred to in the question.^I

- (1) Yes Yes
- (2) No No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QSAYE[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (SAYE[pcount - 1].More = Yes))
AND: SAYE[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets (continued)

Assets Block

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[14].Asset = Yes
AND: QSAYE[PersCont].TDo = Yes

IAssDo := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

QPremium[PersCont].BenUnit := BNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

QPremium[PersCont].Person := PersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

QPremium[PersCont].AsseType := 15

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

QPremium[PersCont].Seq := 1

FRS0805B.BU[.Assets.QPremium[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

FRS0805B.BU[.Assets.QPremium[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

FRS0805B.BU[.Assets.QPremium[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

FRS0805B.BU[.Assets.QPremium[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

FRS0805B.BU[.Assets.QPremium[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

AdCh := Adult

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

CPBonds := UPCASE(PBonds)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes

FRS0805B.BU[.Assets.QPremium[.Prem

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask about your ^CPBonds.

What is the total value of your ^PBonds?^N

^I Enter whole £'s only.

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
AND: Edit = No
AND: AsseType = 15
(AdCh = Adult) AND (Prem < 10001)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. Premium bonds can have a maximum of £30,000 in them. If so, suppress warning and continue but make a note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[15].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets (continued)

Assets Block

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

QNSIB[PersCont].BenUnit := BNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

QNSIB[PersCont].Person := PersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

QNSIB[PersCont].Seq := 1

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

QNSIB[PersCont].AsseType := 16

FRS0805B.BU[.Assets.QNSIB[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

FRS0805B.BU[.Assets.QNSIB[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

FRS0805B.BU[.Assets.QNSIB[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

FRS0805B.BU[.Assets.QNSIB[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

FRS0805B.BU[.Assets.QNSIB[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes

FRS0805B.BU[.Assets.QNSIB[.Intro

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask about your NATIONAL SAVINGS & INVESTMENTS INCOME BONDS.^N

^I^BLU Interviewer code:^I

(1) Still TO CONTINUE

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
AND: Intro = Still

FRS0805B.BU[.Assets.QNSIB[.NSIB

*** ^AName ***@|@|@|ASSETS

^N

You said that you have some National Savings & Investments Income Bonds.
How many Income Bonds do you have?^N

0..999997

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
AND: Intro = Still

FRS0805B.BU[.Assets.QNSIB[.NSIBVal

*** ^AName ***@|@|@|ASSETS

^N

What is the total value of the National Savings & Investments Income Bonds that you hold?^N

^I^BLU Enter whole £'s only.^I

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
AND: Intro = Still
AND: Edit = No
(AdCh = Adult) AND (NSIBVal < 14798)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[16].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QABonds[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)

TDo := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

Bond[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

Bond[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

Bond[pcount].Seq := pcount

FRS0805B.BU[.Assets.QABonds[.Bond[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QABonds[.Bond[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QABonds[.Bond[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QABonds[.Bond[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QABonds[.Bond[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QABonds[.Bond[.Intro

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask about your ^bondname Bonds, dealing with each issue in turn.^N

^I^BLU Interviewer code:^I

(1) Still TO CONTINUE

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: ppcount = 1

order := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: NOT (ppcount = 1)

order := 'next'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))

LPNo := PersCont

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: BondType = 1

FRS0805B.BU[.Assets.QABonds[.Bond[.CapDep

*** ^AName ***@|@|@|ASSETS

^I^BLU^IC Is this bond a Capital Bond or a Deposit Bond?^I

- (1) Capital Capital Bond
 - (2) Deposit Deposit Bond
-

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: BondType = 1
AND: BU[PPBU].QAdInt5.Adult[LPNo].OtInvA[] = RESPONSE
AND: CapDep = Capital
(IN(NSCapBnd,BU[].QAdInt5.Adult[].OtInvA[][PPBU,LPNo])) AND INVOLVING(CapDep)

^I Previously, in the Benefit Unit questionnaire, you recorded some Deposit Bonds, but no Capital Bonds. If the respondent has any Capital Bonds, please go back and change in the BU qu'aire, else change here (at CapDep).^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: BondType = 1
AND: BU[PPBU].QAdInt5.Adult[LPNo].OtInva[] = RESPONSE
AND: CapDep = Deposit
(IN(NSDepBnd,BU[.QAdInt5.Adult[.OtInva[][PPBU,LPNo])) AND INVOLVING(CapDep)

^I Previously, in the Benefit Unit questionnaire, you recorded some Capital Bonds, but no Deposit Bonds. If the respondent has any Deposit Bonds, please go back and change in the BU qu'aire, else change here (at CapDep).^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QABonds[.Bond[.BondDat

*** ^AName ***@|@|@|ASSETS

^N Thinking of the ^order bond, when did you acquire it?^N

^I^BLU Enter date (If day not known, enter 15th of month).^I

DATE

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
(BondDat <= QSignIn.StartDat) OR BondDat=NONRESPONSE

^I You have entered a future date, please amend.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
(BondDat.YEAR > 1920) OR BondDat=NONRESPONSE

^I Please check, this seem too long ago.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: BondDat = RESPONSE
AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
AND: BondDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(BondDat)

^I That was before the respondent was born. Check your answer please.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (CapDep = Deposit) AND (BondDat.YEAR >= 1989)
ERROR

^I Deposit bonds were withdrawn from sale in 1988. Please check that the date has been entered correctly and that the correct type of bond has been entered.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (CapDep = Deposit) AND (QSignIn.StartDat >= TODATE (2002, 7, 1))
ERROR

^I Deposit bonds were all redeemed in June 2002. Please check that the correct type of bond has been entered.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: CapDep = Capital

is_value := 'was the original value'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: NOT (CapDep = Capital)

is_value := 'is the total value'

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QABonds[.Bond[.BondVal

*** ^AName ***@|@|@|ASSETS

^N

What ^is_value of the bond?^N

^I^BLU Enter whole £'s only.^I

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (BondType = 1) AND BondVal <> NONRESPONSE
AND: Edit = No
(AdCh = Adult) AND (BondVal < 7001)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (BondType = 1) AND BondVal <> NONRESPONSE
AND: CapDep = Capital

FRS0805B.BU[.Assets.QABonds[.Bond[.BondSer

*** ^AName ***@|@|@|ASSETS

^N

What is the series number of the bond?^N

0..97

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY

BDo := Yes

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY

FRS0805B.BU[.Assets.QABonds[.Bond[.Spare

*** ^AName ***@|@|@|ASSETS

^I

For edit use, enter amount.

To leave it for now, press <Enter> and suppress warning.

If amount cannot be established, code Don't know <Ctrl+K>.^I

0.00..9999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY
AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)

BDo := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY
(Spare = RESPONSE) OR (Spare = DONTKNOW)

^I A value is given for ^bondname Bonds, this can be checked.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < PMax

FRS0805B.BU[.Assets.QABonds[.Bond[.More

*** ^AName ***@|@|@|ASSETS

^I

Before entering 'No', ensure you have covered^B all^B accounts/investments of EACH type referred to in the question.^I

- | | | |
|-----|-----|-----|
| (1) | Yes | Yes |
| (2) | No | No |

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QABonds[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR pcount := 1 TO 6
AND: (pcount = 1) OR ((pcount > 1) AND (Bond[pcount - 1].More = Yes))
AND: Bond[pcount].BDo = Yes

TDo := Yes

FRS0805B.BU[.Assets (continued)**Assets Block**

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: QABonds[PersCont].TDo = Yes

IAssDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
AND: QABonds[PersCont].Bond[idx].CapDep = Capital

QABonds[PersCont].Bond[idx].AsseType := 10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
AND: QABonds[PersCont].Bond[idx].CapDep = Deposit

QABonds[PersCont].Bond[idx].AsseType := 17

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
AND: QABonds[PersCont].Bond[idx].CapDep = NONRESPONSE
AND: PA[PersCont].A[10].Asset = Yes

QABonds[PersCont].Bond[idx].AsseType := 10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
AND: QABonds[PersCont].Bond[idx].CapDep = NONRESPONSE
AND: PA[PersCont].A[17].Asset = Yes

QABonds[PersCont].Bond[idx].AsseType := 17

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: (PA[PersCont].A[10].Asset = Yes) OR (PA[PersCont].A[17].Asset = Yes)
AND: In loop FOR idx := 1 TO 6
AND: QABonds[PersCont].Bond[idx].CapDep = NONRESPONSE
AND: NOT (PA[PersCont].A[17].Asset = Yes)

QABonds[PersCont].Bond[idx].AsseType := 10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

QFirstOp[PersCont].BenUnit := BNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

QFirstOp[PersCont].Person := PersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

QFirstOp[PersCont].AsseType := 18

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

QFirstOp[PersCont].Seq := 1

FRS0805B.BU[.Assets.QFirstOp[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

FRS0805B.BU[.Assets.QFirstOp[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

FRS0805B.BU[.Assets.QFirstOp[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

FRS0805B.BU[.Assets.QFirstOp[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

FRS0805B.BU[.Assets.QFirstOp[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

AdCh := Adult

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

CPBonds := UPCASE(PBonds)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes

FRS0805B.BU[.Assets.QFirstOp[.Prem

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask about your ^CPBonds.

What is the total value of your ^PBonds?^N

^I Enter whole £'s only.

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
AND: Edit = No
AND: AsseType = 15
(AdCh = Adult) AND (Prem < 10001)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. Premium bonds can have a maximum of £30,000 in them. If so, suppress warning and continue but make a note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[18].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets (continued)

Assets Block

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

QYPlan[PersCont].BenUnit := BNum

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

QYPlan[PersCont].Person := PersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

QYPlan[PersCont].AsseType := 19

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

QYPlan[PersCont].Seq := 1

FRS0805B.BU[.Assets.QYPlan[]

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

FRS0805B.BU[.Assets.QYPlan[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

FRS0805B.BU[.Assets.QYPlan[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

FRS0805B.BU[.Assets.QYPlan[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

FRS0805B.BU[.Assets.QYPlan[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

AdCh := Adult

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

CPBonds := UPCASE(PBonds)

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes

FRS0805B.BU[.Assets.QYPlan[.Prem

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask about your ^CPBonds.

What is the total value of your ^PBonds?^N

^I Enter whole £'s only.

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
AND: Edit = No
AND: AsseType = 15
(AdCh = Adult) AND (Prem < 10001)

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. Premium bonds can have a maximum of £30,000 in them. If so, suppress warning and continue but make a note.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[19].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QFixRate[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes

TDo := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

FRBond[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

FRBond[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

FRBond[pcount].Seq := pcount

FRS0805B.BU[.Assets.QFixRate[.FRBond[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QFixRate[.FRBond[.BenUnit

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QFixRate[.FRBond[.Person

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QFixRate[.FRBond[.AsseType

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QFixRate[.FRBond[.Seq

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QFixRate[.FRBond[.Intro

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N Now I'd like to ask you about your Fixed Rate Savings Bonds, dealing with each issue in turn.^N

^I^BLU Interviewer code:^I

(1) Still TO CONTINUE

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: ppcount = 1

order := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: NOT (ppcount = 1)

order := 'next'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))

LPNo := PersCont

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QFixRate[.FRBond[.Issue

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N What is the ^order issue that you hold?^N

1..20

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QFixRate[.FRBond[.BondDat

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N In which month and year did you acquire that issue?^N

^I Enter date, using '15th' for day of month.^I

DATE

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
AND: BondDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(BondDat)

^I That was before the respondent was born. Check your answer please.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QFixRate[.FRBond[.BondVal

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N What was the original value of the bond?^N

0.00..99999997.00

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QFixRate[.FRBond[.BondPd

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

What is the period of your Fixed Rate Savings Bond?^N

- (1) OneYear One Year
- (2) ThrYear Three Years
- (3) FivYear Five Years

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QFixRate[.FRBond[.BondType

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Do you receive a monthly income from the bond or is the interest added to the bond?^N

- (1) Monthly Monthly income
- (2) Added Interest added to bond value

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY

BDo := Yes

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY

FRS0805B.BU[.Assets.QFixRate[.FRBond[.Spare

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I

For edit use, enter amount.

To leave it for now, press <Enter> and suppress warning.

If amount cannot be established, code Don't know <Ctrl+K>.^I

0.00..9999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY
AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)

BDO := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND BondVal <> EMPTY
(Spare = RESPONSE) OR (Spare = DONTKNOW)

^I A value is given for Fixed Rate Savings Bonds, this can be checked.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < 5

FRS0805B.BU[.Assets.QFixRate[.FRBond[.More

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Do you have any more Fixed Rate Savings Bonds^N

- (1) Yes Yes
- (2) No No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QFixRate[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (FRBond[pcount - 1].More = Yes))
AND: FRBond[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[20].Asset = Yes
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets (continued)

Assets Block

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU  
  AND: TotSav IN [To3000, To8000, To20000]  
  AND: In loop FOR PersCont := 1 TO AdultNum  
  AND: PA[PersCont].A[20].Asset = Yes  
  AND: QFixRate[PersCont].TDo = Yes
```

```
IAssDo := Yes
```

FRS0805B.BU[.Assets.QGEquity[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes

TDo := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

GEquity[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

GEquity[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

GEquity[pcount].AsseType := 21

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

GEquity[pcount].Seq := pcount

FRS0805B.BU[.Assets.QGEquity[.GEquity[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QGEquity[.GEquity[.BenUnit

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QGEquity[.GEquity[.Person

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QGEquity[.GEquity[.AsseType

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QGEquity[.GEquity[.Seq

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QGEquity[.GEquity[.Intro

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask you about your Guaranteed Equity Bond schemes dealing with each one in turn.^N

^I^BLU Interviewer code:^I

(1) Still TO CONTINUE

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: ppcount = 1

order := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: NOT (ppcount = 1)

order := 'next'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))

LPNo := PersCont

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QGEquity[.GEquity[.GEBType

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N Thinking of the ^order scheme is this a NATIONAL SAVINGS scheme or is it with a BANK or BUILDING SOCIETY?^N

- (1) NatSav National Savings
 - (2) Bank Bank / Building Society
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QGEquity[.GEquity[.GEBDat

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N
When did you start the Guaranteed Equity Bond?^N

^I Enter date (If day not known, enter 15th of month).^I

DATE

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
(GEBDat <= QSignIn.StartDat) OR GEBDat=NONRESPONSE

^I You have entered a future date, please amend.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ((QSignIn.StartDat = RESPONSE) AND (GEBDat = RESPONSE)) AND (AgeOf[LPNo] > 0)
AND: GEBDat.YEAR < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(GEBDat)

^I That was before the respondent was born. Check your answer please.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QGEquity[.GEquity[.GEBPd

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Is your scheme five, six or seven years?^N

^I^BLU^IC Under the current G.E.B. Scheme savers can choose a 5, 6 or 7 year period.^I

- (1) Five Five years
 - (2) Six Six Years
 - (3) Seven Seven years
 - (4) Other Other period (make a note of other period)
-

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QGEquity[.GEquity[.AmtNow

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^N

Approximately how much is there in the Guaranteed Equity Bonds now?^N

^I Enter whole £'s only.^I

0.00..9999997.00

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: Edit = No
AmtNow < 15000

^I WARNING: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY

BDo := Yes

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY

FRS0805B.BU[.Assets.QGEquity[.GEquity[.Spare

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I

For edit use, enter amount.

To leave it for now, press <Enter> and suppress warning.

If amount cannot be established, code Don't know <Ctrl+K>.^I

0.00..9999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY
AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)

BDo := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND AmtNow <> EMPTY
(Spare = RESPONSE) OR (Spare = DONTKNOW)

^I A value is given for GEquity, THIS can be checked.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < 5

FRS0805B.BU[.Assets.QGEquity[.GEquity[.More

*** ^AName ***@|@|@|ASSETS

*** ^AName ***@|@|@|ASSETS

^I

Before entering 'No', ensure you have covered^B all^B accounts/investments of EACH type referred to in the question.^I

- (1) Yes Yes
- (2) No No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets.QGEquity[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (GEquity[pcount - 1].More = Yes))
AND: GEquity[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[21].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

FRS0805B.BU[].Assets (continued)

Assets Block

```
COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU  
  AND: TotSav IN [To3000, To8000, To20000]  
  AND: In loop FOR PersCont := 1 TO AdultNum  
  AND: PA[PersCont].A[21].Asset = Yes  
  AND: QGEquity[PersCont].TDo = Yes
```

```
IAssDo := Yes
```

FRS0805B.BU[.Assets.QEndNLPr[]

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes

TDo := No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

EndNLPr[pcount].BenUnit := PBU

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

EndNLPr[pcount].Person := PPersCont

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

EndNLPr[pcount].AsseType := 22

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

EndNLPr[pcount].Seq := pcount

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.BenUnit

*** ^AName ***@|@|@|ASSETS

BU number

0..7

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.Person

*** ^AName ***@|@|@|ASSETS

Person Id.

0..14

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.AsseType

*** ^AName ***@|@|@|ASSETS

Type of asset

0..97

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.Seq

*** ^AName ***@|@|@|ASSETS

Asset sequence number.

0..10

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

AdCh := Adult

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: ppcount = 1

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.Intro

*** ^AName ***@|@|@|ASSETS

^N

Now I'd like to ask you about your endowments not linked to current property that you mentioned earlier.
Do you still have these?^N

- (1) Still STILL has any such accounts
 - (2) Gone ALL such accounts now disposed of
-

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: ppcount = 1

order := 'first'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: NOT (ppcount = 1)

order := 'next'

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))

LPNo := PersCont

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.EndDat

*** ^AName ***@|@|@|ASSETS

^N

Thinking of the ^order endowment when did you start it?^N

^I^BLU^IC Enter year.^I

1900..9997

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: EndDat = RESPONSE
EndDat <= QSignIn.StartDat.YEAR

^I You have entered a future date, please amend.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: EndDat = RESPONSE
AND: (QSignIn.StartDat = RESPONSE) AND (AgeOf[LPNo] > 0)
AND: EndDat < (QSignIn.StartDat.YEAR - AgeOf[LPNo])
ERROR AND INVOLVING(EndDat)

^I That was before the respondent was born. Check your answer please.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
RESERVECHECK

RESERVECHECK

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.EndPd

*** ^AName ***@|@|@|ASSETS

^N

What period was your endowment over when you bought it?^N

^I^BLU^IC Enter years.^I

1..100

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: EndPd = RESPONSE
EndPd <= 30

^I That seems very high. Please check your answer.^I

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: EndPd = RESPONSE
EndPd >= 10

^I That seems low. Please check your answer.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.Amount

*** ^AName ***@|@|@|ASSETS

^N

How much do you regularly pay?^N

0.00..9999997.00

RECORD IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Amount = RESPONSE) AND (Amount > 0)

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.EndPx

*** ^AName ***@|@|@|ASSETS

^I^BLU^IC^Pd97Tt^I

OPEN

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Amount = RESPONSE) AND (Amount > 0)

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.Pd

*** ^AName ***@|@|@|ASSETS

^N

How long does this cover?^N

- (1) OneWeek One week
- (2) TwoWeek Two weeks
- (3) ThrWeek Three weeks
- (4) Fourweek Four weeks
- (5) Month Calendar month
- (7) TwoMonth Two Calendar months
- (8) EighYear Eight times a year
- (9) NineYear Nine times a year
- (10) TenYear Ten times a year
- (13) ThrMonth Three months/13 weeks
- (26) SixMonth Six months/26 weeks
- (52) Year One Year/12 months/52 weeks
- (90) LessWeek Less than one week
- (95) LumpSum One off/lump sum
- (97) Note None of these ^I(Explain in a note)^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Amount = RESPONSE) AND (Amount > 0)
AND: Pd = Note

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.EndPx

*** ^AName ***@|@|@|ASSETS

^I^BLU^IC^Pd97Txt^I

OPEN

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: Edit = Yes
Pd <> Note

^I EDITOR: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.^I

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND Amount <> EMPTY

BDo := Yes

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND Amount <> EMPTY

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.Spare

*** ^AName ***@|@|@|ASSETS

^I

For edit use, enter amount.

To leave it for now, press <Enter> and suppress warning.

If amount cannot be established, code Don't know <Ctrl+K>.^I

0.00..9999997.00

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND Amount <> EMPTY
AND: (Spare = RESPONSE) OR (Spare = DONTKNOW)

BDO := No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: (Edit = Yes) AND Amount <> EMPTY
(Spare = RESPONSE) OR (Spare = DONTKNOW)

^I A value is given for EndNLPr, this can be checked.^I

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: (Intro = Still) OR (ppcount > 1)
AND: ppcount < 5

FRS0805B.BU[.Assets.QEndNLPr[.EndNLPr[.More

*** ^AName ***@|@|@|ASSETS

^N

Do you have any more endowments not linked to your current property?^N

- (1) Yes Yes
- (2) No No

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
RESERVECHECK

RESERVECHECK

```
WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More =
Yes))
RESERVECHECK

RESERVECHECK
```

FRS0805B.BU[.Assets.QEndNLPr[] (continued)

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
AND: (pcount = 1) OR ((pcount > 1) AND (EndNLPr[pcount - 1].More = Yes))
AND: EndNLPr[pcount].BDo = Yes

TDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: In loop FOR pcount := 1 TO 5
RESERVECHECK

RESERVECHECK

FRS0805B.BU[.Assets (continued)

Assets Block

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
AND: PA[PersCont].A[22].Asset = Yes
AND: QEndNLPr[PersCont].TDo = Yes

IAssDo := Yes

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

WARN IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum
RESERVECHECK

RESERVECHECK

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

CC := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: In loop FOR PersCont := 1 TO AdultNum

N := ''

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]

N := ''

ASK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: IAssDo = Yes

FRS0805B.BU[.Assets.AssDone

^I

EDITOR: The Assets Block still requires checking!
Do you wish to do it now?

Press <Ctrl E> to find suppressed warnings.
or 2 for 'No' to leave it until later.^I

- (1) Yes Yes
- (2) No No

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: IAssDo = Yes

AssDo := Yes

COMPUTE IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: NOT (IAssDo = Yes)

AssDone := Yes

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
AND: (Edit = Yes) AND (AssDone = Yes)
IAssDo <> Yes

^I EDITOR: The Assets section still requires checking!
Press <Enter> and <Ctrl E> to find suppressed warnings.^I

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK

FRS0805B.BU[] (continued)

Benefit Unit Schedule

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Loop1 := 1 TO NewBU
AND: TotSav IN [To3000, To8000, To20000]
RESERVECHECK

RESERVECHECK