2004 –Living in Wales Property Survey Data files

	Filename	Format	Description
1.	amenities	SPSS	Amenities presence and condition
2.	around	SPSS	Local area, drainage, driveways and pathways
3.	chimney	SPSS	Chimney presence and condition
4.	commacc	SPSS	Common access ways presence, fittings and condition
5.	common	SPSS	Common parts presence and condition and fire safety
6.	damppc	SPSS	Damp proof course presence and condition
7.	derived	SPSS	Derived variables
8.	doors	SPSS	Exterior doors presence and condition
9.	dormers	SPSS	Dormer and bay windows presence and condition
10.	elevate	SPSS	Elevation features
11.	firstimp	SPSS	Survey record information including first impression
12.	fitness	SPSS	Summary fitness assessment and individual components
13.	flatdets	SPSS	Flat details including dimensions
14.	interior	SPSS	Internal space presence and supporting information
15.	introoms	SPSS	Internal rooms condition
16.	numflats	SPSS	Flats within module
17.	plotlvl	SPSS	Exterior plot presence, dimensions and features
18.	plotwall	SPSS	Exterior boundary walls presence and condition
19.	roofcovr	SPSS	Roof covering presence and condition
20.	rooffeat	SPSS	Roof features presence and condition
21.	roofstru	SPSS	Roof structure presence and condition
22.	services	SPSS	Services presence and condition including lofts/attics
23.	shape	SPSS	Shape of module including any improvements
24.	shared	SPSS	Shared services, rooms, facilities presence and condition
25.	structur	SPSS	Structural issues presence and condition
26.	wallfin	SPSS	Exterior wall finish presence and condition
27.	wallstru	SPSS	Exterior wall structure presence and condition
28.	windows	SPSS	Exterior windows presence and condition
29.	SAP	SPSS	Energy efficiency SAP values
30.	Fuel poverty	SPSS	Fuel poverty
31.	Dwelling CO2 rate	SPSS	Energy efficiency C02 rates
32.	Environmental Impact Rate	SPSS	Energy efficiency Environmental Impact rates
33.	Repair costs	SPSS	Repair costs
34.	WHQS	SPSS	Welsh Housing Quality Standard

UK Data Archive Data Dictionary

File-level information:

File Name = sss20454_050912_v4_liw_ps_2004_repair_costs
Number of variables = 133
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 2 **Variable =** c1 **Variable label =** Ceilings
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 3 **Variable =** c2 **Variable label =** Floors
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 4 **Variable =** c3 **Variable label =** Internal walls
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 5 **Variable =** c4 **Variable label =** Internal doors
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 6 **Variable =** c5 **Variable label =** Stairs
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 7 **Variable =** c6 **Variable label =** Kitchen
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 8 **Variable =** c7 **Variable label =** Bath/WC
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 9 **Variable =** c8 **Variable label =** Services
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 10 **Variable =** c9 **Variable label =** Front Chimney
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 11 **Variable =** c10 **Variable label =** Front roof structure
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 12 **Variable =** c11 **Variable label =** Front roof covering
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 13 **Variable =** c12 **Variable label =** Front roof features
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 14 **Variable =** c13 **Variable label =** Front wall structure
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 15 **Variable =** c14 **Variable label =** Front wall finish

This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 16 **Variable =** c15 **Variable label =** Front bays
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 17 **Variable =** c16 **Variable label =** Front dormers
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 18 **Variable =** c17 **Variable label =** Front porch
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 19 **Variable =** c18 **Variable label =** Front conservatories and balconies
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 20 **Variable =** c19 **Variable label =** Front windows
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 21 **Variable =** c20 **Variable label =** Front doors
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 22 **Variable =** c21 **Variable label =** Front dpc
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 23 **Variable =** c22 **Variable label =** Back Chimney
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 24 **Variable =** c23 **Variable label =** Back roof structure
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 25 **Variable =** c24 **Variable label =** Back roof covering
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 26 **Variable =** c25 **Variable label =** Back roof features
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 27 **Variable =** c26 **Variable label =** Back wall structure
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 28 **Variable =** c27 **Variable label =** Back wall finish
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 29 **Variable =** c28 **Variable label =** Back bays
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 30 **Variable =** c29 **Variable label =** Back dormers
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 31 **Variable =** c30 **Variable label =** Back porch
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 32 **Variable =** c31 **Variable label =** Back conservatories and balconies
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 33 **Variable =** c32 **Variable label =** Back windows
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 34 **Variable =** c33 **Variable label =** Back doors
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 35 **Variable =** c34 **Variable label =** Back dpc
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 36 **Variable =** c35 **Variable label =** Boundary walls etc
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 37 **Variable =** c36 **Variable label =** Other plot works
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 38 **Variable =** c37 **Variable label =** CP - floors
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 39 **Variable =** c38 **Variable label =** CP - walls
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 40 **Variable =** c39 **Variable label =** CP - ceilings
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 41 **Variable =** c40 **Variable label =** CP - doors
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 42 **Variable =** c41 **Variable label =** CP - balustrades
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 43 **Variable =** c42 **Variable label =** CP - windows
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 44 **Variable =** c43 **Variable label =** CP - lighting
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 45 **Variable =** c44 **Variable label =** CP - Fire
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 46 **Variable =** c45 **Variable label =** Other WHQS costs
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 47 **Variable =** c46 **Variable label =** All interior
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 48 **Variable =** c47 **Variable label =** All amenities
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 49 **Variable =** c48 **Variable label =** All services
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 50 **Variable =** c49 **Variable label =** Front Exterior
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 51 **Variable =** c50 **Variable label =** Back Exterior
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 52 **Variable =** c51 **Variable label =** All Exterior
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 53 **Variable =** c52 **Variable label =** All common parts
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 54 **Variable =** c53 **Variable label =** Extensions
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 55 **Variable =** c54 **Variable label =** Total Welsh House Condition Survey costs
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 56 **Variable =** c55 **Variable label =** Front urgent costs (1998 base)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 57 **Variable =** c56 **Variable label =** Back urgent costs (1998 base)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 58 **Variable =** c57 **Variable label =** Total urgent costs (1998 base)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 59 **Variable =** c58 **Variable label =** All Other WHQS costs
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 60 **Variable =** c59 **Variable label =** Urgent costs, conservatories, balconies, boundary walls - Front
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 61 **Variable =** c60 **Variable label =** Urgent costs, conservatories, balconies, boundary walls - Back
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 62 **Variable =** c61 **Variable label =** Total urgent costs (2004 base)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 63 **Variable =** GR2 **Variable label =** Physical survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 64 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 65 **Variable =** hv21 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for hv21
Value = 1 Label = Owner occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

Pos. = 66 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for p2
Value = 1 Label = 18 to 29
Value = 2 Label = 30 to 44
Value = 3 Label = 45 to 64
Value = 4 Label = 65 and over

Pos. = 67 **Variable =** FODDTYPE **Variable label =** Dwelling Type
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1	Label = End terrace
Value = 2	Label = Mid terrace
Value = 3	Label = Semi detached
Value = 4	Label = Detached
Value = 5	Label = Temporary
Value = 6	Label = Purpose built
Value = 7	Label = Converted
Value = 8	Label = Non residential plus flat
Value = 9	Label = Unknown

Pos. = 68 **Variable =** FODCONST **Variable label =** Construction Date
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for FODCONST

Value = 1	Label = Pre 1850
Value = 2	Label = 1850-1899
Value = 3	Label = 1900-1918
Value = 4	Label = 1919-1944
Value = 5	Label = 1945-1964
Value = 6	Label = 1965-1974
Value = 7	Label = 1975-1980
Value = 8	Label = 1981-1990
Value = 9	Label = Post 1990

Pos. = 69 **Variable =** c1coded **Variable label =** Ceilings repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c1coded

Value = 1	Label = None
Value = 2	Label = From £1 to £99
Value = 3	Label = From £100 to £249
Value = 4	Label = From £250 to £499
Value = 5	Label = From £500 to £999
Value = 6	Label = From £1,000 to £4,999
Value = 7	Label = From £5,000 to £9,999
Value = 8	Label = £10,000 and over

Pos. = 70 **Variable =** c2coded **Variable label =** Floors repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c2coded

Value = 1	Label = None
Value = 2	Label = From £1 to £99
Value = 3	Label = From £100 to £249
Value = 4	Label = From £250 to £499
Value = 5	Label = From £500 to £999
Value = 6	Label = From £1,000 to £4,999
Value = 7	Label = From £5,000 to £9,999
Value = 8	Label = £10,000 and over

Pos. = 71 **Variable =** c3coded **Variable label =** Internal walls repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c3coded

Value = 1	Label = None
Value = 2	Label = From £1 to £99
Value = 3	Label = From £100 to £249
Value = 4	Label = From £250 to £499
Value = 5	Label = From £500 to £999
Value = 6	Label = From £1,000 to £4,999
Value = 7	Label = From £5,000 to £9,999
Value = 8	Label = £10,000 and over

Pos. = 72 **Variable =** c4coded **Variable label =** Internal doors repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c4coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 73 **Variable =** c5coded **Variable label =** Stairs repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c5coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 74 **Variable =** c6coded **Variable label =** Kitchen repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c6coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 75 **Variable =** c7coded **Variable label =** Bath/WC repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c7coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 76 **Variable =** c8coded **Variable label =** Services repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c8coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 77 **Variable =** c9coded **Variable label =** Front chimney repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c9coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499

Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 78 **Variable =** c10coded **Variable label =** Front roof structure repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c10coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 79 **Variable =** c11coded **Variable label =** Front roof covering repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c11coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 80 **Variable =** c12coded **Variable label =** Front roof features repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c12coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 81 **Variable =** c13coded **Variable label =** Front wall structure repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c13coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 82 **Variable =** c14coded **Variable label =** Front wall finish repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c14coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 83 **Variable =** c15coded **Variable label =** Front bays repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c15coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 84 **Variable =** c16coded **Variable label =** Front dormers repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c16coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 85 **Variable =** c17coded **Variable label =** Front porch repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c17coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 86 **Variable =** c18coded **Variable label =** Front conservatories and balconies repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c18coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 87 **Variable =** c19coded **Variable label =** Front windows repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c19coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 88 **Variable =** c20coded **Variable label =** Front doors repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c20coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249

Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 89 **Variable =** c21coded **Variable label =** Front dpc repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c21coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 90 **Variable =** c22coded **Variable label =** Back chimney repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c22coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 91 **Variable =** c23coded **Variable label =** Back roof structure repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c23coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 92 **Variable =** c24coded **Variable label =** Back roof covering repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c24coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 93 **Variable =** c25coded **Variable label =** Back roof features repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c25coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 94 **Variable =** c26coded **Variable label =** Back wall structure repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c26coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 95 **Variable =** c27coded **Variable label =** Back wall finish repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c27coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 96 **Variable =** c28coded **Variable label =** Back bays repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c28coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 97 **Variable =** c29coded **Variable label =** Back dormers repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c29coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 98 **Variable =** c30coded **Variable label =** Back porch repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c30coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 99 **Variable =** c31coded **Variable label =** Back conservatories and balconies repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c31coded

Value = 1 Label = None

Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 100 **Variable =** c32coded **Variable label =** Back windows repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c32coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 101 **Variable =** c33coded **Variable label =** Back doors repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c33coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 102 **Variable =** c34coded **Variable label =** Back dpc repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c34coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 103 **Variable =** c35coded **Variable label =** Boundary walls etc repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c35coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 104 **Variable =** c36coded **Variable label =** Other plot works repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c36coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999

Value = 8 Label = £10,000 and over

Pos. = 105 **Variable =** c37coded **Variable label =** Common parts - floors repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c37coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 106 **Variable =** c38coded **Variable label =** Common parts - walls repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c38coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 107 **Variable =** c39coded **Variable label =** Common parts - ceilings repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c39coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 108 **Variable =** c40coded **Variable label =** Common parts - doors repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c40coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 109 **Variable =** c41coded **Variable label =** Common parts - ballustrades repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c41coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 110 **Variable =** c42coded **Variable label =** Common parts - windows repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c42coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 111 **Variable =** c43coded **Variable label =** Common parts - lighting repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for c43coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 112 **Variable =** c44coded **Variable label =** Common parts - fire safety repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for c44coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 113 **Variable =** c45coded **Variable label =** Other WHQS repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for c45coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 114 **Variable =** c46coded **Variable label =** All interior repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for c46coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 115 **Variable =** c47coded **Variable label =** All amenities repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for c47coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999

Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 116 **Variable =** c48coded **Variable label =** All services repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c48coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 117 **Variable =** c49coded **Variable label =** Front exterior repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c49coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 118 **Variable =** c50coded **Variable label =** Back exterior repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c50coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 119 **Variable =** c51coded **Variable label =** All exterior repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c51coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 120 **Variable =** c52coded **Variable label =** All common parts repair costs (coded)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for c52coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 121 **Variable =** c53coded **Variable label =** All extensions repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c53coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 122 **Variable =** c54coded **Variable label =** Total Welsh House Condition Survey repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c54coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 123 **Variable =** c55coded **Variable label =** Front urgent repair costs (1998 base)(coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c55coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 124 **Variable =** c56coded **Variable label =** Back urgent repair costs (1998 base)(coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c56coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 125 **Variable =** c57coded **Variable label =** Total urgent repair costs (1998 base)(coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c57coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 126 **Variable =** c58coded **Variable label =** All other WHQS repair costs (coded)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for c58coded

Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249

Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 127 **Variable =** c59coded **Variable label =** Urgent costs, conservatories, balconies, boundary walls - Front(coded)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for c59coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 128 **Variable =** c60coded **Variable label =** Urgent costs, conservatories, balconies, boundary walls - Back(coded)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for c60coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 129 **Variable =** c61coded **Variable label =** Total urgent costs (2004 base)(coded)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for c61coded
Value = 1 Label = None
Value = 2 Label = From £1 to £99
Value = 3 Label = From £100 to £249
Value = 4 Label = From £250 to £499
Value = 5 Label = From £500 to £999
Value = 6 Label = From £1,000 to £4,999
Value = 7 Label = From £5,000 to £9,999
Value = 8 Label = £10,000 and over

Pos. = 130 **Variable =** FFFUNFFA **Variable label =** SUMMARY OF FITNESS
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FFFUNFFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory

Pos. = 131 **Variable =** h49 **Variable label =** Opinion of current state of repair of home (q54/55_Single2)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for h49
Value = 1 Label = A In good repair
Value = 2 Label = B In need of minor or moderate repair
Value = 3 Label = C In need of major repair
Value = 4 Label = Don't know

Pos. = 132 **Variable =** h50 **Variable label =** How much respondent affected by poor state of property (q56_Single1)
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for h50

Value = 1 Label = A No trouble
Value = 2 Label = B Causing some inconvenience
Value = 3 Label = C Causing some discomfort
Value = 4 Label = D Distressing
Value = 5 Label = Don't know

Pos. = 133 **Variable =** h51 **Variable label =** Accommodation need for renovation (q57_Single1)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for h51

Value = 1 Label = A A great deal
Value = 2 Label = B A fair amount
Value = 3 Label = C Not very much
Value = 4 Label = D Not at all
Value = 5 Label = Don't know

UK Data Archive Data Dictionary

File-level information:

File Name = sss20454_100622_v1_liw_ps_2004_dwelling_co2_rate
Number of variables = 5
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 2 **Variable =** hhno **Variable label =** Household Number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 3 **Variable =** DER **Variable label =** Notional total CO2 emissions (kg/yr) (SAP 2005 methodology)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 4 **Variable =** ngrofa **Variable label =** Total floor area (sq m)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 5 **Variable =** a18 **Variable label =** Grossing factor - property surveys (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.

UK Data Archive Data Dictionary

File-level information:

File Name = sss20454_100622_v1_liw_ps_2004_environmental_impact_rate
Number of variables = 5
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household Number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** EI**Variable label =** Environmental Impact Rating (EIR) (SAP2005 methodology)
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 4 **Variable =** ngrofa **Variable label =** Total floor area (sq m)
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 5 **Variable =** a18 **Variable label =** Grossing factor - property surveys (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*

UK Data Archive Data Dictionary

File-level information:

File Name = sss20454_100622_v1_liw_ps_2004_sap_2005
Number of variables = 5
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 2 **Variable =** hhno **Variable label =** Household Number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 3 **Variable =** sap_05 **Variable label =** SAP rating (SAP2005 methodology)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 4 **Variable =** ngrofa **Variable label =** Total floor area (sq m)
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 5 **Variable =** a18 **Variable label =** Grossing factor - property surveys (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_amenities
Number of variables = 119
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household Number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FINPIPEB **Variable label =** Drinking water amenities: Before stopcock - pipework seen
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINPIPEB
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 4 **Variable =** FINLEADB **Variable label =** Drinking water amenities: Before stopcock - lead present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINLEADB
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FINMAINSB **Variable label =** Drinking water amenities: Before stopcock - mains supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINMAINSB
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FINPIPEA **Variable label =** Drinking water amenities: After stopcock - pipework seen
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINPIPEA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 7 **Variable =** FINLEADA **Variable label =** Drinking water amenities: After stopcock - lead present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINLEADA

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FINCLDPR **Variable label =** Kitchen amenities: Cold water supply - present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINCLDPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FINCLDWK **Variable label =** Kitchen amenities: Cold water supply - working

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINCLDWK

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FINCLDAC **Variable label =** Kitchen amenities: Cold water supply - action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINCLDAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FINHOTPR **Variable label =** Kitchen amenities: Hot water - present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINHOTPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FINHOTWK **Variable label =** Kitchen amenities: Hot water - working

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINHOTWK

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FINHOTAC **Variable label =** Kitchen amenities: Hot water - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINHOTAC

Value = 1	Label = None
Value = 2	Label = Minor repair
Value = 3	Label = Major repair
Value = 4	Label = Replace
Value = 5	Label = Install
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 14 **Variable =** FINSNKPR **Variable label =** Kitchen amenities: Sink - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINSNKPR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 15 **Variable =** FINSNKWK **Variable label =** Kitchen amenities: Sink - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINSNKWK

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 16 **Variable =** FINSNKAC **Variable label =** Kitchen amenities: Sink - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINSNKAC

Value = 1	Label = None
Value = 2	Label = Minor repair
Value = 3	Label = Major repair
Value = 4	Label = Replace
Value = 5	Label = Install
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 17 **Variable =** FINWSTPR **Variable label =** Kitchen amenities: Fixed waste - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINWSTPR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 18 **Variable =** FINWSTWK **Variable label =** Kitchen amenities: Fixed waste - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINWSTWK

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 19 **Variable =** FINWSTAC **Variable label =** Kitchen amenities: Fixed waste - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINWSTAC

Value = 1	Label = None
Value = 2	Label = Minor repair
Value = 3	Label = Major repair
Value = 4	Label = Replace
Value = 5	Label = Install
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 20 **Variable =** FINCOKPR **Variable label =** Kitchen amenities: Cooking provision - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINCOKPR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 21 **Variable =** FINCOKWK **Variable label =** Kitchen amenities: Cooking provision - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINCOKWK

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 22 **Variable =** FINCOKAC **Variable label =** Kitchen amenities: Cooking provision - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINCOKAC

Value = 1	Label = None
Value = 2	Label = Minor repair
Value = 3	Label = Major repair
Value = 4	Label = Replace
Value = 5	Label = Install
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 23 **Variable =** FINCOOKR **Variable label =** Kitchen amenities: Cooking provision - adequate cooker space
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINCOOKR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 24 **Variable =** FINCUPPR **Variable label =** Kitchen amenities: Cupboards - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINCUPPR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 25 **Variable =** FINCUPWK **Variable label =** Kitchen amenities: Cupboards - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCUPWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 26 **Variable =** FINCUPAC **Variable label =** Kitchen amenities: Cupboards - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINCUPAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FINCUPUN **Variable label =** Kitchen amenities: Cupboards - adequate units
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCUPUN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FINWRKPR **Variable label =** Kitchen amenities: Worktop - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWRKPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FINWRKWK **Variable label =** Kitchen amenities: Worktop - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWRKWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FINWRKAC **Variable label =** Kitchen amenities: Worktop - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINWRKAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 31 **Variable =** FINWORKT **Variable label =** Kitchen amenities: Worktop - length (m)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINWORKT
Value = 1 Label = Under 1.5
Value = 2 Label = 1.5 - 3
Value = 3 Label = Over 3
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FINKXTPR **Variable label =** Kitchen amenities: Extractor fan - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINKXTPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FINKXTWK **Variable label =** Kitchen amenities: Extractor fan - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINKXTWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FINWMPPR **Variable label =** Kitchen amenities: Washing machine provision - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWMPPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FINWMPWK **Variable label =** Kitchen amenities: Washing machine provision - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWMPWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 36 **Variable =** FINTDPPR **Variable label =** Kitchen amenities: Tumble dryer provision - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINTDPPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 37 **Variable =** FINTDPWK **Variable label =** Kitchen amenities: Tumble dryer provision - working

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINTDPWK

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 38 **Variable =** FINRFPPR **Variable label =** Kitchen amenities: Refrigerator provision - present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINRFPPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FINRFPWK **Variable label =** Kitchen amenities: Refrigerator provision - working

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINRFPWK

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FINKITSP **Variable label =** Kitchen amenities: Safety & Hygiene - space

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINKITSP

Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FINKITLA **Variable label =** Kitchen amenities: Safety & Hygiene - layout

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINKITLA

Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FINKITCB **Variable label =** Kitchen amenities: Safety & Hygiene - cleanability

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINKITCB

Value = 1 Label = Seriously defective

Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FINKITLR **Variable label =** Kitchen amenities - amenities last refurbished
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINKITLR
Value = 1 Label = Pre 1960
Value = 2 Label = 1960s
Value = 3 Label = 1970s
Value = 4 Label = 1980s
Value = 5 Label = 1990s or later
Value = 6 Label = In progress
Value = 7 Label = Original
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 44 **Variable =** FINKITRE **Variable label =** Kitchen amenities - actual date of refurbishment
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 8888 and 9999
Value label information for FINKITRE
Value = 8888 Label = Question not applicable
Value = 9999 Label = Unknown

Pos. = 45 **Variable =** FINKITDU **Variable label =** Kitchen amenities - adapted for disabled use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINKITDU
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FINBATPR **Variable label =** Bathroom amenities: Bath - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBATPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 47 **Variable =** FINBATWK **Variable label =** Bathroom amenities: Bath - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBATWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FINBATHC **Variable label =** Bathroom amenities: Bath - hot & cold water supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBATHC
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 49 **Variable =** FINBATAC **Variable label =** Bathroom amenities: Bath - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINBATAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 50 **Variable =** FINBATFL **Variable label =** Bathroom amenities: Bath - location
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINBATFL
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor

Pos. = 51 **Variable =** FINBADLO **Variable label =** Bathroom amenities - badly located
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBADLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 52 **Variable =** FINSURFA **Variable label =** Bathroom amenities - number of external surfaces
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 9
Value label information for FINSURFA
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 53 **Variable =** FINSHWPR **Variable label =** Bathroom amenities: Shower - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSHWPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FINSHWWK **Variable label =** Bathroom amenities: Shower - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSHWWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 55 **Variable =** FINSHWHC **Variable label =** Bathroom amenities: Shower - hot & cold water supply

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINSHWHC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 56 **Variable =** FINSHWAC **Variable label =** Bathroom amenities: Shower - action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINSHWAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 57 **Variable =** FINSHWFL **Variable label =** Bathroom amenities: Shower - location

This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FINSHWFL

Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor

Pos. = 58 **Variable =** FINSHWSC **Variable label =** Bathroom amenities: Shower - separate cubicle

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINSHWSC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 59 **Variable =** FINWHBPR **Variable label =** Bathroom amenities: Wash hand basin - present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHBPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 60 **Variable =** FINWHBWK **Variable label =** Bathroom amenities: Wash hand basin - working

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHBWK

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 61 **Variable =** FINWHBHC **Variable label =** Bathroom amenities: Wash hand basin - hot & cold water supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINWHBHC

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 62 **Variable =** FINWHBAC **Variable label =** Bathroom amenities: Wash hand basin - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINWHBAC

Value = 1	Label = None
Value = 2	Label = Minor repair
Value = 3	Label = Major repair
Value = 4	Label = Replace
Value = 5	Label = Install
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 63 **Variable =** FINWHBFL **Variable label =** Bathroom amenities: Wash hand basin - location
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FINWHBFL

Value = 01	Label = First floor
Value = 02	Label = Second floor
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown
Value = BB	Label = Basement
Value = GG	Label = Ground floor

Pos. = 64 **Variable =** FINBXTPR **Variable label =** Bathroom amenities: Extractor fan - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINBXTPR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 65 **Variable =** FINBXTWK **Variable label =** Bathroom amenities: Extractor fan - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINBXTWK

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 66 **Variable =** FINBATSP **Variable label =** Bathroom amenities: Safety & Hygiene - space
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINBATSP

Value = 1	Label = Seriously defective
Value = 2	Label = Defective
Value = 3	Label = Acceptable
Value = 4	Label = Satisfactory
Value = 5	Label = Superior

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 67 **Variable =** FINBATLA **Variable label =** Bathroom amenities: Safety & Hygiene - layout
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINBATLA
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 68 **Variable =** FINBATCB **Variable label =** Bathroom amenities: Safety & Hygiene - cleanability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINBATCB
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 69 **Variable =** FINBATLR **Variable label =** Bathroom amenities - amenities last refurbished
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINBATLR
Value = 1 Label = Pre1960
Value = 2 Label = 1960s
Value = 3 Label = 1970s
Value = 4 Label = 1980s
Value = 5 Label = 1990s or later
Value = 6 Label = In progress
Value = 7 Label = Original
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 70 **Variable =** FINBATRE **Variable label =** Bathroom amenities - actual date of refurbishment
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 8888 and 9999
Value label information for FINBATRE
Value = 8888 Label = Question not applicable
Value = 9999 Label = Unknown

Pos. = 71 **Variable =** FINBATDU **Variable label =** Bathroom amenities - adapted for disabled use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBATDU
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 72 **Variable =** FINLOOPR **Variable label =** WC amenities - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLOOPR
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 73 **Variable =** FINLOOWK **Variable label =** WC amenities - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLOOWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 74 **Variable =** FINLOOAC **Variable label =** WC amenities - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINLOOAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 75 **Variable =** FINLOOFL **Variable label =** WC amenities - location
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINLOOFL
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor

Pos. = 76 **Variable =** FINLOOIN **Variable label =** WC amenities - Internal
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLOOIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 77 **Variable =** FINLOOWH **Variable label =** WC amenities - close to wash hand basin
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLOOWH
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 78 **Variable =** FINLOOBA **Variable label =** WC amenities - in bathroom
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLOOBA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 79 **Variable =** FINLOOEX **Variable label =** WC amenities - extractor fan present (if WC amenities not in bathroom)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLOOEX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 80 **Variable =** FINLOOSP **Variable label =** WC amenities: Safety & Hygiene - space
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINLOOSP
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 5 Label = Superior
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 81 **Variable =** FINLOOLA **Variable label =** WC amenities: Safety & Hygiene - layout
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINLOOLA
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 82 **Variable =** FINLOOCL **Variable label =** WC amenities: Safety & Hygiene - cleanability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINLOOCL
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 83 **Variable =** FINLOOLO **Variable label =** WC amenities: Safety & Hygiene - location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINLOOLO
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 84 **Variable =** FINLOOLR **Variable label =** WC amenities - amenities last refurbished
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8888 and 9999
Value label information for FINLOOLR
Value = 1 Label = Pre1960

Value = 2 Label = 1960s
Value = 3 Label = 1970s
Value = 4 Label = 1980s
Value = 5 Label = 1990s or later
Value = 6 Label = In progress
Value = 7 Label = Original
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 85 **Variable =** FINLOORE **Variable label =** WC amenities - actual date of refurbishment
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 888 and 9999
Value label information for FINLOORE
Value = 8888 Label = Question not applicable
Value = 9999 Label = Unknown

Pos. = 86 **Variable =** FINLOODU **Variable label =** WC amenities - adapted for disabled use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLOODU
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 87 **Variable =** FIN2KIPR **Variable label =** Secondary amenities: Second kitchen - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FIN2KIPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 88 **Variable =** FIN2KIHC **Variable label =** Secondary amenities: Second kitchen - hot & cold water supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FIN2KIHC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 89 **Variable =** FIN2KIAC **Variable label =** Secondary amenities: Second kitchen - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FIN2KIAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 90 **Variable =** FIN2KIFL **Variable label =** Secondary amenities: Second kitchen - location
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FIN2KIFL
Value = 01 Label = First floor
Value = 02 Label = Second floor

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor

Pos. = 91 **Variable =** FIN2BTPR **Variable label =** Secondary amenities: Second bath/shower - present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FIN2BTPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 92 **Variable =** FIN2BTWK **Variable label =** Secondary amenities: Second bath/shower - working

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FIN2BTWK

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 93 **Variable =** FIN2BTHC **Variable label =** Secondary amenities: bath/shower - hot & cold water supply

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FIN2BTHC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 94 **Variable =** FIN2BTAC **Variable label =** Secondary amenities: Second bath/shower - action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FIN2BTAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 95 **Variable =** FIN2BTFL **Variable label =** Secondary amenities: Second bath/shower - location

This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FIN2BTFL

Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor

Pos. = 96 **Variable =** FIN2BTES **Variable label =** Secondary amenities: Second bath/shower - in

bedroom/ensuite
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FIN2BTES

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 97 **Variable =** FIN2WHPR **Variable label =** Secondary amenities: Second hand wash basin - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FIN2WHPR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 98 **Variable =** FIN2WHWK **Variable label =** Secondary amenities: Second hand wash basin - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FIN2WHWK

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 99 **Variable =** FIN2WHHC **Variable label =** Secondary amenities: Second hand wash basin - hot & cold water supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FIN2WHHC

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 100 **Variable =** FIN2WHAC **Variable label =** Secondary amenities: Second hand wash basin - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FIN2WHAC

Value = 1	Label = None
Value = 2	Label = Minor repair
Value = 3	Label = Major repair
Value = 4	Label = Replace
Value = 5	Label = Install
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 101 **Variable =** FIN2WHFL **Variable label =** Secondary amenities: Second hand wash basin - location
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FIN2WHFL

Value = 01	Label = First floor
Value = 02	Label = Second floor
Value = 88	Label = Question not applicable

Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor

Pos. = 102 **Variable =** FIN2WHES **Variable label =** Secondary amenities: Second hand wash basin - in bedroom/ensuite
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FIN2WHES
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 103 **Variable =** FIN2LOPR **Variable label =** Secondary amenities: Second WC - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FIN2LOPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 104 **Variable =** FIN2LOWK **Variable label =** Secondary amenities: Second WC - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FIN2LOWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 105 **Variable =** FIN2LOAC **Variable label =** Secondary amenities: Second WC - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FIN2LOAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 5 Label = Install
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 106 **Variable =** FIN2LOFL **Variable label =** Secondary amenities: Second WC - location
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FIN2LOFL
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor

Pos. = 107 **Variable =** FIN2LOES **Variable label =** Secondary amenities: Second WC - in bedroom/ensuite
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FIN2LOES
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 108 **Variable =** FIN2LOIN **Variable label =** Secondary amenities: Second WC - internal
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FIN2LOIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 109 **Variable =** FINDRAIN **Variable label =** Secondary amenities - summary of internal drainage
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FINDRAIN
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 110 **Variable =** FFFWATFA **Variable label =** Final fitness assessment - cold water
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FFFWATFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 111 **Variable =** FFFFODFA **Variable label =** Final fitness assessment - food preparation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FFFFODFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 112 **Variable =** FFFBATFA **Variable label =** Final fitness assessment - bath/shower & wash hand basin
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FFFBATFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 113 **Variable =** FFFLOOFF **Variable label =** Final fitness assessment - WC
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FFFLOOFF
Value = 1 Label = Unfit

Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 114 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 115 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 116 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 117 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 118 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 119 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_around
Number of variables = 91
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household Number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXPLOTE **Variable label =** Plot - private plot present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXPLOTE

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 4 **Variable =** FEXWIDTH **Variable label =** Plot - width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWIDTH

Value = 77	Label = Section not applicable
Value = 88	Label = Same as dwelling
Value = 99	Label = Unknown

Pos. = 5 **Variable =** FEXDESPE **Variable label =** Plot: Path to entrance door - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXDESPE

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 6 **Variable =** FEXDESFP **Variable label =** Plot: Path to entrance door - fully paved
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXDESFP

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 7 **Variable =** FEXDESWI **Variable label =** Plot: Path to entrance door - at least 900 mm wide
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXDESWI

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FEXDESGR **Variable label =** Plot: Path to entrance door - gradient less than 1:12

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXDESGR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FEXDESFE **Variable label =** Plot: Path to entrance door - entrance adequately lit

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXDESFE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FEXEDLDS **Variable label =** Plot - entrance door leads directly on to street

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXEDLDS

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FEXEXSTO **Variable label =** Plot - external storage

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXEXSTO

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FEXPADRY **Variable label =** Plot - paved access to drying area

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXPADRY

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FEXREXPE **Variable label =** Plot - rear exit from plot exists

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXREXPE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FEXEXIFP **Variable label =** Plot - path to exit fully paved
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXEXIFP
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FCUDRAIN **Variable label =** Drainage - type of drainage system
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUDRAIN
Value = 1 Label = Mains
Value = 2 Label = Septic tank
Value = 3 Label = Cess pool
Value = 4 Label = Other
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FCUFAULT **Variable label =** Drainage - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUFAULT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FCUBLOCK **Variable label =** Drainage - blockage
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUBLOCK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 18 **Variable =** FCUOTHER **Variable label =** Drainage - Problem other than blockage
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUOTHER
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FFFDRAFA **Variable label =** Final fitness assessment - drainage (interior & exterior)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FFFDRAFA
Value = 1 Label = Unfit

Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FFFDISFA **Variable label =** Final fitness assessment - disrepair (interior & exterior)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FFFDISFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FFFDAMFA **Variable label =** Final fitness assessment - dampness (interior & exterior)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FFFDAMFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 22 **Variable =** FCUINTPR **Variable label =** Parking: Integral garage - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUINTPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FCUINTLO **Variable label =** Parking: Integral garage - on plot
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUINTLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 24 **Variable =** FCUINTVS **Variable label =** Parking: Integral garage - visible
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUINTVS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 25 **Variable =** FCUINTSP **Variable label =** Parking: Integral garage - number of car spaces
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99

Value label information for FCUINTSP
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 26 **Variable =** FCUINTAC **Variable label =** Parking: Integral garage - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUINTAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 4 Label = Renew
Value = 5 Label = Demolish
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FCUINTOW **Variable label =** Parking: Integral garage - ownership
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUINTOW
Value = 1 Label = Household
Value = 2 Label = Local Authority
Value = 3 Label = Other landlord
Value = 4 Label = Other
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FCUATTPR **Variable label =** Parking: Attached garage - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUATTPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FCUATTLO **Variable label =** Parking: Attached garage - on plot
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUATTLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FCUATTVS **Variable label =** Parking: Attached garage - visible
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUATTVS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FCUATTSP **Variable label =** Parking: Attached garage - number of car spaces
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FCUATTSP
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 32 **Variable =** FCUATTAC **Variable label =** Parking: Attached garage - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUATTAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 4 Label = Renew
Value = 5 Label = Demolish
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FCUATTOW **Variable label =** Parking: Attached garage - ownership
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUATTOW
Value = 1 Label = Household
Value = 2 Label = Local Authority
Value = 3 Label = Other landlord
Value = 4 Label = Other
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FCUDETPR **Variable label =** Parking: Detached garage - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUDETPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FCUDETLO **Variable label =** Parking: Detached garage - on plot
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUDETLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 36 **Variable =** FCUDETVS **Variable label =** Parking: Detached garage - visible
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUDETVS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 37 **Variable =** FCUDETSP **Variable label =** Parking: Detached garage - number of car spaces
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FCUDETSP
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 38 **Variable =** FCUDETAC **Variable label =** Parking: Detached garage - action

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FCUDETAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 4 Label = Renew
Value = 5 Label = Demolish
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FCUDETOW **Variable label =** Parking: Detached garage - ownership
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FCUDETOW
Value = 1 Label = Household
Value = 2 Label = Local Authority
Value = 3 Label = Other landlord
Value = 4 Label = Other
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FCUPORPR **Variable label =** Parking: Car port - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCUPORPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FCUPORLO **Variable label =** Parking: Car port - on plot
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCUPORLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FCUPORVS **Variable label =** Parking: Car port - visible
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCUPORVS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FCUPORSP **Variable label =** Parking: Car port - number of car spaces
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99

Value label information for FCUPORSP
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 44 **Variable =** FCUPORAC **Variable label =** Parking: Car port - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FCUPORAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 4 Label = Renew
Value = 5 Label = Demolish
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FCUPOROW **Variable label =** Parking: Car port - ownership
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUPOROW
Value = 1 Label = Household
Value = 2 Label = Local Authority
Value = 3 Label = Other landlord
Value = 4 Label = Other
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FCUSPAPR **Variable label =** Parking: Designated parking - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUSPAPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 47 **Variable =** FCUSPALO **Variable label =** Parking: Designated parking - on plot
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUSPALO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FCUSPAVS **Variable label =** Parking: Designated parking - visible
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCUSPAVS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 49 **Variable =** FCUSPASP **Variable label =** Parking: Designated parking - number of car spaces
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FCUSPASP
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 50 **Variable =** FCUSPAAC **Variable label =** Parking: Designated parking - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUSPAAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major

Value = 4 Label = Renew
Value = 5 Label = Demolish
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 51 **Variable =** FCUSPAOW **Variable label =** Parking: Designated parking - ownership
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUSPAOW
Value = 1 Label = Household
Value = 2 Label = Local Authority
Value = 3 Label = Other landlord
Value = 4 Label = Other
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 52 **Variable =** FCUSTR **Variable label =** Parking - street parking
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUSTR
Value = 1 Label = Adequate
Value = 2 Label = Inadequate
Value = 3 Label = None
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 53 **Variable =** FCUEXPOS **Variable label =** Exposure - dwelling position
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FCUEXPOS
Value = 1 Label = Not exposed
Value = 2 Label = Slightly exposed
Value = 3 Label = Exposed
Value = 4 Label = Very exposed
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FBLBLOCK **Variable label =** Block - number of houses/modules
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 99
Value label information for FBLBLOCK
Value = 1 Label = Detached house/module
Value = 2 Label = Semi-detached house/module
Value = 75 Label = More than 50 houses/modules in block
Value = 99 Label = Unknown

Pos. = 55 **Variable =** FBLDEFEC **Variable label =** Block - approximate number serious defective houses/modules
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FBLDEFEC
Value = 88 Label = House/module is block
Value = 99 Label = Unknown

Pos. = 56 **Variable =** FBLCNTXT **Variable label =** Block - survey block/building in context with surroundings
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FBLCNTXT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 57 **Variable =** FBLSITUA **Variable label =** Block - situation of block
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FBLSITUA
Value = 1 Label = Major trunk road
Value = 2 Label = Main road
Value = 3 Label = Side road
Value = 4 Label = Cul de sac/crescent
Value = 5 Label = Private road
Value = 6 Label = Unmade/no road
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 58 **Variable =** FBLCALM **Variable label =** Block - road traffic calming present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FBLCALM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 59 **Variable =** FARNATUR **Variable label =** Local area - nature of area
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FARNATUR
Value = 1 Label = City centre
Value = 2 Label = Urban
Value = 3 Label = Suburban residential
Value = 4 Label = Rural residential
Value = 5 Label = Village centre
Value = 6 Label = Rural
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 60 **Variable =** FARPLUSE **Variable label =** Local area - predominant land use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FARPLUSE
Value = 1 Label = Residential only
Value = 2 Label = Mixed residential and other land use
Value = 3 Label = Non-residential
Value = 4 Label = Rural
Value = 5 Label = Working farm
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 61 **Variable =** FARDWELL **Variable label =** Local area - number of dwellings
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FARDWELL
Value = 1 Label = Under 25
Value = 2 Label = 25 - 49
Value = 3 Label = 50 - 99
Value = 4 Label = 100 - 299
Value = 5 Label = 300 - 499
Value = 6 Label = 500+
Value = 7 Label = Isolated
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 62 **Variable =** FARPRAGE **Variable label =** Local area - predominant age

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FARPRAGE

Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = None
Value = 9 Label = Unknown
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 63 **Variable =** FARTYPES **Variable label =** Local area - predominant residential building type

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FARTYPES

Value = 1 Label = Terraced house
Value = 2 Label = Semi-detached house
Value = 3 Label = Detached house
Value = 4 Label = Mixed house
Value = 5 Label = Low rise flats
Value = 6 Label = High rise flats
Value = 7 Label = Flats with commercial
Value = 8 Label = Mixed flats
Value = 9 Label = Mixed houses and flats
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 64 **Variable =** FARHMAIN **Variable label =** Local area - houses single units/converted

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARHMAIN

Value = 1 Label = Mainly single units
Value = 2 Label = Mainly converted
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 65 **Variable =** FARTENUR **Variable label =** Local area - predominant tenure

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARTENUR

Value = 1 Label = Privately built
Value = 2 Label = Local authority built
Value = 3 Label = Housing association built
Value = 4 Label = Mixed tenure
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 66 **Variable =** FARESTAT **Variable label =** Local area - number of dwellings on estate

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARESTAT

Value = 1 Label = Same as area
Value = 2 Label = Under 25
Value = 3 Label = 25 - 49
Value = 4 Label = 50 - 99
Value = 5 Label = 100 - 299
Value = 6 Label = 300 - 499
Value = 7 Label = 500+
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 67 **Variable =** FARRTB **Variable label =** Local area - percentage of right to buy dwellings (if LA estate)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FARRTB
Value = 1 Label = None
Value = 2 Label = 1 - 10
Value = 3 Label = 11 - 25
Value = 4 Label = 26 - 50
Value = 5 Label = 51 - 75
Value = 6 Label = 76 - 99
Value = 7 Label = 100
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 68 **Variable =** FARACTIV **Variable label =** Local area - repair and improve activity
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FARACTIV
Value = 1 Label = None
Value = 2 Label = A little
Value = 3 Label = Some
Value = 4 Label = Extensive
Value = 5 Label = With redevelopment
Value = 6 Label = Redevelopment only
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 69 **Variable =** FARQUALI **Variable label =** Local area - visual quality
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FARQUALI
Value = 1 Label = No problems
Value = 5 Label = Major problems
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 70 **Variable =** FARLITTR **Variable label =** Local area: Problems - litter/rubbish/dumping
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FARLITTR
Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 71 **Variable =** FARGRAFF **Variable label =** Local area: Problems - graffiti
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FARGRAFF
Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 72 **Variable =** FARVANDA **Variable label =** Local area: Problems - vandalism
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARVANDA

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 73 **Variable =** FAREXCRE **Variable label =** Local area: Problems - dog/other excrement

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FAREXCRE

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 74 **Variable =** FARCONDD **Variable label =** Local area: Problems - condition of dwellings

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARCONDD

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 75 **Variable =** FARSITES **Variable label =** Local area: Problems - vacant sites

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARSITES

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 76 **Variable =** FARINDUS **Variable label =** Local area: Problems - intrusive industry

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARINDUS

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 77 **Variable =** FARNOCON **Variable label =** Local area: Problems - non-conforming uses

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARNOCON

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3

Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 78 **Variable =** FARVACNT **Variable label =** Local area: Problems - vacant/boarded-up buildings

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARVACNT

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 79 **Variable =** FARAIRQU **Variable label =** Local area: Problems - ambient air quality

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARAIRQU

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 80 **Variable =** FARTRAFF **Variable label =** Local area: Problems - heavy traffic

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARTRAFF

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 81 **Variable =** FARMOTOR **Variable label =** Local area: Problems - intrusion from motorways/arterial roads

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARMOTOR

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 82 **Variable =** FARRAILS **Variable label =** Local area: Problems - railway/aircraft noise

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FARRAILS

Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 83 **Variable =** FARPARKS **Variable label =** Local area: Problems - nuisance from street parking
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FARPARKS
Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 84 **Variable =** FARGRDNS **Variable label =** Local area: Problems - scruffy gardens/landscaping
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FARGRDNS
Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 85 **Variable =** FARBLDGS **Variable label =** Local area: Problems - scruffy/neglected buildings
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FARBLDGS
Value = 1 Label = 1 (No problems)
Value = 2 Label = 2
Value = 3 Label = 3
Value = 4 Label = 4
Value = 5 Label = 5 (Major problems)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 86 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 87 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 88 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted

Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 89 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 90 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 91 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_chimney
Number of variables = 29
Number of cases = 4932

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXCSTYPE **Variable label =** Chimney - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXCSTYPE
Value = 1 Label = Masonry
Value = 2 Label = Other

Pos. = 4 **Variable =** FEXCS1PR **Variable label =** Chimney: Front - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXCS1PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FEXCS1NO **Variable label =** Chimney: Front - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXCS1NO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FEXCS1AG **Variable label =** Chimney: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXCS1AG
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FEXCS1FL **Variable label =** Chimney: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXCS1FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FEXCS1RN **Variable label =** Chimney: Front - rebuild
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXCS1RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXCS1PT **Variable label =** Chimney: Front - part rebuild
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXCS1PT
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FEXCS1RE **Variable label =** Chimney: Front - repoint/refix pot
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXCS1RE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXCS1LV **Variable label =** Chimney: Front - leave
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXCS1LV
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXCS1UR **Variable label =** Chimney: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXCS1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FEXCS1TM **Variable label =** Chimney: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXCS1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXCS2PR **Variable label =** Chimney: Back - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXCS2PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FEXCS2NO **Variable label =** Chimney: Back - number
This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXCS2NO

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXCS2AG **Variable label =** Chimney: Back - age

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 99

Value label information for FEXCS2AG

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 17 **Variable =** FEXCS2FL **Variable label =** Chimney: Back - faults

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXCS2FL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 18 **Variable =** FEXCS2RN **Variable label =** Chimney: Back - rebuild

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXCS2RN

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 19 **Variable =** FEXCS2PT **Variable label =** Chimney: Back - part rebuild

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXCS2PT

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FEXCS2RE **Variable label =** Chimney: Back - repoint/refix pot

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXCS2RE

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 21 **Variable =** FEXCS2LV **Variable label =** Chimney: Back - leave

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXCS2LV

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 22 **Variable =** FEXCS2UR **Variable label =** Chimney: Back - urgent

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXCS2UR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FEXCS2TM **Variable label =** Chimney: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXCS2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 24 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 25 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 26 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 28 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 29 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_commacc
Number of variables = 48
Number of cases = 7398

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FCPACCESS **Variable label =** Common parts - accessway
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FCPACCESS
Value = 1 Label = Main horizontal
Value = 2 Label = Stairway
Value = 3 Label = Main entrance

Pos. = 4 **Variable =** FCPEXIST **Variable label =** Common parts - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPEXIST
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FCPTYPES **Variable label =** Common parts - balcony/deck/corridor/lobby
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPTYPES
Value = 1 Label = Balcony
Value = 2 Label = Deck
Value = 3 Label = Corridor
Value = 4 Label = Lobby
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FCPSIZES **Variable label =** Common parts - spacious/average/tight
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPSIZES
Value = 1 Label = Spacious
Value = 2 Label = Average
Value = 3 Label = Tight
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FCPENCLO **Variable label =** Common parts - enclosed common parts
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPENCLO

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FCPINMOD **Variable label =** Common parts - common parts in module

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPINMOD

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FCPFLRFL **Variable label =** Common parts: Floors/treads - faults

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPFLRFL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FCPFLRMO **Variable label =** Common parts: Floors/treads - modify structure (sq.m)

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FCPFLRMO

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FCPFLRRN **Variable label =** Common parts: Floors/treads - renew surface (sq.m)

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FCPFLRRN

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FCPFLRRP **Variable label =** Common parts: Floors/treads - repair surface (sq.m)

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FCPFLRRP

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FCPWLSFL **Variable label =** Common parts: Walls - faults

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPWLSFL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 14 **Variable =** FCPWLSMO **Variable label =** Common parts: Walls - modify structure (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPWLSMO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FCPWLSRN **Variable label =** Common parts: Walls - renew surface (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPWLSRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FCPWLSRP **Variable label =** Common parts: Walls - repair surface (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPWLSRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 17 **Variable =** FCPWLSPA **Variable label =** Common parts: Walls - repaint surface (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPWLSPA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** FCPCLNFL **Variable label =** Common parts: Ceilings/soffits - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPCLNFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FCPCLNMO **Variable label =** Common parts: Ceilings/soffits - modify structure (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPCLNMO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FCPCLNRN **Variable label =** Common parts: Ceilings/soffits - renew surface (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPCLNRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 21 **Variable =** FCPCLNRP **Variable label =** Common parts: Ceilings/soffits - repair surface (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPCLNRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 22 **Variable =** FCPCLNPA **Variable label =** Common parts: Ceilings/soffits - repaint surface (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPCLNPA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 23 **Variable =** FCPAXDFL **Variable label =** Common parts: Access doors/screens - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPAXDFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 24 **Variable =** FCPAXDRN **Variable label =** Common parts: Access doors/screens - renew surface
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXDRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 25 **Variable =** FCPAXDRP **Variable label =** Common parts: Access doors/screens - repair/rehang surface
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXDRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 26 **Variable =** FCPAXDPA **Variable label =** Common parts: Access doors/screens - repaint surface
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXDPA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 27 **Variable =** FCPAXWFL **Variable label =** Common parts: Accessway windows - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPAXWFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FCPAXWRN **Variable label =** Common parts: Accessway windows - replace
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXWRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 29 **Variable =** FCPAXWRP **Variable label =** Common parts: Accessway windows - repair
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXWRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 30 **Variable =** FCPAXWPA **Variable label =** Common parts: Accessway windows - repaint
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXWPA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 31 **Variable =** FCPAXLFL **Variable label =** Common parts: Accessway lighting - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPAXLFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FCPAXLFT **Variable label =** Common parts: Accessway lighting - replace light fittings
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXLFT
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 33 **Variable =** FCPAXLSW **Variable label =** Common parts: Accessway lighting - replace light switches
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPAXLSW
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 34 **Variable =** FCPBALFL **Variable label =** Common parts: Balustrades - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPBALFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FCPBALRN **Variable label =** Common parts: Balustrades - replace (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPBALRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 36 **Variable =** FCPBALRP **Variable label =** Common parts: Balustrades - repair (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FCPBALRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 37 **Variable =** FCPDFXVE **Variable label =** Common parts: Defects - ventilation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDFXVE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 38 **Variable =** FCPDFXDI **Variable label =** Common parts: Defects - disrepair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDFXDI
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FCPDFXSS **Variable label =** Common parts: Defects - structural stability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDFXSS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FCPDFXDA **Variable label =** Common parts: Defects - damp
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDFXDA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FCPDFXDR **Variable label =** Common parts: Defects - drainage
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDFXDR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FCPDFXAL **Variable label =** Common parts: Defects - artificial lighting
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDFXAL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 44 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 45 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 47 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 48 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1

Value = 1	Label = Owner-occupied
Value = 2	Label = Local authority
Value = 3	Label = Housing Association
Value = 4	Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_common
Number of variables = 56
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FCPEXICP **Variable label =** Common parts - exist
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPEXICP
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 4 **Variable =** FCPLFTEX **Variable label =** Common parts: Lifts - access/area exists
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPLFTEX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FCPLFTSZ **Variable label =** Common parts: Lifts - spacious/average/tight
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPLFTSZ
Value = 1 Label = Spacious
Value = 2 Label = Average
Value = 3 Label = Tight
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FCPLFTIN **Variable label =** Common parts: Lifts - in module
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPLFTIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FCPLFTWK **Variable label =** Common parts: Lifts - working

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPLFTWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FCPREFEX **Variable label =** Common parts: Refuse chutes - access/area exists
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPREFEX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FCPREFSZ **Variable label =** Common parts: Refuse chutes - spacious/average/tight
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPREFSZ
Value = 1 Label = Spacious
Value = 2 Label = Average
Value = 3 Label = Tight
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FCPREFIN **Variable label =** Common parts: Refuse chutes - in module
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPREFIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FCPREFWK **Variable label =** Common parts: Refuse chutes - working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPREFWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FCPACCES **Variable label =** Common parts: Security of module - type of access
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPACCES
Value = 1 Label = Multi access
Value = 2 Label = Single access
Value = 3 Label = Restricted access
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FCPCONPR **Variable label =** Common parts: Security of module - concierge system present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPCONPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FCPCONWK **Variable label =** Common parts: Security of module - concierge system working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPCONWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FCPCONIN **Variable label =** Common parts: Security of module - concierge system action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPCONIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FCPENTPR **Variable label =** Common parts: Security of module - door entry system present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPENTPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FCPENTWK **Variable label =** Common parts: Security of module - door entry system working
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPENTWK
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 18 **Variable =** FCPENTIN **Variable label =** Common parts: Security of module - door entry system action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPENTIN
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FCPESCAP **Variable label =** Common parts: Fire safety - escape route from flat

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPESCAP

Value = 1 Label = Flat is final exit
Value = 2 Label = Through another exit
Value = 3 Label = Through flat and common areas
Value = 4 Label = Through common areas
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FCPPROPR **Variable label =** Common parts: Fire precautions - protection to stairs/lobbies present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPPROPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FCPPROAC **Variable label =** Common parts: Fire precautions - protection to stairs/lobbies action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPPROAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Renew/Install
Value = 5 Label = Install
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 22 **Variable =** FCPCLOPR **Variable label =** Common parts: Fire precautions - self closing fire doors present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPCLOPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FCPCLOAC **Variable label =** Common parts: Fire precautions - self closing fire doors action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPCLOAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Renew/Install
Value = 5 Label = Install

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 24 **Variable =** FCPEXTPR **Variable label =** Common parts: Fire precautions - fire extinguishers present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPEXTPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 25 **Variable =** FCPEXTAC **Variable label =** Common parts: Fire precautions - fire extinguishers action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPEXTAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Renew/Install
Value = 5 Label = Install
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 26 **Variable =** FCPEMLPR **Variable label =** Common parts: Fire precautions - emergency lightings present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPEMLPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FCPEMLAC **Variable label =** Common parts: Fire precautions - emergency lightings action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPEMLAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Renew/Install
Value = 5 Label = Install
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FCPSGNPR **Variable label =** Common parts: Fire precautions - sign posting present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPSGNPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FCPSGNAC **Variable label =** Common parts: Fire precautions - sign posting action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPSGNAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Renew/Install
Value = 5 Label = Install
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FCPSAFPR **Variable label =** Common parts: Fire precautions - safe practices present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPSAFPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FCPALTPR **Variable label =** Common parts: Fire precautions - alternative route present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPALTPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FCPALMPR **Variable label =** Common parts: Fire precautions - alarm system present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPALMPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FCPALMAC **Variable label =** Common parts: Fire precautions - alarm system action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FCPALMAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Renew/Install
Value = 5 Label = Install
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FCPFSDIS **Variable label =** Common parts: Fires safety of common areas -

distance of travel
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPFSDIS

Value = 1	Label = Seriously defective
Value = 2	Label = Defective
Value = 3	Label = Acceptable
Value = 4	Label = Satisfactory
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 35 **Variable =** FCPFSREP **Variable label =** Common parts: Fires safety of common areas - state of repair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPFSREP

Value = 1	Label = Seriously defective
Value = 2	Label = Defective
Value = 3	Label = Acceptable
Value = 4	Label = Satisfactory
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 36 **Variable =** FCPFSFIN **Variable label =** Common parts: Fires safety of common areas - type of finishes
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPFSFIN

Value = 1	Label = Seriously defective
Value = 2	Label = Defective
Value = 3	Label = Acceptable
Value = 4	Label = Satisfactory
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 37 **Variable =** FCPFSOVE **Variable label =** Common parts: Fire safety - overall fire safety of flat
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPFSOVE

Value = 1	Label = Seriously defective
Value = 2	Label = Defective
Value = 3	Label = Acceptable
Value = 4	Label = Satisfactory
Value = 7	Label = Section not applicable

Pos. = 38 **Variable =** FCPWEART **Variable label =** Common parts: Contribution to problems with module - normal wear and tear
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPWEART

Value = 1	Label = None
Value = 2	Label = Minor
Value = 3	Label = Major
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 39 **Variable =** FCPINADM **Variable label =** Common parts: Contribution to problems with module - inadequate maintenance

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPINADM
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FCPINAPP **Variable label =** Common parts: Contribution to problems with module - inappropriate use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPINAPP
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FCPDESIG **Variable label =** Common parts: Contribution to problems with module - poor design /specification
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPDESIG
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FCPVANDA **Variable label =** Common parts: Contribution to problems with module - vandalism
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPVANDA
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FCPGRAFF **Variable label =** Common parts: Contribution to problems with module - graffiti
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPGRAFF
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 44 **Variable =** FCPLITTR **Variable label =** Common parts: Contribution to problems with module - litter/rubbish
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FCPLITTR

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FFFCOMFF **Variable label =** Final fitness assessment - common parts
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFCOMFF
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FCPREPAR **Variable label =** Common parts: Summary of condition - repair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPREPAR
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 47 **Variable =** FCPSTABI **Variable label =** Common parts: Summary of condition - stability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPSTABI
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FCPDAMPS **Variable label =** Common parts: Summary of condition - dampness
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDAMPS
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 49 **Variable =** FCPDRAIN **Variable label =** Common parts: Summary of condition - drainage
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPDRAIN
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable

Value = 4 Label = Satisfactory
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 50 **Variable =** FCPLIGHT **Variable label =** Common parts: Summary of condition - lighting
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FCPLIGHT
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 51 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 52 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 53 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 55 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 56 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_damppc
Number of variables = 19
Number of cases = 7398

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXDPTYPE **Variable label =** Damp proof course - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXDPTYPE
Value = 1 Label = Physical barrier
Value = 2 Label = Injection DPC
Value = 3 Label = None

Pos. = 4 **Variable =** FEXDP1PR **Variable label =** Damp proof course: Front - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDP1PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FEXDP1FL **Variable label =** Damp proof course: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDP1FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FEXDP1RN **Variable label =** Damp proof course: Front - replace/install (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDP1RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FEXDP1UR **Variable label =** Damp proof course: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDP1UR
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FEXDP1TM **Variable label =** Damp proof course: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDP1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXDP2PR **Variable label =** Damp proof course: Back - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDP2PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FEXDP2FL **Variable label =** Damp proof course: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDP2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FEXDP2RN **Variable label =** Damp proof course: Back - replace/install (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDP2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXDP2UR **Variable label =** Damp proof course: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDP2UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FEXDP2TM **Variable label =** Damp proof course: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDP2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 15 **Variable =** p2 **Variable label =** Coded HRP age

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for p2

Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 16 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FODCONST **Variable label =** Dwelling description - construction date

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FODCONST

Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 18 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 19 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_derived
Number of variables = 70
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** pr30 **Variable label =** Time taken for survey (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for pr30
Value = 1 Label = Under 30
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 59
Value = 4 Label = 60 - 74
Value = 5 Label = 75 or more
Value = 9 Label = Unknown

Pos. = 4 **Variable =** pr31 **Variable label =** Number of items unfit (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 12

Value label information for pr31
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 5 **Variable =** pr32 **Variable label =** Number of items defective (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 12

Value label information for pr32
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 6 **Variable =** pr33 **Variable label =** Number of items acceptable (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 12

Value label information for pr33
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 7 **Variable =** pr34 **Variable label =** Number of items satisfactory (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 12

Value label information for pr34
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 8 **Variable =** pr35 **Variable label =** Dry/wet rot present (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for pr35
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 9 **Variable =** pr36 **Variable label =** Rising/penetrating damp or serious condensation/mould growth (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for pr36
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 10 **Variable =** pr37 **Variable label =** Poor ventilation (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for pr37
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 11 **Variable =** pr38 **Variable label =** Poor natural or inadequate artificial light (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for pr38
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 12 **Variable =** pr39 **Variable label =** Inadequate heating provision and or ill-fitting doors/windows (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for pr39
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 13 **Variable =** pr40 **Variable label =** Unfitness and lack of amenity (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for pr40
Value = 1 Label = Unfit - lacks no basic amenity
Value = 2 Label = Unfit - lacks one or more basic amenity
Value = 3 Label = Fit - lacks no basic amenity
Value = 4 Label = Fit - lacks one or more basic amenity
Value = 5 Label = DNA
Value = 6 Label = Not applicable

Pos. = 14 **Variable =** pr41 **Variable label =** WHQS - pass (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for pr41
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing

Pos. = 15 **Variable =** prwhqs1 **Variable label =** WHQS: State of Repair - dwelling structural stablility (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for prwhqs1
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 16 **Variable =** prwhqs2 **Variable label =** WHQS: State of Repair - dwelling free from damp (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs2

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 17 **Variable =** prwhqs3 **Variable label =** WHQS: State of Repair - dwelling free from disrepair (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs3

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 18 **Variable =** prwhqs4 **Variable label =** WHQS: State of Repair - condition of walls (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs4

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 19 **Variable =** prwhqs5 **Variable label =** WHQS: State of Repair - condition of roof structure and covering (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs5

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 20 **Variable =** prwhqs6 **Variable label =** WHQS: State of Repair - condition of windows and doors (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs6

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 21 **Variable =** prwhqs7 **Variable label =** WHQS: State of Repair - condition of chimney (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for prwhqs7

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 22 **Variable =** prwhqs10 **Variable label =** WHQS: Safe and secure - safety of staircase balustrading (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs10
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 23 **Variable =** prwhqs11 **Variable label =** WHQS: Safe and secure - safe 600mm wide spaces with enough clear space in from for the cooker, refrigerator and w.ashing machine (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs11
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 24 **Variable =** prwhqs12 **Variable label =** WHQS: Safe and secure - work surface sufficient for safe food preparation (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs12
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 25 **Variable =** prwhqs13 **Variable label =** WHQS: Safe and secure - adequate and convenient cupboard storage (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs13
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 26 **Variable =** prwhqs14 **Variable label =** WHQS: Safe and secure - sufficient number of convenient power sockets in the kitchen (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs14
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 27 **Variable =** prwhqs15 **Variable label =** WHQS: Safe and secure - non-slip flooring kitchen and bathroom (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs15
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 28 **Variable =** prwhqs16 **Variable label =** WHQS: Safe and secure - adequate fire alarm and equipment (where applicable) (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for prwhqs16

Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 29 **Variable =** prwhqs17 **Variable label =** WHQS: Safe and secure - bedrooms have escape routes not passing through another room (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for prwhqs17

Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 30 **Variable =** prwhqs18 **Variable label =** WHQS: Safe and secure - mains powered smoke detectors on each floor (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for prwhqs18

Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 31 **Variable =** prwhqs19 **Variable label =** WHQS: Safe and secure - doors and windows give a reasonable level of physical security (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for prwhqs19

Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 32 **Variable =** prwhqs20 **Variable label =** WHQS: Adequately heated - the heating system heats the dwelling to a reasonable level (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for prwhqs20

Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 33 **Variable =** prwhqs21 **Variable label =** WHQS: Adequately heated - adequately draft proofed windows adequately (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for prwhqs21

Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 34 **Variable =** prwhqs22 **Variable label =** WHQS: Adequately heated - living room separated from the main entrance door (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for prwhqs22

Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 35 **Variable =** prwhqs23 **Variable label =** WHQS: Adequately heated - effectively insulated hot water tank (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for prwhqs23
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 36 **Variable =** prwhqs24 **Variable label =** WHQS: Adequately heated - at least 200mm of insulation in the loft (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for prwhqs24
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 37 **Variable =** prwhqs25 **Variable label =** WHQS: Adequately heated - Ithermal performance of the external walls adequate to avoid the likelihood of condensation (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for prwhqs25
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 38 **Variable =** prwhqs26 **Variable label =** WHQS: Adequately heated - adequate mechanical extract ventilation to the kitchen and bathroom (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for prwhqs26
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 39 **Variable =** prwhqs27 **Variable label =** WHQS: Up to date kitchen and bathroom - Kitchen more than 15 years old (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for prwhqs27
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 40 **Variable =** prwhqs28 **Variable label =** WHQS: Up to date kitchen and bathroom - kitchen in good condition (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for prwhqs28
Value = 0 Label = Fail
Value = 1 Label = Pass

Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 41 **Variable =** prwhqs29 **Variable label =** WHQS: Up to date kitchen and bathroom - adequate facilities for washing, drying and airing clothes (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for prwhqs29
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 42 **Variable =** prwhqs30 **Variable label =** WHQS: Up to date kitchen and bathroom - space, power and plumbing for a washing machine (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs30
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 43 **Variable =** prwhqs31 **Variable label =** WHQS: Up to date kitchen and bathroom - space, power and external venting for a tumble dryer (in the absence of an external clothes line) (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs31
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 44 **Variable =** prwhqs32 **Variable label =** WHQS: Up to date kitchen and bathroom - heated airing cupboard with sufficient shelving (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs32
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 45 **Variable =** prwhqs33 **Variable label =** WHQS: Up to date kitchen and bathroom - bathroom and WC facilities more than 25 years old (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs33
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 46 **Variable =** prwhqs34 **Variable label =** WHQS: Up to date kitchen and bathroom - bathroom and WC facilities in good condition (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs34
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable

Value = 9 Label = Missing

Pos. = 47 **Variable =** prwhqs35 **Variable label =** WHQS: Up to date kitchen and bathroom - shower as well as a bath (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs35
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 48 **Variable =** prwhqs37 **Variable label =** WHQS: Suitability - soft and hard landscaping with planting in protected areas (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for prwhqs37
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 49 **Variable =** prwhqs36 **Variable label =** WHQS: Up to date kitchen and bathroom - conveniently located facilities (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs36
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 50 **Variable =** prwhqs38 **Variable label =** WHQS: Suitability - adequate and safe play space for young children (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for prwhqs38
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 51 **Variable =** prwhqs39 **Variable label =** WHQS: Suitability - adequate and practically located car parking clearly visible to residents (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs39
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 52 **Variable =** prwhqs40 **Variable label =** WHQS :Suitability - dwelling provides sufficient space for everyday living (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs40
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Not applicable
Value = 9 Label = Missing

Pos. = 53 **Variable =** prwhqs41 **Variable label =** WHQS: Suitability - rooms large enough for nominal occupancy (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs41

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 54 **Variable =** prwhqs42 **Variable label =** WHQS: Suitability - adequate internal and external general storage space (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs42

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 55 **Variable =** prwhqs43 **Variable label =** WHQS: Suitability - level area no smaller than 10 sq.m directly accessible from the house (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs43

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 56 **Variable =** prwhqs44 **Variable label =** WHQS: Suitability - paved access to the drying line and any garden gate (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for prwhqs44

Value = 0	Label = Fail
Value = 1	Label = Pass
Value = 8	Label = Not applicable
Value = 9	Label = Missing

Pos. = 57 **Variable =** pvwhqsprimary **Variable label =** Count of primary elements passed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 58 **Variable =** pvwhqssecondary **Variable label =** Count of secondary elements passed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 59 **Variable =** pvwhqsprimaryfail **Variable label =** Count of primary elements failed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 60 **Variable =** pvwhqssecondaryfail **Variable label =** Count of secondary elements failed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 61 **Variable =** pvwhqsprimaryna **Variable label =** Count of primary elements not applicable for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 62 **Variable =** pvwhqssecondaryna **Variable label =** Count of secondary elements not

applicable for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 63 **Variable =** pvwhqsprimarymiss **Variable label =** Count of primary elements with missing data for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 64 **Variable =** pvwhqssecondarymiss **Variable label =** Count of secondary elements with missing data for WHQS
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 65 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 66 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 67 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 68 **Variable =** FODDTYPE **Variable label =** Dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 69 **Variable =** FODCONST **Variable label =** Construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 70 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association

Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_doors
Number of variables = 29
Number of cases = 7398

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXDFTYPE **Variable label =** Doors - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXDFTYPE
Value = 1 Label = Wood
Value = 2 Label = UPVC
Value = 3 Label = Metal

Pos. = 4 **Variable =** FEXDF1NO **Variable label =** Doors: Front - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF1NO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 5 **Variable =** FEXDF1AG **Variable label =** Doors: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXDF1AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FEXDF1FL **Variable label =** Doors: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDF1FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FEXDF1RN **Variable label =** Doors: Front - replace
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF1RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXDF1RP **Variable label =** Doors: Front - repair/glaze
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF1RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXDF1EA **Variable label =** Doors: Front - ease/replace/adjust
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF1EA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FEXDF1PA **Variable label =** Doors: Front - paint
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF1PA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXDF1LV **Variable label =** Doors: Front - leave
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF1LV
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXDF1UR **Variable label =** Doors: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDF1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FEXDF1TM **Variable label =** Doors: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXDF2NO **Variable label =** Doors: Back - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF2NO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXDF2AG **Variable label =** Doors: Back - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXDF2AG

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXDF2FL **Variable label =** Doors: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDF2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FEXDF2RN **Variable label =** Doors: Back - replace
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** FEXDF2RP **Variable label =** Doors: Back - repair/glaze
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF2RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 19 **Variable =** FEXDF2EA **Variable label =** Doors: Back - ease/replace/adjust
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF2EA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FEXDF2PA **Variable label =** Doors: Back - paint
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF2PA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 21 **Variable =** FEXDF2LV **Variable label =** Doors: Back - leave
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF2LV
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 22 **Variable =** FEXDF2UR **Variable label =** Doors: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDF2UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FEXDF2TM **Variable label =** Doors: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDF2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 24 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 25 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 26 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 28 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 29 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_dormers
Number of variables = 33
Number of cases = 17262

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXDBTYPE **Variable label =** Dormers and bays - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXDBTYPE
Value = 1 Label = Bay -single storey
Value = 2 Label = Bay - multi storey
Value = 3 Label = Dormer - standard
Value = 4 Label = Dormer - roof extension
Value = 5 Label = Porches
Value = 6 Label = Conservatories
Value = 7 Label = Balconies

Pos. = 4 **Variable =** FEXDB1PR **Variable label =** Dormers and bays: Front - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDB1PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FEXDB1NO **Variable label =** Dormers and bays: Front - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1NO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FEXDB1AG **Variable label =** Dormers and bays: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXDB1AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FEXDB1FL **Variable label =** Dormers and bays: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDB1FL
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FEXDB1RW **Variable label =** Dormers and bays: Front - rebuild roof & walls
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1RW
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXDB1RO **Variable label =** Dormers and bays: Front - rebuild roof only
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1RO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FEXDB1WO **Variable label =** Dormers and bays: Front - rebuild wall only
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1WO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXDB1MJ **Variable label =** Dormers and bays: Front - major repairs
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1MJ
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXDB1MN **Variable label =** Dormers and bays: Front - minor repairs
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1MN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FEXDB1DE **Variable label =** Dormers and bays: Front - demolish
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1DE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXDB1UR **Variable label =** Dormers and bays: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDB1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FEXDB1TM **Variable label =** Dormers and bays: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXDB2PR **Variable label =** Dormers and bays: Back - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDB2PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FEXDB2NO **Variable label =** Dormers and bays: Back - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB2NO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** FEXDB2AG **Variable label =** Dormers and bays: Back - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXDB2AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 19 **Variable =** FEXDB2FL **Variable label =** Dormers and bays: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXDB2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FEXDB2RW **Variable label =** Dormers and bays: Back - rebuild roof & walls
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB2RW
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 21 **Variable =** FEXDB2RO **Variable label =** Dormers and bays: Back - rebuild roof only
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXDB2RO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 22 **Variable =** FEXDB2WO **Variable label =** Dormers and bays: Back - rebuild wall only
This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXDB2WO

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 23 **Variable =** FEXDB2MJ **Variable label =** Dormers and bays: Back - major repairs

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXDB2MJ

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 24 **Variable =** FEXDB2MN **Variable label =** Dormers and bays: Back - minor repairs

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXDB2MN

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 25 **Variable =** FEXDB2DE **Variable label =** Dormers and bays: Back - demolish

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXDB2DE

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 26 **Variable =** FEXDB2UR **Variable label =** Dormers and bays: Back - urgent

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXDB2UR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FEXDB2TM **Variable label =** Dormers and bays: Back - replacement period

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXDB2TM

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 28 **Variable =** GR2 **Variable label =** Property Survey grossing factor

This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 29 **Variable =** p2 **Variable label =** Coded HRP age

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for p2

Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 30 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FODCONST **Variable label =** Dwelling description - construction date

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FODCONST

Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 32 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 33 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_elevate
Number of variables = 64
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FELEXPFF **Variable label =** Elevation features: Front face - fully exposed
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELEXPFF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 4 **Variable =** FELSOLFF **Variable label =** Elevation features: Front face - solar panels
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELSOLFF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FELGUTFF **Variable label =** Elevation features: Front face - valley gutters
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELGUTFF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FELGABFF **Variable label =** Elevation features: Front face - gables
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELGABFF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FELPARFF **Variable label =** Elevation features: Front face - parapets
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELPARFF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FELSUPFF **Variable label =** Elevation features: Front face - mono supporting walls

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELSUPFF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FELBASFF **Variable label =** Elevation features: Front face - base walls

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELBASFF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FELCAVFF **Variable label =** Elevation features: Front face - cavity wall insulation

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELCAVFF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FELEXTFF **Variable label =** Elevation features: Front face - external insulation

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELEXTFF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FELFENFW **Variable label =** Elevation features: Front face - fenestration window (tenths)

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 88 and 99

Value label information for FELFENFW

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FELFENFV **Variable label =** Elevation features: Front face - fenestration void (tenths)

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 88 and 99

Value label information for FELFENFV

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FELFENFN **Variable label =** Elevation features: Front face - fenestration wall (tenths)

This variable is *numeric*, the SPSS measurement level is *scale*.

SPSS user missing values = 88 and 99

Value label information for FELFENFN

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FELEXPLF **Variable label =** Elevation features: Left face - fully exposed

This variable is *numeric*, the SPSS measurement level is *nominal*.

SPSS user missing values = 7 and 8 and 9

Value label information for FELEXPLF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FELSOLLF **Variable label =** Elevation features: Left face - solar panels

This variable is *numeric*, the SPSS measurement level is *nominal*.

SPSS user missing values = 7 and 8 and 9

Value label information for FELSOLLF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FELGUTLF **Variable label =** Elevation features: Left face - valley gutters

This variable is *numeric*, the SPSS measurement level is *nominal*.

SPSS user missing values = 7 and 8 and 9

Value label information for FELGUTLF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 18 **Variable =** FELGABLF **Variable label =** Elevation features: Left face - gables

This variable is *numeric*, the SPSS measurement level is *nominal*.

SPSS user missing values = 7 and 8 and 9

Value label information for FELGABLF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FELPARLF **Variable label =** Elevation features: Left face - parapets

This variable is *numeric*, the SPSS measurement level is *nominal*.

SPSS user missing values = 7 and 8 and 9

Value label information for FELPARLF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FELSUPLF **Variable label =** Elevation features: Left face - mono supporting walls
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELSUPLF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FELBASLF **Variable label =** Elevation features: Left face - base walls
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELBASLF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 22 **Variable =** FELCAVLF **Variable label =** Elevation features: Left face - cavity wall insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELCAVLF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FELEXTLF **Variable label =** Elevation features: Left face - external insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELEXTLF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 24 **Variable =** FELFENLW **Variable label =** Elevation features: Left face - fenestration window (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENLW
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 25 **Variable =** FELFENLV **Variable label =** Elevation features: Left face - fenestration void (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENLV
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 26 **Variable =** FELFENLN **Variable label =** Elevation features: Left face - fenestration wall (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 88 and 99

Value label information for FELFENLN

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 27 **Variable =** FELEXPRF **Variable label =** Elevation features: Right face - fully exposed

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELEXPRF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FELSOLRF **Variable label =** Elevation features: Right face - solar panels

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELSOLRF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FELGUTRF **Variable label =** Elevation features: Right face - valley gutters

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELGUTRF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FELGABRF **Variable label =** Elevation features: Right face - gables

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELGABRF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FELPARRF **Variable label =** Elevation features: Right face - parapets

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELPARRF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FELSUPRF **Variable label =** Elevation features: Right face - mono supporting walls

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FELSUPRF

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FELBASRF **Variable label =** Elevation features: Right face - base walls
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELBASRF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FELCAVRF **Variable label =** Elevation features: Right face - cavity wall insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELCAVRF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FELEXTRF **Variable label =** Elevation features: Right face - external insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELEXTRF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 36 **Variable =** FELFENRW **Variable label =** Elevation features: Right face - fenestration window (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENRW
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 37 **Variable =** FELFENRV **Variable label =** Elevation features: Right face - fenestration void (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENRV
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 38 **Variable =** FELFENRN **Variable label =** Elevation features: Right face - fenestration wall (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENRN
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 39 **Variable =** FELEXPBF **Variable label =** Elevation features: Back face - fully exposed
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FELEXPBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FELSOLBF **Variable label =** Elevation features: Back face - solar panels
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELSOLBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FELGUTBF **Variable label =** Elevation features: Back face - valley gutters
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELGUTBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FELGABBF **Variable label =** Elevation features: Back face - gables
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELGABBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FELPARBF **Variable label =** Elevation features: Back face - parapets
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELPARBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 44 **Variable =** FELSUPBF **Variable label =** Elevation features: Back face - mono supporting walls
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELSUPBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FELBASBF **Variable label =** Elevation features: Back face - base walls
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELBASBF
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FELCAVBF **Variable label =** Elevation features: Back face - cavity wall insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELCAVBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 47 **Variable =** FELEXTBF **Variable label =** Elevation features: Back face - external insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FELEXTBF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FELFENBW **Variable label =** Elevation features: Back face - fenestration window (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENBW
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 49 **Variable =** FELFENBV **Variable label =** Elevation features: Back face - fenestration void (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENBV
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 50 **Variable =** FELFENBN **Variable label =** Elevation features: Back face - fenestration wall (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FELFENBN
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 51 **Variable =** FVWSPEBF **Variable label =** Specification of views: Back - back face
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FVWSPEBF
Value = 1 Label = Front
Value = 2 Label = Back
Value = 3 Label = Fully attached
Value = 4 Label = Not seen

Pos. = 52 **Variable =** FVWTENBF **Variable label =** Specification of views: Back - tenths attached
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 53 **Variable =** FVWSPELF **Variable label =** Specification of views: Left - left face

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FVWSPELF

Value = 1 Label = Front
Value = 2 Label = Back
Value = 3 Label = Fully attached
Value = 4 Label = Not seen

Pos. = 54 **Variable =** FVWTENLF **Variable label =** Specification of views: Left - tenths attached

This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 55 **Variable =** FVWSPERF **Variable label =** Specification of views: Right - right face

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FVWSPERF

Value = 1 Label = Front
Value = 2 Label = Back
Value = 3 Label = Fully attached
Value = 4 Label = Not seen

Pos. = 56 **Variable =** FVWTENRF **Variable label =** Specification of views: Right - tenths attached

This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 57 **Variable =** FVWSPEFF **Variable label =** Specification of views:Front - front face

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FVWSPEFF

Value = 1 Label = Front
Value = 2 Label = Back
Value = 3 Label = Fully attached
Value = 4 Label = Not seen

Pos. = 58 **Variable =** FVWTENFF **Variable label =** Specification of views:Front - tenths attached

This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 59 **Variable =** GR2 **Variable label =** Property Survey grossing factor

This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 60 **Variable =** p2 **Variable label =** Coded HRP age

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for p2

Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 61 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 62 **Variable =** FODCONST **Variable label =** Dwelling description - construction date

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FODCONST

Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918

Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 63 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 64 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal*.
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_firstimp
Number of variables = 72
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FRECL1VM **Variable label =** Survey record: Visit 1 - visit made
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for FRECL1VM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 4 **Variable =** FRECL1BA **Variable label =** Survey record: Visit 1 - booked appointment
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for FRECL1BA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FRECL1DY **Variable label =** Survey record: Visit 1 - day of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99

Value label information for FRECL1DY
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FRECL1MT **Variable label =** Survey record: Visit 1 - month of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99

Value label information for FRECL1MT
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FRECL1SH **Variable label =** Survey record: Visit 1 - start hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99

Value label information for FRECL1SH
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FRECL1SM **Variable label =** Survey record: Visit 1 - start minute
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99

Value label information for FRECL1SM
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FRECL1FH **Variable label =** Survey record: Visit 1 - finish hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL1FH
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FRECL1FM **Variable label =** Survey record: Visit 1 - finish minute
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL1FM
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FRECL1OU **Variable label =** Survey record: Visit 1 - outcome
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL1OU
Value = 1 Label = Full/completed survey
Value = 2 Label = Non-survey
Value = 3 Label = Partial survey
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FRECL1RE **Variable label =** Survey record: Visit 1 - non-survey reason
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL1RE
Value = 1 Label = Refusal on doorstep
Value = 2 Label = Refusal during survey
Value = 3 Label = Refusal by phone with surveyor
Value = 4 Label = Refusal notified by MORI
Value = 5 Label = No contact
Value = 6 Label = Survey rescheduled
Value = 7 Label = Too dark to complete
Value = 8 Label = Other
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FRECL2VM **Variable label =** Survey record: Visit 2 - visit made
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL2VM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FRECL2BA **Variable label =** Survey record: Visit 2 - booked appointment
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL2BA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FRECL2DY **Variable label =** Survey record: Visit 2 - day of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL2DY
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FRECL2MT **Variable label =** Survey record: Visit 2 - month of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL2MT
Value = 99 Label = Unknown

Pos. = 17 **Variable =** FRECL2SH **Variable label =** Survey record: Visit 2 - start hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL2SH
Value = 99 Label = Unknown

Pos. = 18 **Variable =** FRECL2SM **Variable label =** Survey record: Visit 2 - start minute
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL2SM
Value = 99 Label = Unknown

Pos. = 19 **Variable =** FRECL2FH **Variable label =** Survey record: Visit 2 - finish hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL2FH
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FRECL2FM **Variable label =** Survey record: Visit 2 - finish minute
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL2FM
Value = 99 Label = Unknown

Pos. = 21 **Variable =** FRECL2OU **Variable label =** Survey record: Visit 2 - outcome
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL2OU
Value = 1 Label = Full/completed survey
Value = 2 Label = Non-survey
Value = 3 Label = Partial survey
Value = 9 Label = Unknown

Pos. = 22 **Variable =** FRECL2RE **Variable label =** Survey record: Visit 2 - non-survey reason
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL2RE
Value = 1 Label = Refusal on doorstep
Value = 2 Label = Refusal during survey
Value = 3 Label = Refusal by phone with surveyor
Value = 4 Label = Refusal notified by MORI
Value = 5 Label = No contact
Value = 6 Label = Survey rescheduled
Value = 7 Label = Too dark to complete
Value = 8 Label = Other
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FRECL3VM **Variable label =** Survey record: Visit 3 - visit made
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL3VM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 24 **Variable =** FRECL3BA **Variable label =** Survey record: Visit 3 - booked appointment
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL3BA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 25 **Variable =** FRECL3DY **Variable label =** Survey record: Visit 3 - day of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL3DY
Value = 99 Label = Unknown

Pos. = 26 **Variable =** FRECL3MT **Variable label =** Survey record: Visit 3 - month of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL3MT
Value = 99 Label = Unknown

Pos. = 27 **Variable =** FRECL3SH **Variable label =** Survey record: Visit 3 - start hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL3SH
Value = 99 Label = Unknown

Pos. = 28 **Variable =** FRECL3SM **Variable label =** Survey record: Visit 3 - start minute
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL3SM
Value = 99 Label = Unknown

Pos. = 29 **Variable =** FRECL3FH **Variable label =** Survey record: Visit 3 - finish hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL3FH
Value = 99 Label = Unknown

Pos. = 30 **Variable =** FRECL3FM **Variable label =** Survey record: Visit 3 - finish minute
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL3FM
Value = 99 Label = Unknown

Pos. = 31 **Variable =** FRECL3OU **Variable label =** Survey record: Visit 3 - outcome
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL3OU
Value = 1 Label = Full/completed survey
Value = 2 Label = Non-survey
Value = 3 Label = Partial survey
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FRECL3RE **Variable label =** Survey record: Visit 3 - non-survey reason
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL3RE

Value = 1 Label = Refusal on doorstep
Value = 2 Label = Refusal during survey
Value = 3 Label = Refusal by phone with surveyor
Value = 4 Label = Refusal notified by MORI
Value = 5 Label = No contact
Value = 6 Label = Survey rescheduled
Value = 7 Label = Too dark to complete
Value = 8 Label = Other
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FRECL4VM **Variable label =** Survey record: Visit 4 - visit made
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL4VM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FRECL4BA **Variable label =** Survey record: Visit 4 - booked appointment
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FRECL4BA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FRECL4DY **Variable label =** Survey record: Visit 4 - day of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL4DY
Value = 99 Label = Unknown

Pos. = 36 **Variable =** FRECL4MT **Variable label =** Survey record: Visit 4 - month of call
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL4MT
Value = 99 Label = Unknown

Pos. = 37 **Variable =** FRECL4SH **Variable label =** Survey record: Visit 4 - start hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL4SH
Value = 99 Label = Unknown

Pos. = 38 **Variable =** FRECL4SM **Variable label =** Survey record: Visit 4 - start minute
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL4SM
Value = 99 Label = Unknown

Pos. = 39 **Variable =** FRECL4FH **Variable label =** Survey record: Visit 4 - finish hour
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FRECL4FH
Value = 99 Label = Unknown

Pos. = 40 **Variable =** FRECL4FM **Variable label =** Survey record: Visit 4 - finish minute
This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FRECL4FM

Value = 99 Label = Unknown

Pos. = 41 **Variable =** FRECL4OU **Variable label =** Survey record: Visit 4 - outcome

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FRECL4OU

Value = 1 Label = Full/completed survey
Value = 2 Label = Non-survey
Value = 3 Label = Partial survey
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FRECL4RE **Variable label =** Survey record: Visit 4 - non-survey reason

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FRECL4RE

Value = 1 Label = Refusal on doorstep
Value = 2 Label = Refusal during survey
Value = 3 Label = Refusal by phone with surveyor
Value = 4 Label = Refusal notified by MORI
Value = 5 Label = No contact
Value = 6 Label = Survey rescheduled
Value = 7 Label = Too dark to complete
Value = 8 Label = Other
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FREPHOT1 **Variable label =** Photo: Front - number of photo

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 9

Value label information for FREPHOT1

Value = 99 Label = Unknown

Pos. = 44 **Variable =** FREPHOT2 **Variable label =** Photo: Back - number of photo

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 9

Value label information for FREPHOT2

Value = 99 Label = Unknown

Pos. = 45 **Variable =** FREPHOT3 **Variable label =** Photo: Up road - number of photo

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 9

Value label information for FREPHOT3

Value = 99 Label = Unknown

Pos. = 46 **Variable =** FREPHOT4 **Variable label =** Photo: Down road - number of photo

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 9

Value label information for FREPHOT4

Value = 99 Label = Unknown

Pos. = 47 **Variable =** FADINTA **Variable label =** Dwelling Identification - single dwelling address

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FADINTA

Value = 1 Label = Single dwelling
Value = 2 Label = Not a single dwelling
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FADSAM **Variable label =** Dwelling Identification - address relative to dwelling

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FADSAM

Value = 1 Label = Part of a dwelling
Value = 2 Label = More than one dwelling
Value = 3 Label = Dwelling with non residential
Value = 8 Label = Not applicable
Value = 9 Label = Unknown

Pos. = 49 **Variable =** FADSAMA **Variable label =** Dwelling Identification - number of addresses at dwelling

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 88 and 99

Value label information for FADSAMA

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 50 **Variable =** FADSAMB **Variable label =** Dwelling Identification - number of dwellings at addresses

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 88 and 99

Value label information for FADSAMB

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 51 **Variable =** FADSAMC **Variable label =** Dwelling Identification - number of dwellings at address with non-residential

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 88 and 99

Value label information for FADSAMC

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 52 **Variable =** FADSURV **Variable label =** Dwelling Identification - address surveyed same as printed

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FADSURV

Value = 1 Label = Same as printed
Value = 2 Label = Not same as printed
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 53 **Variable =** FODISHMO **Variable label =** Dwelling description - type of occupancy

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FODISHMO

Value = 1 Label = Single family dwelling
Value = 2 Label = Shared house
Value = 3 Label = House with lodgers
Value = 4 Label = Bedsits or flatlets
Value = 5 Label = Purpose built with shared amenities
Value = 6 Label = Hostel / B&B
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached

Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 55 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 56 **Variable =** FODOCCUP **Variable label =** Dwelling description - occupancy
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODOCCUP
Value = 1 Label = Occupied
Value = 2 Label = Awaiting another owner
Value = 3 Label = Awaiting another tenant
Value = 4 Label = Awaiting demolition
Value = 5 Label = Being modernised
Value = 6 Label = New never occupied
Value = 7 Label = Being used for other purpose
Value = 8 Label = Other (specify)
Value = 9 Label = Unknown

Pos. = 57 **Variable =** FODLIVEY **Variable label =** Dwelling description - length of occupancy (years)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FODLIVEY
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 58 **Variable =** FODLIVEM **Variable label =** Dwelling description - length of occupancy (months)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FODLIVEM
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 59 **Variable =** FODVACNY **Variable label =** Dwelling description - length of vacancy (months)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FODVACNY
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 60 **Variable =** FODVACNM **Variable label =** Dwelling description - length of vacancy (months)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FODVACNM
Value = 88 Label = Question not applicable

Value = 99 Label = Unknown

Pos. = 61 **Variable =** FODBOARD **Variable label =** Dwelling description - boarded up/secured
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FODBOARD
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 62 **Variable =** FODMOVED **Variable label =** Dwelling description: Moved in last 3 months - day
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FODMOVED
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 63 **Variable =** FODMOVEM **Variable label =** Dwelling description: Moved in last 3 months - month
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FODMOVEM
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 64 **Variable =** FODMOVEY **Variable label =** Dwelling description: Moved in last 3 months - year
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FODMOVEY
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 65 **Variable =** FMODULE **Variable label =** Module - units within the module
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FMODULE
Value = 1 Label = House
Value = 2 Label = Converted building (multiple units)
Value = 3 Label = Purpose built flats (multiple units)
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 66 **Variable =** FMODISSC **Variable label =** Module - sole/shared use of amenities
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FMODISSC
Value = 1 Label = Yes - sole use
Value = 2 Label = Mix
Value = 3 Label = No
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 67 **Variable =** FMODSC **Variable label =** Module - number of units with exclusive use of amenities
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99

Value label information for FMODSC
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 68 **Variable =** FMODNON **Variable label =** Module - number if units which share amenities
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88 and 99
Value label information for FMODNON
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 69 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 70 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 46 - 64

Pos. = 71 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 72 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_fitness
Number of variables = 22
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FFFUNFFA **Variable label =** Summary of fitness
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FFFUNFFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory

Pos. = 4 **Variable =** FFFSTRUC **Variable label =** Summary of fitness: Unfit reasons - structural stability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFSTRUC
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FFFREPAR **Variable label =** Summary of fitness: Unfit reasons - disrepair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFREPAR
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FFFDAMP **Variable label =** Summary of fitness: Unfit reasons - dampness
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFDAMP
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = U - unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FFFLIGHT **Variable label =** Summary of fitness: Unfit reasons - lighting
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFLIGHT
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FFFHEAT **Variable label =** Summary of fitness: Unfit reasons - heating
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFHEAT
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FFFVENT **Variable label =** Summary of fitness: Unfit reasons - ventilation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFVENT
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FFFWATER **Variable label =** Summary of fitness: Unfit reasons - water supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFWATER
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FFFFOOD **Variable label =** Summary of fitness: Unfit reasons - food preparation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFFOOD
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FFFWC **Variable label =** Summary of fitness: Unfit reasons - WC
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFWC
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FFFBATH **Variable label =** Summary of fitness: Unfit reasons - bath/shower & wash hand basin
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFBATH
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FFFDRAIN **Variable label =** Summary of fitness: Unfit reasons - structural stability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFDRAIN
Value = 1 Label = Selected
Value = 2 Label = Not selected
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FFFMITIG **Variable label =** Summary of fitness - mitigation (if unfit)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FFFMITIG
Value = 1 Label = None
Value = 2 Label = Short-term refurbishment
Value = 3 Label = Being made fit
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FFFACTIN **Variable label =** Summary of fitness - appropriate action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FFFACTIN
Value = 1 Label = No action
Value = 2 Label = Repair/improve single dwelling
Value = 3 Label = Repair/improve block/group of dwellings
Value = 4 Label = Demolish/replace individual dwelling
Value = 5 Label = Demolish/replace block/group of dwellings
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 18 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 19 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FODCONST

Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 21 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 22 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_flatdets
Number of variables = 30
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 3 **Variable =** FDFFROOA **Variable label =** Flat details: Front wall exposure - outside air (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFFROOA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 4 **Variable =** FDFBCKOA **Variable label =** Flat details: Back wall exposure - outside air (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFBCKOA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 5 **Variable =** FDFLFTOA **Variable label =** Flat details: Left wall exposure - outside air (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFLFTOA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FDFRIGOA **Variable label =** Flat details: Right wall exposure - outside air (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFRIGOA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FDFFROIA **Variable label =** Flat details: Front wall exposure - internal accessways (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99

Value label information for FDFFROIA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FDFBCKIA **Variable label =** Flat details: Back wall exposure - internal accessways (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFBCKIA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FDFLFTIA **Variable label =** Flat details: Left wall exposure - internal accessways (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFLFTIA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FDFRIGIA **Variable label =** Flat details: Right wall exposure - internal accessways (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFRIGIA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FDFFROOF **Variable label =** Flat details: Front wall exposure - other flats (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFFROOF
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FDFBCKOF **Variable label =** Flat details: Back wall exposure - other flats (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFBCKOF
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FDFLFTOF **Variable label =** Flat details: Left wall exposure - other flats (tenths)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 77 and 88 and 99
Value label information for FDFLFTOF
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FDFRIGOF **Variable label =** Flat details: Right wall exposure - other flats (tenths)

This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FDFRIGOF
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FDFENTRY **Variable label =** Flat details - entry floor to dwelling proper
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FDFENTRY
Value = 01 Label = First floor
Value = 77 Label = Section not applicable
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 16 **Variable =** FDFPRIVT **Variable label =** Flat details - private entry stair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FDFPRIVT
Value = 1 Label = None
Value = 2 Label = Up
Value = 3 Label = Down
Value = 7 Label = Section not applicable

Pos. = 17 **Variable =** FDFFLOOR **Variable label =** Flat details: Dimensions - number of floors
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 7 and 8 and 9

Value label information for FDFFLOOR
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 18 **Variable =** FDFSAMED **Variable label =** Flat details: Dimensions - same as module
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FDFSAMED
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FDFMAINL **Variable label =** Flat details: Dimensions - level of main floor
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FDFMAINL
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FDFMAINW **Variable label =** Flat details: Dimensions - width of main floor (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77.7 and 88.8 and 99.9

Value label information for FDFMAINW
Value = 77.7 Label = Section not applicable
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 21 **Variable =** FDFMAIND **Variable label =** Flat details: Dimensions - depth of main floor (m)

This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77.7 and 88.8 and 99.9

Value label information for FDFMAIND

Value = 77.7 Label = Section not applicable
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 22 **Variable =** FDFNEXTL **Variable label =** Flat details: Dimensions - level of next floor
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FDFNEXTL

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 23 **Variable =** FDFNEXTW **Variable label =** Flat details: Dimensions - width of next floor (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77.7 and 88.8 and 99.9

Value label information for FDFNEXTW

Value = 77.7 Label = Section not applicable
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 24 **Variable =** FDFNEXTD **Variable label =** Flat details: Dimensions - depth of next floor (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77.7 and 88.8 and 99.9

Value label information for FDFNEXTD

Value = 77.7 Label = Section not applicable
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 25 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 26 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for p2

Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 27 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FODCONST

Value = 1	Label = Pre 1850
Value = 2	Label = 1850 - 1899
Value = 3	Label = 1890 - 1918
Value = 4	Label = 1919 - 1944
Value = 5	Label = 1945 - 1964
Value = 6	Label = 1965 - 1974
Value = 7	Label = 1975 - 1980
Value = 8	Label = 1981 - 1990
Value = 9	Label = Post 1990

Pos. = 29 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0	Label = Not
Value = 1	Label = Vulnerable household

Pos. = 30 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1	Label = Owner-occupied
Value = 2	Label = Local authority
Value = 3	Label = Housing Association
Value = 4	Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_interior
Number of variables = 100
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FINLIVEX **Variable label =** Interior: Living room - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINLIVEX

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 4 **Variable =** FINLIVLE **Variable label =** Interior: Living room - level
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FINLIVLE

Value = 01	Label = First floor
Value = 02	Label = Second floor
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown
Value = BB	Label = Basement
Value = GG	Label = Ground

Pos. = 5 **Variable =** FINLIVFU **Variable label =** Interior: Living room - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99

Value label information for FINLIVFU

Value = 1	Label = Living room
Value = 2	Label = Kitchen
Value = 3	Label = Single room
Value = 4	Label = Twin/double room
Value = 5	Label = Dining room
Value = 6	Label = Bathroom
Value = 7	Label = Utility room
Value = 8	Label = Cupboard
Value = 9	Label = Bedsit
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown

Pos. = 6 **Variable =** FINLIVIN **Variable label =** Interior: Living room - inspected
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINLIVIN

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FINLIVCL **Variable label =** Interior: Living room - ceiling height (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINLIVCL
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 8 **Variable =** FINLIVWI **Variable label =** Interior: Living room - width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINLIVWI
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 9 **Variable =** FINLIVDE **Variable label =** Interior: Living room - depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINLIVDE
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 10 **Variable =** FINLIVSU **Variable label =** Interior: Living room - serious underestimation of size
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLIVSU
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FINKITEX **Variable label =** Interior: Kitchen - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINKITEX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FINKITLE **Variable label =** Interior: Kitchen - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINKITLE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 13 **Variable =** FINKITFU **Variable label =** Interior: Kitchen - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINKITFU
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard

Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FINKITIN **Variable label =** Interior: Kitchen - inspected
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINKITIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FINKITCL **Variable label =** Interior: Kitchen - ceiling height (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINKITCL
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 16 **Variable =** FINKITWI **Variable label =** Interior: Kitchen - width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINKITWI
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 17 **Variable =** FINKITDE **Variable label =** Interior: Kitchen - depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINKITDE
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 18 **Variable =** FINKITSU **Variable label =** Interior: Kitchen - serious underestimation of size
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINKITSU
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FINBEDEX **Variable label =** Interior: Bedroom - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBEDEX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FINBEDLE **Variable label =** Interior: Bedroom - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINBEDLE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 21 **Variable =** FINBEDFU **Variable label =** Interior: Bedroom - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINBEDFU
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 22 **Variable =** FINBEDIN **Variable label =** Interior: Bedroom - inspected
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBEDIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FINBEDCL **Variable label =** Interior: Bedroom - ceiling height (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINBEDCL
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 24 **Variable =** FINBEDWI **Variable label =** Interior: Bedroom - width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINBEDWI
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 25 **Variable =** FINBEDDE **Variable label =** Interior: Bedroom - depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINBEDDE
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 26 **Variable =** FINBEDSU **Variable label =** Interior: Bedroom - serious underestimation of size
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBEDSU
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FINBATEX **Variable label =** Interior: Bathroom - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBATEX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FINBATLE **Variable label =** Interior: Bathroom - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINBATLE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 29 **Variable =** FINBATIN **Variable label =** Interior: Bathroom - inspected
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBATIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FINBATCL **Variable label =** Interior: Bathroom - ceiling height (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINBATCL
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 31 **Variable =** FINCIREX **Variable label =** Interior: Circulation - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCIREX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FINCIRIN **Variable label =** Interior: Circulation - inspected
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCIRIN
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 33 **Variable =** FINCIRCL **Variable label =** Interior: Circulation - ceiling height (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for FINCIRCL
Value = 8.8 Label = Question not applicable
Value = 9.9 Label = Unknown

Pos. = 34 **Variable =** FINGAREX **Variable label =** Interior: Integral garage - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINGAREX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FINGARLE **Variable label =** Interior: Integral garage - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINGARLE

Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 36 **Variable =** FINBALEX **Variable label =** Interior: Integral balcony - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINBALEX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 37 **Variable =** FINBALLE **Variable label =** Interior: Integral balcony - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINBALLE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 38 **Variable =** FINEX1EX **Variable label =** Interior: Extra room 1 - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINEX1EX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FINEX1LE **Variable label =** Interior: Extra room 1 - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINEX1LE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 40 **Variable =** FINEX1FU **Variable label =** Interior: Extra room 1 - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINEX1FU
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 41 **Variable =** FINEX2EX **Variable label =** Interior: Extra room 2 - present
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINEX2EX

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FINEX2LE **Variable label =** Interior: Extra room 2 - level

This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FINEX2LE

Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 43 **Variable =** FINEX2FU **Variable label =** Interior: Extra room 2 - function

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINEX2FU

Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 44 **Variable =** FINEX3EX **Variable label =** Interior: Extra room 3 - present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINEX3EX

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FINEX3LE **Variable label =** Interior: Extra room 3 - level

This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FINEX3LE

Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 46 **Variable =** FINEX3FU **Variable label =** Interior: Extra room 3 - function

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINEX3FU

Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room

Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 47 **Variable =** FINEX4EX **Variable label =** Interior: Extra room 4 - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINEX4EX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FINEX4LE **Variable label =** Interior: Extra room 4 - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINEX4LE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 49 **Variable =** FINEX4FU **Variable label =** Interior: Extra room 4 - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINEX4FU
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 50 **Variable =** FINEX5EX **Variable label =** Interior: Extra room 5 - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINEX5EX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 51 **Variable =** FINEX5LE **Variable label =** Interior: Extra room 5 - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINEX5LE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 52 **Variable =** FINEX5FU **Variable label =** Interior: Extra room 5 - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99

Value label information for FINEX5FU
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 53 **Variable =** FINEX6EX **Variable label =** Interior: Extra room 6 - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINEX6EX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FINEX6LE **Variable label =** Interior: Extra room 6 - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINEX6LE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 55 **Variable =** FINEX6FU **Variable label =** Interior: Extra room 6 - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINEX6FU
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 56 **Variable =** FINEX7EX **Variable label =** Interior: Extra room 7 - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINEX7EX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 57 **Variable =** FINEX7LE **Variable label =** Interior: Extra room 7 - level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINEX7LE
Value = 01 Label = First floor
Value = 02 Label = Second floor
Value = 88 Label = Question not applicable

Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground

Pos. = 58 **Variable =** FINEX7FU **Variable label =** Interior: Extra room 7 - function
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINEX7FU
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Single room
Value = 4 Label = Twin/double room
Value = 5 Label = Dining room
Value = 6 Label = Bathroom
Value = 7 Label = Utility room
Value = 8 Label = Cupboard
Value = 9 Label = Bedsit
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 59 **Variable =** FINROOMS **Variable label =** Interior - number of habitable rooms
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FINROOMS
Value = 99 Label = Unknown

Pos. = 60 **Variable =** FINSEPUN **Variable label =** Interior - separable unit
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSEPUN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 61 **Variable =** FINSTRPR **Variable label =** Interior: Stairs - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSTRPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 62 **Variable =** FINSTROP **Variable label =** Interior: Stairs - open plan
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSTROP
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 63 **Variable =** FINSTRFL **Variable label =** Interior: Stairs - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSTRFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 64 **Variable =** FINSTRRN **Variable label =** Interior: Stairs - replace structure
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSTRRN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 65 **Variable =** FINSTRTR **Variable label =** Interior: Stairs - replace treads
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSTRTR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 66 **Variable =** FINSTRBL **Variable label =** Interior: Stairs - replace balustrades
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSTRBL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 67 **Variable =** FINSTRRP **Variable label =** Interior: Stairs - prepair/refix treads/balustrades/handrail
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSTRRP
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 68 **Variable =** FINIDDUS **Variable label =** Interior: Design defects - unsafe staircase
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINIDDUS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 69 **Variable =** FINIDDTR **Variable label =** Interior: Design defects - trip step/hazards
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINIDDTR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 70 **Variable =** FINIDDDW **Variable label =** Interior: Design defects - dangerous windows/landings/balconies
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINIDDDW
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 71 **Variable =** FINIDDED **Variable label =** Interior: Design defects - entrance door leads directly into living room
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINIDDED
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 72 **Variable =** FINSECME **Variable label =** Interior: Security - main entrance door
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINSECME
Value = 1 Label = High
Value = 2 Label = Fairly high
Value = 3 Label = Fairly low
Value = 4 Label = Low
Value = 5 Label = Very low
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 73 **Variable =** FINSECOT **Variable label =** Interior: Security - other external doors
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINSECOT
Value = 1 Label = High
Value = 2 Label = Fairly high
Value = 3 Label = Fairly low
Value = 4 Label = Low
Value = 5 Label = Very low
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 74 **Variable =** FINSECWN **Variable label =** Interior: Security - accessible windows
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINSECWN
Value = 1 Label = High
Value = 2 Label = Fairly high
Value = 3 Label = Fairly low
Value = 4 Label = Low
Value = 5 Label = Very low
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 75 **Variable =** FINSECBA **Variable label =** Interior: Security - burglar alarm present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSECBA
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 76 **Variable =** FINSECVW **Variable label =** Interior: Security - door viewer present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSECVW
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 77 **Variable =** FINSECSD **Variable label =** Interior: Security - mains powered smoke detector on each floor
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINSECSD
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 78 **Variable =** FINESCAP **Variable label =** Interior: Fire safety - escape route from bedrooms
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINESCAP
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 79 **Variable =** FINFLUSH **Variable label =** Interior: Disabled access - flush threshold
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINFLUSH
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 80 **Variable =** FINLEVAC **Variable label =** Interior: Disabled access - level access
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINLEVAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 81 **Variable =** FINBATH **Variable label =** Interior: Disabled access - bathroom/WC at entrance level
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINBATH
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 82 **Variable =** FINCIRCU **Variable label =** Interior: Disabled access - doorsets/circulation > 900mm

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINCIRCU

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 83 **Variable =** FINLANDS **Variable label =** Interior: Disabled access - straight stairs with landings > 900mm

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINLANDS

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 84 **Variable =** FINRAMPS **Variable label =** Interior: Disabled adaptations - ramps

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINRAMPS

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 85 **Variable =** FINGRABR **Variable label =** Interior: Disabled adaptations - grab rails

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINGRABR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 86 **Variable =** FINLIFTS **Variable label =** Interior: Disabled adaptations - stair lifts

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINLIFTS

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 87 **Variable =** FINHOIST **Variable label =** Interior: Disabled adaptations - hoists

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINHOIST

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 88 **Variable =** FINELECM **Variable label =** Interior: Disabled adaptations - electrical modifications
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINELECM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 89 **Variable =** FINRPAIR **Variable label =** Interior: Summary of interal condition - repair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FINRPAIR
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 9 Label = Unknown

Pos. = 90 **Variable =** FINSTABY **Variable label =** Interior: Summary of interal condition - stability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FINSTABY
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 9 Label = Unknown

Pos. = 91 **Variable =** FINDAMPS **Variable label =** Interior: Summary of interal condition - dampness
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FINDAMPS
Value = 1 Label = Seriously defective
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 9 Label = Unknown

Pos. = 92 **Variable =** FFFVENFA **Variable label =** Final fitness assessment - ventilation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FFFVENFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 9 Label = Unknown

Pos. = 93 **Variable =** FFFLITFA **Variable label =** Final fitness assessment - lighting
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FFFLITFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory

Value = 9 Label = Unknown

Pos. = 94 **Variable =** FFFHETFA **Variable label =** Final fitness assessment - heating
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FFFHETFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 9 Label = Unknown

Pos. = 95 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 96 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 97 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 98 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 99 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 100 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_introoms
Number of variables = 54
Number of cases = 12330

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FINROOM **Variable label =** Interior - room
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FINROOM
Value = 1 Label = Living room
Value = 2 Label = Kitchen
Value = 3 Label = Bedroom
Value = 4 Label = Bathroom
Value = 5 Label = Circulation

Pos. = 4 **Variable =** FINCLGFL **Variable label =** Interior: Ceilings - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCLGFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FINCLGRN **Variable label =** Interior: Ceilings - take down & renew (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINCLGRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FINCLGRP **Variable label =** Interior: Ceilings - isolated repair (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINCLGRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FINFLRSF **Variable label =** Interior: Floors - solid floors
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINFLRSF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FINFLRFL **Variable label =** Interior: Floors - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINFLRFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FINFLRRN **Variable label =** Interior: Floors - replace structure (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINFLRRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FINFLRRP **Variable label =** Interior: Floors - replace only boards or screed (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINFLRRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FINFLRRF **Variable label =** Interior: Floors - refix boards/repair screed (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINFLRRF
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FINWLSFL **Variable label =** Interior: Walls - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWLSFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FINWLSRN **Variable label =** Interior: Walls - rebuild partition wall (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINWLSRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FINWLSPL **Variable label =** Interior: Walls - hack off, replaster (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINWLSPL
Value = 77 Label = Section not applicable

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FINWLSRP **Variable label =** Interior: Walls - isolated repair/fill cracks (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINWLSRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FINWLSDL **Variable label =** Interior: Walls - dry lining present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWLSDL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FINDRSFL **Variable label =** Interior: Doors - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDRSFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 18 **Variable =** FINDRSRN **Variable label =** Interior: Doors - renew
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINDRSRN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 19 **Variable =** FINDRSRP **Variable label =** Interior: Doors - rehang
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINDRSRP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FINWNDFL **Variable label =** Interior: Windows - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWNDFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FINWNDES **Variable label =** Interior: Windows - means of escape
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWNDES
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 22 **Variable =** FINWNDSI **Variable label =** Interior: Windows - secondary glazing for sound insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWNDSI
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FINWNDDP **Variable label =** Interior: Windows - draught proofed
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWNDDP
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 24 **Variable =** FINHTGCH **Variable label =** Interior: Heating & services - central heating/programmable appliance present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINHTGCH
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 25 **Variable =** FINHTGFX **Variable label =** Interior: Heating & services - other fixed heater present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINHTGFX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 26 **Variable =** FINHTGSP **Variable label =** Interior: Heating & services - gas point/fused spur for heating present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINHTGSP
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FINHTGLG **Variable label =** Interior: Heating & services - fluorescent/low energy lighting present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINHTGLG

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FINHTGSK **Variable label =** Interior: Heating & services - number of 13A power sockets
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FINHTGSK
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 29 **Variable =** FINDFXFB **Variable label =** Interior: Defects - fabric disrepair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXFB
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FINDFXAM **Variable label =** Interior: Defects - amenities disrepair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXAM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FINDFXSV **Variable label =** Interior: Defects - services disrepair
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXSV
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FINDFXSL **Variable label =** Interior: Defects - sloping floor/cracks/distortion
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXSL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FINDFXIN **Variable label =** Interior: Defects - wood boring insect attack
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXIN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FINDFXRT **Variable label =** Interior: Defects - dry/wet rot
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXRT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FINDFXRD **Variable label =** Interior: Defects - rising damp
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXRD
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 36 **Variable =** FINDFXPD **Variable label =** Interior: Defects - penetrating damp
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXPD
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 37 **Variable =** FINDFXMO **Variable label =** Interior: Defects - serious condensation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXMO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 38 **Variable =** FINDFXSE **Variable label =** Interior: Defects - window openings sealed
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXSE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FINDFXSM **Variable label =** Interior: Defects - no/small window openings
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXSM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FINDFXVT **Variable label =** Interior: Defects - inadequate appliance ventilation

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINDFXVT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FINDFXWS **Variable label =** Interior: Defects - windows too small
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINDFXWS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FINDFXWO **Variable label =** Interior: Defects - overshadowed
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINDFXWO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FINDFXAL **Variable label =** Interior: Defects - inadequate artificial light
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINDFXAL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 44 **Variable =** FINDFXHT **Variable label =** Interior: Defects - inadequate heating provision
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINDFXHT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FINDFXDR **Variable label =** Interior: Defects - ill fitting doors/windows
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINDFXDR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FINDFXLH **Variable label =** Interior: Defects - low headroom
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINDFXLH

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 47 **Variable =** FINDFXSF **Variable label =** Interior: Defects - slippery flooring
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXSF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FINDFXFL **Variable label =** Interior: Defects - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINDFXFL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 49 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 50 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 51 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 52 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 53 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 54 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_numflats
Number of variables = 17
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FNOFLATS **Variable label =** Flats in module - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 777 and 888 and 999

Value label information for FNOFLATS

Value = 777	Label = Section not applicable
Value = 888	Label = Question not applicable
Value = 999	Label = Unknown

Pos. = 4 **Variable =** FNOLOWES **Variable label =** Flats in module - lowest level
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FNOLOWES

Value = 1	Label = First floor
Value = 2	Label = Second floor
Value = 3	Label = Third floor
Value = 7	Label = Section not applicable
Value = B	Label = Basement
Value = G	Label = Ground floor

Pos. = 5 **Variable =** FNOGRUSE **Variable label =** Flats in module - use of ground floor
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 77 and 88 and 99

Value label information for FNOGRUSE

Value = 1	Label = Dwelling only
Value = 2	Label = Dwelling and services
Value = 3	Label = Services only
Value = 4	Label = Dwelling and non-residential
Value = 5	Label = Non residential only
Value = 6	Label = Dwelling and void
Value = 7	Label = Other
Value = 77	Label = Section not applicable
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown

Pos. = 6 **Variable =** FNOBSUSE **Variable label =** Flats in module - use of basement
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 77 and 88 and 99

Value label information for FNOBSUSE

Value = 1	Label = Dwelling only
Value = 2	Label = Dwelling and services
Value = 3	Label = Services only
Value = 4	Label = Dwelling and non-residential
Value = 5	Label = Non residential only
Value = 6	Label = Dwelling and void

Value = 7 Label = Other
Value = 8 Label = No basement
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FNORESAR **Variable label =** Flats in module - total floor area in non residential use (%)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FNORESAR
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FNOREUSE **Variable label =** Flats in module - type of non residential use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 77 and 88 and 99
Value label information for FNOREUSE
Value = 1 Label = Shop/business
Value = 2 Label = Office
Value = 3 Label = Industrial
Value = 4 Label = Surgery
Value = 5 Label = Public house
Value = 6 Label = Hotel
Value = 7 Label = Other
Value = 8 Label = Not 'dwelling with non residential'
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FNORESFD **Variable label =** Flats in module - use includes the handling/processing of food for comercial purposes (if non residential)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FNORESFD
Value = 1 Label = Selected
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FNOOTHER **Variable label =** Flats in module - size of other flats
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FNOOTHER
Value = 1 Label = Mostly same as survey dwelling
Value = 2 Label = Mostly small flats
Value = 3 Label = Mostly large flats
Value = 4 Label = Mixture of small/large flats
Value = 5 Label = Mixture of flats/maisonettes
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FNOVACNT **Variable label =** Flats in module - appropximate number of vacancies
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 777 and 888 and 999
Value label information for FNOVACNT
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 12 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 13 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 14 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FODCONST **Variable label =** Construction Date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 16 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 17 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_plotvl
Number of variables = 22
Number of cases = 4932

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXPVIEW **Variable label =** Plot - view of plot
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXPVIEW
Value = 1 Label = Front
Value = 2 Label = Back

Pos. = 4 **Variable =** FEXPLOTX **Variable label =** Plot - exitst
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXPLOTX
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FEXPFDP **Variable label =** Plot - depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXPFDP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FEXPFTH **Variable label =** Plot - hard area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXPFTH
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FEXPFTS **Variable label =** Plot - soft area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXPFTS
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXPFFL **Variable label =** Plot - faults

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXPFFL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FEXPFBD **Variable label =** Plot - bridged DPC
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXPFBD

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FEXPFIN **Variable label =** Plot - inadequate/reverse falls
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXPFIN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FEXPFEX **Variable label =** Plot - excavate (cu.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXPFEX

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXPFTA **Variable label =** Plot - internal tanking (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXPFTA

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FEXPFRN **Variable label =** Plot - repair/renew paving (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXPFRN

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXPFRW **Variable label =** Plot - renew/repair retaining wall (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXPFRW

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXPFRP **Variable label =** Plot - repair/renew steps (number)
This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 77 and 88 and 99

Value label information for FEXPFRP

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXPFGU **Variable label =** Plot - install gully

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FEXPFGU

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** GR2 **Variable label =** Property Survey grossing factor

This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 18 **Variable =** p2 **Variable label =** Coded HRP age

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for p2

Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 19 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FODCONST **Variable label =** Construction Date

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FODCONST

Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 21 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 22 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1	Label = Owner-occupied
Value = 2	Label = Local authority
Value = 3	Label = Housing Association
Value = 4	Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_plotwall
Number of variables = 23
Number of cases = 12330

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXBWTYPE **Variable label =** Boundary wall - type
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FEXBWTYPE

Value = 1	Label = Wall (high)
Value = 2	Label = Wall (low)
Value = 3	Label = Fence (wood)
Value = 4	Label = Fence (metal)
Value = 5	Label = Hedge

Pos. = 4 **Variable =** FEXBW1PR **Variable label =** Boundary wall: Front - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXBW1PR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 5 **Variable =** FEXBW1FL **Variable label =** Boundary wall: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXBW1FL

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 6 **Variable =** FEXBW1RN **Variable label =** Boundary wall: Front - replace
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXBW1RN

Value = 77	Label = Section not applicable
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown

Pos. = 7 **Variable =** FEXBW1RP **Variable label =** Boundary wall: Front - repair
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXBW1RP

Value = 77	Label = Section not applicable

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXBW1DE **Variable label =** Boundary wall: Front - demolish
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXBW1DE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXBW1UR **Variable label =** Boundary wall: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXBW1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FEXBW1TM **Variable label =** Boundary wall: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXBW1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXBW2PR **Variable label =** Boundary wall: Back - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXBW2PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FEXBW2FL **Variable label =** Boundary wall: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXBW2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FEXBW2RN **Variable label =** Boundary wall: Back - replace
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXBW2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXBW2RP **Variable label =** Boundary wall: Back - repair
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXBW2RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable

Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXBW2DE **Variable label =** Boundary wall: Back - demolish
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXBW2DE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXBW2UR **Variable label =** Boundary wall: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXBW2UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FEXBW2TM **Variable label =** Boundary wall: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXBW2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 19 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 20 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990

Value = 9 Label = Post 1990

Pos. = 22 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 23 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_roofcovr
Number of variables = 23
Number of cases = 19728

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXRCTYPE **Variable label =** Roof covering - type
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FEXRCTYPE

Value = 1	Label = Natural slate/stone
Value = 2	Label = Man-made slate
Value = 3	Label = Clay tile
Value = 4	Label = Concrete tile
Value = 5	Label = Asphalt
Value = 6	Label = Felt
Value = 7	Label = Glass/metal laminate
Value = 8	Label = Thatch

Pos. = 4 **Variable =** FEXRC1TE **Variable label =** Roof covering: Front - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXRC1TE

Value = 77	Label = Section not applicable
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown

Pos. = 5 **Variable =** FEXRC1AG **Variable label =** Roof covering: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99

Value label information for FEXRC1AG

Value = 77	Label = Section not applicable
Value = 88	Label = Same as dwelling
Value = 99	Label = Unknown

Pos. = 6 **Variable =** FEXRC1FL **Variable label =** Roof covering: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXRC1FL

Value = 1	Label = Yes
Value = 2	Label = No
Value = 3	Label = U-unobserved
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 7 **Variable =** FEXRC1RN **Variable label =** Roof covering: Front - renew (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXRC1RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXRC1IS **Variable label =** Roof covering: Front - isolated repairs (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRC1IS
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXRC1UR **Variable label =** Roof covering: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRC1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FEXRC1TM **Variable label =** Roof covering Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRC1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXRC2TE **Variable label =** Roof covering: Back - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRC2TE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXRC2AG **Variable label =** Roof covering: Back - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXRC2AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FEXRC2FL **Variable label =** Roof covering: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRC2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FEXRC2RN **Variable label =** Roof covering: Back - renew (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRC2RN
Value = 77 Label = Section not applicable

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXRC2IS **Variable label =** Roof covering: Back - isolated repairs (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRC2IS
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXRC2UR **Variable label =** Roof covering: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRC2UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FEXRC2TM **Variable label =** Roof covering Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRC2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 19 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 20 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980

Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 22 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 23 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal*.
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_rooffeat
Number of variables = 21
Number of cases = 12330

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXRFTYPE **Variable label =** Roof features - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXRFTYPE
Value = 1 Label = Fascias
Value = 2 Label = Valley gutters/flashings
Value = 3 Label = Gutters/down-pipes
Value = 4 Label = Stacks/wastes
Value = 5 Label = Party parapets

Pos. = 4 **Variable =** FEXRF1PR **Variable label =** Roof features: Front - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRF1PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FEXRF1FL **Variable label =** Roof features: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRF1FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FEXRF1RN **Variable label =** Roof features: Front - replace (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRF1RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FEXRF1RP **Variable label =** Roof features: Front - repair (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRF1RP
Value = 77 Label = Section not applicable

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXRF1UR **Variable label =** Roof features: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRF1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FEXRF1TM **Variable label =** Roof features: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRF1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FEXRF2PR **Variable label =** Roof features: Back - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRF2PR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FEXRF2FL **Variable label =** Roof features: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRF2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FEXRF2RN **Variable label =** Roof features: Back - replace (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRF2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FEXRF2RP **Variable label =** Roof features: Back - repair (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRF2RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXRF2UR **Variable label =** Roof features: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRF2UR
Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FEXRF2TM **Variable label =** Roof features: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRF2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 17 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 18 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 20 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 21 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_roofstru
Number of variables = 23
Number of cases = 9864

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXRSTYPE **Variable label =** Roof structure - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXRSTYPE
Value = 1 Label = Pitched
Value = 2 Label = Mansard
Value = 3 Label = Flat
Value = 4 Label = Chalet

Pos. = 4 **Variable =** FEXRS1TE **Variable label =** Roof structure: Front - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS1TE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 5 **Variable =** FEXRS1AG **Variable label =** Roof structure: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXRS1AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FEXRS1FL **Variable label =** Roof structure: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRS1FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FEXRS1RN **Variable label =** Roof structure: Front - replace (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS1RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXRS1ST **Variable label =** Roof structure: Front - strengthen (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS1ST
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXRS1UR **Variable label =** Roof structure: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRS1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FEXRS1TM **Variable label =** Roof structure: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXRS2TE **Variable label =** Roof structure: Back - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS2TE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXRS2AG **Variable label =** Roof structure: Back - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXRS2AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FEXRS2FL **Variable label =** Roof structure: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRS2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FEXRS2RN **Variable label =** Roof structure: Back - replace (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXRS2ST **Variable label =** Roof structure: Back - strengthen (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS2ST
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXRS2UR **Variable label =** Roof structure: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXRS2UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FEXRS2TM **Variable label =** Roof structure: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXRS2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 19 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 20 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 22 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 23 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_services
Number of variables = 104
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FINGASPR **Variable label =** Primary services: Gas system - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINGASPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 4 **Variable =** FINGASMS **Variable label =** Primary services: Gas system - mains supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINGASMS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FINGASAC **Variable label =** Primary services: Gas system - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINGASAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FINELEPR **Variable label =** Primary services: Electrical system - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINELEPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FINELEMS **Variable label =** Primary services: Electrical system - normal mains supply

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINELEMS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FINOPELE **Variable label =** Primary services: Electrical system - off-peak supply
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINOPELE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FINELEDC **Variable label =** Primary services: Electrical system - location of meters
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINELEDC
Value = 1 Label = Under stairs or on wall
Value = 2 Label = Special cupboard
Value = 3 Label = External access
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FINELEWI **Variable label =** Primary services: Electrical system - type of wiring
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINELEWI
Value = 1 Label = Lead or rubber covered
Value = 2 Label = PVC Sheathed
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FINELEEA **Variable label =** Primary services: Electrical system -type of earthing wires
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINELEEA
Value = 1 Label = Unsheathed or green cover
Value = 2 Label = Yellow and green sheath
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FINELECU **Variable label =** Primary services: Electrical system - consumer unit arrangement
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINELECU
Value = 1 Label = Separate fuse boxes

Value = 2 Label = One or two covered boxes
Value = 3 Label = One or two accessible
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FINELEOP **Variable label =** Primary services: Electrical system - overload protection

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINELEOP

Value = 1 Label = Wore fuses
Value = 2 Label = Cartridge fuses
Value = 3 Label = MCBs
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FINELEPP **Variable label =** Primary services: Electrical system - personal protection

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINELEPP

Value = 1 Label = No RCDs
Value = 2 Label = RCD in CU
Value = 3 Label = Separate RCDs
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FINELEPS **Variable label =** Primary services: Electrical system - type of power sockets

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINELEPS

Value = 1 Label = Round pin
Value = 2 Label = Square 3 pin
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FINELELC **Variable label =** Primary services: Electrical system - lighting circuits

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINELELC

Value = 1 Label = Wooden mounting blocks
Value = 2 Label = Flush mounted switches/roses
Value = 4 Label = Mixture
Value = 5 Label = Unknown
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FINELEAC **Variable label =** Primary services: Electrical system - action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINELEAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair

Value = 4 Label = Replace
Value = 5 Label = Install

Pos. = 18 **Variable =** FINCHEAT **Variable label =** Space heating: Primary heating - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCHEAT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FINCHPHS **Variable label =** Space heating: Primary heating - main heat source in winter
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCHPHS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FINCHLOC **Variable label =** Space heating: Primary heating - location of system
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINCHLOC
Value = 1 Label = Individual
Value = 2 Label = Estate
Value = 3 Label = Block
Value = 4 Label = Group of dwellings
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FINCHNOD **Variable label =** Space heating: Primary heating - number of dwellings served (if communal)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 888 and 999
Value label information for FINCHNOD
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 22 **Variable =** FINCHPHG **Variable label =** Space heating: Primary heating - group
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINCHPHG
Value = 1 Label = Central heating (wet radiators)
Value = 2 Label = Storage heaters
Value = 3 Label = Warm air
Value = 4 Label = Communal/CHP
Value = 5 Label = Electric ceiling/ underfloor
Value = 6 Label = Room heaters
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FINCHTYP **Variable label =** Space heating - primary heating fuel
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINCHTYP
Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas

Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 24 **Variable =** FINCHPHT **Variable label =** Space heating - primary heating type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINCHPHT
Value = 1 Label = Standard
Value = 2 Label = Back boiler
Value = 3 Label = Combination
Value = 4 Label = Condensing
Value = 5 Label = Condensing combi
Value = 6 Label = Combined primary storage unit
Value = 7 Label = No boiler
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 25 **Variable =** FINCHBCD **Variable label =** Space heating: Primary heating appliance - code
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FINCHBCD
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 26 **Variable =** FINCHBAC **Variable label =** Space heating: Primary heating appliance - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINCHBAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FINCHBAG **Variable label =** Space heating: Primary heating appliance - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FINCHBAG
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 28 **Variable =** FINCHDAC **Variable label =** Space heating: Primary heating distribution - action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINCHDAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FINCHDAG **Variable label =** Space heating: Primary heating distribution - age
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 99
Value label information for FINCHDAG
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 30 **Variable =** FINCHBMA **Variable label =** Space heating - manufacturer name (if boiler driven)
This variable is *string* the SPSS measurement level is *nominal.*

Pos. = 31 **Variable =** FINCHBMO **Variable label =** Space heating - model name/number (if boiler driven)
This variable is *string* the SPSS measurement level is *nominal.*

Pos. = 32 **Variable =** FINCHOFF **Variable label =** Space heating: Primary heating controls - overall on/off
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCHOFF
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FINCHTHE **Variable label =** Space heating: Primary heating controls - boiler thermostat
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCHTHE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FINCHTIM **Variable label =** Space heating: Primary heating controls - central timer
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCHTIM
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FINCHOVE **Variable label =** Space heating: Primary heating controls - manual override on timer
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINCHOVE
Value = 1 Label = Yes
Value = 2 Label = No

Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 36 **Variable =** FINCHROM **Variable label =** Space heating: Primary heating controls - radiator thermostat

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINCHROM

Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 37 **Variable =** FINCHCON **Variable label =** Space heating: Primary heating controls - radiator controls (manual)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINCHCON

Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 38 **Variable =** FINCHTRV **Variable label =** Space heating: Primary heating controls - thermostatic radiator values (TRVs)

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINCHTRV

Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FINCHTZC **Variable label =** Space heating: Primary heating controls - time and temperature zone control

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINCHTZC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FINCHDST **Variable label =** Space heating: Primary heating controls - delayed start thermostat

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINCHDST

Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FINSHMCC **Variable label =** Space heating: Storage heater controls - manual charge control
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINSHMCC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FINSHACC **Variable label =** Space heating: Storage heater controls - automatic charge control
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINSHACC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FINSHCTC **Variable label =** Space heating: Storage heater controls - select type control
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINSHCTC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 44 **Variable =** FINOHEAT **Variable label =** Space heating: Other heating - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINOHEAT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FINOHPHS **Variable label =** Space heating: Other heating - main source in winter
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINOHPHS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FINOHTYP **Variable label =** Space heating: Other heating - type of system
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99

Value label information for FINOHTYP

Value = 1 Label = Main gas fire open flue
Value = 2 Label = Main gas fire Balanced flue
Value = 3 Label = Main gas fire Fan assisted
Value = 4 Label = Main gas fire Condensing
Value = 5 Label = Main gas fire Live effect - sealed
Value = 6 Label = Main gas fire Live effect - fan assisted
Value = 7 Label = Main gas fire Decorative - open
Value = 8 Label = Main gas fire flueless
Value = 9 Label = Main gas fire unknown mains gas
Value = 10 Label = Mains gas fire LPG fixed heaters
Value = 11 Label = Mains gas fire Electric panel/Convector/Radiator
Value = 12 Label = Mains gas fire Electric portable
Value = 13 Label = Mains gas fire Individual storage heater
Value = 14 Label = Mains gas fire Solid fuel open fire
Value = 15 Label = Mains gas fire Solid fuel stove/space heater
Value = 16 Label = Mains gas fire Paraffin portable heaters
Value = 17 Label = Mains gas fire other
Value = 18 Label = Mains gas fire Question not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 47 **Variable =** FINOHACT **Variable label =** Space heating: Other heating - action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINOHACT

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FINOHAGE **Variable label =** Space heating: Other heating - age

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FINOHAGE

Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 49 **Variable =** FINWHEAT **Variable label =** Space heating: Hot water system - present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHEAT

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 50 **Variable =** FINWHCPR **Variable label =** Space heating: Hot water system - boiler with central heating present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHCPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 51 **Variable =** FINWHOPR **Variable label =** Space heating: Hot water system - boiler (water heating only) present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHOPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 52 **Variable =** FINWHOTY **Variable label =** Space heating: Hot water system - boiler (water heating only) fuel type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINWHOTY

Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 53 **Variable =** FINWHOAC **Variable label =** Space heating: Hot water system - boiler (water heating only) action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINWHOAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FINWHOAG **Variable label =** Space heating: Hot water system - boiler (water heating only) age

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FINWHOAG

Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 55 **Variable =** FINWHXPR **Variable label =** Space heating: Hot water system - back boiler (water heating only) present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHXPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 56 **Variable =** FINWHXTY **Variable label =** Space heating: Hot water system - back boiler (water heating only) fuel type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINWHXTY

Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 57 **Variable =** FINWHXAC **Variable label =** Space heating: Hot water system - back boiler (water heating only) action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINWHXAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 58 **Variable =** FINWHXAG **Variable label =** Space heating: Hot water system - back boiler (water heating only) age

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FINWHXAG

Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 59 **Variable =** FINWHIPR **Variable label =** Space heating: Hot water system - single immersion heater present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHIPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 60 **Variable =** FINWHITY **Variable label =** Space heating: Hot water system - single immersion heater fuel type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINWHITY

Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity

Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 61 **Variable =** FINWHIAC **Variable label =** Space heating: Hot water system - single immersion heater action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINWHIAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 62 **Variable =** FINWHIAG **Variable label =** Space heating: Hot water system - single immersion heater age

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FINWHIAG

Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 63 **Variable =** FINWHDPR **Variable label =** Space heating: Hot water system - dual immersion heater present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHDPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 64 **Variable =** FINWHDTY **Variable label =** Space heating: Hot water system - dual immersion heater fuel type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINWHDTY

Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 65 **Variable =** FINWHDAC **Variable label =** Space heating: Hot water system - dual immersion heater action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINWHDAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 66 **Variable =** FINWHDAG **Variable label =** Space heating: Hot water system - dual immersion heater age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FINWHDAG
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 67 **Variable =** FINWHSPR **Variable label =** Space heating: Hot water system - separate instantaneous heater (single point) present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWHSPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 68 **Variable =** FINWHSTY **Variable label =** Space heating: Hot water system - separate instantaneous heater (single point) fuel type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FINWHSTY
Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 69 **Variable =** FINWHSAC **Variable label =** Space heating: Hot water system - separate instantaneous heater (single point) action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINWHSAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 70 **Variable =** FINWHSAG **Variable label =** Space heating: Hot water system - separate instantaneous heater (single point) age
This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FINWHSAG

Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 71 **Variable =** FINWHMPR **Variable label =** Space heating: Hot water system - separate instantaneous heater (multi point) present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHMPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 72 **Variable =** FINWHMTY **Variable label =** Space heating: Hot water system - separate instantaneous heater (multi point) fuel type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINWHMTY

Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 73 **Variable =** FINWHMAC **Variable label =** Space heating: Hot water system - separate instantaneous heater (multi point) action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FINWHMAC

Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 74 **Variable =** FINWHMAG **Variable label =** Space heating: Hot water system - separate instantaneous heater (multi point) age

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FINWHMAG

Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 75 **Variable =** FINWHZPR **Variable label =** Space heating: Hot water system - communal present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHZPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 76 **Variable =** FINWHZTY **Variable label =** Space heating: Hot water system - communal fuel type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINWHZTY

Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood
Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 77 **Variable =** FINWHZAG **Variable label =** Space heating: Hot water system - communal age

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing value = 99

Value label information for FINWHZAG

Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 78 **Variable =** FINWHYPR **Variable label =** Space heating: Hot water system - other system specify

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FINWHYPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 79 **Variable =** FINWHYSP **Variable label =** Space heating: Hot water system - other system present

This variable is *string* the SPSS measurement level is *nominal.*

Pos. = 80 **Variable =** FINWHYTY **Variable label =** Space heating: Hot water system - other system fuel type

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 88 and 99

Value label information for FINWHYTY

Value = 1 Label = Mains gas
Value = 2 Label = Bulk LPG gas
Value = 3 Label = Bottled gas
Value = 4 Label = Oil
Value = 5 Label = Coal
Value = 6 Label = Smokeless fuel
Value = 7 Label = Anthracite
Value = 8 Label = Wood

Value = 9 Label = Standard electricity
Value = 10 Label = 7hr tariff electricity
Value = 11 Label = 10hr tariff electricity
Value = 12 Label = 24hr tariff electricity
Value = 13 Label = CHP/ Wates heat communal
Value = 14 Label = From communal boiler
Value = 15 Label = Solar panels on roof
Value = 16 Label = Other
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 81 **Variable =** FINWHYAC **Variable label =** Space heating: Hot water system - other system action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINWHYAC
Value = 1 Label = None
Value = 2 Label = Minor repair
Value = 3 Label = Major repair
Value = 4 Label = Replace
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 82 **Variable =** FINWHYAG **Variable label =** Space heating: Hot water system - other system age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FINWHYAG
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 83 **Variable =** FINWHCYL **Variable label =** Space heating: Cylinder - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FINWHCYL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 84 **Variable =** FINWHSIZ **Variable label =** Space heating: Cylinder - size/volume (l)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINWHSIZ
Value = 1 Label = 110
Value = 2 Label = 140
Value = 3 Label = 210
Value = 4 Label = 245
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 85 **Variable =** FINWHINS **Variable label =** Space heating: Cylinder - insulation type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FINWHINS
Value = 1 Label = Foam
Value = 2 Label = Jacket
Value = 3 Label = Other
Value = 4 Label = None
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 86 **Variable =** FINWHINT **Variable label =** Space heating: Cylinder - insulation thickness

(mm)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FINWHINT

Value = 1	Label = 0
Value = 2	Label = 12.5
Value = 3	Label = 38
Value = 4	Label = 50
Value = 5	Label = 80
Value = 6	Label = 100
Value = 7	Label = 150
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 87 **Variable =** FINWHTIM **Variable label =** Space heating: Water heating controls - time clock for water present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINWHTIM

Value = 1	Label = Yes
Value = 2	Label = No
Value = 3	Label = Unobserved
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 88 **Variable =** FINWHTHE **Variable label =** Space heating: Water heating controls - cylinder thermostat
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINWHTHE

Value = 1	Label = Yes
Value = 2	Label = No
Value = 3	Label = Unobserved
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 89 **Variable =** FINWHAIR **Variable label =** Space heating: Airing cupboard - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINWHAIR

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 90 **Variable =** FINWHASS **Variable label =** Space heating: Airing cupboard - sufficient shelving
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FINWHASS

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 91 **Variable =** FLIHOFLT **Variable label =** Loft - house or flat
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FLIHOFLT

Value = 1 Label = House/bungalow
Value = 2 Label = Top floor flat
Value = 3 Label = Mid floor flat
Value = 4 Label = Ground floor flat
Value = 5 Label = Basement flat
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 92 **Variable =** FLITYPES **Variable label =** Loft - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FLITYPES
Value = 1 Label = Fully boarded
Value = 2 Label = No boarding or partial boarding
Value = 3 Label = Room(s) with permanent stairs
Value = 4 Label = No loft - flat or very shallow pitch
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 93 **Variable =** FLIINSUL **Variable label =** Loft - roof insulation above livingspace
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FLIINSUL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 94 **Variable =** FLIINSTY **Variable label =** Loft - type of Loft insulation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FLIINSTY
Value = 1 Label = Minerals
Value = 2 Label = Vermiculite beads
Value = 3 Label = High performance quilt
Value = 4 Label = Rigid foam board
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 95 **Variable =** FLITHICK **Variable label =** Loft - thickness of insulation (mm)
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99
Value label information for FLITHICK
Value = 0 Label = Non insulation
Value = 1 Label = 25mm
Value = 2 Label = 50mm
Value = 3 Label = 75mm
Value = 4 Label = 100mm
Value = 5 Label = 125mm
Value = 6 Label = 150mm
Value = 7 Label = 200mm
Value = 8 Label = 250mm
Value = 9 Label = 300mm
Value = 10 Label = >300mm
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 96 **Variable =** FLIINFOR **Variable label =** Loft - collection of information from
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FLIINFOR
Value = 1 Label = Inspection
Value = 2 Label = Occupant
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 97 **Variable =** FLIPROBS **Variable label =** Loft - roof structure problems seen
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FLIPROBS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 98 **Variable =** FLIDESC **Variable label =** Loft - roof structure problems described
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FLIDESC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 99 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 100 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 101 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 102 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 103 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 104 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_shape
Number of variables = 47
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FSHADDIT **Variable label =** House/module shape - location of additional part
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 88 and 99

Value label information for FSHADDIT

Value = 1	Label = Front elevation - left
Value = 2	Label = Front elevation - centre
Value = 3	Label = Front elevation - right
Value = 4	Label = Back elevation - left
Value = 5	Label = Back elevation - centre
Value = 6	Label = Back elevation - right
Value = 7	Label = Left elevation - front
Value = 8	Label = Left elevation - centre
Value = 9	Label = Left elevation - back
Value = 10	Label = Right elevation - front
Value = 11	Label = Right elevation - centre
Value = 12	Label = Right elevation - back
Value = 77	Label = No additional part
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown

Pos. = 4 **Variable =** FSHATTIC **Variable label =** House/module shape - attic/basement in house/module
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9

Value label information for FSHATTIC

Value = 1	Label = Attic only
Value = 2	Label = Basement only
Value = 3	Label = Both
Value = 4	Label = Neither
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 5 **Variable =** FSHENTRY **Variable label =** House/module shape - entry floor to house/module
This variable is *string* the SPSS measurement level is *nominal.*

Value label information for FSHENTRY

Value = 1	Label = First floor
Value = 2	Label = Second floor
Value = 3	Label = Third floor
Value = 9	Label = Unknown
Value = B	Label = Basement
Value = G	Label = Ground floor

Pos. = 6 **Variable =** FDHMFLRS **Variable label =** External dimensions: Main structure - number of floors
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 99
Value label information for FDHMFLRS
Value = 99 Label = Unknown

Pos. = 7 **Variable =** FDHMLEV1 **Variable label =** External dimensions: Main structure - first level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FDHMLEV1
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor
Value = NN Label = No main structure at this level

Pos. = 8 **Variable =** FDHMWID1 **Variable label =** External dimensions: Main structure - first level width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHMWID1
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 9 **Variable =** FDHMDEP1 **Variable label =** External dimensions: Main structure - first level depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHMDEP1
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 10 **Variable =** FDHMLEV2 **Variable label =** External dimensions: Main structure - second level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FDHMLEV2
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor
Value = NN Label = No main structure at this level

Pos. = 11 **Variable =** FDHMWID2 **Variable label =** External dimensions: Main structure - second level width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHMWID2
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 12 **Variable =** FDHMDEP2 **Variable label =** External dimensions: Main structure - second level depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHMDEP2
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 13 **Variable =** FDHMLEV3 **Variable label =** External dimensions: Main structure - third level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FDHMLEV3
Value = 99 Label = Unknown

Value = BB Label = Basement
Value = GG Label = Ground floor
Value = NN Label = No main structure at this level

Pos. = 14 **Variable =** FDHMWID3 **Variable label =** External dimensions: Main structure - third level width (m)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 88.8 and 99.9
Value label information for FDHMWID3
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 15 **Variable =** FDHMDEP3 **Variable label =** External dimensions: Main structure - third level depth (m)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 88.8 and 99.9
Value label information for FDHMDEP3
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 16 **Variable =** FDHAFLRS **Variable label =** External dimensions: Additional part - number of floors
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FDHAFLRS
Value = NN Label = No additional part

Pos. = 17 **Variable =** FDHALEV1 **Variable label =** External dimensions: Additional part - first level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FDHALEV1
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor
Value = NN Label = No main structure at this level

Pos. = 18 **Variable =** FDHAWID1 **Variable label =** External dimensions: Additional part - first level width (m)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 88.8 and 99.9
Value label information for FDHAWID1
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 19 **Variable =** FDHADEP1 **Variable label =** External dimensions: Additional part - first level depth (m)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 88.8 and 99.9
Value label information for FDHADEP1
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 20 **Variable =** FDHALEV2 **Variable label =** External dimensions: Additional part - second level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FDHALEV2
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor
Value = NN Label = No additional part at this level

Pos. = 21 **Variable =** FDHAWID2 **Variable label =** External dimensions: Additional part - second

level width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHAWID2
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 22 **Variable =** FDHADEP2 **Variable label =** External dimensions: Additional part - second level depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHADEP2
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 23 **Variable =** FDHALEV3 **Variable label =** External dimensions: Additional part - third level
This variable is *string* the SPSS measurement level is *nominal.*
Value label information for FDHALEV3
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown
Value = BB Label = Basement
Value = GG Label = Ground floor
Value = NN Label = No additional part at this level

Pos. = 24 **Variable =** FDHAWID3 **Variable label =** External dimensions: Additional part - third level width (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHAWID3
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 25 **Variable =** FDHADEP3 **Variable label =** External dimensions: Additional part - third level depth (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 88.8 and 99.9
Value label information for FDHADEP3
Value = 88.8 Label = Question not applicable
Value = 99.9 Label = Unknown

Pos. = 26 **Variable =** FMTCONST **Variable label =** Material and construction - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 99
Value label information for FMTCONST
Value = 1 Label = Masonry/Boxwall/Solid
Value = 2 Label = Masonry/Boxwall/Cavity
Value = 3 Label = Masonry/Crosswall
Value = 4 Label = Concrete/Boxwall/In-situ
Value = 5 Label = Concrete/Boxwall/Precast <1m
Value = 6 Label = Concrete/Boxwall/Precast >1m
Value = 7 Label = Concrete/Crosswall/In-situ
Value = 8 Label = Concrete/Croswall/Precast panel
Value = 9 Label = Concrete/Frame/In-situ
Value = 10 Label = Concrete/Frame/Precast
Value = 11 Label = Timber/Frame/Pre 1919
Value = 12 Label = Timber/Frame/Post 1919
Value = 13 Label = Metal/Frame
Value = 14 Label = Unknown
Value = 99 Label = Unknown

Pos. = 27 **Variable =** FMTPROPS **Variable label =** Material and construction - proprietary system
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FMTPROPS
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FMTDESCR **Variable label =** Material and construction - proprietary system name
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FMTDESCR
Value = 1 Label = Description given
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FALMORED **Variable label =** Improvements - date of conversion to more than one dwelling
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALMORED
Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FALHMOED **Variable label =** Improvements - date of conversion to HMO use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALHMOED
Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FALNORES **Variable label =** Improvements - date of conversion from non-residential use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALNORES
Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FALCOMBI **Variable label =** Improvements - date of converting from two or more dwellings
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALCOMBI
Value = 1 Label = None

Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FALREFUR **Variable label =** Improvements - date of complete refurbishment/modernisation
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALREFUR
Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FALSPACE **Variable label =** Improvements - date of rearrangement of internal space
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALSPACE
Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FALEXTAM **Variable label =** Improvements - date extension added for amenities
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALEXTAM
Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 36 **Variable =** FALEXLIV **Variable label =** Improvements - date extension added for living space
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 8 and 9
Value label information for FALEXLIV
Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 37 **Variable =** FALAPEAR **Variable label =** Improvements - date of alteration of external appearance

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FALAPEAR

Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 38 **Variable =** FALOROOF **Variable label =** Improvements - date of over-roofing

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FALOROOF

Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FALOCLAD **Variable label =** Improvements - date of over-cladding

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FALOCLAD

Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FALSTRUC **Variable label =** Improvements - date structure replaced

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FALSTRUC

Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FALLOFTS **Variable label =** Improvements - date of loft conversion

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 8 and 9

Value label information for FALLOFTS

Value = 1 Label = None
Value = 2 Label = Pre 1945
Value = 3 Label = 1945 - 1964
Value = 4 Label = 1965 - 1984
Value = 5 Label = 1985 - 2004
Value = 6 Label = In progress
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 43 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 44 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 46 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 47 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_shared
Number of variables = 93
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FFCSHARE **Variable label =** Shared facilities - exist
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCSHARE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 4 **Variable =** FFCTENPR **Variable label =** Shared facilities: Stores and common rooms - tenant stores present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCTENPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FFCTENLO **Variable label =** Shared facilities: Stores and common rooms - tenant stores location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCTENLO
Value = 1 Label = Integral
Value = 2 Label = Not integral
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FFCTENAC **Variable label =** Shared facilities: Stores and common rooms - tenant stores action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCTENAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 7 **Variable =** FFCBINPR **Variable label =** Shared facilities: Stores and common rooms - bin stores present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCBINPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FFCBINLO **Variable label =** Shared facilities: Stores and common rooms - bin stores location

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCBINLO

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FFCBINAC **Variable label =** Shared facilities: Stores and common rooms - bin stores action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCBINAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FFCPALPR **Variable label =** Shared facilities: Stores and common rooms - paladin stores present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPALPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FFCPALLO **Variable label =** Shared facilities: Stores and common rooms - paladin stores location

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPALLO

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FFCPALAC **Variable label =** Shared facilities: Stores and common rooms - paladin stores action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPALAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FFCLAUPR **Variable label =** Shared facilities: Stores and common rooms - laundry present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCLAUPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FFCLAULO **Variable label =** Shared facilities: Stores and common rooms - laundry location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCLAULO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FFCLAUAC **Variable label =** Shared facilities: Stores and common rooms - laundry action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCLAUAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FFCDRYPR **Variable label =** Shared facilities: Stores and common rooms - drying room present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCDRYPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FFCDRYLO **Variable label =** Shared facilities: Stores and common rooms - drying room location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCDRYLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 18 **Variable =** FFCDRYAC **Variable label =** Shared facilities: Stores and common rooms - drying room action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCDRYAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FFCCOMPR **Variable label =** Shared facilities: Stores and common rooms - community room present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCCOMPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FFCCOMLO **Variable label =** Shared facilities: Stores and common rooms - community room location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCCOMLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FFCCOMAC **Variable label =** Shared facilities: Stores and common rooms - community room action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCCOMAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 22 **Variable =** FFCWARPR **Variable label =** Shared facilities: Stores and common rooms - warden caretaker office present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCWARPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FFCWARLO **Variable label =** Shared facilities: Stores and common rooms - warden caretaker office location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCWARLO
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 24 **Variable =** FFCWARAC **Variable label =** Shared facilities: Stores and common rooms - warden caretaker office action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCWARAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 25 **Variable =** FFCGARPR **Variable label =** Shared facilities: Communal parking - garages present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGARPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 26 **Variable =** FFCGARLO **Variable label =** Shared facilities: Communal parking - garages location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGARLO
Value = 1 Label = Integral
Value = 2 Label = Not integral
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FFCGARAC **Variable label =** Shared facilities: Communal parking - garages action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGARAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FFCMULPR **Variable label =** Shared facilities: Communal parking - multi storey parking present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCMULPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FFCMULLO **Variable label =** Shared facilities: Communal parking - multi storey parking location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCMULLO
Value = 1 Label = Integral
Value = 2 Label = Not integral
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FFCMULAC **Variable label =** Shared facilities: Communal parking - multi storey parking action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCMULAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FFCUNDPR **Variable label =** Shared facilities: Communal parking - underground parking present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCUNDPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FFCUNDLO **Variable label =** Shared facilities: Communal parking - underground parking location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCUNDLO
Value = 1 Label = Integral
Value = 2 Label = Not integral
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FFCUNDAC **Variable label =** Shared facilities: Communal parking - underground parking action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCUNDAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FFCROOPR **Variable label =** Shared facilities: Communal parking - roof parking present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCROOPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FFCROOLO **Variable label =** Shared facilities: Communal parking - roof parking location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCROOLO
Value = 1 Label = Integral
Value = 2 Label = Not integral
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 36 **Variable =** FFCROOAC **Variable label =** Shared facilities: Communal parking - roof parking action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCROOAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 37 **Variable =** FFCCOVPR **Variable label =** Shared facilities: Communal parking - other covered parking present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCCOVPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 38 **Variable =** FFCCOVLO **Variable label =** Shared facilities: Communal parking - other covered parking location
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCCOVLO
Value = 1 Label = Integral
Value = 2 Label = Not integral
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FFCCOVAC **Variable label =** Shared facilities: Communal parking - other covered parking action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCCOVAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FFCAIRPR **Variable label =** Shared facilities: Communal parking - open air parking bays present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCAIRPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FFCAIRAC **Variable label =** Shared facilities: Communal parking - open air parking bays action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCAIRAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FFCWEART **Variable label =** Shared facilities: Contribution to condition problems - normal wear & tear
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCWEART
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FFCINADM **Variable label =** Shared facilities: Contribution to condition problems - inadequate maintenance
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCINADM
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 44 **Variable =** FFCINAPP **Variable label =** Shared facilities: Contribution to condition problems - inappropriate use
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FFCINAPP
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 45 **Variable =** FFCDESIG **Variable label =** Shared facilities: Contribution to condition problems - poor design/specification
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCDESIG

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FFCVAND **Variable label =** Shared facilities: Contribution to condition problems - vandalism

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCVAND

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 47 **Variable =** FFCGRAFF **Variable label =** Shared facilities: Contribution to condition problems - graffiti

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCGRAFF

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FFCLITTR **Variable label =** Shared facilities: Contribution to condition problems - litter/rubbish

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCLITTR

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 49 **Variable =** FFCCCTPR **Variable label =** Shared facilities: Common/electrical services - CCTV present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCCCTPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 50 **Variable =** FFCCCTAC **Variable label =** Shared facilities: Common/electrical services - CCTV action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCCCTAC

Value = 1 Label = None
Value = 2 Label = Minor

Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 51 **Variable =** FFCTVRPR **Variable label =** Shared facilities: Common/electrical services - TV reception present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCTVRPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 52 **Variable =** FFCTVRAC **Variable label =** Shared facilities: Common/electrical services - TV reception action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCTVRAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 53 **Variable =** FFCHTGPR **Variable label =** Shared facilities: Common/electrical services - lightning conductors present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCHTGPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FFCHTGAC **Variable label =** Shared facilities: Common/electrical services - lightning conductors action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCHTGAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 55 **Variable =** FFCHEAPR **Variable label =** Shared facilities: Common/electrical services - communal heating present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCHEAPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 56 **Variable =** FFCHEAAC **Variable label =** Shared facilities: Common/electrical services -

communal heating action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCHEAAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 57 **Variable =** FFCBURPR **Variable label =** Shared facilities: Common/electrical services - burglar alarm system present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCBURPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 58 **Variable =** FFCBURAC **Variable label =** Shared facilities: Common/electrical services - burglar alarm system action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCBURAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 59 **Variable =** FFCLITPR **Variable label =** Shared facilities: Common/electrical services - external lighting present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCLITPR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 60 **Variable =** FFCLITAC **Variable label =** Shared facilities: Common/electrical services - external lighting action
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCLITAC
Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 61 **Variable =** FFCDARPR **Variable label =** Shared facilities: Surfaces and fences - drying area/space present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCDARPR
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 62 **Variable =** FFCDARAC **Variable label =** Shared facilities: Surfaces and fences - drying area/space action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCDARAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 63 **Variable =** FFCPLAPR **Variable label =** Shared facilities: Surfaces and fences - children's play areas present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPLAPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 64 **Variable =** FFCPLAAC **Variable label =** Shared facilities: Surfaces and fences - children's play areas action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPLAAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 65 **Variable =** FFCRDSPR **Variable label =** Shared facilities: Surfaces and fences - unadopted estate roads present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCRDSPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 66 **Variable =** FFCRDSAC **Variable label =** Shared facilities: Surfaces and fences - unadopted estate roads action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCRDSAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 67 **Variable =** FFCPATPR **Variable label =** Shared facilities: Common Landscaping - paths present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPATPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 68 **Variable =** FFCPATAC **Variable label =** Shared facilities: Common Landscaping - paths action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPATAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 69 **Variable =** FFCWALPR **Variable label =** Shared facilities: Common Landscaping - walls/fences present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCWALPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 70 **Variable =** FFCWALAC **Variable label =** Shared facilities: Common Landscaping - walls/fences action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCWALAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 71 **Variable =** FFCHRDPR **Variable label =** Shared facilities: Common Landscaping - hard landscaping present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCHRDPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 72 **Variable =** FFCHRDAC **Variable label =** Shared facilities: Common Landscaping - hard landscaping action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCHRDAC

Value = 1 Label = None

Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 73 **Variable =** FFCGRAPR **Variable label =** Shared facilities: Common Landscaping - grass/planting present

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCGRAPR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 74 **Variable =** FFCGRAAC **Variable label =** Shared facilities: Common Landscaping - grass/planting action

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCGRAAC

Value = 1 Label = None
Value = 2 Label = Minor
Value = 3 Label = Major
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 75 **Variable =** FFCPAT90 **Variable label =** Shared facilities: Design of common landscaping - paths at least 900mm wide

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPAT90

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 76 **Variable =** FFCPATGR **Variable label =** Shared facilities: Design of common landscaping - paths gradient greater than 1 in 12

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPATGR

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 77 **Variable =** FFCPATAD **Variable label =** Shared facilities: Design of common landscaping - paths protected from adjacent drops

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FFCPATAD

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 78 **Variable =** FFCWALSC **Variable label =** Shared facilities: Design of common

landscaping - walls/fences conceal bins and/or parking
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCWALSC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 79 **Variable =** FFCHRSVA **Variable label =** Shared facilities: Design of common landscaping - hard landscaping varied
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCHRSVA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 80 **Variable =** FFCHRSSC **Variable label =** Shared facilities: Design of common landscaping - hard landscaping conceals bins and/or parking
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCHRSSC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 81 **Variable =** FFCHRSCE **Variable label =** Shared facilities: Design of common landscaping - hard landscaping cost effective to maintain
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCHRSCE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 82 **Variable =** FFCGRAVA **Variable label =** Shared facilities: Design of common landscaping - grass/planting varied
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGRAVA
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 83 **Variable =** FFCGRASC **Variable label =** Shared facilities: Design of common landscaping - grass/planting conseals bins and/or parking
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGRASC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 84 **Variable =** FFCGRACE **Variable label =** Shared facilities: Design of common landscaping - grass/planting cost effective to maintain
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGRACE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 85 **Variable =** FFCGRATR **Variable label =** Shared facilities: Design of common landscaping - grass/planting Includes trees
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGRATR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 86 **Variable =** FFCGRADI **Variable label =** Shared facilities: Design of common landscaping - grass/planting distance from front/back door
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGRADI
Value = 1 Label = Within 10m
Value = 2 Label = Further than 10m
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 87 **Variable =** FFCGRASZ **Variable label =** Shared facilities: Design of common landscaping - size of grassy area
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFCGRASZ
Value = 1 Label = Less than 5
Value = 2 Label = 5 - 199
Value = 3 Label = 200 - 600
Value = 4 Label = More than 600
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 88 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 89 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 90 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9

Value label information for FODDTYPE

Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 91 **Variable =** FODCONST **Variable label =** Dwelling description - construction date

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FODCONST

Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 92 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 93 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_structr
Number of variables = 128
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FSTPRES **Variable label =** Structural defects - present
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTPRES
Value = 1 Label = Yes
Value = 2 Label = No
Value = 3 Label = Unobserved
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 4 **Variable =** FSTSAGDE **Variable label =** Structural defects: Roof sagging - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSAGDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 5 **Variable =** FSTSAGAC **Variable label =** Structural defects: Roof sagging - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSAGAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 6 **Variable =** FSTSAGMN **Variable label =** Structural defects: Roof sagging - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSAGMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FSTSAGEL **Variable label =** Structural defects: Roof sagging - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSAGEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 8 **Variable =** FSTHUMDE **Variable label =** Structural defects: Roof humping - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTHUMDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 9 **Variable =** FSTHUMAC **Variable label =** Structural defects: Roof humping - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTHUMAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FSTHUMMN **Variable label =** Structural defects: Roof humping - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTHUMMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 11 **Variable =** FSTHUMEL **Variable label =** Structural defects: Roof humping - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTHUMEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FSTSPRDE **Variable label =** Structural defects: Roof spreading - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSPRDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable

Value = 9 Label = Unknown

Pos. = 13 **Variable =** FSTSPRAC **Variable label =** Structural defects: Roof spreading - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTSPRAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FSTSPRMN **Variable label =** Structural defects: Roof spreading - monitor/examine further

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTSPRMN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 15 **Variable =** FSTSPREL **Variable label =** Structural defects: Roof spreading - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTSPREL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FSTSPRTI **Variable label =** Structural defects: Roof spreading - treatment - tie-ing

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTSPRTI

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FSTSPRNO **Variable label =** Structural defects: Roof spreading - number of tiles required

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 777 and 888 and 999

Value label information for FSTSPRNO

Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 18 **Variable =** FSTSPROT **Variable label =** Structural defects: Roof spreading - treatment - other

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTSPROT

Value = 1 Label = Yes
Value = 2 Label = No

Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 19 **Variable =** FSTSULDE **Variable label =** Structural defects: Sulphate attack - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSULDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 20 **Variable =** FSTSULAC **Variable label =** Structural defects: Sulphate attack - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSULAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FSTSULMN **Variable label =** Structural defects: Sulphate attack - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSULMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 22 **Variable =** FSTSULEL **Variable label =** Structural defects: Sulphate attack - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSULEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FSTSULCL **Variable label =** Structural defects: Sulphate attack - treatment - chimney liner
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSULCL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 24 **Variable =** FSTSULLM **Variable label =** Structural defects: Sulphate attack - length of chimney liner required (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 777 and 888 and 999
Value label information for FSTSULLM

Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 25 **Variable =** FSTSULOT **Variable label =** Structural defects: Sulphate attack - treatment - other
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTSULOT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 26 **Variable =** FSTPARDE **Variable label =** Structural defects: Unstable parapets - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTPARDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FSTPARAC **Variable label =** Structural defects: Unstable parapets - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTPARAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 28 **Variable =** FSTPARMN **Variable label =** Structural defects: Unstable parapets - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTPARMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 29 **Variable =** FSTPAREL **Variable label =** Structural defects: Unstable parapets - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTPAREL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 30 **Variable =** FSTBULDE **Variable label =** Structural defects: Wall bulging - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBULDE
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 31 **Variable =** FSTBULAC **Variable label =** Structural defects: Wall bulging - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBULAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 32 **Variable =** FSTBULMN **Variable label =** Structural defects: Wall bulging - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBULMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 33 **Variable =** FSTBULEL **Variable label =** Structural defects: Wall bulging - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBULEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 34 **Variable =** FSTBULTR **Variable label =** Structural defects: Wall bulging - treatment - tie rods
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBULTR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 35 **Variable =** FSTBULTN **Variable label =** Structural defects: Wall bulging - number of tie rods required
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 777 and 888 and 999
Value label information for FSTBULTN
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 36 **Variable =** FSTBULST **Variable label =** Structural defects: Wall bulging - treatment - strapping
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBULST
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 37 **Variable =** FSTBULSN **Variable label =** Structural defects: Wall bulging - number of straps required
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 777 and 888 and 999
Value label information for FSTBULSN
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 38 **Variable =** FSTBULOT **Variable label =** Structural defects: Wall bulging - treatment - other
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBULOT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 39 **Variable =** FSTMOVDE **Variable label =** Structural defects: Differential movement - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTMOVDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 40 **Variable =** FSTMOVAC **Variable label =** Structural defects: Differential movement - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTMOVAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 41 **Variable =** FSTMOVMN **Variable label =** Structural defects: Differential movement - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTMOVMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 42 **Variable =** FSTMOVEL **Variable label =** Structural defects: Differential movement - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTMOVEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 43 **Variable =** FSTMOVMJ **Variable label =** Structural defects: Differential movement - treatment - chimney liner

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTMOVMJ

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 44 **Variable =** FSTMOVLM **Variable label =** Structural defects: Differential movement - extent of chimney liner required (m)

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 777 and 888 and 999

Value label information for FSTMOVLM

Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 45 **Variable =** FSTMOVOT **Variable label =** Structural defects: Differential movement - treatment - other

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTMOVOT

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 46 **Variable =** FSTLINDE **Variable label =** Structural defects: Lintel failure - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTLINDE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 47 **Variable =** FSTLINAC **Variable label =** Structural defects: Lintel failure - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTLINAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 48 **Variable =** FSTLINMN **Variable label =** Structural defects: Lintel failure - monitor/examine further

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTLINMN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 49 **Variable =** FSTLINEL **Variable label =** Structural defects: Lintel failure - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTLINEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 50 **Variable =** FSTLINRN **Variable label =** Structural defects: Lintel failure - treatment - replace lintel

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTLINRN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 51 **Variable =** FSTLINNO **Variable label =** Structural defects: Lintel failure - number of replacement lintels required

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 777 and 888 and 999

Value label information for FSTLINNO

Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 52 **Variable =** FSTTIEDE **Variable label =** Structural defects: Wall tie failure - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTTIEDE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 53 **Variable =** FSTTIEAC **Variable label =** Structural defects: Wall tie failure - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTTIEAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 54 **Variable =** FSTTIEMN **Variable label =** Structural defects: Wall tie failure - monitor/examine further

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTTIEMN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 55 **Variable =** FSTTIEEL **Variable label =** Structural defects: Wall tie failure - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTTIEEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 56 **Variable =** FSTTIEIN **Variable label =** Structural defects: Wall tie failure - treatment - insert wall ties

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTTIEIN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 57 **Variable =** FSTTIEWA **Variable label =** Structural defects: Wall tie failure - area requiring wall ties (sq.m)

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 777 and 888 and 999

Value label information for FSTTIEWA

Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 58 **Variable =** FSTUNSDE **Variable label =** Structural defects: Unstable floors - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTUNSDE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 59 **Variable =** FSTUNSAC **Variable label =** Structural defects: Unstable floors - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTUNSAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 60 **Variable =** FSTUNSMN **Variable label =** Structural defects: Unstable floors - monitor/examine further

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTUNSMN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 61 **Variable =** FSTUNSEL **Variable label =** Structural defects: Unstable floors - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTUNSEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 62 **Variable =** FSTROTDE **Variable label =** Structural defects: Dry rot/wet rot - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTROTDE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 63 **Variable =** FSTROTAC **Variable label =** Structural defects: Dry rot/wet rot - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTROTAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 64 **Variable =** FSTROTMN **Variable label =** Structural defects: Dry rot/wet rot - monitor/examine further

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTROTMN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 65 **Variable =** FSTROTEL **Variable label =** Structural defects: Dry rot/wet rot - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTROTEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 66 **Variable =** FSTROTTR **Variable label =** Structural defects: Dry rot/wet rot - treatment -

wall & timber
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTROTTR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 67 **Variable =** FSTROTEX **Variable label =** Structural defects: Dry rot/wet rot - extent of wall & timber treatment required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTROTEX
Value = 1 Label = Basement
Value = 2 Label = One room
Value = 3 Label = One floor
Value = 4 Label = Loft
Value = 5 Label = Most of building
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 68 **Variable =** FSTBORDE **Variable label =** Structural defects: Wood-borer infestation - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBORDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 69 **Variable =** FSTBORAC **Variable label =** Structural defects: Wood-borer infestation - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBORAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 70 **Variable =** FSTBORMN **Variable label =** Structural defects: Wood-borer infestation - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBORMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 71 **Variable =** FSTBOREL **Variable label =** Structural defects: Wood-borer infestation - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBOREL
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 72 **Variable =** FSTBORTR **Variable label =** Structural defects: Wood-borer infestation - treatment - timber
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBORTR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 73 **Variable =** FSTBOREX **Variable label =** Structural defects: Wood-borer infestation - extent of timber treatment required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBOREX
Value = 1 Label = Basement
Value = 2 Label = One room
Value = 3 Label = One floor
Value = 4 Label = Loft
Value = 5 Label = Most of building
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 74 **Variable =** FSTBALDE **Variable label =** Structural defects: Adequacy of balconies/projections - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBALDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 75 **Variable =** FSTBALAC **Variable label =** Structural defects: Adequacy of balconies/projections - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBALAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 76 **Variable =** FSTBALMN **Variable label =** Structural defects: Adequacy of balconies/projections - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTBALMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 77 **Variable =** FSTBALEL **Variable label =** Structural defects: Adequacy of balconies/projections - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTBALEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 78 **Variable =** FSTBALRN **Variable label =** Structural defects: Adequacy of balconies/projections - treatment - replace fixings

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTBALRN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 79 **Variable =** FSTBALNO **Variable label =** Structural defects: Adequacy of balconies/projections - number of fixings required

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 777 and 888 and 999

Value label information for FSTBALNO

Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 80 **Variable =** FSTBALOT **Variable label =** Structural defects: Adequacy of balconies/projections - treatment - other

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTBALOT

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 81 **Variable =** FSTFOUDE **Variable label =** Structural defects: Foundation settlement - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTFOUDE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 82 **Variable =** FSTFOUAC **Variable label =** Structural defects: Foundation settlement - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTFOUAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 83 **Variable =** FSTFOUMN **Variable label =** Structural defects: Foundation settlement - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTFOUMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 84 **Variable =** FSTFOUEL **Variable label =** Structural defects: Foundation settlement - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTFOUEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 85 **Variable =** FSTFOUUN **Variable label =** Structural defects: Foundation settlement - treatment - underpin
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTFOUUN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 86 **Variable =** FSTFOULM **Variable label =** Structural defects: Foundation settlement - extent of underpinning required (m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 777 and 888 and 999
Value label information for FSTFOULM
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 87 **Variable =** FSTFOUOT **Variable label =** Structural defects: Foundation settlement - treatment - other
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTFOUOT
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 88 **Variable =** FSTISFDE **Variable label =** Structural defects: Integrity of structural frame - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTISFDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable

Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 89 **Variable =** FSTISFAC **Variable label =** Structural defects: Integrity of structural frame - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTISFAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 90 **Variable =** FSTISFMN **Variable label =** Structural defects: Integrity of structural frame - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTISFMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 91 **Variable =** FSTISFEL **Variable label =** Structural defects: Integrity of structural frame - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTISFEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 92 **Variable =** FSTISFMG **Variable label =** Structural defects: Integrity of structural frame - treatment - make good
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTISFMG
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 93 **Variable =** FSTISFWA **Variable label =** Structural defects: Integrity of structural frame - extent of making good required (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 777 and 888 and 999
Value label information for FSTISFWA
Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 94 **Variable =** FSTISFRN **Variable label =** Structural defects: Integrity of structural frame - treatment - replace frame
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTISFRN
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 95 **Variable =** FSTIWPDE **Variable label =** Structural defects: Integrity of wall panels - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTIWPDE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 96 **Variable =** FSTIWPAC **Variable label =** Structural defects: Integrity of wall panels - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTIWPAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 97 **Variable =** FSTIWPMN **Variable label =** Structural defects: Integrity of wall panels - monitor/examine further

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTIWPMN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 98 **Variable =** FSTIWPEL **Variable label =** Structural defects: Integrity of wall panels - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTIWPEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 99 **Variable =** FSTIWPRN **Variable label =** Structural defects: Integrity of wall panels - treatment - replace fixings

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTIWPRN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 100 **Variable =** FSTIWPNO **Variable label =** Structural defects: Integrity of wall panels - number of fixings required

This variable is *numeric*, the SPSS measurement level is *scale.*

SPSS user missing values = 777 and 888 and 999

Value label information for FSTIWPNO

Value = 777 Label = Section not applicable
Value = 888 Label = Question not applicable
Value = 999 Label = Unknown

Pos. = 101 **Variable =** FSTIWPOT **Variable label =** Structural defects: Integrity of wall panels - treatment - other

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTIWPOT

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 102 **Variable =** FSTBWHDE **Variable label =** Structural defects: Boundary wall unsafe height - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWHDE

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 103 **Variable =** FSTBWHAC **Variable label =** Structural defects: Boundary wall unsafe height - action required

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWHAC

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 104 **Variable =** FSTBWHMN **Variable label =** Structural defects: Boundary wall unsafe height - monitor/examine further

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWHMN

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 105 **Variable =** FSTBWHEL **Variable label =** Structural defects: Boundary wall unsafe height - action described elsewhere

This variable is *numeric*, the SPSS measurement level is *nominal.*

SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWHEL

Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 106 **Variable =** FSTBWPDE **Variable label =** Structural defects: Boundary wall out of plumb height - defect

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWPDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 107 **Variable =** FSTBWPAC **Variable label =** Structural defects: Boundary wall out of plumb height - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWPAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 108 **Variable =** FSTBWPMN **Variable label =** Structural defects: Boundary wall out of plumb height - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWPMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 109 **Variable =** FSTBWPEL **Variable label =** Structural defects: Boundary wall out of plumb height - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWPEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 110 **Variable =** FSTBWCDE **Variable label =** Structural defects: Boundary wall horizontal cracking - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWCDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 111 **Variable =** FSTBWCAC **Variable label =** Structural defects: Boundary wall horizontal cracking - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWCAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 112 **Variable =** FSTBWCMN **Variable label =** Structural defects: Boundary wall horizontal cracking - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWCMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 113 **Variable =** FSTBWCEL **Variable label =** Structural defects: Boundary wall horizontal cracking - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTBWCEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 114 **Variable =** FSTRETDE **Variable label =** Structural defects: Unstable retaining wall - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTRETDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 115 **Variable =** FSTRETAC **Variable label =** Structural defects: Unstable retaining wall - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTRETAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 116 **Variable =** FSTRETMN **Variable label =** Structural defects: Unstable retaining wall - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTRETMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 117 **Variable =** FSTRETEL **Variable label =** Structural defects: Unstable retaining wall - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FSTRETEL
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 118 **Variable =** FSTOTHDE **Variable label =** Structural defects: Any other problems - defect
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTOTHDE
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 119 **Variable =** FSTOTHAC **Variable label =** Structural defects: Any other problems - action required
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTOTHAC
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 120 **Variable =** FSTOTHMN **Variable label =** Structural defects: Any other problems - monitor/examine further
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTOTHMN
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 121 **Variable =** FSTOTHEL **Variable label =** Structural defects: Any other problems - action described elsewhere
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FSTOTHEL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 122 **Variable =** FFFSTAFA **Variable label =** Final fitness assessment - structural stability
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FFFSTAFA
Value = 1 Label = Unfit
Value = 2 Label = Defective
Value = 3 Label = Acceptable
Value = 4 Label = Satisfactory
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 123 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 124 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 125 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 126 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 127 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 128 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_wallfin
Number of variables = 27
Number of cases = 17262

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXWFTYPE **Variable label =** Wall finish - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXWFTYPE
Value = 1 Label = Masonry pointing
Value = 2 Label = Non-masonry natural
Value = 3 Label = Rendered
Value = 4 Label = Ship lap timber
Value = 5 Label = Tile hung
Value = 6 Label = Slip/tile faced
Value = 7 Label = Wood/metal/plastic panels

Pos. = 4 **Variable =** FEXWF1TE **Variable label =** Wall finish: Front - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWF1TE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 5 **Variable =** FEXWF1AG **Variable label =** Wall finish: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXWF1AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FEXWF1FL **Variable label =** Wall finish: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXWF1FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FEXWF1RE **Variable label =** Wall finish: Front - render (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWF1RE
Value = 77 Label = Section not applicable

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXWF1RN **Variable label =** Wall finish: Front - repair/repoint (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWF1RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXWF1RP **Variable label =** Wall finish: Front - isolated repairs (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWF1RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FEXWF1PA **Variable label =** Wall finish: Front - paint (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWF1PA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXWF1UR **Variable label =** Wall finish: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXWF1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 12 **Variable =** FEXWF1TM **Variable label =** Wall finish: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWF1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FEXWF2TE **Variable label =** Wall finish: Back - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWF2TE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXWF2AG **Variable label =** Wall finish: Back - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXWF2AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXWF2FL **Variable label =** Wall finish: Back - faults

This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXWF2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 16 **Variable =** FEXWF2RE **Variable label =** Wall finish: Back - render (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWF2RE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 17 **Variable =** FEXWF2RN **Variable label =** Wall finish: Back - repair/repoint (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWF2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** FEXWF2RP **Variable label =** Wall finish: Back - isolated repairs (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWF2RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 19 **Variable =** FEXWF2PA **Variable label =** Wall finish: Back - paint (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWF2PA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FEXWF2UR **Variable label =** Wall finish: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXWF2UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FEXWF2TM **Variable label =** Wall finish: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWF2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 22 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 23 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 24 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 25 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 26 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 27 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_wallstru
Number of variables = 23
Number of cases = 19728

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXWSTYPE **Variable label =** Wall structure - type
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for FEXWSTYPE

Value = 1	Label = Masonry cavity
Value = 2	Label = Masonry single leaf
Value = 3	Label = 9 inch solid
Value = 4	Label = >9 inch solid
Value = 5	Label = In situ concrete
Value = 6	Label = Concrete panels
Value = 7	Label = Timber panels
Value = 8	Label = Metal sheet

Pos. = 4 **Variable =** FEXWS1TE **Variable label =** Wall structure: Front - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWS1TE

Value = 77	Label = Section not applicable
Value = 88	Label = Question not applicable
Value = 99	Label = Unknown

Pos. = 5 **Variable =** FEXWS1AG **Variable label =** Wall structure: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99

Value label information for FEXWS1AG

Value = 77	Label = Section not applicable
Value = 88	Label = Same as dwelling
Value = 99	Label = Unknown

Pos. = 6 **Variable =** FEXWS1FL **Variable label =** Wall structure: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXWS1FL

Value = 1	Label = Yes
Value = 2	Label = No
Value = 7	Label = Section not applicable
Value = 8	Label = Question not applicable
Value = 9	Label = Unknown

Pos. = 7 **Variable =** FEXWS1RN **Variable label =** Wall structure: Front - rebuild/renew (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWS1RN

Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXWS1RP **Variable label =** Wall structure: Front - repair (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWS1RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXWS1UR **Variable label =** Wall structure: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXWS1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 10 **Variable =** FEXWS1TM **Variable label =** Wall structure: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWS1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXWS2TE **Variable label =** Wall structure: Back - area (tenths)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWS2TE
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXWS2AG **Variable label =** Wall structure: Back - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXWS2AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 13 **Variable =** FEXWS2FL **Variable label =** Wall structure: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXWS2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 14 **Variable =** FEXWS2RN **Variable label =** Wall structure: Back - rebuild/renew (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWS2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXWS2RP **Variable label =** Wall structure: Back - repair (sq.m)
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWS2RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXWS2UR **Variable label =** Wall structure: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXWS2UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FEXWS2TM **Variable label =** Wall structure: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWS2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 19 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 20 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 21 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 22 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)

This variable is *numeric*, the SPSS measurement level is *scale*.

Value label information for hv17

Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 23 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)

This variable is *numeric*, the SPSS measurement level is *nominal*.

Value label information for hv21r1

Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20460_080703_v2_liw_ps_2004_windows
Number of variables = 29
Number of cases = 17262

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** FEXWNTYPE **Variable label =** Windows - type
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FEXWNTYPE
Value = 1 Label = Single-glazed wood casement
Value = 2 Label = Single-glazed wood sash
Value = 3 Label = Single-glazed UPVC
Value = 4 Label = Single-glazed metal
Value = 5 Label = Double-glazed wood
Value = 6 Label = Double-glazed UPVC
Value = 7 Label = Double-glazed metal

Pos. = 4 **Variable =** FEXWN1NO **Variable label =** Windows: Front - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN1NO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 5 **Variable =** FEXWN1AG **Variable label =** Windows: Front - age
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99
Value label information for FEXWN1AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 6 **Variable =** FEXWN1FL **Variable label =** Windows: Front - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXWN1FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 7 **Variable =** FEXWN1RN **Variable label =** Windows: Front - replace
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN1RN
Value = 77 Label = Section not applicable

Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 8 **Variable =** FEXWN1RP **Variable label =** Windows: Front - repair/replace sash member
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN1RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 9 **Variable =** FEXWN1EA **Variable label =** Windows: Front - ease sashes etc./reglaze
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN1EA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 10 **Variable =** FEXWN1PA **Variable label =** Windows: Front - repaint/reputty
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN1PA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 11 **Variable =** FEXWN1LV **Variable label =** Windows: Front - leave
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN1LV
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 12 **Variable =** FEXWN1UR **Variable label =** Windows: Front - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9
Value label information for FEXWN1UR
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 13 **Variable =** FEXWN1TM **Variable label =** Windows: Front - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN1TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 14 **Variable =** FEXWN2NO **Variable label =** Windows: Back - number
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN2NO
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 15 **Variable =** FEXWN2AG **Variable label =** Windows: Back - age

This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 99

Value label information for FEXWN2AG
Value = 77 Label = Section not applicable
Value = 88 Label = Same as dwelling
Value = 99 Label = Unknown

Pos. = 16 **Variable =** FEXWN2FL **Variable label =** Windows: Back - faults
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXWN2FL
Value = 1 Label = Yes
Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 17 **Variable =** FEXWN2RN **Variable label =** Windows: Back - replace
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWN2RN
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 18 **Variable =** FEXWN2RP **Variable label =** Windows: Back - repair/replace sash member
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWN2RP
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 19 **Variable =** FEXWN2EA **Variable label =** Windows: Back - ease sashes etc./reglaze
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWN2EA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 20 **Variable =** FEXWN2PA **Variable label =** Windows: Back - repaint/reputty
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWN2PA
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 21 **Variable =** FEXWN2LV **Variable label =** Windows: Back - leave
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99

Value label information for FEXWN2LV
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 22 **Variable =** FEXWN2UR **Variable label =** Windows: Back - urgent
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing values = 7 and 8 and 9

Value label information for FEXWN2UR
Value = 1 Label = Yes

Value = 2 Label = No
Value = 7 Label = Section not applicable
Value = 8 Label = Question not applicable
Value = 9 Label = Unknown

Pos. = 23 **Variable =** FEXWN2TM **Variable label =** Windows: Back - replacement period
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing values = 77 and 88 and 99
Value label information for FEXWN2TM
Value = 77 Label = Section not applicable
Value = 88 Label = Question not applicable
Value = 99 Label = Unknown

Pos. = 24 **Variable =** GR2 **Variable label =** Property Survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 25 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for p2
Value = 1 Label = 18 - 29
Value = 2 Label = 30 - 44
Value = 3 Label = 45 - 64
Value = 4 Label = 65 and over

Pos. = 26 **Variable =** FODDTYPE **Variable label =** Dwelling description - dwelling type
This variable is *numeric*, the SPSS measurement level is *nominal.*
SPSS user missing value = 9
Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi-detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 27 **Variable =** FODCONST **Variable label =** Dwelling description - construction date
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850 - 1899
Value = 3 Label = 1890 - 1918
Value = 4 Label = 1919 - 1944
Value = 5 Label = 1945 - 1964
Value = 6 Label = 1965 - 1974
Value = 7 Label = 1975 - 1980
Value = 8 Label = 1981 - 1990
Value = 9 Label = Post 1990

Pos. = 28 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*
Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 29 **Variable =** hv21r1 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for hv21r1
Value = 1 Label = Owner-occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association

Value = 4 Label = Private rented

UK Data Archive Data Dictionary

File-level information:

File Name = sss20854_080416_v1_liw_ps_2004_whqs
Number of variables = 74
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 2 **Variable =** hhno **Variable label =** Household Number
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 3 **Variable =** pv30 **Variable label =** Time taken for survey (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pv30
Value = 1 Label = Under 30 mins
Value = 2 Label = 30-44 mins
Value = 3 Label = 45-59 mins
Value = 4 Label = 60-74 mins
Value = 5 Label = 75 mins or more
Value = 9 Label = Unknown

Pos. = 4 **Variable =** pv31 **Variable label =** Number of items unfit (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 12

Value label information for pv31
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 5 **Variable =** pv32 **Variable label =** Number of items defective (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 12

Value label information for pv32
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 6 **Variable =** pv33 **Variable label =** Number of items acceptable (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 12

Value label information for pv33
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 7 **Variable =** pv34 **Variable label =** Number of items satisfactory (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 12

Value label information for pv34
Value = 0 Label = None
Value = 12 Label = One or more not answered

Pos. = 8 **Variable =** pv35 **Variable label =** Dry / wet rot present (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for pv35
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 9 **Variable =** pv36 **Variable label =** Rising / Penetrating damp or serious condensation / mould growth (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for pv36
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 10 **Variable =** pv37 **Variable label =** Poor ventilation (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for pv37
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 11 **Variable =** pv38 **Variable label =** Poor natural or inadequate artificial light (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for pv38
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 12 **Variable =** pv39 **Variable label =** Inadequate heating provision and or ill-fitting doors/windows (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for pv39
Value = 1 Label = Present in one or more inspected rooms
Value = 2 Label = Not present in inspected rooms

Pos. = 13 **Variable =** pv40 **Variable label =** Unfitness and lack of amenity (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for pv40
Value = 1 Label = Unfit, lacks no basic amenity
Value = 2 Label = Unfit, lacks one or more basic amenity
Value = 3 Label = Fit, lacks no basic amenity
Value = 4 Label = Fit, lacks one or more basic amenity
Value = 5 Label = DNA
Value = 6 Label = NA

Pos. = 14 **Variable =** pvwhqs1 **Variable label =** WHQS State of Repair: Is the dwelling structurally stable?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs1
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 15 **Variable =** pvwhqs2 **Variable label =** WHQS State of Repair: Is the dwelling free from damp?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs2
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 16 **Variable =** pvwhqs3 **Variable label =** WHQS State of Repair: Is the dwelling free from disrepair?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs3
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 17 **Variable =** pvwhqs4 **Variable label =** WHQS State of Repair: Are the walls in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs4
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 18 **Variable =** pvwhqs5 **Variable label =** WHQS State of Repair: Is the roof structure and covering in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs5
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 19 **Variable =** pvwhqs6 **Variable label =** WHQS State of Repair: Are the windows and doors in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs6
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 20 **Variable =** pvwhqs7 **Variable label =** WHQS State of Repair: Is the chimney in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9

Value label information for pvwhqs7
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 21 **Variable =** pvwhqs8 **Variable label =** WHQS State of Repair: Is there heating provision in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs8
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 22 **Variable =** pvwhqs9 **Variable label =** WHQS State of Repair: Are the electrics in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs9
Value = 0 Label = Fail

Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 23 **Variable =** pvwhqs10 **Variable label =** WHQS Safety - Stairs: Is the staircase balustrading safe?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs10
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 24 **Variable =** pvwhqs11 **Variable label =** WHQS Safety - Kitchen: Are there safe 600mm wide spaces with enough clear space in from for the cooker, refrigerator and washing machine?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs11
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 25 **Variable =** pvwhqs12 **Variable label =** WHQS Safety - Kitchen: Is the work surface sufficient for safe food preparation?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs12
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 26 **Variable =** pvwhqs13 **Variable label =** WHQS Safety - Kitchen: Is the cupboard storage adequate and convenient?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs13
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 27 **Variable =** pvwhqs14 **Variable label =** WHQS Safety - Kitchen: Are the numbers of convenient power sockets in the kitchen sufficient?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs14
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 28 **Variable =** pvwhqs15 **Variable label =** WHQS Safety - Kitchen: Is the flooring to the kitchen and bathroom non-slip?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs15
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 29 **Variable =** pvwhqs16 **Variable label =** WHQS Safety - Fire escape: Is there adequate fire alarm and equipment (where applicable)?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9

Value label information for pvwhqs16
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 30 **Variable =** pvwhqs17 **Variable label =** WHQS Safety - Fire escape: Do bedrooms have escape routes not passing through another room?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs17
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 31 **Variable =** pvwhqs18 **Variable label =** WHQS Safety - Fire escape: Are mains powered smoke detectors on each floor?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs18
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 32 **Variable =** pvwhqs19 **Variable label =** WHQS Safety - Security: Do doors and windows give a reasonable level of physical security?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs19
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 33 **Variable =** pvwhqs20 **Variable label =** WHQS Heating: Can the heating system heat the dwelling to a reasonable level?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs20
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 34 **Variable =** pvwhqs21 **Variable label =** WHQS Heating: Are windows adequately draught proofed?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs21
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 35 **Variable =** pvwhqs22 **Variable label =** WHQS Heating: Is the living room separated from the main entrance door?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs22
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 36 **Variable =** pvwhqs23 **Variable label =** WHQS Heating: Is the hot water tank effectively insulated?

This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9

Value label information for pvwhqs23
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 37 **Variable =** pvwhqs24 **Variable label =** WHQS Heating: Is there at least 200mm of insulation in the loft?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9

Value label information for pvwhqs24
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 38 **Variable =** pvwhqs25 **Variable label =** WHQS Heating: Is the thermal performance of the external walls adequate to avoid the likelihood of condensation?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9

Value label information for pvwhqs25
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 39 **Variable =** pvwhqs26 **Variable label =** WHQS Heating: Is there adequate mechanical extract ventilation to the kitchen and bathroom?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs26
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 40 **Variable =** pvwhqs27 **Variable label =** WHQS Up to date Kitchen: Is it less than 15 years old?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs27
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 41 **Variable =** pvwhqs28 **Variable label =** WHQS Up to date Kitchen: Is it in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs28
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 42 **Variable =** pvwhqs29 **Variable label =** WHQS Up to date Washing: Are there adequate facilities for washing, drying and airing clothes?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9

Value label information for pvwhqs29
Value = 0 Label = Fail
Value = 1 Label = Pass

Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 43 **Variable =** pvwhqs30 **Variable label =** WHQS Up to date Washing: Is there space, power and plumbing for a washing machine?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs30
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 44 **Variable =** pvwhqs31 **Variable label =** WHQS Up to date Washing: In the absence of an external clothes line, is there space, power and external venting for a tumble dryer?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs31
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 45 **Variable =** pvwhqs32 **Variable label =** WHQS Up to date Washing: Is there a heated airing cupboard with sufficient shelving?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs32
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 46 **Variable =** pvwhqs33 **Variable label =** WHQS Up to date Bathroom: Are the bathroom and WC facilities less than 25 years old?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs33
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 47 **Variable =** pvwhqs34 **Variable label =** WHQS Up to date Bathroom: Are they in good condition?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs34
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 48 **Variable =** pvwhqs35 **Variable label =** WHQS Up to date Bathroom: Is there a shower as well as a bath?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs35
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 49 **Variable =** pvwhqs36 **Variable label =** WHQS Up to date Bathroom: Are the facilities conveniently located?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9

Value label information for pvwhqs36
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 50 **Variable =** pvwhqs37 **Variable label =** WHQS Management: Is there soft and hard landscaping with planting in protected areas?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9
Value label information for pvwhqs37
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 51 **Variable =** pvwhqs38 **Variable label =** WHQS Management: Is there adequate and safe play space for young children?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing values = 8 and 9
Value label information for pvwhqs38
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 8 Label = Assessment not applicable
Value = 9 Label = Missing data

Pos. = 52 **Variable =** pvwhqs39 **Variable label =** WHQS Management: Is there adequate and practically located car parking clearly visible to residents?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs39
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 53 **Variable =** pvwhqs40 **Variable label =** WHQS Suitability: Does the dwelling provide sufficient space for everyday living?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs40
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 54 **Variable =** pvwhqs41 **Variable label =** WHQS Suitability: Are the rooms large enough for nominal occupancy
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs41
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 55 **Variable =** pvwhqs42 **Variable label =** WHQS Suitability: Is internal and external general storage space adequate?
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pvwhqs42
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 56 **Variable =** pvwhqs43 **Variable label =** WHQS Suitability: Is there a level area no

smaller than 10m2 directly accessible from the house?
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 9

Value label information for pvwhqs43
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 57 **Variable =** pvwhqs44 **Variable label =** WHQS Suitability: Is there a paved access to the drying line and any garden gate?
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 9

Value label information for pvwhqs44
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = Missing data

Pos. = 58 **Variable =** GR2 **Variable label =** Physical survey grossing factor
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 59 **Variable =** hv17 **Variable label =** Vulnerable households (those with a child under 16 years or adult over 60 years or adult with long-term limiting illness) (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv17
Value = 0 Label = Not
Value = 1 Label = Vulnerable household

Pos. = 60 **Variable =** hv21 **Variable label =** Tenure (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for hv21
Value = 1 Label = Owner occupied
Value = 2 Label = Local authority
Value = 3 Label = Housing Association
Value = 4 Label = Private rented

Pos. = 61 **Variable =** p2 **Variable label =** Coded HRP age
This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for p2
Value = 1 Label = 18 to 29
Value = 2 Label = 30 to 44
Value = 3 Label = 45 to 64
Value = 4 Label = 65 and over

Pos. = 62 **Variable =** FODDTYPE **Variable label =** Dwelling Type
This variable is *numeric*, the SPSS measurement level is *scale.*
SPSS user missing value = 9

Value label information for FODDTYPE
Value = 1 Label = End terrace
Value = 2 Label = Mid terrace
Value = 3 Label = Semi detached
Value = 4 Label = Detached
Value = 5 Label = Temporary
Value = 6 Label = Purpose built
Value = 7 Label = Converted
Value = 8 Label = Non residential plus flat
Value = 9 Label = Unknown

Pos. = 63 **Variable =** FODCONST **Variable label =** Construction Date
This variable is *numeric*, the SPSS measurement level is *scale.*

Value label information for FODCONST
Value = 1 Label = Pre 1850
Value = 2 Label = 1850-1899
Value = 3 Label = 1900-1918

Value = 4 Label = 1919-1944
Value = 5 Label = 1945-1964
Value = 6 Label = 1965-1974
Value = 7 Label = 1975-1980
Value = 8 Label = 1981-1990
Value = 9 Label = Post 1990

Pos. = 64 **Variable =** pvwhqsprimaryfail **Variable label =** Count of primary elements failed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 65 **Variable =** pvwhqssecondaryfail **Variable label =** Count of secondary elements failed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 66 **Variable =** pvwhqsprimaryna **Variable label =** Count of primary elements not applicable for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 67 **Variable =** pvwhqssecondaryna **Variable label =** Count of secondary elements not applicable for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 68 **Variable =** pvwhqsprimarymiss **Variable label =** Count of primary elements with missing data for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 69 **Variable =** pvwhqssecondarymiss **Variable label =** Count of secondary elements with missing data for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 70 **Variable =** pvwhqsprimary **Variable label =** Count of primary elements passed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 71 **Variable =** pvwhqssecondary **Variable label =** Count of secondary elements passed for WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.

Pos. = 72 **Variable =** pv41 **Variable label =** Calculation of WHQS
This variable is *numeric*, the SPSS measurement level is *scale*.
SPSS user missing value = 9
Value label information for pv41
Value = 0 Label = Fail
Value = 1 Label = Pass
Value = 9 Label = One or more items of missing data

Pos. = 73 **Variable =** dusocial **Variable label =** social housing du derived variable
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for dusocial
Value = 0 Label = private
Value = 1 Label = social

Pos. = 74 **Variable =** filter_$ **Variable label =** dusocial=1 (FILTER)
This variable is *numeric*, the SPSS measurement level is *scale*.
Value label information for filter_$
Value = 0 Label = Not Selected
Value = 1 Label = Selected

UK Data Archive Data Dictionary

File-level information:

File Name = sss20454_051013_v2_liw_ps_2004_fuel_poverty
Number of variables = 13
Number of cases = 2466

Variable-level information:

Pos. = 1 **Variable =** addno **Variable label =** Address number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 2 **Variable =** hhno **Variable label =** Household Number
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 3 **Variable =** fpbasic **Variable label =** Fuel Poor index - basic income
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 4 **Variable =** fpfull **Variable label =** Fuel Poor index - full income
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 5 **Variable =** fpsevbasbnd **Variable label =** FP Severity (basic) - % income spent on fuel (banded)
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for fpsevbasbnd

Value = 1	Label = up to 5%
Value = 2	Label = 5% to 10 %
Value = 3	Label = 10% to 15%
Value = 4	Label = 15% to 20%
Value = 5	Label = over 20%

Pos. = 6 **Variable =** fpsevfullbnd **Variable label =** FP Severity (full) - % income spent on fuel (banded)
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for fpsevfullbnd

Value = 1	Label = up to 5%
Value = 2	Label = 5% to 10 %
Value = 3	Label = 10% to 15%
Value = 4	Label = 15% to 20%
Value = 5	Label = over 20%

Pos. = 7 **Variable =** fpbasinc **Variable label =** FP basic income + housing benefit + ISMI + MPPI + CTB - CTx
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 8 **Variable =** fpfullinc **Variable label =** Annual net income including savings and WFP for whole hhold
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 9 **Variable =** fpoorbas **Variable label =** Fuel Poor (basic)
This variable is *numeric*, the SPSS measurement level is *nominal.*

Value label information for fpoorbas

Value = 1	Label = Yes
Value = 2	Label = No

Pos. = 10 **Variable =** fpoorfull **Variable label =** Fuel Poor (full)
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for fpoorfull
Value = 1 Label = Yes
Value = 2 Label = No

Pos. = 11 **Variable =** fpvulc **Variable label =** Vulnerable - fuel poverty definition
This variable is *numeric*, the SPSS measurement level is *nominal.*
Value label information for fpvulc
Value = 0 Label = Not vulnerable
Value = 1 Label = Vulnerable

Pos. = 12 **Variable =** ngrofa **Variable label =** Total floor area (sq m)
This variable is *numeric*, the SPSS measurement level is *scale.*

Pos. = 13 **Variable =** a18 **Variable label =** Grossing factor - property surveys (derived variable)
This variable is *numeric*, the SPSS measurement level is *scale.*