Documentation of Questionnaire/Module 'FRS1207A' on 23-08-2012 at 09:45

FRS1207A

FAMILY RESOURCES SURVEY 2012-2013

COMPUTE ALWAYS: OrgID := ONS COMPUTE ALWAYS: Edit := No COMPUTE ALWAYS: Test := No COMPUTE ALWAYS: VerCode := '052 1' COMPUTE ALWAYS: TestVer := '01' COMPUTE IF: OrgID = NISRA SuppTxt := ('Please record the reasons why you suppressed ' + 'this warning, then press <SAVE> to save and continue.') COMPUTE IF: NOT (OrgID = NISRA) SuppTxt := ('Please record the reasons why you suppressed ' + 'this warning, then press <Alt> + S to save and continue.') COMPUTE ALWAYS: Pd97Txt := ('Please leave a note/remark giving full details ' + 'then press <SAVE> to save and continue.') COMPUTE ALWAYS: KeyTxt := ('This is a 'Key Question': It is VERY ' + 'IMPORTANT to get an answer here if possible. If you cannot ' + 'do so (either now, or later) please make a Note about the circumstances.') COMPUTE IF: OrgID = ONS N := '' COMPUTE IF: OrgID = ONS I := '' COMPUTE IF: OrgID = ONS B := ''

```
COMPUTE IF: OrgID = ONS
X := 'H'
COMPUTE IF: OrgID = ONS
01 := '('
COMPUTE IF: OrgID = ONS
02 := ')'
COMPUTE IF: OrgID = ONS
IC := 'i '
COMPUTE IF: OrgID = ONS
IS := 'N'
COMPUTE IF: OrgID = ONS
nl1 := ''
COMPUTE IF: OrgID = ONS
Anyone_Else := 'Anyone else'
COMPUTE IF: OrgID = ONS
Any Others := 'Any others'
COMPUTE IF: OrgID = ONS
Any Other := 'Any other'
COMPUTE IF: NOT (OrgID = ONS)
N := ''
COMPUTE IF: NOT (OrgID = ONS)
I := ''
COMPUTE IF: NOT (OrgID = ONS)
B := ''
COMPUTE IF: NOT (OrgID = ONS)
X := '*'
COMPUTE IF: NOT (OrgID = ONS)
01 := '('
COMPUTE IF: NOT (OrgID = ONS)
02 := ')'
```

```
COMPUTE IF: NOT (OrgID = ONS)
AND: Edit = Yes
IC := 'EDITOR: '
COMPUTE IF: NOT (OrgID = ONS)
    AND: NOT (Edit = Yes)
IC := 'INTERVIEWER: '
COMPUTE IF: NOT (OrgID = ONS)
IS := 'SHOW CARD'
COMPUTE IF: NOT (OrgID = ONS)
nl1 := '
COMPUTE IF: NOT (OrgID = ONS)
Anyone Else := 'Who else'
COMPUTE IF: NOT (OrgID = ONS)
Any Others := 'Which others'
COMPUTE IF: NOT (OrgID = ONS)
Any Other := 'Which other'
COMPUTE IF: OrgID = NatCen
nl2 := '
COMPUTE IF: NOT (OrgID = NatCen)
nl2 := ''
COMPUTE IF: OrgID = NISRA
Help F9 := '<HELP>'
COMPUTE IF: OrgID = NISRA
nl3 := ''
COMPUTE IF: NOT (OrgID = NISRA)
Help F9 := 'Help <F9>'
COMPUTE IF: NOT (OrgID = NISRA)
n13 := '
```

RECORD ALWAYS:

IVers

```
Version code of interview program, eg. I_049_1. I = Interview, 04 = month, 7 = year, 1 = release. STRING[7]
```

Version code of edit program, eg. E_049_1. E = Edit, 04 = month, 7 = year, 1 = release.

RECORD ALWAYS:

STRING[7]

EVers

```
Compute if: Test = Yes
    AND: OrgID = NISRA
IVers := ('NI ' + TestVer)
Compute if: Test = Yes
    AND: NOT (OrgID = NISRA)
IVers := ('I ' + VerCode)
COMPUTE IF: Edit = Yes
EVers := ('E ' + VerCode)
COMPUTE IF: NOT (Edit = Yes)
IVers := ('I ' + VerCode)
COMPUTE IF: Edit = Yes
Interviewer := 'Editor'
COMPUTE IF: Edit = Yes
EditVersion := ('Edit version@|@|:@|' + EVers + '
')
COMPUTE IF: NOT (Edit = Yes)
Interviewer := 'Interviewer'
```

Compute always:

Days[1] := 'Sunday'

EditVersion := '

COMPUTE IF: NOT (Edit = Yes)

COMPUTE ALWAYS:

Days[2] := 'Monday'

```
COMPUTE ALWAYS:
Days[3] := 'Tuesday'
COMPUTE ALWAYS:
Days[4] := 'Wednesday'
COMPUTE ALWAYS:
Days[5] := 'Thursday'
COMPUTE ALWAYS:
Days[6] := 'Friday'
COMPUTE ALWAYS:
Days[7] := 'Saturday'
COMPUTE ALWAYS:
Months[1] := 'January'
COMPUTE ALWAYS:
Months[2] := 'February'
COMPUTE ALWAYS:
Months[3] := 'March'
COMPUTE ALWAYS:
Months[4] := 'April'
COMPUTE ALWAYS:
Months[5] := 'May'
COMPUTE ALWAYS:
Months[6] := 'June'
COMPUTE ALWAYS:
Months[7] := 'July'
COMPUTE ALWAYS:
Months[8] := 'August'
COMPUTE ALWAYS:
Months[9] := 'September'
COMPUTE ALWAYS:
Months[10] := 'October'
```

COMPUTE ALWAYS: Months[11] := 'November' COMPUTE ALWAYS: Months[12] := 'December' COMPUTE ALWAYS: AssDo := No COMPUTE ALWAYS: BookDo := No COMPUTE ALWAYS: NCDVLP := No COMPUTE ALWAYS: NCDVIB := 0 COMPUTE ALWAYS: NCDVOB := 0COMPUTE ALWAYS: NCDVDC := No COMPUTE ALWAYS: NCDVTC := No COMPUTE ALWAYS: NCDVCP := 0COMPUTE ALWAYS: NCDVAW := No COMPUTE ALWAYS: NCDVRT := No COMPUTE ALWAYS:

NCDVAA := No

Page 7

Block: FRS1207A.QSerial

FRS1207A.QSerial

Serial number

```
COMPUTE IF: Test = Yes
    AND: OrgID = NatCen
KeyString := GETENV('KEYVALUE')
COMPUTE IF: Test = Yes
    AND: OrgID = NatCen
DArea := VAL(SUBSTRING(KeyString,1,5))
COMPUTE IF: Test = Yes
    AND: OrgID = NatCen
DAddress := VAL(SUBSTRING(KeyString,6,2))
COMPUTE IF: Test = Yes
    AND: OrgID = NatCen
DHhold := VAL(SUBSTRING(KeyString, 8, 1))
COMPUTE IF: Test = Yes
    AND: NOT (OrgID = NatCen)
    AND: BIDData.SEARCH (1)
DArea := VAL(SUBSTRING(BIDData.BIDField,1,5))
COMPUTE IF: Test = Yes
    AND: NOT (OrgID = NatCen)
     AND: BIDData.SEARCH (1)
DAddress := VAL(SUBSTRING(BIDData.BIDField, 6, 2))
COMPUTE IF: Test = Yes
    AND: NOT (OrgID = NatCen)
    AND: BIDData.SEARCH (1)
DHhold := VAL(SUBSTRING(BIDData.BIDField, 8, 1))
Ask IF: Test = Yes
Area
     ^I AREA NUMBER.
    ^B JUST PRESS <Enter>^B.
     1..99997
Ask IF: Test = Yes
Address
     ^I ADDRESS NUMBER.
     ^B JUST PRESS <Enter>^B.
     1..97
```

Ask if: Test = Yes

Hhold

^I HOUSEHOLD NUMBER.

^B JUST PRESS <Enter>^B.

1..3

CHECK IF: Test = Yes

RESERVECHECK

RESERVECHECK

CHECK IF: Test = Yes

 ${\tt RESERVECHECK}$

RESERVECHECK

CHECK IF: Test = Yes RESERVECHECK

RESERVECHECK

Compute if: Test = Yes

And: DArea > 0

Area := DArea

COMPUTE IF: Test = Yes
AND: DAddress > 0

Address := DAddress

COMPUTE IF: Test = Yes
AND: DHhold > 0

Hhold := DHhold

Block: FRS1207A.QSerial

FRS1207A.QSerial

Serial number

```
COMPUTE IF: NOT (Test = Yes)
    AND: OrgID = NatCen
KeyString := GETENV('KEYVALUE')
COMPUTE IF: NOT (Test = Yes)
    AND: OrgID = NatCen
DArea := VAL(SUBSTRING(KeyString,1,5))
COMPUTE IF: NOT (Test = Yes)
    AND: OrgID = NatCen
DAddress := VAL(SUBSTRING(KeyString,6,2))
COMPUTE IF: NOT (Test = Yes)
    AND: OrgID = NatCen
DHhold := VAL(SUBSTRING(KeyString, 8, 1))
COMPUTE IF: NOT (Test = Yes)
    AND: NOT (OrgID = NatCen)
    AND: BIDData.SEARCH (1)
DArea := VAL(SUBSTRING(BIDData.BIDField,1,5))
COMPUTE IF: NOT (Test = Yes)
    AND: NOT (OrgID = NatCen)
     AND: BIDData.SEARCH (1)
DAddress := VAL(SUBSTRING(BIDData.BIDField, 6, 2))
COMPUTE IF: NOT (Test = Yes)
    AND: NOT (OrgID = NatCen)
     AND: BIDData.SEARCH (1)
DHhold := VAL(SUBSTRING(BIDData.BIDField, 8, 1))
Ask IF: NOT (Test = Yes)
Area
     ^I AREA NUMBER.
     ^B JUST PRESS <Enter>^B.
     1..99997
Ask IF: NOT (Test = Yes)
Address
     ^I ADDRESS NUMBER.
     ^B JUST PRESS <Enter>^B.
     1..97
```

```
Ask if: NOT (Test = Yes)
```

Hhold

^I HOUSEHOLD NUMBER.

^B JUST PRESS <Enter>^B.

1..3

CHECK IF: NOT (Test = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: NOT (Test = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: NOT (Test = Yes)

RESERVECHECK

RESERVECHECK

COMPUTE IF: NOT (Test = Yes)

AND: DArea > 0

Area := DArea

COMPUTE IF: NOT (Test = Yes)

AND: DAddress > 0

Address := DAddress

COMPUTE IF: NOT (Test = Yes)

AND: DHhold > 0

Hhold := DHhold

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

CHECK ALWAYS: RESERVECHECK RESERVECHECK CHECK ALWAYS: RESERVECHECK RESERVECHECK CHECK ALWAYS: RESERVECHECK RESERVECHECK CHECK ALWAYS: RESERVECHECK RESERVECHECK Compute if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) AND: QSerial.Area < 10 StrArea := ('0000' + STR(QSerial.Area,1)) COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) AND: QSerial.Area < 100 StrArea := ('000' + STR(QSerial.Area,2)) COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) AND: QSerial.Area < 1000 StrArea := ('00' + STR(QSerial.Area,3)) COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) AND: QSerial.Area < 10000 StrArea := ('0' + STR(QSerial.Area,4)) COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) AND: NOT (QSerial.Area < 10000) StrArea := STR(QSerial.Area,5) COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) AND: QSerial.Address IN [1 .. 9] StrAddr := ('0' + STR(QSerial.Address,1)) COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE) AND: NOT (QSerial.Address IN [1 .. 9]) StrAddr := STR(QSerial.Address,2) COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

StrSerial := (StrArea + StrAddr)

```
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
```

Serial := VAL(StrSerial)

RECORD IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

NSerial

Natcen Serial Number

STRING[8]

RECORD IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

NPoint

Natcen Point Number

STRING[5]

RECORD IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

ChkLet

Check Lettter

STRING[1]

```
Compute if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
```

NSerial := (StrSerial + STR(QSerial.Hhold,1))

```
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 . . 3])
```

NPoint := SUBSTRING(StrSerial,1,5)

FRS1207A.Checkletter()

Procedure Call

```
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[1] := 'A'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[2] := 'B'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[3] := 'C'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[4] := 'D'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[5] := 'E'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[6] := 'F'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[7] := 'G'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[8] := 'H'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[9] := 'J'
COMPUTE IF: (OSerial.Area = RESPONSE) AND (OSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[10] := 'K'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[11] := 'L'
```

```
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[12] := 'M'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[13] := 'N'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[14] := 'P'
Compute if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[15] := 'Q'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[16] := 'R'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[17] := 'S'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[18] := 'T'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[19] := 'V'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[20] := 'W'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[21] := 'X'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[22] := 'Y'
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])
Letters[23] := 'Z'
```

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: (LEN (StrSerial) = 7) AND (QSerial.Hhold IN [1 .. 3])

ChkLet := Letters[ROUND(FRAC(SerNo / 23) * 23) + 1]

Block: FRS1207A.QDataBag

FRS1207A.QDataBag

Sample information

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

Serial

Natcen Serial number excluding household number.

1..9999997

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

Hhold

Household number

1..3

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

IntNo

Interviewer Number

0..9999

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SurvId

3-letter acronym for survey.

STRING[3]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SampYear

Year Code

1998..9997

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SampMnth

Sample month.

1..12

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SampQtr

Sample quarter

Attempt

Issue number.

1..7

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SSTRTReg

Stratifying region: Survey specific.

1..97

ASK IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

StaRegGB

Statistical region in GB.

1..12

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

GovRegGB

Government office region in GB.

1..12

Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

Country

1..7

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

OAC

Output Area Classification.

STRING[3]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SLA

Local Authority Code.

STRING[9]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

LAC

Local Authority Code. GOV version

NICoun

Northern Ireland District Council Codes

1..97

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

NIRate

Northern Ireland District Council Rates

-99.9999..999.9999

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

NINRV

Net rateable value of property (in N. Ireland)

1..9997

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

AddType

Address Type

0..97

Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

BRMA

Broad Rental Market Area

0..99997

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

URIndEW

Urban and Rural Indicators - England and Wales

0..97

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

URIndSc

Urban and Rural Indicators - Scotland

0..97

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

IMD E

Index of Multiple Deprivation variables for England

IMD W

Index of Multiple Deprivation variables for Wales

0..7

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

IMD S

Index of Multiple Deprivation variables for Scotland

0..7

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

ONSPoint

Original Area (Point) - 5 chars with leading 0's

STRING[5]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SMO

Multiple occupancy indicator

STRING[3]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SGridRef

Grid reference

STRING[13]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SInd

STRING[1]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

DNum

Local Authority code DNum4DSS

STRING[3]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

KishRef

Kish reference-Rand on sample

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
SLC Ind
     SLC follow up indicator. p3073
     0..999999997
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
Spare2
     Spare code frame
     0..997
Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
Spare3
     Spare string
     STRING[50]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
SAdd1
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
SAdd2
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
SAdd3
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
SAdd4
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
SAdd5
     Spare string
     STRING[30]
```

SAdd6

Spare string

STRING[30]

Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)

SPC

Spare string

STRING[10]

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: DBData.SEARCH (Serial)

QDataBag := DBData.QDataBag

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: DBData.SEARCH (Serial)
AND: SUBSTRING (QDataBag.SLA, 1, 2) =

QDataBag.SLA := (SUBSTRING(QDataBag.SLA,3,2) + ' ')

COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: DBData.SEARCH (Serial)
AND: SUBSTRING (QDataBag.SLA, 1, 1) =

QDataBag.SLA := (SUBSTRING(QDataBag.SLA,2,3) + ' ')
```

FRS1207A.QDataBag

Sample information

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

Serial

Natcen Serial number excluding household number.

1..9999997

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

Hhold

Household number

1..3

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

IntNo

Interviewer Number

0..9999

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SurvId

3-letter acronym for survey.

STRING[3]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SampYear

Year Code

1998..9997

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SampMnth

Sample month.

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SampQtr

Sample quarter

1..4

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

Attempt

Issue number.

1..7

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SSTRTReg

Stratifying region: Survey specific.

1..97

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

StaRegGB

Statistical region in GB.

1..12

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

GovRegGB

Government office region in GB.

1..12

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

Country

1..7

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

OAC

Output Area Classification.

STRING[3]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SLA

Local Authority Code.

STRING[9]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

LAC

Local Authority Code. GOV version

0..997

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

NICoun

Northern Ireland District Council Codes

1..97

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

NIRate

Northern Ireland District Council Rates

-99.9999..999.9999

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

NINRV

Net rateable value of property (in N. Ireland)

1..9997

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

AddType

Address Type

0..97

```
Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

BRMA

Broad Rental Market Area

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

URIndEW

Urban and Rural Indicators - England and Wales

0..97

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

URIndSc

Urban and Rural Indicators - Scotland

0..97

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

IMD E

Index of Multiple Deprivation variables for England

0..7

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

$\mathbf{IMD}_{-}\mathbf{W}$

Index of Multiple Deprivation variables for Wales

0..7

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

IMD_S

Index of Multiple Deprivation variables for Scotland

0..7

```
Ask If: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

ONSPoint

Original Area (Point) - 5 chars with leading 0's

STRING[5]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SMO

Multiple occupancy indicator

STRING[3]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SGridRef

Grid reference

STRING[13]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SInd

STRING[1]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

DNum

Local Authority code DNum4DSS

STRING[3]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

KishRef

Kish reference-Rand on sample

0..997

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

SLC_Ind

SLC follow up indicator. p3073

0..999999997

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

Spare2

Spare code frame

0..997

```
Ask IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
AND: Test = Yes
```

Spare3

Spare string

STRING[50]

```
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: Test = Yes
SAdd1
     Spare string
     STRING[30]
ASK IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: Test = Yes
SAdd2
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: Test = Yes
SAdd3
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: Test = Yes
SAdd4
     Spare string
     STRING[30]
Ask IF: (OSerial.Area = RESPONSE) AND (OSerial.Address = RESPONSE)
     AND: Test = Yes
SAdd5
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: Test = Yes
SAdd6
     Spare string
     STRING[30]
Ask if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
     AND: Test = Yes
SPC
     Spare string
     STRING[10]
```

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
RECORD IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
OSerial
    Original (ONS) Serial Number
    STRING[8]
RECORD IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
OPoint
    Original (ONS) Point
    STRING[5]
COMPUTE IF: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: LEN (QDataBag.ONSPoint) = 5
OPoint := QDataBag.ONSPoint
Compute if: (QSerial.Area = RESPONSE) AND (QSerial.Address = RESPONSE)
    AND: LEN (QDataBag.ONSPoint) = 5
    AND: (LEN (StrAddr) = 2) AND (QSerial.Hhold IN [1 .. 3])
OSerial := (OPoint + StrAddr + STR(QSerial.Hhold,1))
COMPUTE ALWAYS:
FYear := 2012
COMPUTE ALWAYS:
LYear := (FYear + 1)
COMPUTE ALWAYS:
FYearM1 := (FYear - 1)
COMPUTE ALWAYS:
FYearM2 := (FYear - 2)
COMPUTE ALWAYS:
FYearM3 := (FYear - 3)
COMPUTE ALWAYS:
YearNo := SUBSTRING(STR(FYear), 3, 2)
COMPUTE IF: QDataBaq.SampMnth IN [1 .. 3]
ChkYear := LYear
```

```
COMPUTE IF: NOT (QDataBag.SampMnth IN [1 .. 3])
ChkYear := FYear
RECORD ALWAYS:
DSerial
    DWP style Serial Number
    STRING[10]
COMPUTE IF: (LEN (OSerial) = 8) AND (LEN (YearNo) = 2)
DSerial := (SUBSTRING(OSerial,1,5) + YearNo +
SUBSTRING(OSerial, 6, 3))
COMPUTE ALWAYS:
SampInfo := ''
COMPUTE IF: (OrgID = NISRA) OR (QDataBag.SSTRTReg IN [30])
NIreland := Yes
COMPUTE IF: (OrgID = NISRA) OR (QDataBag.SSTRTReg IN [30])
Scotland := No
COMPUTE IF: (OrgID = NISRA) OR (QDataBag.SSTRTReg IN [30])
Wales := No
COMPUTE IF: (OrgID = NISRA) OR (QDataBag.SSTRTReg IN [30])
Country := NIreland
COMPUTE IF: (OrgID = NISRA) OR (QDataBag.SSTRTReg IN [30])
SampInfo := 'Northern Ireland'
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
NIreland := No
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
Scotland := Yes
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
Wales := No
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
Country := Scotland
COMPUTE IF: QDataBag.SSTRTReg IN [22 .. 27]
SampInfo := 'Scotland'
```

```
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
NIreland := No
COMPUTE IF: QDataBaq.SSTRTReq IN [20 .. 21]
Scotland := No
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
Wales := Yes
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
Country := Wales
COMPUTE IF: QDataBag.SSTRTReg IN [20 .. 21]
SampInfo := 'Wales'
COMPUTE IF: NOT (QDataBaq.SSTRTReq IN [20 .. 21])
NIreland := No
COMPUTE IF: NOT (QDataBag.SSTRTReg IN [20 .. 21])
Scotland := No
COMPUTE IF: NOT (QDataBag.SSTRTReg IN [20 .. 21])
Wales := No
COMPUTE IF: NOT (QDataBaq.SSTRTReq IN [20 .. 21])
Country := England
Compute if: NOT (QDataBag.SSTRTReg IN [20 .. 21])
SampInfo := 'England'
COMPUTE IF: OrgID = NatCen
SampInfo := ('
(Sample Info: ' + SampInfo + ' Case, Sample Month=' +
Months[QDataBag.SampMnth] + ', Sample Year=' +
STR(QDataBag.SampYear) + ')')
COMPUTE IF: Test = Yes
    AND: NICoun = RESPONSE
NIDCoun := ORD(NICoun)
COMPUTE IF: QDataBag.NICoun IN [1 .. 97]
NIDCoun := QDataBag.NICoun
COMPUTE IF: QDataBag.NIRate IN [0.01 .. 9997]
NIRate := QDataBag.NIRate
```

COMPUTE ALWAYS:

GIP := '/ Guaranteed Income Payment (GIP) '

COMPUTE ALWAYS:

GIP1 := '/ Guaranteed Income Payment (GIP) paid to Service or ex-service personnel'

COMPUTE ALWAYS:

GIP2 := '/ Guaranteed Income Payment (GIP) paid to surviving partners of Service personnel'

COMPUTE IF: OrgID = NISRA

SharOwn := 'co-ownership'

COMPUTE IF: OrgID = NISRA

SOwners := 'Co-owners'

COMPUTE IF: OrgID = NISRA

LANIHE := 'NIHE'

COMPUTE IF: OrgID = NISRA

Council1 := 'Northern Ireland Housing Executive'

COMPUTE IF: OrgID = NISRA

Council2 := 'Northern Ireland Housing Executive'

COMPUTE IF: OrgID = NISRA

GOVSSA := 'Social Security Agency'

COMPUTE IF: OrgID = NISRA

GOV1 := 'SSA'

COMPUTE IF: OrgID = NISRA

GOV2 := 'Social Security Agency'

COMPUTE IF: OrgID = NISRA

JobCen := 'a Social Security Office'

COMPUTE IF: OrgID = NISRA

RentReb1 := 'rent and/or rates rebate'

COMPUTE IF: OrgID = NISRA

RentReb2 := 'rent/rates rebate'

```
COMPUTE IF: OrgID = NISRA
LAuths := 'Social Services'
COMPUTE IF: OrgID = NISRA
LAuth1 := 'Social Services'
COMPUTE IF: OrgID = NISRA
LAuth2 := 'Social Services'
COMPUTE IF: OrgID = NISRA
IncROI1 := '
Include accounts held in the Republic Of Ireland.'
COMPUTE IF: OrgID = NISRA
IncROI2 := ('
If account held in the Republic of Ireland open note ' + 'to
state if amount recorded in Euros.')
COMPUTE IF: OrgID = NISRA
IncROI3 := ('
Include holdings and/or accounts held in the Republic ' + 'Of
Ireland and open note to state if amount recorded in ' +
'Euros.')
COMPUTE IF: OrgID = NISRA
Dept := 'Department for Social Development'
COMPUTE IF: OrgID = NISRA
Mid Pri := '<Code Not Used>'
COMPUTE IF: OrgID = NISRA
Mid Sec := '<Code Not Used>'
COMPUTE IF: OrgID = NISRA
Grammar := '/Grammar'
COMPUTE IF: OrgID = NISRA
State run := ''
COMPUTE IF: OrgID = NISRA
assisted := ''
COMPUTE IF: OrgID = NISRA
Inland Revenue := 'HM Revenue and Customs (formerly Inland
Revenue)'
```

```
COMPUTE IF: OrgID = NISRA
rate := ''
COMPUTE IF: OrgID = NISRA
RatesOrCharges := 'charges'
COMPUTE IF: OrgID = NISRA
Britain := 'the UK'
COMPUTE IF: OrgID = NISRA
CSA Long := 'Child Maintenance and Enforcement Division (C-
MED)
COMPUTE IF: OrgID = NISRA
CSA Abbr := 'C-MED'
COMPUTE IF: OrgID = NISRA
or CSADWP := 'or the C-MED'
COMPUTE IF: OrgID = NISRA
ONSNISRA := 'NISRA'
COMPUTE IF: NOT (OrgID = NISRA)
SharOwn := 'shared ownership'
COMPUTE IF: NOT (OrgID = NISRA)
SOwners := 'Shared owners'
COMPUTE IF: NOT (OrgID = NISRA)
LANIHE := 'local authority'
COMPUTE IF: NOT (OrgID = NISRA)
Council1 := ('The local authority/council/New Town ' +
'development/Scottish Homes')
COMPUTE IF: NOT (OrgID = NISRA)
Council2 := 'Local Authority or Council (incl. GLC)'
COMPUTE IF: NOT (OrgID = NISRA)
GOVSSA := 'DWP'
COMPUTE IF: NOT (OrgID = NISRA)
GOV1 := 'DWP'
```

```
COMPUTE IF: NOT (OrgID = NISRA)
GOV2 := 'DWP'
COMPUTE IF: NOT (OrgID = NISRA)
JobCen := 'an Employment Service local office or Jobcentre'
COMPUTE IF: NOT (OrgID = NISRA)
RentReb1 := 'rent rebate'
COMPUTE IF: NOT (OrgID = NISRA)
RentReb2 := 'rent rebate'
COMPUTE IF: NOT (OrgID = NISRA)
LAuths := 'Local Authorities'
COMPUTE IF: NOT (OrgID = NISRA)
LAuth1 := 'Local Authority'
COMPUTE IF: NOT (OrgID = NISRA)
LAuth2 := 'a Local Authority'
COMPUTE IF: NOT (OrgID = NISRA)
IncROI1 := ''
COMPUTE IF: NOT (OrgID = NISRA)
IncROI2 := ''
COMPUTE IF: NOT (OrgID = NISRA)
IncROI3 := ''
COMPUTE IF: NOT (OrgID = NISRA)
Dept := 'Department for Work and Pensions'
COMPUTE IF: NOT (OrgID = NISRA)
Mid Pri := 'Middle-deemed primary school (state run or
assīsted)'
COMPUTE IF: NOT (OrgID = NISRA)
Mid_Sec := 'Middle-deemed secondary school (state run or
assisted)'
COMPUTE IF: NOT (OrgID = NISRA)
Grammar := ''
```

```
COMPUTE IF: NOT (OrgID = NISRA)
State run := 'State run'
COMPUTE IF: NOT (OrgID = NISRA)
assisted := '(State run or assisted)'
COMPUTE IF: NOT (OrgID = NISRA)
Inland_Revenue := 'HM Revenue and Customs (formerly Inland
Revenue) (or formerly the DSS) '
COMPUTE IF: NOT (OrgID = NISRA)
rate := '(rates)'
COMPUTE IF: NOT (OrgID = NISRA)
RatesOrCharges := 'rates or charges'
COMPUTE IF: NOT (OrgID = NISRA)
Britain := 'Britain'
COMPUTE IF: NOT (OrgID = NISRA)
CSA Long := 'Child Support Agency (CSA)'
COMPUTE IF: NOT (OrgID = NISRA)
CSA Abbr := 'CSA'
COMPUTE IF: NOT (OrgID = NISRA)
or CSADWP := 'the CSA or DWP'
COMPUTE IF: NOT (OrgID = NISRA)
```

ASK ALWAYS:

First

^I^B^IC^B For your information... You are in the^B Household^B Schedule for:Area No@|@|:@|^StrArea

ONSNISRA := 'the Office for National Statistics'

Address No····@|:@|^StrAddr

Household No@|:@|^QSerial.Hhold

- To go directly to 'Admin', press <Ctrl + Enter>.
- To continue with interview press '1' and <Enter>.

Interview version@|:@|^IVers@|@|@| ^EditVersion ^SampInfo

(1) Continue

```
Ask if: OrgID = NatCen
```

AdrCheck

^]

Refer to address label:

Check that label gives respondent's full current address.

If not, amend address and code 'Address changed'.

- (1) Address confirmed
- (2) Address changed

```
Compute if: (QDataBag.SampYear = RESPONSE) AND (QDataBag.SampMnth = RESPONSE)
```

ThisYear := QDataBag.SampYear

```
Compute if: (QDataBag.SampYear = RESPONSE) AND (QDataBag.SampMnth = RESPONSE)
```

ThisMnth := QDataBag.SampMnth

```
Ask IF: Test = Yes
```

This Year

```
FRS Survey Year (eg. 2012 = April 2012 - March 2013). 2012...2097
```

```
Ask if: Test = Yes
```

ThisMnth

Enter survey month.

1..12

```
COMPUTE IF: ThisMnth IN [1 .. 12]
```

MnthOK2 := ThisMnth

```
COMPUTE IF: ThisMnth IN [1 .. 12]
AND: ThisMnth = 11
```

MnthOK1 := 10

```
COMPUTE IF: ThisMnth IN [1 .. 12]

AND: ThisMnth = 11
```

MnthOK3 := 12

```
COMPUTE IF: ThisMnth IN [1 .. 12]

AND: ThisMnth = 11
```

MnthOK4 := 1

```
COMPUTE IF: ThisMnth IN [1 .. 12]

AND: ThisMnth = 12
```

MnthOK1 := 11

```
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 12
MnthOK3 := 1
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 12
MnthOK4 := 2
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 1
MnthOK1 := 12
COMPUTE IF: ThisMnth IN [1 .. 12]
AND: ThisMnth = 1
MnthOK3 := 2
Compute if: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 1
MnthOK4 := 3
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 4
MnthOK1 := 4
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 4
MnthOK3 := 5
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: ThisMnth = 4
MnthOK4 := 6
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: NOT (ThisMnth = 4)
MnthOK1 := (ThisMnth - 1)
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: NOT (ThisMnth = 4)
MnthOK3 := (ThisMnth + 1)
COMPUTE IF: ThisMnth IN [1 .. 12]
    AND: NOT (ThisMnth = 4)
MnthOK4 := (ThisMnth + 2)
```

Block: FRS1207A.QSignIn

FRS1207A.QSignIn

RECORD ALWAYS:

StartDat

^I^IC The date on which the interview with this household was started.^I

DATE

RECORD ALWAYS:

DateOK

^I^IC Today's date according to the laptop is ^AStartD.

Is this the correct date?^I

- (1) Yes
- (2) No

COMPUTE IF: StartDat = EMPTY

AStartD := SYSDATE

Ask if: StartDat = EMPTY

DateOK

^I^IC Today's date according to the laptop is ^AStartD.

Is this the correct date?^I

- (1) Yes
- (2) No

```
COMPUTE IF: StartDat = EMPTY
AND: DateOK = Yes
```

StartDat := AStartD

```
Ask if: StartDat = EMPTY
AND: DateOK = No
```

BStartD

^I^IC Enter the date on which the interview with this household was started.^I

DATE

```
COMPUTE IF: StartDat = EMPTY
     AND: DateOK = No
     AND: ((((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear + 1)))
     AND ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4))) OR (This Year
     <> RESPONSE)) OR (ThisMnth <> RESPONSE)
StartDat := BStartD
CHECK IF: StartDat = EMPTY
     AND: DateOK = No
     AND: NOT (((((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear +
     1))) AND ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4))) OR (ThisYear
     <> RESPONSE)) OR (ThisMnth <> RESPONSE)
     ((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear + 1))) AND
     INVOLVING(BStartD)
     ^I The year is wrong for the current FRS survey (^ThisYear)!
     Please re-enter the date from the beginning.^I
CHECK IF: StartDat = EMPTY
     AND: DateOK = No
     AND: NOT (((((BStartD.YEAR = ThisYear) OR (BStartD.YEAR = (ThisYear +
     1))) AND ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4))) OR (This Year
     <> RESPONSE)) OR (ThisMnth <> RESPONSE)
     ((((BStartD.MONTH = MnthOK1) OR (BStartD.MONTH = MnthOK2)) OR
     (BStartD.MONTH = MnthOK3)) OR (BStartD.MONTH = MnthOK4)) AND
     INVOLVING(BStartD)
     ^I The month is wrong for the current FRS survey (^Months[ThisMnth])!
     Please re-enter the date from the beginning.^I
Ask if: Test = Yes
CStartD
     ^I EDITOR: Change the interview start date (currently ^StartDat)?^I
     (1)
             Yes
     (2)
             No
Ask IF: Test = Yes
     AND: CStartD = Yes
StartDat
     ^I^IC The date on which the interview with this household was started.^I
     DATE
DISPLAY IF: NOT (Test = Yes)
StartDat
     ^I^IC The date on which the interview with this household was started.^I
     DATE
```

CHECK ALWAYS:

RESERVECHECK RESERVECHECK CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

RECORD ALWAYS:

IntSTime

^I Interview start time^I

TIME

COMPUTE IF: IntSTime = EMPTY AND StartDat <> EMPTY

IntSTime := STARTTIME

Ask IF: (Edit = Yes) AND (OrgID <> NatCen)

Editor

^I Editor at HQ: Enter your identification number.^I

1..97

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

COMPUTE ALWAYS: DateNow := QSignIn.StartDat COMPUTE ALWAYS: DatYrAgo := (DateNow + (-1,0,0))COMPUTE ALWAYS: DatMnAgo := (DateNow + (0,-1,0))COMPUTE ALWAYS: Dat2MAgo := (DateNow + (0,-2,0))COMPUTE ALWAYS: Dat3MAgo := (DateNow + (0, -3, 0))COMPUTE ALWAYS: Dat4MAgo := (DateNow + (0, -4, 0))COMPUTE ALWAYS: Dat5MAgo := (DateNow + (0, -5, 0))COMPUTE ALWAYS: Dat6MAgo := (DateNow + (0, -6, 0))COMPUTE ALWAYS: Dat7MAgo := (DateNow + (0, -7, 0))COMPUTE ALWAYS: Dat8MAgo := (DateNow + (0, -8, 0))COMPUTE ALWAYS: Dat9MAgo := (DateNow + (0, -9, 0))COMPUTE ALWAYS: Dat10MAgo := (DateNow + (0,-10,0))COMPUTE ALWAYS: Dat11MAgo := (DateNow + (0,-11,0))COMPUTE ALWAYS:

DatWkAgo := (DateNow + (0,0,-7))

Block: FRS1207A

```
COMPUTE ALWAYS:
DatWeek := (Days[DatWkAgo.WEEKDAY] + ' the ' +
STR(DatWkAgo.DAY) + ' ' + Months[DatWkAgo.MONTH])
COMPUTE IF: DateNow.WEEKDAY = 1
DatLSun := (DateNow + (0,0,-7))
COMPUTE IF: NOT (DateNow.WEEKDAY = 1)
DatLSun := (DateNow + (0,0,-(DateNow.WEEKDAY) + 1))
COMPUTE ALWAYS:
DatSun := ('Sunday the ' + STR(DatLSun.DAY) + ' ' +
Months [DatLSun.MONTH] )
CHECK ALWAYS:
     RESERVECHECK
     RESERVECHECK
CHECK ALWAYS:
     RESERVECHECK
     RESERVECHECK
CHECK ALWAYS:
     RESERVECHECK
     RESERVECHECK
CHECK ALWAYS:
     RESERVECHECK
     RESERVECHECK
COMPUTE ALWAYS:
FWDate := TODATE(ChkYear,QDataBag.SampMnth,1)
WARN IF: QDataBag.SampYear <> 0
     (QSignIn.StartDat.YEAR = FWDate.YEAR) OR ((QSignIn.StartDat.YEAR =
     (FWDate.YEAR + 1)) AND (QSignIn.StartDat <= (FWDate + (0,3,0))))
     You have accidentally entered the wrong year. It doesn't agree with the fieldwork period. Please check
     and amend.
WARN IF: QDataBag.SampMnth <> 0
     (QSignIn.StartDat >= FWDate) OR ((FWDate.MONTH = 12) AND
     (QSignIn.StartDat.MONTH = 11))
     You have accidentally entered the wrong month and/or year. It doesn't agree with the fieldwork period.
     Please check and amend.
WARN IF: ODataBag.SampMnth <> 0
     QSignIn.StartDat <= (FWDate + (0,3,0))
```

The month of this date is more than 3 months after the fieldwork period, please check and amend.

COMPUTE ALWAYS:

DLYear := (QSignIn.StartDat + (-1,0,0))

Block: FRS1207A.QNames

FRS1207A.QNames

Names of household members

ASK ALWAYS:

WhoHere

۸N

Who normally lives at this address?

(1) Press <Enter> to continue.

Block: FRS1207A.QNames.M[]

FRS1207A.QNames.M[]

```
Ask if: In loop FOR Pers := 1 TO 14 
AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
```

Name

^I^IC Enter an identifier for this household member

Please take care to record an accurate name. If the respondent refuses to give his or her name - record something that uniquely identifies this person within the household so you can refer to them later in the interview.

STRING[15]

FRS1207A.QNames.M[].ProperName()

Procedure Call

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
OPFName := IFName
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
PNoChar := LENGTH(IFName)
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
NLetter := 0
Compute if: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
NLettID := 0
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
AVar[idx] := LOWERCASE(SUBSTRING(OPFName, idx, 1))
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: ((AVar[idx]) = 34) OR ((AVar[idx]) = 39)
AVar[idx] := '`'
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar AND: AVar[idx] = ,
AVar[idx] := ' '
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
ASCIICode[idx] := SOMETHING(AVar[idx])
```

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: ASCIICode[idx] IN [65 .. 90, 97 .. 122]
NLetter := (NLetter + 1)
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: ASCIICode[idx] IN [65 .. 90, 97 .. 122]
     AND: NLettID = 0
NLettID := idx
CHECK IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: NOT (ASCIICode[idx] IN [0, 32, 38, 39, 45 .. 57, 59, 65 .. 90, 92,
     96 .. 122])
     ERROR AND INVOLVING (IFName)
     You have used an invalid character ( ^AVar[idx] ) in this text. Please amend.
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar AND: ASCIICode[1] IN [97 .. 122]
ASCIICode[1] := (ASCIICode[1] - 32)
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar AND: ASCIICode[1] IN [97 .. 122]
AVar[1] := UPCASE(AVar[1])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: (ASCIICode[idx - 1] IN [32, 38, 39, 45 .. 47, 92]) AND (ASCIICode[idx] IN [65 .. 90, 97 .. 122])
ASCIICode[idx] := (ASCIICode[idx] - 32)
```

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: (ASCIICode[idx - 1] IN [32, 38, 39, 45 .. 47, 92]) AND
     (ASCIICode[idx] IN [65 .. 90, 97 .. 122])
AVar[idx] := UPCASE(AVar[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: idx > 4
     AND: (((ASCIICode[idx - 3] IN [65 ... 90, 97 ... 122]) AND (ASCIICode[idx - 2] IN [65 ... 90, 97 ... 122])) AND (ASCIICode[idx - 1] = 39)) AND
     (ASCIICode[idx] IN [65 .. 90])
ASCIICode[idx] := (ASCIICode[idx] + 32)
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: idx > 4
     AND: (((ASCIICode[idx - 3] IN [65 .. 90, 97 .. 122]) AND (ASCIICode[idx
     - 2] IN [65 .. 90, 97 .. 122])) AND (ASCIICode[idx - 1] = 39)) AND
     (ASCIICode[idx] IN [65 .. 90])
AVar[idx] := LOWERCASE(AVar[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: (ASCIICode[idx - 2] = 77) AND (ASCIICode[idx - 1] = 99)
ASCIICode[idx] := (ASCIICode[idx] - 32)
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: (ASCIICode[idx - 2] = 77) AND (ASCIICode[idx - 1] = 99)
AVar[idx] := UPCASE(AVar[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: (ASCIICode[idx - 2] = 79) AND (ASCIICode[idx - 1] = 96)
ASCIICode[idx] := (ASCIICode[idx] - 32)
```

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: idx > 1
     AND: (ASCIICode[idx - 2] = 79) AND (ASCIICode[idx - 1] = 96)
AVar[idx] := UPCASE(AVar[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
PFName := (PFName + AVar[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
AVar2[idx] := SUBSTRING(PFName,idx,1)
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
ASCIICode2[idx] := SOMETHING(AVar2[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: (ASCIICode2[idx] = 32) AND NOT (ASCIICode[idx + 1] IN [0, 38, 39])
     .. 41, 47 .. 57, 65 .. 90, 92, 97 .. 122])
     AND: In loop FOR idy := 1 TO PNoChar
     AND: idy >= idx
ASCIICode2[idx] := ASCIICode2[idy + 1]
COMPUTE IF: In loop FOR Pers := 1 TO 14
     AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
     AND: (ASCIICode2[idx] = 32) AND NOT (ASCIICode[idx + 1] IN [0, 38, 39 .. 41, 47 .. 57, 65 .. 90, 92, 97 .. 122])
AND: In loop FOR idy := 1 TO PNoChar
     AND: idy >= idx
AVar2[idx] := AVar2[idy + 1]
```

```
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
    AND: In loop FOR idx := 1 TO PNoChar
     AND: (idx < NLettID) AND (AVar2[idx] = )
AVar2[idx] := ''
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
    AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
    AND: In loop FOR idx := 1 TO PNoChar
    AND: (ASCIICode2[idx] = 38) AND NOT (ASCIICode2[idx - 1] = 32)
AVar2[idx] := (' ' + AVar2[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
     AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
    AND: In loop FOR idx := 1 TO PNoChar
    AND: (ASCIICode2[idx - 1] = 38) AND NOT (ASCIICode2[idx] = 32)
AVar2[idx] := (' ' + AVar2[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
     AND: OPFName = RESPONSE
     AND: PFName = RESPONSE
     AND: In loop FOR idx := 1 TO PNoChar
PFNameX := (PFNameX + AVar2[idx])
COMPUTE IF: In loop FOR Pers := 1 TO 14
    AND: (Pers = 1) OR (M[Pers - 1].More = Yes)
    AND: Name = RESPONSE
    AND: OPFName = RESPONSE
```

IFName := PFNameX

Block: FRS1207A.QNames.M[]

FRS1207A.QNames.M[] (continued)

```
Ask if: In loop FOR Pers := 1 TO 14

AND: (Pers = 1) OR (M[Pers - 1].More = Yes)

AND: PPers < 14
```

More

^N

Is there anyone else in this household?

- (1) Yes
- (2) No

Block: FRS1207A.QNames

FRS1207A.QNames (continued)

Names of household members

COMPUTE IF: In loop FOR Pers := 1 TO 14
AND: M[Pers].More = No

HSize := Pers

CHECK IF: In loop FOR Pers := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Pers := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: In loop FOR Pers := 1 TO 14

RESERVECHECK

RESERVECHECK

COMPUTE IF: (M[13].More = Yes) AND M[14].Name <> EMPTY

HSize := 14

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

RECORD ALWAYS:

HHSize

Household size including any x-ed out

0..14

COMPUTE IF: (QNames. HSize > 0) OR (Edit = No)

HHSize := QNames.HSize

COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize

DMName[Loop1] := QNames.M[Loop1].Name

COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize

DMTypeEd[Loop1] := HHG.P[Loop1].TypeEd

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

Block: FRS1207A.HHG

FRS1207A.HHG

Data on household members

COMPUTE IF: HHSize > 0

FHHSize := PHHSize

COMPUTE IF: HHSize > 0
AND: OrgID = NatCen

Out772 := '772'

COMPUTE IF: HHSize > 0

AND: NOT (OrgID = NatCen)

Out772 := '77'

COMPUTE IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

P[P1].Person := P1

COMPUTE IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

P[P1].Name := QNames.M[].Name[P1]

Block: FRS1207A.HHG.P[]

FRS1207A.HHG.P[]

```
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
BenUnit
     ^I HHG^I
     Benefit Unit number.
     0..7
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
Person
     ^I HHG^I
     ^N
     Person number in Household Grid.
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
Name
     ^I HHG^I
     ^N
     First name.
     STRING[15]
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
LName := Name
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
UName := UPCASE(Name)
Ask if: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
Sex
     ^I HHG^I
     Code ^UName's sex.
     (1)
             Male
     (2)
             Female
```

```
DISPLAY IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
Name
     ^I HHG^I
     ^N
     First name.
     STRING[15]
DISPLAY IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
DVAge
     ^I HHG^I
     Derived age variable
     0..120
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
heshe := 'he'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
hisher := 'his'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
heshe := 'she'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
hisher := 'her'
Ask if: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
```

DoB

^I HHG^I

Date of birth is collected so that researchers, using the data from the study, can compare the living standards and circumstances of people of different ages. This is important as it helps in identifying which age groups are most in need and which policy changes are needed to help them.

DATE

```
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: DOB = RESPONSE
     DoB <= QSignIn.StartDat</pre>
     You've entered a future date!
COMPUTE IF: HHSize > 0
AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: DOB = RESPONSE
DVAge := AGE(DoB,QSignIn.StartDat)
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: DOB = RESPONSE
AgeOf := DVAge
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (DOB = RESPONSE)
AgeOf
     ^I HHG^I
     ^N
     What was ^LName's age last birthday?^N
     If age not given, probe for an estimate.
     For later routing, you must know whether:
     A) Men are aged 16-64 or 65+
     B) Women are aged 16-59 or 60+
     0..120
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (DOB = RESPONSE)
     AND: (AgeOf = 0) AND (AgeOf = RESPONSE)
     ((QSignIn.StartDat.JULIAN - DoB.JULIAN) <= 365) AND
     INVOLVING(AgeOf,DoB)
     This date doesn't agree with the age and the date of interview. Please check.
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (DOB = RESPONSE)
DVAge := AgeOf
```

Block: FRS1207A.HHG.P[]

```
Ask if: HHSize > 0
AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
AND: DVAge IN [16 .. 120]
```

MS

^I HHG^I

۸I

The aim is to obtain legal marital status, irrespective of any de facto arrangement. The only qualification to this aim is that you should not probe the answer 'separated'. Should a respondent query the term, explain that it covers any person whose spouse is living elsewhere because of estrangement (whether the separation is legal or not). Ignore temporary absences, eg. on oil rig.

A person whose spouse has been working away from home for over 6 months, eg. on a contract overseas or in the armed forces, should still be coded as married and living with husband/wife if the separation is not permanent.

Civil partners may only be of the same sex, and must have obtained legal recognition of their partnership; probe whether partnership was registered under the new provisions that came into force as from December 2005.

- (1) ^N...single, that is, never married
- (2) ^N...married and living with husband/wife
- (3) ^N...a civil partner in a legally-recognised Civil partnership
- (4) ^N...married and separated from husband/wife
- (5) ^N...divorced
- (6) ^N...or widowed?
- (7) ^I Spontaneous only -^I^N In a legally-recognised Civil Partnership and separated from his/her partner
- (8) All Spontaneous only -^I^N Formerly a civil partner, the Civil Partnership now dissolved
- (9) A Spontaneous only -^I^N A surviving civil partner; his/her partner having since died

```
Ask If: HHSize > 0
AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
AND: DVAge IN [16 .. 120]
AND: (FHHSize > 1) AND (MS IN [Single, Seperate, Divorced, Widowed, CPSep, CPDiss, CPDied])
```

CupChk

^I HHG^I

۸I

Ask or record^I ^N

May I just check, are you / is ^LName living with someone in this household as a couple?^N ^I^IC Only respondents who are living with their partner should be coded as living together as a couple. You may code No without asking the question^B only^B if all members of the household are too closely related for any to be living together in a de facto marital relationship.

- (1) Yes
- (2) No

```
Ask if: HHSize > 0
AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
```

AND: MS = Widowed

W1

^I HHG^I

^N

What was ^LName's age when widowed?

0..120

```
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: MS = Widowed
     AND: W1 = RESPONSE
     W1 >= 16
     Are you sure? It is not usual to be married before the age of 16 unless you were married outside the UK.
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: MS = Widowed
     AND: W1 = RESPONSE
     (W1 <= DVAge) AND INVOLVING(AgeOf,DoB,W1)</pre>
     You've coded that 'LName is 'DVAge years old, but was widowed at the age of 'W1. Please amend the
     one or the other.
Ask if: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: MS = Widowed
W2
     ^I HHG^I
     ^N
     Did ^LName have any children aged under 16 when widowed?
             Yes
     (1)
             No
     (2)
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
SonDaughter := 'son'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
BrotherSister := 'brother'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: Sex = Male
FatherMother := 'father'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
SonDaughter := 'daughter'
```

```
COMPUTE IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
    AND: NOT (Sex = Male)
BrotherSister := 'sister'
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: NOT (Sex = Male)
FatherMother := 'mother'
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
    RESERVECHECK
CHECK IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
    RESERVECHECK
    RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
    RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
    RESERVECHECK
     RESERVECHECK
```

Block: FRS1207A.HHG.P[]

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX

RESERVECHECK RESERVECHECK

FRS1207A.HHG.P[].QRel[]

```
Ask if: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      AND: RPers < PPers
R
      ^I HHG^I
      Ask or record ^PName's relationship to ^RName.
      ^IC Grandparents who are the^B legal guardian^B of their grandchild should be recorded as 7
      'father/mother (or guardian)'. The grandchild should be recorded as 3 'son/daughter (incl. adopted/legal
      dependant)'. This ensures that the adult and child are allocated to the correct Benefit Unit.
      (1)
               spouse,
      (2)
               cohabitee,
      (3)
               ^SonDaughter (incl. adopted/legal dependant),
      (4)
               step-^SonDaughter,
      (5)
               foster child,
               ^SonDaughter-in-law,
      (6)
               ^FatherMother (or guardian),
      (7)
               step-^FatherMother,
      (8)
      (9)
               foster parent,
      (10)
               ^FatherMother-in-law,
      (11)
               ^BrotherSister (incl. adopted),
      (12)
               step-^BrotherSister,
      (13)
               foster ^BrotherSister.
      (14)
               ^BrotherSister-in-law.
      (15)
               grand-^SonDaughter,
               grand-^FatherMother,
      (16)
               other relative,
      (17)
               other non-relative
      (18)
      (20)
               Civil Partner
      (97)
CHECK IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      AND: RPers < PPers
      R <> Self
      Code 97 is not valid for this question.
Warn if: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      AND: RPers < PPers
      NOT(IN(R,[???,???,???]))
      Warning: This code must only be used if the foster child is covered by a Local Authority Allowance.
```

Please check that this is the case.

```
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: In loop FOR R1 := 1 TO FHHSize
      AND: NOT (RPers < PPers)
R
      ^I HHG^I
      ۸I
      Ask or record ^PName's relationship to ^RName.
      ^IC Grandparents who are the^B legal guardian^B of their grandchild should be recorded as 7
      'father/mother (or guardian)'. The grandchild should be recorded as 3 'son/daughter (incl. adopted/legal
      dependant)'. This ensures that the adult and child are allocated to the correct Benefit Unit.
      (1)
      (2)
               cohabitee,
      (3)
               ^SonDaughter (incl. adopted/legal dependant),
      (4)
               step-^SonDaughter,
      (5)
               foster child,
      (6)
               ^SonDaughter-in-law,
      (7)
               ^FatherMother (or guardian),
      (8)
               step-^FatherMother,
      (9)
               foster parent,
               ^FatherMother-in-law,
      (10)
               ^BrotherSister (incl. adopted),
      (11)
               step-^BrotherSister,
      (12)
               foster ^BrotherSister,
      (13)
      (14)
               ^BrotherSister-in-law,
      (15)
               grand-^SonDaughter,
               grand-^FatherMother,
      (16)
      (17)
               other relative,
               other non-relative
      (18)
               Civil Partner
      (20)
      (97)
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
     AND: In loop FOR R1 := 1 TO FHHSize
     AND: NOT (RPers < PPers)
      AND: RPers = PPers
R := Self
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      RESERVECHECK
      RESERVECHECK
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      RESERVECHECK
      RESERVECHECK
```

Block: FRS1207A.HHG.P[]

FRS1207A.HHG.P[] (continued)

```
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize
      RESERVECHECK
      RESERVECHECK
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
      AND: In loop FOR R1 := 1 TO FHHSize
      RESERVECHECK
      RESERVECHECK
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize
      RESERVECHECK
      RESERVECHECK
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
AND: In loop FOR R1 := 1 TO FHHSize
      RESERVECHECK
      RESERVECHECK
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
Spouses
      ^I HHG^I
      0..14
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
NumParn
      ^I HHG^I
      0..14
```

```
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
NumPart
      ^I HHG^I
      0..14
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
NumCohab
      ^I HHG^I
     0..14
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
Parent1
      ^I HHG^I
      Person number of parent 1
      0..14
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
Parent2
      ^I HHG^I
      Person number of parent 2
      0..14
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
Hholder
      ^I HHG^I
      Is this person coded at QHholder.Hhldr?
              Yes
      (1)
              No
      (2)
```

```
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: DVAge IN [4 .. 74]
FTEd
     ^I HHG^I
     ^N
     Is ^LName currently in full-time education?^N
     ^I^IC Include correspondence courses and open learning as well as other forms of full-time courses.
     (1)
             Yes
     (2)
             No
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge\ IN\ [16\ ..\ 18])\ AND\ (FTEd\ =\ No))\ OR\ (DVAge\ IN\ [19\ ..\ 120]) AND: DVAge\ IN\ [19\ ..\ 23]
StillEduc := (' - or is ' + heshe + ' still in full-time
education')
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
     AND: NOT (DVAge IN [19 .. 23])
StillEduc := ''
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
AND: DVAge IN [19 .. 25]
continuous := (''Continuous' can include a break, if less than
  + '18 months.
Code '96' if still in continuous F/T Ed.')
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120]) AND: DVAge IN [26 .. 120]
continuous := ('Enter age (or code '96' if still in ' +
'continuous full-time education).')
```

```
COMPUTE IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
      AND: NOT (DVAge IN [26 .. 120])
continuous := ''
Ask if: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
TEA
      ^I HHG^I
      Include the following as part of 'continuous education':
      - A 'B'gap year' B between school and college/university, as long as there is/was some clear intention to
      continue education.
      - A^B holiday job^B during a course, provided they intend to continue with the course.
      - The working section of a^B sandwich course^B.
      -^B National Service^B, if it occurred between school and college/university.
      5..97
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
AND: SUBSTRING (Name, 1, 2) <> XX
      AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
      AND: TEA IN [5 .. 95]
      (TEA <= DVAge) AND INVOLVING(AgeOf, DoB, TEA)
      You've coded that ^LName is ^DVAge years old, but left full-time education at the age of ^TEA. Please
      amend the one or the other.
CHECK IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
      AND: (FTEd = No) AND (DVAge IN [16 .. 18])
      TEA <> 96
      ۸Į
      At the previous question you say that ^LName is not in full-time education. Please amend your answers.
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
TEAEx
      ^I HHG^I
      This is a 'Key Question': it is very important to get an answer if you possibly can. An ESTIMATE is
      preferable to Don't know (or refusal).
```

^SuppTxt OPEN

```
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
     AND: Edit = No
     AND: TEA = NONRESPONSE
     ERROR
     This is a 'Key Question': it is very important to get an answer if you possibly can. An ESTIMATE is
     preferable to Don't know (or refusal).
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
     AND: Edit = No
     AND: TEA = NONRESPONSE
TEAEx
     ^I HHG^I
     This is a 'Key Question': it is very important to get an answer if you possibly can. An ESTIMATE is
     preferable to Don't know (or refusal).
     ^SuppTxt
     OPEN
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge\ IN\ [16\ ..\ 18])\ AND\ (FTEd\ =\ No))\ OR\ (DVAge\ IN\ [19\ ..\ 120])
     AND: Edit = No
     AND: TEA = RESPONSE
     AND: DVAge > 25
     TEA <> 96
     This person is over 25, so is unlikely to still be in CONTINUOUS full-time education (ie. having been
     OUT of education for less than 18 months). Please check.
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
     AND: Edit = No
     AND: TEA = RESPONSE
     (TEA >= 14) OR (TEA = 97)
     ΛŢ
     This value seems low.
     Please check that it is correct.
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: ((DVAge IN [16 .. 18]) AND (FTEd = No)) OR (DVAge IN [19 .. 120])
     AND: Edit = No
     AND: TEA = RESPONSE
     AND: TEA < 96
     TEA < 28
     ۸I
     This value seems high.
     Please check that it is correct.
```

```
Ask IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: (TEA = 96) OR (FTEd = Yes)
TypeEd
      ^I HHG^I
      ۸I
      Secondary Schools include: Secondary Modern, Grammar, Comprehensive and Technical Schools.
      Age ranges for Middle-deemed Primary:
      8-12
      9-12
      9-13
      Age ranges for Middle-deemed Secondary:
      9-13
      10-13
      10-14.
      (1)
                Nursery School/Nursery Class/Playgroup/Pre-school
      (2)
                ^State_run Primary (including reception classes)
      (3)
                Special School 'State run (e.g. for children with disabilities and special educational needs)
      (4)
                ^Mid Pri
      (5)
                ^Mid Sec
      (6)
                Secondary Grammar school assisted
      (7)
                Non-advanced further education/ 6th form/tertiary/further education college
      (8)
                Any PRIVATE/Independent school (prep, primary, secondary, City Technology Colleges)
                University/polytechnic/any other higher education
      (9)
      (10)
                Home Schooling
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
AND: (TEA = 96) OR (FTEd = Yes)
      AND: TypeEd = Nursery
      DVAge <= 5
      ۸I
      This doesn't sound right in relation to ^LName's age:
      Please check your entry.
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: (TEA = 96) OR (FTEd = Yes)
AND: TypeEd = Primry
      IN(DVAge, [4..11])
      This doesn't sound right in relation to ^LName's age:
      Please check your entry.
WARN IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: (TEA = 96) OR (FTEd = Yes)
AND: TypeEd IN [Special .. MidSec, Private, HomeSch]
      IN(DVAge, [4..18])
      This doesn't sound right in relation to ^LName's age:
      Please check your entry.
```

```
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: (TEA = 96) OR (FTEd = Yes)
AND: TypeEd = Sec
     IN(DVAge, [11..18])
     This doesn't sound right in relation to ^LName's age:
     Please check your entry.
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: (TEA = 96) OR (FTEd = Yes)
     AND: TypeEd = NonAdvFE
     DVAge >= 16
     This doesn't sound right in relation to ^LName's age:
     Please check your entry.
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize AND: SUBSTRING (Name, 1, 2) <> XX
     AND: (TEA = 96) OR (FTEd = Yes)
     AND: TypeEd = Univ
     DVAge >= 18
     This doesn't sound right in relation to ^LName's age:
     Please check your entry.
Ask IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: DVAge IN [4 .. 12]
     AND: (TypeEd IN [Primry .. Sec, Private]) OR (FTEd = No)
HrsEd
     ^I HHG^I
     ^N
     And how many hours per day does ^LName usually attend school?
      ۸I
     ENTER NUMBER OF HOURS
     ^IC Break times should be included if within school grounds and supervised.
     0 can be a valid answer at this question.
     0..12
WARN IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
     AND: DVAge IN [4 .. 12]
     AND: (TypeEd IN [Primry .. Sec, Private]) OR (FTEd = No)
     AND: HrsEd = RESPONSE
     HrsEd < 8
     This seems a high number of hours for the child to be in school, please check.
```

```
Ask IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
AND: (TypeEd IN [Special, HomeSch]) AND (DVAge IN [16 .. 19])
SchChk
      ^I HHG^I
      ^I^IC Please check: Is^B Child Benefit^B still received for this person?
      (IF yes, this confirms they still belong to someone else's benefit unit).
               Yes, child benefit still received
      (1)
      (2)
               No
CHECK IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: OrgID = NISRA
      NOT(IN(TypeEd, [???,???]))
      ^I^IC Do not use this code at TypeEd.
Ask IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
      AND: ((DVAge\ IN\ [16\ ..\ 19])\ AND\ (FTEd\ =\ No))\ AND\ (TEA\ <\ 96)
Trainee
      ^I HHG^I
      ^N
      Is ^LName currently on a government scheme for employment training?
      (1)
               Yes
      (2)
               No
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
Depend
      ^I HHG^I
      ^N
      Status indicator of whether this adult is treated as dependent.
      (1)
               Independent adult
               16-19 years old AND in F/T education, OR 16-19 in government employment training
      (2)
      (3)
               0-15 years old
RECORD IF: HHSize > 0
      AND: In loop FOR P1 := 1 TO FHHSize
      AND: SUBSTRING (Name, 1, 2) <> XX
LiveWith
      ^I HHG^I
      Cohabitee?
```

Yes

No

(1) (2)

```
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
DVMarDF
     ^I HHG^I
     De facto marital status
              Married or in a legally recognised Civil Partnership
     (1)
     (2)
              Cohabiting (including same sex couples)
     (3)
     (4)
              Widowed (including surviving civil partner)
     (5)
              Divorced or civil partnership dissolved
              Separated
     (6)
RECORD IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: SUBSTRING (Name, 1, 2) <> XX
FosterP
     ^I HHG^I
     Whether this adult is treated as a foster parent.
     (1)
              Yes
     (2)
             No
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: In loop FOR P1 := 1 TO FHHSize

RESERVECHECK RESERVECHECK

FRS1207A.HHG (continued)

Data on household members

```
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
LegGuard[[P1] := 2
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].NumParn := 0
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
P[P1].NumPart := 0
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].NumCohab := 0
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].Spouses := 0
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].Parent1 := 1
Compute if: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].Parent2 := 1
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].LiveWith := No
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
P[P1].FosterP := No
```

```
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [Spouse .. Cohabit, Sib .. ILSib, OthRel,
     NonRel, CivilP]
P[P1].QRel[P2].R := P[P2].QRel[P1].R
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [Child .. ILChild]
P[P1].QRel[P2].R := (ORD(P[P2].QRel[P1].R) + 4)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [Parent .. ILParent]
P[P1].QRel[P2].R := (ORD(P[P2].QRel[P1].R) - 4)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [GChild]
P[P1].QRel[P2].R := GParent
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P2 > P1
     AND: P[P2].QRel[P1].R IN [GParent]
P[P1].QRel[P2].R := GChild
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = Cohabit
P[P1].LiveWith := Yes
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = Cohabit
P[P1].DVMarDF := Cohab
```

```
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P2].QRel[P1].R = FChild
P[P1].FosterP := Yes
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS IN [Married, CPart]
P[P1].DVMarDF := Married
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].CupChk = Yes
P[P1].DVMarDF := Cohab
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].DVAge < 16
P[P1].DVMarDF := DFSingle
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize

AND: (P[P1].MS = Single) AND (P[P1].LiveWith <> Yes)
P[P1].DVMarDF := DFSingle
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
    AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS = Widowed
P[P1].DVMarDF := DFWidow
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS = Divorced
P[P1].DVMarDF := DFDivor
COMPUTE IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].MS = Seperate
P[P1].DVMarDF := DFSepar
```

```
WARN IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
    AND: In loop FOR P2 := 1 TO FHHSize
    AND: P[P1].QRel[P2].R IN [Spouse, CivilP]
    P[P1].Sex <> P[P2].Sex AND INVOLVING(P[P1].Sex,P[P2].Sex)
```

Civil partners must have obtained legal recognition of their partnership. Please check whether partnership was registered under the new provisions that came into force as from December 2005.

```
CHECK IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
    AND: In loop FOR P2 := 1 TO FHHSize
    AND: P[P1].QRel[P2].R IN [Spouse, CivilP]
     ((IN(P[P2].MS,[???,???])) OR P[P2].MS=EMPTY) AND
    INVOLVING(P[P2].MS,P[P1].QRel[P2].R,P[P2].QRel[P1].R)
```

You've recorded ^P[P1].Name as the spouse / civil partner of ^P[P2].Name who is NOT 'Married & living with spouse / is NOT in a legally recognised Civil Partnership and living with civil partner'. Please amend one or the other.

```
CHECK IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
    AND: In loop FOR P2 := 1 TO FHHSize
    AND: P[P1].QRel[P2].R = Cohabit
    NOT(IN(P[P2].MS,[???,???])) AND
    INVOLVING(P[P2].MS,P[P1].QRel[P2].R,P[P2].QRel[P1].R)
```

You've recorded ^P[P1].Name as 'cohabiting' with ^P[P2].Name, who is 'MARRIED & living with ^B spouse 'B / in a legally recognised Civil Partnership and living with B civil partner B'. Please amend one or the other.

```
Warn if: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
    AND: In loop FOR P2 := 1 TO FHHSize
    AND: P[P1].QRel[P2].R = Cohabit
    P[P1].Sex <> P[P2].Sex AND INVOLVING(P[P2].QRe1[P1].R)
```

A cohabiting partner has been found in our data to usually be of the opposite sex. Are you sure this is a same sex cohabiting couple?

```
CHECK IF: HHSize > 0
    AND: P[FHHSize].Sex = RESPONSE
    AND: In loop FOR P1 := 1 TO FHHSize
    AND: In loop FOR P2 := 1 TO FHHSize
    AND: P[P2].QRel[P1].R = Spouse
     ((P[P1].MS = Married) OR P[P1].MS=EMPTY) AND
    INVOLVING(P[P2].MS,P[P1].QRel[P2].R,P[P2].QRel[P1].R)
```

You've recorded ^P[P2].Name as the spouse of ^P[P1].Name, who is not coded as being 'Married & living with spouse'. Please amend one or the other.

(Hint: if ^P[P1].Name and ^P[P2].Name are a couple in a CIVIL PARTNERSHIP, use code 20 'Civil partner' at R rather than 1 'spouse').

```
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P2].QRel[P1].R IN [CivilP]
     ((P[P1].MS = CPart) OR P[P1].MS=EMPTY) AND
     INVOLVING(P[P2].MS,P[P2].QRel[P1].R)
     You've recorded ^P[P2]. Name as the civil partner of ^P[P1]. Name, who is not coded as being 'In a legally
     recognised Civil Partnership and living with civil partner'. Please amend one or the other.
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P2].QRel[P1].R = Cohabit
     NOT(IN(P[P1].MS,[???,???])) AND INVOLVING(P[P2].MS,P[P2].QRel[P1].R)
     You've recorded ^P[P2].Name as 'cohabiting' with ^P[P1].Name, who is coded as 'MARRIED & living
     with B spouse B / in a legally recognised Civil Partnership and living with B civil partner B'. Please
     amend one or the other.
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Parent .. ILParent, GParent]
      (P[P1].DVAge > 15) AND INVOLVING(P[P2].QRel[P1].R,P[P1].DVAge)
     You've coded ^P[P1]. Name as a parent (inc. foster/in-law/step) or grandparent, but he/she is less than 16
     years old. Please check ^P[P1].Name's age.
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. ILChild, GChild]
     (P[P1].DVAge < P[P2].DVAge) AND INVOLVING(P[P2].QRel[P1].R)
     Children (inc. foster/in-law/step) and grandchildren should normally be younger than their
     parents/grandparents/step-parents. Please check the ages you have entered.
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Parent .. ILParent, GParent]
     (P[P1].DVAge > P[P2].DVAge) AND INVOLVING(P[P2].QRel[P1].R)
     Parents (inc. foster/in-law/step) or grandparents, are normally older than their child/grandchild/step-child.
     Please check the ages and relationships you've entered.
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
AND: P[P1].QRel[P2].R IN [Child .. ILChild]
     (P[P1].DVAge < (P[P2].DVAge - 12)) AND INVOLVING(P[P2].QRe1[P1].R)
     Children (inc. foster/in-law/step) are normally at least 12 years younger than parents/step-parents. Please
```

check the ages you have entered.

```
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Parent .. ILParent]
     (P[P1].DVAge > (P[P2].DVAge + 12)) AND INVOLVING(P[P2].QRel[P1].R)
     Parents (inc. foster/in-law/step) are normally at least 12 years older than their child/step-child. Please
     check the ages and relationships you've entered.
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = GChild
     (P[P1].DVAge < (P[P2].DVAge - 24)) AND INVOLVING(P[P2].QRel[P1].R)
     Children are normally at least 24 years younger than their grandparents. Please check the ages you have
     entered.
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = GParent
     (P[P1].DVAge > (P[P2].DVAge + 24)) AND INVOLVING(P[P2].QRel[P1].R)
     Grandparents are normally at least 24 years older than their grandchildren. Please check the ages and
     relationships you've entered.
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Spouse, CivilP]
P[P1].Spouses := (P[P1].Spouses + 1)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Spouse .. Cohabit, CivilP]
P[P1].NumPart := (P[P1].NumPart + 1)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R = Cohabit
P[P1].NumCohab := (P[P1].NumCohab + 1)
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].DVAge\ IN\ [0\ ..\ 15])\ AND\ (P[P1].DVAge\ =\ RESPONSE)
P[P1].Depend := Child
```

```
COMPUTE IF: HHSize > 0
          AND: P[FHHSize].Sex = RESPONSE
           AND: In loop FOR P1 := 1 TO FHHSize
           AND: In loop FOR P2 := 1 TO FHHSize
           AND: P[P1].NumPart > 0
P[P1].Depend := Adult
COMPUTE IF: HHSize > 0
           AND: P[FHHSize].Sex = RESPONSE
           AND: In loop FOR P1 := 1 TO FHHSize
          AND: In loop FOR P2 := 1 TO FHHSize
           AND: (P[P1].DVAge\ IN\ [16\ ..\ 18])\ AND\ ((P[P1].TypeEd\ =\ Special)\ AND\ (P[P1].TypeEd\ =\ Sp
           (P[P1].SchChk = No))
P[P1].Depend := Adult
COMPUTE IF: HHSize > 0
           AND: P[FHHSize].Sex = RESPONSE
           AND: In loop FOR P1 := 1 TO FHHSize
AND: In loop FOR P2 := 1 TO FHHSize
           AND: (P[P1].DVAge IN [16 .. 19]) AND (((P[P1].TypeEd IN [Special ..
           Private]) OR (P[P1].Trainee = Yes)) OR ((P[P1].TypeEd = HomeSch) AND
           (P[P1].SchChk = YesCB)))
P[P1].Depend := DepAd
COMPUTE IF: HHSize > 0
           AND: P[FHHSize].Sex = RESPONSE
           AND: In loop FOR P1 := 1 TO FHHSize
           AND: In loop FOR P2 := 1 TO FHHSize
           AND: NOT ((P[P1].DVAge\ IN\ [16\ ..\ 19])\ AND\ (((P[P1].TypeEd\ IN\ [Special
            .. Private]) OR (P[P1].Trainee = Yes)) OR ((P[P1].TypeEd = HomeSch)
           AND (P[P1].SchChk = YesCB)))
P[P1].Depend := Adult
CHECK IF: HHSize > 0
           AND: P[FHHSize].Sex = RESPONSE
           AND: In loop FOR P1 := 1 TO FHHSize
           AND: In loop FOR P2 := 1 TO FHHSize
           (IN(P[P1].NumPart,[0..1])) AND
           INVOLVING(P[P2].QRel[P1].R,P[P1].QRel[P2].R)
           ^P[P1].Name has more than one spouse/cohabitee. Establish who is principal partner, & re-code the other
          as '17' or '18'.
COMPUTE IF: HHSize > 0
          AND: P[FHHSize].Sex = RESPONSE
           AND: In loop FOR P1 := 1 TO FHHSize
           AND: In loop FOR P2 := 1 TO FHHSize
          AND: P[P1].QRel[P2].R IN [Child .. FChild]
AND: P[P1].Parent1 = EMPTY
P[P1].Parent1 := P2
WARN IF: HHSize > 0
           AND: P[FHHSize].Sex = RESPONSE
          AND: In loop FOR P1 := 1 TO FHHSize
           AND: In loop FOR P2 := 1 TO FHHSize
           AND: P[P1].QRel[P2].R IN [Child .. FChild]
          AND: P[P1].Parent2 = EMPTY AND (P[P1].Parent1 <> P2)
P[P[P1].Parent1].Sex <> P[P2].Sex AND INVOLVING(P[P2].QRel[P1].R)
           The parents of ^P[P1].Name are of the same sex. Please check.
```

```
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. FChild]
     AND: P[P1].Parent2 = EMPTY AND (P[P1].Parent1 <> P2)
P[P1].Parent2 := P2
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: P[P1].QRel[P2].R IN [Child .. FChild]
P[P1].NumParn := (P[P1].NumParn + 1)
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = Adult) AND INVOLVING (P[P2].QRel[P1].R,
     P[P1].QRel[P2].R)
     P[P1].NumParn <= 2
     ۸Τ
     This suggests that ^P[P1]. Name has more than two parents. Please check the relationship codes for
     ^P[P1].Name and select which one to alter.
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = DepAd) AND INVOLVING (P[P2].QRel[P1].R,
     P[P1].QRel[P2].R)
     P[P1].NumParn <= 2
     You've given ^P[P1]. Name more than two parents (inc step/foster). To calculate Benefit Units properly
     you must reduce this to a maximum of two. Select which one to alter, and re-code as '17'. (Check who
     receives Child Benefit for ^P[P1].Name).
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = Child) AND (P[P1].QRel[P2].R IN [Child .. FChild])
LegGuard[[P1] := 1
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: In loop FOR P2 := 1 TO FHHSize
     AND: (P[P1].Depend = DepAd) AND (P[P1].QRel[P2].R IN [Spouse .. FChild,
     CivilP])
LegGuard[[P1] := 1
```

```
WARN IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: (P[P1].Depend = DepAd) AND (P[PHHSize].QRel[PHHSize - 1].R =
     RESPONSE)
     (LegGuard[[P1] = 1) AND INVOLVING(P[P1].QRel[1].R,P[P1].Sex)
     Who in the household is responsible for ^P[P1].Name - is there a legal guardian, or does anyone get Child
     Benefit for ^P[P1].Name? If so, recode ^P[P1].Name as that person's legal dependent (Code 3) or that
     person as ^P[P1].Name's parent (code 7). If not, suppress warning and continue.
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: P[P1].Sex = Male
himher := 'him'
COMPUTE IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: P[P1].Sex = Female
himher := 'her'
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     AND: (P[P1].Depend = Child) AND (P[PHHSize].QRel[PHHSize - 1].R =
     RESPONSE)
     (LegGuard[[P1] = 1) AND INVOLVING(P[P1].AgeOf,P[P1].DoB)
     ^P[P1].Name is under 16, so you MUST recode ^himher as the child (relationship code 3) of an adult: in
     order of priority, the person receiving Child Benefit for himher, or the legal guardian, or whoever is
     responsible for ^himher.
     (NB. If no-one in the household is over age 15, the household is ineligible - outcome code ^Out772).
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHSize > 0
     AND: P[FHHSize].Sex = RESPONSE
     AND: In loop FOR P1 := 1 TO FHHSize
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: HHSize > 0
AND: P[FHHSize].Sex = RESPONSE
AND: In loop FOR P1 := 1 TO FHHSize
RESERVECHECK
RESERVECHECK

CHECK IF: HHSize > 0

AND: P[FHHSize].Sex = RESPONSE
AND: In loop FOR P1 := 1 TO FHHSize
RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: P[FHHSize].Sex = RESPONSE AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

AND: P[FHHSize].Sex = RESPONSE AND: In loop FOR P1 := 1 TO FHHSize RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0
RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0
RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0

RESERVECHECK

RESERVECHECK

CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK CHECK IF: HHSize > 0 RESERVECHECK RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
CHECK IF: HHSize > 0
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: (HHG.P[Loop1].MS IN [Married, CPart]) AND (HHG.P[Loop1].Spouses =
     AND: SpOut [Loop1] = Amend
     HHG.P[Loop1].Sex <> RESPONSE
     Press <Enter> to return to the household grid.
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize

AND: (HHG.P[Loop1].MS IN [Married, CPart]) AND (HHG.P[Loop1].Spouses =
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: (HHG.P[Loop1].MS IN [Married, CPart]) AND (HHG.P[Loop1].Spouses =
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: (HHG.P[Loop1].MS IN [Married, CPart]) AND (HHG.P[Loop1].Spouses =
     0)
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
AND: (HHG.P[Loop1].MS IN [Married, CPart]) AND (HHG.P[Loop1].Spouses =
     0)
     RESERVECHECK
     RESERVECHECK
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AllNameNo := ''
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AdNameNo := ''
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AllAd := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AllCh := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
ChUnder1 := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
Over75 := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
Over60 := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
Under19 := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
WorkingAge := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
AllNameNo := (AllNameNo + '
 + STR(Loop1,2,0) + '. ' + QNames.M[Loop1].Name)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
    AND: HHG.P[Loop1].DVAge IN [16 .. 120]
AdNameNo := (AdNameNo + '
' + STR(Loop1,2,0) + '. ' + QNames.M[Loop1].Name)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
    AND: HHG.P[Loop1].DVAge IN [16 .. 120]
OneHRP := Loop1
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
    AND: HHG.P[Loop1].DVAge IN [16 .. 120]
AllAd := (AllAd + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].DVAge IN [16 .. 120]
AdNo[AllAd] := Loop1
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
    AND: NOT (HHG.P[Loop1].DVAge IN [16 .. 120])
AllCh := (AllCh + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: NOT (HHG.P[Loop1].DVAge IN [16 .. 120])
ChNo[AllCh] := Loop1
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].DVAge IN [0 .. 1]
ChUnder1 := (ChUnder1 + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
AND: HHG.P[Loop1].Sex = RESPONSE
    AND: HHG.P[Loop1].DVAge >= 75
Over75 := (Over75 + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].DVAge >= 60
Over60 := (Over60 + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
     AND: HHG.P[Loop1].DVAge IN [0 .. 18]
Under19 := (Under19 + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
DMAge[Loop1] := HHG.P[Loop1].DVAge
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMDoB[Loop1] := HHG.P[Loop1].DoB
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMTEA[Loop1] := HHG.P[Loop1].TEA
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMParent1[Loop1] := HHG.P[Loop1].Parent1
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMParent2[Loop1] := HHG.P[Loop1].Parent2
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMNumParn[Loop1] := HHG.P[Loop1].NumParn
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMSex[Loop1] := HHG.P[Loop1].Sex
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
DMTrainee[Loop1] := HHG.P[Loop1].Trainee
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].Sex := HHG.P[Loop1].Sex
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].MS := HHG.P[Loop1].MS
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: HHG.P[Loop1].Sex = RESPONSE
```

PRec[Loop1].W1 := HHG.P[Loop1].W1

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].W2 := HHG.P[Loop1].W2
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].FtEd := HHG.P[Loop1].FTEd
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
PRec[Loop1].TypeEd := HHG.P[Loop1].TypeEd
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
AND: HHG.P[Loop1].Depend IN [DepAd .. Child]
NCDVCP := (NCDVCP + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
AND: HHG.P[Loop1].Sex = RESPONSE
     AND: (HHG.P[Loop1].Depend IN [DepAd .. Child]) AND
     ((HHG.P[Loop1].NumPart > 0) OR (LegGuard[Loop1] = 2))
PRec[Loop1].Depend := Adult
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: NOT ((HHG.P[Loop1].Depend IN [DepAd .. Child]) AND ((HHG.P[Loop1].NumPart > 0) OR (LegGuard[Loop1] = 2))
PRec[Loop1].Depend := HHG.P[Loop1].Depend
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Male
     AND: DMAge[Loop1] > 64
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Male
     AND: NOT (DMAge[Loop1] > 64)
DMPenFlag[Loop1] := No
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
AND: DMDoB[Loop1] = RESPONSE
AND: DMDoB[Loop1] < TODATE (1950, 4, 1)
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] = TODATE (1950, 4, 1)) AND (QSiqnIn.StartDat >=
     TODATE (2010, 4, 1))
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] = TODATE (1950, 4, 2)) AND (QSignIn.StartDat >=
     TODATE (2010, 4, 2))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] = TODATE (1950, 4, 3)) AND (QSignIn.StartDat >=
     TODATE (2010, 4, 3))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] = TODATE (1950, 4, 4)) AND (QSignIn.StartDat >=
     TODATE (2010, 4, 4))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] = TODATE (1950, 4, 5)) AND (QSignIn.StartDat >=
     TODATE (2010, 4, 5))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1950, 5, 5)) AND (QSignIn.StartDat >=
     TODATE (2010, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1950, 6, 5)) AND (QSignIn.StartDat >=
     TODATE (2010, \bar{7}, 6))
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1950, 7, 5)) AND (QSignIn.StartDat >=
     TODATE (2010, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1950, 8, 5)) AND (QSignIn.StartDat >=
     TODATE (2010, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1950, 9, 5)) AND (QSignIn.StartDat >=
     TODATE (2011, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1950, 10, 5)) AND (QSignIn.StartDat >=
     TODATE (2011, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1950, 11, 5)) AND (QSignIn.StartDat >=
     TODATE (2011, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1950, 12, 5)) AND (QSignIn.StartDat >=
     TODATE (2011, \bar{7}, 6)
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1951, 1, 5)) AND (QSignIn.StartDat >=
     TODATE (2011, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 2, 5)) AND (QSignIn.StartDat >=
     TODATE (2011, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 3, 5)) AND (QSignIn.StartDat >=
     TODATE (2012, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1951, 4, 5)) AND (QSignIn.StartDat >=
     TODATE (2012, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 5, 5)) AND (QSignIn.StartDat >=
     TODATE (2012, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 6, 5)) AND (QSignIn.StartDat >=
     TODATE (2012, \bar{7}, 6)
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1951, 7, 5)) AND (QSignIn.StartDat >=
     TODATE (2012, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 8, 5)) AND (QSignIn.StartDat >=
     TODATE (2012, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 9, 5)) AND (QSignIn.StartDat >=
     TODATE (2013, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1951, 10, 5)) AND (QSignIn.StartDat >=
     TODATE (2013, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 11, 5)) AND (QSignIn.StartDat >=
     TODATE (2013, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1951, 12, 5)) AND (QSignIn.StartDat >=
     TODATE (2013, \bar{7}, 6))
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1952, 1, 5)) AND (QSignIn.StartDat >=
     TODATE (2013, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 2, 5)) AND (QSignIn.StartDat >=
     TODATE (2013, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 3, 5)) AND (QSignIn.StartDat >=
     TODATE (2014, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1952, 4, 5)) AND (QSignIn.StartDat >=
     TODATE (2014, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 5, 5)) AND (QSignIn.StartDat >=
     TODATE (2014, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 6, 5)) AND (QSignIn.StartDat >=
     TODATE (2014, 7, 6)
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1952, 7, 5)) AND (QSignIn.StartDat >=
     TODATE (2014, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 8, 5)) AND (QSignIn.StartDat >=
     TODATE (2014, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 9, 5)) AND (QSignIn.StartDat >=
     TODATE (2015, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1952, 10, 5)) AND (QSignIn.StartDat >=
     TODATE (2015, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 11, 5)) AND (QSignIn.StartDat >=
     TODATE (2015, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1952, 12, 5)) AND (QSignIn.StartDat >=
     TODATE (2015, \bar{7}, 6)
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1953, 1, 5)) AND (QSignIn.StartDat >=
     TODATE (2015, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 2, 5)) AND (QSignIn.StartDat >=
     TODATE (2015, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 3, 5)) AND (QSignIn.StartDat >=
     TODATE (2016, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1953, 4, 5)) AND (QSignIn.StartDat >=
     TODATE (2016, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 5, 5)) AND (QSignIn.StartDat >=
     TODATE (2016, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 6, 5)) AND (QSignIn.StartDat >=
     TODATE (2016, \bar{7}, 6)
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1953, 7, 5)) AND (QSignIn.StartDat >=
     TODATE (2016, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 8, 5)) AND (QSignIn.StartDat >=
     TODATE (2016, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 9, 5)) AND (QSignIn.StartDat >=
     TODATE (2017, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1953, 10, 5)) AND (QSignIn.StartDat >=
     TODATE (2017, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 11, 5)) AND (QSignIn.StartDat >=
     TODATE (2017, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1953, 12, 5)) AND (QSignIn.StartDat >=
     TODATE (2017, \bar{7}, 6)
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 1, 5)) AND (QSignIn.StartDat >=
     TODATE (2017, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 2, 5)) AND (QSignIn.StartDat >=
     TODATE (2017, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 3, 5)) AND (QSignIn.StartDat >=
     TODATE (2018, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1954, 4, 5)) AND (QSignIn.StartDat >=
     TODATE (2018, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 5, 5)) AND (QSignIn.StartDat >=
     TODATE (2018, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 6, 5)) AND (QSignIn.StartDat >=
     TODATE (2018, \bar{7}, 6)
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1954, 7, 5)) AND (QSignIn.StartDat >=
     TODATE (2018, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 8, 5)) AND (QSignIn.StartDat >=
     TODATE (2018, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 9, 5)) AND (QSignIn.StartDat >=
     TODATE (2019, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1954, 10, 5)) AND (QSignIn.StartDat >=
     TODATE (2019, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 11, 5)) AND (QSignIn.StartDat >=
     TODATE (2019, 5, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1954, 12, 5)) AND (QSignIn.StartDat >=
     TODATE (2019, \bar{7}, 6))
DMPenFlag[Loop1] := Yes
Compute if: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1955, 1, 5)) AND (QSignIn.StartDat >=
     TODATE (2019, 9, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1955, 2, 5)) AND (QSignIn.StartDat >=
     TODATE (2019, 11, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: (DMDoB[Loop1] <= TODATE (1955, 3, 5)) AND (QSignIn.StartDat >=
     TODATE (2020, 1, 6))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
AND: (DMDoB[Loop1] <= TODATE (1955, 4, 5)) AND (QSignIn.StartDat >=
     TODATE (2020, 3, 6))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = RESPONSE
     AND: NOT ((DMDoB[Loop1] <= TODATE (1955, 4, 5)) AND (QSignIn.StartDat
     >= TODATE (2020, 3, 6))
DMPenFlag[Loop1] := No
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
AND: DMDoB[Loop1] = NONRESPONSE
AND: (DMAge[Loop1] >= 60) AND (QSignIn.StartDat < TODATE (2012, 4, 1))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = NONRESPONSE
     AND: ((DMAge[Loop1] >= 61) AND (QSignIn.StartDat >= TODATE (2012, 4, 1))) AND (QSignIn.StartDat <= TODATE (2014, 3, 31))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = NONRESPONSE
     AND: ((DMAge[Loop1] >= 62) AND (QSignIn.StartDat >= TODATE (2014, 4,
     1))) AND (QSignIn.StartDat <= TODATE (2016, 3, 31))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = NONRESPONSE
     AND: ((DMAge[Loop1] >= 63) AND (QSignIn.StartDat >= TODATE (2016, 4,
     1))) AND (QSignIn.StartDat <= TODATE (2018, 3, 31))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = NONRESPONSE
     AND: ((DMAge[Loop1] >= 64) AND (QSignIn.StartDat >= TODATE (2018, 4, 1))) AND (QSignIn.StartDat <= TODATE (2020, 3, 31))
DMPenFlag[Loop1] := Yes
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = NONRESPONSE
     AND: (DMAge[Loop1] >= 65) AND (QSignIn.StartDat >= TODATE (2020, 4, 1))
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
AND: DMDoB[Loop1] = NONRESPONSE
     AND: (QSiqnIn.StartDat >= TODATE (2020, 5, 6)) AND (DMAqe[Loop1] > 64)
DMPenFlag[Loop1] := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: DMDoB[Loop1] = NONRESPONSE
     AND: NOT ((QSignIn.StartDat >= TODATE (2020, 5, 6)) AND (DMAge[Loop1] >
DMPenFlag[Loop1] := No
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: DMSex[Loop1] = Female
     AND: NOT (DMDoB[Loop1] = NONRESPONSE)
DMPenFlag[Loop1] := No
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: (DMAge[Loop1] >= 16) AND (DMPenFlag[Loop1] <> Yes)
WorkingAge := (WorkingAge + 1)
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: (HHG.P[Loop1].CupChk = Yes) AND HHG.P[HHSize].QRel[HHSize].R <>
     EMPTY
     (HHG.P[Loop1].NumCohab > 0) AND
     INVOLVING (HHG.P [HHSize] .QRel [HHSize] .R, HHG.P [Loop1] .CupChk)
     ^I(^HHG.P[Loop1].Name)^I^N Can I just check, you said earlier that you were living with someone in
     this household as a couple, is this correct?^N
     ۸I
     If Yes: go back and correct the code at Relationship.
     If No: go back and correct CupChk to No (2).
```

```
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].Sex = RESPONSE
     AND: (HHG.P[Loop1].CupChk = No) AND HHG.P[HHSize].QRel[HHSize].R <>
     EMPTY
     (HHG.P[Loop1].NumCohab = 0) AND
     INVOLVING (HHG.P [HHSize].QRel [HHSize].R, HHG.P [Loop1].CupChk)
     ^I(^HHG.P[Loop1].Name)^I^N Can I just check, are you living with anyone in the household as a
     couple?^N
     ۸I
     If Yes: go back and correct CupChk to Yes (1).
     If No: go back and correct the code at Relationship.
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: AllAd = 1
you := 'you'
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: NOT (AllAd = 1)
you := 'ANY of you'
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (AllAd + AllCh) = 1
any_of_you := 'you'
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: NOT ((AllAd + AllCh) = 1)
any of you := 'ANY of you'
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
RentName := ''
```

Block: FRS1207A.QHholder

FRS1207A.QHholder

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[1] := ' 1. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[2] := ' 2. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[3] := ' 3. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[4] := ' 4. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[5] := ' 5. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[6] := ' 6. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[7] := ' 7. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[8] := ' 8. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[9] := ' 9. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[10] := '10. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[11] := '11. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[12] := '12. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[13] := '13. '
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
LPad[14] := '14. '
```

```
Ask if: HHG.P[HHSize].DVAge = RESPONSE
```

HHldr

```
^N
```

In whose name is the accommodation owned or rented?

^Anyone_else?^N

۸I

Code all that apply.

SET [15] OF

- (1) ^DMName[1]
- (2) ^DMName[2]
- (3) ^DMName[3]
- (4) ^DMName[4]
- (5) ^DMName[5]
- (6) ^DMName[6]
- (7) ^DMName[7]
- (8) ^DMName[8]
- (9) ^DMName[9]
- (10) ^DMName[10]
- (11) ^DMName[11]
- (12) ^DMName[12]
- (13) ^DMName[13]
- (14) ^DMName[14]
- (97) Not a household member

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE

HhldList := ''

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE

HhldNum := 0

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE AND: NotHH IN HHldr

HhldCard := (HHldr.CARDINAL - 1)

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE AND: NOT (NotHH IN HHldr)

HhldCard := HHldr.CARDINAL

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: In loop FOR Loop := 1 TO 14

HhldName[Loop] := ''

FRS1207A.QHholder.PadString()

Procedure Call

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr

OutString := InString

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr
AND: ResLngth > LEN (OutString)

Fin := (ResLngth - LENGTH(OutString))

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr
AND: Loop IN HHldr
AND: ResLngth > LEN (OutString)
AND: In loop FOR PLoop := 1 TO Fin

OutString := (OutString + ' · ' ')
```

Block: FRS1207A.OHholder

FRS1207A.QHholder (continued)

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
    AND: Loop IN HHldr
HhldName[Loop] := ('
' + LPad[Loop] + PadName + ' · · · @ | (Age: ' +
STR(DMAge[[Loop],3,0) + ')')
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop := 1 TO 14
    AND: Loop IN HHldr
HhldNum := (HhldNum + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
    AND: Loop IN HHldr
    AND: HhldNum = 1
HhldList := DMName[[Loop]
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
AND: Loop IN HHldr
    AND: HhldNum < HhldCard
HhldList := (HhldList + ', ' + DMName[[Loop])
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: In loop FOR Loop := 1 TO 14
    AND: Loop IN HHldr
    AND: HhldNum = HhldCard
HhldList := (HhldList + ' and ' + DMName[[Loop])
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
    RESERVECHECK
    RESERVECHECK
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
    RESERVECHECK
     RESERVECHECK
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
    RESERVECHECK
     RESERVECHECK
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
    RESERVECHECK
    RESERVECHECK
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
    RESERVECHECK
    RESERVECHECK
```

```
Ask IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
WhoResp
     ^N
     Although you have mentioned that the rent or mortgage for this accommodation is paid for by someone
     outside the household, there needs to be someone within the household who is responsible for the
     property. Who then in this household is responsible for this accommodation?
     Anyone else?^N
      ^I
     Code all that apply.
     SET [14] OF
     (1)
              ^DMName[1]
     (2)
              ^DMName[2]
     (3)
              ^DMName[3]
     (4)
              ^DMName[4]
     (5)
              ^DMName[5]
              ^DMName[6]
     (6)
              ^DMName[7]
     (7)
              ^DMName[8]
     (8)
              ^DMName[9]
     (9)
     (10)
              ^DMName[10]
     (11)
              ^DMName[11]
              ^DMName[12]
     (12)
     (13)
              ^DMName[13]
              ^DMName[14]
     (14)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
HhldList := ''
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
HhldNum := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
```

HhldCard := WhoResp.CARDINAL

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
      AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
AND: In loop FOR Loop := 1 TO 14
```

HhldName[Loop] := ''

FRS1207A.QHholder.PadString()

Procedure Call

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN WhoResp

OutString := InString

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN WhoResp
AND: ResLngth > LEN (OutString)

Fin := (ResLngth - LENGTH(OutString))

COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
AND: In loop FOR Loop := 1 TO 14
AND: Loop IN WhOResp
AND: ResLngth > LEN (OutString)
AND: ResLngth > LEN (OutString)
AND: In loop FOR PLoop := 1 TO Fin

OutString := (OutString + ''')
```

Block: FRS1207A.OHholder

FRS1207A.QHholder (continued)

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
HhldName[Loop] := ('
' + LPad[Loop] + PadName + ' · · · @ | (Age: ' +
STR(DMAge[[Loop],3,0) + ')')
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
HhldNum := (HhldNum + 1)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
     AND: HhldNum = 1
HhldList := DMName[[Loop]
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
     AND: HhldNum < HhldCard
HhldList := (HhldList + ', ' + DMName[[Loop])
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     AND: In loop FOR Loop := 1 TO 14
     AND: Loop IN WhoResp
     AND: HhldNum = HhldCard
HhldList := (HhldList + ' and ' + DMName[[Loop])
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (HHldr.CARDINAL = 1) AND (NotHH IN HHldr)
     RESERVECHECK
     RESERVECHECK
RECORD IF: HHG.P[HHSize].DVAge = RESPONSE
HRPPrtnr
     Person number of HRP's spouse/partner.
     1..15
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: (HHldr <> EMPTY AND (AllAd = 1)) AND (OneHRP = RESPONSE)
HRPPrtnr := 15
```

```
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: WhoResp.CARDINAL > 1
own := 'are responsible for'
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: NOT (WhoResp.CARDINAL > 1)
own := 'own or rent'
Ask If: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
HiHNum
     ۸Τ
     If respondent asks for period to average over - one year.
     Prompt as necessary for joint householders:
     Is one of them the sole person with paid work or occupational pension?
     1..15
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: WhoResp = EMPTY
     And: HiHNum IN [1 .. 14]
(IN(HiHNum, HHldr)) AND INVOLVING(HiHNum)
     This person is not recorded as a householder (at HHldr).
```

```
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: NOT (WhoResp = EMPTY)
     AND: HiHNum IN [1 .. 14]
     (IN(HiHNum, WhoResp)) AND INVOLVING(HiHNum)
     This person is not recorded as responsible for the household (at WhoResp).
Ask if: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
JntEldA
     Ask or record.
     Enter Person Number of the B eldest B joint householder from those with the same highest income.
     ^HhldName[1]^HhldName[2]^HhldName[3]^HhldName[4]^HhldName[5]
     ^HhldName[6]^HhldName[7]^HhldName[8]^HhldName[9]^HhldName[10]
     ^HhldName[11]^HhldName[12]^HhldName[13]^HhldName[14]
     0..14
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA = RESPONSE
     JntEldA <> 0
     Zero (0) is not a valid code.
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA IN [1 .. 14]
     AND: WhoResp = EMPTY
     (IN(JntEldA, HHldr)) AND INVOLVING(HiHNum)
     This person is not recorded as a householder (at HHldr).
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA IN [1 .. 14]
     AND: NOT (WhoResp = EMPTY)
     (IN(JntEldA, WhoResp)) AND INVOLVING(HiHNum)
     This person is not recorded as responsible for the household (at WhoResp).
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE

AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = 15
     AND: JntEldA IN [1 .. 14]
DVHRPNum := JntEldA
```

```
Ask IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
JntEldB
     Ask or record.
     Enter Person Number of the eldest joint householder.
     ^HhldName[1]^HhldName[2]^HhldName[3]^HhldName[4]^HhldName[5]
     ^HhldName[6]^HhldName[7]^HhldName[8]^HhldName[9]^HhldName[10]
     ^HhldName[11]^HhldName[12]^HhldName[13]^HhldName[14]
     0..14
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB = RESPONSE
     JntEldB <> 0
     Zero (0) is not a valid code.
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB IN [1 .. 14]
     AND: WhoResp = EMPTY
     (IN(JntEldB, HHldr)) AND INVOLVING(HiHNum)
     This person is not recorded as a householder (at HHldr).
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB IN [1 .. 14]
AND: NOT (WhoResp = EMPTY)
     (IN(JntEldB, WhoResp)) AND INVOLVING(HiHNum)
     This person is not recorded as responsible for the household (at WhoResp).
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR
     (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum = NONRESPONSE
     AND: JntEldB IN [1 .. 14]
DVHRPNum := JntEldB
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: (((HHldr.CARDINAL = 2) AND NOT (NotHH IN HHldr)) OR (HHldr.CARDINAL > 2)) OR (WhoResp.CARDINAL > 1)
     AND: HiHNum IN [1 .. 14]
DVHRPNum := HiHNum
```

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: (HHldr.CARDINAL = 1) AND NOT (NotHH IN HHldr)
DVHRPNum := ORD(HHldr[1])
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: (HHldr.CARDINAL = 2) AND (NotHH IN HHldr)
    AND: HHldr[1] = NotHH
DVHRPNum := ORD(HHldr[2])
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: (HHldr.CARDINAL = 2) AND (NotHH IN HHldr)
    AND: NOT (HHldr[1] = NotHH)
DVHRPNum := ORD(HHldr[1])
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: WhoResp.CARDINAL = 1
DVHRPNum := ORD(WhoResp[1])
Compute if: HHG.P[HHSize].DVAge = RESPONSE
    AND: NOT (WhoResp.CARDINAL = 1)
DVHRPNum := 0
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: DVHRPNum IN [1 .. 14]
LName := DMName[[DVHRPNum]
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
AND: NOT (DVHRPNum IN [1 .. 14])
LName := 'Non-HH Member'
Ask if: HHG.P[HHSize].DVAge = RESPONSE
HRP
```

The Household Reference Person is:

(^DVHRPNum) ^LName

Press 1 and <Enter> to continue.

(1) Continue

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.HHldr
     PRec[Loop1].Sex = RESPONSE
     Code ^Loop1 is not valid for this question.
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.HHldr
     PRec[Loop1].Depend = Adult
     Person ^Loop1 is a child or a dependent adult. Please amend.
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.HHldr
HHG.P[Loop1].Hholder := Yes
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: NOT (Loop1 IN QHholder.HHldr)
HHG.P[Loop1].Hholder := No
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.WhoResp
     PRec[Loop1].Sex = RESPONSE
     This figure exceeds the number of household members. Please check and amend your answer.
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     AND: Loop1 IN QHholder.WhoResp
     PRec[Loop1].Depend = Adult
     The person responsible for the property must be an adult household member. Please check and amend
     your answer.
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     RESERVECHECK
     RESERVECHECK
```

```
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: In loop FOR Loop1 := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     PRec[QHholder.DVHRPNum].Depend = Adult
     Code ^QHholder.DVHRPNum is not valid for this question.
WARN IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: OHholder.DVHRPNum = RESPONSE
     NOT((PRec[QHholder.DVHRPNum].Sex = Female) AND
     (PRec[QHholder.DVHRPNum].MS = Married))
     For a married couple the man is always Head of household.
     Please amend your coding. (But if he is away for more than 6 months, suppress check and move on.)
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: QHholder.DVHRPNum = RESPONSE
HRPNames := DMName[QHholder.DVHRPNum]
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
PRel.PR[Loop1].R := HHG.P[Loop1].QRel[QHholder.DVHRPNum].R
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].QRel[QHholder.DVHRPNum].R IN [Spouse, Cohabit,
     CivilP1
HRPNames := (HRPNames + ' and ' + DMName[Loop1])
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: HHG.P[Loop1].QRel[QHholder.DVHRPNum].R IN [Spouse, Cohabit,
     CivilP
QHholder.HRPPrtnr := Loop1
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
    AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: Loop1 = QHholder.DVHRPNum
QHholder.QPerId[Loop1].HOHID := HOH
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: Loop1 = QHholder.DVHRPNum
QHholder.QPerId[Loop1].HRPID := HRP
```

Block: FRS1207A

```
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: Loop1 = QHholder.DVHRPNum
QHholder.QPerId[Loop1].CombID := HOHHRP
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: OHholder.DVHRPNum = RESPONSE
AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: NOT (Loop1 = QHholder.DVHRPNum)
QHholder.QPerId[Loop1].HOHID := NotHOH
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: QHholder.DVHRPNum = RESPONSE
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: NOT (Loop1 = QHholder.DVHRPNum)
QHholder.QPerId[Loop1].HRPID := NotHRP
COMPUTE IF: HHG.P[HHSize].DVAge = RESPONSE
     AND: OHholder.DVHRPNum = RESPONSE
AND: In loop FOR Loop1 := 1 TO HHSize
     AND: DMAge[Loop1] >= 16
     AND: NOT (Loop1 = QHholder.DVHRPNum)
```

QHholder.QPerId[Loop1].CombID := HOHonly

FRS1207A.QMoveOut

QUESTIONNAIRE MIGRATION - NI ONLY

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA

tdate := SYSDATE

Compute IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA

yagodate := (SYSDATE + (-1,-0,-0))

Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
```

MigrQ1

Is there anyone who usually lived in your household on 'yagodate, who is now living elsewhere?

INTERVIEWER: INCLUDE ALL PERSONS WHO HAVE LEFT THE HOUSEHOLD. SPECIFICALLY INCLUDE:

 $@|(i){\rm STUDENTS}$ WHO HAVE MOVED TO UNIVERSITY/COLLEGE HALLS OF RESIDENCE OR DIGS

@|(ii)PEOPLE WHO HAVE MOVED TO FIND WORK ELSEWHERE

@|(iii)FOREIGN MIGRANT WORKERS WHO HAVE RETURNED HOME

@|(iv)PEOPLE WHO HAD SUMMER JOBS

@|(v)PEOPLE WHO HAVE EMIGRATED

@|(vi)PEOPLE ON A GAP-YEAR OVERSEAS

@|(vii)YOUNG ADULTS WHO HAVE MOVED OUT OF THE FAMILY HOME TO BE WITH A PARTNER

@|(viii)ADULTS/CHILDREN AFFECTED BY DIVORCE/RELATIONSHIP BREAK-UP, ETC @|(ix)ELDERLY PEOPLE WHO HAVE MOVED INTO A NURSING HOME, ETC

(1) Yes

(2) No

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQl <> RESPONSE
```

Time1 := SYSTIME

```
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
```

Time1

Migration Start

TIME

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQ1 = Yes
```

MigrQ2

How many people have left your household in the last year?

INTERVIEWER: ENTER THE NUMBER OF PEOPLE WHO HAVE NOW LEFT THE HOUSEHOLD BUT WERE HOUSEHOLD MEMBERS ON 'yagodate.

1..10

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: OrgID = NISRA

AND: MigrQ1 = Yes

AND: MigrQ2 = 1
```

MigTxt := 'person who has left your household'

```
Compute if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
And: OrgID = NISRA
And: MigrQ1 = Yes
And: MigrQ2 > 1
```

MigTxt := 'people who have left your household'

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQ1 = Yes
```

Intro2

I would now like to ask a couple of questions about the 'MigTxt in the last year.

This information will be used to help improve population estimates for Northern Ireland in the years that we don't have a census.

(1) Continue

FRS1207A.QMoveOut.QPerson[]

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: OrgID = NISRA

AND: MigrQ1 = Yes

AND: In loop FOR k := 1 TO MigrQ2
```

MigrQ3

Is person ^k ...

- (1) Male
- (2) or Female?

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQ1 = Yes
AND: In loop FOR k := 1 TO MigrQ2
```

MigrQ4

What age was person ^k on their last birthday?

INTERVIEWER: ENTER 0 FOR BABIES UNDER 1 YEAR OLD.

0..99

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQ1 = Yes
AND: In loop FOR k := 1 TO MigrQ2
```

MigrQ5

Where is person ^k living now?

- (1) Somewhere else in Northern Ireland
- (2) England
- (3) Republic of Ireland
- (4) Scotland
- (5) Wales
- (6) Elsewhere in the world

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQ1 = Yes
AND: In loop FOR k := 1 TO MigrQ2
AND: MigrQ5 = Elsewh
```

MigrQ6

Which country has person ^k moved to?

INTERVIEWER: ENTER THE NAME OF A COUNTRY ONLY. IF PERSON IS TRAVELLING AROUND (E.G. ON A GAP YEAR OR A CAREER BREAK) JUST ENTER

STRING[255]

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: OrgID = NISRA

AND: MigrQ1 = Yes

AND: In loop FOR k := 1 TO MigrQ2
```

MigrQ7a

In what month did person ^k leave?

- (1) January
- (2) February
- (3) March
- (4) April
- (5) May
- (6) June
- (7) July
- (8) August
- (9) September
- (10) October
- (11) November
- (12) December

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQ1 = Yes
AND: In loop FOR k := 1 TO MigrQ2
```

MigrQ7b

In which year did person ^k leave?

- (1) 2011
- (2) 2012
- (3) 2013

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: OrgID = NISRA
AND: MigrQ1 = Yes
AND: In loop FOR k := 1 TO MigrQ2
```

MigrQ8

Is person ^k likely to have left your household for more than one year?

INTERVIEWER: ANSWER

- (1) Yes
- (2) No

FRS1207A.QMoveOut (continued)

QUESTIONNAIRE MIGRATION - NI ONLY

```
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    AND: MigrQ1 = Yes
    AND: In loop FOR k := 1 TO MigrQ2
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    AND: MigrQ1 = Yes
    AND: In loop FOR k := 1 TO MigrQ2
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    AND: MigrQ1 = Yes
    AND: In loop FOR k := 1 TO MigrQ2
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    AND: MigrQ1 = Yes
    AND: In loop FOR k := 1 TO MigrQ2
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    RESERVECHECK
    RESERVECHECK
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: OrgID = NISRA
    RESERVECHECK
    RESERVECHECK
```

WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: OrgID = NISRA

RESERVECHECK RESERVECHECK

WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: OrgID = NISRA

RESERVECHECK

RESERVECHECK

WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: OrgID = NISRA

RESERVECHECK RESERVECHECK

FRS1207A.QEthnic

Ethnic/Demgraphic data on adults in household

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
PAdult := (PAdult + 1)
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
AND: PRec[PersNo].Depend IN [DepAd, Adult]
P[PersNo].PersId := PersNo
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
P[PersNo].BenUnit := DMBU[[PersNo]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
P[PersNo].EName := DMName[[PersNo]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
```

P[PersNo].AdltNo := PAdult

FRS1207A.QEthnic.P[]

```
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
BenUnit
     ^I OEthnic^I
     Benefit Unit number.
     1..7
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
PersId
     ^I OEthnic^I
     Person identifier (person no = position in HHGrid).
     0..14
DISPLAY IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
EName
     ^I QEthnic^I
     STRING[15]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
LName := EName
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersId].Sex = Male
he she := 'he'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: NOT (PRec[PersId].Sex = Male)
he she := 'she'
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR PersNo := 1 TO HHSize
    AND: PRec[PersNo].Depend IN [DepAd, Adult]
    AND: OrgID = NISRA
this country := 'the UK'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: NOT (OrgID = NISRA)
this country := 'this country'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: OrgID = NISRA
the UK := ' '
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: NOT (OrgID = NISRA)
the UK := ' 'This country' refers to the UK.'
COMPUTE IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
CLookupTxt := ('
Type in at least the first 3 characters of the country's name
For UK type in ' + B + 'United Kingdom' + B + '
For EU passports type in country of origin')
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
COrign
     ^I QEthnic^I
     (^LName)^I^N In which country were you born?
     (1)
            England
     (2)
            Wales
     (3)
            Scotland
            Northern Ireland
     (4)
     (5)
            UK, Britain
     (6)
            Republic of Ireland
            Hong Kong
     (7)
            China
     (8)
     (9)
            Other
```

```
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign = Other
COrignOS
     ^I QEthnic^I
     ۸Į
     Type in the country
     ^CLookupTxt
     STRING[40]
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign = Other
     AND: COrignOS = RESPONSE
     LENGTH(COrignOS) > 2
     ^I^IC Enter at least 3 characters of country's name.
     For UK enter 'United Kingdom'.
     For EU enter country of origin.
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign = Other
     AND: COrignOS = RESPONSE
COrignOth
     ^I OEthnic^I
     Press <Space bar> to enter the coding frame
     Press <Enter> to select code and enter again to continue
     4..992
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
CameYr
     ^I QEthnic^I
     (^LName)^I^N In which year did you first arrive in ^this_country?^N
     ^I^IC Enter in 4 digit format e.g. 2000.
     If respondent unsure probe if they can remember their age, the season or similar that may help recall year
     of arrival.
     ^the_UK
     1900..2097
```

```
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: CameYr = RESPONSE
     CameYr <= LYear
     You've entered a future date!
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: QDataBag.SampMnth IN [4 .. 12]
     CameYr <> LYear
     You've entered a future date!
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
ContUK
     ^I QEthnic^I
     Apart from holidays and short visits ^LName have you lived in the UK continuously since then?
             Yes
     (1)
     (2)
             No
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: ContUK = No
CameYr2
     ^I QEthnic^I
     Which year did ^LName last arrive in ^this_country?
     ^I^IC If respondent unsure probe if they can remember their age, the season or similar that may help
     recall year of arrival.
     ^the_UK
     1900..2097
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: ContUK = No
     AND: CameYr2 = RESPONSE
     CameYr2 <= LYear
     You've entered a future date!
```

```
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: ContUK = No
     AND: QDataBag.SampMnth IN [4 .. 12]
     CameYr2 <> LYear
     You've entered a future date!
Ask IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
AND: (CameYr = RESPONSE) OR (CameYr2 = RESPONSE)
CameMt
     ^I QEthnic^I
     ۸I
     (^LName)^I^N And which month was that?
     (1)
             January
     (2)
             February
     (3)
             March
     (4)
             April
     (5)
             May
     (6)
             June
     (7)
             July
     (8)
             August
     (9)
             September
     (10)
             October
     (11)
             November
     (12)
             December
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: (CameYr = RESPONSE) OR (CameYr2 = RESPONSE)
     AND: CameYr2 = RESPONSE
     AND: CameMt = RESPONSE
BeenHere := (QSignIn.StartDat.JULIAN -
JULIAN(TODATE(CameYr2,ORD(CameMt),1)))
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: (CameYr = RESPONSE) OR (CameYr2 = RESPONSE)
     AND: CameYr2 = RESPONSE
     AND: NOT (CameMt = RESPONSE)
BeenHere := (QSiqnIn.StartDat.JULIAN -
JULIAN (TODATE (CameYr2,1,1)))
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: (CameYr = RESPONSE) OR (CameYr2 = RESPONSE)
     AND: CameYr = RESPONSE
     AND: CameMt = RESPONSE
BeenHere := (QSignIn.StartDat.JULIAN -
JULIAN(TODATE(CameYr,ORD(CameMt),1)))
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: COrign IN [ROI, HongKong, China, Other]
     AND: (CameYr = RESPONSE) OR (CameYr2 = RESPONSE)
     AND: CameYr = RESPONSE
     AND: NOT (CameMt = RESPONSE)
BeenHere := (QSignIn.StartDat.JULIAN -
JULIAN (TODATE (CameYr, 1, 1)))
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: OrgID <> NISRA
NatID
     ^I QEthnic^I
     ^I^IS A2^I^X
     ^I(^LName)^I^N How would you describe your national identity? Please choose all that apply.^N
     Probe: ^I^N^Any_other?
     SET [6] OF
             English
     (1)
             Welsh
     (2)
     (3)
             Scottish
     (4)
             Northern Irish
     (5)
             British
     (6)
             Other, please describe
```

```
ASK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PersNo := 1 TO HHSize
AND: PRec[PersNo].Depend IN [DepAd, Adult]
AND: PRec[PersNo].Depend = Adult
AND: OrgID <> NISRA
AND: Other IN NatID
```

NatOth

^I QEthnic^I

۸Ţ

(^LName)^I^N How would you describe your national identity?^N

^I^IC If someone describes themselves as being half English and half Irish or any combination of Welsh, Scottish, Irish or English, code them as 'Mixed British' and then record the mix they specify.

- (1) Mixed British
- (2) ENTER DESCRIPTION OF ETHNIC GROUP

```
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
AND: In loop FOR PersNo := 1 TO HHSize
AND: PRec[PersNo].Depend IN [DepAd, Adult]
AND: PRec[PersNo].Depend = Adult
AND: OrgID <> NISRA
AND: Other IN NatID
```

XNatOth

^I QEthnic^I

۸I

(^LName) Enter description of national identity.

STRING[100]

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
      AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
      AND: OrgID <> NISRA
      AND: Country <> Scotland
EthGrp
      ^I QEthnic^I
      ^I^IS A3^I^X
      What is [your/^LName's] ethnic group? Choose one option that best describes your ethnic group or
      background.^N
      ^I^IC This is a question of respondent's (or proxy's) opinion.
                White - English / Welsh / Scottish / Northern Irish / British
      (1)
                White - Irish
      (2)
      (3)
                White - Gypsy or Irish Traveller
      (4)
                Any other white background (please describe)
      (5)
                Mixed - White and Black Caribbean
      (6)
                Mixed - White and Black African
      (7)
                Mixed - White and Asian
      (8)
                Any other mixed multiple ethnic background (please describe)
      (9)
                Asian or Asian British - Indian
                Asian or Asian British - Pakistani
      (10)
                Asian or Asian British - Bangladeshi
      (11)
      (12)
                Chinese
      (13)
                Any other Asian/Asian British background (please describe)
      (14)
                Black or Black British - African
                Black or Black British - Caribbean
      (15)
                Any other Black / African / Caribbean background (please describe)
      (16)
      (17)
                Arab
      (18)
                Any other (please describe)
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
      AND: OrgID <> NISRA
      AND: Country <> Scotland
      AND: EthGrp IN [WhtOth, MixedOth, AsianOth, BlackOth, Other]
EthOth
      ^I QEthnic^I
      (^LName)^I^N Please can you describe your ethnic group?^N
      Enter description of ethnic group.
      STRING[100]
```

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
      AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
      AND: OrgID <> NISRA
      AND: NOT (Country <> Scotland)
EthGrps
      ^I QEthnic^I
      ^I^IS A3A^I^X
      What is [your/^LName's] ethnic group? Choose one option that best describes your ethnic group or
      background.^N
      ^I^IC This is a question of respondent's (or proxy's) opinion.
                White - Scottish
      (1)
                White - Other British
      (2)
      (3)
                White - Irish
                White - Gypsy/Traveller
      (4)
      (5)
                White - Polish
      (6)
                Any other white background, please describe
      (7)
                Any Mixed or Multiple ethnic groups, please describe
      (8)
                Asian - Pakistani, Pakistani Scottish or Pakistani British
      (9)
                Asian - Indian, Indian Scottish or Indian British
      (10)
                Asian - Bangladeshi, Bangladeshi Scottish or Bangladeshi British
      (11)
                Asian - Chinese, Chinese Scottish or Chinese British
      (12)
                Asian - Any other Asian background, please describe
      (13)
                African - African, African Scottish or African British
      (14)
                African - Any other African background, please describe
                Caribbean, Caribbean Scottish or Caribbean British
      (15)
                Black, Black Scottish or Black British
      (16)
      (17)
                Any other Caribbean or Black, please describe
      (18)
                Arab, Arab Scottish or Arab British
      (19)
                Any other ethnic group, please describe
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
      AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
      AND: OrgID <> NISRA
      AND: NOT (Country <> Scotland)
      AND: EthGrps IN [WhtOth, MixedOth, AsianOth, BlackAoth, Blackoth,
      Otherl
EthsOth
      ^I OEthnic^I
      (^LName)^I^N Please can you describe your ethnic group?^N
      Enter description of ethnic group.
      STRING[100]
```

```
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: NOT (OrgID <> NISRA)
NINatID
     ^I QEthnic^I
     ^I^IS A2^I
     ^N *^X(^LName) How would you describe your national identity? Please choose all that apply.^N
     ^I Probe: Any other?
     SET [7] OF
              British
     (1)
     (2)
              Irish
     (3)
              Northern Irish
     (4)
              English
              Scottish
     (5)
              Welsh
     (6)
     (7)
              Other, please describe
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: NOT (OrgID <> NISRA)
     AND: Other IN NINatID
NINatOth
     ^I QEthnic^I
     (^LName)^I^N How would you describe your national identity?^N
     ^I^IC - If someone describes themselves as being half English and half Irish or any combination of
     Welsh, Scottish, Irish or English, code them as 'Mixed British' AND then record the mix they specify.
     (1)
              Mixed British
              ENTER DESCRIPTION OF ETHNIC GROUP
     (2)
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
AND: PRec[PersNo].Depend = Adult
     AND: NOT (OrgID <> NISRA)
     AND: Other IN NINatID
NIXNatOth
     ^I QEthnic^I
     (^LName) Enter description of ethnic GROUP.
     STRING[100]
```

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
      AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
      AND: NOT (OrgID <> NISRA)
NIEthGrp
      ^I QEthnic^I
      ^I^IS A3^IS ^N
      What is [your/^LName's] ethnic group? Choose one option that best describes your ethnic group or
      background.^N
      ^I^IC This is a question of respondent's (or proxy's) opinion.
               White
      (1)
      (2)
               Irish Traveller
      (3)
               Mixed - White and Black Caribbean
      (4)
               Mixed - White and Black African
      (5)
               Mixed - White and Asian
               Any other mixed multiple ethnic background (please describe)
      (6)
      (7)
               Asian - Indian
               Asian - Pakistani
      (8)
               Asian - Bangladeshi
      (9)
      (10)
               Chinese
               Any other Asian background (please describe)
      (11)
               Black - African
      (12)
      (13)
               Black - Caribbean
      (14)
               Any other Black / African / Caribbean background (please describe)
      (15)
               Arab
      (16)
               Any other ethnoc group(please describe)
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
      AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
      AND: NOT (OrgID <> NISRA)
      AND: NIEthGrp IN [AsianOth, BlackOth, Other]
NIEthOth
      ^I QEthnic^I
      (^LName)^I^N Please can you describe your ethnic group?^N
      ^I Enter description of ethnic group^I.
      STRING[100]
```

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
CitizenS
     ^I QEthnic^I
     ^I
     (^LName)^I^N For which country or countries do you hold, or are entitled to hold, a passport?^N
     'IC For EU passport, check if issued in the UK or probe in which country was the passport issued. Code
     first country only.
     ^CLookupTxt
     STRING[40]
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
Citizen
     ^I QEthnic^I
     Press <Space bar> to enter the coding frame
     Press <Enter> to select code and enter again to continue
     4..992
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     RESERVECHECK
     RESERVECHECK
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
OthPass
     ^I QEthnic^I
     ^N
     Do you hold or are you entitled to hold a passport for any other country?
     (1)
              Yes
     (2)
              No
```

```
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: OthPass = Yes
Citiz2S
     ^I QEthnic^I
     ^N
     For which other country or countries do you hold, or are entitled to hold, a passport?^N
     ^IC For EU passport, check if issued in the UK or probe in which country was the passport issued. Code
     first country only.
     ^CLookupTxt
     STRING[40]
WARN IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: OthPass = Yes
     AND: Citiz2S = RESPONSE
     LENGTH(Citiz2S) > 2
     ^I^IC Enter at least 3 characters of country's name.
     For UK enter 'United Kingdom'.
     For EU enter country of origin.
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: OthPass = Yes
     AND: Citiz2S = RESPONSE
Citiz2
     ^I QEthnic^I
     Press <Space bar> to enter the coding frame
     Press <Enter> to select code and enter again to continue
     4..992
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
AxName := EName
```

```
DISPLAY IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
AxName
     ^I QEthnic^I
     STRING[55]
DISPLAY IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
AdltNo
     ^I QEthnic^I
     Adult number in HHGrid, or, 1st, 2nd, 3rd adult (not necessarily person no.)
     1..14
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
AxCount := AllAd
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
SCard[1] := 'A4'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
SCard[2] := 'A5'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
AND: PRec[PersNo].Depend = Adult
SCard[3] := 'A6'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
SCard[4] := 'A7'
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
SCard[5] := 'A8'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
AND: PRec[PersNo].Depend = Adult
SCard[6] := 'A9'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
SCard[7] := 'A10'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: AdltNo > 7
CardNo := (AdltNo - 7)
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: NOT (AdltNo > 7)
CardNo := AdltNo
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: AxCount > 1
LText := 'The numbers on each card are different for each
person.'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: NOT (AxCount > 1)
LText := ''
```

```
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
SIDQn
     ^I QEthnic^I
     ^I^IS ^SCard[CardNo]^I
      ۸Ţ
     {For ^LName, please use showcard ^SCard[CardNo]}
     ^IC Please hand the showcard to ^LName.
     'IC This question should not be asked by proxy or via an interpreter who is a friend/relative of the
     respondent - record as 'refusal' in these circumstances.
     ^I ^N
     Which of the options on this card best describes how you think of yourself?
     Please read out the number next to the description.
     ^LText
     -9..99
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: CardNo = 1
      (((((SIDQn = 15) OR (SIDQn = 10)) OR (SIDQn = 17)) OR (SIDQn = 16)) OR
      (SIDQn = DONTKNOW)) OR (SIDQn = REFUSAL)
     This is not one of the responses listed on the showcard. Check the number again with the respondent, if
     they give the same response please check the correct showcard has been administered (Showcard A4)
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: CardNo = 2
      (((((SIDQn = 36) OR (SIDQn = 34)) OR (SIDQn = 35)) OR (SIDQn = 38)) OR
      (SIDQn = DONTKNOW)) OR (SIDQn = REFUSAL)
     This is not one of the responses listed on the showcard. Check the number again with the respondent, if
     they give the same response please check the correct showcard has been administered (Showcard A5)
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: CardNo = 3
      (((((SIDQn = 39) OR (SIDQn = 30)) OR (SIDQn = 32)) OR (SIDQn = 31)) OR
      (SIDQn = DONTKNOW)) OR (SIDQn = REFUSAL)
     This is not one of the responses listed on the showcard. Check the number again with the respondent, if
     they give the same response please check the correct showcard has been administered (Showcard A6)
```

```
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: CardNo = 4
     (((((SIDQn = 3) OR (SIDQn = 5)) OR (SIDQn = 8)) OR (SIDQn = 7)) OR
     (SIDQn = DONTKNOW)) OR (SIDQn = REFUSAL)
     This is not one of the responses listed on the showcard. Check the number again with the respondent, if
     they give the same response please check the correct showcard has been administered (Showcard A7)
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: CardNo = 5
     ((((SIDQn = 21) OR (SIDQn = 28)) OR (SIDQn = 26)) OR (SIDQn = 23)) OR
     (SIDQn = DONTKNOW)) OR (SIDQn = REFUSAL)
     This is not one of the responses listed on the showcard. Check the number again with the respondent, if
     they give the same response please check the correct showcard has been administered (Showcard A8)
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: CardNo = 6
     (((((SIDQn = 6) OR (SIDQn = 1)) OR (SIDQn = 4)) OR (SIDQn = 9)) OR
     (SIDQn = DONTKNOW)) OR (SIDQn = REFUSAL)
     This is not one of the responses listed on the showcard. Check the number again with the respondent, if
     they give the same response please check the correct showcard has been administered (Showcard A9)
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: CardNo = 7
     ((((SIDQn = 25) OR (SIDQn = 27)) OR (SIDQn = 29)) OR (SIDQn = 24)) OR
     (SIDQn = DONTKNOW)) OR (SIDQn = REFUSAL)
     This is not one of the responses listed on the showcard. Check the number again with the respondent, if
     they give the same response please check the correct showcard has been administered (Showcard A10)
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
AND: Country IN [England, Wales]
     AND: Country = England
RelE W := '(including Church of England, Catholic, Protestant
and all other Christian denominations)'
COMPUTE IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: Country IN [England, Wales]
     AND: Country = Wales
RelE W := '(all denominations)'
```

Block: FRS1207A.QEthnic.P[]

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
      AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
AND: Country IN [England, Wales]
ReligEnW
      ^I QEthnic^I
      ^I^IS A11^I
      (^LName)^I^N What is your religion?
      (1)
                No religion
                Christian ^RelE_W
      (2)
      (3)
                Buddhist
      (4)
                Hindu
      (5)
                Jewish
      (6)
                Muslim
      (7)
                Sikh
      (8)
                Any other religion, please describe
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
      AND: In loop FOR PersNo := 1 TO HHSize
      AND: PRec[PersNo].Depend IN [DepAd, Adult]
      AND: PRec[PersNo].Depend = Adult
AND: Country IN [England, Wales]
AND: ReligEnW = AnyOtRel
RelEnWOt
      ^I QEthnic^I
      (^LName)^I^N Please describe your religion.
      STRING[60]
```

Block: FRS1207A.QEthnic.P[]

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: Country = Scotland
ReligSc
     ^I QEthnic^I
     ^I^IS A12^I
     ۸I
     (^LName)^I^N What is your religion?
     (1)
             No religion
     (2)
             Church of Scotland
     (3)
             Roman Catholic
     (4)
             Other Christian
     (5)
             Buddhist
     (6)
             Hindu
             Jewish
     (7)
     (8)
             Muslim
     (9)
             Sikh
     (10)
             Any other religion, please describe
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     AND: PRec[PersNo].Depend = Adult
     AND: Country = Scotland
AND: ReligSc = AnyOtRel
RelScOt
     ^I QEthnic^I
     (^LName)^I^N Please describe your religion
     STRING[60]
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: PRec[PersNo].Depend IN [DepAd, Adult]
     RESERVECHECK
     RESERVECHECK
```

Block: FRS1207A.QEthnic.P[]

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

AND: PRec[PersNo].Depend IN [DepAd, Adult]

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize AND: PRec[PersNo].Depend IN [DepAd, Adult]

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

AND: PRec[PersNo].Depend IN [DepAd, Adult]

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

AND: PRec[PersNo].Depend IN [DepAd, Adult]

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

AND: PRec[PersNo].Depend IN [DepAd, Adult]

RESERVECHECK

RESERVECHECK

Block: FRS1207A.QEthnic

FRS1207A.QEthnic (continued)

Ethnic/Demgraphic data on adults in household

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

 $\textit{Check if:} (\textit{QHholder.HHldr} = \textit{RESPONSE}) \ \textit{OR} \ (\textit{Edit} = \textit{Yes})$

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])
DepParnt := (STR(DMParent1[Loop1],1,0) + ' : ' +
DMName[DMParent1[Loop1]] + '
' + STR(DMParent2[Loop1],1,0) + ' : ' +
DMName[DMParent2[Loop1]])
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])
    AND: PRec[Loop1].Sex = Male
heshe := 'he'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
    AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])
     AND: PRec[Loop1].Sex = Male
hisher := 'his'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
    AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])
     AND: PRec[Loop1].Sex = Female
heshe := 'she'
```

Block: FRS1207A

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])
     AND: PRec[Loop1].Sex = Female
hisher := 'her'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])

AND: NOT (PRec[Loop1].Sex = Female)
heshe := 'he/she'
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])

AND: NOT (PRec[Loop1].Sex = Female)
hisher := 'his/her'
Ask If: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
     AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])
LegDep
     ^DMName[Loop1] is classified as a^B dependant adult^B or a^B child^B, ie. ^HeShe will not form a
     Benefit Unit of 'HisHer own.
     To properly assess to which Benefit Unit 'HeShe belongs, please code which of the parents receive Child
     Benefit for ^DMName[Loop1].
     ^DepParnt
     1..97
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
AND: ((DMParent1[Loop1] IN [1 .. 14]) AND (DMParent2[Loop1] IN [1 ..
     14])) AND NOT (HHG.P[DMParent1[Loop1]].QRel[DMParent2[Loop1]].R IN
     [Spouse .. Cohabit, CivilP])
     AND: LegDep[Loop1] = RESPONSE
     (LegDep[Loop1] = DMParent1[Loop1]) OR (LegDep[Loop1] =
     DMParent2[Loop1])
     Code ^LegDep[Loop1] is not valid for this question.
```

Block: FRS1207A.QTrail

FRS1207A.QTrail

Individual Trailer Questions 2012

Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

Every

^I QTrail^I

^N

The next question(s) needs to be answered by (or on behalf of) all adults (aged 16 years and over).

(1) Press <Enter> to continue.

```
 \textit{Compute if:} \ (\textit{QHholder.HHldr} = \textit{RESPONSE}) \ \textit{OR} \ (\textit{Edit} = \textit{Yes})
```

AND: In loop FOR PersNo := 1 TO HHSize

AND: DMAge[PersNo] > 15

P[PersNo].PersId := PersNo

```
 \textit{Compute if:} \ (\textit{QHholder.HHldr} = \textit{RESPONSE}) \ \textit{OR} \ (\textit{Edit} = \textit{Yes})
```

AND: In loop FOR PersNo := 1 TO HHSize

AND: DMAge[PersNo] > 15

P[PersNo].BenUnit := DMBU[[PersNo]

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
```

AND: In loop FOR PersNo := 1 TO HHSize

AND: DMAge[PersNo] > 15

P[PersNo].EName := DMName[[PersNo]

Block: FRS1207A.QTrail.P[]

FRS1207A.QTrail.P[]

```
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
BenUnit
     ^I OTrail^I
     Benefit Unit number.
     1..7
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
PersId
     ^I OTrail^I
     Person identifier (person no = position in HHGrid).
     0..14
DISPLAY IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
EName
     ^I QTrail^I
     STRING[15]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
AND: DMAge[PersNo] > 15
LName := EName
Ask if: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
Change
     ^I QTrail^I
     ^I
     Have [you/^LName] personally moved accommodation in the past 5 years?
     (1)
     (2)
             No
```

```
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
     AND: Change = Yes
Reason
     ^I QTrail^I
     ^I^IS A13^I^X
     ^I(^LName)^I^N What was [your/^LName's] main reason for moving?
             Family related reason
     (1)
     (2)
             Employment related reason
     (3)
             Education related reason
     (4)
             Eviction
     (5)
             Landlord did not renew/extend the contract
     (6)
             Change in tenure status e.g. from renting to buying
     (7)
             Housing related reason
     (8)
             Neighbourhood related reason
     (9)
             Financial reasons
     (10)
             Other reasons
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR PersNo := 1 TO HHSize
     AND: DMAge[PersNo] > 15
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize
AND: DMAge[PersNo] > 15

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize
AND: DMAge[PersNo] > 15

RESERVECHECK RESERVECHECK

Block: FRS1207A.QTrail

FRS1207A.QTrail (continued)

Individual Trailer Questions 2012

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

AND: In loop FOR PersNo := 1 TO HHSize

RESERVECHECK

RESERVECHECK

 $\textbf{\textit{CHECK IF:}} \ (\textit{QHholder.HHldr} = \textit{RESPONSE}) \ \textit{OR} \ (\textit{Edit} = \textit{Yes})$

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
ABen[Loop1] := 1
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
RECORD IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
NewBU
     Total number of BUs
     0..7
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
ABen[QHholder.DVHRPNum] := 1
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
Last := 1
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize

AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [Adult])
     AND: In loop FOR Loop2 := 1 TO HHSize
     AND: ABen[Loop2] <> EMPTY AND (HHG.P[Loop1].QRel[Loop2].R IN [Spouse,
     Cohabit, CivilP])
ABen[Loop1] := ABen[Loop2]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend = Adult)
     AND: Last < 7
Last := (Last + 1)
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend = Adult)
    AND: Last < 7
ABen[Loop1] := Last
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend = Adult)
    AND: NOT (Last < 7)
ABen[Loop1] := 0
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: LegDep[Loop1] = RESPONSE
ABen[Loop1] := ABen[LegDep[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: DMParent1[Loop1] <> 0
ABen[Loop1] := ABen[DMParent1[Loop1]]
COMPUTE IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: DMParent2[Loop1] <> 0
ABen[Loop1] := ABen[DMParent2[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
    AND: NOT (DMParent2[Loop1] <> 0)
    AND: Last < 7
Last := (Last + 1)
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
    AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: NOT (DMParent2[Loop1] <> 0)
     AND: Last < 7
ABen[Loop1] := Last
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: NOT (DMParent2[Loop1] <> 0)
     AND: NOT (Last < 7)
ABen[Loop1] := 0
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
    AND: LegDep[Loop1] = RESPONSE
ABen[Loop1] := ABen[LegDep[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: DMParent1[Loop1] <> 0
ABen[Loop1] := ABen[DMParent1[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: DMParent2[Loop1] <> 0
ABen[Loop1] := ABen[DMParent2[Loop1]]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
     AND: NOT (DMParent2[Loop1] <> 0)
    AND: Last < 7
Last := (Last + 1)
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
    AND: NOT (DMParent2[Loop1] <> 0)
    AND: Last < 7
ABen[Loop1] := Last
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: ABen[Loop1] = EMPTY AND (PRec[Loop1].Depend IN [DepAd .. Child])
    AND: NOT (DMParent2[Loop1] <> 0)
     AND: NOT (Last < 7)
ABen[Loop1] := 0
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
NewBU := Last
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    RESERVECHECK
     RESERVECHECK
```

```
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
NameInBU[Loop1] := ''
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [Adult]
NameInBU[ABen[Loop1]] := (NameInBU[ABen[Loop1]] +
UPCASE(DMName[Loop1]) + ' ')
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend IN [DepAd .. Child]
NameInBU[ABen[Loop1]] := (NameInBU[ABen[Loop1]] +
DMName[Loop1] + ' ')
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO NewBU
NameInBU[Loop1] := ('
  + STR(Loop1,1,0) + ':
                                ' + NameInBU[Loop1])
Ask IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
ShowBen
     If you think that the computer has made a mistake in allocating the individuals to Benefit Units, go back
     to the household grid and check the relationship codes of each person.
     1...1
CHECK IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
CHECK IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
hhchull := No
```

```
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Sex = RESPONSE
DMBU[Loop1] := ABen[Loop1]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Sex = RESPONSE
HHG.P[Loop1].BenUnit := ABen[Loop1]
COMPUTE IF: (OHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: (DMBU[Loop1] = 1) AND (DMAge[Loop1] IN [0 .. 10])
hhchu11 := Yes
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: Loop1 IN QHholder.HHldr
RentName := (RentName + ' ' + DMName[Loop1])
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: Loop1 IN QHholder.HHldr
     AND: DMBU[Loop1] <> 1
NotHRPBU := 1
 \textit{Compute if:} \ (\textit{QHholder.HHldr} = \textit{RESPONSE}) \ \textit{OR} \ (\textit{Edit} = \textit{Yes}) 
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend = Adult
     AND: BUAdName[DMBU[Loop1]] =
BUAdName[DMBU[Loop1]] := DMName[Loop1]
COMPUTE IF: (QHholder.HHldr = RESPONSE) OR (Edit = Yes)
    AND: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1].Depend = Adult
     AND: NOT (BUAdName[DMBU[Loop1]] =)
BUAdName[DMBU[Loop1]] := (BUAdName[DMBU[Loop1]] + ' and ' +
DMName [Loop1])
```

FRS1207A.QAccomdat

Questions about accommodation

RECORD ALWAYS:

Ten1Ex

^I QAccomDat^I

^I^IC ^KeyTxt

^SuppTxt

OPEN

RECORD ALWAYS:

Ten2Rs

^I QAccomDat^I

^N

Can I just check do you live rent free because you receive 100% housing benefit?^N

^I^IC If Yes recode tenure to code 4 (rent it).

Please check their rent/mortgage is not paid by B benefits B. Only accommodation provided by someone else (employer, relative, etc) is rent-free.

- (1) Passed
- (2) Hard
- (3) Soft
- (4) Suppressed

RECORD ALWAYS:

Ten2Ex

^I QAccomDat^I

^I^IC ^SuppTxt

OPEN

ASK ALWAYS:

Tenure

^I QAccomDat^I

^I^IS B1^I

۸N

In which of these ways do you occupy this accommodation?

- (1) Own it outright
- (2) Buying it with the help of a mortgage or loan
- (3) Pay part rent and part mortgage (^SharOwn)
- (4) Rent it
- (5) Live here rent-free (including in a relative's/friend's property; excluding squatting)
- (6) Squatting

```
WARN IF: Tenure = NONRESPONSE
     ERROR
      ^I^KeyTxt
Ask if: Tenure = NONRESPONSE
Ten1Ex
      ^I QAccomDat^I
      ^I^IC ^KeyTxt
      ^SuppTxt
      OPEN
WARN ALWAYS:
      Tenure <> RentFree
     Tenure <> RentFree
Ask IF: Ten2Rs = Suppressed
Ten2Ex
     ^I QAccomDat^I
     ^I^IC ^SuppTxt
     OPEN
Ask if: Tenure = Part
SOBuy
      ^I QAccomDat^I
      ^I^IC Ask or record:
      ^SOwners: ^I^N Are you still buying your share in this (house/flat), or have you now paid off that
      mortgage or loan?
      (1)
              Still buying
      (2)
              Mortgage is paid off
ASK ALWAYS:
SubLet
      ^I QAccomDat^I
      Do you have a formal arrangement to let, or sub-let, any part of this accommodation to someone who
     is^B not^B a member of your household?
      (1)
              Yes
      (2)
              No
Compute if: SubLet = Yes
How := ('Thinking just of the accommodation occupied ' + 'by
your household,
```

how')

```
Ask if: SubLet = Yes
```

SubLetY

^I QAccomDat^I

^N

Who is that?..^N^I Code first that applies.

^IC Close relatives = Householder's partner, parent (incl.step-), son or daughter (incl. step-), brother or sister, or spouse of any of these.

- (1) Close relative
- (2) Other relative
- (3) Non-relative

COMPUTE IF: NOT (SubLet = Yes)

How := 'How'

ASK ALWAYS:

Rooms

^I QAccomDat^I

۸Ţ

In general, include any room which is habitable or usable by the household all year round.

If a room is open-plan count it as 2 rooms if it is divided by a fixed sliding or folding partition.

0..20

ASK ALWAYS:

Kitchen

^I QAccomDat^I

^N

And how many of these rooms are a kitchen, that is used only for cooking and food preparation? ENTER NUMBER

^I^IC DO NOT INCLUDE ROOMS THAT HAVE MORE THAN ONE FUNCTION FOR EXAMPLE, KITCHEN-DINER. A kitchen that contains a table and chairs, even if rarely used for dining, should be considered as multi-use and so not included.

0..20

```
\textbf{\textit{CHECK IF:}} \hspace{0.1in} (\texttt{Kitchen = RESPONSE}) \hspace{0.1in} \texttt{AND} \hspace{0.1in} (\texttt{Rooms = RESPONSE})
```

Kitchen <= Rooms

۸Ι

^IC ^kitchen is higher than the total number of rooms in the accommodation [^rooms] please check and correct your answers.

ASK ALWAYS:

RoomShr

^I QAccomDat^I

^N

Are any of these rooms in this accommodation shared with anyone who is ^B not^B a member of your household?

- (1) Yes
- (2) No

```
Ask if: RoomShr = Yes
```

NmRmShar

^I QAccomDat^I

^N

How many rooms are shared with anyone who is not a member of your household?

1..10

ASK ALWAYS:

Bedroom

```
^I QAccomDat^I
```

^N

^How many bedrooms do you have in this accommodation?^N

^I^IC Include any room used for sleeping.

1..10

COMPUTE ALWAYS:

ChkTxt := ('cannot be greater than total number of rooms: ' +
'please check your answers and amend as necessary.')

CHECK ALWAYS:

NmRmShar <= Rooms

^I^IC Number of shared rooms ^ChkTxt

CHECK ALWAYS:

Bedroom <= Rooms

^I^IC Number of bedrooms ^ChkTxt

ASK ALWAYS:

EUBathShow

^I QAccomDat^I

^N

Have you got either a bath or a shower for the sole use of the household?

- (1) Yes, for sole use of the household
- (2) Yes, shared
- (3) No

ASK ALWAYS:

EUFlshToil

^I QAccomDat^I

^N

Do you have an inside flushing toilet for the sole use of the household?

- (1) Yes, for sole use of the household
- (2) Yes, shared
- (3) No

COMPUTE ALWAYS:

ChldCnt := 0

```
COMPUTE IF: In loop FOR Lchldcnt := 1 TO HHSize

AND: (DMAge[Lchldcnt] > 3) AND (DMAge[Lchldcnt] < 16)
```

ChldCnt := (ChldCnt + 1)

ASK ALWAYS:

Intro

^I QAccomDat^I

۸n

The next questions ask about your household's accommodation, living conditions, access to services and whether the household is likely to stay in the accommodation.

(1) Press <Enter> to continue.

ASK ALWAYS:

Short

^I OAccomDat^I

 $^{\Lambda}X ^{N}$

Do you have sufficient space for your household's needs?

^I^IC This question covers both living and storage space. A perceived lack of either qualifies as a 'no' answer. 'Sufficient', in this context, means enough to meet the household's needs.

- (1) Yes
- (2) No

ASK ALWAYS:

MCV_2

^I QAccomDat^I

^N

Thinking about the amount of floor space within your accommodation and excluding any floor space in non-habitable cellars or attics (or any shared floor space in communal areas).

Do you know the approximate size of your accommodation in square metres?

^I^IC No's and Don't knows are acceptable answers. If the respondent does not know the answer immediately there is no need to probe any further

- (1) Yes
- (2) No

Ask if: MCV 2 = Yes

MCV_3

^I OAccomDat^I

۸۸

What is the approximate size of your accommodation in square metres?

0..997

```
WARN IF: MCV\_2 = Yes

MCV 3 > 10
```

This seems unlikely to be a valid response. Please enter No in the previous question if respondent does not know.

```
WARN IF: MCV_2 = Yes
MCV 3 < 500
```

This seems unlikely to be a valid response. Please enter No in the previous question if respondent does not know.

```
Ask if: (MCV 2 = No) OR (MCV 2 = DONTKNOW)
```

MCV_4

^I QAccomDat^I

^N

Do you know the approximate size of your accommodation in square feet?

^I^IC No's and Don't knows are acceptable answers. If the respondent does not know the answer immediately there is no need to probe any further

- (1) Yes
- (2) No

```
Ask if: (MCV\_2 = No) OR (MCV\_2 = DONTKNOW)
AND: MCV\_4 = Yes
```

MCV_5

^I QAccomDat^I

^N

What is the approximate size of your accommodation in square feet?

0..9997

```
Warn IF: (MCV\_2 = No) OR (MCV\_2 = DONTKNOW)
AND: MCV\_4 = Yes
MCV 5 > 100
```

This seems unlikely to be a valid response. Please enter No in the previous question if respondent does not know.

This seems unlikely to be a valid response. Please enter No in the previous question if respondent does not know.

ASK ALWAYS:

ElecIn1

^I QAccomDat^I

^X ^N

Does your household's accommodation have a sufficient number of electrical sockets and light fittings?

- (1) Yes
- (2) No

ASK ALWAYS:

ElecIn2

^I QAccomDat^I

^X ^N

Are the sockets, lights and other fixed electrical equipment in your accommodation in safe working order?

^I^IC 'Yes' applies only when all are viewed as safe and working.

'No' applies when a definite problem is known.

- (1) Yes
- (2) No

ASK ALWAYS:

PlumIn1

^I QAccomDat^I

^X ^N

Does your accommodation have a sufficient number of sinks, baths, showers and toilets?

- (1) Yes
- (2) No

ASK ALWAYS:

PlumIn1b

^I QAccomDat^I

^X ^N

Does your accommodation have sufficient plumbing for appliances, such as a washing machine?

- (1) Yes
- (2) No

ASK ALWAYS:

PlumIn2

^I QAccomDat^I

^X ^N

Are the plumbing and drains in your accommodation in safe working order?

^I^IC 'Yes' applies only when all are viewed as safe and working.

'No' applies when a definite problem is known.

- (1) Yes
- (2) No

ASK ALWAYS:

HeatFa1

^I QAccomDat^I

^N

Is your accommodation centrally heated with radiators in most rooms?

^I^IC This includes electric storage radiators and ducted central heating systems. The heating should be available in most rooms.

- (1) Yes
- (2) No

Ask if: HeatFa1 = No

HeatFa2

^I QAccomDat^I

۸N

(Can I just ask)does your accommodation have fireplaces, log burners, stoves, fixed electric or gas heaters, or any other type of fixed heater?

- (1) Yes
- (2) No

Ask if: HeatFa1 = No AND: HeatFa2 = No

HeatFa3

^I QAccomDat^I

۸N

Do you have any heating at all in your accommodation?

- (1) Yes
- (2) No

ASK ALWAYS:

ComWa

^I QAccomDat^I

^x ^N

Can you keep comfortably warm in your accommodation during winter time?

^I^IC This question is not asking about affordability. Respondents should answer this question with respect to heating sources and whether they are able (if all heating sources are working) to keep comfortably warm in their accommodation during winter time.

- (1) Yes
- (2) Some rooms only
- (3) No

ASK ALWAYS:

ComCo

^I QAccomDat^I

 x N

Can you keep comfortably cool in your accommodation during the summer time?

- (1) Yes
- (2) Some rooms only
- (3) No

ASK ALWAYS:

OvSat

^I QAccomDat^I

^I^IS B1A^I

^x ^n

In general, how satisfied or dissatisfied are you with your household's accommodation?

- (1) Very satisfied
- (2) Satisfied
- (3) Dissatisfied
- (4) Very dissatisfied

ASK ALWAYS:

IntroServ

^I QAccomDat^I

^N

The next questions ask about how easy or difficult it is for your household to access groceries and services, either physically or ordering by telephone or over the internet.

(1) Press <Enter> to continue.

ASK ALWAYS:

GrocSe

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for your household to get groceries which meet your daily needs?

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

ASK ALWAYS:

Bankse

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for your household to access banking services?

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

ASK ALWAYS:

PostSe

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for your household to access postal services?

^i^ic Include postal services provided at sub post offices in newsagents and other shops.

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

ASK ALWAYS:

Pubtr

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for members of your household to use public transport?

^i^ic Public transport includes transport by bus, train, underground, metro, tram or similar

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

ASK ALWAYS:

PrimH

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for members of your household to get to a GP, health centre or Accident and Emergency department?

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

Ask if: ChldCnt > 1

Samesc

^I QAccomDat^I

^n

May I check, do the children in your household all go to the same school?

- (1) Yes
- (2) No

```
Ask if: ChldCnt > 1
AND: Samesc = No
```

School

^I QAccomDat^I

۸n

If no: thinking about the school that is the most difficult to get to...

(1) Press <Enter> to continue.

```
Ask if: ChldCnt > 1
AND: Samesc = No
```

CompSc

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for the child in your household to get to (this) school?

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

```
Ask if: ChldCnt > 1
AND: NOT (Samesc = No)
```

Compsc1

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for the children in your household to get to school?

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

Ask if: ChldCnt = 1

CompSc

^I QAccomDat^I

^I^IS B1B^I

^x ^n

How easy or difficult is it for the child in your household to get to (this) school?

- (1) Very easy
- (2) Easy
- (3) Difficult
- (4) Very difficult

ASK ALWAYS:

Move1

^I QAccomDat^I

^x ^n

Do you think your household may move in the next six months?

- (1) Yes
- (2) No

Ask if: Move1 = Yes

Move2

^I QAccomDat^I

^x ^n

Is your household choosing to move or being forced to move?

- (1) By choice
- (2) Forced to move

```
Ask if: Move1 = Yes
AND: Move2 = Forced
```

MoveReas

^I QAccomDat^I

^I^IS B1C^I

^x ^n

What is the main reason for being forced to move in the next 6 months?

- (1) Notice has been/will be given by the landlord on termination of the contract
- (2) Notice has been/will be given by the landlord in the absence of a formal contract
- (3) Eviction
- (4) Financial reasons
- (5) Other reason

ASK ALWAYS:

MainAcc

^I QAccomDat^I

۸I

Note that this is accommodation occupied by the household. If the household occupies a flat in a converted house, code as a flat.

- (1) ^N a house or bungalow
- (2) ^N a flat or maisonette
- (3) ^N a room or rooms
- (4) ^N or something else?

```
Ask if: OrgID <> NatCen
Shelter
     ^I QAccomDat^I
     ^N
     Is this sheltered accommodation?^N
     ^I^IC Housing with a warden and/or alarms.
     (1)
            Yes
     (2)
            No
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
Detach := (N + 'detached' + N)
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
SemiDetach := (N + 'semi-detached' + N)
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
Terrace := (N + 'or terraced/end of terrace?' + N)
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
PurposeBuilt := ''
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
ConvertedHouse := ''
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
MobileHome := ''
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
OtherKind := ''
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = House
Accommodation := 'the house or bungalow'
```

```
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
    AND: MainAcc = Flat
Detach := ''
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
    AND: MainAcc = Flat
SemiDetach := ''
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
    AND: MainAcc = Flat
Terrace := ''
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = Flat
PurposeBuilt := (N + 'a purpose-built block' + N)
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = Flat
ConvertedHouse := (N + 'or a converted house/some other kind
of building?' + N)
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = Flat
MobileHome := ''
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = Flat
OtherKind := ''
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: MainAcc = Flat
Accommodation := 'the flat/maisonette'
COMPUTE IF: OrgID <> NatCen
    AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
Detach := ''
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
SemiDetach := ''
```

```
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
Terrace := ''
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
PurposeBuilt := ''
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
ConvertedHouse := ''
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
MobileHome := (N + 'a caravan, mobile home or houseboat' + N)
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
OtherKind := (N + 'or some other kind of accommodation?' + N)
COMPUTE IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: NOT (MainAcc = Flat)
Accommodation := 'the accommodation'
Ask if: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
TypeAcc
     ^I QAccomDat^I
     Houses which are joined only by a garage (link-detached) should be coded detached.
             ^Detach
     (1)
             ^SemiDetach
     (2)
     (3)
             ^Terrace
     (4)
             ^PurposeBuilt
     (5)
             ^ConvertedHouse
     (6)
             ^MobileHome
     (7)
            ^OtherKind
CHECK IF: OrgID <> NatCen
     AND: MainAcc IN [House .. Flat, Other]
     AND: TypeAcc = RESPONSE
     (((IN(TypeAcc,[???])) AND (MainAcc = House)) OR
     ((IN(TypeAcc,[???,???])) AND (MainAcc = Flat))) OR ((MainAcc = Other)
     AND (IN(TypeAcc, [???])))
     ^I^IC This code is not valid for this accommodation.
```

```
CHECK IF: OrgID <> NatCen
AND: MainAcc IN [House .. Flat, Other]
AND: TypeAcc IN [Detached .. Purpose]
(SubLet <> Yes) AND INVOLVING(MainAcc)

^I
    ^IC As part of this accommodation is sub-let, this household cannot be coded as occupying a whole house, flat etc.
Use another code at MainAcc instead.
```

Ask if: MainAcc = Flat

DwellNo

^I QAccomDat^I

^N

Is the flat or maisonette...^N

^I^IC A building is an independent structure with one or more dwellings enclosed by a roof and external walls. Each house in a row of terraced houses counts as one building. Flats with more than one entrance count as one building only if all flats are accessible from each entrance.

- (1) In a building with less than 10 dwellings
- (2) Or in a building with 10 or more dwellings?

```
Ask if: OrgID <> NatCen
AND: (TypeAcc IN [Purpose, Converted]) OR (MainAcc = Rooms)
```

Floor

^I QAccomDat^I

^N

What is the floor level of this household's accommodation?

- (1) Basement/semi-basement
- (2) Ground floor/street level
- (3) 1st floor (floor above street level)
- (4) 2nd floor
- (5) 3rd floor
- (6) 4th Floor
- (7) 5th to 9th floor
- (8) 10th floor or higher
- (9) Don't Know

Ask if: OrgID <> NatCen

Entry

^I QAccomDat^I

^N

Are there any physical barriers to entry to the house/flat/accommodation?

^I^IC Code all that apply

SET [6] OF

- (1) No physical impediments or barriers
- (2) Locked common entrance
- (3) Locked gates
- (4) Security staff, concierge or other gatekeeper
- (5) Entry phone access, intercom
- (6) Guard dog/patrol animal
- (7) Warden controlled

```
CHECK IF: OrgID <> NatCen
      AND: None IN Entry
      Entry.CARDINAL = 1
      'None' is an exclusive code.
ASK ALWAYS:
YearWhc
      ^I QAccomDat^I
      ^N
      In which year did you^N^I, (that is ^PHRPName), ^I^N first start living at this address?^N ^I
      ENTER YEAR
      1900..2097
CHECK IF: YearWhc = RESPONSE
      YearWhc <= LYear
      You've entered a future date!
WARN IF: QDataBaq.SampMnth IN [4 .. 12]
      YearWhc <> LYear
      You've entered a future date!
Ask if: YearWhc = DONTKNOW
YearLive
      ^I QAccomDat^I
      For how many years have you^N^I, (that is ^PHRPName), ^I^N lived at this address?^N
      ^I^IC Probe to classify.
               Less than 12 months
      (1)
      (2)
               12 months but less than 2 years
      (3)
               2 years but less than 3 years
      (4)
               3 years but less than 5 years
      (5)
               5 years but less than 10 years
               10 years but less than 20 years
      (6)
      (7)
               20 years or longer
Ask if: ((YearWhc = FYear) OR (YearWhc = LYear)) OR (YearLive = Less12m)
MonLive
      ^I QAccomDat^I
      For how many months have you^N^I, (that is ^PHRPName), ^I^N lived at this address?^N
      ^I^IC Enter number of months, to nearest whole month.
      0..97
```

Ask IF: (YearWhc = 2008) OR (YearLive = Fr3yr)

YrLvChk

^I QAccomDat^I

^N

Can I just check, did you move to this address on or after 7th April 2008?

- (1) Yes on or after 7th April 2008
- (2) No before 7th April 2008

Compute if: NewBU = 1

HHStat := Conv

Ask if: NOT (NewBU = 1)

HHStat

^I QAccomDat^I

^I^IC Classify this household as one of the following:

NOTE: *B Conventional Households *B include:

- tenure is owner occupier and a 2nd or 3rd benefit unit is paying rent
- tenure is rent free but 2nd or 3rd BU receives Housing Benefit
- 2rd or 3rd BU members paying rent to the householder(s) in BU1 are also named as householders (this is similar to part owned/part rented tenure)
- (1) Conventional household: ie. single person or couple with other family and/or boarder(s) and/or lodger(s)
- (2) 'Shared' household arrangements: identity of HRP is unclear or arbitrary eg. students, nurses, unrelated adults etc, sharing ON EQUAL BASIS

RECORD ALWAYS:

AnyVeh

^I QAccomDat^I

^N

Do you at present own or have continuous use of any motor vehicles?

- (1) Yes
- (2) No

RECORD ALWAYS:

VehNumb

^I QAccomDat^I Number of vehicles.

0..8

RECORD ALWAYS:

AdultH

^I QAccomDat^I

Actual number of adults in household.

0..14

RECORD ALWAYS:

DepChldH

^I QAccomDat^I

Actual number of children in household.

0 14

RECORD ALWAYS:

DatYrAgo

^I QAccomDat^I Date one year ago

DATE

RECORD ALWAYS:

BenUnits

^I QAccomDat^I

Actual number of Benefit Units in household.

0..7

RECORD ALWAYS:

Dentist

^I QAccomDat^I

Anyone having NHS visits to the dentist?

- (1) Yes
- (2) No

RECORD ALWAYS:

EyeTest

^I QAccomDat^I

Anyone having NHS eyetests?

- (1) Yes
- (2) No

RECORD ALWAYS:

Specs

^I QAccomDat^I

Anyone having NHS glasses/lenses?

- (1) Yes
- (2) No

RECORD ALWAYS:

Hospital

^I QAccomDat^I

Anyone having NHS hospital treatment?

- (1) Yes
- (2) No

RECORD ALWAYS:

Pres

^I QAccomDat^I

Anyone having NHS prescriptions?

- (1) Yes
- (2) No

RECORD ALWAYS:

HStart

^I QAccomDat^I

Anyone having Healthy Start Vouchers?

- (1) Yes
- (2) No

RECORD ALWAYS:

SchMeal

^I QAccomDat^I

Anyone having school meals?

- (1) Yes
- (2) No

RECORD ALWAYS:

SchMilk

^I QAccomDat^I

Anyone having school milk?

- (1) Yes
- (2) No

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

Block: FRS1207A.QAccomdat

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

COMPUTE IF: QAccomdat.HHStat = Shared
AND: In loop FOR Loop1 := 1 TO NewBU

BUHBElig[Loop1] := Yes

COMPUTE ALWAYS:

QAccomdat.AdultH := AllAd

COMPUTE ALWAYS:

QAccomdat.DepChldH := AllCh

COMPUTE ALWAYS:

QAccomdat.DatYrAgo := DLYear

COMPUTE ALWAYS:

QAccomdat.BenUnits := NewBU

Block: FRS1207A.QRenting

FRS1207A.QRenting

Questions about renters

Ask IF: QAccomdat. Tenure IN [Part .. Squatting]

Landlord

^I QRenting^I

^]

If property is let through a letting agent or estate agent, the question refers to the owner not the agent, so please probe to try to find out who actually owns the property.

If the respondent does not know who the landlord is, use code 7 (other private individual) rather than coding 'Don't know'.

Code 1 (^LANIHE) includes people renting from Housing Action Trusts.

Code 2 (housing association etc.) includes Registered Social Landlords. Nearly all housing associations are now Registered Social Landlords but continue to be known as housing associations.

- (1) ^Council 1
- (2) A housing association, charitable trust or Local Housing Company
- (3) Employer (organisation) of a household member
- (4) Another organisation
- (5) Relative/friend (before you lived here) of household member
- (6) Employer (individual) of a household member
- (7) Another individual, private landlord or Letting Agency

RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]

LLEx

```
^I QRenting^I

^I^IC ^KeyTxt

^SuppTxt
```

OPEN

```
Warn IF: QAccomdat.Tenure IN [Part .. Squatting]
   And: Edit = No
   And: Landlord = NONRESPONSE
   ERROR

^I^IC ^KeyTxt
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
AND: Edit = No
AND: Landlord = NONRESPONSE
```

LLEx

```
^I QRenting^I
^I^IC ^KeyTxt
^SuppTxt
OPEN
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord = Council
Allowance := 'Rebate'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (Landlord = Council)
Allowance := 'Allowance'
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
Furnish
      ^I QRenting^I
      Is this accomodation provided...
      ^N
     ^I...Running prompt...
              ^N furnished,^N
      (1)
               ^N partly furnished (eg. curtains and carpets only),^N
      (2)
     (3)
               ^N or unfurnished?^N
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
ResLL
      ^I QRenting^I
      ^N
     Does the landlord live in the building?
               Yes
      (1)
      (2)
              No
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
      AND: (ResLL = Yes) AND (QAccomdat.TypeAcc = Purpose)
ResLL2
      ^I QRenting^I
      Does the landlord live in the same flat as you or not
               Yes
      (1)
      (2)
              No
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: (ResLL = No) OR (ResLL2 = No)
     AND: OrgID <> NISRA
YStart
     ^I QRenting^I
     ۸I
     Ask or record^I
     ^N
     In which year did you first become a tenant of this accommodation?^N
     ^I^IC 'You'=Person(s) named at 'Hhldr', that is... ^RentName.
     (1)
              1988 or earlier
     (2)
              From 1989 to February 1997
     (3)
              March 1997 or later
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: (ResLL = No) OR (ResLL2 = No)
     AND: NOT (OrgID <> NISRA)
NIYstart
     ^I QRenting^I
     ^I^IC Ask or record^I
     In which year did you first become a tenant of this accommodation?^N
     ^I^IC 'You'=Person(s) named AT 'Hhldr', that is... ^RentName.
     (1)
              31 March 2007 or earlier
     (2)
              1 April 2007 or later
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: (ResLL = No) OR (ResLL2 = No)
     AND: ((OrgID <> NISRA) AND (YStart IN [ToFeb97 .. AftMar97])) OR
     ((OrgID = NISRA) AND (NIYstart = Aft1979))
Ctract
     ^I QRenting^I
     When you started to rent this accommodation ^N^I...Running prompt...
              ^N...did you and the landlord sign a written agreement,
     (1)
     (2)
              ^N...did you have a written agreement which you didn't sign,
     (3)
              ^N...or did you just have an unwritten agreement?
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: OrgID = NISRA
various := 'various'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: NOT (OrgID = NISRA)
various := 'various other'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: OrgID <> NISRA
     AND: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 =
     EMPTY OR (ResLL2 = Yes)))
     AND: Country = Scotland
AssuredSH := 'Short Assured'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: OrgID <> NISRA
     AND: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 =
     EMPTY OR (ResLL2 = Yes)))
     AND: NOT (Country = Scotland)
AssuredSH := 'Assured Shorthold'
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: OrgID <> NISRA
     AND: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 =
     EMPTY \ OR \ (ResLL2 = Yes)))
TenType
     ^I QRenting^I
     ^I^IS B3^I
      ^N
     Can you tell me what kind of tenancy you have?^N
     ^I^IC If tenancy type written on contract/notice ask respondent to read out.
              ^AssuredSH
     (1)
     (2)
              Assured
     (3)
              Regulated (tenancy must have started in 1988 or earlier)
     (4)
              Resident landlord
     (5)
              Let by educational institution
              Other type of let
     (6)
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord IN [FrndRel .. OthIndiv]
     AND: OrgID <> NISRA
     AND: (YStart IN [ToFeb97 .. AftMar97]) OR ((ResLL = Yes) AND (ResLL2 =
     EMPTY OR (ResLL2 = Yes)))
     AND: TenType = OthLet
OthType
     ^I QRenting^I
     ^I^IS B4^I
      ^N
     There are 'various ways in which landlords can let accommodation. Will you please look at this card and
     tell me if the letting is one of these?
              Crown tenancy/licence (includes H.M Forces)
     (1)
     (2)
              Service occupancy (excludes H.M. Forces)
     (3)
              Business or agricultural tenancy
     (4)
              Assured agricultural occupancy
     (5)
              Asylum seeker let (issued by National Asylum Support Service NASS)
     (6)
              Holiday let
```

Other type of let

(7)

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: NOT (OrgID <> NISRA)
```

OthType

^I QRenting^I

^I^IS B4^I

^N

There are 'various ways in which landlords can let accommodation. Will you please look at this card and tell me if the letting is one of these?

- (1) Crown tenancy/licence (includes H.M Forces)
- (2) Service occupancy (excludes H.M. Forces)
- (3) Business or agricultural tenancy
- (4) Assured agricultural occupancy
- (5) Asylum seeker let (issued by National Asylum Support Service NASS)
- (6) Holiday let
- (7) Other type of let

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: Ctract IN [Signed .. NotSign]

AND: ((((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart = ToFeb97)) OR (((Country = Scotland) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 .. AftMar97]))) OR (((OrgID = NISRA) AND (ResLL2 <> Yes)) AND (NIYstart = Aft1979))

AND: OrgID = NISRA
```

Assured := 'a Protected'

```
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
   And: Landlord IN [FrndRel .. OthIndiv]
   And: Ctract IN [Signed .. NotSign]
   And: (((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart =
   ToFeb97)) OR (((Country = Scotland) AND (ResLL2 <> Yes)) AND (YStart
   IN [ToFeb97 .. AftMar97]))) OR (((OrgID = NISRA) AND (ResLL2 <> Yes))
   AND (NIYstart = Aft1979))
  And: OrgID = NISRA
```

Tenancy := 'a Protected Shorthold Tenancy'

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: Ctract IN [Signed .. NotSign]

AND: (((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart = ToFeb97)) OR (((Country = Scotland) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 .. AftMar97]))) OR (((OrgID = NISRA) AND (ResLL2 <> Yes)) AND (NIYstart = Aft1979))

AND: OrgID = NISRA
```

Shorthold := 'a Protected Shorthold'

```
Compute if: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: Ctract IN [Signed .. NotSign]

AND: (((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart = ToFeb97)) OR (((Country = Scotland) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 .. AftMar97]))) OR (((OrgID = NISRA) AND (ResLL2 <> Yes)) AND (NIYstart = Aft1979))

AND: NOT (OrgID = NISRA)
```

Assured := 'an Assured'

```
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
   AND: Landlord IN [FrndRel .. OthIndiv]
   AND: Ctract IN [Signed .. NotSign]
   AND: (((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart =
   ToFeb97)) OR (((Country = Scotland) AND (ResLL2 <> Yes)) AND (YStart
   IN [ToFeb97 .. AftMar97]))) OR (((OrgID = NISRA) AND (ResLL2 <> Yes))
   AND (NIYstart = Aft1979))
  AND: NOT (OrgID = NISRA)
```

Tenancy := 'for an Assured Shorthold Tenancy'

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: Ctract IN [Signed .. NotSign]

AND: (((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart = ToFeb97)) OR (((Country = Scotland) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 .. AftMar97]))) OR (((OrgID = NISRA) AND (ResLL2 <> Yes)) AND (NIYstart = Aft1979))

AND: NOT (OrgID = NISRA)
```

Shorthold := 'an Assured Shorthold'

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: Ctract IN [Signed .. NotSign]
AND: (((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart = ToFeb97)) OR (((Country = Scotland) AND (ResLL2 <> Yes)) AND (YStart IN [ToFeb97 .. AftMar97]))) OR (((OrgID = NISRA) AND (ResLL2 <> Yes)) AND (NIYstart = Aft1979))
AND: OrgID <> NISRA
AND: TenType = NONRESPONSE OR OthType = NONRESPONSE
```

Short1

```
^I QRenting^I
```

^N

There is a form of tenancy called ^Assured Shorthold. It had to be initially for a fixed period and you had to be given a special notice in writing by the landlord that told you it was ^Tenancy. Here is an example of a notice to a tenant saying that the tenancy is ^Shorthold.

^I^IC SHOW EXAMPLE OF NOTICE.^I

^N

Does your notice state that it is ^Assured Shorthold or not?

- (1) Yes, an Assured Shorthold
- (2) Other agreement

```
Ask IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: Ctract IN [Signed .. NotSign]
AND: ((OrgID <> NISRA) AND (Country <> Scotland)) AND (YStart = AftMar97)
AND: TenType = NONRESPONSE OR OthType = NONRESPONSE
```

Short2

```
^I QRenting^I
```

۸N

Most tenancies are Assured Shortholds. There are others, just called 'Assured'. For these you have to be given a notice, in writing by the landlord, that tells you it is NOT an Assured Shorthold agreement. N

```
^I^IC SHOW EXAMPLE OF NOTICE.^I
```

 N

Does your agreement or notice state that it is NOT an Assured Shorthold?^N

^I^IC The law changed in March 1997 to the effect that by default all tenancy agreements are assured shortholds, unless the landlord gave written notice to the contrary.

- (1) Not an Assured Shorthold
- (2) No, other agreement

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: ((((Country <> Scotland) AND (YStart = Bef1988)) AND ((ResLL = No))

OR (ResLL2 = No)))) OR ((Country = Scotland) AND ((ResLL = No)) OR

(ResLL2 = No)))) OR ((OrgID = NISRA) AND ((ResLL = No)) OR (ResLL2 = No)))

AND: OrgID = NISRA
```

assessed := 'assessed'

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: ((((Country <> Scotland) AND (YStart = Bef1988)) AND ((ResLL = No))

OR (ResLL2 = No)))) OR ((Country = Scotland) AND ((ResLL = No)) OR

(ResLL2 = No)))) OR ((OrgID = NISRA) AND ((ResLL = No)) OR (ResLL2 = No)))

AND: OrgID = NISRA
```

rent_officer := ('rent officer for Northern Ireland who will
set up an independent ' + 'committee to assess and fix an
appropriate rent')

```
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
And: Landlord IN [FrndRel .. OthIndiv]
And: ((((Country <> Scotland) AND (YStart = Bef1988)) AND ((ResLL = No))
OR (ResLL2 = No))) OR ((Country = Scotland) AND ((ResLL = No) OR
(ResLL2 = No)))) OR ((OrgID = NISRA) AND ((ResLL = No) OR (ResLL2 = No)))
And: NOT (OrgID = NISRA)
```

assessed := 'registered'

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: Landlord IN [FrndRel .. OthIndiv]
AND: ((((Country <> Scotland) AND (YStart = Bef1988)) AND ((ResLL = No))
OR (ResLL2 = No))) OR ((Country = Scotland) AND ((ResLL = No) OR
(ResLL2 = No)))) OR ((OrgID = NISRA) AND ((ResLL = No) OR (ResLL2 = No)))
AND: NOT (OrgID = NISRA)
```

rent_officer := ('local rent officer or rent assessment
committee to decide on a ' + 'fair rent which is then
registered')

```
Ask IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: Landlord IN [FrndRel .. OthIndiv]

AND: ((((Country <> Scotland) AND (YStart = Bef1988)) AND ((ResLL = No))

OR (ResLL2 = No))) OR ((Country = Scotland) AND ((ResLL = No) OR

(ResLL2 = No)))) OR ((OrgID = NISRA) AND ((ResLL = No) OR (ResLL2 = No)))
```

FairRent

^I QRenting^I

۸N

Has the rent been registered by the local rent officer or rent committee?

- (1) Yes
- (2) No

Ask if: QAccomdat. Tenure IN [Part .. Squatting]

AccJob

^I QRenting^I

۸Ν

Does this accommodation go with the job (past or present) of anyone in your household?

- (1) Yes
- (2) No

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccJob = Yes
Acc.IbPer
     ^I QRenting^I
     ^N
     Who is that?^N
     ^I^IC Code all that apply.
     SET [14] OF
     (1)
             ^DMName[1]
     (2)
             ^DMName[2]
     (3)
             ^DMName[3]
     (4)
             ^DMName[4]
     (5)
             ^DMName[5]
     (6)
             ^DMName[6]
            ^DMName[7]
     (7)
     (8)
            ^DMName[8]
            ^DMName[9]
     (9)
            ^DMName[10]
     (10)
     (11)
            ^DMName[11]
     (12)
            ^DMName[12]
     (13)
            ^DMName[13]
     (14)
            ^DMName[14]
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccJob = Yes
     AND: In loop FOR Index := 1 TO 14
     AND: Index IN AccJbPer
     PRec[].Depend[Index] = Adult
     Code 'Index is not valid for this question.
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: QAccomdat.HHStat = Shared
es_household := (' you, that is, just ' + B + HRPNames + B +
', T)
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: QAccomdat.HHStat = Shared
IsAre := 'Are'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (QAccomdat.HHStat = Shared)
es household := 'es your household'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (QAccomdat.HHStat = Shared)
IsAre := 'Is'
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
```

RentDoc

^I QRenting^I

^N

Do you have a rent book, rent card, Housing Benefit (or Local Housing Allowance) statement or some other rent document that you could consult?^N

^I^IC If HB statement available please consult this.

- (1) Housing Benefit (or Local Housing Allowance) Statement
- (2) Some other document
- (3) None

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
AND: RentDoc IN [HBStmt, Oth]
```

Consult the document := 'Please consult the document.'

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
AND: NOT (RentDoc IN [HBStmt, Oth])
```

Consult_the_document := ''

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
```

Rent

^I QRenting^I

۸Ι

If in arrears, enter amount last paid but open a Note and give the date of payment (and say if an extra amount is included to pay towards the arrears).

If 100% rent rebate/HB is received and water/sewerage rates and other services etc are^B not^B included in the rent, then the amount at 'Rent' should be zero. But if water, etc rates ARE included in the rent, then the amount paid for these rates should be entered at the question 'Rent'.

If rent includes an element for the business part of the property (eg. a shop beneath a flat), and the amount for the residential part cannot be determined, enter 'DK' at 'Rent'.

0.00..999997.00

```
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
```

RentEx

^I QRenting^I

^I^IC ^KeyTxt

^SuppTxt

OPEN

```
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
      AND: Edit = No
      AND: Rent = NONRESPONSE
      ERROR
      ^I^IC ^KeyTxt
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: PTenure IN [Rents, Part]
      AND: Edit = No
      AND: Rent = NONRESPONSE
RentEx
      ^I QRenting^I
      ^I^IC ^KeyTxt
      ^SuppTxt
      OPEN
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTenure IN [Rents, Part]
      AND: Rent > 0
RentPx
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: PTenure IN [Rents, Part]
      AND: Rent > 0
RentPd
      ^I QRenting^I
      ^N
      How long does this cover?
               One week
      (1)
      (2)
               Two weeks
               Three weeks
      (3)
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
      (8)
               Eight times a year
               Nine times a year
      (9)
               Ten times a year
      (10)
               Three months/13 weeks
      (13)
               Six months/26 weeks
      (26)
      (52)
               One Year/12 months/52 weeks
               Less than one week
      (90)
      (95)
               One off/lump sum
      (97)
               None of these ^I(Explain in a note)
```

```
ASK IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTENURE IN [Rents, Part]
AND: Rent > 0
AND: RentPd = Note

RentPx

^I QRenting^I

^I^IC ^Pd97Txt

OPEN

WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
AND: PTENURE IN [Rents, Part]
AND: Rent > 0
AND: Edit = Yes
RentPd <> Note

^I
Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QRenting.Weekly()

```
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[1] := 1
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[4] := 4
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
     AND: Rent > 0
PdConW[10] := 5.2
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[26] := 26
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: PTenure IN [Rents, Part]
    AND: Rent > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
     AND: RentPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
RentWkly := LWeekly1
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
     AND: RentPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
     AND: Landlord = Council
     (RentWkly < 101) AND INVOLVING(RentPd, Rent)
     This comes to £^RentWkly a week.
     Rents for Council tenants are normally below £100 a week.
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent > 0
     AND: RentPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
     AND: Edit = No
     ((RentWkly < 151) OR (Landlord = Council)) AND INVOLVING(RentPd, Rent)
     Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent = REFUSAL
HMissVar := (HMissVar + 1)
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent = DONTKNOW
RentDK
     ^I QRenting^I
     ^I^IC@|Is this 'don't know' because rent is partly for^B business^B,
     @|@|and you cannot establish a separate amount for the B domestic B accommodation?
     (1)
             Yes (Please give full details in a Note)
     (2)
             No
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: PTenure IN [Rents, Part]
     AND: Rent = DONTKNOW
     AND: RentDK <> Yes
HMissVar := (HMissVar + 1)
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Rent <> EMPTY
RentHol
     ^I QRenting^I
     ^N
     Do you have a rent holiday?^N
     ^I^IC Some people know this as 'Rent free week(s)'.
     (1)
             Yes
     (2)
             No
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Rent <> EMPTY
     AND: RentHol = Yes
WeekHol
     ^I QRenting^I
     For how many weeks of the year do you have a rent holiday?
     1..52
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Rent <> EMPTY
     AND: RentHol = Yes
     WeekHol <= 8
     ۸Ţ
     Rent holidays do not normally exceed 8 weeks per year.
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord = Council
allowed := 'allowed'
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Landlord = Council
directly := ''
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: NOT (Landlord = Council)
allowed := 'receiving'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (Landlord = Council)
directly := ', either directly or by having it paid to your
landlord'
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
```

HBenefit

```
^I QRenting^I
```

^N

Are you 'allowed Housing Benefit (or Local Housing Allowance) or Rent 'Allowance, to help with paying your rent'directly?

- (1) Yes
- (2) No

```
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
```

HBenEx

```
^I QRenting^I
```

^I^IC ^KeyTxt

^SuppTxt

OPEN

```
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
```

AND: Edit = No

AND: HBenefit = NONRESPONSE

ERROR

^I^IC ^KeyTxt

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
```

AND: Edit = No

AND: HBenefit = NONRESPONSE

HBenEx

```
^I QRenting^I
```

^I^IC ^KeyTxt

^SuppTxt

OPEN

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
AND: HBenefit = Yes
```

HBRecp

^I QRenting^I

۸۱

A split payment might occur when an LHA customer is entitled to an excess above their contractual rent but they are classed as vulnerable, the rent will be paid to the landlord but the excess will still be paid to the customer.

- (1) Directly to recipient of Housing Benefit (or Local Housing Allowance) or Rent ^Allowance (i.e. the respondent or an appointee)
- (2) Directly to landlord / property agent
- (3) Split payment (i.e. payment directly to landlord and just the excess of rent and housing benefit (or Local Housing Allowance) to respondent)

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: ((Rent = 0) AND (Rent = RESPONSE)) AND (HBenefit = Yes)
Rebate
     ^I QRenting^I
     ^N
     You said that you paid no rent last time, is that because you get 100% Housing Benefit?
     (1)
             Yes
     (2)
             No
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: ((Rent = 0) AND (Rent = RESPONSE)) AND ((HBenefit = No) OR (Rebate
RebateO
     ^I QRenting^I
     Can I just check, what is the reason for your paying no rent last time?
     STRING[60]
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HHSize > 1
you all := 'you and the other members of your household'
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: NOT (HHSize > 1)
you all := 'you'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
NCDVIB := (NCDVIB + 1)
ASK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
HBenAmt
     ^I QRenting^I
     How much Housing Benefit (or Local Housing Allowance)/ rent rebate/ allowance are ^you_all
     allowed?^N
     ^I^IC Some respondents may receive more housing benefit than the amount of their rent.
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBenAmt > 0
HBenPx
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBenAmt > 0
HBenPd
      ^I QRenting^I
      ^N
      How long does this cover?
      (1)
               One week
      (2)
               Two weeks
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
               Eight times a year
      (8)
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
      (26)
               Six months/26 weeks
      (52)
               One Year/12 months/52 weeks
      (90)
               Less than one week
      (95)
               One off/lump sum
               None of these ^I(Explain in a note)
      (97)
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBenAmt > 0
      AND: HBenPd = Note
HBenPx
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBenAmt > 0
      AND: Edit = Yes
     HBenPd <> Note
      ^Ţ
      Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QRenting.Weekly()

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
PdConW[10] := 5.2
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: HBenAmt > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: HBenAmt > 0
AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: HBenAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
     AND: HBenPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
HBenWkly := LWeekly1
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
     AND: HBenPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
     AND: Edit = No
     (HBenWkly < 200) AND INVOLVING(HBenPd, HBenAmt)
     Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
     AND: HBenPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
     AND: Edit = Yes
     AND: (HBenWkly = RentWkly) OR (Rent = HBenAmt)
     ERROR AND INVOLVING(Rent, HBenAmt)
     Editor: The respondent has given exactly the same figure for rent and housing benefit.
     Please check that there is no double counting.
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBenAmt > 0
     AND: Rent > 0
HBenChk
     ^I QRenting^I
     Can I just check, is the amount of £^rent for rent that you mentioned earlier, BEFORE or AFTER taking
     off the Housing Benefit (or Local Housing Allowance)?
     (1)
              Before
     (2)
              After
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: (HBenWkly >= 0) AND (RentWkly >= 0)
     AND: HBenChk = Aftr
RentHBWk := (RentWkly + HBenWkly)
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: (HBenWkly >= 0) AND (RentWkly >= 0)
     AND: HBenChk = Aftr
```

RentHB := (Rent + HBenAmt)

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: (HBenWkly >= 0) AND (RentWkly >= 0)
     AND: NOT (HBenChk = Aftr)
RentHBWk := RentWkly
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: (HBenWkly >= 0) AND (RentWkly >= 0)
     AND: NOT (HBenChk = Aftr)
RentHB := Rent
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: (HBenAmt = DONTKNOW) AND ((Rent = DONTKNOW) OR (Rent > 0))
RentFull
     ^I QRenting^I
     How much is your FULL rent - that is, BEFORE Housing Benefit or Rent ^Allowance?
     0.00..999997.00
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentFull > 0
RentPx1
     ^I QRenting^I
     ^I^IC ^Pd97Txt
     OPEN
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentFull > 0
RentPd1
     ^I QRenting^I
     ^N
     How long does this cover?
              One week
     (1)
     (2)
              Two weeks
     (3)
              Three weeks
     (4)
              Four weeks
     (5)
              Calendar month
              Two Calendar months
     (7)
     (8)
              Eight times a year
     (9)
              Nine times a year
     (10)
              Ten times a year
     (13)
              Three months/13 weeks
     (26)
              Six months/26 weeks
     (52)
              One Year/12 months/52 weeks
     (90)
              Less than one week
     (95)
              One off/lump sum
     (97)
              None of these ^I(Explain in a note)
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: RentFull > 0
      AND: RentPd1 = Note
RentPx1
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: RentFull > 0
      AND: Edit = Yes
      RentPd1 <> Note
      Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
HBWeeks
      ^I QRenting^I
      For how long have you been on Housing Benefit (or Local Housing Allowance) or Rent ^Allowance this
      ^I^IC Please note that a number of changes of circumstances, not just a change of address could have
      resulted in the break of a claim (for example a partnership forming/dissolving, change in number of
      dependants etc).
      (1)
               Up to 2 years
               2 years but less than 3
      (2)
               3 years but less than 4
      (3)
      (4)
               4 years but less than 5
      (5)
               5 or more years
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBWeeks = Less2Y
HBWeeks2
      ^I QRenting^I
      Please tell me how many weeks you have been on Housing Benefit (or Local Housing Allowance) or
      Rent ^Allowance this time?
      0..997
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: HBWeeks = Less2Y
AND: HBWeeks2 = RESPONSE
      IN(HBWeeks2,[1..104])
      ^I^IC Enter a value between 1 and 104
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBWeeks = Less2Y
HBYear
     ^I QRenting^I
     ^N
     Can I just check, in which year did you begin your B current B Housing Benefit (or Local Housing
     Allowance) claim?
     2010..2013
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBWeeks = Less2Y
     AND: QDataBag.SampMnth IN [4 .. 12]
     HBYear <> LYear
     You've entered a future date!
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBWeeks = Less2Y
     AND: (QSignIn.StartDat = RESPONSE) AND (HBYear = RESPONSE)
     HBYear <= QSignIn.StartDat.YEAR</pre>
     You've entered a future date!
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBWeeks = Less2Y
HBMnth
     ^I QRenting^I
     And which month was that?
     (1)
              January
     (2)
              February
     (3)
              March
     (4)
              April
     (5)
              May
     (6)
              June
     (7)
             July
     (8)
              August
             September
     (9)
     (10)
             October
     (11)
              November
     (12)
              December
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: HBWeeks = Less2Y
     AND: (QSignIn.StartDat = RESPONSE) AND (HBYear = RESPONSE)
     AND: HBMnth IN [January .. December]
     TODATE(HBYear,ORD(HBMnth),1) <= QSignIn.StartDat</pre>
     You've entered a future date!
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: RentDoc = HBStmt
EligAmt
      ^I QRenting^I
      ^N
      On the (rent book/ card/ statement), what is the amount shown for eligible rent?^N
      ^I^IC This must be the ^B eligible rent ^B (may not be same as the amount of benefit).
      Eligible rent = after deductions.
      1.00..1000.00
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
      AND: RentDoc = HBStmt
      AND: EligAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: RentDoc = HBStmt
      AND: EligAmt > 0
EligPx
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: RentDoc = HBStmt
      AND: EligAmt > 0
EligPd
      ^I QRenting^I
      ^N
      What period does that cover?
               One week
      (1)
      (2)
               Two weeks
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
               Eight times a year
      (8)
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
      (26)
               Six months/26 weeks
      (52)
               One Year/12 months/52 weeks
      (90)
               Less than one week
      (95)
               One off/lump sum
      (97)
               None of these ^I(Explain in a note)
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
      AND: RentDoc = HBStmt
      AND: EligAmt > 0
      AND: EligPd = Note
EligPx
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: HBenefit = Yes
AND: RentDoc = HBStmt
      AND: EligAmt > 0
      AND: Edit = Yes
      EligPd <> Note
      ۸I
      Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QRenting.Weekly()

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: RentDoc = HBStmt
AND: EligAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
PdConW[52] := 52
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: HBenefit = Yes
    AND: RentDoc = HBStmt
    AND: EligAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Block: FRS1207A.QRenting

FRS1207A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
     AND: EligPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
EligWkly := LWeekly1
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = Yes
     AND: RentDoc = HBStmt
     AND: EligAmt > 0
     AND: EligPd IN [OneWeek .. Year]
     AND: LWeekly1 >= 0.01
     AND: Edit = No
      (EligWkly < 200) AND INVOLVING(EligPd, EligAmt)
     Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: HBenefit = No
HBenWait
     ^I QRenting^I
     ^N
     Are you awaiting the outcome of a claim for Housing Benefit (or Local Housing Allowance) - that is,
     either Rent Rebate or Rent Allowance?
              Yes
     (1)
     (2)
              No
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
WSInc
     ^I QRenting^I
     Were water or sewerage charges 'rate included in the rent which you mentioned?'N
     ^I^Consult_the_document
     (1)
              Both water & sewerage
     (2)
              Water only
     (3)
              Sewerage only
     (4)
              Neither
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: WSInc = Both
```

COMBINED AMOUNT := 'Enter combined amount.'

COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]

AND: WSInc = Water

water_sewerage := 'water'

COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]

AND: WSInc = Sewer

water_sewerage := 'sewerage'

Compute if: QAccomdat. Tenure IN [Part .. Squatting]

AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY

AND: (Country <> Scotland) AND (OrgID <> NISRA)

AND: WSInc IN [Both, Water, Sewer]

AND: NOT (WSInc = Sewer)

water sewerage := 'water/sewerage'

FRS1207A.QRenting.PdTxt1()

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]

AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
LInThat := ' in that '
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = OneWeek
PPdTxt := 'one week period'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
     AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = TwoWeek
PPdTxt := 'two week period'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = ThrWeek
PPdTxt := 'three week period'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = Fourweek
PPdTxt := 'four week period'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = Month
PPdTxt := 'calendar month'
```

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = ThrMonth
PPdTxt := 'three month period'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = SixMonth
PPdTxt := 'six month period'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [OneWeek .. Month, ThrMonth .. Year]
      AND: PPeriod = Year
PPdTxt := 'year'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod IN [TwoMonth .. TenYear]
LInThat := ' in those '
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [TwoMonth .. TenYear]
      AND: PPeriod = TwoMonth
PPdTxt := 'two calendar months'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd IN [OneWeek .. LessWeek]
      AND: PPeriod IN [TwoMonth .. TenYear]
      AND: PPeriod = EighYear
PPdTxt := 'eight payments'
```

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek .. LessWeek]
     AND: PPeriod IN [TwoMonth .. TenYear]
     AND: PPeriod = NineYear
PPdTxt := 'nine payments'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek .. LessWeek]
     AND: PPeriod IN [TwoMonth .. TenYear]
     AND: PPeriod = TenYear
PPdTxt := 'ten payments'
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek .. LessWeek]
AND: PPeriod = LessWeek
LInThat := ' in that '
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek .. LessWeek]
     AND: PPeriod = LessWeek
PPdTxt := 'week'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
AND: RentPd IN [OneWeek .. LessWeek]
     AND: NOT (PPeriod = LessWeek)
LInThat := ''
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek .. LessWeek]
     AND: NOT (PPeriod = LessWeek)
PPdTxt := ''
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd IN [OneWeek .. LessWeek]
PPdTxt := (LInThat + PPdTxt)
```

Block: FRS1207A.QRenting

FRS1207A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
AND: NOT (RentPd IN [OneWeek .. LessWeek])
in that period := ''
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
WSIncAmt
      ^I QRenting^I
      ^N
      How much was included for 'water_sewerage 'in_that_period?'N
      ^I^IC ^COMBINED_AMOUNT ^Consult_the_document
      1.00..100.00
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: Rent >= 0
     NOT(WSIncAmt > Rent)
      The amount included in rent for water/sewerage is greater than the rent!
RECORD IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: WSIncAmt > 0
RentPx2
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: WSIncAmt > 0
RentPd2
      ^I QRenting^I
      How long did this cover?
               One week
      (1)
      (2)
               Two weeks
               Three weeks
      (3)
      (4)
               Four weeks
      (5)
               Calendar month
               Two Calendar months
      (7)
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
               Three months/13 weeks
      (13)
               Six months/26 weeks
      (26)
               One Year/12 months/52 weeks
      (52)
      (90)
               Less than one week
      (95)
               One off/lump sum
               None of these ^I(Explain in a note)
      (97)
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: WSIncAmt > 0
      AND: RentPd2 = Note
RentPx2
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: WSIncAmt > 0
      AND: Edit = Yes
      RentPd2 <> Note
      Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A. ORenting. Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[1] := 1
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY AND: (Country <> Scotland) AND (OrgID <> NISRA) AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
```

PdConW[4] := 4

AND: RentPd2 = RESPONSE

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
    AND: (Country <> Scotland) AND (OrgID <> NISRA)
    AND: WSInc IN [Both, Water, Sewer]
    AND: RentPd2 = RESPONSE
```

PdConW[5] := 4.333

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
    AND: (Country <> Scotland) AND (OrgID <> NISRA)
    AND: WSInc IN [Both, Water, Sewer]
    AND: RentPd2 = RESPONSE
```

PdConW[7] := 8.67

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: RentPd2 = RESPONSE
```

PdConW[8] := 6.5

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[9] := 5.78
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[10] := 5.2
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
PdConW[52] := 52
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
     AND: RentPd2 = RESPONSE
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QRenting.Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[1] := 1
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[3] := 3
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
```

AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]

AND: NOT (RentPd2 = RESPONSE)

PdConW[8] := 6.5

```
COMPUTE IF: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[9] := 5.78
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[10] := 5.2
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
PdConW[52] := 52
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
     AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
     AND: NOT (RentPd2 = RESPONSE)
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

Block: FRS1207A.QRenting

FRS1207A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
      AND: (WSIncAmt > 0) AND ((RentPd IN [OneWeek .. Year]) OR (RentPd2 IN
      [OneWeek .. Year]))
      AND: LWeekly1 >= 1
WSIWkly := LWeekly1
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
AND: WSInc IN [Both, Water, Sewer]
      AND: (WSIncAmt > 0) AND ((RentPd IN [OneWeek .. Year]) OR (RentPd2 IN
      [OneWeek .. Year]))
      AND: LWeekly1 >= 1
      AND: Edit = No
      (WSIWkly < 20) AND INVOLVING(WSIncAmt)
      Warning: The answer is much higher than the figures usually given at this question.
      Please check that your figure is correct. If so, suppress warning and continue.
Compute if: QAccomdat.Tenure IN [Part .. Squatting]
AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: (Country <> Scotland) AND (OrgID <> NISRA)
      AND: WSInc IN [Both, Water, Sewer]
      AND: WSIncAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
      AND: Rent <> 0
SerInc
      ^I QRenting^I
      ^I^IS B10^I
      ۸N
      Does the rent which you mentioned include any of the services shown on this card?^N
      ^I^Consult_the_document^I
      ^I^IC Code all that apply.
      SET [8] OF
      (1)
               Heating
      (2)
               Lighting
      (3)
               Hot water
      (4)
               Fuel for cooking
      (5)
               TV licence fees
      (6)
               Electricity
      (7)
      (8)
               Liquid or solid fuel
      (9)
               None of these services
```

```
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: Rent <> 0
     AND: None IN SerInc
     SerInc.CARDINAL = 1
     'None of these' is an exclusive code for this question.
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) AND Rent <> EMPTY
     AND: Rent <> 0
     AND: (SerInc = RESPONSE) AND NOT (None IN SerInc)
SerIncAmt
     ^I QRenting^I
     ۸N
     Thinking of all those services, can you give me an estimate of how much you pay each month for these?
     0.00..99997.00
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: (PTenure IN [Rents, Part]) OR ((PTenure IN [RentFree, Squatting])
     AND (AccJob <> Yes))
AccNonHH
     ^I ORenting^I
     ^N
     (Apart from Housing Benefit (or Local Housing Allowance)) does anyone outside your household pay
     any rent on this accommodation on your behalf?^N
     ^I^IC Exclude Housing Benefit (or Local Housing Allowance) - ie. Rent Rebate or Rent Allowance.
     (1)
              Yes
              No
     (2)
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
AccPay
     ^I QRenting^I
     ^{N}
     Who is that?^N
     ^I^IC Code all that apply.^I
     SET [5] OF
              ^GOVSSA
     (1)
     (2)
              Employer
     (3)
              Other organisation
     (4)
              Friend or relative
     (5)
              Other
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     NOT (IN (GOV, AccPay))
     Are you sure? 'GOV1 only ever pay'B arrears'B of rent. Double-check, that respondent is not thinking
     of Housing Benefit (or Local Housing Allowance).
```

If genuine arrears, suppress this warning.

FRS1207A.QRenting.QAccPay[]

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
Payer[1] := GOV1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
Payer[2] := 'employer'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
Payer[3] := 'other organisation'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
Payer[4] := 'relative or friend'
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
Payer[5] := '
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
LRent := PRent
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
RentSeq := PSeq
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
AccPay := PSeq
```

```
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
AccAmt
     ^I QRenting^I
     How much rent did the 'Payer[AccPay] pay for you last time?
     0.01..999997.00
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
     AND: AccAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
AccPx
     ^I QRenting^I
     ^I^IC ^Pd97Txt
     OPEN
```

```
Ask if: QAccomdat. Tenure IN [Part .. Squatting]
      AND: AccNonHH = Yes
      AND: In loop FOR Index := 1 TO 5
      AND: Index IN AccPay
AND: AccAmt > 0
AccPd
      ^I QRenting^I
      How long did that cover?
      (1)
               One week
               Two weeks
      (2)
               Three weeks
      (3)
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
               Three months/13 weeks
      (13)
      (26)
               Six months/26 weeks
               One Year/12 months/52 weeks
      (52)
               Less than one week
      (90)
      (95)
               One off/lump sum
               None of these ^I(Explain in a note)
      (97)
Ask IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: AccNonHH = Yes
      AND: In loop FOR Index := 1 TO 5
      AND: Index IN AccPay
      AND: AccAmt > 0
      AND: AccPd = Note
AccPx
      ^I QRenting^I
      ^I^IC ^Pd97Txt
      OPEN
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
      AND: AccNonHH = Yes
      AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
      AND: AccAmt > 0
      AND: Edit = Yes
      AccPd <> Note
      Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QRenting.QAccPay[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
    AND: AccAmt > 0
PdConW[3] := 3
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
    AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[5] := 4.333
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[7] := 8.67
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
    AND: AccAmt > 0
PdConW[8] := 6.5
```

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
    AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[13] := 13
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
    AND: Index IN AccPay
     AND: AccAmt > 0
PdConW[26] := 26
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
AND: AccAmt > 0
PdConW[52] := 52
Compute if: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: AccAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
     AND: AccAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QRenting.QAccPay[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]

AND: AccNonHH = Yes

AND: In loop FOR Index := 1 TO 5

AND: Index IN AccPay

AND: AccAmt > 0

AND: AccPd IN [OneWeek .. Year]

AND: LWeekly >= 0.01
```

AccWkly := LWeekly

```
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]

AND: AccNonHH = Yes

AND: In loop FOR Index := 1 TO 5

AND: Index IN AccPay

AND: AccAmt > 0

AND: AccPd IN [OneWeek .. Year]

AND: LWeekly >= 0.01

AND: Edit = No

(AccWkly < 151) AND INVOLVING(AccPd, AccAmt)

^I

Warning: The answer is much higher than the figures usually given at this question.
Please check that your figure is correct. If so, suppress warning and continue.
```

```
Ask if: QAccomdat.Tenure IN [Part .. Squatting]
AND: AccNonHH = Yes
AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
AND: PRent > 0
```

AccChk

^I QRenting^I

^N

Can I just check, is the amount of £^LRent for rent, that you mentioned earlier, BEFORE or AFTER deducting this payment?

- (1) Before
- (2) After

FRS1207A.QRenting (continued)

Questions about renters

```
COMPUTE IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
AND: Index IN AccPay
     AND: ((QAccPay[Index].AccWkly = RESPONSE) AND (RentWkly = RESPONSE))
     AND (QAccPay[Index].AccChk = Befor)
AccC := (AccC + QAccPay[Index].AccWkly)
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     AND: Index IN AccPay
     AND: ((QAccPay[Index].AccWkly = RESPONSE) AND (RentWkly = RESPONSE))
     AND (QAccPay[Index].AccChk = Befor)
     (AccC <= RentWkly) AND
     INVOLVING(QAccPay[Index].AccPd,QAccPay[Index].AccAmt)
     The amount recorded for help with your rent is greater than the rent recorded.
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: AccNonHH = Yes
     AND: In loop FOR Index := 1 TO 5
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
```

```
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Edit = Yes
     AND: Rent = NONRESPONSE OR RentPd = NONRESPONSE
     NOT(IN(Landlord,[???])) AND
     INVOLVING(QAccomdat.Rooms,QAccomdat.TypeAcc)
     Missing information for rent amount or period.
     Follow edit instructions for 'Rent'
CHECK IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: Edit = Yes
     AND: HBenAmt = NONRESPONSE OR (HBenPd = NONRESPONSE AND (HBenefit =
     NOT(IN(Landlord,[???]))
     ۸I
     Missing information FOR Housing Benefit amount and/or period.
     Follow edit instructions for 'Housing Benefit'
```

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     AND: QAccomdat.Tenure = RentFree
     IN(QRenting.Landlord,[???])
     It is very unusual for Local Authority or Housing Association tenants to be living rent-free. Please check
     with respondent. Change 'Tenure' to renting if 100% Housing Benefit received, or somebody else pays the
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Part .. Squatting]
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: In loop FOR Loop1 := 1 TO HHSize
     AND: Loop1 IN QHholder.HHldr
Oldest := (MAX(DMAge[Loop1],Oldest))
```

Block: FRS1207A.OOwner1

FRS1207A.QOwner1

Questions about mortgages

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
BuyYear
     ^I OOwner1^I
     This should be the year B this B property was bought. Even if the respondent states that the current
     mortgage was 'carried over' from a previous property, enter the purchase date for B this B property - not
     the previous one.
     1900..2097
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (POldest > 0)
     BuyYear >= (DLYear.YEAR - POldest)
     This is before the date of birth of the oldest householder. Please check your figures.
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
     RESERVECHECK
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     RESERVECHECK
```

RESERVECHECK

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: BuyYear = RESPONSE
    BuyYear <= LYear</pre>
     You've entered a future date!
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: QDataBaq.SampMnth IN [4 .. 12]
    BuyYear <> LYear
     ۸Τ
     You've entered a future date!
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
YearLive := ORD(QAccomdat.YearLive)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
     AND: YearLive = 4
YearLive := 5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
     AND: YearLive = 5
YearLive := 10
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
     AND: YearLive = 6
YearLive := 20
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[1] := '12 months'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[2] := '2 years'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[3] := '3 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((\overline{P}Tenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[5] := '5 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[10] := '10 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
Time[20] := '20 years'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
MorgYear := (QSignIn.StartDat.YEAR - BuyYear)
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: (BuyYear = RESPONSE) AND (YearLive IN [1 .. 6])
     (YearLive >= MorgYear) AND INVOLVING(QAccomdat.YearLive, BuyYear)
     ۸Ι
     The respondent has lived here for less than 'Time[YearLive], but the 'B mortgage' B started in 'BuyYear
     - ^MorgYear years ago. Please check that BuyYear is when the mortgage on THIS PROPERTY was
     taken out. (If so, suppress & continue)
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
PurcLoan
     ^I QOwner1^I
     ^N
     Can I just check, did you take out one loan to purchase this accommodation, or more than one?
     (1)
     (2)
             Two (or more) loans for purchase
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: PTenure = Part
your share in := ' your share in'
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
PurcAmt
     ^I QOwner1^I
     ^N
     What was the purchase price of your share in your house/flat?
     -99999999.99..999999999.99
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: PurcAmt = RESPONSE
     PurcAmt >= 0
     ^I^IC Please enter a positive amount (>=0)
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: Edit = No
     PurcAmt < 500000
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: (PTenure = Mortgage) OR ((PTenure = Part) AND (QAccomdat.SOBuy =
     StillM))
     AND: PurcAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]

AND: (PTenure = Outright) OR ((PTenure = Part) AND (QAccomdat. SOBuy = Paid))
```

OthMort3

^I QOwner1^I

^N

May I just check, are you currently using ^B this house/flat^B as security for a mortgage or loan of any kind?

- (1) Yes
- (2) No

FRS1207A.QOwner1.QMortgage.M[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: PSeq IN [1 .. 2]
     AND: PPTenure = Part
to_buy_this_house := ' to buy your share in this house/flat'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
    AND: PSeq IN [1 .. 2]
AND: NOT (PPTenure = Part)
to buy this house := ' to buy this house/flat'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: PSeq IN [1 .. 2]
fill := (', in ' + STR(PBuyYear))
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: PSeq = 3
to buy this house := ' for essential repairs'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: PSeq = 1
MORTGAGE := (B + ' main ' + B + ' mortgage
@ for the purchase of this accommodation.')
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: PSeq = 1
INSTRUC := '
@ (Questions about any other, separate mortgage will follow.)'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: PSeq = 2
MORTGAGE := (B + ' second ' + B + ' mortgage
@ for the purchase of this accommodation.')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: PSeq = 2
INSTRUC := '
@ (Questions about any other, separate mortgage will follow.)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: PSeq = 3
MORTGAGE := 'loan for essential repairs'
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
IntroM
     ^I QOwner1^I
     ۸I
     @|The next questions are about the ^MORTGAGE ^INSTRUC
     (1)
            Press <Enter> to continue.
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
```

MortSeq := PSeq

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
AND: PSeq = 2
```

Loan2Y

^I QOwner1^I

^I^IC Check: Do they still have this other mortgage for purchase? (If now repaid, use code 2)

- (1) Yes, still have this mortgage
- (2) No, mortgage has been repaid

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
AND: Loan2Y <> Repaid
AND: PSeq = 3
```

LoanYrRs

^I QOwner1^I

^I^IC You have entered that the respondent took out a second loan on this property before they purchased it.

Please check your answer. You MUST make a note if you suppress this check.

- (1) Passed
- (2) Hard
- (3) Soft
- (4) Suppressed

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PSeq = 3
LoanYrEx
     ^I QOwner1^I
     ^I^IC ^SuppTxt
     OPEN
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PSeq = 3
LoanYear
     ^I QOwner1^I
     ^N
     In which year did you take out this mortgage or loan?
     1900..2097
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PSeq = 3
     AND: LoanYear = RESPONSE
     LoanYear <= LYear
     ۸Ţ
     You've entered a future date!
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PSeq = 3
     AND: QDataBag.SampMnth IN [4 .. 12]
     LoanYear <> LYear
     You've entered a future date!
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
            AND: PurcAmt <> EMPTY
             AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
             Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
             (Repairs IN M[2].OthPur)))
             AND: Loan2Y <> Repaid
             AND: PSeq = 3
             AND: (Edit <> Yes) AND ((LoanYear > 0) AND (BuyYear > 0))
             BuyYear <= LoanYear</pre>
             BuyYear <= LoanYear
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY
             AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
              \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
             (Repairs IN M[2].OthPur)))
             AND: Loan2Y <> Repaid
             AND: PSeq = 3
             AND: (Edit <> Yes) AND ((LoanYear > 0) AND (BuyYear > 0))
             AND: (LoanYrRs = Suppressed) OR LoanYrEx <> EMPTY
LoanYrEx
             ^I OOwner1^I
             ^I^IC ^SuppTxt
             OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY
             AND: In loop FOR ii := 1 TO 3
             AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
             (Repairs IN M[2].OthPur)))
             AND: Loan2Y <> Repaid
LPurcAmt := PPurcAmt
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
             AND: PurcAmt <> EMPTY
            AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = 1)) OR ((PP
             Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
             (Repairs IN M[2].OthPur)))
             AND: Loan2Y <> Repaid
BorAmtRs
             ^I QOwner1^I
             ^I^IC The amount borrowed is more than the purchase price - this is very unusual. Please check your
```

figures and, if necessary, explain in a Note.

- (1) Passed
- (2) Hard
- (3) Soft
- (4) Suppressed

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
BorAmtEx
     ^I QOwner1^I
     ^I^IC ^SuppTxt
     OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
BorrAmt
     ^I OOwner1^I
     ۸Τ
     This should be the B original B amount of this mortgage, as taken out when the property was purchased
     (in 'BuyYear').
     Properties/mortgages partly for business^B: If the amount borrowed includes the purchase of non-
     domestic accommodation or land, eg. a farm, a shop with flat above, try to obtain purchase and mortgage
     details for the domestic element only.
     CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: BorrAmt = RESPONSE
     BorrAmt >= 0
     ^I^IC Please enter a positive amount. Negative amounts (eg. -10) are not allowed.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((Edit <> Yes) AND (BorrAmt > 0)) AND (LPurcAmt > 0)
     BorrAmt <= LPurcAmt
     BorrAmt <= LPurcAmt
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((Edit <> Yes) AND (BorrAmt > 0)) AND (LPurcAmt > 0)
     AND: (BorAmtRs = Suppressed) OR BorAmtEx <> EMPTY
BorAmtEx
     ^I OOwner1^I
     ^I^IC ^SuppTxt
     OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: BorrAmt = RESPONSE
     BorrAmt < 250000
     Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: BorrAmt = RESPONSE
     BorrAmt >= 500
     That seems very low - please check your figures.
```

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: (PSeq = 1) AND (BorrAmt = DONTKNOW)
```

BorAmtDK

^I QOwner1^I

^I^IC Is this 'Don't know' because the^B original^B mortgage was to buy domestic accommodation^B and^B for business purposes, and you cannot get a separate figure for the^B domestic^B part?

- (1) Yes (Please give full details in a Note)
- (2) No

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: BorrAmt = REFUSAL

HMissVar := (HMissVar + 1)

COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
```

```
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: (((PSeq = 1) AND (BorrAmt = DONTKNOW)) AND (BorAmtDK <> Yes)) OR ((PSeq <> 1) AND (BorrAmt = DONTKNOW))
```

HMissVar := (HMissVar + 1)

```
Ask If: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
   AND: Loan2Y <> Repaid
```

RMort

^I QOwner1^I

^I

'Re-mortgage': a new mortgage is taken out and is used to REPAY an existing mortgage on a property. Typically this happens when a new lender offers better terms, eg. a lower rate of interest. The new loan can be bigger than the old one.

'Further advance or top-up': the loan is EXTENDED (eg. from £30,000 to £40,000). But, if there are SEPARATE payments to cover the new sum borrowed, this counts as a separate loan - NOT a further advance/top-up. Separate loans are dealt with later, at 'OthMort1'.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: RMort = Yes
```

RMortYr

^I QOwner1^I

^N

In which year did you take out the most recent re-mortgage/further advance?

1900..2097

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: RMort = Yes

AND: RMortYr = RESPONSE

RMortYr <= LYear

^I

You've entered a future date!
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
     AND: QDataBag.SampMnth IN [4 .. 12]
     RMortYr <> LYear
     ΛΙ
     You've entered a future date!
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
     AND: (RMortYr = RESPONSE) AND (PBuyYear = RESPONSE)
     RMortYr >= PBuyYear
     The first mortgage was taken out in ^PBuyYear, so the re-mortgage can't have been taken out before that.
     Please amend your answers.
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
RMAmt
     ^I QOwner1^I
     What was the total amount of the mortgage, after re-mortgaging/taking out the further advance?^N
     ^I^IC Total should be after all re-mortgages and further advances.
     CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
     AND: RMAmt = RESPONSE
     RMAmt >= 0
```

^I^IC Please enter a positive amount. Negative amounts (eg. -10) are not allowed.

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
     AND: Edit = No
     RMAmt < 250000
     Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
     AND: RMAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
RMPur
     ^I OOwner1^I
     ^I^IS B5^I
      ^N
     Which of these items best describe the reasons why you took out a re-mortgage/ further advance?
     ^Any others?^N
     ^I^IC Code all that apply.
     SET [8] OF
              To make improvements or extensions to this property
     (1)
     (2)
              To help purchase a major item like a car, boat, caravan or second home
     (3)
              To get a better, or fixed, interest rate
     (4)
              In connection with a business
     (5)
              To buy out another person's share in the property
     (6)
              For essential repairs to make the property fit for occupation
     (7)
              To move to a more flexible mortgage
     (8)
              Some other purpose (SPECIFY IN A NOTE.)
```

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
MortTyEx
      ^I QOwner1^I
      ^I^MortTTxt
      ^SuppTxt
      OPEN
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
MortType
      ^I QOwner1^I
      ^I^IS B6^I
      Looking at this card, please tell me which of these options describe your mortgage or loan?'N
      'II'IC If necessary add 'With a repayment mortgage, by repaying the original loan we mean the original
      capital sum borrowed.'
      From April 2008, all PEPs automatically become stocks and shares ISAs. Please record any reported
      PEPs as ISAs.
      (1)
               an ENDOWMENT mortgage
       (where your mortgage payments cover interest only)
               a REPAYMENT mortgage
       (where your mortgage payments cover interest and part of the original loan)
      (3)
               a PENSION mortgage
       (where your mortgage payments cover interest only)
      (4)
               a Unit Trust or ISA mortgage
      (5)
               both an endowment (or other interest only) AND a repayment mortgage
               an interest only mortgage with more than one linked investment
      (6)
       (e.g. pension and unit trust, endowment and ISA)
               an interest only mortgage with NO linked investment
       (e.g. NO endowment, pension or ISA)
               or another type (not listed above)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: MortType = NONRESPONSE
MortTTxt := KeyTxt
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: MortType = NONRESPONSE
     ERROR
     ۸I
     ^MortTTxt
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: MortType = NONRESPONSE
MortTyEx
     ^I OOwner1^I
     ^I^MortTTxt
     ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: MortType = Other
MortTTxt := ('Interviewer: This is a rather unusual sort of
mortgage. Are you sure that it is not covered ' + 'by one of
the codes above? If it is not, please record the title in a
note and answer ' + 'follow-up questions as fully as
possible.')
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: MortType = Other
     ERROR
     ۸I
     ^MortTTxt
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: Edit = No
     AND: MortType = Other
MortTyEx
     ^I QOwner1^I
     ^I^MortTTxt
     ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType = Endow
this_kind_of := 'an endowment'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType = Repay
this kind of := 'a repayment'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType = Pension
this kind of := 'a pension'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
    AND: MortType = UTISA
this kind of := 'a Unit Trust or ISA'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType = EndRep
this kind of := 'an endowment & repayment'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [IntLink, IntNoLnk]
this_kind_of := 'an interest only'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType IN [IntLink, IntNoLnk])
this kind of := 'this kind of'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: MortType IN [Endow, EndRep]
Is the := 'Apart from the endowment I mentioned earlier is
the'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
      AND: NOT (MortType IN [Endow, EndRep])
Is the := 'Is the'
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; ((\textit{Repairs IN M[1].OthPur}) \;\; \textit{OR} \;\; ) 
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: MortType IN [Endow, Pension .. Other]
EndwPrin
      ^I QOwner1^I
      ^I^IS B7^I
      ۸N
      'Is the repayment of the original loan covered by any of the things on this card?'N
      ^I^IC Code all that apply.
      From April 2008, all PEPs automatically become stocks and shares ISAs. Please record any reported
      PEPs as ISAs.
      SET [4] OF
               Current payments into a Pension Plan (pension mortgage)
      (1)
      (2)
               Current payments into an ISA
      (3)
               Current payments into a Unit Trust or Investment Trust scheme
      (4)
               Current payments into any B other B savings/investment scheme
      (5)
               Proceeds of sale from existing house only
               None of the above.
      (6)
```

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: None IN EndwPrin
     EndwPrin.CARDINAL = 1
     ۸Į
     None is an exclusive code for this question.
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     RESERVECHECK
     RESERVECHECK
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
EndwP1Ex
     ^I OOwner1^I
     Please leave a note to describe how the respondent will be repaying their mortgage.
     ^SuppTxt
     OPEN
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
EndwP2Ex
     ^I OOwner1^I
     ^I^EndP2Txt
     ^SuppTxt
     OPEN
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
EndwPTxt := ('This method of capital repayment does not match
the type of mortgage recorded earlier at MortType.' + '
Please resolve, or make a note.')
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: None IN EndwPrin
     AND: NOT (MortType IN [Endow, EndRep])
     ERROR AND INVOLVING (MortType, EndwPrin)
     Please leave a note to describe how the respondent will be repaying their mortgage.
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: None IN EndwPrin
     AND: NOT (MortType IN [Endow, EndRep])
EndwP1Ex
     ^I QOwner1^I
     ۸I
     Please leave a note to describe how the respondent will be repaying their mortgage.
     ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Endow
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
```

EndP2Txt := EndwPTxt

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = Endow
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
     ERROR AND INVOLVING(MortType,EndwPrin)
     ^EndP2Txt
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Endow
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndwP2Ex
     ^I OOwner1^I
     ^I^EndP2Txt
     ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Pension
     AND: (((ISA IN EndwPrin) OR (UnitT IN EndwPrin)) OR (OthSch IN
     EndwPrin)) OR (None IN EndwPrin)
EndP2Txt := EndwPTxt
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: MortType IN [Endow, Pension .. Other]
    AND: Edit = No
AND: MortType = Pension
     AND: (((ISA IN EndwPrin) OR (UnitT IN EndwPrin)) OR (OthSch IN
     EndwPrin)) OR (None IN EndwPrin)
    ERROR AND INVOLVING(MortType,EndwPrin)
     ^EndP2Txt
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
    AND: Edit = No
     AND: MortType = Pension
     AND: (((ISA IN EndwPrin) OR (UnitT IN EndwPrin)) OR (OthSch IN
     EndwPrin)) OR (None IN EndwPrin)
EndwP2Ex
     ^I OOwner1^I
    ^I^EndP2Txt
     ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = UTISA
     AND: ((Pension IN EndwPrin) OR (OthSch IN EndwPrin)) OR (None IN
     EndwPrin)
```

EndP2Txt := EndwPTxt

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = UTISA
     AND: ((Pension IN EndwPrin) OR (OthSch IN EndwPrin)) OR (None IN
     ERROR AND INVOLVING(MortType,EndwPrin)
     ^EndP2Txt
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = UTISA
     AND: ((Pension IN EndwPrin) OR (OthSch IN EndwPrin)) OR (None IN
     EndwPrin)
EndwP2Ex
     ^I OOwner1^I
     ^I^EndP2Txt
     ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = IntNoLnk
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndP2Txt := ('You described your mortgage as an interest only
with NO linked investments, can I just ' + 'check is this
savings/investment scheme linked to your mortgage? Please
amend the answer ' + 'at MortType as appropriate.')
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = IntNoLnk
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
     ERROR AND INVOLVING(EndwPrin,MortType)
     ^EndP2Txt
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = IntNoLnk
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndwP2Ex
     ^I OOwner1^I
     ^I^EndP2Txt
     ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Other
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndP2Txt := ('If there is a pension, ISA or other
savings/investment scheme to cover the ' + 'repayment of the
original loan, please amend the answer at MortType as
appropriate.')
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
    AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
AND: MortType = Other
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
     ERROR AND INVOLVING(EndwPrin,MortType)
     ^EndP2Txt
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType = Other
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
EndwP2Ex
     ^I OOwner1^I
     ^I^EndP2Txt
     ^SuppTxt
     OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     RESERVECHECK
     RESERVECHECK
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
           Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
           (Repairs IN M[2].OthPur)))
           AND: Loan2Y <> Repaid
           AND: MortType IN [Endow, Pension .. Other]
           AND: Pension IN EndwPrin
DMAEndwPrin := Pension
Compute if: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
            (Repairs IN M[2].OthPur)))
           AND: Loan2Y <> Repaid
           AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
           EndwPrin)) OR (OthSch IN EndwPrin)
payment1 := 'contribution to the'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY
           AND: In loop FOR ii := 1 TO 3
           AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
            \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
            (Repairs IN M[2].OthPur)))
           AND: Loan2Y <> Repaid
           AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
           EndwPrin)) OR (OthSch IN EndwPrin)
payment2 := '(pension plan/ISA/Unit Trust)'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY
           AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = 1)) OR ((PP
           \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
           (Repairs IN M[2].OthPur)))
           AND: Loan2Y <> Repaid
           AND: MortType = IntLink
payment1 := 'premium/payment on the'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
           AND: PurcAmt <> EMPTY
           AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
           (Repairs IN M[2].OthPur)))
           AND: Loan2Y <> Repaid
           AND: MortType = IntLink
payment2 := 'endowment policy / pension / unit trust / ISA /
investment trust / other policy'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType = IntLink)
payment1 := 'premium on the'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType = IntLink)
payment2 := 'endowment policy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType = IntLink
policy := 'policy / pension / unit trust / ISA / investment
trust / other policy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT (MortType = IntLink)
policy := 'policy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: MortType IN [Endow, EndRep]
Are := '(Can I just check), are'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: NOT (MortType IN [Endow, EndRep])
Are := 'Are'
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
MenPol
     ^I OOwner1^I
     ^Are there any endowment policies covering the repayment of this mortgage or loan?
             Yes
     (1)
     (2)
             No
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: Edit = No
     AND: MortType IN [Endow, EndRep]
     ((MenPol = Yes) OR (MortType = Other)) AND INVOLVING(MortType, MenPol)
     Normally there' would' be an endowment policy, with an endowment mortgage: please check.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: MenPol = Yes
     NOT(IN(MortType, [???,???])) AND INVOLVING(MortType, MenPol)
     You described your mortgage as an interest only with NO linked investments or another type of
     mortgage, can I just check is this savings/investment scheme linked to your mortgage?
     Please amend the answer at MortType as appropriate.
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: MenPol = Yes
     (MortType <> Other) AND INVOLVING(MortType, MenPol)
     If there is an endowment, pension, ISA or other arrangement to cover the repayment of the original loan,
     please amend the answer at MortType as appropriate.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortType IN [Endow, Pension .. Other]
     AND: MenPol = No
     (MortType <> Other) AND INVOLVING(MortType,MenPol)
     ۸Į
     It is unusual for there to be no policies to cover the repayment of the loan. Please check. If original loan is
     included in monthly payments, please amend your answer at MortType to a Repayment (code 2) OR
     Endowment and Repayment (code 5) mortgage.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      RESERVECHECK
      RESERVECHECK
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: RMort = No
How Long := 'How long is the term of your mortgage. By this we
mean the agreed term?'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: NOT (RMort = No)
How Long := ('How long is the term of your mortgage. By this
we mean the agreed term since you have remortgaged ' + 'or
extended the original loan?')
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
MorFlc
      ^I QOwner1^I
      ^N
      All-in-one accounts are a new type of flexible mortgage which allow a person to link together accounts -
      for example, a current account, a savings account and a mortgage (as well as other types of loans). There
      are two types of all-in-one account: current account mortgages and offset mortgages. N
      ^I^IC Examples include the One account (RBoS), a Woolwich Open Plan or some other all-in-one
      account..^I
      ^N
      Is your mortgage an all-in-one account?
```

(1)

(2)

Yes

No

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MorFlc = Yes
MorAll
     ^I QOwner1^I
     ^I^IS B8 AND B9^I
     ^N
     Is your all-in-one account mortgage, a current account mortgage or an offset mortgage?
     (1)
             Current account mortgage
     (2)
             Offset mortgage
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
MortEnd
     ^I OOwner1^I
     ۸N
     ^How_Long^N
     ^I^IC If remortgaged agreed term is from the point of remortgaging.
     1..60
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = No
remortgage := 'mortgage was taken out'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT (RMort = No)
remortgage := 'last re-mortgage'
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     MortEnd <= 40
     Are you sure? The end-date would not normally be more than 40 years after the 'remortgage.
     Please check your figures.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; ((\textit{Repairs IN M[1].OthPur}) \;\; \textit{OR} \;\; ) 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
Compute if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MorAll = Current
What amount := ('What is the amount of the negative balance or
```

' + 'overdraft on your current account mortgage')

```
COMPUTE IF: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: NOT (MorAll = Current)
```

What_amount := ('What is the amount still outstanding on your mortgage/loan from this source - that is, how ' + 'much do you still have to pay off')

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid
```

MortL1Rs

^I QOwner1^I

^N

For 'this_kind_of mortgage, the amount outstanding should equal the 'amount 'borrowed. Please check and amend, else explain in a Note.

- (1) Passed
- (2) Hard
- (3) Soft
- (4) Suppressed

```
RECORD IF: QAccomdat.Tenure IN [Outright .. Part]
AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
AND: Loan2Y <> Repaid
```

MortL1Ex

^I OOwner1^I

^I^IC ^SuppTxt

OPEN

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
                      AND: PurcAmt <> EMPTY
                      AND: In loop FOR ii := 1 TO 3
                      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                       \textit{Two)} \quad \textit{AND} \quad (\textit{ii} = \textit{2}))) \quad \textit{OR} \quad ((\textit{ii} = \textit{3}) \quad \textit{AND} \quad (\textit{(Repairs IN M[1].OthPur)} \quad \textit{OR} \quad (\textit{Constant})) \quad \textit{OR} \quad (\textit{Constant}) \quad \textit{OR} \quad (\textit{Constan
                       (Repairs IN M[2].OthPur)))
                      AND: Loan2Y <> Repaid
MortL2Rs
                      ^I QOwner1^I
                      For ^this_kind_of mortgage, the amount outstanding should be less than the ^amount ^borrowed.
                      Please check and amend, else explain in a Note.
                                                       Passed
                      (1)
                                                       Hard
                      (2)
                      (3)
                                                       Soft
                      (4)
                                                       Suppressed
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
                      AND: PurcAmt <> EMPTY
                      AND: In loop FOR ii := 1 TO 3
                      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
                       (Repairs IN M[2].OthPur)))
                      AND: Loan2Y <> Repaid
MortL2Ex
                      ^I QOwner1^I
                      ^I^IC ^SuppTxt
                      OPEN
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
                      AND: PurcAmt <> EMPTY
                      AND: In loop FOR ii := 1 TO 3
                      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
                       (Repairs IN M[2].OthPur)))
                      AND: Loan2Y <> Repaid
MortLeft
                      ^I QOwner1^I
                      ^N
                      ^What amount?
                      -99999999.99..999999999.99
```

```
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortLeft = RESPONSE
     MortLeft >= 0
     ^I^IC Please enter a positive amount. Negative amounts (eg. -10) are not allowed.
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: MortLeft = NONRESPONSE
HMissVar := (HMissVar + 1)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Endow, Pension, UTISA, Other]
     AND: RMort = Yes
borrowed := 'of the re-mortgage'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Endow, Pension, UTISA, Other]
     AND: RMort = Yes
amount := 'total amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Endow, Pension, UTISA, Other]
     AND: RMort = Yes
     (ABS(MortLeft - RMAmt) <= 50) AND INVOLVING(MortLeft)
     (ABS (MortLeft - RMAmt) <= 50) AND INVOLVING (MortLeft)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, UTISA, Other]
      AND: RMort = Yes
      AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
MortL1Ex
      ^I OOwner1^I
      ^I^IC ^SuppTxt
      OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; (\textit{Repairs IN M[1].OthPur}) \;\; \textit{OR} \;\; \\
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, UTISA, Other]
     AND: NOT (RMort = Yes)
borrowed := 'originally borrowed'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
AND: MortType IN [Endow, Pension, UTISA, Other]
     AND: NOT (RMort = Yes)
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Endow, Pension, UTISA, Other]
      AND: NOT (RMort = Yes)
      (ABS(MortLeft - BorrAmt) <= 50) AND INVOLVING(MortLeft)
      (ABS (MortLeft - BorrAmt) <= 50) AND INVOLVING (MortLeft)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Endow, Pension, UTISA, Other]
     AND: NOT (RMort = Yes)
     AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
MortL1Ex
     ^I OOwner1^I
     ^I^IC ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; (\textit{Repairs IN M[1].OthPur}) \;\; \textit{OR} \;\; \\
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Repay, EndRep]
     AND: RMort = Yes
borrowed := 'of re-mortgage'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
AND: MortType IN [Repay, EndRep]
     AND: RMort = Yes
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Repay, EndRep]
     AND: RMort = Yes
      (MortLeft < RMAmt) AND INVOLVING(MortLeft)
     (MortLeft < RMAmt) AND INVOLVING (MortLeft)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Repay, EndRep]
     AND: RMort = Yes
     AND: (MortL2Rs = Suppressed) OR MortL2Ex <> EMPTY
MortL2Ex
     ^I OOwner1^I
     ^I^IC ^SuppTxt
     OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; (\textit{Repairs IN M[1].OthPur}) \;\; \textit{OR} \;\; \\
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Repay, EndRep]
     AND: NOT (RMort = Yes)
borrowed := 'originally borrowed'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
AND: MortType IN [Repay, EndRep]
     AND: NOT (RMort = Yes)
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [Repay, EndRep]
     AND: NOT (RMort = Yes)
      (MortLeft < BorrAmt) AND INVOLVING(MortLeft)</pre>
     (MortLeft < BorrAmt) AND INVOLVING (MortLeft)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [Repay, EndRep]
      AND: NOT (RMort = Yes)
      AND: (MortL2Rs = Suppressed) OR MortL2Ex <> EMPTY
MortL2Ex
      ^I OOwner1^I
      ^I^IC ^SuppTxt
      OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; (\textit{Repairs IN M[1].OthPur}) \;\; \textit{OR} \;\; \\
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
borrowed := 'of the re-mortgage'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
      (MortLeft = RMAmt) AND INVOLVING(MortLeft)
      (MortLeft = RMAmt) AND INVOLVING (MortLeft)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: RMort = Yes
      AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
MortL1Ex
      ^I OOwner1^I
      ^I^IC ^SuppTxt
      OPEN
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; (\textit{Repairs IN M[1].OthPur}) \;\; \textit{OR} \;\; \\
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
     AND: NOT (RMort = Yes)
borrowed := 'originally borrowed'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
AND: MortType IN [IntLink, IntNoLnk]
     AND: NOT (RMort = Yes)
amount := 'amount'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
      AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
      AND: MortType IN [IntLink, IntNoLnk]
      AND: NOT (RMort = Yes)
      (MortLeft = BorrAmt) AND INVOLVING(MortLeft)
      (MortLeft = BorrAmt) AND INVOLVING (MortLeft)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MortLeft = RESPONSE) AND (BorrAmt = RESPONSE)
     AND: MortType IN [IntLink, IntNoLnk]
     AND: NOT (RMort = Yes)
     AND: (MortL1Rs = Suppressed) OR MortL1Ex <> EMPTY
MortL1Ex
     ^I OOwner1^I
     ^I^IC ^SuppTxt
     OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: RMort = Yes
taking out the loan := 'you re-mortgaged'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT (RMort = Yes)
taking out the loan := 'taking out the original loan'
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
MorInPay
     ^I QOwner1^I
     How much was your last payment on this mortgage or loan?
     0.00..9999.97
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPay = RESPONSE
LastPay := STR(MorInPay, 6, 2)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPay = DONTKNOW
LastPay := '?????'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPay = DONTKNOW
HMissVar := (HMissVar + 1)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPay = REFUSAL
LastPay := '!!!!!!'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPay = REFUSAL
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
MorInPx
     ^I OOwner1^I
     ^I^IC ^Pd97Txt
     OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
MorInPd
     ^I QOwner1^I
      ^N
      How long did this cover?^N
               One week
      (1)
               Two weeks
      (2)
      (3)
               Three weeks
               Four weeks
      (4)
      (5)
               Calendar month
      (7)
               Two Calendar months
               Eight times a year
      (8)
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
               Six months/26 weeks
      (26)
              One Year/12 months/52 weeks
      (52)
      (90)
              Less than one week
      (95)
              One off/lump sum
              None of these ^I(Explain in a note)
      (97)
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd = Note
MorInPx
      ^I QOwner1^I
      ^I^IC ^Pd97Txt
      OPEN
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: Edit = Yes
     MorInPd <> Note
     ۸Ι
     Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you MUST come back to resolve it.
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
MorInUs
     ^I QOwner1^I
     ۸N
     Is this the amount you usually pay each time?
     (1)
             Yes
     (2)
             No
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInUs = No
MorUs
     ^I OOwner1^I
```

۸I

If the last interest payment includes arrears accept the actual amount given but if it was a long time ago make a note using <Ctrl+M> to give the date, or if the amount was greater than normal to cover past arrears. Payments by people outside the household should be included.

0.00..9999.97

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorInUs = No
MorUPx
      ^I OOwner1^I
      ^I^IC ^Pd97Txt
      OPEN
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
AND: MorInUs = No
MorUPd
      ^I QOwner1^I
      ^N
      How long does this cover?^N
      (1)
               One week
               Two weeks
      (2)
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
               Three months/13 weeks
      (13)
      (26)
               Six months/26 weeks
               One Year/12 months/52 weeks
      (52)
               Less than one week
      (90)
      (95)
               One off/lump sum
      (97)
               None of these ^I(Explain in a note)
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorInUs = No
AND: MorUPd = Note
MorUPx
      ^I QOwner1^I
      ^I^IC ^Pd97Txt
      OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
AND: NOT ((MorAll = Current) OR (MortType = Repay))
      AND: MorInUs = No
      AND: Edit = Yes
     MorUPd <> Note
      Editor: Code 97 must be re-coded into existing list.
      If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QOwner1.QMortgage.M[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
```

PdConW[5] := 4.333

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorUs > 0
PdConW[13] := 13
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                AND: PurcAmt <> EMPTY
                AND: In loop FOR ii := 1 TO 3
                AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
                 (Repairs IN M[2].OthPur)))
                AND: Loan2Y <> Repaid
                AND: NOT ((MorAll = Current) OR (MortType = Repay))
                AND: MorUs > 0
PdConW[26] := 26
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                AND: PurcAmt <> EMPTY
                AND: In loop FOR ii := 1 TO 3
                AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
                 (Repairs IN M[2].OthPur)))
                AND: Loan2Y <> Repaid
                AND: NOT ((MorAll = Current) OR (MortType = Repay))
                AND: MorUs > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                AND: PurcAmt <> EMPTY
                AND: In loop FOR ii := 1 TO 3
                AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                 \textit{Two)} \quad \textit{AND} \quad (\textit{ii} = \textit{2}))) \quad \textit{OR} \quad ((\textit{ii} = \textit{3}) \quad \textit{AND} \quad (\textit{(Repairs IN M[1].OthPur)} \quad \textit{OR} \quad (\textit{Constant})) \quad \textit{OR} \quad (\textit{Constant}) \quad \textit{OR} \quad (\textit{Constan
                 (Repairs IN M[2].OthPur)))
                AND: Loan2Y <> Repaid
                AND: NOT ((MorAll = Current) OR (MortType = Repay))
                AND: MorUs > 0
                AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
 Compute if: QAccomdat. Tenure IN [Outright .. Part]
                AND: PurcAmt <> EMPTY
                AND: In loop FOR ii := 1 TO 3
                AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                 \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
                 (Repairs IN M[2].OthPur)))
                AND: Loan2Y <> Repaid
                AND: NOT ((MorAll = Current) OR (MortType = Repay))
                AND: MorUs > 0
                AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QOwner1.QMortgage.M[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                    AND: PurcAmt <> EMPTY
                    AND: In loop FOR ii := 1 TO 3
                    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                    Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
                     (Repairs IN M[2].OthPur)))
                    AND: Loan2Y <> Repaid
                    AND: NOT ((MorAll = Current) OR (MortType = Repay))
AND: NOT (MorUs > 0)
PdConW[1] := 1
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                    AND: PurcAmt <> EMPTY
                    AND: In loop FOR ii := 1 TO 3
                    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                     \textit{Two)} \quad \textit{AND} \quad (\textit{ii} = \textit{2}))) \quad \textit{OR} \quad ((\textit{ii} = \textit{3}) \quad \textit{AND} \quad (\textit{(Repairs IN M[1].OthPur)} \quad \textit{OR} \quad (\textit{Constant})) \quad \textit{OR} \quad (\textit{Constant}) \quad \textit{OR} \quad (\textit{Constan
                     (Repairs IN M[2].OthPur)))
                    AND: Loan2Y <> Repaid
                    AND: NOT ((MorAll = Current) OR (MortType = Repay))
                    AND: NOT (MorUs > 0)
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                    AND: PurcAmt <> EMPTY
                    AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = 1)) OR ((PP
                    \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
                     (Repairs IN M[2].OthPur)))
                    AND: Loan2Y <> Repaid
                    AND: NOT ((MorAll = Current) OR (MortType = Repay))
AND: NOT (MorUs > 0)
PdConW[3] := 3
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                    AND: PurcAmt <> EMPTY
                    AND: In loop FOR ii := 1 TO 3
                    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                    Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
                     (Repairs IN M[2].OthPur)))
                    AND: Loan2Y <> Repaid
                    AND: NOT ((MorAll = Current) OR (MortType = Repay))
                    AND: NOT (MorUs > 0)
PdConW[4] := 4
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                   AND: PurcAmt <> EMPTY
                    AND: In loop FOR ii := 1 TO 3
                    AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
                    Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
                     (Repairs IN M[2].OthPur)))
                    AND: Loan2Y <> Repaid
                    AND: NOT ((MorAll = Current) OR (MortType = Repay))
                    AND: NOT (MorUs > 0)
PdConW[5] := 4.333
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
AND: NOT (MorUs > 0)
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: NOT (MorUs > 0)
PdConW[13] := 13
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                 AND: PurcAmt <> EMPTY
                 AND: In loop FOR ii := 1 TO 3
                 AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                 Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
                 (Repairs IN M[2].OthPur)))
                 AND: Loan2Y <> Repaid
                 AND: NOT ((MorAll = Current) OR (MortType = Repay))
                 AND: NOT (MorUs > 0)
PdConW[26] := 26
 COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                 AND: PurcAmt <> EMPTY
                 AND: In loop FOR ii := 1 TO 3
                 AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
                  (Repairs IN M[2].OthPur)))
                 AND: Loan2Y <> Repaid
                 AND: NOT ((MorAll = Current) OR (MortType = Repay))
                 AND: NOT (MorUs > 0)
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                 AND: PurcAmt <> EMPTY
                 AND: In loop FOR ii := 1 TO 3
                 AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                  \textit{Two)} \quad \textit{AND} \quad (\textit{ii} = \textit{2}))) \quad \textit{OR} \quad ((\textit{ii} = \textit{3}) \quad \textit{AND} \quad (\textit{(Repairs IN M[1].OthPur)} \quad \textit{OR} \quad (\textit{Constant})) \quad \textit{OR} \quad (\textit{Constant}) \quad \textit{OR} \quad (\textit{Constan
                 (Repairs IN M[2].OthPur)))
                 AND: Loan2Y <> Repaid
                 AND: NOT ((MorAll = Current) OR (MortType = Repay))
                 AND: NOT (MorUs > 0)
                 AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                 AND: PurcAmt <> EMPTY
                 AND: In loop FOR ii := 1 TO 3
                 AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                  \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
                 (Repairs IN M[2].OthPur)))
                 AND: Loan2Y <> Repaid
                 AND: NOT ((MorAll = Current) OR (MortType = Repay))
                 AND: NOT (MorUs > 0)
                 AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QOwner1.QMortgage.M[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
MorIWkly := LWeekly
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
AND: MortLeft = RESPONSE
EPIntC := (((MorIWkly * 52) / MortLeft) * 100)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: MortLeft = RESPONSE
IntFill := ROUND(EPIntC)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: MortLeft = RESPONSE
     AND: EPIntC <= 2
higher := 'lower'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
AND: MortLeft = RESPONSE
     AND: EPIntC >= 11
higher := 'higher'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: NOT ((MorAll = Current) OR (MortType = Repay))
     AND: MorInPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: MortLeft = RESPONSE
     ((EPIntC > 2) AND (EPIntC < 11)) AND INVOLVING(MorInPd, MorInPay)
     ^I
     The interest payments work out roughly at 'IntFill per cent which is 'higher than most current interest
     rates available for a mortgage of this size.
     If no particular reason for this, please check your answers.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      RESERVECHECK
      RESERVECHECK
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
```

MenPolAm0 := Yes

FRS1207A.QOwner1.QMortgage.M[].QEndow[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
MortSeq := PPSeq
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
EndowSeq := PCount
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
AND: PMenPol = Yes
     AND: PCount > 1
next := 'next'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: PMenPol = Yes
     AND: NOT (PCount > 1)
next := 'first'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
    OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: PMenPol = Yes
premium payment := 'premium'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: PMenPol = Yes
policies plans := 'endowment policies'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
    AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: NOT (PMenPol = Yes)
premium payment := 'payment'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: NOT (PMenPol = Yes)
policies plans := 'savings or investment plans'
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
MenPolAm
     ^I OOwner1^I
     ^{N}
     How much was your last ^payment1 ^next ^payment2?^N
     ^I^IC For interest only mortgages include combined interest and endowment payment.
     0.00..9999.97
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
MenPolPx
     ^I OOwner1^I
     ^I^IC ^Pd97Txt
     OPEN
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
MenPolPd
     ^I QOwner1^I
     ^N
     How long did this cover?
              One week
     (1)
     (2)
              Two weeks
     (3)
              Three weeks
              Four weeks
     (4)
     (5)
              Calendar month
     (7)
              Two Calendar months
     (8)
              Eight times a year
     (9)
              Nine times a year
     (10)
              Ten times a year
     (13)
              Three months/13 weeks
              Six months/26 weeks
     (26)
     (52)
              One Year/12 months/52 weeks
     (90)
              Less than one week
     (95)
              One off/lump sum
     (97)
              None of these ^I(Explain in a note)
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
     AND: MenPolPd = Note
MenPolPx
     ^I QOwner1^I
     ^I^IC ^Pd97Txt
     OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
     AND: Edit = Yes
     MenPolPd <> Note
     Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QOwner1.QMortgage.M[].QEndow[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
               AND: PurcAmt <> EMPTY
                AND: In loop FOR ii := 1 TO 3
                AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
                (Repairs IN M[2].OthPur)))
                AND: Loan2Y <> Repaid
               AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
                OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
                AND: MorAll <> Current
                AND: In loop FOR Count := 1 TO 4
                AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
                AND: MenPolAm > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
                AND: PurcAmt <> EMPTY
               AND: In loop FOR ii := 1 TO 3
                AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
                Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
                (Repairs IN M[2].OthPur)))
                AND: Loan2Y <> Repaid
                AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
                OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
                AND: MorAll <> Current
                AND: In loop FOR Count := 1 TO 4
               AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
                AND: MenPolAm > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
               AND: PurcAmt <> EMPTY
                AND: In loop FOR ii := 1 TO 3
                AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
                 \textit{Two)} \quad \textit{AND} \quad (\textit{ii} = \textit{2}))) \quad \textit{OR} \quad ((\textit{ii} = \textit{3}) \quad \textit{AND} \quad (\textit{(Repairs IN M[1].OthPur)} \quad \textit{OR} \quad (\textit{Constant})) \quad \textit{OR} \quad (\textit{Constant}) \quad \textit{OR} \quad (\textit{Constan
                 (Repairs IN M[2].OthPur)))
               AND: Loan2Y <> Repaid
                AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
                OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
                AND: MorAll <> Current
                AND: In loop FOR Count := 1 TO 4
                AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
                AND: MenPolAm > 0
```

PdConW[3] := 3

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
PdConW[8] := 6.5
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur)\ OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
    OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
    AND: MenPolAm > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
PdConW[26] := 26
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
    Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
    OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
    AND: MorAll <> Current
    AND: In loop FOR Count := 1 TO 4
    AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
    AND: MenPolAm > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
    Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur)\ OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
    OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
    AND: MorAll <> Current
    AND: In loop FOR Count := 1 TO 4
    AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
    AND: MenPolAm > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
    Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
    OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
    AND: MorAll <> Current
    AND: In loop FOR Count := 1 TO 4
    AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
    AND: MenPolAm > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QOwner1.QMortgage.M[].QEndow[] (continued)

```
Compute if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
AND: MenPolAm > 0
     AND: MenPolPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 999.97)
MenPWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: MenPolAm > 0
     AND: MenPolPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 999.97)
     AND: Edit = No
     (MenPWkly < 100) AND INVOLVING (MenPolPd, MenPolAm)
     Warning: The answer is much higher than the figures usually given at this question.
```

Please check that your figure is correct. If so, suppress warning and continue.

```
Ask If: QAccomdat.Tenure IN [Outright .. Part]
   AnD: PurcAmt <> EMPTY
AnD: In loop FOR ii := 1 TO 3
AnD: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
AnD: Loan2Y <> Repaid
AnD: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
AnD: MorAll <> Current
AnD: In loop FOR Count := 1 TO 4
AnD: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
AnD: (SUBSTRING (PLastPay, 1, 1) <> 0) AND (MenPolAm > 0)
```

IncInInt

^I QOwner1^I

^N

Is this 'premium_payment included in the amount you mentioned earlier (£'PLastPay)?

- (1) Yes
- (2) No

```
Ask If: QAccomdat.Tenure IN [Outright .. Part]
   And: PurcAmt <> EMPTY
And: In loop FOR ii := 1 TO 3
And: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
And: Loan2Y <> Repaid
And: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
And: MorAll <> Current
And: In loop FOR Count := 1 TO 4
And: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
And: PCount < 4</pre>
```

MPMore

^I QOwner1^I

^N

Can I just check, are there any more savings or investment plans covering the repayment of the mortgage or loan?

- (1) Yes
- (2) No

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     RESERVECHECK
     RESERVECHECK
```

```
Warn If: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
   AND: Loan2Y <> Repaid
   AND: (((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
   OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
   AND: MorAll <> Current
   AND: In loop FOR Count := 1 TO 4
   AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
   RESERVECHECK
   RESERVECHECK
```

FRS1207A.QOwner1.QMortgage.M[] (continued)

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     (QEndow[Count].MenPWkly <= MorIWkly) AND
     INVOLVING(QEndow[Count].MenPolAm)
     The payment/endowment premium is more than the last mortgage payment at MorInPay.
     This is very unusual - please check your figures.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: (MorIWkly > 0) AND (QEndow[Count].IncInInt = Yes)
     (QEndow[Count].MenPWkly < MorIWkly) AND INVOLVING(QEndow[Count].MenPolAm,QEndow[Count].MenPolPd)
     The payment/endowment premium is included in the interest payment of £^LastPay, so it can't exceed
     this amount. Please check your figures.
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4

AND: (Count = 1) OR (QEndow[Count - 1].MPMore = Yes)
     AND: QEndow[Count].MenPolAm <> 0
MenPolAm0 := No
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: MorAll <> Current
     AND: In loop FOR Count := 1 TO 4
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
     AND: (MortSeq = 1) AND (QEndow[1].MPMore = No)
     NOT(QMortgage.M[].MortType[MortSeq] = IntLink) AND
     INVOLVING(QEndow[1].MPMore)
     Are you sure? Earlier the respondent said they had more than 1 savings / investment policy for this
     mortgage. Check if the respondent has another policy to tell you about. If not you MUST make a note of
     the circumstances.
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)
MPMore
     ^I QOwner1^I
     ۸N
     Are there any more policies/plans covering the repayment of the mortgage or loan?
```

(1)

(2)

Yes

No

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: ((((MenPol = Yes) OR (Pension IN EndwPrin)) OR (ISA IN EndwPrin))
     OR (UnitT IN EndwPrin)) OR (OthSch IN EndwPrin)

AND: QEndow[1].MPMore = Yes
MPMore := Yes
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
IntPrPay
      ^I QOwner1^I
      ۸N
      How much was your last payment on this mortgage or loan?
      0.00..9999.97
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: (Edit = No) AND (IntPrPay = RESPONSE)
     NOT(IntPrPay = 0)
      ۸Ţ
      You have entered that the respondent's last instalment on the mortgage/loan was £0. Please do not enter
      zero even if they paid nothing last time. Please collect the amount they usually pay or if there is no usual,
      the contractual or notional amount they would need to pay in order for the mortgage/loan to be paid off in
      the agreed period.
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
       \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPay = RESPONSE
LastPay := STR(IntPrPay, 6, 2)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntPrPay = DONTKNOW
LastPay := '?????'
Compute if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntPrPay = DONTKNOW
HMissVar := (HMissVar + 1)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntPrPay = REFUSAL
LastPay := '!!!!!!
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: IntPrPay = REFUSAL
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
IntPrPx
     ^I QOwner1^I
     ^I^IC ^Pd97Txt
     OPEN
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
IntPrPd
      ^I QOwner1^I
      ^N
      How long did this cover?^N
                One week
      (1)
                Two weeks
      (2)
      (3)
                Three weeks
                Four weeks
      (4)
                Calendar month
      (5)
      (7)
                Two Calendar months
      (8)
                Eight times a year
      (9)
                Nine times a year
      (10)
                Ten times a year
      (13)
                Three months/13 weeks
                Six months/26 weeks
      (26)
                One Year/12 months/52 weeks
      (52)
      (90)
                Less than one week
      (95)
                One off/lump sum
                None of these ^I(Explain in a note)
      (97)
Ask if: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: (MorAll <> Current) AND (MortType = Repay)
      AND: IntPrPd = Note
IntPrPx
      ^I QOwner1^I
      ^I^IC ^Pd97Txt
      OPEN
```

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY
   AND: In loop FOR ii := 1 TO 3
   AND: ((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)))
   AND: Loan2Y <> Repaid
   AND: (MorAll <> Current) AND (MortType = Repay)
   AND: Edit = Yes
   IntPrPd <> Note

   ^I
   Editor: Code 97 must be re-coded into existing list.
   If you temporarily suppress this check you MUST come back to resolve it.
```

FRS1207A.QOwner1.QMortgage.M[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
```

PdConW[4] := 4

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[9] := 5.78
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[10] := 5.2
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
PdConW[52] := 52
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QOwner1.QMortgage.M[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
IntPWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1]}.OthPur) \ \textit{OR} \ )) 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     (IntPWkly < 650) AND INVOLVING(IntPrPd,IntPrPay)
     Are you sure? That is higher than the amount usually entered here.
     Confirm that the last payment was this amount and if Yes suppress check.
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = 1))
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     AND: RMAmt > 0
PrIntC := ((((IntPWkly - (RMAmt / (25 * 52))) * 52) / (RMAmt *
0.62)) * 100)
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     AND: BorrAmt > 0
PrIntC := ((((IntPWkly - (BorrAmt / (25 * 52))) * 52) /
(BorrAmt * 0.62)) * 100)
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     AND: PrIntC < 3
higher := 'lower'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     AND: PrIntC > 10
higher := 'higher'
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: (MorAll <> Current) AND (MortType = Repay)
     AND: NOT (Edit = Yes)
     AND: IntPrPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 9999.97)
     AND: (RMAmt = RESPONSE) OR (BorrAmt = RESPONSE)
     ((PrIntC >= 3) AND (PrIntC <= 10)) AND INVOLVING(IntPrPay)
     You have entered an amount that is 'higher than that usually paid for a mortgage of this size.
     Please check that you have entered the correct payment.
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MenPol = Yes
Apart do := 'Apart from any endowment policies already
mentioned, do'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MenPol = Yes
redundancy := ' or redundancy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \;\; \textit{AND} \;\; (\textit{ii} = \textit{2}))) \;\; \textit{OR} \;\; ((\textit{ii} = \textit{3}) \;\; \textit{AND} \;\; ((\textit{Repairs IN M[1]}.OthPur) \;\; \textit{OR} \;\; ) 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MenPol = Yes
death := '(NOT USED)'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: NOT (MenPol = Yes)
Apart do := 'Do'
Compute if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: NOT (MenPol = Yes)
redundancy := ', redundancy or death'
```

```
Compute if: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: PPTenure IN [Mortgage, Part]

AND: NOT (MenPol = Yes)

death := 'Death'
```

```
Ask if: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid

AND: PPTenure IN [Mortgage, Part]
```

MortProt

^I OOwner1^I

ΛŢ

Only include policies which specifically pay the B mortgage B. Do not confuse these with polices that simply pay out money in the event of redundancy or sickness (and could be used to pay for anything).

Information about mortgage protection policies is needed to calculate housing costs. Comparisons of different households' income before and after housing costs are used to monitor Government child and pensioner poverty targets. It is therefore important that mortgage protection policies are recorded on the FRS.

- (1) Yes
- (2) No

(If no policy, suppress warning and continue.)

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR ((Repairs IN M[2].OthPur)))
   AND: Loan2Y <> Repaid
   AND: PPTenure IN [Mortgage, Part]
   AND: (MortProt = RESPONSE) AND (MortType <> Endow)
   MortProt = Yes

^I
   Interviewer: for this type of mortgage there is normally a protection policy.
   Please check - is it included in the last mortgage payment?
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
MPCover
     ^I OOwner1^I
     ^N
     What is covered by the mortgage protection policy?^N
     ^I^IC Probe to classify.
     Code all that apply.
     Critical illness cover should be recorded as 'sickness/accident'.
     SET [3] OF
     (1)
              Sickness/accident
     (2)
              Redundancy/loss of employment
     (3)
              ^death
CHECK IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: MenPol = Yes
     NOT(IN(Dead, MPCover))
     This code is not valid for this question.
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: MPCover.CARDINAL > 1
MPolNo
     ^I QOwner1^I
     Can I check, is there B one B mortgage protection policy, or B more than B one? N
     ^I^IC Count as separate policy if separate^B payments (premiums)^B are made.
     Enter number of policies.
     1..3
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: IntPrPay <> EMPTY OR (MorInPay > 0)
PCP := ('your last payment on the mortgage/loan (f' + LastPay
+ ')')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: IntPrPay <> EMPTY OR (MorInPay > 0)
     AND: MorInPay > 0
     AND: MenPolAm0 = No
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PCP := (PCP + ' or in the (pension/ISA/Unit Trust)
contribution')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: IntPrPay <> EMPTY OR (MorInPay > 0)
     AND: MorInPay > 0
     AND: MenPolAm0 = No
     AND: NOT ((((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PCP := (PCP + ' or in the endowment premium')
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: MorInPay <> EMPTY AND (MenPolAm0 = No)
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PCP := 'the (pension/ISA/Unit Trust) contribution'
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: ((IntPrPay > 0) OR (MorInPay > 0)) OR (MenPolAm0 = No)
     AND: MorInPay <> EMPTY AND (MenPolAm0 = No)
     AND: NOT ((((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PCP := 'the endowment premium'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: (((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PC := 'pension/ISA/Unit Trust contribution'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: NOT ((((Pension IN EndwPrin) OR (ISA IN EndwPrin)) OR (UnitT IN
     EndwPrin)) OR (OthSch IN EndwPrin)
PC := 'endowment premium'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
Order[1] := 'FIRST'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
Order[2] := 'SECOND'
```

```
Compute if: QAccomdat.Tenure IN [Outright .. Part]

AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))

AND: Loan2Y <> Repaid
AND: PPTenure IN [Mortgage, Part]
AND: MortProt = Yes

Order[3] := 'THIRD'
```

FRS1207A.QOwner1.QMortgage.M[].QMortProt[]

```
Compute if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
LMortSeq := PPSeq
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1]}.OthPur) \ \textit{OR} \ )) 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
LPayment etc := ppayment
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: LPayment etc =
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
IncMPAmt
     ^I OOwner1^I
     ^B^I *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B^I
     ΛŢ
     If the precise amount for the mortgage protection policy cannot be given, please ask the respondent to
     given an estimate rather than accept DK.
     0.00..9997.99
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
AND: IncMPAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
AND: IncMPAmt > 0
IncMPPx
     ^I QOwner1^I
     ^B^I *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B^I
     I^IC ^Pd97Txt
     OPEN
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
IncMPPd
     ^I QOwner1^I
     ^B^I *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B^I
     ^N
     How long did this cover?^N
     (1)
              One week
     (2)
              Two weeks
     (3)
              Three weeks
     (4)
              Four weeks
     (5)
              Calendar month
     (7)
              Two Calendar months
     (8)
              Eight times a year
     (9)
              Nine times a year
              Ten times a year
     (10)
              Three months/13 weeks
     (13)
              Six months/26 weeks
     (26)
              One Year/12 months/52 weeks
     (52)
     (90)
              Less than one week
     (95)
              One off/lump sum
     (97)
              None of these ^I(Explain in a note)
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
     AND: IncMPPd = Note
IncMPPx
     ^I OOwner1^I
     ^B^I *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B^I
     I^IC ^Pd97Txt
     OPEN
```

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR (Repairs IN M[2].OthPur)))
AND: Loan2Y <> Repaid
AND: PPTenure IN [Mortgage, Part]
AND: MortProt = Yes
AND: In loop FOR Count := 1 TO 3
AND: (Count = 1) OR (Count <= MPolNo)
AND: IncMPAmt > 0
AND: Edit = Yes
IncMPPd <> Note

^I
Editor: Code 97 must be re-coded into existing list.
If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QOwner1.QMortgage.M[].QMortProt[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[4] := 4
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
    AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
    AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
    AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
    AND: In loop FOR Count := 1 TO 3
    AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[9] := 5.78
```

Page 327

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
    AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
    AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
    AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
    AND: In loop FOR Count := 1 TO 3
    AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
PdConW[52] := 52
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QOwner1.QMortgage.M[].QMortProt[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
AND: IncMPPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 999.97)
IncMWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IncMPAmt > 0
     AND: IncMPPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 999.97)
     (IncMWkly < 30) AND INVOLVING(IncMPPd,IncMPAmt)
     Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: (IncMPAmt > 0) OR IncMPAmt = NONRESPONSE
     AND: PMorAll <> Current
IncMP
     ^I QOwner1^I
     ^B^I *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B^I
     Was this mortgage protection payment included in ^LPayment_etc?
     (1)
             Yes
     (2)
             No
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: (IncMPAmt > 0) OR IncMPAmt = NONRESPONSE
     AND: PMorAll <> Current
     AND: ((IncMP = Yes) AND (SUBSTRING (PLastPay, 1, 1) <> 0)) AND
     (PMenPolAm0 = No)
IncMIncl
     ^I QOwner1^I
     ^B^I *** ^Order[Count] MORTGAGE PROTECTION POLICY ***^B^I
     ۸I
     Ask or record.^I
     Was it included in the mortgage payment or the 'ppremium'?
     (1)
            mortgage payment
     (2)
            ^ppremium
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     RESERVECHECK
     RESERVECHECK
```

FRS1207A.QOwner1.QMortgage.M[] (continued)

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: IntPWkly = RESPONSE
     (QMortProt[Count].IncMWkly <= IntPWkly) AND
     INVOLVING(QMortProt[Count].IncMPAmt,QMortProt[Count].IncMPPd,IntPrPay)
     The mortgage protection premium is more than the last mortgage payment at IntPrPay (£^LastPay).
     This is very unusual - please check your figures.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: MorAll = Current
     QMortProt[Count].IncMPAmt <> DONTKNOW
     'I'IC Please try not to collect Don't Know at this question. Ask your respondent to be more specific and
     provide you with their best estimate as to their monthly payment.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     AND: (Count = 1) OR (Count <= MPolNo)
     AND: Edit = Yes
     QMortProt[Count].IncMPAmt<>NONRESPONSE
     Missing amount for Mortgage Protection Policy. Note the size of last mortgage payment (£^LastPay),
```

then follow Edit Instructions to fill in IncMPAmt.

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs \ IN \ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: PPTenure IN [Mortgage, Part]
     AND: MortProt = Yes
     AND: In loop FOR Count := 1 TO 3
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     RESERVECHECK
     RESERVECHECK
Ask IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
OutsMort
```

^I QOwner1^I

^N

Does anyone from outside the household pay anything towards THIS mortgage/loan on your behalf, on a regular basis?

- (1) Yes
- (2) No

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
QOutsPay
     ^I QOwner1^I
     ^N
     Who is that?
     SET [6] OF
             ^GOV2
     (1)
     (2)
             Employer
     (3)
             Other organisation
     (4)
             Friend or relative
     (5)
             Mortgage protection/insurance policy
     (6)
             Other
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
Payer[1] := GOV1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
Payer[2] := 'employer'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
```

Payer[3] := 'other organisation'

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
       (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[4] := 'relative or friend'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
       (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[5] := 'policy'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
       (Repairs IN M[2].OthPur)))
      AND: Loan2Y <> Repaid
      AND: OutsMort = Yes
Payer[6] := '
```

FRS1207A.QOwner1.QMortgage.M[].QOutside[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
MortSeq := PPSeq
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
ContSeq := POutsPay
Compute if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
OutsPay := POutsPay
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
OutsAmt
     ^I QOwner1^I
     ^N
     How much did the 'PPayer pay last time?
     0.01..999997.00
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
AND: Count IN QOutsPay
     AND: OutsAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
OutsPx
     ^I QOwner1^I
     ^I^IC ^Pd97Txt
     OPEN
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
AND: Count IN QOutsPay
     AND: OutsAmt > 0
OutsPd
     ^I OOwner1^I
     ^N
     How long did that cover?^N
     (1)
              One week
     (2)
              Two weeks
     (3)
              Three weeks
     (4)
              Four weeks
     (5)
              Calendar month
              Two Calendar months
     (7)
              Eight times a year
     (8)
     (9)
              Nine times a year
              Ten times a year
     (10)
     (13)
              Three months/13 weeks
     (26)
              Six months/26 weeks
     (52)
              One Year/12 months/52 weeks
     (90)
             Less than one week
     (95)
             One off/lump sum
     (97)
             None of these ^I(Explain in a note)
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: OutsPd = Note
OutsPx
     ^I QOwner1^I
     ^I^IC ^Pd97Txt
     OPEN
```

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part]
   AND: PurcAmt <> EMPTY
   AND: In loop FOR ii := 1 TO 3
   AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR (Repairs IN M[2].OthPur)))
   AND: Loan2Y <> Repaid
   AND: OutsMort = Yes
   AND: In loop FOR Count := 1 TO 6
   AND: Count IN QOutsPay
   AND: OutsAmt > 0
   AND: Edit = Yes
   OutsPd <> Note

   ^I
   Editor: Code 97 must be re-coded into existing list.
   If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QOwner1.QMortgage.M[].QOutside[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    AND: OutsAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[4] := 4
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
PdConW[52] := 52
```

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QOwner1.QMortgage.M[].QOutside[] (continued)

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: OutsPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 999997)
OutWkly := LWeekly
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: OutsAmt > 0
     AND: OutsPd IN [OneWeek .. Year]
     AND: (LWeekly > 0) AND (LWeekly <= 999997)
     AND: Edit = No
     (OutWkly < 159) AND INVOLVING(OutsPd,OutsAmt)
     Warning: The answer is much higher than the figures usually given at this question.
     Please check that your figure is correct. If so, suppress warning and continue.
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     AND: Count IN QOutsPay
     AND: (OutsAmt <> 0) AND (SUBSTRING (PLastPay, 1, 1) <> 0)
OutsIncl
     ^I QOwner1^I
     ^N
     Was this included in the mortgage payment that you mentioned earlier?
     (1)
             Yes
     (2)
             No
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
    Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
    Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii = 1))\ OR\ ((PPPurcLoan = 1)))
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
    AND: Loan2Y <> Repaid
    AND: OutsMort = Yes
    AND: In loop FOR Count := 1 TO 6
    AND: Count IN QOutsPay
    RESERVECHECK
    RESERVECHECK
```

FRS1207A.QOwner1.QMortgage.M[] (continued)

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Loan2Y <> Repaid
     AND: OutsMort = Yes
     AND: In loop FOR Count := 1 TO 6
     RESERVECHECK
     RESERVECHECK
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
     (Repairs IN M[2].OthPur)))
     AND: (PSeq = 1) AND (PPurcLoan = One)
OthMort1
```

^I QOwner1^I

^N

I have already asked you about the loan you had to purchase this house/flat. Apart from that, do you have any other mortgage or loan secured on^B this^B property?

- (1) Yes
- (2) No

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: (PSeq = 2) AND (PPurcLoan = Two)
OthMort2
     ^I QOwner1^I
     ^N
     May I just check, are you currently using B this house/flat B as security for a mortgage or loan of any
     other kind?
              Yes
     (1)
     (2)
              No
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ (\textit{(ii} = \textit{3}) \ \textit{AND} \ (\textit{(Repairs IN M[1].OthPur)} \ \textit{OR} 
      (Repairs IN M[2].OthPur)))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
OthPurRs
     ^I QOwner1^I
     ۸Ţ
     This should only apply to loans for purchase. Please resolve, or make a Note.
              Passed
     (1)
              Hard
     (2)
     (3)
              Soft
     (4)
              Suppressed
RECORD IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
      (Repairs IN M[2].OthPur)))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
OthPurEx
     ^I QOwner1^I
     ^I^IC ^SuppTxt
     OPEN
```

```
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur)) OR
      (Repairs IN M[2].OthPur)))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
OthPur
     ^I QOwner1^I
     ^I^IS B11^I ^N
     Which of these items best describe the reasons why you took out the other loan or loans?
     ^Any_others?^N
     ^I^IC Code all that apply.
     SET [7] OF
              To make improvements or extensions to this property
     (1)
     (2)
              To help purchase a major item like a car, boat, caravan or second home
     (3)
              To get a better, or fixed, interest rate
     (4)
              In connection with a business
     (5)
              To buy out another person's share in the property
     (6)
              For essential repairs to make the property fit for occupation
     (7)
              Some other purpose (INTERVIEWER: SPECIFY IN A NOTE.)
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
     NOT(IN(IntrRate,OthPur))
     NOT (IntrRate IN OthPur)
Ask if: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur) OR
      (Repairs IN M[2].OthPur)))
     AND: (OthMort1 = Yes) OR (OthMort2 = Yes)
     AND: (OthPurRs = Suppressed) OR OthPurEx <> EMPTY
OthPurEx
     ^I QOwner1^I
     ^I^IC ^SuppTxt
     OPEN
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Edit = Yes
     AND: NOT (MortType IN [Endow, EndRep])
     NOT (IN (None, EndwPrin))
     Editor: Mortgage Capital repaid by 'unknown' method: There should be a note attached.
     Please re-code into 1-4, IF possible.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR
     (Repairs IN M[2].OthPur)))
     AND: Edit = Yes
     IntPrPay<>NONRESPONSE AND IntPrPd<>NONRESPONSE
     Missing amount and/or period for Mortgage Instalment.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: Edit = Yes
     MorInPay<>NONRESPONSE AND MorInPd<>NONRESPONSE
     Missing amount and/or period for Mortgage Instalment.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1].OthPur)\ OR)
     (Repairs IN M[2].OthPur)))
     AND: Edit = Yes
     MenPol <> No
     ۸Ţ
     There are no endowment policies covering the repayment of this mortgage OR loan.
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     AND: (RMAmt = RESPONSE) AND (BorrAmt = RESPONSE)
     BorrAmt <= RMAmt
     The re-mortgage amount would normally be at least as large as the original mortgage.
     Please check your figures.
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     \mathit{Two}) \mathit{AND} (ii = 2))) \mathit{OR} ((ii = 3) \mathit{AND} ((Repairs IN M[1].OthPur) \mathit{OR}
     (Repairs IN M[2].OthPur)))
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
      \textit{Two)} \ \textit{AND} \ (\textit{ii} = \textit{2}))) \ \textit{OR} \ ((\textit{ii} = \textit{3}) \ \textit{AND} \ ((\textit{Repairs IN M[1].OthPur}) \ \textit{OR} 
     (Repairs IN M[2].OthPur)))
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2)) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
     (Repairs IN M[2].OthPur)))
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     AND: PurcAmt <> EMPTY
     AND: In loop FOR ii := 1 TO 3
     AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan =
     Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs\ IN\ M[1]\ .OthPur) OR
     (Repairs IN M[2].OthPur)))
     RESERVECHECK
     RESERVECHECK
```

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
       (Repairs IN M[2].OthPur)))
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: In loop FOR ii := 1 TO 3
      AND: (((PPPurcLoan\ IN\ [One\ ..\ Two])\ AND\ (ii=1))\ OR\ ((PPPurcLoan=Two)\ AND\ (ii=2)))\ OR\ ((ii=3)\ AND\ ((Repairs\ IN\ M[1].OthPur)\ OR
       (Repairs IN M[2].OthPur)))
      RESERVECHECK
      RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
      AND: PurcAmt <> EMPTY
      AND: Full Came ( > Enlish

AND: In loop FOR ii := 1 TO 3

AND: (((PPPurcLoan IN [One .. Two]) AND (ii = 1)) OR ((PPPurcLoan = Two) AND (ii = 2))) OR ((ii = 3) AND ((Repairs IN M[1].OthPur) OR
       (Repairs IN M[2].OthPur)))
      RESERVECHECK
      RESERVECHECK
```

FRS1207A.QOwner1.QMortgage

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    AND: In loop FOR ii := 1 TO 3
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
    AND: PurcAmt <> EMPTY
    RESERVECHECK
    RESERVECHECK
```

Block: FRS1207A.QOwner1

FRS1207A.QOwner1 (continued)

Questions about mortgages

WARN IF: QAccomdat. Tenure IN [Outright .. Part]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Outright .. Part]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Outright .. Part]

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Outright .. Part]

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part]
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (((QAccomdat.Tenure IN [Mortgage .. Part]) OR (QOwner1.OthMort3 =
     Yes)) AND (QOwner1.QMortgage.M[1].MorInPay = EMPTY OR
     (QOwner1.QMortgage.M[1].MorInPay > 0))) AND
      (QOwner1.QMortgage.M[2].MorInPay = EMPTY OR
      (QOwner1.QMortgage.M[2].MorInPay > 0))
AskStruc := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (((QAccomdat.Tenure IN [Outright .. Part]) OR QAccomdat.Tenure = NONRESPONSE) OR (QRenting.Landlord IN [Assocn .. OthIndiv])) OR
     QRenting.Landlord = NONRESPONSE
     AND: AskStruc = 1
AskStruc := 3
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (((QAccomdat.Tenure IN [Outright .. Part]) OR QAccomdat.Tenure = NONRESPONSE) OR (QRenting.Landlord IN [Assocn .. OthIndiv])) OR
     QRenting.Landlord = NONRESPONSE
     AND: NOT (AskStruc = 1)
AskStruc := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: (QAccomdat.Tenure = Part) AND (QAccomdat.SOBuy = Paid)
AskStruc := 2
```

Page 358

Block: FRS1207A.QInsur

FRS1207A.QInsur

Questions about structure insurance.

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [1, 3]
```

StrMort

^I QInsur^I

Structural insurance is treated as a housing cost. Comparisons of different households' income before and after housing costs are used to monitor Government child and pensioner poverty targets. It is therefore important that insurance is accurately recorded on the FRS.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [1, 3]
AND: StrMort = Yes
```

StrCov

^I QInsur^I

Structural insurance is treated as a housing cost. Comparisons of different households' income before and after housing costs are used to monitor Government child and pensioner poverty targets. It is therefore important that insurance is accurately recorded on the FRS.

- (1) ^N...buildings insurance^B only^B
- (2) ^N...contents insurance,^B only^B
- (3) ^N...or buildings^B and^B contents insurance?

FRS1207A.QInsur.QStructure[]

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: (PStrCov = Struct) OR (PCovOths = Struct)
combined := ' structure'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: PStrCov = Furn
combined := ' contents'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: (PStrCov = Combine) OR (PCovOths = Combine)
combined := ' combined'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: PSeq = 1
included := ' included in your last mortgage payment'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: NOT (PSeq = 1)
last := ' last'
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
StrAmt
     ^I QInsur^I
     How much was the last premium included for this combined policy?
     0.01..99997.00
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
      AND: StrAmt > 0
StrPx
      ^I QInsur^I
      ^I^IC ^Pd97Txt
      OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: PAskStruc IN [1, 3]
      AND: StrMort = Yes
      AND: StrAmt > 0
StrPd
      ^I QInsur^I
      ^N
      How long did this cover?^N
      (1)
               One week
               Two weeks
      (2)
               Three weeks
      (3)
      (4)
               Four weeks
      (5)
               Calendar month
               Two Calendar months
      (7)
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
      (26)
               Six months/26 weeks
      (52)
               One Year/12 months/52 weeks
               Less than one week
      (90)
      (95)
               One off/lump sum
               None of these ^I(Explain in a note)
      (97)
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes) AND: PAskStruc IN [1, 3]
      AND: StrMort = Yes
      AND: StrAmt > 0
      AND: StrPd = Note
StrPx
      ^I QInsur^I
      ^I^IC ^Pd97Txt
      OPEN
```

FRS1207A.QInsur.QStructure[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[26] := 26
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
     AND: StrAmt > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [1, 3]
    AND: StrMort = Yes
    AND: StrAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QInsur.QStructure[] (continued)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
StrWkly := LWeekly
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
     AND: Edit = No
     (StrWkly < 50) AND INVOLVING(StrPd,StrAmt)
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     StrPd <> Note
     Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
\textit{WARN IF: QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit} \; = \; \textit{Yes})
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [1, 3]
     AND: StrMort = Yes
     RESERVECHECK
     RESERVECHECK
```

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [1, 3]
AND: Struct = Yes

RESERVECHECK

RESERVECHECK

Block: FRS1207A.QInsur

FRS1207A.QInsur (continued)

Questions about structure insurance.

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: PAskStruc IN [2 .. 3]

AND: (StrMort = EMPTY OR (StrMort = No)) OR (StrCov = Furn)
```

StrOths

^I QInsur^I

Structural insurance is treated as a housing cost. Comparisons of different households' income before and after housing costs are used to monitor Government child and pensioner poverty targets. It is therefore important that insurance is accurately recorded on the FRS.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [2 . . 3]
AND: StrOths = Yes
```

CovOths

^I QInsur^I

Structural insurance is treated as a housing cost. Comparisons of different households' income before and after housing costs are used to monitor Government child and pensioner poverty targets. It is therefore important that insurance is accurately recorded on the FRS.

- (1) ^N...buildings insurance^B only^B,
- (2) ^N...or buildings and contents insurance?

FRS1207A.QInsur.QStructure[]

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: (PStrCov = Struct) OR (PCovOths = Struct)
combined := ' structure'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: PStrCov = Furn
combined := ' contents'
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: (PStrCov = Combine) OR (PCovOths = Combine)
combined := ' combined'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: PSeq = 1
included := ' included in your last mortgage payment'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: NOT (PSeq = 1)
last := ' last'
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
StrAmt
     ^I QInsur^I
     How much was the last premium included for this combined policy?
     0.01..99997.00
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
      AND: StrAmt > 0
StrPx
      ^I QInsur^I
      ^I^IC ^Pd97Txt
      OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
AND: StrAmt > 0
StrPd
      ^I QInsur^I
      ^N
      How long did this cover?^N
      (1)
               One week
               Two weeks
      (2)
               Three weeks
      (3)
               Four weeks
      (4)
      (5)
               Calendar month
               Two Calendar months
      (7)
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
      (26)
               Six months/26 weeks
      (52)
               One Year/12 months/52 weeks
              Less than one week
      (90)
      (95)
               One off/lump sum
               None of these ^I(Explain in a note)
      (97)
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: PAskStruc IN [2 .. 3]
      AND: StrOths = Yes
      AND: StrAmt > 0
      AND: StrPd = Note
StrPx
      ^I QInsur^I
      ^I^IC ^Pd97Txt
      OPEN
```

FRS1207A.QInsur.QStructure[].Weekly()

Procedure Call

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[8] := 6.5
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
PdConW[9] := 5.78
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[10] := 5.2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
    AND: StrAmt > 0
PdConW[52] := 52
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
     AND: StrAmt > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: PAskStruc IN [2 .. 3]
    AND: StrOths = Yes
    AND: StrAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QInsur.QStructure[] (continued)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
StrWkly := LWeekly
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     AND: StrAmt > 0
     AND: StrPd IN [OneWeek .. Year]
     AND: LWeekly >= 0.01
     AND: Edit = No
     (StrWkly < 50) AND INVOLVING(StrPd,StrAmt)
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     StrPd <> Note
     Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
\textit{WARN IF: QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit} \; = \; \textit{Yes})
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: PAskStruc IN [2 .. 3]
     AND: StrOths = Yes
     RESERVECHECK
     RESERVECHECK
```

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: PAskStruc IN [2 .. 3]
AND: Stroths = Yes

RESERVECHECK RESERVECHECK

Block: FRS1207A.QInsur

FRS1207A.QInsur (continued)

Questions about structure insurance.

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

 $\textit{WARN IF: QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit = Yes})$

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: QInsur.QStructure[1].StrWkly = RESPONSE

AND: QOwner1.QMortgage.M[1].MorIWkly = RESPONSE

(QInsur.QStructure[1].StrWkly < QOwner1.QMortgage.M[1].MorIWkly) AND INVOLVING(QOwner1.QMortgage.M[1].MorInPay,QInsur.QStructure[1].StrAmt,QInsur.QStructure[1].StrPd)

۸ī

The amount you recorded for the premium on the insurance on the structure is greater than the amount recorded for the last mortgage payment.

Please check whether this is correct.

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: QInsur.QStructure[1].StrWkly = RESPONSE

AND: QOwner1.QMortgage.M[1].IntPWkly = RESPONSE

(QInsur.QStructure[1].StrWkly < QOwner1.QMortgage.M[1].IntPWkly) AND INVOLVING(QOwner1.QMortgage.M[1].IntPrPay,QInsur.QStructure[1].StrAmt,QInsur.QStructure[1].StrPd)

^]

The amount you recorded for the premium on the insurance on the structure is greater than the amount recorded for the last mortgage payment.

Please check whether this is correct.

FRS1207A.QCounTax

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandAMax := 1135
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandBMax := 1325
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandCMax := 1510
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandDMax := 1700
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandEMax := 2075
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandFMax := 2455
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandGMax := 2830
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandHMax := 3395
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandIMax := 3415
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
BandAMin := 455
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
CTIntro := (B + '
Now there are some questions about Council Tax
' + B)
```

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: OrgID <> NISRA
```

CTConDoc

^I QCounTax^I

^N^CTIntro

For your Council Tax, do you have a bill, or a payment book that you could consult?^N

^I^IC Accept a statement/bill from the year ^FYearM1-^FYear if no payment for ^FYear-^LYear yet made.

- (1) Yes consulted now
- (2) No no document (or will not consult)

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: OrgID <> NISRA
```

CTBand

^I QCounTax^I

^N

Could you please tell me which Council Tax band this accommodation is in?

^I^IC This must be the band given by the council - do not accept respondent's own estimate of value of property.

Council Tax band I exists in Wales for properties over £400,000.

If this household's accommodation is not valued separately (eg. because it's a rented part of larger premises), then use code 10.

If respondent's initial band allocation was later changed because they are disabled enter^B original^B band here.

- (1) Band A
- (2) Band B
- (3) Band C
- (4) Band D
- (5) Band E
- (6) Band F
- (7) Band G
- (8) Band H
- (9) Band I
- (10) Household accommodation not valued separately

```
Warn IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AnD: OrgID <> NISRA
   AnD: Wales <> Yes
```

AND: Wales <> Ye CTBand <> BandI

^I^IC This is not a Welsh property - that code is invalid.

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: OrgID <> NISRA
```

RESERVECHECK RESERVECHECK

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: OrgID <> NISRA

RESERVECHECK RESERVECHECK

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
CTXAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
CTSXAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
CTSWAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
CTSSAmt := 'Missing'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
slatxt := QDataBaq.SLA
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: CTData.SEARCH (slatxt)
RCTXAmt := CTData.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: CTData.SEARCH (slatxt)
CTXAmt := STR(RCTXAmt,7,2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
AND: (Country = Scotland) AND CTScot.SEARCH (slatxt)
RCTSXAmt := CTScot.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
AND: (Country = Scotland) AND CTScot.SEARCH (slatxt)
CTSXAmt := STR(RCTSXAmt,7,2)
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: NOT ((Country = Scotland) AND CTScot.SEARCH (slatxt)
CTSXAmt := 'N/A'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
AND: (Country = Scotland) AND ScotWat.SEARCH (slatxt)
RCTSWAmt := ScotWat.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: (Country = Scotland) AND ScotWat.SEARCH (slatxt)
CTSWAmt := STR(RCTSWAmt, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: NOT ((Country = Scotland) AND ScotWat.SEARCH (slatxt)
CTSWAmt := 'N/A'
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: (Country = Scotland) AND ScotSew.SEARCH (slatxt)
RCTSSAmt := ScotSew.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: (Country = Scotland) AND ScotSew.SEARCH (slatxt)
CTSSAmt := STR(RCTSSAmt, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) AND (Edit = Yes)
     AND: NOT ((Country = Scotland) AND ScotSew.SEARCH (slatxt)
CTSSAmt := 'N/A'
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: CTConDoc <> EMPTY
     CTBand = RESPONSE
     ۸Ţ
     Editor: The Council Tax Band is missing.
     Use the website http://www.voa.gov.uk/cti/InitS.asp?lcn=0 to obtain the correct band.
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
CTValid
     ^I QCounTax^I
     STRING[2]
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[1] := 'A'
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[2] := 'B'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[3] := 'C'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[4] := 'D'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[5] := 'E'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[6] := 'F'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[7] := 'G'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[8] := 'H'
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
Letters[9] := 'I'
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand IN [BandA .. BandI]
Letter := Letters[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand = NotApp
Letter := 'Not valued separately'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand = DONTKNOW
Letter := 'Don't know'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTBand = REFUSAL
Letter := 'Missing'
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
CTLVBand
     ^I QCounTax^I
     ^N
     Was your Council Tax bill reduced to a lower band because there is a disabled person in the
     household?^N
     ^I^IC Households must make a special application in order to obtain this reduction.
     (1)
     (2)
             No
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (CTLVBand = Yes) AND (CTBand IN [BandA .. BandI])
```

CTLVChk

^I QCounTax^I

^N

You said you were in Band ^Letter; is that the Band^B after^B this lower valuation, or^B before^B?

- (1) After lower valuation
- (2) Before

```
CHECK IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: (CTLVBand = Yes) AND (CTBand IN [BandA .. BandI])
    AND: CTBand = BandI
    CTLVChk <> Aftr
    'II'IC Band I is the HIGHEST band, so it cannot be the band AFTER the lower valuation. Please change
    one or the other
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: Country = Scotland
ScotFill := (' including' + B + ' Domestic water & sewerage
charges' + B)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: Country = Scotland
ScotInst := ('
' + IC + 'If the respondent has a private water supply or a
septic tank and does not pay for water ' + 'and sewerage with
their council tax, ' + B + ' make a note' + B + ' of whether
water or sewerage are paid for ' + 'separately and the amount
currently paid for each.')
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: Country = Scotland
ScotHelp := ('
' + B + 'Sources of private water supply' + B + ' include
surface water, such as streams or rivers as well as ' +
'private impoundment reservoirs, and ground water such as
wells and boreholes or springs.')
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: NOT (Country = Scotland)
ScotFill := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: NOT (Country = Scotland)
ScotInst := ''
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: NOT (Country = Scotland)
ScotHelp := '
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
CTAmt
     ^I QCounTax^I
     ^I
     If the respondent has not paid any tax for any reason then enter 0 and the later questions will probe the
     ^ScotHelp
     0.00..9999.97
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: Country = Scotland
     CTAmt <> 0
     'II'IC No Council Tax paid, but you should record here the last payment of domestic water charge and
     domestic sewerage charge, which are not paid for by C. Tax benefit.
     If they have not been paid, suppress warning and continue.
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (CTAmt > 0) OR CTAmt = NONRESPONSE
CTInstal
     ^I QCounTax^I
     ^N^O1 Can I just check,^O2 Was that the full payment for the year, or was it an instalment?^N
     ^I^IC 'Year' = April to March (12 months).
              Full annual payment
     (1)
     (2)
              An instalment
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (CTAmt > 0) OR CTAmt = NONRESPONSE
     AND: CTInstal = Instal
CTTime
     ^I QCounTax^I
     How many instalments are there, over the whole year?^N
     ^I^IC 'Whole year' = April to March (12 months).
     If payment given is from B last B year, enter number of instalments made last year.
     2..52
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: (CTAmt > 0) OR CTAmt = NONRESPONSE
     AND: CTInstal = Instal
     AND: (CTConDoc = Yes) AND (CTTime = RESPONSE)
CTAnnual
     ^I QCounTax^I
     ^I^IC Refer to document being consulted:^I
     On the statement/bill, what is the B total B amount payable for the year, ScotFill after deducting any
     discounts or benefit?^N
     ^I^IC 'Year' = April to March (12 months)
     0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (CTAmt = RESPONSE) AND (CTInstal = RESPONSE)
     AND: CTInstal = Full
CTAmtYr := CTAmt
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: (CTAmt = RESPONSE) AND (CTInstal = RESPONSE)
     AND: (CTInstal = Instal) AND (CTTime = RESPONSE)
CTAmtYr := (CTAmt * CTTime)
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: OrgID <> NISRA

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

CWat1Rs

^I QCounTax^I

۸Ţ

In Scotland, Domestic Water Charge should be^B included^B in the total Council Tax bill for the year - if not, please explain in a note.

- (1) Passed
- (2) Hard
- (3) Soft
- (4) Suppressed

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: OrgID <> NISRA
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

CWat1Ex

^I QCounTax^I ^I^IC^SuppTxt

OPEN

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: OrgID <> NISRA

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

CSew1Rs

^I QCounTax^I

۸I

In Scotland, Domestic Sewerage Charge should be^B included^B in the total Council Tax bill for the year - if not, please explain in a note.

- (1) Passed
- (2) Hard
- (3) Soft
- (4) Suppressed

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: OrgID <> NISRA
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

CSew1Ex

^I QCounTax^I ^I^IC ^SuppTxt

OPEN

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Country = Scotland)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
CWatAmt1
     ^I QCounTax^I
     How much is the annual Domestic Water Charge, as shown on the bill?^N
     ^I^IC Enter the full charge, before any status discount.
     0.00..9999.97
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Country = Scotland)) AND (CTConDoc = Yes)) AND ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     CWatAmt1 > 0
     CWatAmt1 > 0
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Country = Scotland)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     AND: (CWat1Rs = Suppressed) OR CWat1Ex <> EMPTY
CWat1Ex
     ^I OCounTax^I
     ^I^IC^SuppTxt
     OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Country = Scotland)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
CSewAmt1
     ^I QCounTax^I
     ^N
     How much is the annual Domestic Sewerage Charge, as shown on the bill?^N
     ^I^IC Enter the full charge, before any status discount or transitional relief.
     0.00..9999.97
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((Edit = No) AND (Country = Scotland)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     AND: CSewAmt1 = RESPONSE
     CSewAmt1 > 0
     CSewAmt1 > 0
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: (((Edit = No) AND (Country = Scotland)) AND (CTConDoc = Yes)) AND
     ((CTInstal = Full) OR (CTAnnual > 0))
     AND: CWatAmt1 = RESPONSE
     AND: CSewAmt1 = RESPONSE
     AND: (CSew1Rs = Suppressed) OR CSew1Ex <> EMPTY
CSew1Ex
     ^I QCounTax^I
     ^I^IC ^SuppTxt
     OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: ((Edit = Yes) AND (Country = Scotland)) AND (CTConDoc = Yes)
CWatAmt1
     ^I QCounTax^I
     How much is the annual Domestic Water Charge, as shown on the bill?^N
     ^I^IC Enter the full charge, before any status discount.
     0.00..9999.97
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: ((Edit = Yes) AND (Country = Scotland)) AND (CTConDoc = Yes)
CSewAmt1
     ^I OCounTax^I
     ^N
     How much is the annual Domestic Sewerage Charge, as shown on the bill?^N
     ^I^IC Enter the full charge, before any status discount or transitional relief.
     0.00..9999.97
```

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
CTRebPx
     ^I QCounTax^I
     ^I^IC ^Pd97Txt
     OPEN
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
CTRebRs
     ^I QCounTax^I
     ۸I
     That seems rather high. Please check the amount and frequency of payment. If correct, suppress warning
     and explain circumstances in a note.
             Passed
     (1)
     (2)
             Hard
     (3)
             Soft
     (4)
             Suppressed
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
CTRebEx
     ^I QCounTax^I
     ^IC ^SuppTxt
     OPEN
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
CTReb
     ^I QCounTax^I
     ^N
```

Are you allowed Council Tax Benefit or rebate, to help pay your Council Tax?

(1)

(2)

Yes

No

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = No
     AND: (CTAmt = 0) OR CTAmt = NONRESPONSE
WhyNoCT
     ^I QCounTax^I
     ^I^IC No council tax is paid, but no benefit received.
     Ask or code: what was the reason for paying no council tax?
     (1)
              Bill not yet B received B and household not previously liable for C.Tax
     (2)
              Bill not yet^B paid^B and household not previously liable for C.Tax
     (3)
              Deliberate non-payment, in dispute, appeal, etc.
     (4)
              Household only recently moved into accommodation
     (5)
              Household has a 'formal exemption' from the Tax
       (all students; MoD property; severely mentally impaired.)
              Paid by absent partner
     (6)
              Paid by employer
     (7)
     (8)
              Other reason (DESCRIBE IN A NOTE)
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = No
CTBWait
     ^I QCounTax^I
     ^N
     Are you awaiting the outcome of a claim for Council Tax benefit or rebate?
     (1)
              Yes
     (2)
              No
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
CTRebAmt
     ^I QCounTax^I
     How much was allowed?
     0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: OrgID <> NISRA
      AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
      AND: CTReb = Yes
      AND: CTRebAmt > 0
CTRebPd
      ^I QCounTax^I
      ^N
      How long did this cover?
      (1)
               One week
               Two weeks
      (2)
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
               Two Calendar months
      (7)
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
      (26)
               Six months/26 weeks
               One Year/12 months/52 weeks
      (52)
      (90)
               Less than one week
      (95)
               One off/lump sum
      (97)
               None of these ^I(Explain in a note)
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
```

AND: OrgID <> NISRA

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

AND: CTReb = Yes AND: CTRebAmt > 0 AND: CTRebPd = Note

CTRebPx

^I QCounTax^I

^I^IC ^Pd97Txt

OPEN

FRS1207A.QCounTax.Weekly()

Procedure Call

```
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[1] := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[2] := 2
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[3] := 3
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[4] := 4
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
    AND: CTRebAmt > 0
PdConW[5] := 4.333
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[7] := 8.67
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
    AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[8] := 6.5
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[9] := 5.78
 \textit{Compute if: } \textit{QAccomdat.HHStat} \; <> \; \textit{EMPTY OR (Edit = Yes)} 
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[10] := 5.2
 \textit{Compute if: } \textit{QAccomdat.HHStat} \; <> \; \textit{EMPTY OR (Edit = Yes)} 
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[13] := 13
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[26] := 26
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
PdConW[52] := 52
 \textit{Compute if: } \textit{QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit = Yes}) 
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QCounTax (continued)

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
CTRWkly := LWeekly
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
CTRebYr := (CTRWkly * 52)
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (CTRebYr > 0) AND (CTBand = RESPONSE)
     (((((((((CTBand = BandA) AND (CTRebYr <= BandAMax)) OR ((CTBand =
     BandB) AND (CTRebYr <= BandBMax))) OR ((CTBand = BandC) AND (CTRebYr
     <= BandCMax))) OR ((CTBand = BandD) AND (CTRebYr <= BandDMax))) OR</pre>
     ((CTBand = BandE) AND (CTRebYr <= BandEMax))) OR ((C
     (((((((CTBand = BandA) AND (CTRebYr <= BandAMax)) OR ((CTBand = BandB) AND (CTRebYr
     <= BandBMax))) OR ((CTBand = BandC) AND (CTRebYr <= BandCMax))) OR ((CTBand = BandD)
     AND (CTRebYr <= BandDMax))) OR ((CTBand = BandE) AND (CTRebYr <= BandEMax))) OR
     ((CTBand = BandF) AND (CTRebYr <= BandFMax))) OR ((CTBand = BandG) AND (CTRebYr <=
     BandGMax))) OR ((CTBand = BandH) AND (CTRebYr <= BandHMax))) OR ((CTBand = BandI) AND
     (CTRebYr <= BandIMax))) AND INVOLVING (CTBand, CTRebPd, CTRebAmt)
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
     AND: CTRebAmt > 0
     AND: CTRebPd IN [OneWeek .. Year]
     AND: LWeekly > 0
     AND: (CTRebYr > 0) AND (CTBand = RESPONSE)
     AND: (CTRebRs = Suppressed) OR CTRebEx <> EMPTY
CTRebEx
     ^I QCounTax^I
     ۸I
     ^IC ^SuppTxt
     OPEN
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((NewBU >= 2) AND (CTConDoc = Yes)) AND (CTReb = Yes)) AND
     (NotHRPBU = 1)
WhoseCTB
     ^I QCounTax^I
     According to the statement, who is the Council Tax Benefit for?^N
     ^I^IC Code all that apply.
     SET [7] OF
     (1)
             ^BUAdName[1]
     (2)
             ^BUAdName[2]
     (3)
             ^BUAdName[3]
     (4)
             ^BUAdName[4]
     (5)
             ^BUAdName[5]
     (6)
             ^BUAdName[6]
     (7)
             ^BUAdName[7]
     (8)
             Someone else (SPECIFY IN A NOTE)
     (9)
            Not on statement
CHECK IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((NewBU >= 2) AND (CTConDoc = Yes)) AND (CTReb = Yes)) AND
     (NotHRPBU = 1)
     AND: In loop FOR Index := 1 TO 7
     AND: Index IN WhoseCTB
     BUAdName[[Index] <> ''
     Code 'Index is not valid for this question.'I
CHECK IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: (((NewBU >= 2) AND (CTConDoc = Yes)) AND (CTReb = Yes)) AND
     (NotHRPBU = 1)
     AND: NS IN WhoseCTB
     WhoseCTB.CARDINAL = 1
     'Not known/not on statement' is an exclusive code!^I
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTReb = Yes
are := 'In addition to your rebate/ benefit, are'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: NOT (CTReb = Yes)
are := 'Are'
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: OrgID <> NISRA

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

AND: OrgID <> NISRA

SHOWCARD := (IS + ' B12')

COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: OrgID <> NISRA

AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE

AND: NOT (OrgID <> NISRA)

SHOWCARD := ''
```

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: OrgID <> NISRA
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
```

CTDisc

^I QCounTax^I

^]

The council tax assumes two adults per household. If only one adult lives there, a 25% status discount will usually apply. If a student/student nurse/apprentice etc. lives with^B one^B other adult then a discount of 25% will apply. However no discount will apply if that person lives with two or more other adults.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: OrgID <> NISRA
AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
AND: CTDisc = Yes
```

CT25D50D

^I QCounTax^I

۸Į

Some households get a discount on their Council Tax because of the B type B of person living there. Usually this is a 25% discount. The rules are very detailed, but in general:

25% for Single adult households

25% for one adult, plus: a student/student nurse/person under 18/apprentice/YT Trainee/care worker/severely mentally impaired

50% when a household is made up of a mixture of those who are exempt (eg. student/student nurse/person under 18/apprentice/YT Trainee/care worker/severely mentally impaired)

Note: Households wholly occupied by students or under 18 year olds are entirely B exempt B from Council Tax.

- (1) 25%
- (2) 50%

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: CTDisc = Yes
     CT25D50D <> D50
     Are you sure? Discount is usually 25%. The 50% discount applies only if ALL household members
     belong to the groups shown on ^SHOWCARD. Please check with respondent.
     If discount IS DEFINITELY 50%, suppress warning and continue.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTBand IN [BandA .. BandI]) OR CTBand = NONRESPONSE
     AND: AllAd = 1
     (CTDisc = Yes) AND (CT25D50D = D25)
     Are you sure? Households with only one adult would normally have a status discount (25% reduction of
     the bill).
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (CTAmtYr > 0) AND (CTBand = RESPONSE)
     (((((((((((CTBand = BandA) AND (CTAmtYr <= BandAMax)) OR ((CTBand =
     BandB) AND (CTAmtYr <= BandBMax))) OR ((CTBand = BandC) AND (CTAmtYr
     <= BandCMax))) OR ((CTBand = BandD) AND (CTAmtYr <= BandDMax))) OR</pre>
     ((CTBand = BandE) AND (CTAmtYr <= BandEMax))) OR ((C
     That's £^CTAmtYr a year which seems rather high for a property in this Band.
     Please check the amount and frequency of payment.
     If correct, suppress warning and explain circumstances in a Note.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: ((CTAmt > 0) AND (CTDisc <> Yes)) AND (CTReb <> Yes)
     ((CTInstal = Instal) AND ((CTAmt * CTTime) >= BandAMin)) OR ((CTInstal
     = Full) AND (CTAmt > BandAMin))
     The annual Council Tax comes to less than the cheapest Council Tax. No discount or rebate is received,
     so please check for a typing error. If correct, please give explanation in a Note.
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: ((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTAnnual =
     RESPONSE)
CTReal := (CTAmt * CTTime)
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: ((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTAnnual =
     RESPONSE)
     CTAnnual < (1.2 * CTReal)
     £^CTAnnual is more than would be expected, given the instalments mentioned earlier. Please check, from
     the document consulted, that it's for the B same year B as the instalments.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: ((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTAnnual =
     RESPONSE)
     CTAnnual > (0.8 * CTReal)
     £^CTAnnual is less than would be expected, given the instalments mentioned earlier. Please check, from
     the document consulted, that it's for the B same year B as the instalments.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
      (CTBand <> NotApp) AND (CTBand <> DONTKNOW)
     ^I^IC If necessary check which is correct; this accom:
     - is NOT valued separately for C.Tax (code 9),
     - or it IS valued for C.Tax, but respondent DOESN'T KNOW the Tax Band
     (enter Don't know).
     If correct, suppress check & continue.
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: (((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTInstal =
     Instal)) AND (CTAnnual = RESPONSE)) AND (CWatAmt1 = RESPONSE)
CTReal := (CTAmt * CTTime)
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: ((((CTAmt = RESPONSE) AND (CTTime = RESPONSE)) AND (CTInstal =
     Instal)) AND (CTAnnual = RESPONSE)) AND (CWatAmt1 = RESPONSE)
     CWatAmt1 <= CTReal
     The Domestic B Water B charge is more than the total amount of Council Tax paid for the year.
     Make sure that the last payment of Domestic Water charge (and domestic sewerage charge) was included
     at CTAmt.
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: ((CWatAmt1 = RESPONSE) AND (CTAmt = RESPONSE)) AND (CTInstal =
     Full)
     CWatAmt1 <= CTAmt
     The Domestic^B Water^B Charge is more than the total amount of Council Tax paid for the year.
     Make sure that the last payment of Domestic Water charge (and domestic sewerage charge) was included
     at CTAmt.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: CTReb <> EMPTY AND (CTRebAmt = RESPONSE)
     CTRebAmt <> 0
     Zero amount of Council Tax benefit: this contradicts previous answer (at 'CTReb') that benefit WAS
     received.
     Please resolve if possible.
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
OrgWatAmt
     ^I QCounTax^I
     Domestic Water Charge, original entry before discount.
     0.00..9999.97
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
OrgSewAmt
     ^I OCounTax^I
     Domestic Sewerage Charge, original entry before discount.
```

0.00..9999.97

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
     AND: Country = Scotland
     AND: (CTBand IN [BandA .. BandI]) AND ScotWat.SEARCH (slatxt)
OrgWatAmt := ScotWat.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
    AND: Country = Scotland
     AND: CWatAmt1 <> EMPTY
OrgWatAmt := CWatAmt1
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: Country = Scotland
OrgWatAmt
     ^I QCounTax^I
     Domestic Water Charge, original entry before discount.
     0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
    AND: Country = Scotland
CTDiscR := 1
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
     AND: Country = Scotland
     AND: CT25D50D = D25
CTDiscR := 0.75
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
     AND: Country = Scotland
     AND: CT25D50D = D50
CTDiscR := 0.5
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: Country = Scotland
CWatAmt := (OrgWatAmt * CTDiscR)
```

```
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: Country = Scotland
CWatAmt
     ^I QCounTax^I
     Water charge: Final value (after discount)
     0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: Country = Scotland
     AND: (CTBand IN [BandA .. BandI]) AND ScotSew.SEARCH (slatxt)
OrgSewAmt := ScotSew.BandAmt[ORD(CTBand)]
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: Country = Scotland
     AND: CSewAmt1 <> EMPTY
OrgSewAmt := CSewAmt1
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: Country = Scotland
OrgSewAmt
     ^I QCounTax^I
     Domestic Sewerage Charge, original entry before discount.
     0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: Country = Scotland
CSewAmt := (OrgSewAmt * CTDiscR)
DISPLAY IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: Country = Scotland
CSewAmt
     ^I OCounTax^I
     Sewerage charge: Final value (after discount)
    0.00..9999.97
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
CTChkB := ''
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
CTChkC := 'Not known'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
CTChkD := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
CTChkE := 'N/A'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
CTChkF := 'Not calculated'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: CTAnnual = RESPONSE
CTChkCR := CTAnnual
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: CTAnnual = RESPONSE
CTChkC := STR(CTAnnual,7,2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE
    AND: (CTInstal = Full) OR (CTAmt = 0)
CTChkCR := CTAmt
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE
    AND: (CTInstal = Full) OR (CTAmt = 0)
CTChkC := STR(CTAmt,7,2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE
    AND: CTInstal = Instal
CTChkCR := (CTAmt * CTTime)
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE
    AND: CTInstal = Instal
CTChkC := STR(CTAmt * CTTime, 7, 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: CTDisc = No
CTChkD := 'None'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: CT25D50D = D25
CTChkD := '25%'
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: CT25D50D = D50
CTChkD := '50%'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: CT25D50D = NONRESPONSE
CTChkD := 'Amount not known'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: (CTRebAmt = RESPONSE) AND (CTRebPd = RESPONSE)
CTChkE := STR(CTRWkly * 52,7,2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: CTRebAmt = NONRESPONSE OR CTRebPd = NONRESPONSE
CTChkE := 'Annual amount not known'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE
CTChkFR := (CTChkCR + (CTRWkly * 52))
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE
    AND: CT25D50D = D25
CTChkFR := ((CTChkFR * 4) / 3)
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE
    AND: CT25D50D = D50
CTChkFR := (CTChkFR * 2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: ((((CTAmt = RESPONSE) AND CTInstal <> NONRESPONSE) AND CTTime <>
    NONRESPONSE) AND CTRebAmt <> NONRESPONSE) AND CTRebPd <> NONRESPONSE
CTChkF := STR(CTChkFR,7,2)
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = NatCen
Tab1 := '@|@|@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = NatCen
Tab2 := '@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = NatCen
Tab3 := '@|@|@|'
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = NatCen
Tab4 := '@|@|@|@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = NatCen
Tab5 := '@ '
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = ONS
Tab1 := '@|@|@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
    AND: OrgID = ONS
Tab2 := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
    AND: OrgID = ONS
Tab3 := '@|@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
    AND: OrgID = ONS
Tab4 := '@|@|@|@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
    AND: OrgID = ONS
Tab5 := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = NISRA
Tab1 := '@|@|@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
    AND: OrgID = NISRA
Tab2 := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
    AND: Edit = Yes
    AND: OrgID = NISRA
Tab3 := '@|@|@|'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: OrgID = NISRA
Tab4 := '@|@|@|@|@|'
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: OrgID = NISRA
Tab5 := '@ '
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: OrgID <> NISRA
      AND: Edit = Yes
CTChk
      ^I QCounTax^I
      Editor: The following calculations are based on the council tax details. AN
      Local Authority@|@|@|:^N^I@|^QDataBag.SLA^I^N
      CTBand@|@|@|@|:^N^I@|^Letter^I^N
      Annual set charge^Tab1:^N^I@|£^CTXAmt^I^N
      (from lookup)
      SCOTLAND ONLY (from lookup):
      Taking off water/sewerage^Tab2@|:^N^I@|£^CTSXAmt^I^N
      charges^Tab3(Water@|:^N^I@|£^CTSWAmt^I^N,@|Sewerage:^N^I £^CTSSAmt^I^N)
      Respondent's \ annual \ payment@|:^N^I@|\pounds^CTChkc^I^N
      Discount^Tab4:^N^I@|^CTChkd^I^N
      Annual benefit received@|@|:^N^I@|£^CTChke^I^N
      EXPECTED annual charge^Tab5@|:^N^I@|£^CTChkf
      PRESS <Enter> To continue.
      STRING[1]
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: OrgID <> NISRA
      AND: Edit = Yes
      (CTConDoc <> RESPONSE) AND INVOLVING(CTChk)
      Editor: Examine display at 'CTChk' for discrepancies.
      Compare set charge with expected charge (Should be v. similar) and refer to supervisor if necessary.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
      AND: Edit = Yes
      CTAmt<>NONRESPONSE
      Missing amount of council tax. Refer to display at 'ctchk' and enter annual payment, after taking off
      discount/rebate (Also check for notes). If in Scotland, and discount applies, then see edit instructions.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: OrgID <> NISRA
      AND: Edit = Yes
      AND: CTAmt = RESPONSE
      CTAmt <> 0
      EDITOR: Zero Council Tax recorded. Please check the details as necessary
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     CTTime<>NONRESPONSE
     Missing Period for Council Tax.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     CTRebPd<>NONRESPONSE
     Missing period for Council Tax Rebate.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: (CTBand = RESPONSE) AND CTLVChk <> EMPTY
     CTLVChk <> Aftr
     EDITOR: The CT band is the band^B after^B Disablement re-valuation. But it should be the band^B
     before^B. Please change '^B CTBand^B' to the^B next band up^B (Eg. from 'C' to 'D') and then change
     the answer at '^B CTLVChk^B' to code 2, 'before'.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: Edit = Yes
     CTRebPd <> Note
     EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: (CTRebYr > 0) AND (CTBand = RESPONSE)
     (((((CTBand = BandA) AND (CTRebYr <= BandAMax)) OR ((CTBand = BandB)
     AND (CTRebYr <= BandBMax))) OR ((CTBand = BandC) AND (CTRebYr <=
     BandCMax))) OR ((CTBand = BandD) AND (CTRebYr <= BandDMax))) OR</pre>
     ((IN(CTBand,[???])) AND (CTRebYr <= BandEMax))
     EDITOR: CT rebate is £^CTRebYr a year. For new claims made from April 1998, the maximum rebate
     for bands F, G & H is the band B E B total. For claims before April 1998 this capping does not apply.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     AND: (CTRebYr > 0) AND (CTBand <> RESPONSE)
     CTRebYr <= BandHMax
     ۸Ţ
     EDITOR: Council Tax rebate is £^CTRebYr a year which is greater than even the highest council tax
     rebate allowed. Please check the amount and period of payment.
```

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     WhyNoCT <> Other
     EDITOR: Other reason for CT non-payment. Please check for a note; and see
     (a) If the reason can be re-coded, at '^B WHYNOCT^B'{or at '^B CTEXREB^B}';
     Or
     (b) If the hhold is in fact not liable for CT - Eg. note states 'paid to landlord' or 'included in rent' (If so,
     change '^B CTBand^B' to '9').
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: OrgID <> NISRA
     AND: Edit = Yes
     RESERVECHECK
     RESERVECHECK
```

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AND: OrgID <> NISRA
   QCounTax.WhyNoCT <> Other
```

۸٦

If Tax is 'paid by landlord' or 'included in rent', check whether the accommodation is valued separately and if not, recode CTBand;

if a deduction is made from pay, enter it as a payment at CTAmt.

```
Warn IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AnD: OrgID <> NISRA
   AnD: QCounTax.CTReb <> EMPTY AND ((QRenting.HBenefit = Yes) OR (GOV IN QOwner1.QMortgage.M[1].QOutsPay))
   QCounTax.CTReb = Yes
```

Earlier, the respondent said they get Housing Benefit (or Local Housing Allowance) or help from ^GOV1 with mortgage. They should usually also get Council Tax Benefit. Please check: is their C.Tax bill 'reduced' - does the Council take anything off it? (apart from Discount). If so, change answer to 'Yes'.

FRS1207A.QNIRates

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 1
NIRate := 6.767
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 2
NIRate := 6.101
 \textit{Compute if: } \textit{QAccomdat.HHStat} \; <> \; \textit{EMPTY OR} \; \; (\textit{Edit} \; = \; \textit{Yes}) 
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 3
NIRate := 7.001
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 4
NIRate := 6.765
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 5
NIRate := 6.486
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 6
NIRate := 6.729
Compute if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 7
NIRate := 6.148
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 8
NIRate := 6.803
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 9
NIRate := 5.51
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 10
NIRate := 6.262
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 11
NIRate := 6.172
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 12
NIRate := 7.082
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 13
NIRate := 6.673
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 14
NIRate := 6.042
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 15
NIRate := 5.78
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 16
NIRate := 6.926
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 17
NIRate := 7.163
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 18
NIRate := 5.922
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 19
NIRate := 7.141
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 20
NIRate := 5.886
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 21
NIRate := 7.158
COMPUTE IF: OAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 22
NIRate := 6.411
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 23
NIRate := 6.607
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 24
NIRate := 6.01
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
     AND: NIDCoun = 25
NIRate := 7.008
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
    AND: NIDCoun = 26
NIRate := 6.735
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
PDCode[1] := 52
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
PDCode[5] := 12
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
    AND: NOT (OrgID <> NISRA)
PDCode[10] := 10
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
PDCode[52] := 1
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
RTIntro := 'Now there are some questions about Rates.'
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NOT (OrgID <> NISRA)
BillRate
     ^I QNIRates^I
      ۸N
      ^RTIntro
      Do you get a bill for rates on this accommodation?
      ^N
      (1)
              Yes
      (2)
              No
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NOT (OrgID <> NISRA)
     AND: BillRate = No
NoRate
      ^I QNIRates^I
      Why do you not get a rates bill?^N
      ^I^IC ????
              Rented accommodation with rates included in rent
      (1)
      (2)
              Rent/rates free
              Receive full Housing Benefit
      (3)
      (4)
              Receive full rate relief
              Receive combination of Housing Benefit/rate relief for full amount
      (5)
      (6)
              Receive Education, training and leaving care (ETLC) scheme for full amount
      (7)
              Other reason (specify)
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NOT (OrgID <> NISRA)
      AND: BillRate = No
      AND: NoRate = Other
OthReas
      ^I QNIRates^I
      ^N
      Please specify this other reason
      STRING[100]
```

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
PayRate
     ^I QNIRates^I
     ^N
     Do you, or someone in this household, pay the rates bill?
     (1)
     (2)
              No
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = No
NoPay
     ^I QNIRates^I
     ^N
     Why don't you pay your rates bill?
     (1)
              Rate Deferment Scheme (Pensioners)
     (2)
              Low Carbon Homes Scheme
     (3)
              Other reason (specify)
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = No
     AND: NoPay = Other
OthReas2
     ^I QNIRates^I
     ^N
     Please specify this other reason
     STRING[100]
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
     AND: PayRate = No
     AND: NoPay = RateDef
     AND: QNames. HSize = 1
      (HHG.P[1].DVAge >= 60) AND ((QAccomdat.Tenure = Outright) OR
      (QAccomdat.Tenure = Mortgage))
```

The Rates Deferment Scheme is only open to those of pensionable age (i.e. age 60 or over) who own and occupy their own home.

Please check respondents age and tenure code.

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = No
     AND: NoPay = RateDef
     AND: QNames.HSize > 1
      ((HHG.P[1].DVAge >= 60) OR (HHG.P[2].DVAge >= 60)) AND
      ((QAccomdat.Tenure = Outright) OR (QAccomdat.Tenure = Mortgage))
     The Rates Deferment Scheme is only open to those of pensionable age (i.e. age 60 or over) who own and
     occupy their own home.
     Please check respondents/partners age and tenure code.
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
RTConDoc
     ^I ONIRates^I
     For your Rates, do you have a bill, statement, or payment book that you could consult?^N
     ^I^IC Accept a statement/bill from the most recent year if none available for 2012-2013.
              Yes - consulted now
     (1)
     (2)
              No - no document (or will not consult)
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = Yes
RTStatYr
     ^I QNIRates^I
     ۸I
     Refer to document being consulted: \[^I\]
     Which year does the statement/bill refer to?
              2009-10
     (1)
     (2)
              2010-11
     (3)
              2011-12
     (4)
              2012-13
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = Yes
Document := '
Refer to document being consulted:
```

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = Yes
can_you := 'On the statement/bill'
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = No
Document := ''
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTConDoc = No
can you := 'Can you tell me'
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
     AND: PayRate = Yes
```

RTAnnual

^I QNIRates^I

^I^Document^I ^N

 $\verb|^can_you|, what is the total annual amount of rates payable, after deducting any discounts or benefit? \verb|^N|$

^I^IC If not consulting a statement/bill - probe to ensure amount given is as accurate as possible and excludes any discounts or benefits. We need to know the amount they actually pay for the WHOLE year.

If respondent does not know annual amount payable but pays their rates bill via instalments, then record instalment amount here and relevant payment period at 'RTTimePd'.

'Year' = April to March (12 months)

Note: No rates are payable in February and March each year

0.00..9999.97

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
```

RTArrear

^I QNIRates^I

^I^Document^I ^N

Are there any arrears included in the total annual amount payable?

- (1) Yes
- (2) No

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NOT (OrgID <> NISRA)
      AND: NOT (BillRate = No)
      AND: PayRate = Yes
      AND: RTArrear = Yes
RTArrAmt
      ^I QNIRates^I
      What is the total amount of arrears payable?
      0.00..9999.97
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
     AND: PayRate = Yes
RTInstal
      ^I QNIRates^I
      ^N
      (Can I just check,) is this total amount payable the full payment for the year, or was it an instalment?^N
      ^I^IC 'Year' = April to March (12 months).
      (1)
               Full annual payment
      (2)
               An instalment
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
      AND: PayRate = Yes
      AND: RTInstal = Full
      RTAnnual <= 3000
      This seems quite high for a domestic rates bill.
      Please check the amount of rates paid annually is correct.
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
      AND: NOT (OrgID <> NISRA)
      AND: NOT (BillRate = No)
      AND: PayRate = Yes
      AND: RTInstal = Instal
RTTimePx
```

^I QNIRates^I

^I^IC ^Pd97Txt

OPEN

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTInstal = Instal
```

RTTimePd

^I QNIRates^I

How often do you pay instalments?^N

^I^IC 'Whole year' = April to March (12 months).

Note: If respondent paying by Direct Debit there are usually 10 monthly instalments per year (code '10' below) as no rates are payable in February and March.

If payment given is from last year, enter number of instalments made last year.

- (1) One week
- (5) Calendar month
- (10) Ten times a year
- (52) One Year/12 months/52 weeks
- (97) None of these ^I(Explain in a note)

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTInstal = Instal
AND: RTTimePd = Note
```

RTTimePx

```
^I QNIRates^I
```

^I^IC ^Pd97Txt

OPEN

```
Warn IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AND: NOT (OrgID <> NISRA)
   AND: NOT (BillRate = No)
   AND: PayRate = Yes
   AND: RTInstal = Instal
   AND: RTTimePd = Year
   (RTInstal <> Instal) AND INVOLVING(RTInstal,RTTimePd)
```

The respondent said they pay one instalment per year - therefore go to RTInstal and change code to 'Full annual payment'

```
Warn IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
   AnD: NOT (OrgID <> NISRA)
   AnD: NOT (BillRate = No)
   AnD: PayRate = Yes
   AnD: RTInstal = Instal
   AnD: RTTimePd <> Year
   (RTAnnual * PDCode[ORD(RTTimePd)]) <= 3000
   ^[</pre>
```

This seems quite high for a domestic rates bill.

Please check the amount of rates paid and the instalment period is correct.

```
RECORD IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
```

RtAnnAmt

^I QNIRates^I Annual amount of rates paid

0.00..9999.97

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NOT (OrgID <> NISRA)

AND: NOT (BillRate = No)

AND: PayRate = Yes

AND: RTInstal = Full
```

RtAnnAmt := RTAnnual

```
COMPUTE IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTInstal = Instal
```

RtAnnAmt := (RTAnnual * PDCode[ORD(RTTimePd)])

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
```

RTDpa

^I QNIRates^I

^N

Does your household receive a discount on your rates bill through receipt of Disabled Persons Allowance?

^I^IC Disabled Persons Allowance: If the head of household, or someone else in the household is, a person with a disability, and meet the conditions of this scheme, they may be entitled to a reduction of 25% in their annual domestic rates bill. The property must be adapted to meet the needs of a person with a disability who lives within the home.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTDpa = Yes
```

RTDpaAmt

```
^I QNIRates^I
```

^N

How much was discounted from the annual bill?

0.01..9999.97

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
```

RTReb

^I QNIRates^I

^N

Does your household receive a discount on your annual rates bill through receipt of Housing Benefit?

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTReb = Yes
```

RTRebAmt

^I QNIRates^I

^N

How much was discounted from the annual bill?

0.01..9999.97

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
```

RTRtR

^I QNIRates^I

۸N

Does your household receive a discount on your annual rates bill through receipt of Rate Relief?

^I^IC Rate Relief (general): The general Rate Relief scheme helps if the ratepayer is a pensioner with savings of less than £50,000, getting Housing Benefit for only part of their rate bill or just outside the income limit for receiving Housing Benefit.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTRtR = Yes
```

RTRtRAmt

^I QNIRates^I

۸N

How much was discounted from the annual bill?

0.01..9999.97

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: ((HHG.P[1].DVAge >= 70) AND (QNames.HSize = 1)) AND (PayRate = Yes)
```

RTLpa

^I QNIRates^I

^N

Are you in receipt of Lone Pensioner Allowance?^N

^I^IC Lone Pensioners Allowance has been introduced in NI for pensioners living alone. A new 20% discount is available for pensioners aged 70 or over; living on their own; AND paying rates for their home.

This household may be eligible for this discount so please check if it is received.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NOT (OrgID <> NISRA)

AND: NOT (BillRate = No)

AND: PayRate = Yes

AND: ((HHG.P[1].DVAge >= 70) AND (QNames.HSize = 1)) AND (PayRate = Yes)

AND: RTLpa = Yes
```

RTLpaAmt

^I QNIRates^I

^N

How much was discounted from the annual bill?

0.01..9999.97

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
```

RTEne

^I QNIRates^I

۸N

Does your household receive a discount on your annual rates bill through the Energy Efficient Homes scheme?^N

^I^IC The Energy Efficiency Homes scheme aims to encourage home owners to bring their home up to modern standards of insulation. The scheme is managed by the Energy Saving Trust on behalf of Land & Property Services (LPS). It provides a one-off reduction in rates to home-owners who install cavity wall insulation and / or loft insulation in their home to the required standards.

For loft insulation, this will depend on the amount spent. If the cost of installing the loft insulation is £300 or more, the annual rates will be reduced by £150. If the cost is between £100 and £299.99, the reduction will be £75. The lower amount will most likely be payable to those homeowners who already have loft insulation but improve it to meet modern standards. For cavity wall insulation, the cost of the works must be £300 or more to receive a reduction in rates of £150.

If both works are carried out the homeowner could receive a reduction of up to £300.

- (1) Yes
- (2) No

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NOT (OrgID <> NISRA)

AND: NOT (BillRate = No)

AND: PayRate = Yes

AND: RTEne = Yes

(QAccomdat.Tenure = Outright) OR (QAccomdat.Tenure = Mortgage)

^I

The Energy Efficient Homes Scheme is only open to those who own and occupy their own home.
Please check respondents tenure code.
```

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTEne = Yes
```

RTEneAmt

^I QNIRates^I

^N

How much was discounted from the annual bill?

- (1) £75 (2) £150
- (3) £300

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
```

RTOther

^I QNIRates^I

^N

Are you in receipt of any other allowance, not yet mentioned, that has reduced the amount you pay annually for rates? N

^I^IC If 'yes' please specify name of allowance. Other allowances include Education, training and leaving care scheme (ETLC) allowable for part of the year.

- (1) Yes
- (2) No

```
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
AND: NOT (OrgID <> NISRA)
AND: NOT (BillRate = No)
AND: PayRate = Yes
AND: RTOther = Yes
```

RTOthAll

```
^I QNIRates^I
```

^N

Please specify this other allowance.

STRING[100]

```
Ask IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: NOT (BillRate = No)
     AND: PayRate = Yes
     AND: RTOther = Yes
RTOthAmt
     ^I QNIRates^I
     How much was allowed?
     0.01..9999.97
Ask if: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: (((NoRate = RateRbt)) OR (NoRate = RateRel)) OR (NoRate = RateBth))
     OR (NoRate = RateETLC)
RT2RebAmt
     ^I QNIRates^I
     ^N
     How much rates would be payable on this property anually if you did not ^NoRate?^N
     ^I^IC If respondent does not know know how much rates would be payable, code Don't Know <?>.
     0.01..9999.97
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
```

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: QNIRates.RTReb <> EMPTY AND ((QRenting.HBenefit = Yes) OR (GOV IN
     QOwner1.QMortgage.M[1].QOutsPay))
     QNIRates.RTReb = Yes
     Earlier, the respondent said they get Housing Benefit or help from 'GOV1 with mortgage. They should
     usually also get a Rates Rebate. Please check: is their Rates bill 'reduced' - does the Rate Collection
     Agency take anything off it? If so, change answer to 'Yes'.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     AND: QNIRates.BillRate <> EMPTY AND (QNIRates.NoRate = RateInc)
     ((QAccomdat.Tenure = Part) OR (QAccomdat.Tenure = Rents)) AND
     INVOLVING(QAccomdat.Tenure,QNIRates.NoRate)
     Earlier, the respondent said they did NOT rent/part rent this accommodation - the rates could NOT be
     included in the rent!!
     Please check that Tenure is correct.
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)
     AND: NOT (OrgID <> NISRA)
     RESERVECHECK
```

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

AND: NOT (OrgID <> NISRA)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QAccomdat.HHStat <> EMPTY OR (Edit = Yes)

RESERVECHECK

RESERVECHECK

COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)

AND: (QRenting.WSInc = EMPTY OR QRenting.WSInc = NONRESPONSE) OR
(QRenting.WSInc IN [Sewer, Neith])

AskWater := Yes

COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)

AND: (QRenting.WSInc = EMPTY OR QRenting.WSInc = NONRESPONSE) OR (QRenting.WSInc IN [Water, Neith])

AskSewer := Yes

Block: FRS1207A.OWaterSew

FRS1207A.QWaterSew

Questions about sewerage and water rates

```
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: (OrgID = NISRA) AND ((PAskWater = Yes) OR (PAskSewer = Yes))
```

NIWIntro

^I QWaterSew^I

^N

From April 2007, the government has introduced water and sewerage charges to Northern Ireland.

These charges are based on the 'capital value' of your home and are being 'phased in' for the first two years - where you pay one-third of the yearly charge in the first year and two-thirds in the second year. In the third year, from April 2009, you will pay the full amount.

There are two charges - water & sewerage - but you only pay for the services you receive.

By now you should have received a letter/bill indicating how much you will be eligible to pay for the period 1st April 2007 to 31 March 2008.

I will now ask you some questions about these charges.

```
PRESS <ENTER> TO CONTINUE
```

STRING[1]

```
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: PAskWater = Yes
```

WaterMet

^I QWaterSew^I

^I^B Northern Ireland only^B - Meters will only be installed for pensioner households, all new properties and those properties connecting to the water supply for the first time.

- (1) Yes
- (2) No

```
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: PAskWater = Yes
```

WaterPay

^I QWaterSew^I

^N

Do you pay water ^RatesOrCharges?

- (1) Yes
- (2) No

```
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: PAskSewer = Yes
SewerPay
     ^I QWaterSew^I
     ^N
     Do you pay sewerage ^RatesOrCharges?
             Yes
     (1)
     (2)
             No
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: ((WaterPay = Yes) AND (SewerPay = Yes)) AND (OrgID <> NISRA)
SewSep
     ^I QWaterSew^I
     ^N
     Do you pay separate or combined water and sewerage rates or charges?
     (1)
             Separate
     (2)
             Combined
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
WatTime
     ^I QWaterSew^I
     ^N
     How many times a year do you pay water ^RatesOrCharges?^N
     ^I^IC Enter times a year.
     1..52
Ask if: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
WatAmt
     ^I QWaterSew^I
     ^N
     How much did you actually pay last time?
     0.01..9997.00
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((WaterPay = Yes) AND (SewerPay <> Yes))
     AND: WaterMet = No
WatAnul
     ^I QWaterSew^I
     ۸N
     How much is your^B annual^B bill?
     0.01..9997.00
```

```
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (WatAmt = RESPONSE) AND (WatTime = RESPONSE)
WatWkly := ((WatAmt * WatTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: Edit = No
     (WatWkly <= 12) AND INVOLVING(WatTime, WatAmt)
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
WARN IF: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: Edit = No
     AND: ((WatTime = RESPONSE) AND (WatAnul = RESPONSE)) AND (WatAmt =
     RESPONSE)
     (ABS((WatTime * WatAmt) - WatAnul) <= 25) AND
     INVOLVING(WatTime, WatAnul, WatAmt)
     Interviewer: The Annual payment for water rates/charges (WatAnul) is very different from the total for
     individual payments (WatTime x WatAmt).
     Please check these figures.
ASK IF: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
SewTime
     ^I QWaterSew^I
     How many times a year do you pay sewerage ^RatesOrCharges?^N
     ^I^IC Enter times a year.
     1..52
Ask if: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
SewAmt
     ^I QWaterSew^I
     How much did you actually pay last time?
     0.01..9997.00
```

```
Ask if: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
     AND: WaterMet = No
SewAnul
     ^I QWaterSew^I
     ^N
     How much is your^B annual^B bill?^N
     'I'IC Code as don't know if respondent has not yet received their annual bill because they have a septic
     0.01..9997.00
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
     AND: (SewAmt = RESPONSE) AND (SewTime = RESPONSE)
SewWkly := ((SewAmt * SewTime) / 52)
WARN IF: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
          (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
     AND: Edit = No
     (SewWkly <= 8) AND INVOLVING(SewTime, SewAmt)
     ۸I
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Separate) OR ((SewerPay = Yes) AND (WaterPay <> Yes))
     AND: Edit = No
     AND: ((SewTime = RESPONSE) AND (SewAnul = RESPONSE)) AND (SewAmt =
     RESPONSE)
     (ABS((SewTime * SewAmt) - SewAnul) <= 25) AND
     INVOLVING(SewTime, SewAnul, SewAmt)
     ۸Ţ
     Interviewer: The Annual payment for sewerage rates/charges (SewAnul) is very different from the total
     for individual payments (SewTime x SewAmt).
     Please check these figures.
Ask if: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (SewSep = Combined) OR (((OrgID = NISRA) AND (SewerPay = Yes)) AND
     (WaterPay = Yes))
WSewTime
     ^I QWaterSew^I
     How many times a year do you pay?^N
     ^I^IC Enter times a year.
     1..52
```

```
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: (SewSep = Combined) OR (((OrgID = NISRA) AND (SewerPay = Yes)) AND (WaterPay = Yes))

WSewAmt

^I QWaterSew^I

^I^B Metered Water^B - Charges made via a water meter should be treated as water rate payments and the last amount actually paid entered.

0.01.9997.00
```

```
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)

AND: (AskWater = Yes) OR (AskSewer = Yes)

AND: (SewSep = Combined) OR (((OrgID = NISRA) AND (SewerPay = Yes)) AND (WaterPay = Yes))

AND: WaterMet = No
```

WSewAnul

```
^I QWaterSew^I
^N
How much is your^B annual^B bill?^N
```

^I^IC Code as don't know if respondent has not yet received their annual bill.

0.01..9997.00

```
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)

AND: (AskWater = Yes) OR (AskSewer = Yes)

AND: (SewSep = Combined) OR (((OrgID = NISRA) AND (SewerPay = Yes)) AND (WaterPay = Yes))

AND: (WSewAmt = RESPONSE) AND (WSewTime = RESPONSE)
```

WSewWkly := ((WSewAmt * WSewTime) / 52)

```
WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
   AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: (SewSep = Combined) OR (((OrgID = NISRA) AND (SewerPay = Yes)) AND
   (WaterPay = Yes))
AND: Edit = No
   (WSewWkly < 20) AND INVOLVING(WSewTime, WSewAmt)
</pre>
```

^1

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Warn IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
   AND: (AskWater = Yes) OR (AskSewer = Yes)
   AND: (SewSep = Combined) OR (((OrgID = NISRA) AND (SewerPay = Yes)) AND
   (WaterPay = Yes))
   AND: Edit = No
   AND: ((WSewTime = RESPONSE) AND (WSewAnul = RESPONSE)) AND (WSewAmt =
   RESPONSE)
   (ABS((WSewTime * WSewAmt) - WSewAnul) <= 25) AND
   INVOLVING(WSewTime, WSewAnul, WSewAmt)
   ^[</pre>
```

Interviewer: The Annual payment for water/sewerage rates/charges (WSewAnul) is very different from the total for individual payments (WSewTime x WSewAmt).

Please check these figures.

```
Ask if: QCountax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (OrgID = NISRA) AND (PAskWater = Yes)
NIWRedT
     ^I QWaterSew^I
     Any entitlement to Housing Benefit will automatically mean the householder qualifies for the Reduced
     Those on the Reduced Tariff will pay no more than £60 in 2007-08 for their water/sewerage charges.
             Yes
     (1)
     (2)
             No
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (OrgID = NISRA) AND (PAskWater = Yes)
     AND: (WatAmt = RESPONSE) AND (WatTime = RESPONSE)
WatWkly := ((WatAmt * WatTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (OrgID = NISRA) AND (PAskWater = Yes)
     AND: NIWRedT = Yes
     (WatWkly < 1.16) AND INVOLVING(WatAmt, WatTime, NIWRedT)
     The respondent said they qualified for the Reduced Tariff, therefore the total annual charge cannot be
     more than £60. Please check your answers
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (OrgID = NISRA) AND (PAskWater = Yes)
     AND: (SewAmt = RESPONSE) AND (SewTime = RESPONSE)
SewWkly := ((SewAmt * SewTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (OrgID = NISRA) AND (PAskWater = Yes)
     AND: NIWRedT = Yes
     (SewWkly < 1.16) AND INVOLVING(SewAmt, SewTime, NIWRedT)
     The respondent said they qualified for the Reduced Tariff, therefore the total annual charge cannot be
     more than £60. Please check your answers
COMPUTE IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (OrgID = NISRA) AND (PAskWater = Yes)
     AND: (WSewAmt = RESPONSE) AND (WSewTime = RESPONSE)
WSewWkly := ((WSewAmt * WSewTime) / 52)
WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
     AND: (AskWater = Yes) OR (AskSewer = Yes)
     AND: (OrgID = NISRA) AND (PAskWater = Yes)
     AND: NIWRedT = Yes
     (WSewWkly < 1.16) AND INVOLVING(WSewAmt, WSewTime, NIWRedT)
     The respondent said they qualified for the Reduced Tariff, therefore the total annual charge cannot be
```

more than £60. Please check your answers

```
Ask if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
AND: (WaterMet = Yes) AND (OrgID <> NISRA)
```

WatRb

```
^I QWaterSew^I
^I
```

The vast majority of people have to pay the full water and sewage charges but there are also a few metered who are eligible for assistance under the Vulnerable Groups Scheme (Water Industry Act 1999). Under this scheme people who qualify receive a bill capped at the average charge for their region and do not have to pay the measured charge reflecting their genuine water consumption.

- (1) Yes
- (2) No

```
Warn if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
RESERVECHECK
```

RESERVECHECK

```
Warn if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
RESERVECHECK
```

RESERVECHECK

```
Warn if: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
   And: (AskWater = Yes) OR (AskSewer = Yes)
   RESERVECHECK
```

RESERVECHECK

```
Warn IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
   AND: (AskWater = Yes) OR (AskSewer = Yes)
   RESERVECHECK
```

RESERVECHECK

RESERVECHECK

```
WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)
RESERVECHECK
```

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)

AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)
AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)

AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: QCounTax.CTBand <> EMPTY AND (Country <> Scotland)

AND: (AskWater = Yes) OR (AskSewer = Yes)

RESERVECHECK RESERVECHECK

FRS1207A.QAccomCharge

Questions on charges with accommodation.

ASK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]

Charge

^I QAccomCharge^I

^I

Use the combined charge category when it is not possible for respondents to split out separate amounts for ground rent, service charge and maintenance charge. If you record a combined amount, do not record the separate amounts as well.

SET [8] OF

- (1) Ground Rent
- (2) Chief Rent
- (3) Service charge
- (4) Compulsory or regular maintenance charges
- (5) Site rent (caravans)
- (6) Factoring (Payments to a land steward)
- (7) Any other regular payments
- (8) Combined charges (eg. ground rent, service charge, maintenance charge, factoring etc.)
- (9) None of these

```
Warn IF: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting]
   AND: (((Ground IN Charge) AND (Service IN Charge)) AND (Maint IN Charge)) AND (Combined IN Charge)
   ERROR
```

^I

Only code combined charges instead of the separate ground rent, service charge, maintenance charge, factoring etc.

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
AND: Other IN Charge
```

ChargeO

^I QAccomCharge^I

^N

Please specify the other type of payments.

STRING[50]

```
Ask IF: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting]
AND: (Service IN Charge) OR (Combined IN Charge)
```

ChIns

^I QAccomCharge^I

^N

Does this service charge include insurance?

- (1) Yes
- (2) No

FRS1207A.QAccomCharge.QChargeAmtPd[]

```
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
     AND: Idx IN Charge
LCharges[1] := 'Ground Rent'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
    AND: Idx IN Charge
LCharges[2] := 'Chief Rent'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
AND: Idx IN Charge
LCharges[3] := 'Service charge'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
    AND: Idx IN Charge
LCharges[4] := 'Maintenance charges'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
    AND: Idx IN Charge
LCharges[5] := 'Site rent'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
    AND: Idx IN Charge
LCharges[6] := 'Factoring'
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
    AND: Idx IN Charge
LCharges[7] := PChargeO
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
    AND: Idx IN Charge
LCharges[8] := ('Combined charges (eg. ground rent, service
charge, ' + 'maintenance charge, factoring etc.)')
```

```
ASK IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
     AND: Idx IN Charge
ChrgAmt
     ^I QAccomCharge^I
     ^N
     I would now like to ask about the charges you pay for ^LCharges[PSeq].
     How much did you pay last time?
     0.01..9997.00
COMPUTE IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
     AND: Idx IN Charge
     AND: ChrgAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
     AND: Idx IN Charge
     AND: ChrgAmt > 0
ChrgPx
     ^I QAccomCharge^I
     ^I^IC ^Pd97Txt^I
     OPEN
Ask IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
     AND: Idx IN Charge
     AND: ChrgAmt > 0
ChrgPd
     ^I QAccomCharge^I
     ۸N
     How long did this cover?
     (1)
              One week
              Two weeks
     (2)
              Three weeks
     (3)
     (4)
              Four weeks
              Calendar month
     (5)
              Two Calendar months
     (7)
              Eight times a year
     (8)
     (9)
              Nine times a year
     (10)
              Ten times a year
     (13)
              Three months/13 weeks
     (26)
              Six months/26 weeks
     (52)
              One Year/12 months/52 weeks
     (90)
              Less than one week
     (95)
              One off/lump sum
     (97)
              None of these ^I(Explain in a note)
```

```
Ask IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
     AND: Idx IN Charge
     AND: ChrgAmt > 0
     AND: ChrgPd = Note
ChrgPx
     ^I QAccomCharge^I
     ^I^IC ^Pd97Txt^I
     OPEN
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
AND: Idx IN Charge
     AND: Edit = Yes
     ChrgPd <> Note
     ۸I
     Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
```

FRS1207A.QAccomCharge (continued)

Questions on charges with accommodation.

```
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: In loop FOR Idx := 1 TO 8
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
     AND: In loop FOR Idx := 1 TO 8
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    AND: None IN Charge
     Charge.CARDINAL = 1
     'None of these' is an exclusive code for this question.
Warn IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
     RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
    RESERVECHECK
WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
    RESERVECHECK
Warn IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
     RESERVECHECK
Warn IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting]
    RESERVECHECK
     RESERVECHECK
```

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

WARN IF: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting] **RESERVECHECK**

RESERVECHECK

WARN IF: QAccomdat. Tenure IN [Outright .. Part, RentFree, Squatting] **RESERVECHECK**

RESERVECHECK

WARN IF: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting] **RESERVECHECK**

RESERVECHECK

WARN IF: QAccomdat.Tenure IN [Outright .. Part, RentFree, Squatting] **RESERVECHECK**

RESERVECHECK

Block: FRS1207A.QLodger

FRS1207A.QLodger

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: In loop FOR count := 1 TO HHSize
     AND: ((PRec[count].Depend IN [Adult .. DepAd]) AND (PRel.PR[count].R IN
     [Child .. NonRel])) AND (ECount < 5)
ECount := (ECount + 1)
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: In loop FOR count := 1 TO HHSize
AND: ((PRec[count].Depend IN [Adult .. DepAd]) AND (PRel.PR[count].R IN
     [Child .. NonRel])) AND (ECount < 5)
ELodger[ECount] := count
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
BordLodg[count].BenUnit := DMBU[[ELodger[count]]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
BordLodg[count].PersId := ELodger[count]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRel.PR[ELodger[count]].R IN [FChild, FParent, FSib, GChild ...
     NonRel]
Relation := Distant
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRec[ELodger[count]].Depend = DepAd
Relation := Skip
```

Block: FRS1207A.QLodger

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRel.PR[ELodger[count]].R IN [Child .. StChild, ILChild ..
     StParent, ILParent .. StSib, ILSib]
Relation := Close
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRec[ELodger[count]].Sex = Male
heshe := 'he'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: NOT (PRec[ELodger[count]].Sex = Male)
heshe := 'she'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
LName := DMName[[ELodger[count]]
```

FRS1207A.QLodger.BordLodg[]

```
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
BenUnit
     ^I QLodger^I
     Benefit Unit of respondent.
     0..7
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
PersId
     ^I QLodger^I
     Person number of respondent.
     0..14
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
ConvBL
     ^I QLodger^I
     ^N
     (Can I just check), is ^LName^N ^I ...Running Prompt...
             ^N...a^B boarder:^B that is, someone who pays you a^B rent^B for board AND lodging
     (1)
     (2)
             ^N...a^B lodger:^B that is, someone who pays you a^B rent for lodging, but not food
     (3)
             ^N...or neither of these?
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL = Board
pay := ' pay for board and lodging'
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL = Lodg
pay := ' pay'
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
CvPay
     ^I QLodger^I
     ^N
     How much rent did ^LName^pay last time it was due, after deducting any Housing Benefit (or Local
     Housing Allowance)?
     0.00..997.00
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
CvPx
     ^I QLodger^I
     ^I^IC ^Pd97Txt
     OPEN
```

```
Ask if: (QCountax.CTB and <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
CvPd
     ^I QLodger^I
     ^N
     How long does that cover?
              One week
     (1)
     (2)
              Two weeks
     (3)
              Three weeks
     (4)
              Four weeks
     (5)
              Calendar month
     (7)
              Two Calendar months
     (8)
              Eight times a year
     (9)
              Nine times a year
     (10)
              Ten times a year
              Three months/13 weeks
     (13)
              Six months/26 weeks
     (26)
     (52)
              One Year/12 months/52 weeks
     (90)
              Less than one week
     (95)
              One off/lump sum
     (97)
              None of these ^I(Explain in a note)
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
      Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
     AND: CvPd = Note
CvPx
     ^I QLodger^I
     ^I^IC ^Pd97Txt
     OPEN
```

FRS1207A.QLodger.BordLodg[].Weekly()

Procedure Call

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[1] := 1
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[2] := 2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[3] := 3
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[4] := 4
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[5] := 4.333
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[7] := 8.67
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[8] := 6.5
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[9] := 5.78
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[10] := 5.2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[13] := 13
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
    AND: ELodger[count] > 0
    AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
PdConW[26] := 26
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
    AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
    AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
    AND: CvPay > 0
PdConW[52] := 52
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
    AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
    AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
    AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: QAccomdat.HHStat = Conv
    AND: ECount > 0
    AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
    AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
    AND: CvPay > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QLodger.BordLodg[] (continued)

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
AND: ConvBL IN [Board .. Lodg]
     AND: CvPay > 0
     AND: CvPd IN [OneWeek .. Year]
     AND: LWeekly > 0
CvWkly := LWeekly
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     AND: PRelation = Distant
     AND: ConvBL IN [Board .. Lodg]
     AND: (ConvBL = Lodg) AND (CvPay > 0)
CvHt
     ^I QLodger^I
     ^N
     Is HEATING included in that, or is it paid for separately?
     (1)
             Included
     (2)
             Paid for separately
Warn if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: QAccomdat.HHStat = Conv
     AND: ECount > 0
     AND: In loop FOR count := 1 TO 5
     AND: ELodger[count] > 0
     CvPd <> Note
     EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
```

Block: FRS1207A.QLodger

FRS1207A.QLodger (continued)

```
Warn if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit = Yes)
AND: QAccomdat.HHStat = Conv
AND: ECount > 0
AND: In loop FOR count := 1 TO 5
AND: ELodger[count] > 0
AND: Edit = No
AND: BordLodg[count].CvWkly = RESPONSE
(BordLodg[count].CvWkly < 119) AND
INVOLVING(BordLodg[count].CvPd,BordLodg[count].CvPay)
^I
Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.</pre>
```

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: QAccomdat.HHStat = Conv
     AND: In loop FOR Loop1 := 1 TO 5
    AND: QLodger.BordLodg[Loop1].CvPay > 0
BUHBElig[QLodger.BordLodg[Loop1].BenUnit] := Yes
WARN IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
    Yes)
     AND: QAccomdat.HHStat = Conv
    RESERVECHECK
    RESERVECHECK
Warn if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
    Yes)
     AND: QAccomdat.HHStat = Conv
    RESERVECHECK
    RESERVECHECK
WARN IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
    Yes)
     AND: QAccomdat.HHStat = Conv
    RESERVECHECK
     RESERVECHECK
WARN IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
```

Yes)

AND: QAccomdat.HHStat = Conv

RESERVECHECK

RESERVECHECK

Block: FRS1207A.QSharer

FRS1207A.QSharer

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO HHSize
     AND: (PRec[count].Depend = Adult) AND (ECount < 8)
ECount := (ECount + 1)
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO HHSize
     AND: (PRec[count].Depend = Adult) AND (ECount < 8)
ESharer[ECount] := count
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
Sharer[count].BenUnit := DMBU[[ESharer[count]]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
Sharer[count].PersId := ESharer[count]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
LName := DMName[[ESharer[count]]
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: PRec[ESharer[count]].Sex = Male
heshe := 'he'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: NOT (PRec[ESharer[count]].Sex = Male)
heshe := 'she'
```

FRS1207A.QSharer.Sharer[]

```
RECORD IF: (QCountax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
BenUnit
     ^I QSharer^I
     BU number of person
     0..7
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
PersId
     ^I QSharer^I
     Person identifier.
     0..14
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: PersId = 1
Preamb := ('Now I'd like to ask how much each of you' + ' pays
towards certain things.')
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: NOT (PersId = 1)
Preamb := ''
```

```
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
SRentAmt
     ^I QSharer^I
     ^N
     How much rent did ^LName pay last time it was due, after deducting any Housing Benefit (or Local
     Housing Allowance)?
     0.00..997.00
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt = NONRESPONSE
HMissVar := (HMissVar + 1)
RECORD IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
SRentPx
     ^I OSharer^I
     ^I^IC ^Pd97Txt
     OPEN
```

```
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
      Yes)
      AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
      AND: ESharer[count] > 0
      AND: BenUnit > 1
      AND: SRentAmt > 0
SRentPd
      ^I QSharer^I
      ^N
     How long does that cover?
      (1)
              One week
              Two weeks
      (2)
              Three weeks
      (3)
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
              Six months/26 weeks
      (26)
              One Year/12 months/52 weeks
      (52)
              Less than one week
      (90)
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
      Yes)
      AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
AND: ESharer[count] > 0
      AND: BenUnit > 1
      AND: SRentAmt > 0
      AND: SRentPd = Note
SRentPx
      ^I QSharer^I
      ^I^IC ^Pd97Txt
      OPEN
```

FRS1207A.QSharer.Sharer[].Weekly()

Procedure Call

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
    AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[1] := 1
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[2] := 2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[3] := 3
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[4] := 4
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[5] := 4.333
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[7] := 8.67
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: BenUnit > 1
     AND: SRentAmt > 0
PdConW[8] := 6.5
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[9] := 5.78
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
    AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[10] := 5.2
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
    = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[13] := 13
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
    AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[26] := 26
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
    AND: SRentAmt > 0
PdConW[52] := 52
```

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
    AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
    AND: BenUnit > 1
     AND: SRentAmt > 0
     AND: (PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := (PAmount / PdConW[ORD(PPeriod)])
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
    AND: In loop FOR count := 1 TO 8
AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
    AND: NOT ((PAmount > 0) AND (PPeriod IN [OneWeek .. Year])
PWeekly := 0
```

FRS1207A.QSharer.Sharer[] (continued)

```
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit > 1
     AND: SRentAmt > 0
     AND: SRentPd IN [OneWeek .. Year]
     AND: LWeekly >= 0
SRntWkly := LWeekly
WARN IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit =
     Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     SRentPd <> Note
     EDITOR: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes)
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: BenUnit = 1
How := 'Apart from any rent, how'
COMPUTE IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit
     = Yes
     AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
     AND: In loop FOR count := 1 TO 8
     AND: ESharer[count] > 0
     AND: NOT (BenUnit = 1)
How := 'How'
```

Block: FRS1207A.QSharer

FRS1207A.QSharer (continued)

```
Warn if: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit = Yes)
   AnD: (QAccomdat.HHStat = Shared) AND (NewBU > 1)
   AnD: In loop FOR count := 1 TO 8
   AnD: ESharer[count] > 0
   AnD: Edit = No
   AnD: Sharer[count].SRntWkly = RESPONSE
   (Sharer[count].SRntWkly < 103) AND
   INVOLVING(Sharer[count].SRentPd,Sharer[count].SRentAmt)
   ^I
   Are you sure? Enter here only the RESPONDENT'S SHARE of the household rent.</pre>
```

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

Warn IF: (QCounTax.CTBand <> EMPTY OR QNIRates.BillRate <> EMPTY) OR (Edit = Yes)

AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

AND: (QAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

AND: (OAccomdat.HHStat = Shared) AND (NewBU > 1)

RESERVECHECK

RESERVECHECK

Block: FRS1207A.QProperty

FRS1207A.QProperty

Questions about other property

Ask if: QAccomdat.SubLet = Yes

SubRent

^I QProperty^I

^N

You mentioned earlier that you let, or sub-let, part of this accommodation to someone outside your household

How much rent have you received from this in the last 12 months, ie. since ^DLYear : that's BEFORE deducting any income tax that might be due on it?

0.00..99999.97

```
COMPUTE IF: QAccomdat.SubLet = Yes
AND: SubRent = RESPONSE
```

SubWkly := (SubRent / 52)

```
WARN IF: QAccomdat.SubLet = Yes
AND: Edit = No
   (SubWkly < 180) AND INVOLVING(SubRent)</pre>
```

Warning: The answer is much higher than the figures usually given at this question. Please check that your figure is correct. If so, suppress warning and continue.

```
Compute if: QAccomdat.SubLet = Yes
AND: SubRent = NONRESPONSE
```

```
HMissVar := (HMissVar + 1)
```

Ask if: QAccomdat.SubLet = Yes

SubAllow

^I QProperty^I

^N

And is that BEFORE or AFTER deducting allowable expenses?

- (1) Before
- (2) After

ASK ALWAYS:

Burden

^I QProperty^I

^N

I'd like you to think about your total housing cost. By that I mean all the bills to do with running a home. That includes your mortgage or rent payments, bills such as gas, electricity, water and heating, house insurance, Council tax payments including sewage, water and refuse removal charges.

To what extent are the total housing costs a financial burden or struggle for your household? Would you say it is...

- (1) a heavy burden or struggle,
- (2) a slight burden or struggle,
- (3) or not a burden or struggle at all?

Block: FRS1207A.QProperty

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

Warn always: RESERVECHECK
RESERVECHECK
Warn always: RESERVECHECK
RESERVECHECK
Warn always: RESERVECHECK
RESERVECHECK
Warn always: RESERVECHECK
RESERVECHECK
COMPUTE ALWAYS:
PersList[1] := ''
COMPUTE ALWAYS:
Elig[1] := 0
COMPUTE ALWAYS:
PersList[2] := ''
COMPUTE ALWAYS:
Elig[2] := 0
COMPUTE ALWAYS:
PersList[3] := ''
COMPUTE ALWAYS:
Elig[3] := 0
COMPUTE ALWAYS:
PersList[4] := ''
COMPUTE ALWAYS:
Elig[4] := 0
COMPUTE ALWAYS:
PersList[5] := ''

```
COMPUTE ALWAYS:
Elig[5] := 0
Compute if: In loop FOR Loop1 := 1 TO HHSize

AND: ((DMAge[Loop1] IN [16 .. 50]) AND (PRec[Loop1].Sex = Female)) OR
     (DMAge[Loop1] IN [0 .. 15])
PersList[1] := (PersList[1] + STR(Loop1,2) + ' : ' +
DMName [Loop1] + '
')
Compute if: In loop FOR Loop1 := 1 TO HHSize

AND: ((DMAge[Loop1] IN [16 .. 50]) AND (PRec[Loop1].Sex = Female)) OR (DMAge[Loop1] IN [0 .. 15])
Elig[1] := (Elig[1] + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
     AND: (Country IN [England, Scotland]) AND (DMAge[Loop1] IN [4 .. 6])
PersList[2] := (PersList[2] + STR(Loop1,2,0) + ' : ' +
DMName [Loop1] + '
')
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
     AND: (Country IN [England, Scotland]) AND (DMAge[Loop1] IN [4 .. 6])
Elig[2] := (Elig[2] + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
     AND: PRec[Loop1]. TypeEd IN [Nursery .. NonAdvFE]
PersList[3] := (PersList[3] + STR(Loop1,2,0) + ' : ' +
DMName[Loop1] + '
')
Compute if: In loop FOR Loop1 := 1 TO HHSize

AND: PRec[Loop1].TypeEd IN [Nursery .. NonAdvFE]
Elig[3] := (Elig[3] + 1)
Compute if: In loop FOR Loop1 := 1 TO HHSize
     AND: (Country = Wales) AND (PRec[Loop1]. TypeEd IN [Primry])
PersList[4] := (PersList[4] + STR(Loop1,2,0) + ' : ' +
DMName[Loop1] + '
')
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
     AND: (Country = Wales) AND (PRec[Loop1].TypeEd IN [Primry])
Elig[4] := (Elig[4] + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize
     AND: (DMAge[Loop1] IN [2 .. 18]) AND (PRec[Loop1].TypeEd IN [Nursery ..
     NonAdvFE])
PersList[5] := (PersList[5] + STR(Loop1,2,0) + ' : ' +
DMName [Loop1] + '
')
```

COMPUTE IF: In loop FOR Loop1 := 1 TO HHSize

AND: (DMAge[Loop1] IN [2 .. 18]) AND (PRec[Loop1].TypeEd IN [Nursery .. NonAdvFE])

Elig[5] := (Elig[5] + 1)

FRS1207A.QWelfare

Questions about free meals etc

```
COMPUTE IF: PAllCh > 0
incl child := ' (including any of your children under 16)'
COMPUTE IF: PAllCh = 1
incl child := ' (including your child under 16)'
COMPUTE IF: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + 1) > 1
READ OUT := 'Individual prompt...'
COMPUTE IF: Eliq[4] > 0
SBrkTxt := ('
' + IC + ' If BOTH free breakfast and other school meal are
received record BOTH 4 and 5. ' + 'Do not double-count
breakfasts or other school meals under one item.')
COMPUTE IF: NOT (Elig[4] > 0)
SBrkTxt := ''
Compute if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
    AND: Elig[1] >= 1
HStart := (N + '...any Healthy Start Vouchers?' + N)
Compute if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
    AND: NOT (Eliq[1] >= 1)
HStart := ''
Compute if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
    AND: Elig[2] >= 1
SchFv := (N + '...any free fruit or vegetables at school?' +
N)
Compute if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
And: NOT (Elig[2] >= 1)
SchFv := ''
Compute if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
    AND: Elig[3] >= 1
SchMilk := (N + '...any free school milk?' + N)
Compute if: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
    AND: NOT (Elig[3] >= 1)
SchMilk := ''
```

```
Compute if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: Elig[4] >= 1
SchBrek := (N + '...any free school breakfasts?' + N)
 \textit{Compute if: } ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0 \\
    AND: Elig[4] >= 1
WOther := 'other '
Compute if: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
And: NOT (Elig[4] >= 1)
SchBrek := ''
Compute if: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
And: NOT (Elig[4] >= 1)
WOther := ''
COMPUTE IF: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: Elig[5] >= 1
SchMeal := (N + '...any ' + WOther + 'free school meals?' + N)
Compute if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: NOT (Elig[5] >= 1)
SchMeal := ''
```

```
Ask if: ((((Eliq[1] + Eliq[2]) + Eliq[3]) + Eliq[4]) + Eliq[5]) > 0
```

FreeItem

^I QWelfare^I

^I^B

Healthy Start Vouchers^B

Healthy Start vouchers are available to pregnant women and to families with children aged under four, who are also in receipt of Income Support, income-based jobseeker's Allowance, Child Tax Credit or Working Tax Credit run-on. They are also available to any pregnant woman aged under 18. Vouchers are claimed via a health professional (e.g. midwife or health visitor etc.). Forms have to be completed and the application countersigned by the health professional.

Healthy Start vouchers are worth:

£3.10 per week if you are pregnant (one voucher).

£6.20 per week for each baby aged under one (two vouchers).

£3.10 per week for each child aged over one and under four (one voucher).

^B

Health in Pregnancy Grant^B

Healthy Start vouchers should not be confused with the Health in Pregnancy Grant which is a lump sum payment of £190. Health in Pregnancy grant is claimed during contact with a health professional such as a mid-wife. Health in Pregnancy Grant receipt should be recorded at the relevant benefits question.

^B

Free School Meals in Scotland^B

The Scottish Government has an agreement with local government to extend entitlement to free school lunches.

Entitlement to free school lunches was extended to pupils whose parents or carers are in receipt of both maximum working tax credit and maximum child tax credit from August 2009.

Legislation was passed in November 2008 to enable local authorities to provide free school lunches to all pupils in the first three years of primary school from August 2010.

^B

Free School Breakfasts in Wales^B

The Welsh Assembly provide for all primary school children to have free breakfasts. The overall aim of this initiative is to provide all pupils of primary school age registered in maintained primary schools in Wales with the opportunity of receiving a free, healthy breakfast at school each day during the school week. Those children, who, for whatever reason, have not had breakfast, are provided with a breakfast in school.

```
SET [5] OF
```

- (1) ^HStart
- (2) ^SchFv
- (3) ^SchMilk
- (4) ^SchBrek
- (5) ^SchMeal
- (6) None of these

```
CHECK IF: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0

AND: None IN FreeItem
FreeItem.CARDINAL = 1
```

'None of these' is an exclusive code for this question.

```
CHECK IF: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
AND: HStrt IN FreeItem
(Elig[1 > 0) AND INVOLVING(FreeItem)

^[
```

Code 1 is not valid for this question.

```
CHECK IF: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: SFv IN FreeItem
     (Elig[2 > 0) AND INVOLVING(FreeItem)
     Code 2 is not valid for this question.
Check if: (((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: SMilk IN FreeItem
     (Elig[3 > 0) AND INVOLVING(FreeItem)
     Code 3 is not valid for this question.
CHECK IF: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: SBrek IN FreeItem
     (Elig[4 > 0) AND INVOLVING(FreeItem)
     Code 4 is not valid for this question.
Check if: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: SBrek IN FreeItem
     (Country = Wales) AND INVOLVING(FreeItem)
     This code only applies in Wales.
CHECK IF: ((((Elig[1] + Elig[2]) + Elig[3]) + Elig[4]) + Elig[5]) > 0
     AND: SMeal IN FreeItem
     (Elig[5 > 0) AND INVOLVING(FreeItem)
     ۸I
     Code 5 is not valid for this question.
```

FRS1207A.QWelfare.HStQ[]

```
RECORD IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
Person
      ^I QWelfare^I
      Person identifier.
      0..14
RECORD IF: HStrt IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
BenUnit
      ^I QWelfare^I
      BU number of recipient.
      0..7
COMPUTE IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14 AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
      AND: PHHSize = 1
HSVPer := 1
COMPUTE IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
      AND: PHHSize = 1
NameOf := 'you'
Ask if: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: NOT (PHHSize = 1)
HSVPer
      ^I QWelfare^I
     The full allowance of Healthy Start Vouchers are sent together in one letter every four weeks.
      Healthy Start Vouchers are received as follows:
      One voucher per week for a pregnant woman
      Two vouchers per week for B each B baby aged under one
      One voucher per week for B each B child aged one or over and under four.
      ^B
      Each voucher^B is worth £3.10
      Healthy Start vouchers should not be confused with the Health in Pregnancy Grant which is a lump sum
      payment of £190.
```

0..14

```
CHECK IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: NOT (PHHSize = 1)
     AND: HSVPer = RESPONSE
     (HSVPer > 0) AND (HSVPer <= PHHSize)
     This code is not valid for this question.
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: NOT (PHHSize = 1)
     AND: HSVPer = RESPONSE
     AND: PRec[HSVPer].Sex = Female
     (DMAge[[HSVPer] <= 50) AND INVOLVING(HSVPer)
     Only pregnant women aged between 12 and 50 are eligible to healthy start vouchers on their own behalf.
     Please check whether the healthy start voucher is received for the child. The child should be recorded as
     the recipient.
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: NOT (PHHSize = 1)
     AND: HSVPer = RESPONSE
     AND: (PRec[HSVPer].Sex = Female) AND (DMAge[HSVPer] >= 16)
     ERROR AND INVOLVING (HSVPer)
     Women will receive the voucher for pregnancy. Are you sure that applies in this case. If the voucher is
     received for the child then the child should be recorded as the recipient.
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: NOT (PHHSize = 1)
     AND: HSVPer = RESPONSE
     AND: DMAge[HSVPer] IN [4 .. 15]
     ERROR AND INVOLVING (HSVPer)
     Healthy Start vouchers are only given to pregnant women and children aged under 4. Please check
     whether the child receives free school meals.
COMPUTE IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: NOT (PHHSize = 1)
NameOf := DMName[[HSVPer]
COMPUTE IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
Person := HSVPer
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     RESERVECHECK
     RESERVECHECK
```

```
Ask IF: HStrt IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: Elig[1] > 1
HSVIntro
     ^I QWelfare^I
     ^I^IC PROMPT -^I^N Has anyone else received Healthy Start Vouchers?
     (1)
            Yes
     (2)
            No
COMPUTE IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     AND: NOT (Eliq[1] > 1)
HSVIntro := No
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
     RESERVECHECK
     RESERVECHECK
```

WARN IF: HStrt IN FreeItem

AND: In loop FOR ii := 1 TO 14
AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: HStrt IN FreeItem

AND: In loop FOR ii := 1 TO 14 AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)

RESERVECHECK RESERVECHECK

FRS1207A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (HStQ[ii - 1].HSVIntro = Yes)
HStQ[ii].BenUnit := DMBU[[HStQ[ii].HSVPer]
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     RESERVECHECK
     RESERVECHECK
WARN IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14
     AND: jj < ii
     HStQ[jj].HSVPer <> HStQ[ii].HSVPer
     You have already entered this person number.
CHECK IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: In loop FOR jj := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: HStrt IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: In loop FOR jj := 1 TO 14
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: HStrt IN FreeItem

AND: In loop FOR ii := 1 TO 14 **AND:** In loop FOR jj := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: HStrt IN FreeItem

AND: In loop FOR ii := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: HStrt IN FreeItem

AND: In loop FOR ii := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: HStrt IN FreeItem

AND: In loop FOR ii := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: HStrt IN FreeItem

AND: In loop FOR ii := 1 TO 14

RESERVECHECK

RESERVECHECK

CHECK IF: HStrt IN FreeItem

RESERVECHECK

FRS1207A.QWelfare.SfvQ[]

```
RECORD IF: SFv IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
Person
      ^I QWelfare^I
      Person identifier.
      0..14
RECORD IF: SFv IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
BenUnit
      ^I QWelfare^I
      BU number of recipient.
      0..7
Ask if: SFv IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
SFvPer
      ^I QWelfare^I
      Free School Milk may be available if the child is in full-time education at a state school. The rules for
      offering Free School Milk differ by Local Education Authority.
      The age of children for whom it can be claimed also varies by LEA.
      0..14
COMPUTE IF: SFv IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
Person := SFvPer
Ask if: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
SFvIt
      ^I QWelfare^I
      Thinking just of the past seven days ending yesterday - how many pieces of fruit or vegetables did
      ^DMName[SfvPer] receive?
      0..97
```

```
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
     AND: Edit = No
     SFvIt <= 5
     'IC The weekly maximum would normally be 5 (i.e. one item of fruit or vegetable per day) - please
Ask if: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
     AND: Eliq[2] > 1
SFIntro
     ^I OWelfare^I
     ^I^IC PROMPT -^I^N Has any other child had any free fruit or vegetables during the past seven days
     ending yesterday?^N
     ^I
     Only applicable to children at state schools.
     (1)
     (2)
COMPUTE IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14 AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
     AND: NOT (Eliq[2] > 1)
SFIntro := No
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
     RESERVECHECK
     RESERVECHECK
```

WARN IF: SFv IN FreeItem

AND: In loop FOR ii := 1 TO 14

AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: SFv IN FreeItem

AND: In loop FOR ii := 1 TO 14 AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)

RESERVECHECK RESERVECHECK

Warn if: SFv IN FreeItem

AND: In loop FOR ii := 1 TO 14

AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: SFv IN FreeItem

AND: In loop FOR ii := 1 TO 14

AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)

RESERVECHECK

FRS1207A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: SFv IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SfvQ[ii - 1].SFIntro = Yes)
SfvQ[ii].BenUnit := DMBU[[SfvQ[ii].SFvPer]
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     RESERVECHECK
    RESERVECHECK
WARN IF: SFv IN FreeItem
    RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
    RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
     RESERVECHECK
     RESERVECHECK
WARN IF: SFv IN FreeItem
    RESERVECHECK
     RESERVECHECK
CHECK IF: SFv IN FreeItem
    AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14
     AND: jj < ii
     SfvQ[jj].SFvPer <> SfvQ[ii].SFvPer
     You have already entered this person number.
```

CHECK IF: SFv IN FreeItem AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SFv IN FreeItem AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SFv IN FreeItem **AND:** In loop FOR ii := 1 TO 14 **AND:** In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SFv IN FreeItem AND: In loop FOR ii := 1 TO 14
AND: In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SFv IN FreeItem AND: In loop FOR ii := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SFv IN FreeItem AND: In loop FOR ii := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SFv IN FreeItem AND: In loop FOR ii := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SFv IN FreeItem AND: In loop FOR ii := 1 TO 14 RESERVECHECK

FRS1207A.QWelfare.SMkQ[]

```
RECORD IF: SMilk IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
Person
      ^I QWelfare^I
      Person identifier.
      0..14
RECORD IF: SMilk IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
BenUnit
      ^I QWelfare^I
      BU number of recipient.
      0..7
Ask if: SMilk IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
SMkPer
      ^I QWelfare^I
      Free School Milk may be available if the child is in full-time education at a state school. The rules for
      offering Free School Milk differ by Local Education Authority.
      The age of children for whom it can be claimed also varies by LEA.
      0..14
COMPUTE IF: SMilk IN FreeItem
      AND: In loop FOR ii := 1 TO 14
      AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
Person := SMkPer
Ask if: SMilk IN FreeItem
      AND: In loop FOR ii := 1 TO 14
AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
SMkIt
      ^I QWelfare^I
      Thinking just of the past seven days ending yesterday - how many cartons or bottles did
      ^DMName[SmkPer] receive?
      0..97
```

```
WARN IF: SMilk IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
     AND: Edit = No
     SMkIt <= 6
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Ask if: SMilk IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
     AND: Eliq[3] > 1
SMIntro
     ^I OWelfare^I
     ^I^IC PROMPT -^I^N Has any other child had any free school milk during the past seven days ending
     yesterday?^N
     ^I
     Only applicable to children at state schools.
     (1)
             Yes
     (2)
COMPUTE IF: SMilk IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
     AND: NOT (Eliq[3] > 1)
SMIntro := No
WARN IF: SMilk IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
     RESERVECHECK
     RESERVECHECK
Warn if: SMilk IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: SMilk IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
     RESERVECHECK
     RESERVECHECK
WARN IF: SMilk IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
     RESERVECHECK
     RESERVECHECK
```

WARN IF: SMilk IN FreeItem

AND: In loop FOR ii := 1 TO 14

AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: SMilk IN FreeItem

AND: In loop FOR ii := 1 TO 14 AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: SMilk IN FreeItem

AND: In loop FOR ii := 1 TO 14

AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)

RESERVECHECK

RESERVECHECK

WARN IF: SMilk IN FreeItem

AND: In loop FOR ii := 1 TO 14
AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)

RESERVECHECK

FRS1207A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: SMilk IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMkQ[ii - 1].SMIntro = Yes)
SMkQ[ii].BenUnit := DMBU[[SMkQ[ii].SMkPer]
WARN IF: SMilk IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
    RESERVECHECK
WARN IF: SMilk IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
     RESERVECHECK
WARN IF: SMilk IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
    RESERVECHECK
WARN IF: SMilk IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
    RESERVECHECK
WARN IF: SMilk IN FreeItem
    RESERVECHECK
     RESERVECHECK
WARN IF: SMilk IN FreeItem
    RESERVECHECK
     RESERVECHECK
WARN IF: SMilk IN FreeItem
     RESERVECHECK
     RESERVECHECK
WARN IF: SMilk IN FreeItem
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMilk IN FreeItem
    AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14
     AND: jj < ii
    SMkQ[jj].SMkPer <> SMkQ[ii].SMkPer
     You have already entered this person number.
```

CHECK IF: SMilk IN FreeItem AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SMilk IN FreeItem **AND:** In loop FOR ii := 1 TO 14 **AND:** In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SMilk IN FreeItem AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SMilk IN FreeItem AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SMilk IN FreeItem AND: In loop FOR ii := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SMilk IN FreeItem AND: In loop FOR ii := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SMilk IN FreeItem AND: In loop FOR ii := 1 TO 14 RESERVECHECK RESERVECHECK CHECK IF: SMilk IN FreeItem AND: In loop FOR ii := 1 TO 14

RESERVECHECK

FRS1207A.QWelfare.SBrQ[]

```
RECORD IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
BenUnit
     ^I QWelfare^I
     BU number of recipient.
     0..7
RECORD IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
Person
     ^I QWelfare^I
     Person identifier.
     0..14
COMPUTE IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: PHHSize = 1
SBkPer := 1
COMPUTE IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: PHHSize = 1
have you := 'have you'
Ask if: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: NOT (PHHSize = 1)
SBkPer
     ^I QWelfare^I
     Who received the B free school breakfasts B?
     Only applicable to children aged 4-11 at primary school.
     ^IC Type in person number.^I^N
      ^PersList[4]
     0..14
```

```
COMPUTE IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: NOT (PHHSize = 1)
have you := ('has ' + DMName[[SBkPer])
COMPUTE IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
Person := SBkPer
Ask if: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: SBkPer = RESPONSE
SBkIt
     ^I QWelfare^I
     ^N
     Thinking just of the PAST seven days ending yesterday, how many free school breakfasts 'have_you
     0..97
WARN IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: SBkPer = RESPONSE
     AND: Edit = No
     SBkIt <= 21
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
WARN IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: SBkPer = RESPONSE
     (HHG.P[].TypeEd[SBkPer] = Primry) AND INVOLVING(FreeItem[)
     ^I^IC This code only applies to children at primary school aged 4-11.
Ask if: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     AND: Elig[4] > 1
SBIntro
     ^I QWelfare^I
     'II'IC PROMPT - 'I'N Has any other child had any free school breakfasts during the past seven days
     ending yesterday?
     Only applicable to children aged 4-11 at primary school.
              Yes
     (1)
     (2)
              No
```

```
COMPUTE IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    AND: NOT (Elig[4] > 1)
SBIntro := No
WARN IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    RESERVECHECK
     RESERVECHECK
WARN IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    RESERVECHECK
     RESERVECHECK
Warn if: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    RESERVECHECK
     RESERVECHECK
WARN IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    RESERVECHECK
     RESERVECHECK
WARN IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
     RESERVECHECK
    RESERVECHECK
WARN IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    RESERVECHECK
    RESERVECHECK
WARN IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    RESERVECHECK
    RESERVECHECK
WARN IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
    RESERVECHECK
    RESERVECHECK
```

FRS1207A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SBrQ[ii - 1].SBIntro = Yes)
SBrQ[ii].BenUnit := DMBU[[SBrQ[ii].SBkPer]
CHECK IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14
     AND: jj < ii
     SBrQ[jj].SBkPer <> SBrQ[ii].SBkPer
     You have already entered this person number.
CHECK IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: In loop FOR jj := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14
    RESERVECHECK
     RESERVECHECK
CHECK IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: In loop FOR jj := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: SBrek IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: In loop FOR jj := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
     RESERVECHECK
CHECK IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
     RESERVECHECK
CHECK IF: SBrek IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     RESERVECHECK
     RESERVECHECK
```

CHECK IF: SBrek IN FreeItem
AND: In loop FOR ii := 1 TO 14
RESERVECHECK

FRS1207A.QWelfare.SMIQ[]

```
RECORD IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
BenUnit
     ^I QWelfare^I
     BU number of recipient.
     0..7
RECORD IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
Person
     ^I QWelfare^I
     Person identifier.
     0..14
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
     AND: PHHSize = 1
MLPer := 1
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
     AND: PHHSize = 1
have you := 'have you'
Ask if: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
     AND: NOT (PHHSize = 1)
MLPer
     ^I QWelfare^I
     Who received the B free school meals B?
     Only applicable to children at state schools. Can include 16-18 year olds.
     ^IC Type in person number.^I^N
      ^PersList[5]
     0..14
```

```
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
     AND: NOT (PHHSize = 1)
have you := ('has ' + DMName[[MLPer])
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
Person := MLPer
Ask if: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
     AND: MLPer = RESPONSE
SMIIt
     ^I QWelfare^I
     ^N
     Thinking just of the PAST seven days ending yesterday, how many free school meals 'have_you had?
Warn if: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
     AND: MLPer = RESPONSE
     AND: Edit = No
     SMlIt <= 21
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Ask if: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
     AND: Elig[5] > 1
MLIntro
     ^I OWelfare^I
     ^I^IC PROMPT -^I^N Has any other child had any free school meals during the past seven days ending
     yesterday?
     ^N ^I
     Only applicable to children at state schools. Can include 16-18 year olds.
     (1)
              Yes
     (2)
              No
COMPUTE IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
     AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
AND: NOT (Elig[5] > 1)
MLIntro := No
```

```
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
WARN IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
WARN IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
WARN IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
```

FRS1207A.QWelfare (continued)

Questions about free meals etc

```
COMPUTE IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
SMlQ[ii].BenUnit := DMBU[[SMlQ[ii].MLPer]
WARN IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: (ii = 1) OR (SMlQ[ii - 1].MLIntro = Yes)
    RESERVECHECK
    RESERVECHECK
Warn if: SMeal IN FreeItem
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: In loop FOR jj := 1 TO 14
    AND: jj < ii
    SMlQ[jj].MLPer <> SMlQ[ii].MLPer
    ۸Ţ
    You have already entered this person number.
```

```
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: In loop FOR jj := 1 TO 14
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14 AND: In loop FOR jj := 1 TO 14
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    AND: In loop FOR jj := 1 TO 14
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
     AND: In loop FOR jj := 1 TO 14
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
    RESERVECHECK
CHECK IF: SMeal IN FreeItem
    AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
     RESERVECHECK
CHECK IF: SMeal IN FreeItem
     AND: In loop FOR ii := 1 TO 14
    RESERVECHECK
    RESERVECHECK
CHECK ALWAYS:
    RESERVECHECK
    RESERVECHECK
CHECK ALWAYS:
    RESERVECHECK
    RESERVECHECK
CHECK ALWAYS:
    RESERVECHECK
    RESERVECHECK
```

Block: FRS1207A.QWelfare

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

RESERVECHECK

CHECK ALWAYS:

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare. HStQ[Loop1]. HSVPer = RESPONSE
Loop5 := QWelfare.HStQ[Loop1].HSVPer
CHECK IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare. HStQ[Loop1]. HSVPer = RESPONSE
     ((Loop5 > 0) AND (Loop5 <= HHSize)) AND (((IN(DMAge[Loop5], [16..50]))
     AND (PRec[Loop5].Sex = Female)) OR (IN(DMAge[Loop5],[0..15])))
     This code is not valid for this question.
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare. HStQ[Loop1]. HSVPer = RESPONSE
QWelfare.HStQ[Loop1].BenUnit := DMBU[Loop5]
Compute if: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SfvQ[Loop1].SFvPer = RESPONSE
Loop5 := QWelfare.SfvQ[Loop1].SFvPer
CHECK IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SfvQ[Loop1].SFvPer = RESPONSE
     ((Loop5 > 0) AND (Loop5 <= HHSize)) AND ((IN(DMAge[Loop5], [4..6])) AND
     (IN(Country, [???,???])))
     ۸Ţ
    This code is not valid for this question.
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SfvQ[Loop1].SFvPer = RESPONSE
QWelfare.SfvQ[Loop1].BenUnit := DMBU[Loop5]
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SMkQ[Loop1].SMkPer = RESPONSE
Loop5 := QWelfare.SMkQ[Loop1].SMkPer
CHECK IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SMkQ[Loop1].SMkPer = RESPONSE
     ((Loop5 > 0) AND (Loop5 <= HHSize)) AND (IN(PRec[Loop5].TypeEd,[???]))
     This code is not valid for this question.
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SMkQ[Loop1].SMkPer = RESPONSE
QWelfare.SMkQ[Loop1].BenUnit := DMBU[Loop5]
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SBrQ[Loop1].SBkPer = RESPONSE
Loop5 := QWelfare.SBrQ[Loop1].SBkPer
```

```
CHECK IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SBrQ[Loop1].SBkPer = RESPONSE
     (((Loop5 > 0) AND (Loop5 <= HHSize)) AND (Country = Wales)) AND
     (IN(PRec[Loop5].TypeEd,[???]))
     This code is not valid for this question.
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SBrQ[Loop1].SBkPer = RESPONSE
QWelfare.SBrQ[Loop1].BenUnit := DMBU[Loop5]
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
    AND: QWelfare.SMlQ[Loop1].MLPer = RESPONSE
Loop5 := QWelfare.SMlQ[Loop1].MLPer
CHECK IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SMlQ[Loop1].MLPer = RESPONSE
     (((Loop5 > 0) AND (Loop5 <= HHSize)) AND (IN(DMAge[Loop5],[2..18])))
     AND (IN(PRec[Loop5].TypeEd,[???]))
     This code is not valid for this question.
COMPUTE IF: In loop FOR Loop1 := 1 TO 5
     AND: QWelfare.SMlQ[Loop1].MLPer = RESPONSE
QWelfare.SMlQ[Loop1].BenUnit := DMBU[Loop5]
WARN IF: In loop FOR Loop1 := 1 TO 5
     AND: PRec[QWelfare.SMlQ[Loop1].MLPer].TypeEd IN [Nursery, Primry,
     MidPri .. NonAdvFE]
     (IN(QWelfare.SMlQ[Loop1].SMlIt,[0..5])) AND
     INVOLVING(QWelfare.SMlQ[Loop1].SMlIt)
     That's ^QWelfare.SMlQ[Loop1].SMlIt meals - for this type of school the weekly maximum would
     normally be 5 (ie. one meal per day) - please check.
WARN IF: In loop FOR Loop1 := 1 TO 5
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO 5
     RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO 5
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO 5
    RESERVECHECK
     RESERVECHECK
WARN IF: In loop FOR Loop1 := 1 TO 5
     RESERVECHECK
     RESERVECHECK
```

Block: FRS1207A

WARN IF: In loop FOR Loop1 := 1 TO 5

RESERVECHECK

RESERVECHECK

WARN ALWAYS:

RESERVECHECK

RESERVECHECK

COMPUTE IF: HStrt IN QWelfare.FreeItem

QAccomdat.HStart := Yes

COMPUTE IF: NOT (HStrt IN QWelfare.FreeItem)

QAccomdat.HStart := No

Compute if: SMeal IN QWelfare. Free Item

QAccomdat.SchMeal := Yes

COMPUTE IF: NOT (SMeal IN QWelfare.FreeItem)

QAccomdat.SchMeal := No

COMPUTE IF: SMilk IN QWelfare. FreeItem

QAccomdat.SchMilk := Yes

COMPUTE IF: NOT (SMilk IN QWelfare.FreeItem)

QAccomdat.SchMilk := No

COMPUTE IF: AllCh > 0

childtxt := 'child'

COMPUTE IF: AllCh > 0
AND: AllCh > 1

childtxt := 'children'

Block: FRS1207A.QChCare

FRS1207A.QChCare

Questions about child care

Ask if: AllCh > 0

Disp

^I QChCare^I

^N

The next questions are about childcare for your ^childtxt. This includes all types of childcare such as playschool or nursery school or a childminder^B as well as^B relatives or friends who look after your ^childtxt.

(1) Press <Enter> to continue.

FRS1207A.QChCare.QCh1Care

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
Child[Index2].BenUnit := DMBU[[Index2]
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    AND: DMNumParn[Index2] = 1
PNames := DMName[[DMParent1[[Index2]]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
    AND: DMNumParn[Index2] > 1
PNames := (DMName[[DMParent1[[Index2]] + ' and ' +
DMName[[DMParent2[[Index2]])
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge [Index2] IN [0 .. 15]
ChAge := DMAge[[Index2]
```

FRS1207A.QChCare.QCh1Care.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
Person
     ^I QChCare^I
     Person identifier.
     0..14
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
ChTypeEd := HHG.P[].TypeEd[Person]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[1] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 . . 15]
AttTxt[[2] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[3] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
AttTxt[[4] := ''
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[5] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
AttTxt[[6] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[9] := ''
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[7] := 'Holiday scheme / club'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[8] := 'Children's centres / integrated centres'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AttTxt[[10] := 'Other provider'
Compute if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]
     AND: ChAge < 6
AttTxt[[1] := 'Playgroup or pre school'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: ChAge < 6
AttTxt[[2] := 'Day nursery or workplace creche'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: ChAge < 6
AttTxt[[3] := 'Nursery school'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: ChAge IN [3 .. 5]
```

AttTxt[[4] := 'Infant's school'

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 . . 15]
AND: ChAge IN [2 . . 5]
```

AttTxt[[5] := 'Primary school'

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: ChAge >= 2
```

AttTxt[[6] := 'Breakfast / After school club'

```
Compute if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: ChAge >= 2
```

AttTxt[[9] := 'SPONTANEOUS ONLY - Boarding school'

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChAtt

^I QChCare^I

۸I

Count all after school activities as 'After school clubs'. Count anything organised by, or accessed via, the school. This could be on/off the school's site and could include activities at the weekend.

This includes all study support or recreational activities before or after school hours. Private tuition lessons that have not been arranged via the school should not be included.

^B

Pre-school care^B

^B

Pre-school and play groups^b

Attended by children between two and five years old.

They offer sessions from two-and-a-half hours to four hours, during term time, every day or for several days a week.

^B

Day nurseries^B

Attended by children between the ages of six weeks and five years.

Run by the council, the community, based in the workplace or privately run.

Opening times are from around 7am to 7pm, 50 weeks of the year. Children can attend full or part time. ^{A}B

Nursery schools and classes^B

Attended by children between three and five years old.

Run as part of the state education system or by private or voluntary sector organisations.

Open during school hours, usually 9am to 3:30pm in term time for full or half-day sessions.

^B

Children's Centres^B

Children's centres may also be known as Sure Start Children's centres.

- Support children under 5 years old and their families providing easy access to a range of integrated services.
- May offer anything from short weekly sessions up to full-time day care.
- All centres in most disadvantaged areas provide full day care.
- -Local Education Authorities have overall responsibility for the centres but some centres may be run by Private, Voluntary and Independent sector organisations

۸R

Integrated Centres^B

Aim to meet the demands of parents in work or training and to promote training and community development.

Services offered can include:

- Full day care for 0-3 year old
- Care for 3-4 year olds before of after an early years education place such as a nursery or playgroup.
- Before or after school or holiday care for primary school children
- Before or after school or holiday activities for those aged 11-14
- Staffed play provision up to the age of 16 (for those with special needs) where children can come and go as they please.

^B

Combined Centres^B

If any respondent reports that their child attends a Combined Centre record this with Children's centres / integrated centres.

```
SET [10] OF
             ^AttTxt[1]
     (1)
             ^AttTxt[2]
     (2)
             ^AttTxt[3]
     (3)
     (4)
             ^AttTxt[4]
     (5)
             ^AttTxt[5]
     (6)
             ^AttTxt[6]
     (7)
             ^AttTxt[7]
     (8)
             ^AttTxt[8]
     (9)
             ^AttTxt[9]
             SPONTANEOUS ONLY - Other
     (10)
             None of the above
     (11)
CHECK IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: None IN ChAtt
     ChAtt.CARDINAL = 1
     'None of the above' is an exclusive code.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: In loop FOR ii := 1 TO 9
     AND: ii IN ChAtt
     AttTxt[[ii] <> ''
     Code ^ii is not valid for this child.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
     AND: In loop FOR ii := 1 TO 9
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: In loop FOR ii := 1 TO 9
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: ChAtt = RESPONSE
     AND: (ChAge = 4) AND (ChTypeEd = Nursery)
     (((IN(PlayGp,ChAtt)) OR (IN(DayNurse,ChAtt))) OR (IN(Nursery,ChAtt)))
     AND INVOLVING (HHG.P[].TypeEd[Person], ChAtt)
     Earlier the respondent said that this child attended Nursery school/Nursery Class/ Playgroup/Pre-school.
```

Earlier the respondent said that this child attended Nursery school/Nursery Class/ Playgroup/Pre-school. Please check whether the child attended play group, pre-school, day nursery, workplace crèche or nursery school in the seven days ending Sunday. Please check and ensure the education and childcare questions are consistent. Make a note if appropriate.

```
Warn IF: AllCh > 0
   And: In loop FOR Index2 := 1 TO HHSize
   And: DMAge[Index2] IN [0 .. 15]
   And: ChAtt = RESPONSE
   And: (ChAge = 4) AND (ChTypeEd = Primry)
   ((IN(Infants,ChAtt)) OR (IN(PrimaryS,ChAtt))) AND
   INVOLVING(HHG.P[].TypeEd[Person],ChAtt)
```

Earlier the respondent said that this child attended a State run primary school. Please check whether the child attended either infant's school or primary school in the seven days ending Sunday. Please check and ensure the education and childcare questions are consistent. Make a note if appropriate.

```
Warn IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: ChAtt = RESPONSE
AND: (ChAge = 4) AND (ChTypeEd = MidPri)
(IN(PrimaryS,ChAtt)) AND INVOLVING(HHG.P[].TypeEd[Person],ChAtt)
```

Earlier the respondent said that this child attended a Middle-deemed Primary school. Please check whether the child attended primary school in the seven days ending Sunday. Please check and ensure the education and childcare questions are consistent. Make a note if appropriate.

```
Warn if: AllCh > 0
AnD: In loop FOR Index2 := 1 TO HHSize
AnD: DMAge[Index2] IN [0 .. 15]
AnD: ChAtt = RESPONSE
AnD: (ChAge = 4) AND (((PlayGp IN ChAtt) OR (DayNurse IN ChAtt)) OR (Nursery IN ChAtt))
    (ChTypeEd = Nursery) AND
    INVOLVING(HHG.P[].FTEd[Person], HHG.P[].TypeEd[Person], ChAtt)
```

The respondent did not report that their child attended a Nursery school/Nursery Class/ Playgroup/Preschool, earlier at TypeEd. Please check the answer to FTEd and ensure the education and childcare questions are consistent. Make a note if appropriate.

```
Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]
And: ChAtt = RESPONSE
And: (ChAge = 4) AND ((Infants IN ChAtt) OR (PrimaryS IN ChAtt))
(ChTypeEd = Primry) AND
INVOLVING(HHG.P[].FTEd[Person], HHG.P[].TypeEd[Person], ChAtt)
```

The respondent did not report that their child attended a State run primary school or 'middle-deemed primary school', earlier at TypeEd. Please check the answer to FTEd and ensure the education and childcare questions are consistent. Make a note if appropriate.

```
Warn if: AllCh > 0
    And: In loop FOR Index2 := 1 TO HHSize
    And: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0
    And: In loop FOR Index2 := 1 TO HHSize
    And: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK

RESERVECHECK

RESERVECHECK
```

```
Warn if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 . . 15]
RESERVECHECK
RESERVECHECK
```

```
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
Warn if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
```

FRS1207A.QChCare.QCh1Care (continued)

WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK RESERVECHECK WARN IF: AllCh > 0AND: In loop FOR Index2 := 1 TO HHSize RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK WARN IF: AllCh > 0RESERVECHECK RESERVECHECK WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh2Care

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

Child[Index2].BenUnit := DMBU[[Index2]

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

Child[Index2].Person := Index2

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[[Index2]

FRS1207A.QChCare.QCh2Care.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge[Index2] IN [0 .. 15]
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge [Index2] IN [0 .. 15]
Person
      ^I QChCare^I
      Person identifier.
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge[Index2] IN [0 .. 15]
AND: InfantS IN QCh1Care.Child[Person].ChAtt[]
ChInf
      ^I QChCare^I
      A Nursery class is attended by 3 to 5 year olds before attendance at a reception class.
      A reception class takes children who are either almost 5 years or are 5 years old. Reception class is
      attended before year 1 of primary school.
      (1)
                ^N Reception class?
      (2)
                ^N Nursery class?
               ^N None of the above
      (3)
```

```
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: PrimaryS IN QCh1Care.Child[Person].ChAtt[]
ChPri
     ^I QChCare^I
     ۸I
     A Nursery class is attended by 3 to 5 year olds before attendance at a reception class.
     A reception class takes children who are either almost 5 years or are 5 years old. Reception class is
     attended before year 1 of primary school.
     (1)
             ^N Reception class?
     (2)
             ^N Nursery class?
     (3)
             ^N None of the above
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
```

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh2Care (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh3Care

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

Child[Index2].BenUnit := DMBU[[Index2]

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

Child[Index2].Person := Index2

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

Compute if: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
And: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[[Index2]

FRS1207A.QChCare.QCh3Care.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge[Index2] IN [0 .. 15]
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge [Index2] IN [0 .. 15]
Person
      ^I QChCare^I
      Person identifier.
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: DMAge [Index2] IN [0 .. 15]
ChPeo
      ^I QChCare^I
      ^I^IS C2^I
      ^N
      And during those seven days (ending Sunday the ^DatLSun) were there any other people who looked
      after ^ChName?^N
      ^I^IC Other than resident parent/guardian, and staff contact whilst at places previously mentioned.
      Code babysitters as 8 'other non-relative.' Ensure that respondent has included all types of paid and
      unpaid childcare, including childcare given by non-resident parents.
      SET [9] OF
      (1)
                Child's grandparents
      (2)
                Child's non-resident parent/an ex-spouse/an ex-partner
      (3)
                Child's brother or sister
      (4)
                Other relatives
      (5)
                Childminder
      (6)
                Nanny/Au pair (includes both live-in and day nannies)
                Friends or neighbours
      (7)
                Other non-relatives (includes babysitters)
      (8)
                SPONTANEOUS ONLY - Does not require minding
      (9)
      (10)
                None of the above
```

```
CHECK IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     AND: None IN ChPeo
     ChPeo.CARDINAL = 1
     'None' exclusive for this question.
CHECK IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
CHECK IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
CHECK IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]
     RESERVECHECK
     RESERVECHECK
CHECK IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
     RESERVECHECK
```

FRS1207A.QChCare.QCh3Care (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

Block: FRS1207A.QChCare

FRS1207A.QChCare (continued)

Questions about child care

CHECK IF: AllCh > 0 RESERVECHECK RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK CHECK IF: AllCh > 0	

CHECK IF: AllCh > 0
RESERVECHECK

FRS1207A.QChCare.QCh4Care

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].BenUnit := DMBU[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

Child[Index2].Person := Index2

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChName := DMName[[Index2]

COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]

ChAge := DMAge[Index2] IN [0 .. 15]

FRS1207A.QChCare.QCh4Care.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]
BenUnit
      ^I QChCare^I
      BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
Person
      ^I QChCare^I
      Person identifier.
      0..14
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
provider := 'childminder'
```

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
```

AND: ChMind IN QCh3Care.Child[Person].ChPeo[]

Registrd

^I QChCare^I

^Ţ

Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs

- (1) Registered OR Approved
- (2) Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
with1 := 'with'
```

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 . . 15]
AND: ChMind IN QCh3Care.Child[Person].ChPeo[]
```

EmplProv

^I QChCare^I

^I^ChName^I

^N

Is the childcare 'with1 the 'provider provided by your employer?

- (1) Yes
- (2) No
- (3) Does not apply child's parents/guardians have no employer

```
COMPUTE IF: AllCh > 0
And: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]
```

provider := 'playgroup or pre-school'

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 . . 15]
AND: PlayGp IN QCh1Care.Child[Person].ChAtt[]
```

Registrd

^I QChCare^I

ΛŢ

Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs

- (1) Registered OR Approved
- (2) Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
```

provider := 'day nursery or creche'

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
```

Registrd

^I QChCare^I

^Ţ

Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs

- (1) Registered OR Approved
- (2) Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]

with1 := 'in'

Ask IF: AllCh > 0
```

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: DayNurse IN QCh1Care.Child[Person].ChAtt[]
```

EmplProv

^I QChCare^I

^I^ChName^I

۸N

Is the childcare 'with1 the 'provider provided by your employer?

- (1) Yes
- (2) No
- (3) Does not apply child's parents/guardians have no employer

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nursery IN QCh1Care.Child[Person].ChAtt[]

provider := 'nursery school'
```

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nursery IN QCh1Care.Child[Person].ChAtt[]
```

Registrd

^I QChCare^I

ΛŢ

Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs

- (1) Registered OR Approved
- (2) Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]
```

provider := 'infant's school'

```
Ask if: AllCh > 0

AND: In loop FO
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: QCh2Care.Child[Person].ChInf IN [Recept, Nursery]

Registrd

^I QChCare^I

^Ţ

Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs

- (1) Registered OR Approved
- (2) Not registered OR Not approved

```
Compute if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: DMAge[Index2] IN [0 .. 15]

AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]

provider := 'primary school'

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: QCh2Care.Child[Person].ChPri IN [Recept, Nursery]
```

Registrd

^I QChCare^I

۸I

Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs

- (1) Registered OR Approved
- (2) Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nanny IN QCh3Care.Child[Person].ChPeo[]

provider := 'nanny/au-pair'
```

```
Ask if: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
```

Registrd

^I QChCare^I

^Ţ

Registered or approved childcare can include:

Registered childminders, nurseries and play schemes.

Out of hours clubs on school premises run by a school of local authority.

Childcare schemes run by approved providers, for example, an out of school hours scheme or a provider approved under a Ministry of Defence accreditation scheme.

A registered childminder, nursery or childcare scheme is one that is registered by:

OFSTED or the Social Care Inspection Commission in England

The National Assembly for Wales (through the Care Standards Inspectorate for Wales) in Wales

The Scottish Commission for the Regulation for Care in Scotland

A Health and Social Services Trust in Northern Ireland.

Approved childcare in England is childcare approved by a body acting under the authority of the Secretary of State.

Childcare providers who are eligible to apply for approval in England include:

Childminders who are not required to register.

Nannies or au pairs

- (1) Registered OR Approved
- (2) Not registered OR Not approved

```
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
with1 := 'with'
```

```
Ask IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
AND: DMAge[Index2] IN [0 .. 15]
AND: Nanny IN QCh3Care.Child[Person].ChPeo[]
```

EmplProv

^I QChCare^I

```
^I^ChName^I
```

۸N

Is the childcare 'with1 the 'provider provided by your employer?

- (1) Yes
- (2) No
- (3) Does not apply child's parents/guardians have no employer

```
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
    RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge [Index2] IN [0 .. 15]
    RESERVECHECK
     RESERVECHECK
CHECK IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DMAge[Index2] IN [0 .. 15]
    RESERVECHECK
```

RESERVECHECK

Page 529

FRS1207A.QChCare.QCh4Care (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh5Care1

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care1.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     playgroup or pre-school?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: PlayGp IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS1207A.QChCare.QCh5Care1 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh5Care2

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care2.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     Day nursery or workplace creche?
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: DayNurse IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care2 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh5Care3

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care3.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     nursery school?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nursery IN QCh1Care.Child[Index2].ChAtt[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nursery IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care3 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
    AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Infants IN QCh1Care.Child[Index2].ChAtt[]
    AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
    AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care4.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
Person
     ^I OChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
ChHr1
     ^I QChCare^I
     @>^I^Help F9^I@<
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     infant's school?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: InfantS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChInf IN [Recept, Nursery]

RESERVECHECK

FRS1207A.QChCare.QCh5Care4 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

KEDEK VECILECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
    AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
    AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care5.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
Person
     ^I OChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
ChHr1
     ^I QChCare^I
     @>^I^Help F9^I@<
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     primary school?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]
     AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: PrimaryS IN QCh1Care.Child[Index2].ChAtt[]

AND: QCh2Care.Child[Index2].ChPri IN [Recept, Nursery]

RESERVECHECK

FRS1207A.QChCare.QCh5Care5 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care6.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     Breakfast / After school club?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Breakfst IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care6 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care7.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     Holiday scheme / club?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Holiday IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care7 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care8.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     Children's centres / integrated centres?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: ChCentre IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care8 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
    AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care9.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend in ^his_her
     boarding school?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Boarding IN QCh1Care.Child[Index2].ChAtt[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Boarding IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK

FRS1207A.QChCare.QCh5Care9 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Other IN QCh1Care.Child[Index2].ChAtt[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care10.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her other childcare provider?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Other IN QCh1Care.Child[Index2].ChAtt[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Other IN QCh1Care.Child[Index2].ChAtt[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Other IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Other IN QCh1Care.Child[Index2].ChAtt[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care10 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care11.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her grandparents?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Granps IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Granps IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care11 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care12.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her non-resident parent/ex-spouse/ex-partner?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRes IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care12 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care13

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care13.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her brother or sister?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: BroSis IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care13 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh5Care14

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care14.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her other relatives?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Rels IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Rels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care14 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh5Care15

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care15.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her childminder?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: ChMind IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care15 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh5Care16

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care16.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
      ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her nanny/au pair?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Nanny IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK

FRS1207A.QChCare.QCh5Care16 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh5Care17

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care17.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her friends or neighbours?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: Friends IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: Friends IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care17 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

FRS1207A.QChCare.QCh5Care18

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChAge := DMAge[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh5Care18.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
Person
     ^I QChCare^I
     Person identifier
     0..14
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
ChHr1
     ^I QChCare^I
     @>^I^Help_F9^I@<
     ^N
     About how many hours in the seven days ending Sunday the ^DatLSun did ^ChName spend with
     ^his_her other non-relatives?
     0..60
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     AND: Edit = No
     AND: ChHr1 = RESPONSE
     ChHr1 < 55
     Warning: The answer is much higher than the figures usually given at this question. Please check that
     your figure is correct. If so, suppress warning and continue.
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[] RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: NonRels IN QCh3Care.Child[Index2].ChPeo[]

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh5Care18 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care1

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
     (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
     (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
     (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
     (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
     (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
     (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care1.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
      (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
      (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
      (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in ^ChName's playgroup or pre-school, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care1.Child[Index2].ChHr1 > 0) OR
      (QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
(QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
(QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care1.Child[Index2].ChHr1 > 0) OR
(QCh5Care1.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care1 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0
RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care2

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
     (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
     (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
     (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
     (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
     (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
     (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care2.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
      (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
      (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
      (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in 'ChName's day nursery or workplace creche, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care2.Child[Index2].ChHr1 > 0) OR
      (QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
(QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
(QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care2.Child[Index2].ChHr1 > 0) OR
(QCh5Care2.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care2 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care3

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
     (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
     (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
     (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
     (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
     (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
     (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care3.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
      (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
      (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
      (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in 'ChName's nursery school, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care3.Child[Index2].ChHr1 > 0) OR
      (QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
(QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
(QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care3.Child[Index2].ChHr1 > 0) OR
(QCh5Care3.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care3 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
     (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
     (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
     (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
     (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
     (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
     (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care4.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
      (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
      (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
      (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in ^ChName's infant school, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care4.Child[Index2].ChHr1 > 0) OR
      (QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
(QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
(QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care4.Child[Index2].ChHr1 > 0) OR
(QCh5Care4.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care4 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
     (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
     (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
     (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
     (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
     (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
     (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care5.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
      (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
      (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
      (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in ^ChName's primary school, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care5.Child[Index2].ChHr1 > 0) OR
      (QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
(QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
(QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care5.Child[Index2].ChHr1 > 0) OR
(QCh5Care5.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care5 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
     (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
     (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
     (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
     (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
     (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
     (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care6.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
      (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
      (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
      (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in ^ChName's Breakfast / After school club, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care6.Child[Index2].ChHr1 > 0) OR
      (QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
(QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
(QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care6.Child[Index2].ChHr1 > 0) OR
(QCh5Care6.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care6 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
     (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
     (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
     (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
     (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
     (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
     (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care7.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
      (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
      (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
      (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in ^ChName's Holiday scheme / club, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care7.Child[Index2].ChHr1 > 0) OR
      (QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
(QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
(QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care7.Child[Index2].ChHr1 > 0) OR
(QCh5Care7.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care7 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
     (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
     (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
     (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
     (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
     (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
     (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care8.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
      (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
      (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
      (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      ^N
      Thinking of the childcare in 'ChName's Children's centres / integrated centres, does this cost you
      anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
      (QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
(QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
(QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care8.Child[Index2].ChHr1 > 0) OR
(QCh5Care8.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care8 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
     (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
     (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
     (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
     (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
     (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
     (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care9.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
      (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
      (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
      (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in ^ChName's boarding school, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care9.Child[Index2].ChHr1 > 0) OR
      (QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
(QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
(QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care9.Child[Index2].ChHr1 > 0) OR
(QCh5Care9.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care9 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
     (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
     (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
     (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
     (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
     (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
     (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care10.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
      (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
      (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
      (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare in ^ChName's (other) childcare provider, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care10.Child[Index2].ChHr1 > 0) OR
      (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
(QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR
(QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care10.Child[Index2].ChHr1 > 0) OR (QCh5Care10.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care10 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
     (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
     (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
     (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
     (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
     (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
     (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care11.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
      (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
      (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
      (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare with ^ChName's grandparents, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care11.Child[Index2].ChHr1 > 0) OR
      (QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
(QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR
(QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care11.Child[Index2].ChHr1 > 0) OR

(QCh5Care11.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care11 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0 RESERVECHECK

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
     (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
     (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
     (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
     (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
     (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
     (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care12.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
      (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
      (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
      (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      ^N
      Thinking of the childcare with ^ChName's non-resident parent/ex-spouse/ex-partner, does this cost you
      anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
      (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
(QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR
(QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care12.Child[Index2].ChHr1 > 0) OR (QCh5Care12.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care12 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care13

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
     (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
     (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
     (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
     (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
     (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
     (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care13.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
      (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
      (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
      (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare with ^ChName's brother or sister, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
              Yes
      (2)
              No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care13.Child[Index2].ChHr1 > 0) OR
      (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
(QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR
(QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care13.Child[Index2].ChHr1 > 0) OR (QCh5Care13.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care13 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care14

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
     (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
     (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
     (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
     (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
     (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
     (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care14.Child[]

```
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
      (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
     ^I QChCare^I
     BU number of person
     0..7
RECORD IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
      (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
Person
     ^I OChCare^I
     Person identifier
     0..14
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
      (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
Cost
     ^I QChCare^I
     ^I^ChName^I
     Thinking of the childcare with ^ChName's other relatives, does this cost you anything?
     ^I^IC Record the total cost to the parents/guardian.
     Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
     childcare (i.e. Childcare element of Working Tax Credit).
     Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
     unless received as a salary sacrifice.
     (1)
              Yes
     (2)
              No
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care14.Child[Index2].ChHr1 > 0) OR
      (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)
     RESERVECHECK
     RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
(QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR
(QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care14.Child[Index2].ChHr1 > 0) OR (QCh5Care14.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care14 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care15

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
     (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
     (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
     (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
     (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
     (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
     (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care15.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
      (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
      (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
      (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare with ^ChName's childminder, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care15.Child[Index2].ChHr1 > 0) OR
      (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
(QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR
(QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care15.Child[Index2].ChHr1 > 0) OR (QCh5Care15.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care15 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care16

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
     (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
     (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
     (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
     (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
     (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
     (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care16.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
      (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
      (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
      (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare with ^ChName's nanny/au-pair, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care16.Child[Index2].ChHr1 > 0) OR
      (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
(QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR
(QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care16.Child[Index2].ChHr1 > 0) OR (QCh5Care16.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care16 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care17

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
     (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
     (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
     (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
     (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
     (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
     (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh6Care17.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
      (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
      (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
      (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare with ^ChName's friends or neighbours, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care17.Child[Index2].ChHr1 > 0) OR
      (QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
(QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR
(QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care17.Child[Index2].ChHr1 > 0) OR

(QCh5Care17.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care17 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh6Care18

```
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
     (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
     (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
     (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
     (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
    AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
     (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
     (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
     AND: NOT (PRec[Index2].Sex = Female)
```

his her := 'his/her'

FRS1207A.QChCare.QCh6Care18.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
      (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
      (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
Person
      ^I OChCare^I
      Person identifier
      0..14
Ask if: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
      (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
Cost
      ^I QChCare^I
      ^I^ChName^I
      Thinking of the childcare with ^ChName's other non-relatives, does this cost you anything?
      ^I^IC Record the total cost to the parents/guardian.
      Include in the parent/guardian's total childcare cost any money received via Tax Credits to pay for the
      childcare (i.e. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      (1)
               Yes
      (2)
               No
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
           (QCh5Care18.Child[Index2].ChHr1 > 0) OR
      (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)
      RESERVECHECK
      RESERVECHECK
```

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
(QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR
(QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

AND: (QCh5Care18.Child[Index2].ChHr1 > 0) OR (QCh5Care18.Child[Index2].ChHr1 = DONTKNOW)

RESERVECHECK

FRS1207A.QChCare.QCh6Care18 (continued)

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh7Care1

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care1.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care1.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care1.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care1.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare in ^ChName's playgroup or pre-school?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ۸Į
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care1.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care1.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

AND: ChAmt1 > 0**AND:** Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13

weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care1.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care1 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care1.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care1.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

FRS1207A.QChCare.QCh7Care2

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care2.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care2.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care2.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care2.Child[]

```
RECORD IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes

BenUnit

^I QChCare^I

BU number of person

0..7

```
RECORD IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes

Person

^I QChCare^I

Person identifier

0..14

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes

ChAmt1

^I QChCare^I

^I^ChName^I

 N

How much was your most recent payment for the childcare in ^ChName's day nursery or workplace creche?^N

^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children.

Record the total cost to the parents/guardian.

Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for the childcare (e.g. Childcare element of Working Tax Credit).

Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.

0.00..99997.00

```
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care2.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care2.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care2.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
      ^I QChCare^I
      ^I^ChName^I
      ^N
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
               One week
               Two weeks
      (2)
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
               Six months/26 weeks
      (26)
               One Year/12 months/52 weeks
      (52)
```

(90)

(95)

(97)

Less than one week

One off/lump sum

None of these ^I(Explain in a note)

```
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: ChPd = Note
ChPx
     ^I QChCare^I
     ^I^IC ^Pd97Txt
     OPEN
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: Edit = Yes
     ChPd <> Note
     ^IEditor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
     If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13
     weeks'.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care2.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
```

FRS1207A.QChCare.QCh7Care2 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care2.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care2.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care3.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care3.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care3.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care3.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care3.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care3.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care3.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare in ^ChName's nursery school?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care3.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care3.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care3.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care3.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

AND: ChAmt1 > 0
AND: Edit = Yes
ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care3 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care3.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care3.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care4.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care4.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care4.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care4.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare in ^ChName's infant school?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care4.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care4.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

AND: ChAmt1 > 0**AND:** Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13

weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care4.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care4 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care4.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care4.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care5.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care5.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care5.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care5.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care5.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care5.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care5.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare in ^ChName's primary school?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care5.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ۸Į
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care5.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care5.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care5.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care5 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care5.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care5.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care6.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care6.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care6.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care6.Child[]

```
RECORD IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

BenUnit

^I QChCare^I

BU number of person

0..7

```
RECORD IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

Person

^I QChCare^I

Person identifier

0..14

```
Ask if: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes

ChAmt1

^I QChCare^I

^I^ChName^I

 N

How much was your most recent payment for the childcare in ^ChName's Breakfast / After school club?^N

^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children.

Record the total cost to the parents/guardian.

Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for the childcare (e.g. Childcare element of Working Tax Credit).

Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.

0.00..99997.00

```
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care6.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care6.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care6.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
      ^I QChCare^I
      ^I^ChName^I
      ^N
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
               One week
               Two weeks
      (2)
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
               Six months/26 weeks
      (26)
               One Year/12 months/52 weeks
```

(52)

(90)(95)

(97)

Less than one week

One off/lump sum

None of these ^I(Explain in a note)

```
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: ChPd = Note
ChPx
     ^I QChCare^I
     ^I^IC ^Pd97Txt
     OPEN
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: Edit = Yes
     ChPd <> Note
     ^IEditor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
     If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13
     weeks'.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care6.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
```

FRS1207A.QChCare.QCh7Care6 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care6.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care6.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care7.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care7.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care7.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care7.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care7.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care7.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care7.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare in ^ChName's Holiday scheme / club?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care7.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ۸Į
```

Warning: The answer is much higher than the figures usually given at this question. Please check that

your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care7.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care7.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care7.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care7 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care7.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care7.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care8.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care8.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care8.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care8.Child[]

```
RECORD IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes

BenUnit

^I QChCare^I

BU number of person

0..7

```
RECORD IF: AllCh > 0
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes

Person

^I QChCare^I

Person identifier

0..14

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes

ChAmt1

^I QChCare^I

^I^ChName^I

 N

How much was your most recent payment for the childcare in ^ChName's Children"s centres / integrated centres?^N

^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children.

Record the total cost to the parents/guardian.

Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for the childcare (e.g. Childcare element of Working Tax Credit).

Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.

0.00..99997.00

```
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care8.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care8.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care8.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
      ^I QChCare^I
      ^I^ChName^I
      ^N
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
               One week
               Two weeks
      (2)
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
               Six months/26 weeks
      (26)
               One Year/12 months/52 weeks
      (52)
```

Less than one week

One off/lump sum

None of these ^I(Explain in a note)

(90) (95)

(97)

```
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: ChPd = Note
ChPx
     ^I QChCare^I
     ^I^IC ^Pd97Txt
     OPEN
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: Edit = Yes
     ChPd <> Note
     ^IEditor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
     If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13
     weeks'.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care8.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
```

FRS1207A.QChCare.QCh7Care8 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care8.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care8.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care9.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care9.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care9.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care9.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare in ^ChName's boarding school?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ۸Į
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care9.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care9.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

AND: ChAmt1 > 0**AND:** Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13

weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care9.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care9 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care9.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care9.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care10.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care10.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care10.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care10.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care10.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's other provider?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care10.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care10.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
RESERVECHECK

DECEDI/ECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care10 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care10.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care10.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care11.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care11.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care11.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care11.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care11.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care11.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Carell.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care11.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's grandparents?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care11.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care11.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care11.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care11.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care11 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care11.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care11.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care12.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care12.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care12.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care12.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care12.Child[]

RECORD IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes

BenUnit

^I QChCare^I

BU number of person

0..7

RECORD IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes

Person

^I QChCare^I

Person identifier

0..14

Ask if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes

ChAmt1

^I QChCare^I

^I^ChName^I

 N

How much was your most recent payment for the childcare with ^ChName's non-resident parent/exspouse/ex-partner?^N

^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by number of children.

Record the total cost to the parents/guardian.

Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for the childcare (e.g. Childcare element of Working Tax Credit).

Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers unless received as a salary sacrifice.

0.00..99997.00

```
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care12.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      Warning: The answer is much higher than the figures usually given at this question. Please check that
      your figure is correct. If so, suppress warning and continue.
COMPUTE IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care12.Child[Index2].Cost = Yes
      AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care12.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
      ^I QChCare^I
      ^I^ChName^I
      ^N
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
      ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
               One week
               Two weeks
      (2)
      (3)
               Three weeks
      (4)
               Four weeks
      (5)
               Calendar month
      (7)
               Two Calendar months
      (8)
               Eight times a year
      (9)
               Nine times a year
      (10)
               Ten times a year
      (13)
               Three months/13 weeks
               Six months/26 weeks
      (26)
               One Year/12 months/52 weeks
      (52)
```

Less than one week

One off/lump sum

None of these ^I(Explain in a note)

(90) (95)

(97)

```
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: ChPd = Note
ChPx
     ^I QChCare^I
     ^I^IC ^Pd97Txt
     OPEN
Warn if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
     AND: ChAmt1 > 0
     AND: Edit = Yes
     ChPd <> Note
     ^IEditor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
     If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13
     weeks'.
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
WARN IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care12.Child[Index2].Cost = Yes
     RESERVECHECK
     RESERVECHECK
```

FRS1207A.QChCare.QCh7Care12 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care12.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care12.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care13.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care13.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's brother or sister?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care13.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care13.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

Warn if: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care13 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care13.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care13.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
PerNo := Index2
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care14.Child[PerNo].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care14.Child[PerNo].Cost = Yes
Child[Index2].Person := Index2
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care14.Child[PerNo].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care14.Child[PerNo].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care14.Child[PerNo].Cost = Yes
     AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care14.Child[PerNo].Cost = Yes
     AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care14.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care14.Child[PerNo].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care14.Child[PerNo].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care14.Child[PerNo].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's other relatives?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care14.Child[PerNo].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care14.Child[PerNo].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care14.Child[PerNo].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care14.Child[PerNo].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes

RESERVECHECK RESERVECHECK

Page 743

FRS1207A.QChCare.QCh7Care14 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care14.Child[PerNo].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care14.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care15.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care15.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care15.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care15.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care15.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care15.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care15.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's childminder?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care15.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care15.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care15.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care15.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care15 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care15.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care15.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care16.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care16.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care16.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care16.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care16.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's nanny/au pair?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care16.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care16.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

AND: ChAmt1 > 0**AND:** Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13

weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize AND: QCh6Care16.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care16 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care16.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care16.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care17.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care17.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care17.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's friends or neighbours?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice.
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ΛΙ
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care17.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care17.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13 weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care17 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care17.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care17.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

RESERVECHECK

FRS1207A.QChCare.QCh7Care18

```
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
Child[Index2].BenUnit := DMBU[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care18.Child[Index2].Cost = Yes
Child[Index2].Person := Index2
Compute if: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
ChName := DMName[[Index2]
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care18.Child[Index2].Cost = Yes
     AND: PRec[Index2].Sex = Male
his her := 'his'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care18.Child[Index2].Cost = Yes
    AND: PRec[Index2].Sex = Female
his her := 'her'
COMPUTE IF: AllCh > 0
    AND: In loop FOR Index2 := 1 TO HHSize
    AND: QCh6Care18.Child[Index2].Cost = Yes
    AND: NOT (PRec[Index2].Sex = Female)
his her := 'his/her'
```

FRS1207A.QChCare.QCh7Care18.Child[]

```
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
BenUnit
      ^I QChCare^I
      BU number of person
      0..7
RECORD IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
Person
      ^I QChCare^I
      Person identifier
      0..14
Ask IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
ChAmt1
      ^I QChCare^I
      ^I^ChName^I
      ^N
      How much was your most recent payment for the childcare with ^ChName's other non-relatives?^N
      ^I^IC If unable to attribute costs per child, then enter an estimate by dividing total childcare costs by
      number of children.
      Record the total cost to the parents/guardian.
      Include in the total childcare cost to the parent/guardian any money received via Tax Credits to pay for
      the childcare (e.g. Childcare element of Working Tax Credit).
      Exclude payments made by others e.g. grandparents or where payment is made with childcare vouchers
      unless received as a salary sacrifice..
      0.00..99997.00
WARN IF: AllCh > 0
      AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
      AND: ChAmt1 = RESPONSE
      ChAmt1 < 130
      ۸Į
      Warning: The answer is much higher than the figures usually given at this question. Please check that
```

your figure is correct. If so, suppress warning and continue.

```
COMPUTE IF: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
     AND: QCh6Care18.Child[Index2].Cost = Yes
     AND: ChAmt1 = NONRESPONSE
HMissVar := (HMissVar + 1)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
ChPd
     ^I QChCare^I
      ^I^ChName^I
      And what period did that payment cover?^N
      ^I^IC If hourly rate code as 90 'Less than one week'.
     ^I^IC If payment period is per school term code as 13 'Three months/13 weeks'.
      (1)
              One week
      (2)
              Two weeks
      (3)
              Three weeks
      (4)
              Four weeks
      (5)
              Calendar month
      (7)
              Two Calendar months
      (8)
              Eight times a year
      (9)
              Nine times a year
              Ten times a year
      (10)
      (13)
              Three months/13 weeks
      (26)
              Six months/26 weeks
      (52)
              One Year/12 months/52 weeks
      (90)
              Less than one week
      (95)
              One off/lump sum
      (97)
              None of these ^I(Explain in a note)
Ask if: AllCh > 0
     AND: In loop FOR Index2 := 1 TO HHSize
      AND: QCh6Care18.Child[Index2].Cost = Yes
      AND: ChAmt1 > 0
      AND: ChPd = Note
ChPx
      ^I QChCare^I
      ^I^IC ^Pd97Txt
      OPEN
```

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes

AND: ChAmt1 > 0 AND: Edit = Yes ChPd <> Note

^IEditor: Code 97 must be re-coded into existing list.

If you temporarily suppress this check you must come back to resolve it.

If there is an interviewer note to say that the amount covers one term, code as 13 'Three months/13

weeks'.

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes

RESERVECHECK

RESERVECHECK

WARN IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes

RESERVECHECK RESERVECHECK

FRS1207A.QChCare.QCh7Care18 (continued)

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize
AND: QCh6Care18.Child[Index2].Cost = Yes
AND: Child[Index2].ChAmt1 = RESPONSE

(Child[Index2].ChAmt1 > 0) AND

INVOLVING(QCh6Care18.Child[].Cost[Index2],Child[Index2].ChAmt1)

A childcare payment of £0.00 has been entered. Please enter a childcare payment. If no childcare payment is made return to the question 'Cost' and record as 2 'No' childcare does not cost anything.

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

AND: In loop FOR Index2 := 1 TO HHSize

RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0

RESERVECHECK

RESERVECHECK

Block: FRS1207A.QChCare

FRS1207A.QChCare (continued)

Questions about child care

CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	
CHECK IF: AllCh > 0 RESERVECHECK	
RESERVECHECK	

Block: FRS1207A.QChCare

CHECK IF: AllCh > 0
RESERVECHECK
RESERVECHECK

CHECK IF: AllCh > 0
RESERVECHECK

RESERVECHECK

CHECK IF: AllCh > 0
RESERVECHECK

RESERVECHECK

RESERVECHECK

Block: FRS1207A

FRS1207A (continued)

FAMILY RESOURCES SURVEY 2012-2013

```
CHECK IF: AllCh > 0
     RESERVECHECK
      RESERVECHECK
CHECK IF: AllCh > 0
      RESERVECHECK
      RESERVECHECK
CHECK IF: AllCh > 0
      RESERVECHECK
      RESERVECHECK
CHECK IF: AllCh > 0
      RESERVECHECK
      RESERVECHECK
Compute if: In loop FOR Loop1 := 1 TO 14
      AND: ((((QChCare.QCh4Care.Child[Loop1].Registrd[1] = Registered) OR
      (QChCare.QCh4Care.Child[Loop1].Registrd[2] = Registered)) OR
      (QChCare.QCh4Care.Child[Loop1].Registrd[3] = Registered)) OR (QChCare.QCh4Care.Child[Loop1].Registrd[4] = Registered)) OR (QChCare.QCh4Care.Child[Loop1].Registrd[5] = Registered)
ChRegis := (ChRegis + 1)
COMPUTE IF: In loop FOR Loop1 := 1 TO 14
      AND: DMAge[Loop1] IN [0 .. 15]
      AND: DMNumParn[Loop1] = 1
LoneParent := Yes
Compute if: In loop FOR Loop1 := 1 TO 14
      AND: DMAge[Loop1] IN [0 .. 15]
AND: DMNumParn[Loop1] = 1
NCDVLP := Yes
Compute if: In loop FOR Loop1 := 1 TO 14
      AND: DMAge[Loop1] IN [0 .. 15]
AND: DMNumParn[Loop1] > 1
LoneParent := No
```

Block: FRS1207A.QCare

FRS1207A.QCare

Questions about carers/cared for

ASK ALWAYS:

NeedHelp

^I QCare^I

^I^B

Keeping an eye out, 'being there': 'B

Being available if needed

Making your whereabouts known so you can be contacted if needed

^B

Social support and assistance: ^B

Sitting with

Chatting with/listening to/reading to

Making/receiving telephone calls to talk to them

Encouraging them to do things for themselves

^B

Accompanying on trips out to go: ^B

Shopping

To hospital/ GP/ optician/ dentist/ chiropodist

To the park/ place of worship/ restaurant

۸B

Paperwork/ official/ financial: ^B

Helping with paperwork

Dealing with 'officials' (including by phone)

^B

Home and garden: ^B

Making meals

Going shopping for someone

Washing/ ironing/ changing sheets

Cleaning/ housework

Gardening

Odd jobs/ maintenance

^B

Medical:^B

Collecting prescriptions/ giving medication

Changing dressings

^B

Moving about the home: Giving help with^B

Getting up and down stairs

Moving from room to room

Getting in and out of bed

^B

Personal care: help with B

Getting dressed

Feeding

Washing/ bathing/ using the toilet

- (1) Yes
- (2) No

Block: FRS1207A.QCare

ASK ALWAYS:

GiveHelp

^I QCare^I

۷I^B

Keeping an eye out, 'being there': ^B

Being available if needed

Making your whereabouts known so you can be contacted if needed

۸R

Social support and assistance: B

Sitting with

Chatting with/listening to/reading to

Making/receiving telephone calls to talk to them

Encouraging them to do things for themselves

^B

Accompanying on trips out to go:^B

Shopping

To hospital/ GP/ optician/ dentist/ chiropodist

To the park/ place of worship/ restaurant

^B

Paperwork/ official/ financial:^B

Helping with paperwork

Dealing with 'officials' (including by phone)

^B

Home and garden: ^B

Making meals

Going shopping for someone

Washing/ironing/ changing sheets

Cleaning/ housework

Gardening

Odd jobs/maintenance

^B

Medical:^B

Collecting prescriptions/giving medication

Changing dressings

^B

Moving about the home: Giving help with^B

Getting up and down stairs Moving from room to room

Getting in and out of bed

^B

Personal care: help with B

Getting dressed

Feeding

Washing/ bathing/ using the toilet

- (1) Yes
- (2) No

FRS1207A.QCare.QRecHelp

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: NeedHelp = Yes
    AND: In loop FOR Idy := 1 TO HHSize
LName[Idy] := DMName[[Idy]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[15] := 'Parent outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[16] := 'Other Parent outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[17] := 'Child outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[18] := 'Spouse outside household'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[19] := 'Other relative'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[20] := 'Friend/neighbour'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[21] := 'Client of voluntary organisation'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: GiveHelp = Yes
LName[22] := 'Other non-household'
```

```
Ask IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
```

QNeedPer

```
^I QCare^I
```

If they provide help or give help for B more than one B individual in any one category of:

- 15: Parent outside household
- 16: Other parent outside household
- 18: Child outside household
- 19: Relative
- 20: Friend/neighbour
- 21: Client of voluntary organisation
- 22: Other non-household

Please make a Note here <Ctrl+M> to tell us how many^B more^B people are involved.

```
SET [5] OF
```

- ^LName[1] (1)
- (2) ^LName[2]
- (3) ^LName[3]
- (4)^LName[4]
- (5)^LName[5]
- ^LName[6] (6)
- ^LName[7] (7)
- ^LName[8] (8)
- (9)^LName[9]
- (10)^LName[10]
- (11)^LName[11]
- ^LName[12] (12)
- (13)^LName[13]
- (14)^LName[14]
- ^LName[15] (15)
- ^LName[16] (16)
- ^LName[17] (17)(18)^LName[18]
- (19)^LName[19]
- (20)^LName[20]
- (21)^LName[21]
- (22)^LName[22]

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR ixy := 1 TO 22
    AND: ixy IN QNeedPer
    (LName[ixy] <> '') AND INVOLVING(QNeedPer)
```

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: Per22 IN QNeedPer
```

Record a valid code for person cared for.

NeedPerO

^I QCare^I

Who is the other person outside the household receiving help or being looked after?

STRING[40]

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop \bar{F}OR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] IN [Per1 .. Per22]
NeedNum := ORD(QNeedPer[Idx])
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: NeedNum IN [1 .. 14]
NeedName := DMName[[NeedNum]
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per15
NeedName := 'the PARENT'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per16
NeedName := 'the OTHER PARENT'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per17
NeedName := 'the CHILD'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per18
NeedName := 'the SPOUSE'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per19
NeedName := 'the RELATIVE'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per20
NeedName := 'the FRIEND/NEIGHBOUR'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: QNeedPer[Idx] = Per21
NeedName := 'the CLIENT of a voluntary organisation'
```

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL **AND:** QNeedPer[Idx] = Per22

NeedName := UPCASE(NeedPerO)

Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5

AND: Idx <= QNeedPer.CARDINAL

Recip[Idx].NeedPer := NeedNum

FRS1207A.QCare.QRecHelp.Recip[]

```
RECORD IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
NeedPer
     ^I QCare^I
     Who is receiving help/being looked after.
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
LNeedPer := NeedPer
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
LNeedName := PNeedName
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{F}OR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: PRec[LNeedPer].Sex = Male
need hisher := 'his'
{\it Compute if:} (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
     AND: PRec[LNeedPer].Sex = Male
need heshe := 'he'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \tilde{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: PRec[LNeedPer].Sex = Male
need himher := 'him'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: PRec[LNeedPer].Sex = Female
need hisher := 'her'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: PRec[LNeedPer].Sex = Female
need heshe := 'she'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: PRec[LNeedPer].Sex = Female
need himher := 'her'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: NOT (PRec[LNeedPer].Sex = Female)
need hisher := 'his/her'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: NOT (PRec[LNeedPer].Sex = Female)
need heshe := 'he/she'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: NOT (PRec[LNeedPer].Sex = Female)
need himher := 'him/her'
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
Freq
     ^I QCare^I
     ^N
     How frequently does ^LNeedName receive such help?
     (1)
             Continuously
     (2)
             Several times a day
     (3)
             Once or twice a day
     (4)
             Several times a week
             Once a week
     (5)
             Less frequently
     (6)
```

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: Freq IN [Continuously, SevDay]
DayNight
     ^I QCare^I
     ^N
     And does ^LNeedName receive help during the daytime; or at night; or both in the day^B
     and B at night?
     (1)
             Daytime only
     (2)
              At night only
             Both day and night
     (3)
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Rel := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Fri := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
LAH := ''
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Dom := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: LNeedPer > 14
Nur := ''
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
AND: LNeedPer > 14
Hel := ''
```

```
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Rel := 'Relatives'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Fri := 'Friends/Neighbours'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
    AND: OrgID = NISRA
LAH := 'Social Services home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
    AND: NOT (OrgID = NISRA)
LAH := 'Local Authority home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop \overline{F}OR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Dom := 'Private domestic help'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Nur := 'District nurse, health visitor or other kind of
nurse'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: NOT (LNeedPer > 14)
Hel := 'Other outside helpers'
```

```
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
WhoLook
     ^I QCare^I
     ^N
     Who looks after, or provides help for ^LNeedName? ^Anyone_else?^N
     ^I^IC Code all that apply.
     SET [5] OF
             ^DMName[1]
     (1)
     (2)
             ^DMName[2]
             ^DMName[3]
     (3)
     (4)
             ^DMName[4]
     (5)
             ^DMName[5]
     (6)
             ^DMName[6]
     (7)
             ^DMName[7]
     (8)
             ^DMName[8]
     (9)
             ^DMName[9]
             ^DMName[10]
     (10)
             ^DMName[11]
     (11)
             ^DMName[12]
     (12)
             ^DMName[13]
     (13)
     (14)
             ^DMName[14]
     (15)
             ^Rel
     (16)
             ^Fri
             ^LAH
     (17)
     (18)
             ^Dom
     (19)
             ^Nur
     (20)
             ^Hel
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR ixx := 1 TO 14
AND: ixx IN WhoLook
     (DMName[[ixx] <> '') AND INVOLVING(WhoLook)
     Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: Relative IN WhoLook
     (Rel <> '') AND INVOLVING(WhoLook)
     ۸Ţ
     Record valid code for carer.
```

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
    AND: Friends IN WhoLook
     (Fri <> '') AND INVOLVING(WhoLook)
    Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
    AND: LAHelp IN WhoLook
     (LAH <> '') AND INVOLVING (WhoLook)
    Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
    AND: Domestic IN WhoLook
     (Dom <> '') AND INVOLVING(WhoLook)
    Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
    AND: Nurse IN WhoLook
     (Nur <> '') AND INVOLVING(WhoLook)
    ۸I
    Record valid code for carer.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
    AND: Helpers IN WhoLook
     (Hel <> '') AND INVOLVING(WhoLook)
    Record valid code for carer.
Check if: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: LNeedPer > 14
    (IN(LAHelp, WhoLook))) OR (IN(Domestic, WhoLook))) OR
     (IN(Nurse, WhoLook))) OR (IN(Helpers, WhoLook)))
    ^I^IC That code is invalid
```

```
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: LNeedPer <= 14
     NOT (IN (LNeedPer, WhoLook))
     ^I^IC You've included ^LNeedName as looking after ^need_himherself. Please remove
     ^need himher from the answer at WhoLook.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 14
     AND: Count IN WhoLook
     DMAge[[Count] >= 0
     ^I^IC Code ^Count is not valid for this question.
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= ONeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 14
     RESERVECHECK
     RESERVECHECK
CHECK IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 14
     RESERVECHECK
     RESERVECHECK
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] IN [Per1 .. Per14]
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq \ \tilde{IN} \ [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] IN [Per1 .. Per14]
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] IN [Per1 .. Per14]
helper := DMName[[ORD(WhoLook[Count])]
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] IN [Perl .. Perl4]
HCount := ORD(WhoLook[Count])
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Relative
does := 'does'
{\it Compute if:} (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Relative
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Relative
helper := 'the relative'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Relative
HCount := 15
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Friends
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Friends
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Friends
helper := 'the friend'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Friends
HCount := 16
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
    AND: OrgID = NISRA
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
    AND: OrgID = NISRA
has := 'has'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: OrgID = NISRA
helper := ('the Social Services home help or ' + 'home
care worker')
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NOT (OrgID = NISRA)
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
    AND: NOT (OrgID = NISRA)
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
     AND: NOT (OrgID = NISRA)
helper := 'the LA home help or home care worker'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = LAHelp
HCount := 17
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq \tilde{IN} [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
does := 'does'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
has := 'has'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
helper := 'the private domestic help'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Domestic
HCount := 18
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Nurse
does := 'does'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Nurse
has := 'has'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Nurse
helper := 'the nurse'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Nurse
HCount := 19
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Helpers
does := 'does'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) And: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Helpers
has := 'has'
Compute if: (NeedHelp = Yes) OR (GiveHelp = Yes) AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Helpers
helper := 'the outside helper'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: WhoLook[Count] = Helpers
HCount := 20
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: HCount <= 14
     AND: PRec[HCount].Sex = Male
help hisher := 'his'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: HCount <= 14
     AND: PRec[HCount].Sex = Male
help heshe := 'he'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{FOR} Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: HCount <= 14
     AND: PRec[HCount].Sex = Female
help hisher := 'her'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: HCount <= 14
     AND: PRec[HCount].Sex = Female
help heshe := 'she'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: HCount <= 14
     AND: NOT (PRec[HCount].Sex = Female)
help hisher := 'his/her'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop \overline{F}OR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: HCount <= 14
     AND: NOT (PRec[HCount].Sex = Female)
help heshe := 'he/she'
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: NOT (HCount <= 14)
help hisher := 'his/her'
```

```
COMPUTE IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: NOT (HCount <= 14)
help heshe := 'he/she'
Ask If: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
Hour
     ^I QCare^I
     ^I^IS D2^I
     ^N
     About how many hours a week, on average, does 'helper spend actually providing help for or
     looking after ^LNeedName?
     (1)
             0-4 hours per week
     (2)
             5-9 hours per week
     (3)
             10-19 hours per week
     (4)
             20-34 hours per week
     (5)
             35-49 hours per week
     (6)
             50-99 hours per week
```

- (7) 100 or more hours per week
- (8) Varies - under 20 hours per week
- (9) Varies - 20-34 hours per week
- (10)Varies - 35 hours a week or more

```
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
    AND: In loop FOR Idx := 1 TO 5
    AND: Idx <= QNeedPer.CARDINAL
    AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
    AND: In loop FOR Count := 1 TO 5
    AND: Count <= WhoLook.CARDINAL
    AND: Edit <> Yes
    AND: HCount <= 14
    AND: DMAge[HCount] IN [1 .. 15]
    Hour[Count] <> over100
```

Are you sure that the child(ren) are looking after ^LNeedName for 100 hours a week or more? If so, suppress warning.

```
RECORD IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: ((DMAge[HCount] IN [16 .. 19]) AND (PRec[HCount].FtEd <>
     Yes)) AND (Hour[Count] IN [upto49, upto99, over100, var35])
ChCAPx
     ^I QCare^I
     ^I^IC ^Pd97Txt
     OPEN
RECORD IF: (NeedHelp = Yes) OR (GiveHelp = Yes) 
 AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: ((DMAge[HCount] IN [16 .. 19]) AND (PRec[HCount].FtEd <>
     Yes)) AND (Hour[Count] IN [upto49, upto99, over100, var35])
ChCAEx
     ^I OCare^I
     ΛΙ
     ^IC ^SuppTxt
     OPEN
Ask if: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: ((DMAge[HCount] IN [16 .. 19]) AND (PRec[HCount].FtEd <>
     Yes)) AND (Hour[Count] IN [upto49, upto99, over100, var35])
     AND: ChCA[Count] = Yes
ChCAAmt
     ^I QCare^I
     ^N
     How much did ^help_heshe get last time?
     0.01..99997.00
```

```
RECORD IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: ((DMAge[HCount] IN [16 .. 19]) AND (PRec[HCount].FtEd <>
     Yes)) AND (Hour[Count] IN [upto49, upto99, over100, var35])
     AND: ChCA[Count] = Yes
ChCAPx
     ^I QCare^I
     ^I^IC ^Pd97Txt
     OPEN
Ask If: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx \leftarrow QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: ((DMAge[HCount] IN [16 .. 19]) AND (PRec[HCount].FtEd <>
     Yes)) AND (Hour[Count] IN [upto49, upto99, over100, var35])
     AND: ChCA[Count] = Yes
     AND: ChCAAmt[Count] IN [0.01 .. 99997]
     AND: ChCAPd[Count] = Note
ChCAPx
     ^I QCare^I
     ^I^IC ^Pd97Txt
     OPEN
WARN IF: (NeedHelp = Yes) OR (GiveHelp = Yes)
     AND: In loop FOR Idx := 1 TO 5
     AND: Idx <= QNeedPer.CARDINAL
     AND: (Freq IN [Continuously .. OWeek]) OR Freq = NONRESPONSE
     AND: In loop FOR Count := 1 TO 5
     AND: Count <= WhoLook.CARDINAL
     AND: ((DMAge[HCount] IN [16 .. 19]) AND (PRec[HCount].FtEd <> Yes)) AND (Hour[Count] IN [upto49, upto99, over100, var35])
     AND: ChCA[Count] = Yes
     AND: ChCAAmt[Count] IN [0.01 .. 99997]
     AND: Edit = Yes
     ChCAPd[Count] <> Note
     ۸Ţ
     Editor: Code 97 must be re-coded into existing list.
     If you temporarily suppress this check you must come back to resolve it.
```